Remington's Pharmaceutical Sciences

A treatise on the theory and practice of pharmaceutical sciences, with essential information about pharmaceutical and medicinal agents; also a guide to the professional responsibilities and services of the pharmacist as a member of the health team A textbook and reference work for pharmacists, physicians, and other medical scientists

EDITORIAL BOARD MEMBERS

Arthur Osol, Chairman

Alfonso R. Gennaro Harold S. Hutchison Ewart A. Swinyard Melvin R. Gibson Walter Kowalick Linwood F. Tice Stewart C. Harvey Alfred N. Martin Clarence T. Van Meter

SECTION EDITORS

John T. AndersonCecil L. BendushGrafton D. Chaselfonso R. GennaroMelvin R. GibsonC. Boyd GranbergStewart C. HarveyRobert E. KingAlfred N. MartinEwart A. Swinyard

MANAGING EDITOR

John E. Hoover

With the cooperation of more than 300 editors, associate editors, and contributors Over 1,000 Illustrations

FIFTEENTH EDITION

1975

Published in the 155th Year of the Philadelphia College of Pharmacy and Science

MACK PUBLISHING COMPANY

Easton, Pennsylvania 18042

iii

105200

Find authenticated court documents without watermarks at docketalarm.com.

Entered according to Act of Congress, in the year 1885 by Joseph P. Remington, in the Office of the Librarian of Congress, at Washington, D. C.

Copyright 1889, 1894, 1905, 1907, 1917, by Joseph P. Remington

Copyright 1926, 1936, by Joseph P. Remington Estate

Copyright 1948, 1951, by The Philadelphia College of Pharmacy and Science Copyright © 1956, 1960, 1965, 1970, 1975, by The Philadelphia College of Pharmacy and Science

All Rights Reserved

Library of Congress Catalog Card No. 60-53334

The use of portions of the text of USP XIX and NF XIV is by permission of the U.S.P. Convention. Neither the Convention nor the American Pharmaceutical Association, original publisher of the N.F., is responsible for any inaccuracy of quotation or for any false or misleading implication that may arise from separation of excerpts from the original context or by obsolescence resulting from publication of a supplement.

Notice

This text is not intended to represent, nor shall it be interpreted to be, the equivalent of or a substitute for the official United States Pharmacopeia (USP) and/or the National Formulary (NF). In the event of any difference or discrepancy between the current official USP or NF standards of strength, quality, purity, packaging and labeling for drugs and representations of them herein, the context and effect of the official compendia shall prevail.

Authority to use selected portions of the text of the second edition of AMA Drug Evaluations has been granted by the American Medical Association. The American Medical Association is not responsible for any inaccuracies of the text thus used.

Printed in the United States of America by the Mack Printing Company, Easton, Pennsylvania

iv

Find authenticated court documents without watermarks at docketalarm.com.

Table of Contents

Orientation PART 1

D

Δ

 \mathbf{O}

R

Μ

Δ

| PAH | II 1 Orientation | |
|--------|--|------------|
| Gene | ral Notices | xii |
| 1 | Scope | ·3. |
| 2 | Evolution of Pharmacy | 8 |
| 3 | Ethics | 28 |
| 4 | Pharmacists in Practice | 37 |
| c a | Pharmacists in Government | 47 |
| 7 | Literature | 54 |
| 8 | Research | 65 |
| | | |
| PAF | T 2 Pharmaceutics | |
| 9 | Metrology and Calculation | 75 🗸 |
| 10 | Statistics | 117 |
| 11 | Computer Science | 151 |
| 12 | Calculus . | 162 |
| 13 | Atomic and Molecular Structure and the States of | 171 |
| H A | Matter. | 200 |
| 14 | Quantum Chemistry | 211 |
| 16 | Thermodynamics | 219 |
| 17 | Solutions and Phase Equilibria | 229 |
| 18 | Ionic Solutions and Electrolytic Equilibria | 255 |
| 19 | Reaction Kinetics | 275 |
| 20 | VInterfacial Phenomena | 285 |
| 21 | Colloidal Dispersions | 299 |
| 22 | Coarse Dispersions | 322 340 |
| 23 | Particle Phenomena | 350 |
| 24 | Rheology | |
| PA | RT 3 Pharmaceutical Chemistry | |
| | | 071 |
| 25 | Inorganic Pharmaceutical Chemistry | 371 |
| 26 | Organic Pharmaceutical Onemistry | 416 |
| 27 | Drug Nomenclature-United States Adopted Names | 446 |
| 29 | Structure-Activity Relationship and Drug Design | 454 |
| | | |
| PA | RT 4 Radioisotopes in Pharmacy and Medic | ine |
| | The law set of Dedicisation on | 473 |
| 30 | Medical Applications of Badioisotopes | 492 |
| 51 | Medical Applications of Hadisbetopee | |
| | | (- • |
| PA | RT 5 Testing and Analysis | |
| 20 | Official Poquirements and Tests | 519_ |
| . 32 | A nalveis of Medicinals | 530 |
| 34 | Biological Testing | 563 |
| 35 | 5 Clinical Analysis | 577 |
| 36 | 6 Chromatography | 612 |
| 37 | 7 Instrumental Methods of Analysis | 638 |
| | | |
| PA | RT 6 Pharmaceutical and Medicinal Agents | |
| ~ | Drug Absorption Action and Disposition | 669 |
| 30 | Toploal Drugs | 712 |
| | Castrointestinal Drugs | 731 |
| 4 | 1 Blood, Fluids, Electrolytes, and Hematologic Drugs | 7.54 |
| 42 | 2 Cardiovascular Drugs | 780 |
| 4: | 3 Respiratory Drugs | 798 |
| 4 | 4 Sympathomimetic Drugs | 807 |
| 4 | 5 Cholinomimetic (Parasympathomimetic) Drugs | 825 |
| 4 | 6 Adrenergic Blocking Drugs | 833 |
| 4 | 7 Antimuscarinic Drugs | 851 851 |
| 4 | 8 Skeletal Muscle Helaxants | 861 |
| 43 | 0 Uterine Drugs | 874 |
| | | |

| 51 | Hormones | 879 |
|-----|---|-------|
| 52 | Vitamins and Other Nutrients | 935 |
| 52 | | 971 |
| 54 | General Anesthetics | 976 |
| 55 | Local Anesthetics | 986 |
| 55 | Sodatives and Hyphotics | 997 |
| 50 | Antionilantics | 1013 |
| 51 | Pauchonharmacologic Agents | 1020 |
| 50 | Analgosias and Antipyretics | 1035 |
| 59 | Analgesics and Antibiotomipos | 1055 |
| 00 | Antinistanines | 1067 |
| 61 | Central Nervous System Sumulants | 107/ |
| 62 | Antineoplastic and immunosuppressive Drugs. | 1074 |
| 63 | Antimicrobial Drugs | 1007 |
| 64 | Parasiticides | 11/2 |
| 65 | Pesticides | 1,182 |
| 66 | Diagnostic Drugs | 1208 |
| 67 | Pharmaceutical Necessities | 1221 |
| 68 | Adverse Effects of Drugs | 1270 |
| 69 | Pharmacological Aspects of Drug Abuse | 1286 |
| 70 | Introduction of New Drugs | 1300 |
| . • | ······································ | |
| | | |

PART 7 **Biological Products**

| 71 | Principles of Immunology. | | | | | | | 1315 |
|----|---------------------------|--|---|--|---|---|---|------|
| 72 | Immunizing Agents | | | | | | | 1324 |
| 73 | Diagnostic Biologicals | | • | | | | • | 1341 |
| 74 | Allergenic Extracts | | | | • | • | • | 1344 |

Pharmaceutical Preparations and Their PART 8 Manufacture

| | | 1955 |
|------------|--|------------|
| 75 | Formulation | 1000 |
| 76 | Bioavailability and Bioequivalency Testing | 1368 |
| 77 | Separation | 1375 |
| 78 | Sterilization | 1389 |
| 79 | Isotonic Solutions' | 1405 |
| 80 | Plastic Packaging Materials | 1413 |
| 81 | Stability of Pharmaceutical Products> | 1419 |
| 82 | Control | 1429 |
| 83 | Solutions, Emulsions, and Suspensions | 1436 |
| 84 | Parenteral Preparations | 1461 |
| 85 | Onhthalmic Preparations | 488 |
| 86 | Extraction and Extractives | 1509 |
| 87 | Medicated Applications | 1523 |
| 88 | Powders | 1554 |
| 89 | Tablets, Capsules, and Pills | 1576 |
| 90 | Coating of Pharmaceutical Dosage Forms | 1608 |
| 91 | Prolonged-Action Pharmaceuticals | 1618 |
| 92 | Aerosols | 1644 |
| <u>с</u> . | | |
| | | |

Pharmaceutical Practice PART 9

| 93 - | The Patient | 1667 |
|------|--|------|
| 94 | Ambulatory Patient Care | 1670 |
| 95 | Institutional Patient Care | 1680 |
| 96 | Patient Communication | 1702 |
| 97 | The Prescription | 1710 |
| 98 | Drug Interactions | 1733 |
| 99 | Utilization and Evaluation of Clinical Drug Literature | 1760 |
| 100 | Surgical Supplies | 1770 |
| 101 | Health Accessories | 1782 |
| 102 | Poison Control | 1825 |
| 103 | Laws Governing Pharmacy | 1836 |
| 104 | Pharmaceutical Economics and Management | 1866 |
| 105 | Dental Services | 1886 |
| 106 | Veterinary Services | 1897 |

Appendix PART 10

| Mańufacturers Index | 1907 1919 |
|---------------------|---------------------|
| | |

Find authenticated court documents without watermarks at docketalarm.com.

24 Rheology elastic solids Newtonian, pseudoplastic, pseudoplastic,

- Replace and a damagined planting a section of the elastic solids and dilatant liquids semisolids aels thixotropy flow of dispersions viscoelasticity

> Hans Schott, PhD Professor of Physical and Colloid Chemistry, School of Pharmacy, Temple University, Philadelphia, PA 19140

Rheology is the branch of physics which deals with deformation and flow of matter. It is important in many fields. To the physiologist, rheology governs the circulation of blood and lymph through capillaries and large vessels, flow of mucus, bending of bones, stretching of cartilage, contraction of muscles, and spreading of the gluteal region when sitting down. To the physician, the fluidity of solutions to be injected with hypodermic syringes or infused intravenously, flexibility of tubing used in catheters, extensibility of gut, action of fecal softeners, and strength of sutures and ligatures are important rheological properties. To the pharmacist, rheology is important in the flow of emulsions through colloid mills and pumps, working of ointments on slabs or roller mills, trituration of suspensions in mortar and pestle, and properties of glass or plastic containers and of rubber closures. To the consumer, rheology comes into play when he squeezes toothpaste from a collapsible tube, spreads lotion on his skin or butter on a slice of bread or paint on a surface, writes with a pen, sprays liquids from atomizers or aerosol cans, chews food, hits balls with racket, paddle, bat, or club, jumps on a trampolin or off a diving board, swims, and lays down in bed and compresses the stuffing and metal springs in the mattress.

From the rheological viewpoint, systems are solid if they preserve shape and volume, liquid if they preserve their volume, and gaseous if neither shape nor volume remains constant when forces are applied to them. Of the three systems, the transport properties of gases, described by the kinetic theory of gases, are best understood, but they are of minor importance in pharmacy.

Ideal solids are deformed when stresses are applied to them but regain their original shape completely when the stresses are released. The ability to restore their shape is called elasticity. Similarly, liquids can be compressed to somewhat smaller volumes, but assume their original volumes when the pressure is released. The dividing line between solids and liquids is not clear-cut. As explained below, some systems which behave as elastic solids when subjected to small stresses and/or to moderate stresses of short duration will undergo permanent deformation, resembling very viscous liquids, if the stresses are larger and/or applied for longer periods of time.

Nues provident et al. 19 anno 1 Manhard i no caje tempes de 19 ha

rheology of select pharmaceutical systems viscometers

Fundamentals

ngan (partisana) Salah (partisana) Salah (partisana) The concepts and quantitative aspects of rheology are described in this section.

Revenue plantitient for a diver-

Elastic Solids

When a ball (rubber ball, steel ball bearing, or baseball) is dropped on the floor or hit with a bat, it is temporarily flattened. After the impact, the original spherical shape is restored. When we pull on a rubber band, steel spring, or muscle, they stretch or extend. On release, they resume their original length. This behavior, characteristic of solids, is called elasticity.

The force F producing the deformation, or the equal and opposite restoring force in the deformed solid, divided by the area A over which F is applied, is called stress. In the stretching process, A is the cross-sectional area of the filaments, and the deformation is said to be in tension. Other modes of deformation are by bending or flexure, torsion, compression, and shear. The deformation or strain of the stretched filaments, or their elongation, is the difference between their length while under tension, L_s , and their original length, L_o , which is equal to the length after the stress is released, expressed as a fraction of the original length, namely, $(L_s - L_o)/L_o$.

- For an ideal elastic solid, the stress is directly proportional to the strain. In tension:

A

$$\frac{F}{A} = E\left(\frac{L_s - L_o}{L_o}\right) \tag{1}$$

This relationship, called Hooke's law, is obeyed by real solids at moderate stresses and strains sustained for short periods of time. The proportionality constant E, called the modulus of elasticity or Young's modulus, is a measure of the stiffness, hardness, or resistance to elongation. There is also a modulus of shear or rigidity and a compression or bulk modulus. Tensile compliance is the reciprocal of Young's modulus, or the ratio of strain to stress.

-In the CGS system, the units of stress are dyne/ cm^2 or, since force = mass \times acceleration, (g cm/ \sec^2 /cm² = g/cm sec². Since strain is dimensionless, Young's modulus has the same dimensions as stress. Modulus values for solids important in appliances, as packaging materials, and in physiology are listed in Table I.

350