

**3rd Generation Partnership Project;
Technical Specification Group Radio Access Network;
Evolved Universal Terrestrial Radio Access (E-UTRA);
Physical layer procedures
(Release 8)**



The present document has been developed within the 3rd Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organisational Partners and shall not be implemented.
This Specification is provided for future development work within 3GPP only. The Organisational Partners accept no liability for any use of this Specification.

Keywords

UMTS, radio, layer 1

3GPP

Postal address

3GPP support office address

650 Route des Lucioles – Sophia Antipolis
Valbonne – France
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

<http://www.3gpp.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© 2008, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).
All rights reserved.

Contents

Foreword	5
1 Scope	6
2 References	6
3 Definitions, symbols, and abbreviations	6
3.1 Symbols	6
3.2 Abbreviations.....	6
4 Synchronisation procedures	7
4.1 Cell search	7
4.2 Timing synchronisation	7
4.2.1 Synchronisation primitives.....	7
4.2.2 Radio link monitoring	7
4.2.3 Inter-cell synchronisation.....	7
4.2.4 Transmission timing adjustments.....	7
5 Power control	8
5.1 Uplink power control	8
5.1.1 Physical uplink shared channel	8
5.1.1.1 UE behaviour.....	8
5.1.2 Physical uplink control channel	9
5.1.2.1 UE behaviour.....	9
5.1.3 Sounding Reference Symbol	10
5.1.3.1 UE behaviour.....	10
5.2 Downlink power allocation.....	11
5.2.1 UE behaviour	11
5.2.2 eNodeB behaviour.....	11
5.2.3 Downlink channel subcarrier transmit power offset.....	11
6 Random access procedure	11
6.1 Physical non-synchronized random access procedure	12
6.1.1 Timing.....	12
6.1.1.1 Synchronized	12
6.1.1.2 Unsynchronized.....	12
6.1.2 Preamble Sequence selection	12
7 Physical downlink shared channel related procedures	12
7.1 UE procedure for receiving the physical downlink shared channel.....	12
7.1.1 Single-antenna port	12
7.1.2 Transmit diversity	13
7.1.3 Open-loop spatial multiplexing	13
7.1.4 Closed-loop spatial multiplexing.....	13
7.1.5 Void	13
7.1.6 Resource allocation.....	13
7.1.6.1 Resource allocation type 0	13
7.1.6.2 Resource allocation type 1	14
7.1.6.3 Resource allocation type 2	14
7.2 UE procedure for reporting channel quality indication (CQI), precoding matrix indicator (PMI) and rank indication (RI).....	15
7.2.1 Aperiodic/Periodic CQI/PMI/RI Reporting using PUSCH	16
7.2.2 Periodic CQI/PMI/RI Reporting using PUCCH.....	20
7.2.3 Channel quality indicator (CQI) definition	23
7.2.4 Precoding Matrix Indicator (PMI) definition	25
8 Physical uplink shared channel related procedures	25
8.1 Resource Allocation for PDCCH DCI Format 0.....	25
8.2 UE sounding procedure	25
8.2.1 Sounding definition.....	26

8.3	UE ACK/NACK procedure	26
8.4	UE PUSCH Hopping procedure	26
8.4.1	Type 1 PUSCH Hopping.....	27
8.4.2	Type 2 PUSCH Hopping.....	27
8.5	UE Reference Symbol procedure.....	28
9	Physical downlink control channel procedures	28
9.1	UE procedure for determining physical downlink control channel assignment.....	28
9.1.1	PDCCH Assignment Procedure	28
9.1.2	PHICH Assignment Procedure.....	28
10	Physical uplink control channel procedures	29
10.1	UE procedure for determining physical uplink control channel assignment	29
10.2	Uplink ACK/NACK timing	29
Annex A (informative):	Change history	30

Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of this present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.