Public Relations and Marketing role, which must be kept in mind so the wireless adaptor should be in a fairly robust and mature stage such as a "pilot series" with final form, fit and function.

1.2.3 Production

The production launch is scheduled for the summer of 2005. The wireless audio adaptor may be bundled with entertainment phones special "iRadio" edition or sold as an accessory through various distribution channels.

1.3 Scope

This document first describes the concept of the wireless audio car adapter, summarizes the various technical assumptions then proposes a road map for various market segmentations. It then highlights milestones deliverables and preliminary schedule. In appendix, are listed the specific relationship responsibilities and various term sheet details such as ownership, licensing, warranties, and technical assistance.

Key products we seek to develop through this collaboration

- 1- Initially for demonstration Q4 2004: a universal CD adaptor for a majority of OEM and aftermarket head-units forwarding on a serial bus at 9.6kbps 19.2kbps (RS232 or TTL) all the head-unit key events along with pushing CD text information back to the head-unit. This should be based on similar products developed for iPOD interface, different brand CD changer or XM / Sirius "direct connect" interface technology.
 - 2- For trials Q2 2005: an integrated core reference design that could be licensed to an ODM of Motorola's choice based on an Analog Devices BlackFin technology, a similar combo DSP/ARM media processor or integrated into Zeevo BlueTooth "system on chip". This reference design will integrate audio decoder(s), Motorola's iRadio BlueTooth stack and control middleware with the partner universal CD changer adapter technology.

3- To be Negotiated:

- a. small series of 100-200 wireless adaptors based on reference design to be demonstrated in Q2 2005 for limited trial.
- b. Production agreement

1.4 Glossary

Mobile Client

An iRadio enabled mobile device has its own storage and is occasionally connected to a home PC/gateway for updating stored content and sending back usage data. For the Demo and Trial, the only Mobile Client will be Motorola Entertainment phones. For later product phases Mobile Clients could also include: car decks and high-end wireless adapters, PDA, personal music player ...

"WACA" Wireless Audio Car Adapter

A device that forms the gateway between the phone and the car radio head-unit, acting as a universal adaptor for a majority of aftermarket and OEM car decks.

It will receive car radio/CD changer messages, translate them to appropriate Mobile Client commands and send the translated commands over Bluetooth to the Mobile Client.

It will receive Mobile Client commands over Bluetooth, translate them to appropriate car radio/CD changer messages to the car radio.

It will receive compressed audio over Bluetooth from the Mobile Client, decode it and output it via a lineout audio output.

In higher-end inceptions, it could broadcast audio and data over FM or store its own content directly and acts as a stand-alone renderer. Road-map allows the Bluetooth wireless link to evolve towards WiFi type of wireless protocol

A2DP

A BlueTooth Advanced Audio Data profile which allows quality stereo audio to be streamed over BlueTooth rather than the limited speakerphone/or headphone profile. It uses as a standard a Sub-band perceptual codec (SBC). Alternatively, well-known codec decoders could be attached as plugins such as MP3, WMA or AAC+ to avoid codec cascading degradation.

PAN

Another BlueTooth serial profile dubbed "Personal Area Network" for proximity ad-hoc networking over IP network.

SPP

The basic serial profile connection for FTP exchanges over BlueTooth for point-to-point files exchange

1.5 Assumptions

- The wireless adaptor will be able to interface a majority of major aftermarket brands such as Pioneer, Alpine, Clarion, Kenwood, Sony, JVC and Panasonic
- The wireless adaptor will be able to interface a majority of major OEM brands such as GM, Ford, Daimler-Chrysler, Toyota, Honda and most European makers like BMW and VW.
- The wireless adaptor will control directly the MUTE line and the proprietary bus.
- All depressed keys on the head-unit are expected to be reported. At a minimum, all presets memory keys, previous track /next træk, fast forward and Rewind, source information should be relayed to the WACA
- The wireless adaptor will be able to display text on the car radio deck and will manage the timing of the displays and associated warning sounds
- The alternative use of "proprietary" custom car radio buses is legal through either legal reverse engineering and public domain information or individual agreement with the car radio makers.
- Others TBD...

2 Wireless Audio Car Adaptor options

The "WACA" concept can branch into a various family of products, which may not all end up in production, but may address different segments of the market. It starts with BlueTooth as the major wireless proximity transport then expands to the WiFi family and even branch into a tethered solution to hostthe transmitting phone in a recharging USB cradle. Here is a brief description of the major topologies:

2.1 Basic WACA Architecture

The WACA is a 2 way wireless gateway interface that translates audio files and commands streamed from a Motorola phone over BueTooth into an analog or PCM audio feed to the car radio. It also receives car deck user interface commands (key push and release events) and status information so that the system operates in a closed loop where both the phone and the car deck can select which music the user wants. Finally, the WACA also send text information to the car deck through the limited CD text capabilities which are either containing audio program associated data or dialog with the user.




Figure 1: generic WACA Architecture

2.2 WACA#1: BlueTooth baseline thin client

The baseline will use BlueTooth as a wireless transport and the "WACA" will behave essentially as a "slave" device to the phone. The following diagram represents this:




Figure 2: Baseline thin client WACA Architecture

The CD changer interface "adaptors" on the market are using some ATMEL / Cirrus 8/16bits microcontrollers which are not powerful enough to handle the BlueTooth stack and the associated audio decoding. Two controller solutions are envisioned and will dictate the road map based on price targets and flexibility of reconfiguration;

- Use an integrated "System-on-Chip" like Zeevo family of products which integrates BlueTooth stack, basic SBC decoder and ARM+DSP chips on the same die, allowing cost-effective application solutions like iRadio to be built on.
- Use a two chip solution: integrated BlueTooth baseband processor from Broadcom or CSR and multimedia embedded controller like the Analog Devices BlackFin, PowerPC or Intel Xscale

Natural evolution: With improvements in price and power consumption, WiFi / 802.11xx wireless transport may gradually replace BlueTooth in the phones and other portable media devices as ubiquitous wireless PAN transport. Insuch a case, a next version of the WACA thin client would replace the BlueTooth stack with a WiFi stack. WiFi/802.11xx interface may also allow direct transfer and

synchronization from the home gateway without the phone being needed if RF propagation allows it.

2.3 WACA #2: "No Install - totally wireless" thin client

For consumer mass adoption, it is likely that however simple the professional installation could be, this is still a major hurdle to clear with the consumer. A totally wireless solution would include a wireless FM broadcast to convert the audio stream and tune to one FM station at a time on the car deck. The sound quality will be sacrificed for the ease of installation. SDARS user's high percentage request has proven that the FM broadcast solution was a great enabler for mass adoption and easy listening in the car or at home.

In the case of iRadio, the two-way interaction could be improved by adding two key features:

- Use RDS to display text for audio program associated data and also interactive messages.
- Use of basic short vocabulary command based speech recognition to select channel playlists




Figure 3: "Totally wireless" thin client WACA Architecture

2.4 WACA #3: Wired Audio Car Adaptor

In this architecture, the WACA is a "Master" reading content from mass storage devices connected through USB. The key advantage from this

topology is to offer a simple mass storage interface mode between phone and other MP3 media players appearing as media mass storage for the USB host, which is reading the audio tracks in sequence. This topology does not require any iRadio middleware or cellular phones iRadio enabled to work (you could plug any media player with USB and they should appear as mass storage to the WACA which would work as the master. However, adding iRadio USB manager and radio command module will bring a fuller user experience with all the advanced services for user convenience synonym of iRadio service. The USB link will be equivalent to the multiple Bluetooth connections and could multiplex audio stream and command & control data...




Figure 4: Wired USB thin client WACA Architecture

2.5 WACA #4: "Hands-Free" kit audio adaptor - Hybrid BlueTooth + USB cradle

This hybrid topology caters to the people who may need the flexibility to recharge their phone into the car or use the USB link with other MP3 players while having possible Hands-free phone conversation through the car radio stereo. It is also perfect for the cases where the user want to experience iRadio audio streaming without moving the phone out of his pocket.




Figure 5: "Hybrid" hands-Free expandable thin client WACA Architecture

2.6 WACA #5: "Thick Client" roadmap evolutions

The WACA could evolve in a more powerful "Thick client" adaptor which would be the 'missing Link" for mass adoption of nomadic digital players into the car while waiting for BlueTooth, WiFi and hard-drives / memory cards to become ubiquitous on the car decks themselves (onger aftermarket and OEM lifecycle). It is considered "Thick" once it hosts its own memory and manages "iRadio" business rules for the content without a need for the phone. By providing more than one USB port and managing these ports, the WACA could become a successful "low cost alternative" media gateway for all the legacy car decks, that will not yet provide digital memory and wireless interfaces.

The entire iRadio middleware available in the phone can be ported into the WACA so that, in the advent of a WIFI direct link with the Home Gateway, the WACA will function as both a server and renderer roles under an UpnP A/V paradigm. The phone may not be needed in this picture unless it provides some value added services like "hot content". In such a case, the Home gateway or WiFI/WiMAx hot spots on the go can transfer directly the media content updates into the car and receive usage tracking from the WACA.




Figure 6: "High-End" expandable thin client WACA Architecture

This approach would require a more powerful controller structure than the BlueTooth Zeevo system on chip may be able to provide. The BlackFin chip series from Analog Devices has shown tremendous computing power for very cost effective price. The WACA partner will of course be influential in the decision of the core controller.

3 Timeline

3.1 iRadio timeline

- iRadio is targeted for alpha release on December 31, 2004 for CES demo
- iRadio Beta release on February 15, 2005: a beta release in this context is defined as Version 0.9:
 - Locked feature-set
 - o All features implemented
 - o Functionally complete
 - Operational
- Public trials of iRadio "beta" starting on April 4, 2005 for up to 200 users
- Commercial product release will commence in Q3 2005. The Commercial product release of iRadio 1.x will assume that the product has undergone and passed rigorous QA testing for functionality, stability and data integrity.

3.2 WACA timeline

- Car deck to RS232 + Line in adaptor one manufacturer model: no later than 11/22/04
 - Car deck to RS232 + Line in adaptor multi-manufacturers programmable model: no later than 12/1/04
 - Single board BlueTooth + car adaptor prototype (alpha): 12/15/2004
 - Single board BlueTooth + car adaptor (beta): 2/15/2005
 - Single module BlueTooth + car adaptor (pilot) qty 200: 4/15/2005
 - Single module BlueTooth + car adaptor (production) qty >1000/ week: 7/1/2005

4 Roles & responsibilities

4.1 Motorola:

Motorola will provide:

- Program contact
- System definition leadership
- iRadio middleware interface algorithm
- Phone interface protocol
- Integration into target phones

4.2 WACA partner

WACA partner will provide the integrality or a sub-function of the following list:

- Provides car radio adaptor interface (hardware and software)
- Provides wireless and USB interfaces (hardware & software)
- Provides hardware core reference design
- Integrates iRadio middleware with wireless and car radio adaptor
- Provide WACA kit including housing module and adaptation cable sets
- Product validation for automotive environment
- OMD high volume / low cost agreed manufacturing

			3
1	Introducti	ion	3
	1.1 Over	rview	3
		Ses	. 3
	1.2.1	Demo	3
	1.2.2	Trial	3
	1.2.3	Product	2
	1.3 Scop	pe	2
	1.4 Glos	ssary	3
2	System I	Definition	4
	2.1 Stru	ecture	4
	2.2 Eler	nents	4
	2.2.1	Content Provider Interface	4
	2.2.2	Home Configuration PC	5
	2.2.3	Mobile Clients	5
	2.2.4	Thin car client	>
	2.2.5	Public WiFi Hot spot	5
	2.2.6	Cellular data system	3
	2.2.7	Internet	o
	2.2.8	In-home network	0
	2.2.9	Home remote control	6
	2.2.10	Home renderer	6
	2.2.11	Undating system	o
	2.3 Act	OTC	o
	2.3.1	User	0
	2.3.2	Friend	о
7	C4	E-mations.	/
3.1 Content Provider Interaction			
	3.1.1	Temporary Content Provider Standin	7
	3.2 Up	dating	/
	3.2.1	Discovery/Authorization	
	3.2.2	Opportunistic Undating	ð
	3.2.3	Mobile to mobile undates	ð
	3.2.4	Contact license engreeches	ð
	3.2.5	Data undated	o
	3.2.6	Droblem cituations Error: Dukmark not uch	HCU.
	3.2.7	Cellular data opportunities	۶
	2 2 8	Hot-snot apportunities	۶
	3.3 Me	obile Communications Medium	9
	2 2 1	PlueTooth/WiFi	9
	3.4 Th	in car client (streaming from a mobile client)	کا
	3.4.1	A 2DD Docio	フ
	3.4.2	A2Dn Advanced Error! Bookmark not den	inea
	3.4.3	User Interface	10
	2 / /	Short-term approaches	10
	3.5 DI	RM/codecs	10
	2.5 D	evice to Device Transitions	10

		10
3.7 Co	nfiguration	
3.7.1	Danier 1 MD2 gupport	
3.7.2	iRadio Purchased content support	10
3.7.3	Content not supported	11
3.7.4		
3.7.5		
3.7.6		
3.7.7	Chamala	***************************************
3.8 In		
3.8.1	3.6.1.11	Effor: Doukmank not defined.
3.8.2		
3.8.3	D /D	······································
3.9 M	(1.1 (D and) operations	
3.9.1	a	
3.9.2	C1	
3.10 A	· · · · · · · · · · · · · · · · · · ·	
3.10.1	A / 1	
3.10.2	D 4-	
3.11 H	C-t	
T	r 4 1_*	
2 12 A	sage tracking	Error: Bookmark not defined.

1 Introduction

1.1 Overview

The core iRadio functionality is well described in the iRadio Market Requirements Document.

1.2 Phases

1.2.1 Demo

This is the CES 2005 demo. It will take place in a suite during the CES show (Jan 6-9). It will demonstrate how iRadio technology will work throughout a typical user's day, from waking up in the morning, driving to work, going to the gym and returning home. The software implementing this demo will use Bluetooth for mobile client updates UPnP will be used for streaming content in the home.

1.2.2 Trial

A trial with several hundred users is planned over the course of the second quarter of 2005. The Trial will demonstrate seamless operation between the home and car domains. Ideally the Trial system will be a natural evolution of the Demo system. This evolution would include the implementation of missing features as well as testing and enhancements

1.2.3 Product

The product will incorporate improvements suggested by the trial as well as improvements uncovered by testing in representative user environments. In order to be on the market with a partner in 2005, the initial product (referred to as phase 1) will probably have the same features as the demo system. More advanced features will be deferred to following phases.

1.3 Scope

This document focuses on the operation of the iRadio system for the Demo and Trial. Functionality beyond the Demo and Trial may be identified and even described, but it is not the focus of this document.

1.4 Glossary

Mobile Client

Any iRadio enabled mobile device which is occasionally connected to either the home network or the Internet for updating stored content and providing usage data. Mobile Client can include: cell phone, car device, personal music player ...

Playlist

An ordered set of content. By default a playlist would cause the content to be played in sequential order. There might also be a way to randomize the playlist (or playing of it) so that the original order is not apparent. On mobile client, a playlist may only be partially resident on a device.

Light-weight updating

The exchange of relatively small amounts of data which does not include bulk

content

Bulk Content Actual audio or video content which involves large amounts of data.

2 System Definition

2.1 Structure

SYSTEM DIAGRAM GOES HERE

2.2 Elements

2.2.1 Content Provider Interface

The content provider is not part of the iRadio system. This interface encompasses all communication with the content provider. At its simplest, the content provider will provide playlists (genre channels, user custom channels, and the bulk content associated with those Playlists). The iRadio Server provides user consumption and rating information. Additionally, the content provider interface handles the user's purchase of individual pieces of content. There is nothing in the system which limits the number content providers which could be supported.

2.2.2 iRadio system

The iRadio Server and the Home Gateway work together to implement the core of the iRadio system. The exact division of responsibilities between the two elements will be decided later and is often unimportant when trying to understand how the system works as a whole.

2.2.2.1 iRadio Server

This is the central content aggregation point for the iRadio system. It communicates with the content providers and passes the information on to the rest of the system. Although the Home Gateway is typically in the communications path with mobile devices, the iRadio Server can communicate directly with mobile devices via public WiFi access points or via the cellular system.

2.2.2.2 Home Gateway

The Home Gateway software runs on the user's home PC or on a dedicated in-home media server (MS1000). iRadio content is cached on the Home Gateway before it is played in the home via UPnP A/V or preemptively transferred to Mobile iRadio Clients which can connect to the Home Gateway via the home network. The Home Gateway functionality has no need for a user interface and no user interface is planned.

2.2.3 Home Configuration PC

Although the user may use the same PC for the Home Gateway as they use for configuring the iRadio, these are two different roles and are called out separately. The most extreme case for the Configuration PC being separate from the Home Gateway is when the Home gateway is a MS1000.

2.2.4 Mobile Clients

Mobile Clients are any iRadio enabled mobile devices which occasionally connect to either the home network or the Internet for updating stored content and providing usage data. For the Demo and Trial phases, cell phones are the only Mobile Client. In later phases it could be a car device can or personal music player.

2.2.4.1 Phone client

The phone is running either native or Java iRadio software which controls all iRadio functions. This software must run continuously, not just when the user is listening to content on the phone. Running in the background, the software takes care of updating the phone and the rest of the iRadio system so that content is always up-to-date. There are no specific plans to use cellular data communications for any updating, but that remains a possibility.

2.2.4.2 Car client (thick)

An iRadio in-car unit with content storage and WiFi support interacts with the iRadio system the same as any other mobile client. The in-car unit could be integrated into a radio, Telematics Control Unit or installed as an after-market unit via the CD changer interface.

2.2.5 Thin Car Client

The Thin Car Client has no memory of its own. If allows content to be streamed to it from personal device carried by someone in the car via Bluetooth or WiFi. Additionally the in-car audio control actuations are sent to the source of the stream so that the driver can easily control the content.

2.2.6 Public WiFi Hot spot

Not part of the Demo or Trial system, a public WiFi hot-spot allows mobile devices to updated content directly from the iRadio Server. In early phases this updating will not include a user's personal audio files which were not purchased through the iRadio system. WiFi access points which require the user to enter encryption information will not be supported. Configuration of acceptable WiFi access points will be possible to limit connections.

2.2.7 Cellular data system

Not part of the Demo or Trial system, a mobile client capable of cellular data connections could use these connections for partial updates at minimal cost. Full updates would be cost prohibitive.

2.2.8 Internet

The Internet is used to connect the iRadio Server to the Home Gateway and in the future, directly to mobile clients via a public WiFi access point or via cellular data connection.

2.2.9 In-home network

The two responsibilities of the home network are to support the streaming of content for inhome consumption and to facilitate updating of mobile clients. These two responsibilities could be addressed by different in-home networks as long as they are both supported by the Home Gateway.

2.2.9.1 UPnP

UPnP A/V facilitates the streaming of content within a small network. This is the chosen approach for the consumption of content in the home for the Demo and Trial.

2.2.9.2 Mobile connection

In the short term, Mobile Clients will be updated over WiFi or Bluetooth, any reasonably high speed network would also work. For the Demo and Trial, Bluetooth will be the

2.2.10 Home remote control

For the Demo and Trial it is assumed that the personal mobile device will also act as the user's remote control in the home for iRadio content consumption. This will use a Bluetooth link back to the Home Gateway which will participate in the UPnP network on the remote's behalf.

2.2.11 Home renderer

This is the end point where streamed content in the home is converted to analog for presentation to the user. For UPnP there are several commercially available audio rendering devices.

2.2.12 Updating system

The updating system is the differentiating technology of the iRadio system which allows multiple devices/domains to keep in sysnc regarding what the user has listened to, is listening to, and is expected to listen to in the future.

2.3 Actors

2.3.1 User

This is the person who uses the iRadio system in the various domains and for various purposes.

2.3.2 Phone Friend

For scenarios and which involve receiving a phone call, this would be the person who phones the user.

3 System Functions

3.1 Content Provider Interaction

The iRadio relies on content providers for providing all the content which the user didn't already own. Content Providers would initially provide genre playlists, celebrity playlists, and content purchase. The iRadio system would provide content consumption information through this interface also. This interface would be widened as needed to cover billing and community services as needed.

The connection between the iRadio Server and the Content Provider would be over a dedicated private connection or a VPN for privacy and security. Considering the large amounts of information which may be crossing between the iRadio server and the Content Provider, they need a high capacity connection.

3.1.1 Temporary Content Provider Standin

For Demo, there will not really be a Content Provider. The content will either be faked on the iRadio server or a simple Content Provider stub could be created. The stub would use HTTP for all communications. Most of the genre playlists, celebrity playlists, and purchase interactions could be done via XML (or even SOAP). Bulk content transfers don't benefit from XML or SOAP, so those would be transferred one at a time using plain HTTP GET requests.

3.2 Updating

Updating occurs between all the major elements of the iRadio system (iRadio Server, Home Gateway and Mobile Clients) and is the main enabler of the iRadio features.

3.2.1 Discovery/Authorization

Each element of the iRadio system has a list of users which it supports. A Mobile Client will likely have only one person in the user list. The iRadio server could have millions of users. The initial handshake between to iRadio elements is used to determine whether the two elements have any users in common. If they have users in common, then the interchange proceeds to determine what information needs to be updated.

Discovery occurs amongst Mobile clients and the Home Gateway. Communications with the iRadio server is established via a known URL rather than discovery.

The following stages occur:

- **Discovery**: Receive initial inquiry or response associated with actual discovery of an iRadio enabled device
- Authentication: Exchange supported user's information to see if there are users in common.
- Add to registry: The discovered and authenticated device is placed in a registry of devices available for updating.
- **Updating**: Immediately after addition to the registry updating occurs. Updating also occurs as needed so long as the device remains in the registry.
- Remove from registry: When it is determined that a device in the registry can no longer be reached, then it is removed from the registry.

For devices designed to connect to the iRadio Server, in parallel with the discovery of devices in the immediate proximity, there is also an effort to form a connection to the iRadio Server.

3.2.2 Data updated

The following relatively small types of data are sent from the mobile client during updating:

- **Content Status Changes**: Playing, Stopped, Paused, Resumed, Skipped. Where appropriate, this includes play-point information.
- Rating: This the user's rating of the content and contains a content identifier, and both the change in rating and the new rating value.
- Purchase Request: This contains a content identifier.
- **Key Press**: For diagnostic purposes and user interaction studies, each key press is captured.

Each piece of data above is time stamped (UTC timezone and local offset). The Content Status Changes and Ratings are of general interest to all elements using the updating system. The Purchase Request and Key Press information is only of interest to the iRadio Server although it may be forwarded through other elements.

Updating also involves sending the following data to the mobile client:

- Playlists/Daily Set descriptions: These are user specific content descriptions which do not include the actual bulk content.
- Bulk Content: The large pieces of data which is the audio or video data.
- User configuration/Preferences: TBD

3.2.3 Opportunistic Updating

Because proximity network connections are transient, updating occurs whenever there is the opportunity to do so. This accommodates situations where the user rapidly changes from one domain to another and the seamless experience must be maintained.

3.2.4 Mobile to mobile updates

The current Demo and Trial plans call for each user to have only one Mobile Client so mobile to mobile updating can never occur. During the Demo and Trial, the Mobile Client will update with the Home Gateway (or possibly the iRadio Server) directly.

In situations where a user does have multiple mobile clients, most updating will occur at home directly with the Home Gateway, but there are cases where an automotive mobile client might never connect to the home network if the user lives in an apartment building. In these cases updating between mobiles is used to bridge this gap. A personal mobile client would periodically update information with the Home Gateway and the automotive mobile client. This would allow information to remain in sync.

3.2.5 Content Approaches

For the Demo and hopefully the Trial well will have considerable control over the devices in use and their capabilities. With this control we can help ensure that audio encoding, bit rate and DRM are consistent across devices. In a production system we will not be so fortunate. We must be prepared to deliver content with different audio encoding, bit rate and DRM for each device. Additionally the metadata required by devices may be different.

Given the storage resources of the Home Gateway most effective approach is to use the Home Gateway to store different versions of each piece of bulk audio content. Each version is shaped for a particular device which the user owns. The only situation where this does not perform well is

when the personal device with limited storage is used to bridge updating between the Home Gateway and a think car client (See issue 1).

3.2.6 Cellular data opportunities

Although cellular data communications are not required or planned for the Demo or Trial systems, it is and alternative for light-weight updating in the future. A cellular data connection to the iRadio Server could be used to update the relatively small amount of data which doesn't involve bulk content transfers.

3.2.7 Hotspot opportunities

In the same way that cellular data communications could provide a direct updating path to the iRadio Server, public hotspots can do the same. Network controls would be available to limit the networks which will be used.

3.2.8 Mobile Communications Medium

Any set of wireless network technologies could server as the basis for device-to-device updating so long as it supports dynamic networks and the through put exceeds the streaming audio data rate by several times.

3.2.8.1 Bluetooth

Bluetooth is attractive from a cost, power and wide mobile support point of view, but its through put is marginal. For the Demo and Trial, Bluetooth's advantages out-weight its through-put disadvantage. Bluetooth ha been chosen for the Demo and Trial systems.

3.2.8.2 WiFi

WiFi and other wireless IP networks have a desirable through-put but the power consumption and limited support in mobile devices has pushed this alternative out beyond the Demo and Trial phases.

3.3 Thin car client (streaming from a mobile client)

There are two approaches to supporting audio content:

- The car device as a full mobile client: In this case the in-car device has its own content storage and updating capability.
- The car device as a thin renderer: In this case the in-car device has no storage of its own and just acts as an interface device between a personal mobile client and the car audio system.

The second, thin renderer, approach has been selected for the first iRadio implementations.

3.3.1 A2DP Basic

A2DP refers to the Bluetooth profile which covers the streaming of stereo audio. As a standard, it covers the situation well with only a few weaknesses:

- The default audio encoding does not give the desired 90 dB SNR. (It is closer to 72 dB.)
- The transition from the mobile client's lossy encoding to another lossy encoding is likely to further degrade the audio quality.
- The standard is not widely implemented.

In spite of these weaknesses some form of A2DP is the chosen approach for Demo and Trial. Some of these weaknesses can be overcome by a special mobile client implementation and careful alignment with the in-car adapter.

The best A2DP/adapter implementation would avoid default A2DP encoding and instead, allow the encoded content to pass directly from the mobile client to the in-car device without a second encoding. This would address the audio quality concerns.

3.3.2 User Interface

In addition to the mobile client providing audio to the car audio system through the in-car device, the in-car audio control actuations are sent to the mobile client so that the user controls all the audio from the regular car audio controls.

3.3.3 Short-term approaches

A full A2DP implementation may not be available in the Demo timeframe so an alternative serial port profile approach is being investigated. The serial port approach uses the widely implemented serial port emulation over Bluetooth to deliver the audio content.

3.4 DRM/codecs

The iRadio approach is encoder agnostic. The only requirement is that there is a way to get the audio content from the content provider into the encoding that each of our devices supports. There is an additional requirement that the encoding is compressed enough work within the constraints of the mobile networking and mobile client storage.

For DRM, we need to have must have a way of applying the DRM encryption at the iRadio Server before the content is sent to the client. Ideally the content DRM encryption would be the same for all client devices and only a separate, relatively small, license file would be device specific.

3.5 Device to Device Transitions

Since the iRadio system, and the personal mobile device specifically, spans home, car and person domains, there are inevitably cases where the user moves from one domain to another while playing content. The behavior for these transitions is configurable on a case-by-case basis between automatic transitions and manual only transitions. When automatic transition is selected, the transition will occur as soon as the device (car or home) is detected. For manual operation, no transition occurs until the user explicitly chooses a new place for the audio to play from the set that are available.

3.6 Configuration

3.6.1 Personal MP3 support

3.6.2 iRadio Purchased content support

3.6.3 Content not supported

In general the iRadio system can only work with previously owned content which is not wrapped in DRM. Files that are wrapped with DRM can not be moved amongst devices.

3.6.4 At computer user interface

The primary interface at the home computer allows the user to play any of their iRadio channels, and do all the operations that are available in other domains.

Additionally, the home computer can be used to create new channels and make content assignments. Content assignments are made by dragging and dropping content on the desired channel.

3.6.5 Remote configuration

Not required for the Demo or Trial, remote configuration would allow a user's channel assignments to be done from any browser by contacting the iRadio Server directly.

3.6.6 Channels

For the Demo and Trial each user has 6 iRadio channels which they can use as-is or customize to their own tastes. A channel contains an ordered set of content which is played in sequence. There are two types of content the user can attach to an iRadio channel:

- Stations from the catalog which provide a continuous content stream. If a station is
 associated with an iRadio channel, then nothing else can be associated with that same
 channel.
- Individual pieces of content from the catalog or MP3 files from the user's personal collection. Any number of these pieces can be attached to a single iRadio channel.

3.7 In-home content consumption

In the home content is streamed from the Home Gateway to the renderer. UPnP A/V is used to setup and monitor the connection. For the Demo and Trial the personal device (E680) will be used as the in-home remote for iRadio content. The content is consumed in the home exactly how it is consumed on the go. The remote has the 6 iRadio channels and displays information about the currently playing content.

- 3.7.1 UPnP A/V
- 3.7.2 Pause/Resume
- 3.8 Mobile (Personal) operations
- 3.8.1 Content consumption
- 3.8.2 Storage
- 3.9 At computer content consumption
- 3.9.1 At home
- 3.9.2 Remote
- 3.10 Home Gateway
- 3.11 Usage tracking
- 4 Issues
- 4.1 Mobile to mobile updating problems with bulk content updating

Different DRM and encoding formats in different mobiles can prevent bulk content from being transferred between mobiles. This issue doesn't apply to light weight updating.

iRadio Concept of Operations – 1st DRAFT

Sept 9, 2004

Comments to Mark Clayton

and the property of the more than the control of th

1		ion	
		rview	
	1.2 Pha	ses	. 4
	1.2.1	Demo	. 4
	1.2.2	Trial	. 4
	1.2.3	Product	. 4
	1.3 Sco	pe	. 4
	1.4 Glo	ssary	. 4
2	System I	Definition	. 5
	2.1 Stru	icture	5
	2.2 Eler	ments	5
	2.2.1	Content Provider Interface	5
	2.2.2	iRadio system	
	2.2.3	Home Configuration PC	6
	2.2.4	Mobile Clients	6
	2.2.5	Thin Car Client	
	2.2.6	Public WiFi Hot spot	
	2.2.7	Cellular data system	7
	2.2.8	Internet	
	2.2.9	In-home network	
	2.2.10	Home remote control	7
	2.2.11	Home renderer	
	2.2.12	Updating system	8
		ors	8
	2.3.1	User	8
		Phone Friend	8
3	System 1	Functions	8
	3.1 Con	Functionsntent Provider Interaction	8
	3.1.1	Temporary Content Provider Standin	8
		datingdating	8
	3.2.1	Discovery/Authorization	8
	3.2.2	Data updated	9
		Opportunistic Updating	
	3.2.4	Mobile to mobile updates	9
	3.2.5	Content Approaches	10
	3.2.6	Cellular data opportunities	. 10
	3.2.7	Hotspot opportunities	. 10
	3.2.8	Mobile Communications Medium	. 10
		bbile (Personal) operations	. 11
	3.3.1	User Interface	. 11
	2 2 2	Storage	. 11
:	3.4 Th	in car client (streaming from a mobile client)	. 11
	3.4.1	A2DP Basic	. 12
	3.4.2	User Interface	. 12
	3.4.2	Short-term approaches	. 12
		M/codecs	. 12

2.6 Day	rice to Device Transitions	12
3.6 Dev	The to Device Transitions	
3.7 Con	ofiguration	12
3.7.1	Personal MP3 support	13
3.7.2	iPadio Purchased content support	13
3.7.3	Content not supported	13
3.7.4	A4	13
• • • • •	Description	
3.7.5	Remote configuration	13
3.7.6	Channels	12
3.8 In-l	content consumption	10
2 Q 1	Pause/Resume	13
3.0.1	computer content consumption	14
3.9 At	computer content consumption	14
3.9.1	At Home	1 A
3.9.2	Domoto	17
J.J.∠	age tracking	14
3.10 Us	age tracking	14
Issues	age tracking	1 <i>A</i>
4.1 Mc	bile to mobile updating problems with bulk content updating	14

1 Introduction

1.1 Overview

The core iRadio functionality is well described in the iRadio Market Requirements Document.

1.2 Phases

1.2.1 Demo

The CES 2005 demo will take place in a suite during the CES show (Jan 6-9). The current demo script demonstrates how iRadio technology works throughout a typical user's day, from waking up in the morning, driving to work, going to the gym and returning home. The software implementation for the demo will use Bluetooth for mobile client updates and UPnP will be used for streaming content in the home.

1.2.2 Trial

A trial with one or two hundred users will occur during the second quarter of 2005. The Trial will demonstrate seamless operation between the home and car domains. Ideally the Trial system will be a natural evolution of the Demo system. This evolution would include the implementation of missing features as well as testing and enhancements. In addition to securing valuable user feedback, the trail also has an important Public Relations and Marketing role which must be kept in mind.

1.2.3 Product

The product will incorporate improvements suggested by the trial as well as improvements uncovered by testing in representative user environments. In order to be on the market with a partner in 2005, the initial product (referred to as phase 1) will probably have the same features as the demo system. More advanced features will be deferred to later phases.

1.3 Scope

This document focuses on the operation of the iRadio system for the Demo and Trial. Functionality beyond the Demo and Trial may be identified and described, but it is not the focus of this document.

1.4 Glossary

Mobile Client.

An iRadio enabled mobile device has its own storage and is occasionally connected to a for updating stored content and sending back usage data. For the Demo and Trial, the only Mobile Client will be the personal device. For later product phases Mobile Clients could include: cell phone, car device, personal music player ...

Playlist

An ordered set of content which is played in sequential order. Very long

Motorola Confidential Proprietary

playlists (like and audio book or Internet radio station) may only be partially

resident on a Mobile Client.

Light-weight updating

The relatively frequent exchange of relatively small amounts of data which does not include bulk content. It includes pause here/play there information as


well as other small items.

Bulk Content

Actual audio or video content which involves large amounts of data.

2 System Definition

2.1 Structure



2.2 Elements

2.2.1 Content Provider Interface

The content provider is not part of the iRadio system. This interface encompasses all communication with the content provider. At its simplest, the content provider will provide playlists (genre channels, user custom channels, and the bulk content associated with those Playlists). The iRadio Server provides user consumption and rating information back the Content Provider. Additionally, the Content Provider interface handles the user's purchase of individual pieces of content.

The system allows for support of multiple content providers with individual per Content Provider user authentication data.

2.2.2 iRadio system

The iRadio Server and the Home Gateway work together to implement the core of the iRadio system. The exact division of responsibilities between the two elements will be decided later and is often unimportant when trying to understand how the system works as a whole.

2.2.2.1 iRadio Server

This is the central Content Provider aggregation point for the iRadio system. It passes the on to the rest of the system. Although the Home Gateway is typically in the communications path with mobile devices, the iRadio Server can communicate directly with mobile devices via public WiFi access points or via the cellular system if needed.

2.2.2.2 Home Gateway

The Home Gateway software runs on the user's home PC or on a dedicated in-home media server (MS1000). iRadio content is cached on the Home Gateway before it is played in the home via UPnP A/V or preemptively transferred to Mobile iRadio Clients which can connect to the Home Gateway via the home network. The Home Gateway functionality has no need for a user interface and no user interface is planned.

2.2.3 Home Configuration PC

Although the user may use the same PC for the Home Gateway as they use for configuring the iRadio, these are two different roles and are called out separately. The most extreme case for the Configuration PC being separate from the Home Gateway is when the Home gateway is a MS1000.

2.2.4 Mobile Clients

Mobile Clients are any iRadio enabled mobile devices which occasionally connect to either the home network or the Internet for updating stored content and providing usage data. For the Demo and Trial phases, cell phones are the only Mobile Client. In later phases it could be a car device can or personal music player.

2.2.4.1 Phone client

The phone is running either native or Java iRadio software which controls all iRadio functions. This software must run continuously, not just when the user is listening to content on the phone. Running in the background, the software takes care of updating the phone and the rest of the iRadio system so that content is always up-to-date. There are no specific plans to use cellular data communications for any updating, but that remains a possibility.

2.2.4.2 Car client (thick)

An iRadio in-car unit with content storage and WiFi support interacts with the iRadio system the same as any other mobile client. The in-car unit could be integrated into a radio, Telematics Control Unit or installed as an after-market unit via the CD changer interface.

والمراجع والمعارض والمعارض والمناز وال

2.2.5 Thin Car Client

The Thin Car Client has no memory of its own. If allows content to be streamed to it from personal device carried by someone in the car via Bluetooth or WiFi. Additionally the in-car audio control actuations are sent to the source of the stream so that the driver can easily control the content.

2.2.6 Public WiFi Hot spot

Not part of the Demo or Trial system, a public WiFi hot-spot allows mobile devices to updated content directly from the iRadio Server. In early phases this updating will not include a user's personal audio files which were not purchased through the iRadio system. WiFi access points which require the user to enter encryption information will not be supported. Configuration of acceptable WiFi access points will be possible to limit connections.

2.2.7 Cellular data system

Not part of the Demo or Trial system, a mobile client capable of cellular data connections could use these connections for partial updates at minimal cost. Full updates would be cost prohibitive.

2.2.8 Internet

The Internet is used to connect the iRadio Server to the Home Gateway and in the future, directly to mobile clients via a public WiFi access point or via cellular data connection.

2.2.9 In-home network

The two responsibilities of the home network are to support the streaming of content for inhome consumption and to facilitate updating of mobile clients. These two responsibilities could be addressed by different in-home networks as long as they are both supported by the Home Gateway.

2.2.9.1 UPnP

UPnP A/V facilitates the streaming of content within a small network. This is the chosen approach for the consumption of content in the home for the Demo and Trial.

2.2.9.2 Mobile connection

In the short term, Mobile Clients will be updated over WiFi or Bluetooth, any reasonably high speed network would also work. For the Demo and Trial, Bluetooth will be the

2.2.10 Home remote control

For the Demo and Trial it is assumed that the personal mobile device will also act as the user's remote control in the home for iRadio content consumption. This will use a Bluetooth link back to the Home Gateway which will participate in the UPnP network on the remote's behalf.

2.2.11 Home renderer

This is the end point where streamed content in the home is converted to analog for presentation to the user. For UPnP there are several commercially available audio rendering devices.

2.2.12 Updating system

The updating system is the differentiating technology of the iRadio system which allows multiple devices/domains to keep in sysne regarding what the user has listened to, is listening to, and is expected to listen to in the future.

2.3 Actors

2.3.1 User

This is the person who uses the iRadio system in the various domains and for various purposes.

2.3.2 Phone Friend

For scenarios and which involve receiving a phone call, this would be the person who phones the user.

3 System Functions

3.1 Content Provider Interaction

The iRadio relies on content providers for providing all the content which the user didn't already own. Content Providers would initially provide genre playlists, celebrity playlists, and content purchase. The iRadio system would provide content consumption information through this interface also. This interface would be widened as needed to cover billing and community services as needed.

The connection between the iRadio Server and the Content Provider would be over a dedicated private connection or a VPN for privacy and security. Considering the large amounts of information which may be crossing between the iRadio server and the Content Provider, they need a high capacity connection.

3.1.1 Temporary Content Provider Standin

For Demo, there will not really be a Content Provider. The content will either be faked on the iRadio server or a simple Content Provider stub could be created. The stub would use HTTP for all communications. Most of the genre playlists, celebrity playlists, and purchase interactions could be done via XML (or even SOAP). Bulk content transfers don't benefit from XML or SOAP, so those would be transferred one at a time using plain HTTP GET requests.

3.2 Updating

Updating occurs between all the major elements of the iRadio system (iRadio Server, Home Gateway and Mobile Clients) and is the main enabler of the iRadio features.

3.2.1 Discovery/Authorization

Each element of the iRadio system has a list of users which it supports. A Mobile Client will likely have only one person in the user list. The iRadio server could have millions of users. The initial handshake between to iRadio elements is used to determine whether the two elements have any users in common. If they have users in common, then the interchange proceeds to determine what information needs to be updated.

Discovery occurs amongst Mobile clients and the Home Gateway. Communications with the iRadio server is established via a known URL rather than discovery.

The following stages occur:

- **Discovery**: Receive initial inquiry or response associated with actual discovery of an iRadio enabled device
- **Authentication**: Exchange supported user's information to see if there are users in common.
- Add to registry: The discovered and authenticated device is placed in a registry of devices available for updating.
- **Updating**: Immediately after addition to the registry updating occurs. Updating also occurs as needed so long as the device remains in the registry.
- Remove from registry: When it is determined that a device in the registry can no longer be reached, then it is removed from the registry.

For devices designed to connect to the iRadio Server, in parallel with the discovery of devices in the immediate proximity, there is also an effort to form a connection to the iRadio Server.

3.2.2 Data updated

The following relatively small types of data are sent from the mobile client during updating:

- Content Status Changes: Playing, Stopped, Paused, Resumed, Skipped. Where appropriate, this includes play-point information.
- Rating: This the user's rating of the content and contains a content identifier, and both the change in rating and the new rating value.
- Purchase Request: This contains a content identifier.
- **Key Press**: For diagnostic purposes and user interaction studies, each key press is captured.

Each piece of data above is time stamped (UTC timezone and local offset). The Content Status Changes and Ratings are of general interest to all elements using the updating system. The Purchase Request and Key Press information is only of interest to the iRadio Server although it may be forwarded through other elements.

Updating also involves sending the following data to the mobile client:

- Playlists/Daily Set descriptions: These are user specific content descriptions which do not include the actual bulk content.
- Bulk Content: The large pieces of data which is the audio or video data.
- User configuration/Preferences: TBD

3.2.3 Opportunistic Updating

Because proximity network connections are transient, updating occurs whenever there is the opportunity to do so. This accommodates situations where the user rapidly changes from one domain to another and the seamless experience must be maintained.

3.2.4 Mobile to mobile updates

The current Demo and Trial plans call for each user to have only one Mobile Client so mobile to mobile updating can never occur. During the Demo and Trial, the Mobile Client will update with the Home Gateway (or possibly the iRadio Server) directly.

In situations where a user does have multiple mobile clients, most updating will occur at home directly with the Home Gateway, but there are cases where an automotive mobile client might never connect to the home network if the user lives in an apartment building. In these cases updating between mobiles is used to bridge this gap. A personal mobile client would periodically update information with the Home Gateway and the automotive mobile client. This would allow information to remain in sync.

3.2.5 Content Approaches

For the Demo and hopefully the Trial well will have considerable control over the devices in use and their capabilities. With this control we can help ensure that audio encoding, bit rate and DRM are consistent across devices. In a production system we will not be so fortunate. We must be prepared to deliver content with different audio encoding, bit rate and DRM for each device. Additionally the metadata required by devices may be different.

Given the storage resources of the Home Gateway most effective approach is to use the Home Gateway to store different versions of each piece of bulk audio content. Each version is shaped for a particular device which the user owns. The only situation where this does not perform well is when the personal device with limited storage is used to bridge updating between the Home Gateway and a think car client (See issue 1).

3.2.6 Cellular data opportunities

Although cellular data communications are not required or planned for the Demo or Trial systems, it is and alternative for light-weight updating in the future. A cellular data connection to the iRadio Server could be used to update the relatively small amount of data which doesn't involve bulk content transfers.

3.2.7 Hotspot opportunities

In the same way that cellular data communications could provide a direct updating path to the iRadio Server, public hotspots can do the same. Network controls would be available to limit the networks which will be used.

3.2.8 Mobile Communications Medium

Any set of wireless network technologies could server as the basis for device-to-device updating so long as it supports dynamic networks and the through put exceeds the streaming audio data rate by several times.

3.2.8.1 Bluetooth

Bluetooth is attractive from a cost, power and wide mobile support point of view, but its through put is marginal. For the Demo and Trial, Bluetooth's advantages out-weight its through-put disadvantage. Bluetooth ha been chosen for the Demo and Trial systems. 3.2.8.2 WiFi

WiFi and other wireless IP networks have a desirable through-put but the power consumption and limited support in mobile devices has pushed this alternative out beyond the Demo and Trial phases.

3.3 Mobile (Personal) operations

The Personal Mobile Client is a self contained music player when it is not in the house or in the car.

3.3.1 User Interface

For the Demo there will be one screen on the personal device which is used to play any preset, monitor the currently playing content and take any actions. The screen has the following major sections:

Preset buttons: the top 2/5 of the screen contains three rows of two buttons each. Pressing any preset causes the current content to be paused and the content associated with the new preset to start playing.

Content Description: The middle 2/5 of the screen contains information about the currently playing content currently playing including title, artist, album, and cover art if available.

Action buttons: the bottom 1/5 of the screen contains the progress bar and action buttons allowing he current content to be purchased.

For the Demo, the role of the personal device is inferred based on its ability to connect to the home or the car. For the product and possibly the trial, there will be a second screen which allows the role of the personal device to be explicitly controlled. For instance sitting in the back yard the personal device will probably still be connected to the Home Gateway, however assuming the role of a remote control for the home stereo system wouldn't be correct. This second screen allows the role of the personal device and the place (home, car or personal) where the content is played the be selected from an on screen list of currently available possibilities.

3.3.2 Storage

When the content is being played through the personal device, the content is always drawn from the personal device's internal storage. If the personal device is connected to the gateway or iRadio Server the content may be replenished as fast as it is consumed, but it is never directly streamed. It is assumed that there is enough storage on the personal device for a few times the normal amount of content a user would listen to. The extra capacity is used to help ensure that regardless of what iRadio channel the user listens to on a particular day, that there is sufficient content available. A minimum of eight to ten hours of storage is expected. The number of Megabytes this translates into is somewhere between 169 Megabytes and 450 Megabytes depending on the chosen encoding and desired quality. Given that 1 Gigabyte memory modules are available today for cell phones and MP3 players, the storage is available.

3.4 Thin car client (streaming from a mobile client)

There are two approaches to supporting audio content:

• The car device as a full mobile client: In this case the in-car device has its own content storage and updating capability.

• The car device as a thin renderer: In this case the in-car device has no storage of its own and just acts as an interface device between a personal mobile client and the car audio system.

The second, thin renderer, approach has been selected for the first iRadio implementations.

3.4.1 A2DP Basic

A2DP refers to the Bluetooth profile which covers the streaming of stereo audio. As a standard, it covers the situation well with only a few weaknesses:

- The default audio encoding does not give the desired 90 dB SNR. (It is closer to 72 dB.)
- The transition from the mobile client's lossy encoding to another lossy encoding is likely to further degrade the audio quality.
- The standard is not widely implemented.

In spite of these weaknesses some form of A2DP is the chosen approach for Demo and Trial. Some of these weaknesses can be overcome by a special mobile client implementation and careful alignment with the in-car adapter.

The best A2DP/adapter implementation would avoid default A2DP encoding and instead, allow the encoded content to pass directly from the mobile client to the in-car device without a second encoding. This would address the audio quality concerns.

3.4.2 User Interface

In addition to the mobile client providing audio to the car audio system through the in-car device, the in-car audio control actuations are sent to the mobile client so that the user controls all the audio from the regular car audio controls.

3.4.3 Short-term approaches

A full A2DP implementation may not be available in the Demo timeframe so an alternative serial port profile approach is being investigated. The serial port approach uses the widely implemented serial port emulation over Bluetooth to deliver the audio content.

3.5 DRM/codecs

The iRadio approach is encoder agnostic. The only requirement is that there is a way to get the audio content from the content provider into the encoding that each of our devices supports. There is an additional requirement that the encoding is compressed enough work within the constraints of the mobile networking and mobile client storage.

For DRM, we need to have must have a way of applying the DRM encryption at the iRadio Server before the content is sent to the client. Ideally the content DRM encryption would be the same for all client devices and only a separate, relatively small, license file would be device specific.

3.6 Device to Device Transitions

Since the iRadio system, and the personal mobile device specifically, spans home, car and person domains, there are inevitably cases where the user moves from one domain to another while playing content. The behavior for these transitions is configurable on a case-by-case basis between automatic transitions and manual only transitions. When automatic transition is selected, the transition will occur as soon as the device (car or home) is detected. For manual operation, no transition occurs until the user explicitly chooses a new place for the audio to play from the set that are available.

3.7 Configuration

3.7.1 Personal MP3 support

3.7.2 iRadio Purchased content support

3.7.3 Content not supported

In general the iRadio system can only work with previously owned content which is not wrapped in DRM. Files that are wrapped with DRM can not be moved amongst devices.

3.7.4 At computer user interface

The primary interface at the home computer allows the user to play any of their iRadio channels, and do all the operations that are available in other domains.

Additionally, the home computer can be used to create new channels and make content assignments. Content assignments are made by dragging and dropping content on the desired channel.

3.7.5 Remote configuration

Not required for the Demo or Trial, remote configuration would allow a user's channel assignments to be done from any browser by contacting the iRadio Server directly.

3.7.6 Channels

For the Demo and Trial each user has 6 iRadio channels which they can use as-is or customize to their own tastes. A channel contains an ordered set of content which is played in sequence. There are two types of content the user can attach to an iRadio channel:

- Stations from the catalog which provide a continuous content stream. If a station is associated with an iRadio channel, then nothing else can be associated with that same channel.
- Individual pieces of content from the catalog or MP3 files from the user's personal collection. Any number of these pieces can be attached to a single iRadio channel.

3.8 In-home content consumption

In the home the UPnP A/V is used to setup and monitor the streaming of content from the Home Gateway to the UPnP A/V renderer. The content will be transferred by HTTP once the connection has been established. For the Demo and Trial the personal device (E680) will be used as the inhome remote for iRadio content. From a personal device UI point of view, the content is controlled in the home exactly how it is controlled on the go. The remote has the six iRadio channels and displays information about the currently playing content.

3.8.1 Pause/Resume

The updating system allows content to resume playing from the point it was previously paused regardless of where that pause occurred. Normally UPnP A/V connections start at the beginning of a piece of content. There is no standard way to start at another point. To overcome this, the UPnP A/V controller which sets up the streaming connection will immediately seek forward to last paused point so that the resume occurs as expected.

3.9 At computer content consumption

3.9.1 At Home

Separate from the previously mentioned Home, Car and Personal playing of iRadio content, there is playing iRadio content at your home computer. This follows the same preset approach and has all the familiar iRadio controls and behaviors. This player doesn't try to replace or do the job of other content players, but instead concentrates on the iRadio experience. This may be available for Trial and must be available for Product. This will initially be available only for Microsoft Windows.

3.9.2 Remote

This feature is not required for any phase yet. It makes the user's personal iRadio experience available via a browser from any other computer on the Internet. At the home computer, the content was streamed from the content already on the home computer. In this case the content is streamed across the Internet from the iRadio server. Initial versions of this feature will not include iRadio channels which contain the user's personal content because the user's personal content is not available to the iRadio Server. In future, personal content may be streamed from the user's Home Gateway across the Internet so that all iRadio channels are available.

3.10Usage tracking

The updating system provides an opportunity for a very thorough recording of how the iRadio is used in the field in addition to the more typical tracking of user interactions with the server. The following information can be tracked:

- User button presses
- Content status changes which result from user actions
- Update connect/disconnect information
- Update operations between devices
- Content Provider interaction
- Purchase transactions

This information is stored at the iRadio server.

4 Issues

4.1 Mobile to mobile updating problems with bulk content updating

Different DRM and encoding formats in different mobiles can prevent bulk content from being transferred between mobiles. This issue doesn't apply to light weight updating.

iRadio Concept of Operations – 2nd DRAFT

Oct 1, 2004

Revisions

Date	Author	Description
Sept 9, 2004	Mark Clayton	First draft
Sept 13, 2004	Mark Clayton	Changes as suggested by Sept 10 review meeting.
Oct 1, 2004	Mark Clayton	Changes as suggested by review meetings during the week of Sept 13. Red sections are areas needing more information.

Re	evisions		2
Re	visions		<i>Z</i> 5
1	Introducti	on	5
	1.1 Over	view	5
	1.1.1	References	5
	1.2 Phas	es	5
	1.2.1	Demo	2
	1.2.2	Trial	2
	1.2.3	Product	5
	1.3 Scor	DE	2
	14 Glos	SATV	O
2	System D)efinition	0
	2.1 Stru	cture	6
	2.2 Elen	nents	. 7
	2.2.1	Content Provider Interface	. 7
	2.2.2	iRadio system	. 7
	2.2.3	Home Personalization Application	. 8
	2.2.4	Mobile Clients	. 8
	2.2.5	Thin Car Client	. 8
	2.2.6	Public WiFi Hot spot	. 9
	2.2.7	Cellular data system	. 9
	2.2.8	Internet	. ,
	2.2.9	In-home network	. 9
	2.2.10	Home remote control	. 9
	2.2.11	Home Renderer	10
	2 2 12	Undating system	10
	2.3 Act	OTC .	10
	2.3.1	User	10
	2.3.2	Phone Friend	10
	2.3.3	Friend not an iRadio Customer	10
	234	Friend is an iRadio Customer	10
3	Domains	S	10
ر	3.1 Ho	me	10
	2.2		11
•	3.2 Cur	son (On-the-Go)	11
	3.4 Wc	rk	11
4	l System	Functions	11
	4.1 Co	ntent Provider Interface	11
	411	Temporary Content Provider Standin	11
	4.2 Up	dating	11
•			
۸.	422	Data updated	. 12
	4.2.3	Opportunistic Updating	12
	4.2.4	Mobile to Mobile Updates	. 12
	4.2.5	Content Approaches	. 13
	4.2.5	Cellular data opportunities	. 13

		1	2
	4.2.7	Hotspot opportunities	3
	4.2.8	Makila Communications Medium	13
	4.2.9	Adjustable Home Gateway Network Usage	14
4.	.3 Phor	on Operation	14
	4.3.1	Ligar Interface	14
	4.3.2		14
	4.3.3	Ctoroge	1)
	Thin ca	or client (streaming from a mobile client)	13
4	.4		13
	4.4.1	A2DP Rasic	IJ
	4.4.2	User Interface	15
	4.4.3	Short-term approaches	15
4	.5 DRI	M/codecs	13
4	L Davi	ice to Device Transitions	10
4	1.7 Pers	sonalization	16
	4.7.1	Personal Digital Music support	16
	4.7.2	iRadio Purchased content support	16
	4.7.3	Content not supported	16
	4.7.4	At computer user interface	16
	4.7.5	Remote Personalization	17
	4.7.6	iRadio Channels	17
	4.7.7	User Owned Automatic Content Selection	17
4	4.8 In-l	nome Entertainment Unit Content Consumption	17
	4.8.1	Pause/Resume Pause/Resume	1 2
	4.8.2	Hand-held Remote Control	18
	4.8.3	Multiple Room Operation	. 10 1Ω
	4.9 At	computer content consumption	. 10 18
	4.9.1	At Home Computer	
	4.9.2	Remote Computer	. 10 1ዩ
	4.10 Us	age tracking	18
	4.10.1	System Monitoring	19
	4.11 US	B	19
	4.12 Mu	ultiple Users	19
	4.13 En	cryption	19
	4.14 Us	er Interface/ExperiencePhone Interface	19
		Phone Interface	19
	4.14.2	Car Interface	19
	4.15 Su	bscription Termination	20
	4.16 M	y Account and Billing	20 20
5	Issues	y Account and Diffing	20
	5.1 M	obile to mobile updating problems with bulk content updating	ned
•	5.2 Pe	ersonalization User Interface	20
	5.3 Ho	ow do we browse owned content while on the go?	20
	51 H	ow do we browse owned content wille holle:	

1 Introduction

1.1 Overview

The core iRadio functionality is well described in the iRadio Market Requirements Document.

1.1.1 References

- iRadio Marketing Requirements
- CES Demo Script

1.2 Phases

1.2.1 Demo

The CES 2005 demo will take place in a suite during the CES show (Jan 6-9). The current demo script demonstrates how iRadio technology works throughout a typical user's day, from waking up in the morning, driving to work, going to the gym and returning home. The software implementation for the demo will use Bluetooth for mobile client updates and UPnP will be used for streaming content in the home.

1.2.2 Trial

A trial with one or two hundred users will occur during the second quarter of 2005. The Trial will demonstrate seamless operation between the home and car domains. Ideally the Trial system will be a natural evolution of the Demo system. This evolution would include the implementation of missing features as well as testing and enhancements. In addition to securing valuable user feedback, the trail also has an important Public Relations and Marketing role which must be kept in mind.

1.2.3 Product

The product will incorporate improvements suggested by the trial as well as improvements uncovered by testing in representative user environments. In order to be on the market with a partner in 2005, the initial product (referred to as phase 1) will probably have the same features as the demo system. More advanced features will be deferred to later phases.

1.3 Scope ---

This document focuses on the operation of the iRadio system for the Demo and Trial.

Functionality beyond the Demo and Trial may be identified and described, but it is not the focus of this document.

1.4 Glossary

Mobile Client An iRadio enabled mobile device has its own storage and is occasionally

connected to a for updating stored content and sending back usage data. For the Demo and Trial, the only Mobile Client will be the personal device. For later product phases Mobile Clients could also include: car device, PDA,

personal music player ...

Playlist An ordered set of content which is played in sequential order. Very long

playlists (like and audio book or Internet radio station) may only be partially

resident on a Mobile Client.

Light-weight updating

The relatively frequent exchange of relatively small amounts of data which does not include bulk content. It includes pause here/play there information as

well as other small items.

Bulk Content Daily Set

Actual audio or video content which involves large amounts of data.

The fresh set of custom user content which is downloaded at the beginning of the day. This content can be a mixture of owned content and content from Content Providers. The daily set is additional content which replaces content

which was consumed or has become out-of-date.

Preset One of several car radio buttons which are used in radio mode to recall

previously set stations. In the iRadio mode the presets are used to access

iRadio channels

Channel This is a general term which can have many meanings depending on context.

An iRadio channel refers to the portion of iRadio content which is enqueued up for sequential playing when the channel is selected or the corresponding preset

is pressed.

Locked Playlist A locked playlist allows music to be consumed like it is a webcast. There are

strict consumption rules to ensure that the content is consumed as the Content

Provider intended.

Station An internet radio station. This is a continuous flow of audio content. Often a


station is one of several genre specific or user personalized stations.

Webcast Continuous content streamed across the Internet.

2 System Definition

2.1 Structure

Motorola Confidential Proprietary



2.2 Elements

2.2.1 Content Provider Interface

The content provider is not part of the iRadio system. This interface encompasses all communication with the content provider. At its simplest, the content provider will provide playlists (genre channels, user custom channels, and the bulk content associated with those Playlists). The iRadio Server provides user consumption and rating information back the Content Provider. Additionally, the Content Provider interface handles the user's purchase of individual pieces of content.

The system allows for support of multiple content providers with individual per Content Provider user authentication data.

2.2.2 iRadio system

The iRadio Server and the Home Gateway work together to implement the core of the iRadio system. The exact division of responsibilities between the two elements will be decided later and is often unimportant when trying to understand how the system works as a whole.

2.2.2.1 iRadio Server

This is the central Content Provider aggregation point for the iRadio system. It passes the on to the rest of the system. Although the Home Gateway is typically in the communications path with mobile devices, the iRadio Server can communicate directly with mobile devices via public WiFi access points or via the cellular system if needed.

2.2.2.2 Home Gateway

The Home Gateway software runs on the user's home PC or on a dedicated in-home media server (MS1000). iRadio content is cached on the Home Gateway before it is played in the home via UPnP A/V or preemptively transferred to Mobile iRadio Clients which can connect to the Home Gateway via the home network. The Home Gateway functionality has no need for a user interface but is configured via a separate application running on the local network.

2.2.3 Home Personalization Application

Although the user may use the same PC for the Home Gateway as they use for configuring the iRadio, these are two different roles and are called out separately. The most extreme case for the Personalization Application being separate from the Home Gateway is when the Home gateway is a MS1000.

2.2.4 Mobile Clients

Mobile Clients are any iRadio enabled mobile devices which occasionally connect to either the home network or the Internet for updating stored content and providing usage data. For the Demo and Trial phases, cell phones are the only Mobile Client. In later phases it could be a car device, PDA or personal music player.

2.2.4.1 Phone Client

The iRadio phone application must run continuously, not just when the user is listening to content on the phone. Running in the background, the software takes care of updating the phone and the rest of the iRadio system so that content is always up-to-date. The application is also used for control and monitoring of iRadio content playing locally or in the home. There are no specific plans to use cellular data communications for any updating, but that remains a possibility.

2.2.4.2 Car client (thick)

An iRadio in-car unit with content storage and proximity networking (Bluetooth or WiFi) support interacts with the iRadio system the same way as any other Mobile Client. The incar unit could be integrated into a radio, Telematics Control Unit or installed as an aftermarket unit via the CD changer interface.

The second secon

2.2.5 Thin Car Client

The Thin Car Client has no content storage of its own and is not classed as a Mobile Client. It allows content to be streamed (via Bluetooth or WiFi) to it from a personal device carried into the vehicle. Additionally, the in-car audio control actuations are sent to the source of the audio

stream so that the user can easily control the content. The audio and control connection is made via an adapter connected to the CD changer connection on the car radio or head unit.

2.2.6 Public WiFi Hot spot

Although not part of the Demo or Trial system, a public WiFi hot-spot could allow mobile devices to update content directly from the iRadio Server. In early phases this updating would cover Content Provider content rather than a user's personal audio files which would not be available to the iRadio Server. WiFi access points which require the user to enter encryption information would not be supported. Specification of acceptable WiFi access points would allow access point connections to be limited.

2.2.7 Cellular data system

Although not part of the Demo or Trial system, a Mobile Client capable of cellular data connections could use these connections for limited updates at minimal cost. Full updates would likely be cost prohibitive. Cellular would also be ideal for loading small quantities of hot content such as weather or traffic.

2.2.8 Internet

The Internet is used to connect the iRadio Server to the Home Gateway and in the future, directly to mobile clients via a public WiFi access point or via cellular data connection.

2.2.9 In-home network

The two responsibilities of the home network are to support the streaming of content for inhome consumption and to facilitate updating of mobile clients. These two responsibilities could be addressed by different in-home networks as long as they are both supported by the Home Gateway.

2.2.9.1 UPnP

UPnP A/V facilitates the streaming of content within a small network. This is the chosen approach for the consumption of content in the home for the Demo and Trial and will use one of 802.11b, 802.11g or 802.11a. To minimize the chances of interference with the Demo, support for 802.11a might be desirable just incase there is a problem with 802.11b or 802.11g. 802.11a works on a different set of frequencies from other wireless networks.

2.2.9.2 Mobile connection

Mobile Clients will be updated over WiFi or Bluetooth, although any reasonably high speed network would also work. For the Demo and Trial, Bluetooth will be used because of its cost, power consumption and large installed base in phones.

Home remote control 2.2.10

For the Demo and Trial it is assumed that the personal mobile device will also act as the user's remote control in the home for iRadio content consumption. This will use a Bluetooth link back to the Home Gateway which will participate in the UPnP network on the remote's behalf. Although this function would be implemented along side the Mobile Client functionality, it is a separate isolated function.

Although not required for Demo or Trial, nothing in the system precludes the possibility of multiple remotes being used independently in the same home. However, if there is only one registered iRadio user in the home, the system may constrain the consumption of content so that only one renderer may be used at a time. If there are multiple registered iRadio users, then the remotes can operate independently so that different content could be streamed to different renderers.

2.2.11 Home Renderer

This is the end point where streamed content in the home is converted to analog for presentation to the user. For the chosen UPnP A/V approach, there are several commercially available audio rendering devices.

2.2.12 Updating system

The updating system is the differentiating technology of the iRadio system which allows multiple devices/domains to keep in sync regarding what the user has listened to, is listening to, and is expected to listen to in the future.

2.3 Actors

2.3.1 User

This is the person who uses the iRadio system in the various domains and for various purposes.

2.3.2 Phone Friend

For scenarios which involve receiving a phone call, this would be the person who phones the

2.3.3 Friend, not an iRadio Customer

This is a person who isn't an iRadio customer but may receive a transfer of music from the user via the iRadio system. This type of transfer has its own special considerations to ensure that any monies are collected and that the content is delivered in a controlled and secured manner. (This actor is part of the community scenarios and is not needed for Demo, Trial or initial Product.)

2.3.4 Friend, is an iRadio Customer

This is a person who is an iRadio customer and may receive a transfer of music from the user. (This actor is part of the community scenarios and is not needed for Demo, Trial or initial Product.)

3 Domains

3.1 Home

Describe home entertainment and at computer.

3.2 Car

3.3 Person (On-the-Go)

3.4 Work

Describe remote consumption

4 System Functions

4.1 Content Provider Interface

The iRadio relies on content providers for providing all the content which the user didn't already own. Content Providers would initially provide genre playlists, celebrity playlists, and content purchase. The iRadio system would provide content consumption information through this interface also. This interface would be widened as needed to cover billing and community services as needed.

The connection between the iRadio Server and the Content Provider would be over a dedicated private connection or a VPN for privacy and security. Considering the large amounts of information which may be crossing between the iRadio server and the Content Provider, they need a high capacity connection.

4.1.1 Temporary Content Provider Standin

For Demo, there will not really be a Content Provider. The content will either be faked on the iRadio server or a simple Content Provider stub could be created. The stub would use HTTP. for all communications. Most of the genre playlists, celebrity playlists, and purchase interactions could be done via XML (or even SOAP). Bulk content transfers don't benefit from XML or SOAP, so those would be transferred one at a time using plain HTTP GET requests.

4.2 Updating

Updating occurs between all the major elements of the iRadio system (iRadio Server, Home Gateway and Mobile Clients) and is the main enabler of the iRadio features.

4.2.1 Discovery/Authorization

Each element of the iRadio system has a list of users which it supports. A Mobile Client will likely have only one person in the user list. The iRadio server could have millions of users. The initial handshake between to iRadio elements is used to determine whether the two elements have any users in common. If they have users in common, then the interchange proceeds to determine what information needs to be updated.

Discovery occurs amongst Mobile clients and the Home Gateway. Communications with the iRadio server is established via a known URL rather than discovery.

The following stages occur:

• Discovery: Receive initial inquiry or response associated with actual discovery of an iRadio enabled device

- Authentication: Exchange supported user's information to see if there are users in common.
- Add to registry: The discovered and authenticated device is placed in a registry of devices available for updating.
- Updating: Immediately after addition to the registry updating occurs. Updating also occurs as needed so long as the device remains in the registry.
- Remove from registry: When it is determined that a device in the registry can no longer be reached, then it is removed from the registry.

For devices designed to connect to the iRadio Server, in parallel with the discovery of devices in the immediate proximity, there is also an effort to form a connection to the iRadio Server.

Discuss how the Bluetooth associations are made -- bonding/discovery - correct terms

4.2.2 Data updated

The following relatively small types of data are sent from the mobile client during updating:

- Content Status Changes: Playing, Stopped, Paused, Resumed, Skipped. Where appropriate, this includes play-point information.
- Rating: This the user's rating of the content and contains a content identifier, and both the change in rating and the new rating value.
- Purchase Request: This contains a content identifier.
- Key Press: For diagnostic purposes and user interaction studies, each key press is

Each piece of data above is time stamped (UTC timezone and local offset). The Content Status Changes and Ratings are of general interest to all elements using the updating system. The Purchase Request and Key Press information is only of interest to the iRadio Server although it may be forwarded through other elements.

Updating also involves sending the following data to the mobile client:

- Playlists/Daily Set descriptions: These are user specific content descriptions which do not include the actual bulk content.
- Bulk Content: The large pieces of data which is the audio or video data.
- User Personalization/Preferences: TBD

4.2.3 Opportunistic Updating

Because proximity network connections are transient, updating occurs whenever there is the opportunity to do so. This accommodates situations where the user rapidly changes from one domain to another and the seamless experience must be maintained.

4.2.4 Mobile to Mobile Updates

The current Demo and Trial plans call for each user to have only one Mobile Client so mobile to mobile updating can never occur. During the Demo and Trial, the Mobile Client will update with the Home Gateway (or possibly the iRadio Server) directly.

In situations where a user does have multiple Mobile Clients, most updating will occur at home directly with the Home Gateway, but there are cases where an automotive Mobile Client might never connect to the home network if the user lives in an apartment building. In these cases, updating between mobiles is used to bridge the gap. A personal mobile client would

periodically update information with the Home Gateway and the automotive mobile client. This would allow information to remain in sync.

If there is encoding or licensing differences between the Mobile Clients then updating will be limited to light weight updating. Ideally the licensing information would be carried in a separate small file which is platform specific. This would allow the bulk content to be common for all clients.

4.2.5 Content Approaches

For the Demo and hopefully the Trial well will have considerable control over the devices in use and their capabilities. With this control we can help ensure that audio encoding, bit rate and DRM are consistent across devices. In a production system we will not be so fortunate. We must be prepared to deliver content with different audio encoding, bit rate and DRM for each device. Additionally the metadata required by devices may be different.

Given the storage resources of the Home Gateway most effective approach is to use the Home Gateway to store different versions of each piece of bulk audio content. Each version is shaped for a particular device which the user owns. The only situation where this does not perform well is when the personal device with limited storage is used to bridge updating between the Home Gateway and a think car client (See issue 1).

4.2.6 Cellular data opportunities

Although cellular data communications are not required or planned for the Demo or Trial systems, it is and alternative for light-weight updating in the future. A cellular data connection to the iRadio Server could be used to update the relatively small amount of data which doesn't involve bulk content transfers. Small amounts of hot content (weather, traffic or sports) could also be loaded so long as it was relatively small.

4.2.7 Hotspot opportunities

In the same way that cellular data communications could provide a direct updating path to the iRadio Server, public hotspots can do the same. Network controls would be available to limit the networks which will be used.

4.2.8 Mobile Communications Medium

Any set of wireless network technologies could server as the basis for device-to-device updating so long as it supports dynamic networks and the through put exceeds the streaming audio data rate by several times.

4.2.8.1 Bluetooth

Bluetooth is attractive from a cost, power and wide mobile support point of view, but its through put is marginal. For the Demo and Trial, Bluetooth's advantages out-weight its through-put disadvantage: Bluetooth ha been chosen for the Demo and Trial systems.

4.2.8.2 WiFi

WiFi and other wireless IP networks have a desirable through-put but the power consumption and limited support in mobile devices has pushed this alternative out beyond the Demo and Trial phases.

4.2.9 Adjustable Home Gateway Network Usage

Provision will be made to ensure that the iRadio system doesn't interfere with other uses of the broadband connection into the home. This can include:

- Send data is small chunks with a delay between chunks to ensure that the link is not
 monopolized. The user would adjust the permitted network load on an hourly basis as part
 of an advanced configuration screen.
- By looking a the current network usage, the iRadio system could automatically adjust it's network usage to avoid interference.

4.3 Phone Operation

The Personal Mobile Client is a self contained music player when it is not in the house or in the car.

4.3.1 User Interface

For the Demo there will be one screen on the personal device which is used to play any preset, monitor the currently playing content and take any actions. The screen has the following major sections:

Preset buttons: the top 2/5 of the screen contains three rows of two buttons each. Pressing any preset causes the current content to be paused and the content associated with the new preset to start playing.

Content Description: The middle 2/5 of the screen contains information about the currently playing content currently playing including title, artist, album, and cover art if available.

Action buttons: the bottom 1/5 of the screen contains the progress bar and action buttons allowing he current content to be purchased.

For the Demo, the role of the personal device is inferred based on its ability to connect to the home or the car. For the product and possibly the trial, there will be a second screen which allows the role of the personal device to be explicitly controlled. For instance sitting in the back yard the personal device will probably still be connected to the Home Gateway, however assuming the role of a remote control for the home stereo system wouldn't be correct. This second screen allows the role of the personal device and the place (home, car or personal) where the content is played the be selected from an on screen list of currently available possibilities.

Diagram and detailed discussion

4.3.2 Storage

When the content is being played through the personal device, the content is always drawn from the personal device's internal storage. If the personal device is connected to the gateway or iRadio Server the content may be replenished as fast as it is consumed, but it is never directly streamed. It is assumed that there is enough storage on the personal device for a few times the normal amount of content a user would listen to. The extra capacity is used to help ensure that regardless of what iRadio channel the user listens to on a particular day, that there is sufficient content available. A minimum of eight to ten hours of storage is expected. The number of Megabytes this translates into is somewhere between 169 Megabytes and 450 Megabytes depending on the chosen encoding

and desired quality. Given that 1 Gigabyte memory modules are available today for cell phones and MP3 players, the storage is available.

Insert table with memory sizes and encoding rates to give hours of listening

4.3.3 Storage

Encodings supported matrix

4.4 Thin car client (streaming from a mobile client)

4.4.1 A2DP Basic

A2DP refers to the Bluetooth profile which covers the streaming of stereo audio. As a standard, it covers the situation well with only a few weaknesses:

- The default audio encoding does not give the desired 90 dB SNR. (It is closer to 72 dB.)
- The transition from the mobile client's lossy encoding to another lossy encoding is likely to further degrade the audio quality.
- The standard is not widely implemented.

In spite of these weaknesses some form of A2DP is the chosen approach for Demo and Trial. Some of these weaknesses can be overcome by a special mobile client implementation and careful alignment with the in-car adapter.

The best A2DP/adapter implementation would avoid default A2DP encoding and instead, allow the encoded content to pass directly from the mobile client to the in-car device without a second encoding. This would address the audio quality concerns.

4.4.2 User Interface

In addition to the mobile client providing audio to the car audio system through the adapter, the incar audio control actuations are sent to the Mobile Client. This allows the user to control all the audio from the regular car audio controls. The preferred transport for this information is the Bluetooth serial profile (SPP).

4.4.3 Short-term approaches

A full A2DP implementation may not be available in the Demo timeframe so an alternative serial port profile approach is being investigated. The serial port approach uses the widely implemented serial port emulation over Bluetooth to deliver the audio content. By avoiding the less common Bluetooth profiles, there are fewer risks and a larger set of platforms which can be supported.

4.5 DRM/codecs

The iRadio approach is encoder agnostic. The only requirement is that there is a way to get the audio content from the content provider into the encoding that each of our devices supports. There is an additional requirement that the encoding is compressed enough work within the constraints of the mobile networking and mobile client storage.

For DRM, we need to have must have a way of applying the DRM encryption at the iRadio Server before the content is sent to the client. Ideally the content DRM encryption would be the same for all client devices and only a separate, relatively small, license file would be device specific.

4.6 Device to Device Transitions

Since the iRadio system, and the personal mobile device specifically, spans home, car and person domains, there are inevitably cases where the user moves from one domain to another while playing content. The behavior for these transitions is customizable on a case-by-case basis between automatic transitions and manual only transitions. When automatic transition is selected, the transition will occur as soon as the device (car or home) is detected. For manual operation, no transition occurs until the user explicitly chooses a new place for the audio to play from the set that are available.

4.7 Personalization

Discussion of DRM and encoding issues

4.7.1 Personal Digital Music support

Personal digital music which is accessible on the Home Gateway is automatically discovered and may be made available as part of the iRadio system. Support of digital music which is has a DRM wrapper or different audio encodings will only be made available if the iRadio system supports it.

4.7.2 iRadio Purchased content support

Digital content purchased via the iRadio system is available for updating using the iRadio system. Once content has been purchased, it becomes part of the user's collection and is available for updating just as is the rest of the user's collection.

4.7.3 Content not supported

In general the iRadio system can only work with previously owned content which is not wrapped in DRM. Files that are wrapped with DRM can not be moved amongst devices.

4.7.4 At computer user interface

The primary interface at the home computer allows the user to play any of their iRadio channels, and do all the operations that are available in other domains. Additionally, the home computer can be used to create new channels and make content assignments. Content assignments are made by dragging and dropping content on the desired channel.

For a variety of technical reasons it is desirable that the personalization application is browser or Java based. This gives us the best portability options in the future.

4.7.5 Remote Personalization

Not required for the Demo or Trial, remote personalization would allow a user's channel assignments to be done from any desktop browser (IE, Mozilla) by contacting the iRadio Server directly.

4.7.6 iRadio Channels

For the Demo and Trial each user has six iRadio channels which they can use as-is or customize to their own tastes. A channel contains an ordered set of content which is played in sequence. There are two types of content the user can attach to an iRadio channel:

- Stations (large or continuous blocks of DMCA compliant music content) from the Content
 Provider catalog which provide a continuous music content stream. If a station is
 associated with an iRadio channel, then nothing else can be associated with that same
 channel.
- Individual pieces of content from the catalog or digital music files from the user's personal collection. Any number of these pieces can be attached to a single iRadio channel, although the number may be artificially limited for a clearer user interface.

The user's personal music collection and content provider content are not mixed in the same iRadio channel.

Add a nice picture here showing content being poured into the 6 iRadio channels

4.7.7 User Owned Automatic Content Selection

Describe function
Describe approach alternatives

4.8 In-home Entertainment Unit Content Consumption

In the home the UPnP A/V is used to setup and monitor the streaming of content from the Home Gateway to the UPnP A/V renderer. The content will be transferred by HTTP once the connection has been established. For the Demo and Trial the personal device (E680) will be used as the inhome remote for iRadio content. From a personal device UI point of view, the content is controlled in the home exactly how it is controlled on the go. The remote has the six iRadio channels and displays information about the currently playing content.

Describe (with pictures) typical UPnP A/V system and entities

Show how iRadio entities correspond to these UPnP A/V entities

4.8.1 Pause/Resume

The updating system allows content to resume playing from the point it was previously paused regardless of where that pause occurred. Normally UPnP A/V connections start at the beginning of a piece of content. There is no standard way to start at another point. To overcome this, the UPnP A/V controller which sets up the streaming connection will immediately seek forward to last paused point so that the resume occurs as expected.

UPnP A/V 2.0 introduces the notion of bookmarks which would allow our pause/resume behavior to be implemented easily. The leading UPnP A/V stack providers, Mediabolic and SimpleDevices would probably track the 2.0 specification and include the bookmarking capability. It then becomes an issue of whether we want iRadio to work with older UPnP A/V devices or just selected newer ones which have 2.0 features.

4.8.2 Hand-held Remote Control

Describe how E680 works

4.8.3 Multiple Room Operation

Describe how the UI could support multiple renderers in the home. Speculate that if there is a way to determine the room the user is in, then the audio session could automatically migrate.

4.9 At computer content consumption

4.9.1 At Home Computer

Separate from the previously mentioned Home, Car and Personal playing of iRadio content, there is playing iRadio content at your home computer. This follows the same preset approach and has all the familiar iRadio controls and behaviors. This player doesn't try to replace or do the job of other content players, but instead concentrates on the iRadio experience. This may be available for Trial and must be available for Product. This will initially be available only for Microsoft Windows. Discuss implementation alternatives

4.9.2 Remote Computer

This feature is not required for any phase yet. It makes the user's personal iRadio experience available via a browser from any other computer on the Internet. At the home computer, the content was streamed from the content already on the home computer. In this case the content is streamed across the Internet from the iRadio server. Initial versions of this feature will not include iRadio channels which contain the user's personal content because the user's personal content is not available to the iRadio Server. In future, personal content may be streamed from the user's Home Gateway across the Internet so that all iRadio channels are available.

4.10Usage tracking

The updating system provides an opportunity for a very thorough recording of how the iRadio is used in the field in addition to the more typical tracking of user interactions with the server. The following information can be tracked:

- User button presses
- Content status changes which result from user actions
- Update connect/disconnect information
- Update operations between devices (including the Home Gateway)
- Content Provider interaction
- Purchase transactions

This information is stored at the iRadio server and communicated back to the Content Provider as needed. The data is also the basis for auditing and compliance checking, including looking for simultaneous use of the system by a single user. Since the initial system is intended for use by a single person, simultaneous use should not occur.

4.10.1 System Monitoring

A separate monitoring system records and reports the overall system conditions. Flush this out with system monitoring strategy, SNMP, triggers, alarms ...

4.11 USB

USB is widely available on PCs and portable devices (including all the Mobile Clients considered for the Demo and Trial). Given Bluetooth's bandwidth limitations, USB is an attractive alternative for updating, especially bulk content loading. When connected via USB, the Mobile Client flash memory appears as a mounted disk drive. There are various ways to leverage USB:

- Update bulk content only (adding and deleting bulk content files)
- Update daily set (bulk content and playlist metadata)
- Update daily set and retrieve user activity data

Where the final item allows all update operations to be performed over USB, the first two would still rely on Bluetooth for the update of non-bulk content.

4.12Multiple Users

Although there are no immediate plans to support multiple users on the same device, this is something which as been discussed. There are two ways to offer multiple users on a single device:

- 1. Multiple users under a single subscription would allow multiple sets of iRadio Channels which would avoid problems associated with sharing the just the six channels between multiple people. This approach is relatively straight forward.
- 2. Multiple subscriptions, with one user each could share a single device. This approach is a little more complex.

4.13 Encryption

Encryption will be needed at all levels of the system:

- During updating
- Content on any removable media
- Playlists, metadata and usage data whether on removable or non-removable storage
 The system needs to tamper proof, and ideally able to change encryption periodically under server control to help prevent tampering from becoming widespread.

4.14User Interface/Experience

4.14.1 Phone Interface

This section to be filled out later.

4.14.2 Car Interface

This section to be filled out later.

4.15 Subscription Termination

The general consensus is that with an expired subscription, some part of the iRadio experience continues to work. The degree of continued functionality is calculated keep the user engaged while continuously reminding them of what they are missing. Annoying commercials and a single iRadio channel of one hour have both been suggested as possibilities.

4.16My Account and Billing

The preliminary approach for billing is to automatically bill the customer for service and purchases. A web site is provided for the user to look up any charges, impose purchase limits and control other aspects of their subscription.

5 Issues

5.1 How do we browse owned contentwhile on the go?

In the local case, does the user have the ability to browse the owned content which iRadio preemptively cached on the device? If this is required, we need to decide how sophisticated it needs to be.

• The Preliminary answer is: we don't. Owned content is dumped in a channel and can be listened to in sequence on that channel.

5.2 How do we browse owned content while home?

In the at home case, does the user have the ability to browse their owned content from the remote control? If this is required, we need to decide how sophisticated it needs to be.

• Still open.

■iRadio -- Initial Considerations

From a technical point of view, there are two basic content types:

- Channels which come from an outside provider, and
- Personal user content

Within the two basic types there are five types which the user sees:

- 1. Standard genre channel -- not time sensitive (type 1)
- 2. Custom genre/artist channel -- not time sensitive (type 1)
- 3. Subscription content -- time shifted (type 2)
- 4. Previously purchased content (type 2)
- 5. User owned content (type 2)

Simple System Assuptions

For the purposes of this note it is assumed that the content is presented to the user as a heirarchy. Channels are one part of the heirarchy and discrete content is another. Actions are occur on the piece of content currently selected of playing. On a full screen user interface there would be some more complex operations including, searches for owned content and immediate purchase.

Channels: standard genre & custom genre/artist

These are a prepackaged channels similar to that available from XM Radio or Yahoo Launch. It is provided in one form or another from the content provider and the iRadio Service Provider just makes that content available to a user's devices via an in-home gateway or directly via a hotspot

Assumptions

The channel content requested by the iRadio Service Provider on behalf of the user. To reduce the amount of data sent from the Content Provider to the iRadio Service Provider it would be best if the content for a user was specified as a set of content IDs. The iRadio Service Provider would request the ID3-type metadata from the Content Provider if it didn't already have it. The content and metadata would be sent to the device (via hotspot) or in-home gateway as needed. The need could arise because the content has been consumed or expired and needs to be replentished. So long as the car is able to synchronize with the iRadio Server, the user will listen to the same content on their channels whether they are at home or in their car.

User Actions

These are actions typical of channel content:

- play
- pause/resume
- info request satisfied locally from included metadata
- info request satisfied remotely (via cellular packet data if needed)
- info request completed later via email/broswer
- info sent to email at next hot-spot

- buy and download to home gateway or car at next hot-spot
- enter feedback on current track
- skip (if allowed)
- switch to another channel
- mark to buy with transaction completed later via browser (simple UI)
- buy and download to home gateway or car at next hot-spot (complex UI)
- recommend to another (complex UI)

Subscription content (time shifted)

This content might be Howard Stern, Car Talk or other radio show the user subscribeds to via the iRadio Service Provider. This content can either be handled as a dedicated channel for the selected show or as purchased content. It has characteristics of both.

Like a channel, it is supplied by the Content Provider and is only played once [my assumption]. Grouping successive occurances of the show on a single channel might be a useful organizing tool. The other channel like way to deal with this would be to gather all the subscribed content for a single day into a channel. The user could access any of the last few days channels.

Subscription content is similar to purchased tracks in that they are a single block of content which should be able to be prioritized or organized for presentation to the user like any other discrete (non-channnel) block of content.

Assumptions

Subscription content is likely to have more restricted rights (number of plays and expiration) than normal purchased content. Other than these restrictions, the content can be handled the same as purchased content from an architectural point of view, even if the user interface is is unique.

User Actions

These actions could be appropriate for time-shifted content:

- play
- pause/resume
- info request satisfied locally from included metadata
- info request satisfied remotely (via cellular packet data if needed)
- info request completed later via email/broswer
- enter feedback on current content
- skip (if allowed)
- pause current item and circulate it to end of current playlist
- switch to another channel
- recommend to other user

Owned content -- iRadio purchased & ripped

This is content is either pre-existing content in a format which iRadio understands (MP3) or content which was purchased via the iRadio service. Pre-existing content will have to have metadata constructed to be used in the iRadio system, but once that step is taken, it can be handled much the same as content purchased via the iRadio system.

We may want to separately consider whether we support the loading of pre-existing content from remote hotspots. If we support the remote loading, of pre-existing content then we'll be relying on the home system's ability to supply the content to a hotspot. This adds complexity and more opportunity of failure.

Assumptions

Purchased content will be available directly from the iRadio Service Provider when a device at a hotspot away from home or from the home gateway when at home. We still record play information including to help determine what content the user likes.

User Actions

These actions could be appropriate for owned content:

- play
- pause/resume
- info request satisfied locally from included metadata
- info request satisfied remotely (via cellular packet data if needed)
- info request completed later via email/broswer
- enter feedback on current content
- skip
- pause current item and circulate it to end of current playlist
- switch to another channel
- recommend to other user

■ iRadio -- Content Provider Interfacing

There is considerable flexibility here, but this outlines a starting position ... All communciation with the <u>Content Providers</u> is via the <u>iRadio Service Provider</u>. There are two general types of content to cosider:

- Channels such as those provided by XM Radio or Yahoo Launch
- Content purchase

For all content interactions with the content provider, in a product grade system, the following is assumed:

All Content Provider communications are through dedicated IP connections to the content provider's data center

Dedicated connections provide security and reliable bandwidth.

The iRadio Server premptively loads channel content from the content provider on the user's behalf. This content is made available to the user only according to rules which are agreed to by the content provider.

The iRadio has to be the single point of contact with the content provider to give a seamless experience to the user. By getting content ahead of time, we eliminate content provider latencies and have a simpler system.

The iRadio Server premptively moves channel content to the home gateway to avoid Internet latencies when there eventually is a need to consume the content or transfer it to another device. The channel content is DRM protected or encrypted while it is on the Home Gateway.

This allows Internet latencies to be avoided when the channel content is eventually consumed or transferred it to another user device.

The <u>iRadio System</u>, which includes everything from the iRadio Server to the user's listening device, ensures that the user only consumes content according to rules compatible with the Content Provider.

It is critical that the user never have direct access to downloaded Channel Content since that would violate the content license. Purchased content may be made available to the user under DRM control.

The iRadio System will provide content consumption and volentary user feedback to the Content Provider.

The iRadio Server will monitor what content the user consumes and in also in the case of channel information what content expires before consumption. This data will be updated whenever the user's device is network connected. This data can be made available to the content provider as needed.

User requests for supplemental content information (lyrics, concerts ...) would also go through the iRadio Server.


This preserves the single point of contact and single face to the customer. This could be reviewed depending on business plans.

Purchases would also go through the iRadio Server.

This preserves the single point of contact and single face to the customer. This could be reviewed

depending on business plans.

Channel Data Flow



From - Thu Feb 10 10:42:49 2005 Return-Path: <jmv@motorola.com> Received: from az43exm04.phx.mcd.mot.com ([144.191.86.40]) by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i72Lclp19820 for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Mon, 2 Aug 2004 14:38:47 -0700 Received: by az43exm04.phx.mcd.mot.com with Internet Mail Service (5.5.2657.72) id <M00LJZN8>; Mon, 2 Aug 2004 14:15:04 -0700 Message-ID: <3F05200B37A1D511BE550002B3289243159F1103@az43exm04.phx.mcd.mot.com> From: Villevieille J-P26721 <jmv@motorola.com> To: Zenios Anthony-FTZ223 <anthony.zenios@motorola.com>, Ulmer Dave-E42721 <david.ulmer@motorola.com>, Gaumond Mike-MGAUMOND <Mike.Gaumond@motorola.com>, Villevieille J-P26721 <jmv@motorola.com> Cc: Clayton Mark-AMC036 < AMC036@az43.mcd.mot.com> Subject: RE: New concept Date: Mon, 2 Aug 2004 14:14:59 -0700 MIME-Version: 1.0 X-Mailer: Internet Mail Service (5.5.2657.72) Content-Type: text/plain Right on target Tony, This is basically what the wireless car adaptor is about: a smart Airport Express th Nevertheless, the idea stays that it would be neat to integrate the remote control i Whether we can do it in time kind of depends on some of our alliances with these quy Regards...JMV Jean-Marc Villevieille Director Engineering Advanced Solutions Motorola Tempe, AZ (W)602-659-8177(M) 480-236-3446 jmv@motorola.com ----Original Message----From: Anthony Zenios [mailto:anthony.zenios@motorola.com] Sent: Monday, August 02, 2004 1:44 PM To: Ulmer Dave; Gaumond Mike; Villevieille Jean-Marc Subject: New concept Hello Everyone, Here is another idea for our use case. It involves technology that

Apple introduced. A couple weeks ago Apple introduced a new product called Airport Express. Its a small wireless router (802.11b and g). It plugs right in to the wall (looks like Apple's laptop chargers) but its a wireless base station that works seamlessly with the Airport Extreme and others. The new interesting feature they added is called AirTunes. It gives the ability to move music from your computer on itunes to an Airport Express base station. The base station has an audio output that can be used to connect to your stereo. Then the music can be played anywhere that you have the Airport Express. I put 3 of them in my apartment and works very well. I was thinking that we might be able to

make our product compatible with this. Right now, one computer can stream to one Airport Express. If we could tie our cell phones so that the wireless network in your home knows what room you are in and can move the stream from room to room. Whatever room you walk in to the music will start playing from were it left off; Or walking from you car to your home and the song picking up from were you left off in the room you are in. Also, the phone can act as a remote to change songs. Right now, you have to run back to the computer to change the song. The phone can switch songs or access playlists. So in this idea, the phone is aware of where you are in your home and is able to have your music follow you.

```
From - Thu Feb 10 11:25:11 2005
Return-Path: <jmv@motorola.com>
Received: from az43exm04.phx.mcd.mot.com ([144.191.86.40])
        by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i7UKZdp14836
        for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Mon, 30 Aug 2004 13:35:39 -0700
Received: by az43exm04.phx.mcd.mot.com with Internet Mail Service (5.5.2657.72)
        id <M00M11H5>; Mon, 30 Aug 2004 13:05:29 -0700
Message-ID: <3F05200B37A1D511BE550002B3289243159F1259@az43exm04.phx.mcd.mot.com>
From: Villevieille J-P26721 <jmv@motorola.com>
To: "'Jimmy Buchheim'" <jimmy@ssiamerica.com>,
   Villevieille J-P26721
         <jmv@motorola.com>
Cc: Rutledge Shawn-E50053 <shawn.rutledge@motorola.com>,
   Costello Edward-G20048 <G20048@motorola.com>,
   CLAYTON MARK-AMC036
         <Mark.Clayton@motorola.com>
Subject: RE: Wireless Car Adapter
Date: Mon, 30 Aug 2004 13:05:05 -0700
Importance: high
X-Priority: 1
MIME-Version: 1.0
X-Mailer: Internet Mail Service (5.5.2657.72)
Content-Type: multipart/mixed;
        boundary="--- = NextPart 000 01C48ECC.A41A12C2"
This message is in MIME format. Since your mail reader does not understand
this format, some or all of this message may not be legible.
----- = NextPart 000 01C48ECC.A41A12C2
Content-Type: text/plain
Hi Jimmy,
Here are our quick thoughts on what could be done very quickly between us in order t
Regards...JMV
Jean-Marc Villevieille
Director Engineering Advanced Solutions
Motorola
Tempe, AZ
 (W) 602 - 659 - 8177
 (M) 480-236-3446
 jmv@motorola.com
----Original Message----
From: Jimmy Buchheim [mailto:jimmy@ssiamerica.com]
Sent: Monday, August 30, 2004 7:24 AM
To: 'Villevieille J-P26721'
Subject: RE: Wireless Car Adapter
Hi Jean,
I am back in NY after 2 weeks at XM's innovation center in FLA. Please send me the s
```

Best regards, Jimmy Buchheim www.ssiamerica.com 43C Rocklyn Ave Lynbrook NY 11563 USA Phone: +1 516 887 8885 Fax: + 1 516 887 8881 ----Original Message----From: Villevieille J-P26721 [mailto:jmv@motorola.com] Sent: Wednesday, August 25, 2004 4:04 PM To: 'Jimmy Buchheim' Subject: RE: Wireless Car Adapter Hi Jimmy, Got stuck since I came back to Phoenix. NDA is ok so I want to start talking later Regards...JMV Jean-Marc Villevieille Director Engineering Advanced Solutions Motorola Tempe, AZ (W) 602-659-8177 (M) 480-236-3446 jmv@motorola.com ----Original Message----From: Jimmy Buchheim [mailto:jimmy@ssiamerica.com] Sent: Wednesday, August 18, 2004 7:41 PM To: 'Stinson Jeff-QJS012' Cc: 'Villevieille J-P26721' Subject: RE: Wireless Car Adapter Hi Jeff, I will sign it, My name is James Buchheim, President. Company name is: Multi Techno Best regards, Jimmy Buchheim www.ssiamerica.com 43C Rocklyn Ave Lynbrook NY 11563 USA Fax: + 1 516 887 8881

----Original Message----

From: Stinson Jeff-QJS012 [mailto:Jeff.Stinson@motorola.com]

Sent: Wednesday, August 18, 2004 8:34 PM

To: jimmy@ssiamerica.com

Cc: Villevieille J-P26721 Subject: Wireless Car Adapter

Jimmy,

Jean-Marc Villevieille asked me to contact you and secure an NDA so that we can disc I will send you a copy of our NDA for your signature. In order to do so, I need to We can proceed as soon as I receive the information requested.

Regards, Jeff

Jeff Stinson
Director, Business Development
Motorola, Inc., Media Solutions
2900 S. Diablo Way
Tempe, AZ 85282
Tel: 602-659-7704
Email: jeff.stinson@motorola.com

pcEAWOAJBAAA+BK/AAAAAAAAAAAAAAAAABgaAkRAAAA4AYmpiajQDNAMAAAAAAAAAAAAAAAAAAAAAAA AAAJBBYAo6kAAFZpAQBWaQEA8QcAAAAAAAAXAAAAAAAAAAAAAAAAAALgAAAAAAAAD//w8AAAAA AAAAAAAAIA4AAAAAAACgFAAAAAAAAKAUAAAAAAAOBQAABQAAAAAAAAAAAAAALQUAAAAAAAAADIA AAAAAADcMgAAAAAANwyAAA4AAAAFDMAACwAAABAMwAAfAAAALQUAAAAAAAAAnIcAAGACAADIMwAA CAAAADg0AAAoAAAAYDQAAAAAAABgNAAAAAAAGA0AAAAAAAA5DcAAIgAAABsOAAALAAAAJg4AAAY AAAAG4cAAAIAAAAdhwAAAAAAAB2HAAAAAAAHYcAAAAAAdhwAAAAAAB2HAAAAAAAHYcAACQA AAD8iQAAUgIAAE6MAABaAAAAQYcAABUAAAAAAAAAAAAAAAAAAAAAAAAAAoBQAAAAAABnoQAAAAAA AAAAAAAAAAAAAAAAAAAAACgNwAABAAAAKQ3AABAAAAZzkAaAAAABnoQAAAAAAAAEGHAAAAAAA AAAAAAAAAAqqqqAAAAAAAACAOAAAAAAAYDQAAAAAAAAAAAAAAAAAAGAOAABAAwAAVocAABYAAAD/ Owaaaaaaa987aaaaaaaaA/zsaaaaaaaaabnoQaapgaaaCaoaaCwBaaaYDQaaaaaaaaacgFaaaaaaaaaga0 AAAAAAAAAAAAAAAAAAAAAAAAAAZzkaaaaaaabhwaaaaaap87aaauaaaa/zsaaaaaaaatpaaa xAEAAAAAAAAANwyAAAAAAADToAAMoAAACjfQAAfaAAAAAAAAAAAAT4YAAMwAAABshwAAMAAA AJyHAAAAAAAH34AAAgCAACojAAAAAAAAAC6AAAMAQAAqIwAAPgAAAAngAAAAAAAAAAAAAAAAAAAAAAAA gaaakaqaakimaaaaaaaaaaaaaaaaacgfaaaaaaaae+eaaaaaqaasdgaabqaaadeoaaadqaaap87

 AAAAAACwOAAAAAAAAAAAAAAAAAQYcAAAAAAABBhwAAAAAALQUAAAAAAAABQAAOQXAACYLAAA DQ0NDWlSYWRpbyBVQVJUIEhpZ2ggbGV2ZWwgcHJvdG9jb2wgZm9yIFdpcmVsZXNzIEF1ZGlvIEFk YXB0b3IgDVJlcXVpcmVtZW50IERvY3VtZW50DQkNDQ1EcmFmdCBSZXZpc21vbiBYQQ0NDQ0NDQ0N DQ0JCQkJCQkJCU1vdG9yb2xhLCBJbmMuDQkJCQkJCQkJaVJhZG1vDQkJCQkJCQkJSk0gVmlsbGV2 ${\tt aWVpbGxlDURpcmVjdG9yIG9mIEVuZ2luZWVyaW5nDTgvMzAvMjAwNA0NDQ0NDQ0NDQ0NDQ0NDQ0Td} \\$ IFRPQyBcbyAimS0zIiAUMQlJbnRyb2R1Y3Rpb24JEyBQQUdFUkVGIF9Ub2M4MTYzNDM1MiBcaCAB FDMVDTEuMQlUcmFuc3BvcnQgIEZyYWllIFN0cnVjdHVyZSA6CRMgUEFHRVJFRiBfVG9jODE2MzQz NTMgXGggARQzFQ0xLjIJaVJhZG1vIEJ1cyBNZXNzYWd1IHN0cnVjdHVyZQkTIFBBR0VSRUYgX1Rv YzgxNjM0MzU0IFxoIAEUMxUNMS4yLjEJTWVzc2FnZXMgZnJvbSB0aGUgSGVhZC1Vbm10CRMgUEFH RVJFRiBfVG9jODE2MzQzNTUgXGggARQzFQ0xLjIuMglNZXNzYWdlcyB0byAgdGhlIEhlYWQtVW5p dAkTIFBBR0VSRUYgX1RvYzgxNjM0MzU2IFxoIAEUNBUNFQ1JbnRyb2R1Y3Rpb24NVHJhbnNwb3J0 ICBGcmFtZSBTdHJ1Y3R1cmUgOiANUGxlYXN1IHVzZSB3aGljaGV2ZXIgaXMgZmFzdGVzdCB0byBp bXBsZWllbnQ6IFhNIJZsaWtlIENCTSBvciBpUE9EIFRCRA0NRS5nLiBTREFSUyBDQk0gdHJhbnNw b3J00g0NT0NURVQHRk1FTEQHB29jdGV0IDAHc3RhcnQgaGVhZGVyIE1TQgcHb2N0ZXQgMQdzdGFy dCBoZWFkZXIgTFNCBwdvY3RldCAyB2xlbmd0aCBNU0IHB29jdGV0IDMHbGVuZ3RoIExTQgcHDWlS YWRpbyBCdXMgTWVzc2FnZQcHb2N0ZXQgbi0xB2NoZWNrc3VtIE1TQgcHb2N0ZXQgbgdjaGVja3N1 bSBMU0IHBw0NU3RhcnQgaGVhZGVy0iAyIGJ5dGVzIJYgMDBBNWggLyAwMDVhaA1MZW5ndGg6IDIg Yn10ZXMgliAwMDAwaC1GRkZGaA1pUmFkaW8gbWVzc2FnZToNVHJhbnNhY3Rpb24gY29kZSA9IDEg Ynl0ZQ1NZXNzYWdlIGJvZHkNQ2hlY2tzdW06IDIgYnl0ZXMgKFhPUiAwMCB0byBuLTIgT2N0ZXQp DQ1pUmFkaW8gQnVzIE11c3NhZ2Ugc3RydWN0dXJ1DU11c3NhZ2VzIGZyb20gdGhlIEh1YWQtVW5p dA1XaGF0IHd1IG51ZWQ6DVVzZXJfaW50ZXJmYWN1IGNvbnRyb2wgdH1wZTogZS5nIEJ1dHRvbiwg ZGlhbCwgc3dpdGNoIA1Vc2VyX2ludGVyZmFjZSBjb250cm9sIG51bWJlciAjSUQNVXNlcl9pbnRl cmZhY2UgIGNvbnRyb2wgYWN0aW9uIAONT3B0aW9uYWwgZm9yIGxhdGVyOg1IZWFkLVVuaXQgU3Rh dHVzICggYXVkaW8gc291cmN1LCCFKQ1IZWFkLVVuaXQgcHJvZmlsZSAoZGlzcGxheSBjYXBhYmls aXR5LCCFKQ1Qb3dlc19PTiBoYW5kc2hha2UgliBEZXZpY2VzIGRpc2NvdmVyeQ0NDVNwZWNpZmlj IGNvbnRyb2xzIGJ1dHRvbnMvIHN3aXRjaGVzIC0gYXNhcA1QUkVTRVRTIGt1eXMgMS02DVNPVVJD RTogQXVkaW8gU291cmNlIChBTSwgRkOsIENELCBYTYUpDVNUT1AgLyBQTEFZLyBQQVVTRQ1GT1JX QVJEIChob2xkICYgTW9tZW50YXJ5KQ1SRVdJTkQgKGhvbGQgJiBNb21lbnRhcnkpDVNFRUsvU0NB Tg1FT1RFUiAvIFNFTEVDVCAoaWYgZG1mZmVyZW50IGZyb20gdGh1IHBsYXkpDU1ORk8gDQ0NRXhh bXBsZXMgb2YgY29kZXMgbmVlZGVkOg0NVUlfQ09OVFJPTF9CVVRUT04JCQ1VSV9DT05UUk9MX0RJ QUwJCQ1VSV9DT05UUk9MX1NXSVRDSAkJDQ1VSV9BQ1RJT05fRE9XTgkJDVVJX0FDVE1PT19IT0xE CQkNVUlfQUNUSU9OX1VQCQkJDVVJX0FDVE1PT19PTgkJCQ1VSV9BQ1RJT05fT0ZGCQkJDVVJX0FD VE1PT19DTE9DS1dJU0UJCQ1VSV9BQ1RJT05fQ09VT1RFUkNMT0NLV01TRQkJDQ0JDQ1NZXNzYWd1 cyB0byAgdGhlIEhlYWQtVW5pdA1XaGF0IHdlIG51ZWQ6DVJlYWQgLldyaXRlIG9uIHJlbW90ZSBI ZWFkLVVuaXQgRGlzcGxheSBpbmZvcmlhdGlvbnMgYXNzb2NpYXRlZCB3aXRoIHRoZSB0cmFjayBv ciB0ZXh0IHByb21wdHOFDQ1PcHRpb25hbDoNUG93ZXJfT04gaGFuZHNoYWt1IJYgRGV2aWN1cyBk aXNjb3ZlcnkNR2V0IHN0YXR1cw1HZXQgUHJvZmlsZSANCAONCU1vdG9yb2xhIFByb3ByaWV0YXJ5 IENvbmZpZGVudGlhbAlQYWdlIBMgUEFHRSAUMxUgb2YgEyBOVU1QQUdFUyAUNBUNDQgNDQlNb3Rv

AAAICAAACQQAAEMIAABECAAARQQAAFkIAABdCAAAXqqAAGQIAABtCAAAbwqAAHAIAABxCAAAeOqA AH0IAACBCAAAjwqAAJQIAACYCAAAnwqAAKMIAACmCAAAtggAALcIAADDCAAAzggAAM8IAADYCAAA 2QgAAOgIAAD28Pbw49Pj08PTttPjw6ugmpSHenBmh3Bmh1xmXGZc9qAAAAAAAAAAAAAAAAAAAAAAAAA AAAAEhZouG65AENKHABPSgIAUUoCAAASFmi6AQIAQ0ocAE9KAqBRSqIAABIWaGZhmqBDShwAT0oC AFFKAGAAGBVoZmGaABZobRcIAENKHABPSqIAUUoCAAAYFWhmYZoAFmi4brkAQOocAE9KAgBRSqIA AAoWaGZhmgBDShgAAAoWaG0XCABDShgAABUWaG0XCAA1CIFDShgAT0oCAFFKAqAVFmhtFwgANQiB Q0okAE9KAgBRSgIAGRZoJUAWADUIgUNKJABPSgMAUUoDAGFKJAAfFWjRTVwAFmhtFwgANQiBQ0ok AE9KAwBRSgMAYUokAB8VaNFNXAAWaLhuuQA1CIFDSiQATOoDAFFKAwBhSiQAGRZouqECADUIqUNK JABPSgMAUUoDAGFKJAAKFmhtFwgAQIgAAAASFmhtFwgAQOoYAE9KAgBRSgIAIAAGAAABCAAAAgqA AAMIAAAECAAABQgAAAYIAAAHCAAACAgAAAkIAABFCAAAWggAAFwIAABdCAAAcAgAAHEIAAByCAAA cwgAAHQIAAB1CAAAdggAAHcIAAB4CAAAeQgAAJAIAACfCAAA/QAAAAAAAAAAAAAAAP0AAAAAAAAAA AgAIDwAPhBAOXoQQDmdkuG65AAoXAA3GBAFQGQASZPAAAQAUpAAAAAEAAAAZAAYAAPEPAABiEAAA CAAA2qqAANsIAADcCAAA3QqAAN4IAADfCAAA4AqAAOEIAADiCAAA4wqAAOQIAADlCAAA5qqAAOcI Bx4ADcYIAAKwBLYhAAoHHQANxggAAiADtiEACgABHAAABA8AAyQBYSQBAAkPAA+EcAgRhNACXoRw CGCE0AIADA8AD4SwExGE0AJehLATYITQAmdkuG65AAAEAABnZDZIRQAAF+gIAADpCAAA9wqAAPgI AAD5CAAA+ggAAAcJAAAICQAAIQkAACIJAAAjCQAAJAkAACUJAAAmCQAAKQkAACoJAABHCQAASAkA AGEJAABiCQAAYwkAAGQJAABlCQAAZgkAAGkJAABqCQAAhwkAAIgJAAChCQAAogkAAKMJAACkCQAA pQkAAKYJAACrCQAArAkAAMgJAADJCQAA4gkAAPXv9ebO5sDmr8DmwM7mmubA5onA5sCa5prmwOZ4 wObAmuZh5sDmLBZo0X22ADYIgUNKGABPSgAAUEoEAFFKAABhShgAbUgABG5IAAR0SBEEdQqBACAC CIEDavYAAAAGCAEWaNF9tgBVCAFtSAAEbkgABHUIAQAgAgiBA2p7AAAABggBFmjRfbYAVQgBbUgA BG5IAAR1CAEAKBZo0X22ADoIgU9KAABQSqQAUUoAAGFKGABtSAAEbkqABHRIEQR1CAEAIAIIqQNq AAAAAAYIARZoOX22AFUIAW1IAARuSAAEdQgBABoDagAAAAAWaNF9tgBVCAFtSAAEbkgABHUIAQAv FmjRfbYANQiBOwiBQOoYAE9KAABQSgQAUUoAAGFKGABtSAAEbkgABHRIEQR1CAERFmjRfbYAbUgA BG5IAAR1CAEKFmhtFwgAQ0oYAAATA2oAAAAAFmhtFwgAQ0oYAFUIAQAm4qkAAOMJAADkCQAA5QkA AOYJAADnCQAA7AkAAO0JAAAICgAACQoAACIKAAAjCgAAJAoAACUKAAAmCgAAJwoAACgKAAApCgAA NQOAADYKAABQCGAAUwoAAIIKAACLCGAAjwoAAJoKAACbCGAAtQoAALYKAAC3CGAAxAoAACELAAAO CwAAYwsAACYMAABBDAAAQgwAAO/h2OHB2MHY4diw4djhwaKYlJCUjIiMiIyEiH2UdnBncJRjXAwV aPdcnAAWaPdcnAAABhZo91ycAAAQFmj9LKYANQiBQ0oYAFwIgQAKFmj9LKYAQ0oYAAANFmj9LKYA NQiBQOoYAAwVaGUJiwAWaGUJiwAABhZo3D9AAAAGFmhlCYsAAAYWaOVd9QAABhZoUh1IAAAGFmj9 LKYAABIWaG0XCABDShgAT0oCAFFKAgAAGwNqAAAAABZobRcIAENKGABPSgIAUUoCAFUIASACCIED auwBAAAGCAEWaNF9tgBVCAFtSAAEbkgABHUIAQAsFmjRfbYANgiBQ0oYAE9KAABQSqQAUUoAAGFK GABtSAAEbkgABHRIEQR1CAEAERZo0X22AG1IAARuSAAEdQgBGgNqAAAAABZo0X22AFUIAW1IAARu mwoAAJwKAAC2CgAAtwoAAL0KAADDCgAA/QAAAAAAAAAAAAAPgAAAAAAAAAAAAAAADzaAAAAAAA

AAAAAAAAAAAAOAABOkKAAUpCgAFiQBSWYBAAAAZ2S3LIoAAAQbAGdk/SymAAAEGwBnZGUJiwAACBsA D4RAAl 6EQAJnZGUJiwAABAIAZ2QCKPgAAAQBAGdkAij4AAABDwAACcMKAADECgAAzAoAAN0KAABz AUlmAQAAAAKWbAAENAEF1hgGAQEABgEBAAYBAQAGAQEABgEBAAYBAQAI1jAAApT/zwMQDgAGOwQA /wABAAAAAAD///8AAQAT1jAAAAAABgEAAAAAAAGAQAAAAAAAYBAAAAAAAABgEAAAAAAAGAQAA AAAAAAYBAAAU9gN8DhrWCAAAAP8AAAD/G9YIAAAA/wAAAP8c1ggAAAD/AAAA/x3WCAAAAP8AAAD/ NNYGAAEKA2wAYfYDAABw1hQAAAAA///AAEAAAAAAP///wABAAAD3QoAAN4KAADmCgAA9woAA18A AAAAAAAAAAAAAAAAAAAAAAAAAATpCgaFKQoABYkAUlmaQAAAGdktyyKAABvAABrZDcDAAAWJAEXJAFJ ZqEAAAAClmwABdYYBgEBAAYBAQAGAQEABgEBAAYBAQAGAQEACNYwAAKU/88DEA4ABjsEAAAAAAAA AAAGAQAAAAAAAYBAAAAAAABgEAAAAAAAGAQAAFPYDfA4alqqAAAD/AAAA/xvWCAAAAP8AAAD/ HNYIAAAA/wAAAP8dlggAAAD/AAAA/zTWBgABCgNsAGH2AwAAAAP3CgAA+AoAAAALAAALCwAAjwAA AAAAAAAAAAAAAAAAAAAAAAAABOkKAAUpCgAFiQBSWYBAAAAZ2S3LIoAAG8AAGtkzwMAABYkARckAUlm AQAAAAKWbAAF1hgGAQEABgEBAAYBAQAGAQEABgEBAAYBAQAI1jAAApT/zwMQDgAGOwQAAAAAAAA AAYBAAAAAAABgEAAAAAAAAGAQAAAAAAAYBAAAU9qN8DhrWCAAAAP8AAAD/G9YIAAAA/wAAAP8c 1ggAAAD/AAAA/x3WCAAAAP8AAAD/NNYGAAEKA2wAYfYDAAAAAwsLAAAMCwAAFAsAAB8LAACMAAAA AAAAAAAADQAAE6QoABSkKAAWJAFJZgEAAABnZLcsigAAcgAAa2RnBAAAFiQBFyQBSWYBAAAAApZs AAMOAQXWGAYBAQAGAQEABgEBAAYBAQAGAQEABgEBAAjWMAAC1P/PAxAOAAY7BAAAAAAAAAAAAAAAA AAAAAAAGAQAAAAAAAYBAAAAAAABgEAABT2A3wOGtYIAAAA/wAAAP8b1qqAAAD/AAAA/xzWCAAA AP8AAAD/HdYIAAAA/wAAAP801gYAAQoDbABh9gMAAGY0AQADHwsAACALAAAhCwAANAsAAIwAAAAA ZLcsigANAAATpCgAFKQoABYkAUlmAQAAAGdktyyKAAByAABrZAUFAAAWJAEXJAFJZgEAAAAClmwA AzQBBdYYBgEBAAYBAQAGAQEABgEBAAYBAQAGAQEACNYwAAKU/88DEA4ABjsEAAAAAAAAAAAAAAAAA AAAAAAAGQQoAAAAAAAAAAAAAAAAAAAACnQlaL8AE9YwaaaaaAYBaaaaaaaaBgEaaaaaaaaaGaQaa AAAAAAYBAAAAAAABgEAAAAAAAAGAQAAFPYDfA4alggAAAD/AAAA/xvWCAAAAP8AAAD/HNYIAAAA /wAAAP8d1ggAAAD/AAAA/zTWBgABCgNsAGH2AwAAZjQBAAM0CwAANQsAAD8LAABMCwAAnQAAAAAA AGdktyyKAABhAABrZKMFAAAWJAEXJAFJZgEAAAAClmwAAzQBBdYYBgEBAAYBAQAGAQEABgEBAAYB AQAGAQEAB5RoAwjWGgAB1P8QDgAGfA4AAAAAAAAAAAYBAQAAAAACnQ1AL8AE9YwAAAAAAYBAAAA AAAABgEAAAAAAAGAQAAAAAAAAYBAAAAAAABgEAAAAAAAGAQAAFPYDfA4a1qQAAAD/G9YEAAAA /xzWBAAAAAd1gQAAAD/NNYGAAEKA2wAYfYDAABmNAEAAOwLAABNCwAAVQsAAGILAACMAAAAAAA

AAAADQAAE6QoABSkKAAWJAFJZgEAAABnZLcsigAAcgAAa2Q9BgAAFiQBFyQBSWYBAAAAApZsAAM0 AQXWGAYBAQAGAQEABgEBAAYBAQAGAQEABgEBAAjWMAAClP/PAxAOAAY7BAAAAAAAAAAAAAAAAAAAAAA AAAABkEKAAAAAAAAAAAAAAAAAAAAAAAAQOJQC/ABPWMAAAAAAGAQAAAAAAAYBAAAAAAABgEAAAAA AAAGAQAAAAAAAAAAAAAAAAABgEAABT2A3wOGtYIAAAA/wAAAP8b1ggAAAD/AAAA/xzWCAAAAP8A AAD/HdYIAAAA/wAAAP801gYAAQoDbABh9gMAAGY0AQADYgsAAGMLAABkCwAAZQsAAIsLAACpCwAA AAomAAtGQQBnZPOspgAABBsAZ2T9LKYAAHQAAGtk2wYAABYkARckAUlmAQAAAAKWbAADNAEF1hgG AAYBAAAAAAABgEAAAAAAAAGAQAAFPYDfA4alggAAAD/AAAA/xvWCAAAAP8AAAD/HNYIAAAA/wAA AP8d1ggAAAD/AAAA/zTWBgABCgNsAGH2AwAAZjQBAA1CDAAAUAwAAF8MAABrDAAAwQwAAMgMAADJ DAAAygwAANwMAAAsDQAAQQOAAEgNAABSDQAAUwOAAFQNAABVDQAAZgOAAGkNAABqDQAAeAOAAH8N AACADQAAhw0AAJENAACYDQAAmQ0AALgNAADKDQAAyw0AANINAADmDQAA7Q0AABgOAAA1DgAANg4A ADoOAAA+DgAAWA4AAFkOAABsDgAAbQ4AAMUOAADGDgAA8Q4AAPoOAAAHDwAAFw8AAB0PAAAeDwAA OA8AADkPAABHDwAAmQ8AAKYPAACoDwAAsQ8AAPfz7+vv8+ff59jU2NTN68W9uL24xbTrsKzrqOuw 67Dr5+us56Dr8+/z7/Pr8+vz7+eZkeeN570AAAAGFmhlCYsAAA8VaOVd9QAWaPdcnAA+KgEMFWj3 XJwAFmj3XJwAAA8VaGUJiwAWaOVd9QA+KgEGFmhcFmQAAAYWaLcsigAABhZocl1yAAAGFmhIcs8A AAkWaPdcnAA+KgEPFWj3XJwAFmj3XJwAPioBDxVo91ycABZo5V31AD4qAQwVaCs5QgAWaM1C0QAA BhZoKzlCAAAMFWgrOUIAFmgrOUIAAA8VaCs5QgAWaPdcnAA+KgEGFmj3XJwAAAYWaOVd9QAABhZo lBfTAAAGFmj9LKYAAA8VaOVd9QAWaOVd9QA+KgEAN1AMAACHDAAAqQwAAMkMAADKDAAA3gwAAAIN AAAsDQAAUwOAAFQNAABVDQAAgAOAAJENAAC4DQAAywOAAOYNAAAADgAACg4AADYOAAA8DgAAPQ4A ${\tt GwBnZCs5QgAABBsAZ2T1XfUAAAQbAGdk/SymAAAcpQ4AALYOAADGDgAA1g4AAOcOAAD9DgAAGg8A}$ ABsPAAAdDwAAHg8AADkPAABHDwAApw8AAKgPAACyDwAA2Q8AAOQPAADxDwAA8w8AAPQPAAA5EAAA AGdk91ycAAAEAwBnZPdcnAAABBsAZ2T9LKYAABqxDwAAsg8AAMcPAADODwAA2Q8AAO8PAADwDwAA 8Q8AAPIPAADODwAA9Q8AABwQAAAdEAAAIxAAACQQAAA1EAAAJhAAACoQAAArEAAANRAAADYQAAA3 EAAAOBAAADkQAAA6EAAAOxAAAD4QAABfEAAAYRAAAGIQAACPEAAAkBAAAJEQAAD68+/z6+Tg0s7D A2oAAAAAFWgycIAAFmhrNRIAQioPTOoCAFFKAgBVCAFeSgIAcGiAgIAAACEVaDJwgAAWaGs1EgBC Kg9PSgIAUUoCAF5KAgBwaICAgAAVFWgycIAAFmhrNRIAQioPcGiAgIAABhZoazUSAAAaA2oAAAAA FmhrNRIAVQgBbUgABG5IAAR1CAEABhZozULRAAAMFWjNQtEAFmjNQtEAAAYWaPdcnAAABhZoKzlC . AAAMFWgrOUIAFmgrOUIAAAkWaPdcnAA+KgEAIGIQAABjEAAAZBAAAGUQAABmEAAAZxAAAGgQAABp EAAAahAAAGsQAABsEAAAbRAAAG4QAABvEAAAcBAAAHEQAAByEAAAcxAAAHQQAAB1EAAAdhAAAHcQ AACHEAAAIBAAAIkQAACKEAAAixAAAIwQAACNEAAAjhAAAI8QAACQEAAAkRAAAPOAAAAAAAAAAAAAA AAAAAAAAAAAAAAEGwBnZM1C0QAAAQAAABIlAAowATpwMnCAAB+w0C8gsOA9IbAIByKwCAcjkAgH JJCgBSWwAACgRh3wdG0AABW5yRXjEdw4cUFFVookFKT//9j/4AAQSkZJRgABAgEASABIAAD/4QkR RXhpZgAATU0AKgAAAAgABwESAAMAAAABAAEAAAEaAAUAAAABAAAAYgEbAAUAAAABAAAAagEoAAMA AAABAAIAAAExAAIAAAAUAAAACgEyAAIAAAAUAAAAhodpAAQAAAABAAAAAAAAAAAABHAAAAAAQAA Af//AACgAgAEAAAAQAAAMigAwAEAAAAAQAAADOAAAAAAAABgEDAAMAAAABAAYAAAEaAAUAAAAB AAABFGEDAAUAAAABAAABHGEOAAMAAAABAAIAAAIBAAQAAAABAAABJGICAAQAAAABAAAH4wAAAAAA AABIAAAAQAAAEgAAAAB/9j/4AAQSkZJRgABAgEASABIAAD/7QAMQWRvYmVfQ00AAv/uAA5BZG9i ZQBkgAAAAH/2wCEAAwICAgJCAwJCQwRCwoLERUPDAwPFRgTExUTExgRDAwMDAwMEQwMDAwMDAwM DAWMDAWMDAWMDAWMDAWMDAWMDAWMDAWMDP/AABEIACUAGAMBIGACEQEDEQH/3QAEAAj/xAE/ CxAAAQQBAwIEAgUHBggFAwwzAQACEQMEIRIxBUFRYRMicYEyBhSRobFCIyQVUsFiMzRygtFDByWS U/Dh8WNzNRaisoMmRJNUZEXCo3Q2F9JV4mXys4TD03Xj80YnlKSFtJXE1OT0pbXF1eX1VmZ2hpam tsbW5vY3R1dnd4eXp7fH1+f3EQACAgECBAQDBAUGBwcGBTUBAAIRAyExEgRBUWFxIhMFMoGRFKGx QiPBUtHwMyRi4XKCkkNTFWNzNPElBhaisoMHJjXC0kSTVKMXZEVVNnR14vKzhMPTdePzRpSkhbSV xNTk9KW1xdX19VZmdoaWprbG1ub2JzdHV2d3h5ent8f/2gAMAwEAAhEDEQA/APVUkkL7Vjfafsnq s+07PV9GRv8ATnZ6uz6Xp7/ZuSUlSXIVdF6F1D614/WOndYbdkVB111FVoue/aXM3eq2132fH/T1 OPo9POvS/RrfyOqfZ+tYfTHs3NzqbrK3tmWuxzVvFmm307GZH0/zLGf4T1v0YiSb0qvG2TLCMOGp E2LlceDgl+66CSw/rd9Ybfq906nLqoZkOuvbRte8sDdzLbPUljLXO/mvoLLP1z6303Jx6/rH0b7B jZNgrGVXc21rS72jftGz2/zln6b1fQ9W6uq70bE8QJFhhM4g0XsEkkk1cpJUet59vTukZmfSxttu NS+1jHEhpLBu9233bVlO6914/Vfp/VcLpzepZ+X6Jux6nei1rbP5x7PVNrtrfbX/AMF6n2i39DVY iIki/GkWLrwt6NJJJBKklx+X1nreHldXFWWMt+FkY2PiYb6mN3nMfj3Q6yvZZY+jHtupq2+n+j/S 3epZ+kW39XOsHq+DZkOG17bngNjb+isDczp5Orve/puVh2W/8N6icYkClokCadVJJJNXP//Q9Te4 tY5waXFoJ2t5MfmtXI/Ur6xdAt6P9tyOoUM6nmPNvUzfY2uz1j7fT2Wu/o9FezHxNn6P0a/9L6q7 BYPX/q10bJw8zNZ0vGu6kKbn02eixz3XGtwrLpb+nfv+h6u9EEAG7+ihEylEAgWa9W2rz/SsvpvT Os9UyelhvW+q5riKMHp1f6KisusdV9o6g6MWh18U/aLP9J/gshdL0To2ZRk39W6xZXkdXymismoH OqKWnezDxPU/S+nv/S3Pf/P2/wDFrE+pF/UaukU9PwunPrdXXdblZWW12PWch5cceqlobZZke72Z NmxnpVM/036FdhQb/QrOQGi/a31RWSWB8fpPTc8Nc5m76G5qZAx4fSKBZuZjP3T7kxOUfSK00j6I +15H/Gls/YWJvnb9tZMf8VkrOzjlbq/1lwfq99a7cfGqYRlu14jHmrJcNwbUL7X+rXvrGVS/e2r/ AAtXp+pkYd66j62/Vx/1j6dVhMyRiGq9t/qGv1Z2tsr2bPVo/wBL9Len+tH1ar+sGJUx15ws3FsF uLmMbudWQRu03Vu2u2ss9ttf6xTj3/4FTRmAAPPX91qGBMpHoeHT96t7cX64fsTqXWcfpjuk29d6 rRU532eq30K6q37X78jI9StrH+xnp/8AG/8ADY/qZvlc6lndG6X9ZsZjbKR0pjLcTEvcLTj2XC9v omxv6Oypj6arv0X6Kz+c/nLbFv5f1T6m7qQ6x07qwwOp20NpzrRji2u0tDG+rXj23fq+70mez1Lv 5uv/AIb136R9TDgZPUvtOac/D6tR6WZVbXtse8+obbXZNNjPa/7Tlfo66a9nq1/pP0CIlHhq7208 equGXFe2+o7dHnm/VLpbfqbZ9Ysk25XWLsX7cMx9j94c9gtZS5u707GbP0d/qs/S/pP5v9D6NX60 4017/F90XPcycplNWOx+50CuxjrLG+nu9P3Ppr9+3et+v6i9Ypwrul0fWCxvSrd+3Ffjsc6HGfTt v9Rr/Sf/ANqK8f7N6/6T+Z9SxW+qfUyzqH1Wwvq+M0VOwzXOSadweK2vr/mPXZ6e7f8A6Z6PGLFy v1X/AIKDjJBqNemv8Jp/Wap3WvrhgfVzLsczpX2Y5eRQxxZ67t1kVWlp99bfs7P/AAf/AAnpWUhx cCn6sfXnB6b0kuq6b1amw3YRe5zGPrZZZ69bXud73+gz/wAH/wCC9Lc+sH1Y/auVjdSw8t/Teq4U ijLYwWDafpVXUuLPVZ7n7f0n+Es/Mseh9H+qt2L1V/Wur57uq9SLPSqtNbaa6mfu00MdZtf9P37v 8Jb7PUuvfa0SHDv0rh/rd1xib2/SBv8AqvQpJJKNkUkkkkp//9H1VJfKqSSn6qSXyqkkp+qk18qp JKfqpJfKqSSn6qSXyqkkp+qkl8qpJKfqpJfKqSSn6qSXyqkkp//Z/+OuvFBob3Rvc2hvcCAzLjAA MCIgZW5jb2Rpbmc9IlVURi04Ij8+CjwhRE9DVFlQRSBwbGlzdCBQVUJMSUMgIi0vL0FwcGxlIENv bXB1dGVyLy9EVEQgUExJU1QgMS4wLy9FTiIgImh0dHA6Ly93d3cuYXBwbGUuY29tL0RURHMvUHJv cGVydHlMaXN0LTEuMC5kdGQiPgo8cGxpc3QgdmVyc2lvbj0iMS4wIj4KPGRpY3Q+Cgk8a2V5PmNv bS5hcHBsZS5wcmludC5QYWd1Rm9ybWF0L1BNSG9yaXpvbnRhbFJlczwva2V5PgoJPGRpY3Q+CgkJ PGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LmNyZWF0b3I8L2tleT4KCQk8c3RyaW5nPmNvbS5h cHBsZS5wcmludGluZ21hbmFnZXI8L3N0cmluZz4KCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrder ${\tt ZXQuaXRlbUFycmF5PC9rZXk+CgkJPGFycmF5PgoJCQk8ZGljdD4KCQkJCTxrZXk+Y29tLmFwcGxld} \\$

 $\label{locality} Ln By a W 50 L1 Bh Z2 V Gb 3 Jt YX Qu UE 1 Ib 3 Jpem 9 ud GFs Um Vz PC 9 r ZXk + Cgk JC Qk 8 cm Vhb D4 3 M jwvcm Vhundry Charles Company Co$ bD4KCQkJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jbGllbnQ8L2tleT4KCQkJCTxzdHJp bmc+Y29tLmFwcGx1LnByaW50aW5nbWFuYWdlcjwvc3RyaW5nPgoJCQkJPGtleT5jb20uYXBwbGUu $\verb|chJpbnQudGlja2V0LmlvZERhdGU8L2tleT4KCQkJCTxkYXRlPjIwMDQtMDgtMDlUMTc6MjI6MDRa|| \\$ PC9kYXRlPgoJCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LnN0YXRlRmxhZzwva2V5PgoJ CQkJPGludGVnZXI+MDwvaW50ZWdlcj4KCQkJPC9kaWN0PgoJCTwvYXJyYXk+Cgk8L2RpY3Q+Cgk8 a2V5PmNvbS5hcHBsZS5wcmludC5QYWdlRm9ybWF0LlBNT3JpZW50YXRpb248L2tleT4KCTxkaWN0 PgoJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJPHN0cmluZz5j b20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGtleT5jb20uYXBwbGUucHJpbnQu dGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5h cHBsZS5wcmludC5QYWdlRm9ybWF0L1BNT3JpZW50YXRpb248L2tleT4KCQkJCTxpbnR1Z2VyPjE8 L21udGVnZXI+CgkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQuY2xpZW50PC9rZXk+CgkJ CQk8c3RyaW5nPmNvbS5hcHBsZS5wcmludGluZ21hbmFnZXI8L3N0cmluZz4KCQkJCTxrZXk+Y29t LmFwcGxlLnByaW50LnRpY2tldC5tb2REYXR1PC9rZXk+CgkJCQk8ZGF0ZT4yMDA0LTA4LTA5VDE3 OjIyOjAOWjwvZGF0ZT4KCQkJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5zdGF0ZUZsYWc8 L2tleT4KCQkJCTxpbnR1Z2VyPjA8L2ludGVnZXI+CgkJCTwvZGljdD4KCQk8L2FycmF5PgoJPC9k a WNOP goJPGtleT5 jb 20 uYXBwbGUucHJpbnQuUGFnZUZvcm1hdC5QTVNjYWxpbmc8L2tleT4KCTxkaWN0PgoJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJPHN0cmlu ${\tt Zz5jb20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGt1eT5jb20uYXBwbGUucHJpbmdtYW5hZ2VyPC9zdHJpbmd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbGUucHJpbwd+CgkJPGt1eT5jb20uYXBwbd+CghApg+CghA$ bnQudGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNv bS5hcHBsZS5wcmludC5QYWd1Rm9ybWF0L1BNU2NhbGluZzwva2V5PgoJCQkJPHJ1YWw+MTwvcmVh bD4KCQkJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jbGllbnQ8L2tleT4KCQkJCTxzdHJp bmc+Y29tLmFwcGx1LnByaW50aW5nbWFuYWdlcjwvc3RyaW5nPgoJCQkJPGtleT5jb20uYXBwbGUu cHJpbnQudGlja2V0LmlvZERhdGU8L2tleT4KCQkJCTxkYXRlPjIwMDQtMDgtMDlUMTc6MjI6MDRa PC9kYXRlPgoJCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LnN0YXRlRmxhZzwva2V5PgoJ CQkJPGludGVnZXI+MDwvaW50ZWdlcj4KCQkJPC9kaWN0PgoJCTwvYXJyYXk+Cgk8L2RpY3Q+Cgk8 a2V5PmNvbS5hcHBsZS5wcmludC5QYWdlRm9ybWF0LlBNVmVydGljYWxSZXM8L2tleT4KCTxkaWN0 PgoJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJPHN0cmluZz5j b20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJPGtleT5jb20uYXBwbGUucHJpbnQu $\tt dGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5PmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbS5hdglgaaVbSPmNvbSShdaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbSPmNvbSShdglgaaVbS$ $\verb|chbs| ZS5 wcmludC5QYWd1Rm9ybWF0L1BNVmVydGljYWxSZXM8L2t1eT4KCQkJCTxyZWFsPjcyPC9y| | Chbs| ZS5 wcmludC5QYWd1AC5QYW$ ${\tt ZWFsPgoJCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LmNsaWVudDwva2V5PgoJCQkJPHN0}\\$ $\verb|cmluZz5jb20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJCQk8a2V5PmNvbS5hcHBs|| \\$ ZS5wcmludC50aWNrZXQubW9kRGF0ZTwva2V5PgoJCQkJPGRhdGU+MjAwNC0wOC0wOVQxNzoyMjow NFo8L2RhdGU+CgkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQuc3RhdGVGbGFnPC9rZXk+ CgkJCQk8aW50ZWdlcj4wPC9pbnR1Z2VyPgoJCQk8L2RpY3Q+CgkJPC9hcnJheT4KCTwvZGljdD4K CTxrZXk+Y29tLmFwcGxlLnByaW50LlBhZ2VGb3JtYXQuUE1WZXJ0aWNhbFNjYWxpbmc8L2tleT4K CTxkaWN0PgoJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJPHN0 $\verb|chJpbnQudGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCTxhcnJheT4KCQkJPGRpY3Q+CgkJCQk8a2V5|| \\$ PmNvbS5hcHBsZS5wcmludC5QYWdlRm9ybWF0LlBNVmVydGljYWxTY2FsaW5nPC9rZXk+CgkJCQk8 $\verb|cmVhbD4xPC9yZWFsPgoJCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LmNsaWVudDwva2V5|| \\$ PgoJCQkJPHN0cmluZz5jb20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJCQk8a2V5 PmNvbS5hcHBsZS5wcmludC50aWNrZXQubW9kRGF0ZTwva2V5PgoJCQkJPGRhdGU+MjAwNC0wOC0w bGFnPC9rZXk+CgkJCQk8aW50ZWdlcj4wPC9pbnRlZ2VyPgoJCQk8L2RpY3Q+CgkJPC9hcnJheT4K CTwvZGljdD4KCTxrZXk+Y29tLmFwcGxlLnByaW50LnN1YlRpY2tldC5wYXBlcl9pbmZvX3RpY2tl dDwva2V5PgoJPGRpY3Q+CgkJPGtleT5jb20uYXBwbGUucHJpbnQuUGFnZUZvcm1hdC5QTUFkanVz LmNyZWF0b3I8L2tleT4KCQkJPHN0cmluZz5jb20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJp bmc+CgkJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5pdGVtQXJyYXk8L2tleT4KCQkJPGFy cmF5PgoJCQkJPGRpY3Q+CgkJCQkJPGtleT5jb20uYXBwbGUucHJpbnQuUGFnZUZvcm1hdC5QTUFk anVzdGVkUGFnZVJ1Y3Q8L2tleT4KCQkJCQk8YXJyYXk+CgkJCQkJCTxyZWFsPjAuMDwvcmVhbD4K CQkJCQkJPHJ1YWw+MC4wPC9yZWFsPgoJCQkJCQk8cmVhbD43MzQ8L3J1YWw+CgkJCQkJCTxyZWFsPjU3NjwvcmVhbD4KCQkJCQk8L2FycmF5PgoJCQkJCTxrZXk+Y29tLmFwcGx1LnByaW50LnRpY2t1 dC5jbGllbnQ8L2tleT4KCQkJCQk8c3RyaW5nPmNvbS5hcHBsZS5wcmludGluZ21hbmFnZXI8L3N0 ${\tt CTxkYXRlPjIwMDQtMDgtMDlUMTc6MjI6MDRaPC9kYXRlPgoJCQkJCTxrZXk+Y29tLmFwcGxlLnBy}$ PC9kaWN0PgoJCQk8L2FycmF5PgoJCTwvZGljdD4KCQk8a2V5PmNvbS5hcHBsZS5wcmludC5QYWdl Rm9ybWF0L1BNQWRqdXN0ZWRQYXB1c1J1Y3Q8L2tleT4KCQk8ZG1jdD4KCQkJPGt1eT5jb20uYXBw bGUucHJpbnQudGlja2V0LmNyZWF0b3I8L2tleT4KCQkJPHN0cmluZz5jb20uYXBwbGUucHJpbnRp bmdtYW5hZ2VyPC9zdHJpbmc+CgkJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2t1dC5pdGVtQXJy YXk8L2tleT4KCQkJPGFycmF5PgoJCQkJPGRpY3Q+CgkJCQkJPGtleT5jb20uYXBwbGUucHJpbnQu UGFnZUZvcm1hdC5QTUFkanVzdGVkUGFwZXJSZWN0PC9rZXk+CgkJCQkJPGFycmF5PqoJCQkJCQk8 cmVhbD4tMTg8L3J1YWw+CgkJCQkJCTxyZWFsPi0xODwvcmVhbD4KCQkJCQkJPHJ1YWw+Nzc0PC9y ZWFsPgoJCQkJCQk8cmVhbD410TQ8L3J1YWw+CgkJCQkJPC9hcnJheT4KCQkJCQk8a2V5PmNvbS5h cHBsZS5wcmludC50aWNrZXQuY2xpZW50PC9rZXk+CgkJCQkJPHN0cmluZz5jb20uYXBwbGUucHJp bnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0Lm1v ZERhdGU8L2tleT4KCQkJCQk8ZGF0ZT4yMDA0LTA4LTA5VDE3OjIyOjA0WjwvZGF0ZT4KCQkJCQk8 MDwvaW50ZWdlcj4KCQkJCTwvZGljdD4KCQkJPC9hcnJheT4KCQk8L2RpY3Q+CgkJPGtleT5jb20u Y29tLmFwcGxlLnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJCTxzdHJpbmc+Y29tLmFwcGxl LnByaW50LnBtL1Bvc3RTY3JpcHQ8L3N0cmluZz4KCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlj a2V0Lml0ZW1BcnJheTwva2V5PgoJCQk8YXJyYXk+CgkJCQk8ZGljdD4KCQkJCQk8a2V5PmNvbS5h cHBsZS5wcmludC5QYXBlckluZm8uUE1QYXBlck5hbWU8L2tleT4KCQkJCQk8c3RyaW5nPm5hLWx1 dHRlcjwvc3RyaW5nPgoJCQkJCTxrZXk+Y29tLmFwcGx1LnByaW50LnRpY2t1dC5jbG11bnQ8L2t1 $\verb|eT4KCQkJCQk8c3RyaW5nPmNvbS5hcHBsZS5wcmludC5wbS5Qb3N0U2NyaXB0PC9zdHJpbmc+CgkJ| \\$ CQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0Lm1vZERhdGU8L2tleT4KCQkJCQk8ZGF0ZT4y MDAzLTA3LTAxVDE30jQ50jM2WjwvZGF0ZT4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNr ZXQuc3RhdGVGbGFnPC9rZXk+CgkJCQkJPGludGVnZXI+MTwvaW50ZWdlcj4KCQkJCTwvZGljdD4K CQkJPC9hcnJheT4KCQk8L2RpY3Q+CgkJPGtleT5jb20uYXBwbGUucHJpbnQuUGFwZXJJbmZvL1BN VW5hZGp1c3R1ZFBhZ2VSZWN0PC9rZXk+CgkJPGRpY3Q+CgkJCTxrZXk+Y29tLmFwcGx1LnByaW50 LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJCTxzdHJpbmc+Y29tLmFwcGx1LnByaW50LnBtL1Bvc3RT Y3JpcHQ8L3N0cmluZz4KCQkJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0Lml0ZW1BcnJheTwv a2V5PgoJCQk8YXJyYXk+CgkJCQk8ZGljdD4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC5QYXB1 ckluZm8uUE1VbmFkanVzdGVkUGFnZVJlY3Q8L2tleT4KCQkJCQk8YXJyYXk+CgkJCQkJCTxyZWFs PjAuMDwvcmVhbD4KCQkJCQkJPHJ1YWw+MC4wPC9yZWFsPgoJCQkJCQk8cmVhbD43MzQ8L3J1YWw+ CgkJCQkJCTxyZWFsPjU3NjwvcmVhbD4KCQkJCQk8L2FycmF5PgoJCQkJCTxrZXk+Y29tLmFwcGx1 Z21hbmFnZXI8L3N0cmluZz4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXOubW9kRGF0 ZTwva2V5PgoJCQkJCTxkYXR1PjIwMDQtMDgtMDlUMTc6MjI6MDRaPC9kYXR1PqoJCQkJCTxrZXk+ Y29tLmFwcGx1LnByaW50LnRpY2t1dC5zdGF0ZUZsYWc8L2t1eT4KCQkJCQk8aW50ZWd1cj4wPC9p bnR1Z2VyPgoJCQkJPC9kaWN0PgoJCQk8L2FycmF5PgoJCTwvZG1jdD4KCQk8a2V5PmNvbS5hcHBs ${\tt ZS5wcmludC5QYXBlckluZm8uUE1VbmFkanVzdGVkUGFwZXJSZWN0PC9rZXk+CgkJPGRpY3Q+CgkJ} \\$ CTxrZXk+Y29tLmFwcGx1LnByaW50LnRpY2tldC5jcmVhdG9yPC9rZXk+CgkJCTxzdHJpbmc+Y29t LmFwcGxlLnByaW50LnBtLlBvc3RTY3JpcHQ8L3N0cmluZz4KCQkJPGtleT5jb20uYXBwbGUucHJp bnQudGlja2V0Lml0ZW1BcnJheTwva2V5PgoJCQk8YXJyYXk+CgkJCQk8ZGljdD4KCQkJCQk8a2V5 $\label{localized} {\tt PmNvbS5hcHBsZS5wcmludC5QYXBlckluZm8uUE1VbmFkanVzdGVkUGFwZXJSZWN0PC9rZXk+CgkJ} \\$ $\verb|CQkJPGFycmF5PgoJCQkJCQk8cmVhbD4tMTg8L3J1YWw+CgkJCQkJCTxyZWFsPi0xODwvcmVhbD4K||$ CQkJCQkJPHJ1YWw+Nzc0PC9yZWFsPgoJCQkJCQk8cmVhbD41OTQ8L3J1YWw+CqkJCQkJPC9hcnJh $\verb|eT4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQuY2xpZW50PC9rZXk+CgkJCQkJPHN0|| \\$ cmluZz5jb20uYXBwbGUucHJpbnRpbmdtYW5hZ2VyPC9zdHJpbmc+CgkJCQkJPGtleT5jb20uYXBw bGUucHJpbnQudGlja2V0Lm1vZERhdGU8L2tleT4KCQkJCQk8ZGF0ZT4yMDA0LTA4LTA5VDE3OjIy OjAOWjwvZGF0ZT4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQuc3RhdGVGbGFnPC9r ${\tt ZXk+CgkJCQkJPGludGVnZXI+MDwvaW50ZWdlcj4KCQkJCTwvZGljdD4KCQkJPC9hcnJheT4KCQk8}\\$ a2V5PgoJCTxkaWN0PgoJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQuY3J1YXRvcjwva2V5 PgoJCQk8c3RyaW5nPmNvbS5hcHBsZS5wcmludC5wbS5Qb3N0U2NyaXB0PC9zdHJpbmc+CqkJCTxr ZXk+Y29tLmFwcGx1LnByaW50LnRpY2tldC5pdGVtQXJyYXk8L2tleT4KCQkJPGFycmF5PqoJCQkJ ${\tt PGRpY3Q+CgkJCQkJPGtleT5jb20uYXBwbGUucHJpbnQuUGFwZXJJbmZvLnBwZC5QTVBhcGVyTmFt}$ ZTwva2V5PgoJCQkJCTxzdHJpbmc+VVMgTGV0dGVyPC9zdHJpbmc+CqkJCQkJPGt1eT5jb20uYXBw bGUucHJpbnQudGlja2V0LmNsaWVudDwva2V5PgoJCQkJCTxzdHJpbmc+Y29tLmFwcGx1LnByaW50 LnBtLlBvc3RTY3JpcHQ8L3N0cmluZz4KCQkJCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQu bW9kRGF0ZTwva2V5PgoJCQkJCTxkYXRlPjIwMDMtMDctMDFUMTc6NDk6MzZaPC9kYXRlPgoJCQkJ $\verb|CTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC5zdGF0ZUZsYWc8L2tleT4KCQkJCQk8aW50ZWdl| \\$ cj4xPC9pbnR1Z2VyPgoJCQkJPC9kaWN0PgoJCQk8L2FycmF5PgoJCTwvZG1jdD4KCQk8a2V5PmNv bS5hcHBsZS5wcmludC50aWNrZXQuQVBJVmVyc2lvbjwva2V5PgoJCTxzdHJpbmc+MDAuMjA8L3N0 cmluZz4KCQk8a2V5PmNvbS5hcHBsZS5wcmludC50aWNrZXQucHJpdmF0ZUxvY2s8L2tleT4KCQk8

ZmFsc2UvPgoJCTxrZXk+Y29tLmFwcGxlLnByaW50LnRpY2tldC50eXBlPC9rZXk+CgkJPHN0cmlu Zz5jb20uYXBwbGUucHJpbnQuUGFwZXJJbmZvVGlja2V0PC9zdHJpbmc+Cqk8L2RpY3Q+Cqk8a2V5 PmNvbS5hcHBsZS5wcmludC50aWnrZXQuQVBJVmVyc21vbjwva2V5PqoJPHN0cmluZz4wMC4yMDwv c3RyaW5nPgoJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LnByaXZhdGVMb2NrPC9rZXk+Cgk8 ZmFsc2UvPgoJPGtleT5jb20uYXBwbGUucHJpbnQudGlja2V0LnR5cGU8L2tleT4KCTxzdHJpbmc+ Y29tLmFwcGxlLnByaW50L1BhZ2VGb3JtYXRUaWNrZXQ8L3N0cmluZz4KPC9kaWN0Pqo8L3BsaXN0 Pgo4Qk1NA+kAAAAAHqAAwAAAEqASAAAAAAC3qJA/+7/7qMGA1IDZwUoA/wAAqAAAEqASAAAAAAC 2AIoAAEAAABkAAAAAQADAwMAAAABf/8AAQABAAAAAAAAAAAAAaaagaGQGQAAAAAAAgaaAaaaa AAAAAAAAAAAAAAAAAAAAAAAAAAAAAQklNA+0AAAAAABAAR//2AAEAAQBH//YAAQABOEJJTQQmAAAA AAAOAAAAAAAAAAAD+AAAA4QklNBAOAAAAAAAQAAAAeOEJJTQQZAAAAAAAAAAHjhCSUOD8wAA AAAACQAAAAAAAAAAQA4Qk1NBAoAAAAAAAAAADhCSUOnEAAAAAAACgABAAAAAAAAAAAE4Qk1NA/UA AAAAAEgAL2ZmAAEAbGZmAAYAAAAAAEAL2ZmAAEAoZmaAAYAAAAAAEAMgAAAAEAWqAAAAYAAAAA AAABAAE4Qk1NBAgAAAAABAAAAABAAACQAAAAkAAAAAOEJJTQQeAAAAAAAAAAAADhCSU0EGqaA AAADSwAAAAYAAAAAAAAAAAAAADoAAADIAAAACwBpAFIAYQBkAGkAbwAgAEwAbwBnAG8AAAABAAAA dDEAAAAEAAAAAFRvcCBsb25nAAAAAAAAAAAABMZWZObG9uZwAAAAAAAAAQnRvbWxvbmcAAAA6AAAA AFJnaHRsb25nAAAAyAAAAAZzbGljZXNWbExzAAAAAU9iamMAAAABAAAAAAFc2xpY2UAAAASAAA B3NsaWN1SURsb25nAAAAAAAAAAAAdncm91cE1EbG9uZwAAAAAAAAAGb3JpZ21uZW51bQAAAAxFU2xp Y2VPcmlnaW4AAAANYXV0b0dlbmVyYXR1ZAAAAABUeXB1ZW51bQAAAApFU2xpY2VUeXB1AAAAAElt ZyAAAAAGYm91bmRzT2JqYwAAAAEAAAAAAASY3QxAAAABAAAABUb3AgbG9uZwAAAAAAAAAATGVm dGxvbmcAAAAAAAAEJ0b21sb25nAAAAOgAAAABSZ2h0bG9uZwAAAMgAAAADdXJsVEVYVAAAAAEA AAAAAABudWxsVEVYVAAAAAEAAAAAABNc2dlVEVYVAAAAAEAAAAAAZhbHRUYWdURVhUAAAAAQAA AAAADmNlbGxUZXh0SXNIVE1MYm9vbAEAAAAIY2VsbFRleHRURVhUAAAAAQAAAAAACWhvcnpBbGln bmVudW0AAAAPRVNsaWN1SG9yekFsaWduAAAAB2R1ZmF1bHQAAAAJdmVydEFsaWduZW51bQAAAA9F U2xpY2VWZXJ0QWxpZ24AAAAHZGVmYXVsdAAAAAtiZ0NvbG9yVHlwZWVudW0AAAARRVNsaWNlQkdD b2xvclR5cGUAAAAATm9uZQAAAA10b3BPdXRzZXRsb25nAAAAAAAAAApsZWZ0T3V0c2V0bG9uZwAA AAAAAAAMYm90dG9tT3V0c2V0bG9uZwAAAAAAAALcmlnaHRPdXRzZXRsb25nAAAAAAA4QklNBBEA AAAAAAEBADhCSU0EFAAAAAAABAAAAAM4QklNBAwAAAAAB/8AAAABAAAAgAAAACUAAAGAAAA3qAAA B+MAGAAB/9j/4AAQSkZJRqABAqEASABIAAD/7QAMQWRvYmVfQ00AAv/uAA5BZG9iZOBkqAAAAAH/ DAwMDAwMDAwMDAwBDQsLDQ4NEA4OEBQODg4UFA4ODg4UEQwMDAwMEREMDAwMDAwRDAwMDAwMDAwM DAWMDAWMDAWMDAWMDAWMDP/AABEIACUAGAMBIGACEQEDEQH/3QAEAAj/xAE/AAABBQEBAQEB AQAAAAAAAADAAECBAUGBwgJCgsBAAEFAQEBAQEBAAAAAAAAAAAAAGMEBQYHCAkKCxAAAQQBAwIE AgUHBggFAwwzAQACEQMEIRIxBUFRYRMicYEyBhSRobFCIyQVUsFiMzRygtFDByWSU/Dh8WNzNRai $\verb|soMmRJNUZEXCo3Q2F9JV4mXys4TD03Xj80Yn1KSFtJXE1OT0pbXF1eX1VmZ2hpamtsbW5vY3R1dn| \\$ d4eXp7fH1+f3EQACAgECBAQDBAUGBwcGBTUBAAIRAyExEgRBUWFxIhMFMoGRFKGxQiPBUtHwMyRi 4XKCkkNTFWNzNPElBhaisoMHJjXC0kSTVKMXZEVVNnRl4vKzhMPTdePzRpSkhbSVxNTk9KW1xdXl 9VZmdoaWprbGlub2JzdHV2d3h5ent8f/2gAMAwEAAhEDEQA/APVUkkL7Vjfafsnqs+07PV9GRv8A TnZ6uz6Xp7/ZuSUlSXIVdF6F1D614/WOndYbdkVB111FVoue/aXM3eq2132fH/T10Po9P0vS/Rrf yOqfZ+tYfTHs3NzqbrK3tmWuxzVvFmm307GZH0/zLGf4T1v0YiSb0qvG2TLCMOGpE2LlceDq1+66 CSw/rd9Ybfq906nLqoZkOuvbRte8sDdzLbPUljLXO/mvoLLP1z6303Jx6/rH0b7BjZNgrGVXc21r S72jftGz2/zln6b1fQ9W6uq70bE8QJFhhM4g0XsEkkklcpJUet59vTukZmfSxttuNS+1jHEhpLBu 9233bVlO6914/Vfp/VcLpzepZ+X6Jux6nei1rbP5x7PVNrtrfbX/AMF6n2i39DVYiIki/GkWLrwt 6NJJJBKklx+X1nreHldXFWWMt+FkY2PiYb6mN3nMfj3Q6yvZZY+jHtupq2+n+j/S3epZ+kW39XOs Hq+DZkOG17bngNjb+isDczp5Orve/puVh2W/8N6icYkC1okCadVJJJNXP//Q9Te4tY5waXFoJ2t5 MfmtXI/Ur6xdAt6P9tyOoUM6nmPNvUzfY2uz1j7fT2Wu/o9FezHxNn6P0a/9L6q7BYPX/q10bJw8 zNZOvGu6kKbnO2eixz3XGtwrLpb+nfv+h6u9EEAG7+ihEy1EAgWa9W2rz/SsvpvTOs9Uye1hvW+q 5riKMHp1f6KisusdV9o6g6MWh18U/aLP9J/gshdL0To2ZRk39W6xZXkdXymismoH0qKWnezDxPU/ S+nv/S3Pf/P2/wDFrE+pF/UaukU9PwunPrdXXdblZWW12PWch5cceqlobZZke72ZNmxnpVM/036F dhQb/QrOQGi/a31RWSWB8fpPTc8Nc5m76G5qZAx4fSKBZuZjP3T7kxOUfSKOOj6I+15H/Gls/YWJ vnb9tZMf8VkrOzj1bq/11wfq99a7cfGqYRlU14jHmrJcNwbUL7X+rXvrGVS/e2r/AAtXp+pkYd66 j62/Vx/1j6dVhMyRiGq9t/qGv1Z2tsr2bPVo/wBL9Len+tH1ar+sGJUx15ws3FsFuLmMbudWQRu0 3Vu2u2ss9ttf6xTj3/4FTRmAAPPX91qGBMpHoeHT96t7cX64fsTqXWcfpjuk29d6rRU532eq30K6 q37X78jI9StrH+xnp/8AG/8ADY/qZv1c6lndG6X9ZsZjbKR0pjLcTEvcLTj2XC9vomxv6Oypj6ar v0X6Kz+c/nLbFv5f1T6m7qQ6x07qwwOp20NpzrRji2u0tDG+rXj23fq+70mez1Lv5uv/AIb136R9 TDgZPUvtOac/D6tR6WZVbXtse8+obbXZNNjPa/7Tlfo66a9nq1/pP0CIlHhq7208equGXFe2+o7d

Hnm/VLpbfqbZ9Ysk25XWLsX7cMx9j94c9gtZS5u707GbP0d/qs/S/pP5v9D6NX6040I7/F90XPcy cplNWOx+50CuxjrLG+nu9P3Ppr9+3et+v6i9Ypwrul0fWCxvSrd+3Ffjsc6HGfTtv9Rr/Sf/ANgK 8f7N6/6T+Z9SxW+qfUyzqH1Wwvq+M0VOwzXOSadweK2vr/mPXZ6e7f8A6Z6PGLFyv1X/AIKDjJBq Nemv8Jp/Wap3WvrhgfVzLsczpX2Y5eRQxxZ67t1kVWlp99bfs7P/AAf/AAnpWUhxcCn6sfXnB6b0 kuq6blamw3YRe5zGPrZZZ69bXud73+gz/wAH/wCC9Lc+sH1Y/auVjdSw8t/Teq4UijLYwWDafpVX UuLPVZ7n7f0n+Es/Mseh9H+qt2L1V/Wur57uq9SLPSqtNbaa6mfu00MdZtf9P37v8Jb7PUuvfa0S HDv0rh/rd1xib2/SBv8AqvQpJJKNkUkkkkp//9H1VJfKqSSn6qSXyqkkp+qk18qpJKfqpJfKqSSn 6qSXyqkkp+qk18qpJKfqpJfKqSSn6qSXyqkkp//ZADhCSU0EIQAAAAAAVQAAAAEBAAAADwBBAGQA bwBiAGUAIABQAGgAbwB0AG8AcwBoAG8AcAAAABMAQQBkAG8AYgBlACAAUABoAG8AdABvAHMAaABv AHAAIAA3AC4AMAAAAAEAOEJJTQ+gAAAAAAKgUERGRkEXTbwAAQAAAAAAOgAAADYAAAAAAAAAAAAAA AAD/nAADTY8NUGljdHVyZSAzLnBkZhTgATF+bAExfky//+hwAAAAAAKYSeS//+fwv//o8AAAAABD MAAAGAAAAEMwAACAAADyOEJJTQQGAAAAAAAHAAGAAAABAQD/4RJIaHROcDovL25zLmFkb2J1LmNv bS94YXAvMS4wLwA8P3hwYWNrZXQgYmVnaW49J++7vycgaWQ9J1c1TTBNcENlaGlIenJ1U3pOVGN6 a2M5ZCc/Pgo8P2Fkb2J1LXhhcC1maWx0ZXJzIGVzYz0iQ1IiPz4KPHg6eGFwbWV0YSB4bWxuczp4 PSdhZG9iZTpuczptZXRhLycgeDp4YXB0az0nWE1QIHRvb2xraXQgMi44LjItMzMsIGZyYW11d29y ayAxLjUnPgo8cmRmOlJERiB4bWxuczpyZGY9J2h0dHA6Ly93d3cudzMub3JnLzE5OTkvMDIvMjIt cmRmLXN5bnRheClucyMnIHhtbG5zOmlYPSdodHRwOi8vbnMuYWRvYmUuY29tL21YLzEuMC8nPgoK IDxyZGY6RGVzY3JpcHRpb24gYWJvdXQ9J3V1aWQ6NDg0ZDdiZGYtZWI4MC0xMWQ4LTq1ZGItZDM3 MzllNGY2MjAyJwogIHhtbG5zOnhhcE1NPSdodHRwOi8vbnMuYWRvYmUuY29tL3hhcC8xLjAvbW0v Jz4KICA8eGFwTU06RG9jdW11bnRJRD5hZG9iZTpkb2NpZDpwaG90b3Nob3A6NDq0ZDdiZGEtZWI4 MC0xMWQ4LTg1ZGItZDM3Mz1l1NGY2MjAyPC94YXBNTTpEb2N1bWVudE1EPqoqPC9yZGY6RGVzY3Jp cHRpb24+Cgo8L3JkZjpSREY+CjwveDp4YXBtZXRhPgogICAgICAgICAgICAgICAgICAgICAgICAg ICAgICAgICAgICAgICAgCiAgICAgICAgICAgICAGICAGICAGICAGICAGICAGICAGICAGICAG ICAgICAgICAgICAgICAgICAKICAgICAgICAgICAgICAgICAGICAGICAGICAGICAGICAGICAG

ICAgICAgICAgICAgICAgICAGICAKPD94cGFja2V0IGVuZD0ndyc/Pv/uAA5BZG9iZQBkQAAA AwMDAwMDAwMDAwMDAwMDAwMDA//AABEIADoAyAMBEQACEQEDEQH/3QAEABn/xAGiAAAABgID BAEDAwIDAwMCBgllAQIDBBEFEgYhBxMiAAgxFEEyIxUJUUIWYSQzFlJxgRhikSVDobHwJjRyChnB OTUn4VM2gvGSokRUc0VGN0djKFVWVxqywtLi8mSDdJOEZaOzw9PjKThm83UqOTpISUpYWVpnaGlq dnd4eXqFhoeIiYqUlZaXmJmapKWmp6ipqrS1tre4ubrExcbHyMnK1NXW19jZ2uTl5ufo6er09fb3 + Pn6EQACAQMCBAQDBQQEBAYGBW0BAgMRBCESBTEGACITQVEHMmEUcQhCgSORFVKhYhYzCbEkwdFDcvAX4YI0JZJTGGNE8aKyJjUZVDZFZCcKc4OTRnTC0uLyVWV1VjeEhaOzw9Pj8yka1KS0xNTk9JW1 tcXV5fUoRldmOHaGlqa2xtbm9md3h5ent8fX5/dIWGh4iJiouMjY6Pg5SVlpeYmZqbnJ2en5KjpK Wmp6ipqqusra6vr/2gAMAwEAAhEDEQA/AN/T37r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xv fuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+6 91737r3Xvfuvde9+691737r3X//Q39Pfuvde9+691737r3VY/wA//wCaV0x8AafEQbs2dvvtHcuR npBX7c2BRwhduUleAaCp3DuPLfbbZxNTXhg1PRzVSVk8ZEiRshDe4/5y9xdm5MMaXkMs0p+IRiug EVBdvhFfIE1IzSnWQvsn93Lmz3se6fa90s9usEB0y3LH9Vl+IRRJWVwv4nVCintLA46FT4CfPPq3 +YN05ke3Os8LuLah2/u3JbK3Zs/dS0zZrbmeoaWhysFPUVuOabEV6ZDBZajrEell1RUqAjESI6qa cnc37bzptR3XbUdIxIUKtxBH2YyKHHr69Bv3q9mOY/Y/mqDljmG7qufHtknhnhr4csbFkJCtR1Ky I6EOoJK1A0kEnk9izqHuve/de697917r3v3Xuve/de697917r3v3Xuve/de697917r3v3Xuve/de 697917r3v3Xuve/de697917r3v3Xuve/de697917r3v3Xuve/de6/9Hf09+691737r3TDj91bZy+ YzO3sVuDC5PO7c+0/vDh8flKKtyeBavWV6FM1Q008lTi5K1IXaFZ1jMqoxW4U2caKVESR42EbcCQ QDTjQ+dPl0ylxBJJLDHMrSpTUAQSteGoDIr5V49EP+Z+z/gV8ieu+wukPkL2h0rt6oyU9FV7geXs rZe19+YLcW3Y1XC5SsjOcoMvLksGI1WKCsWSPQoRkK+n2AOa7fkvfLK/2jedzs45X+L9WNZVdcKS NQJK8AGBH1TqevafdPenkTfdj5v5H5c3eeKMMI6WtxNbSRS/2iKfDZAklalkINTqDA56X/wP+Kvx 9+JnQuJ2d8cWfJbI3nXy9izbvnyEmUqt7Vm4qOiSi3DJVmaWmaBsBR0dPB9uEhaCBGALMzMv5M5b 2blnZYrTZGL2sp8QuTUuWAAb0HaFFFAGK8SSST3n9yed/cznS63TnwCPd7RBaiALoFusTNgjAoDX xGdm1VbUxFaAAMXbPyTyvUXzg+LnRNdmKHKbY+Ve3O1cLitsy0bDMbZ3b1RtiTfy7mx1bTQxo2Cy $\verb"uBpq2jyCVbyMKr7L7cIDPqkq02xbzY90v1Sklo0ZLeTLI2ihHqDQinlWvl1j9f7y238zbJtbSao7" and the property of the prop$ 9ZAFp8DRIXLA+jDBBJzSnn0ez2Q9CjrU4+a/8xT+Y/i/5gHZfxN+Lu/6e1FJvXBbd662njuveo8p mK+Wv2Lgs9PjXzO/ttZOGXyVVZPKHmlRhYKH0gKZc2Plvlp+XrXd91tyaoS7F5ABRiK0Rh8uoF51 5v5xj5svdh2O7ApIqxoI4iTVFalZFPmScnpB7s/mF/zsvhvU4jdnyq2TJnNkVOYpqKWXsDqjYVFt StlniWb+CR716aodvUeMytVSxyNTCWqeQyK58cqxvGH4eXeR96Dw7VPpnC17JHLD56ZCSR64/MV6 S3HN3uVy60dxvdtqtiwH6kSBT/R1whQCRwqfyNCOtmv4gfJ7aHzD+P2xO+tm0FXhKPddPXUuY23k Joqmu2xujB10+J3Bgp6qFI46yGlyFKz01QEiNTRyQzGOMyGNYw3na5tm3G42+dqzIRRhwZSKq/LH $\texttt{EeRqKnj1NXL292/MO02u626FVkBBU5Kspoy186EYOKgg0FadGY9lfR11737r3XvfuvdEh/mQ9rdgndfadGY9lfR1174fadGy9lfAdGy9l$ dIfCP5Adp9Wbim2nv7ae2MNUbd3FT0OLyU+LnyW8dt4WrngpM1Q5LGvM+NyU0atJC5jLh0KyKrA9 5atLe+3zbrS7j127uaipFaKx8iDxA8+gzzjf3e2cs7tfWM3h3caDS1AaVdQcEEcCfLHEZ6LF/JO7 4srSw3lLeyt1ihECmiigqS2fmfmc9EntruN/uvL0l3uN281wblxqY1NAqUA9AKnAxnph+CXcf8zT fPy9+Qu0vlf1vX7Z6DwVLuSTZVfXbDoNr7exGapd0Yul2pi+ud50uIoqvsvD5XbctXNU1E1TkNDR K5mp2tTyOb9ZcrwbPt0203IbcGK6gHLEjSdRda9hDUAAA+w8Q1ytuPOt1zBu9vv1mU2pQ2q1Aqqh gFEbgAyArUkktw4jgbmfYK6kbr3v3Xuk9u7auC33tPc+yN0Uk1ftneW3s1tXcVDT5DJYmetwW4cb U4jL0kGVw1Xj8vjJqnH1kiLUUk8FTCWDxSI4Vg5DLJbzRTxGkqMGBoDQg1GDUHI4EEHz6ZuIIrqC e2nWsMiFWFSKqwIIqCCMHiCCPIg9UGfGfqXp/oTf/wDM270w+B3G+Y+Fu6Owq3po5XsrtPcOP2nt 3H9AZbN5XFS4XMbyyeM3NHVpXVQD5Snr6iMyAxOrRxFJB3S8vNwt+V7B5F0XyIJKJGCxMoANQoK8 B8JA9fPqKtlsNv2q7513SOJ/E215DDWSVgqiAsRpLkNWp+IMfTgOisfEv5fd+P2r/Lh6y7MXdFPj PjrvGl6W7lrszuWtP999y/MPYXZTfGCTJiaGrOVg2z1rtuCalaQuJJZABMDP+wa7vs23/Scy3Vrp 1XKeJGAo7Vt3Tx6cKanY1/wYyRbBzBupvuTrK91hLOQQzEse9rtJPpq8a6Y1BHz8842u/cS9Tx17 37r3Xvfuvde9+691/9Lf09+691X1/MH+XGV+NOzesdj9e09HXd6/JjsOk6f6ijyEkUeOwFXWxxPu fsDIid4oaml2RiqpJ44LkzVk0ClJE1oRDy7tC7nPcz3BIsLaPxJKcSB8KD/TEUr5CvDoI83cwvsl tZWtoAdOvZRFDXgpNNUh9QgINPMkYIqOjIfH3onAdC7FpduUVVPuLdmS0ZPf/YGWCTbl33ueXXJW 5jM12hHeJZppBTU6hKeliOmONLtct3HcJNwuDKwCwjCIPhRfIAf4TxPn0c7PtUO02iwgxe4bMkh+ KRvMk/4BwA4DrTK/nMfGHAbu/mXR9f8Axr623hufee/6bbu5u5qPbtDuvdFJDvLfGUgr5Mxkq2Rs nTYCirMXVeWUa4KOnuQqoBYYW+6vL0N/7gLabFYvJdtoecKGOXoS3nSoNTQ4+XXaX7qPuHe7V935 t75+3+1t9ps2lhsWlaGImC3QqEVe0yMHFBhnbiSettPuT5E/G/8Aly/G/bDdl7sw+1trdZbA29s/ Ze0oKxZ9z7lg2pgqXA4XEbawQeozeUac0EULTLFKsRcNMwFz7zM5Y5auriHb9m2uAmKGJI650qgK FqWPyFcmp+3rjVz9z3ajcd+5s5hvB9Ze3U1wwqNbyTSNI2lRxqzUwKD5Dqv/APl4dWd4fLD5FZj+ aH8qduVeyI6/ZlfsP4idMZFPFL1919nq1Jc3v7LUU5kr6DdW48fRrRxa2Ty0lTUO0bI1KyDPmK7s dp250Vtq1D0cNcSD8bjgoPAqDn7QPn1GfKFjuW/bs/PG+wmImMpawn/Q420XI4hmGM8QTimnq9f2 A+pR60m/kh29szoT+epuzuLsOor6XZWwO49pZzcVRi6CTKZCHHr1Rt21Z6XHwsstVIJalfSpva/u cNts5tw5DhsrYAzyQsBU0FfEPn1jVvO4W21e6E+43ZItorhGagqaeEowPPo0X80L+b/8ef1F8adx fGv4/wC3d+7qzfZWc2YMtuTcW2YsBjMLjts7swu7oIMHSyV9XnMpuHKZfB09IIxSxQrTyykSsxVG KuVuTtx2rc49z3CWNEiVqKrVJLKVzqAAAk8eIGOjznf3C2jfNlm2baYZZJZmSrMukAK4ftFSxYlO OAFCc+XVwf8AKA+OG+fjJ8JNkbT7Lx9Xgt8b03DuPtDObYr4/DX7WXdP2FLhsJkIWSOamyibew1J PVwSAS0tVUSQP6oz7BvOO5W+6b5PNasGgRVQMODaa1I+VSQD5gA+fUhe3uz3Wy8s20F6hW6ldpWU 8V1UAU+h0gEg5BJH11W53p/LZ/mCZze+/d8br/mbx7Fw2U3pu+bgzE7j7k7WwFJHtL+N1k21aGs+ 3qsHhtuZJMM9J95T42nroqeZm0yTWDuJrDmbl5ILeCHlfxHCL4hWOM91BqI4lhWtCxFR5DoHbpyb zbLc3V1Pzr4UbSP4QaaVRo1HSD1QppSoUMAfM9RP5S3zc+TmN+Wu9vg18qOxKrtiqp6DdMey93ZX cMO9srSbq2LSplaqHH79Blr937R3Xs6lqa+CorJ55VaCJk0eeZfe+btj2ttog3/arYQgldSgaQVb GU4KytQEADifQdV5B5m3tN/ueVt9vDcMA2hy2shkFTR+LoyAsCSTgep6XP8ANa/mEfIGDv7av8v/ $\verb|AOF9XkcL2vuOo2tjt77wwE1PButc9veCkyG29kbYysxKbUhhwdfT5LKZYGKeKGojCS08cVQ0rHKX|| \\$ Lu3Hb5eYd7Aa0XUVU/DRcMzD8WQVVeFRwJIop575t3YbtByny2xW/cqHdfi1PQqin8PaQzNggEUI ANSL/LP+Xh/Md6B+KfZXa3aHzOr+y9nth8Q/dPV1V2j2xuShyGMrtz4mGiamO7oZsNuuvx2fq6aZ pJ4KCWIeVoZH5WU92jmPlrcN2tbS12URTaj4T6I1IIU1+HKgivAnyqPQMb/yjzjtOxXt/fcxma30 jxojLKwILClNeGIYg5CkZoT5nE/lW9b9ydufyiO1evfj92X/AKH+3dwd9Zf+6XYv8SzOI/u7/Ccv 0/m89/uR2/S1mXp/4vtnG1tD+zG2v7rS1kZiCbmu5srPnC0uNxtfGs1txqSgNaiQDBoMMQfy6EPI tnuO4e39/abTe/T7g90dElSNNDEzZUE5UFcDz9Og+/kt/Iv5RdhfOfu/p/vTvvsTtjDbB6X7KRcX ujdmZz2AXdO1u4OrNrjP46kyj3jnFJWlkcMjIsghqXUgaiPannbbdqtthsbyw2+OF5J0yqqHSOcj UNPsH5jpJ7b7xv13zPue37pus08cVtJhmLLqWWJdQB+RND6HoSP5k/z3+TvYPy029/Lx+D04Z9rb vrK3F7c3zvXBSpj9yVe7cxjP49XYTG7peKeXaW2tkbYZa3K5CgCZBJY541kRaZ45kvLPL+12+0Sc x79HrhALKpyoUGgJX8TM2FBxwxmoWc581b3d7/DyjyxMUuCQruuGLkaiob8CouWZe6tRXBBAL5C/ Ef8Amf8A8vXrSp+U20PnXvntak2VWYSv7H21NuXf2Xo6Slrs1Fj0ytZtffeW3PtrfeCosnkUjqWq 6aCeCGoaYRBBKyGO3bxytzFdDapthjiLghG0oDgVoGQKyEgYoSCRSvDoq3f1/nf1KyO+W/NEs6xk GRdUhABNK1XLK6gnNQCAa040vs/12/LyH5sfF3ZvctXQ0WJ31T1uR2T2Xh8aJBjMdv3baUb5J8Yk Os000NzeLyNHk6eF3kenhrlhZ5GjLtH/ADHs52PdZrIMTAQGQniUatK/MEFT6kV6lT1DmAcy7Hb7 iyhbkEpIBwDrStPkQQwHkGpU0r0Z6fqHqapo9/Y6p6v67qMf2tO9V2jQz7J21LR9k1M1ImPkqN/U smMaDeM81BGsDPkVqWMKhCdIA91YvLsNbsLqTVD8B1NVPPsz25zinR2dvsGW7Q2MJSc11GhaSG1P 1BTvxjurjrBJ0v07NVLWzdT9aS1i5/Ze6lq5NibWeqXdHW1FBjeu9yLUNijKM/sHHU0dPhay/wBx ioI1SmeJVAGxe3oGkXcunSy/G3wuauvHg5yw4MeNetHbduLajYQ6taNXQtdUYpG3D4owKIeKjC06 Ev216W9e9+691737r3Xvfuvdf//T39Pfuvda/P8APR+Knyc7Th+NPye+LdLXbj3r8V9wbpztdtLH CCry01LnJtsV1LnMFhp11bN1VPLgHpamlqimqpYa1WjUeNmEhch7rtlq257XupCwXaqAxwMaqqny 41BOKjPHqJfdHYd6v12be9jUvc2LsxQZOdJBVfM9tCACSCKcOi29cf8ACqP5EYfG4TZXcn8uD5C5 nt2SmtJQbD2Tu3BjNxU1PI01fj9s7mxtduGYtHSyTSugMShXYAKpsZXPt9t0jPNY8x24tK8WZTSv kWUgfLoms/drdoUjtt05Quzf04IjLUAcQrAt5Eny6CzZ382v5o/zAe4dwdW/Ar4ydT9Yb3zGHlqc 92hvh8QeydqbfpZmpI8xNnqnL02AykuJgXSKWWnmZ3XSifj2E7WP2nsd4+mm5ntr/fApLLbaJQQm CHkjDFfkC4x1KG7WX3kbr1KPcpOQNz2bkwyhIn3BZrajSdwMUFwUV6q1YpGRXj1ZF8V/5PkmP7Fp Pkj8/e28r8vPkGlYMti6TcOmHq7ZVY9OqxSYXaFLTY/HS5GmEskUokSail0q6x6vV7Mt15xDWx2z 1+zFnt9KGnxt9rZNP5/PoJbD7eFLwb1zXftuG7VqA39khp5LgVHA8V+XV41PT09JTwUlJBDS0tLD FT01NTxJDT09PCixwwQQxqscUMUahVVQFVQABb2BiSSSTUnqTwAoCqAFAwOsvvXW+tLvubYOze0v 5+uW6+7C29jt2bL3T3ZtHG7h25lo3lx2WoD1LgJzS1kaPG7wmWFWIDD1fc2WVxNa+36XFvIUnSBi COIPiHrHDcrS2vvdaS0u4RJbSXKBlPAjwlwehB/md/EbMfy2/kj0/wDN34m7dots9ZruXDOdv0tJ JW7e2B2NiaWSKfBVdLOZJYtndl7dinCASF46kVsayQ66Qe03K+8JzNtl5se7yFrrSc8C6Hz/ANMh p+WnjnpXzty/JybvO38zbDCEstY7QKrHIB8JH8Ei1/PUKiq9Xrb8+f8Ag89/LX3184ekoY6rIUvW dVXYjC500Ktl2f2PUZCj2lPiNx0eu0OrGzd05ISzpdUraSASRkxzIxAdvy9JHzNBsV8aKZaEjGpK Fqqf6SjHoT6jqULrmyKXky65m2wVcQEgHOiSoSjDz0Man1AqMEdUX/y4P5dO3/5m21uwPld8vO8u 2N75uXsHL7GpMRhty0AzslTicRhc3UV+48/n8XuOajxQ/vQEx2IoKehhpY4VZXMLiADzmXmSTleW 32nZ7CGNPDDVKmmSRRQCue3LEmtfXPUYcncnw86wXe/cwbncSy+MUADDVgK1WZg1B3dqKFApxoad BF8EOuOuen/56O2erOpc1kdwdedf9h/ILae3Mrlq+lyuRmiwvQ/alFkKeqyVFj8XSVz4/LRVFOJY 4VV1iBu/62Wb/c3N5yHLd3iBbmSOFmAFBmWMjBJpUUPHov5Ws7Pb/c+GxsJC9pDNOikkE9sEoNSA AaGorTy8+PQjbn3dhegP+FCNVvbuappcJtaTtWeQZzcEyQ4eixnZ3R9RtjZGenyWRQUlNisNkdz0 RkqCwhojSuC6eEsqWKF9w9uxBZAtL4PAcSUl1MKDNSFOPOvz6WT3EW0+7TXO5MFq8f4m4ASQ6Uap xQFhngtDnHV9f83mspF/lv8Ayalaqp1iq9q7TjpZDPEI6mSfsTZrQJTuW0zPMougUksPp7AHJ6n+ sulihqHb/jjdSp7gMv8AU7ejqFDGlPn+onRYP+E+f/ZBuU/8T12F/wC8/sT2ae4f/JfX/nnT/C3R J7S/8qs//PVJ/wAdTqt7+SZ/29O+XX/iMe/P/giuqfYm54/5VTZ/+asX/VmToG+2n/K88wf80J/+ 0iLpv69yFJ0X/wAKF9zTdovFh6Xdva3Y8eDzGYkip6aD/TD1rmZ+vp6aqqS8bJ1pNxUeLjKOu16k xmxVo/drhTf+3UQte4pClQP+FuNf7KFvy/Pqto67X7uTm+7Vknk0k8P1oz4dD89QX86fLq+X+bB2 Ns/rj4A/I+bd2SoKN95bDr+vdr0NXMi1Ob3ZvEpisRQYum8cs1ZW0nkkrXWNCYqaklmYpHG8igHl K2mueYdtEKk6JA7H0Vckn0H19pA8+pT58vLez5U3g3DgGSIxqDx23wAB5kfF8gCcAV6JF/wne2fn 8D8NewNzZWGWmxO+e99x5HbCSatFbjsJtLZm3a/LU41FDDNm8fU0hIAbyULX4C+zz3Gmjk3q3iQ1 eO3Ab5EsxA/YQfz6DPtFbyxcuXc0gpHLdMV+YVEUn/egR/ter8fcf9Sr1737r3Xvfuvde9+69173 7r3Xvfuvdf/U39Pfuvde9+690C/emEpk6n7Z3BhsLSNvOg6r7CO3svQ4qmn3FTZEbQzSOSYqqSnk rxUtPJpjSM3ZmtY3sS7fJrldi3lbeRxJ9LKVCk11eG1KAedaU+fR/wAnW9hJzlyo19DEbf8AeVsH LgU0GZA+ongumurNKVr1o7/ygvm30Z8G4vkx2Nu2gzm9e/t3Y/F7K616uwOBy1fld3yHIGuSliyl LS1NFjXlzr+OVH0S6Lm4X3iF7Xc1bVylJzDeXgeTdpjpjjCMdR1cddKAk4pWp67I/ej9pecveH/W +5f2yeG05ItHee8u5JUWOAadNfDJBYCMVBFVr8+tujZfaXz73f1X8St5zdF9Zbc3Zvuvav8Ak9tL MZyemqOv9oVdMs2FrdnRz7minGarIpFlnoak1lTRlvDKiyo/vJWz3PnS627lu7OyQJPOSbpC1DEh p4ZUF61K5ZDV1PaQCD1zA3b1z2U2vmT3M21Octwn2yyTTtMyRhhczqaSLORER4akFVkTQj01qSpH Vg7EgEgEkAkAfUkD6D/E+xz1B3Xfv3Xuqdcp/KZ/iX8xOL58/wCn7w+PfuI3v/oo/wBFfkv/AArZ 9FtT+Gf36/0jx28/2f3Hn/g3plaPGbayM05u08uHl/8Ad/8AoZXxPE9WLV06PnSmrqO35C183jmv 97U/VD+F4XogWmvxP1Wuj5U6sx716W2L8ieo9+9Ldk43+J7N7BwFThMpGmhaui1LR1WLzeL1kSRK fM7fy1PBXUcpVhHVU8bEEAghewvZ9tvLe+tmpNG1R8/UH5EVB+R6Gu6bba7vt91tt6mq2mQqfUeY YfNTRgfIgdVj/C/+UxV/FjaHd/Tu+PkJB3x8eu+9s1eH3l1LkupanZBps3PTLjI91YPdFN2tuaXE 5JsKzU9QYaNJpnho5lmiko4rine+bhus1jewbd9PuNu1VkEmrHHSV8NaiuRU0FWFDqPQJ5b5CbYr fc9uut3F1tF0hDxGIpRuGpWErUOnBoKmimoKjon1P/IA3xsfdObh6U+eHY3WvWe5Kq/xTB0e1szT bmkxWmSNcXmK/a3ZG1cFuyXwuUFRLRUaBZD/AJOQpDnJ9woJ4kN9sEctOowSw019QGRiv2VP29B4 elFlazyjbOaZobJzlQpDU9CVkVX+0gfZ6iz13/Ip230X8keh+9OifkRufamO6srtu5XdeF3JtGg3 Pnt05PEwmm3HJic3F18TjMPQ79x889LPTy0FQuOSd3iM4KxKjuefJb/bNwsL/bkdpQQpVioUHhUU

JJQ0INRWmacejCz9r4dr3nat02vd3jSAqWVkDMxGGo1QAHFQQVOmtRXh0b/+YL/K36b+fMeD3Jls 9keru39sY5sLiOzMFiKXPCvwHlqamnwG7dt1NdiF3DjMfXVck9KY62iqad5ZFWbxyMhJuXear31/ xIkjEtmxqUJpQ+qtQ0JGDgg4x0IObeR9u5rEU0kpg3BBpEigNVcnS6kjUASSMgipzQ06rHxv/Cd3 c2X2xPtnsL5vboymNxEBTYOExvXWQrNsbardaD+Iz4TOdmSwSQNSvNF9pRfYuC4f7kjVGwpb3GiS US22xIGPxkuAzD0qE+zJr9nn0Ck9oppIDBd8zOyKP01EZKqfXS0npUUGn/TeXVx38vn4Yf7I10NV dI/6Sf8ASn9zv3c09/7zf3P/ALj6P49j8FQfwz+C/wB6d36vtP4Jr8/3Y8nlt4103YF8xbl+/twF 99N4VIwunVq4EmtdK+vCnUicpcuf1W2pts+s8esrPq0aPiCilNT8NPGvnw6Lf8Jf5Vv+ydfKft35 L/6dv9Iv+lTbG/tuf3K/0Yf3R/gP9+Oxdqb/APvP7x/6Q9z/AMU/hf8Adj7Tx/YU/n8/l1R6PG5n vnNf752qz2z6Dw/CdG1a9VdKMlNOhaV1V4mlKfPom5a5F/q7vm4b1+9PG8dJF0eFo065Fkrq8Rq0 00+EVrXFKdCJ8/v5XvSvz0iwm485mcr1h3BtagOJwPaG2sdR5WapwommqqfA7uwFVPj13Lh8fWVM s9II6yhq6aWR9FQI5JI3Tcvc033L5eONBLZualGNM+qnOkkYOCD6VoelnNfJG281CKaWRoNwjFFl UA1HHS6mmoAkkZUgnBoSDXFhv5AW7N4712/N8k/nB2H2zsba00EWO2xS4DNr15cUr2nx2Mz+8d/7 uotnwywQRoRT4+rurEAoUUsJX9wYYYpBtmxRwzvxaopX1IVFLfmR0Do/ai4uJoTvPM01xapwUK1a egZ5HCfkp62F+t+uNk9RbE2r1n1vt2g2nsbZWHpsFtrb+MR1pcdjqUHSuuV5aiqqqiZ3mqKiZ5J6 meR5ZXeR2Yx1c3M95cS3VzIXndqsT5n/AFcAMAYGOpcs7O22+1gsrOER2sShVUcAB/hPmSck1Jz0 tvbHSnr3v3Xuve/de697917r3v3Xuve/de6//9Xf09+691737r3XTKrqyOqujqVdGAZWVhZlZTcM rA2IP19+IBBBGOtglSCDQjouO3PiB8Ydo74ruyNudHdeYve2Rq6uuqs9DgYJJ2rK6VpqqohpqgzU NJLJKxYGGJNB/Tb2H4OVeXLW9k3CDZ4VvGJJalcnJNDUD8hjy6Ht/wC6fuJumzw7Bf8AOF9JtEaq 7917r3v3Xuve/de697917r3v3Xuve/de697917r3v3Xuve/de697917r3v3Xuve/de6//9bf09+6 91737r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691737r3X vfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691737r3Xvfuvde9+691//2QAAAAAAAAAAA jIIAqgBLqQsCAAAACAAAAAOAAABfAFQAbwBjADgAMQA2ADMANAAzADUAMwAAAHsAAABEAAAAAAAA CNDJ6nn5us4RjIIAqgBLqQsCAAAACAAAAA0AAABfAFQAbwBjADgAMQA2ADMANAAzADUANAAAAHsA AAAAAAAAAAAACNDJ6nn5us4RjIIAqgBLqQsCAAAACAAAAA0AAABfAFQAbwBjADgAMQA2ADMANAAz AAAAAAAAAAAAAAAAAAAAAAAAACNDJ6nn5us4RjIIAqgBLqQsCAAAACAAAAA0AAABfAFQAbwBjADgA MQA2ADMANAAzADUANGAAAM4AFiQBFyQBSWYBAAAAAZYAACF2AAJoATXWBQABAzsENdYFAQIDQQoj dgABOwQjdgECQQo6VgsAApZsAAQ0AQnWBAEFAQUKdCUAvwAS1hQAAAAA////AAEAAAAAAP///wAB ABPWMAAAAAAGAQAAAAAAAYBAAAAAAABGEAAAAAAAAAGAQAAAAAAYBAAAAAAAABGEAABT2A3wO F/YAAAA11gUAAQM7BDXWBQECA0EKNNYGAAEFAAAACNYUAAAAAP///WABAAAAAAD///8AAQCWABYK $\mathtt{ARckAUlmAQAAAAGWAAAhdgACaAE11gUAAQM7BDXWBQECA0EKI3YAATsEI3YBAkEKOlYLAAKWbAAK}$ dCUAvwAT1jAAAAAABgEAAAAAAAAGAQAAAAAAAYBAAAAAABgEAAAAAAAAAGAQAAAAAAYBAAAU 9gN8Dhf2AAAANdYFAAEDOwQ11gUBAgNBCjTWBgABBQAAAJYAFiQBFyQBSWYBAAAAAZYAACF2AAJo ATXWBQABAzsENdYFAQIDQQojdgABOwQjdgECQQo6VgsAApZsAAp0JQC/ABPWMAAAAAAGAQAAAAAA BQECA0EKNNYGAAEFAAAAnAAWJAEXJAFJZgEAAAABlgAAIXYAAmgBNdYFAAEDOwQ11gUBAgNBCiN2 AAYBAAAAAAABGEAAAAAAAGAQAAFPYDfA4X9gAAADXWBQABAzsENdYFAQIDQQo01gYAAQUAAABm NAGCABYKARCKAUlmAQAAAAGWAAAhdgACaAE11gUAAQM7BDXWBQECA0EKI3YAATsEI3YBAKEKO1YL AAAAAAYBAAAU9gN8Dhf2AAAANdYFAAEDOwQ11gUBAgNBCjTWBgABBQAAAGY0AZgAFiQBFyQBSWYB AAAAAZYAACF2AAFOATXWBQABA3wOI3YAAXwOOlYLAAKWbAADNAEHlGgDCnQlAL8AE9YwAAAAAAYB A3wOL9YLAAEEAAAAAAYBAAAO1gYAAQUAAABmNAGcABYkARckAUlmAQAAAAGWAAAhdgACaAE11gUA AQM7BDXWBQECA0EKI3YAATsEI3YBAkEKO1YLAAKWbAADNAEKdCUAvwAT1jAAAAAAABgEAAAAAAAG AQAAAAAAAYBAAAAAAAABgEAAAAAAAAGAQAAAAAAAYBAAAU9gN8Dhf2AAAANdYFAAEDOwQ11gUB AgNBCjTWBgABBQAAAGY0AaAAFiQBFyQBSWYBAAAAAZYAACF2AAJoATXWBQABAzsENdYFAQIDQQoj

AAAAAAAGAE4AbwByAG0AYQBsAAAAAgAAABAAX0gBBG1ICQRzSAkEdEgJBJ4AAUABAPIAngAMAAAA Aij4AAAACQBIAGUAYQBkAGkAbgBnACAAMQAAAEYAAQAFJAEGJAEHJAEKJgALRgYAEmTwAAAAFKTw ABmEAQAahJAkGyYgIyQCJmQIAQEDLoS7AC+EuwBAJgBQxggAAAAACAEDACsANQiBOQiBQIj2/0Iq AKNKHABFSAGASOGUAE9KAGBRSGIAYUOCAHBOAAD/AABQAAJAAQCYAWOADAAAAAIO+AAAAAKASABI AGEAZABpAG4AZwAgADIAAAAiAAIAAYQDBSQBBiQBCiYBC0YGABJk8AAAABSk8ABAJgFhJAMbADUI gUCI8f9DShgASOgcAE9KAgBRSgIAYUOYAAByAANAAQCyAXIADAAAAAIo+AAAAAkASABlAGEAZABp AG4AZWAGADMAAAAqAAMAAyQDBSQBBiQBCiYCCOYGAA+EOAQSZPAAAAAUpPAAQCYCXoQ4BGEkAxsA NgiBQIj2/0NKGABLSBwAT0oCAFFKAgBhShgAAGIABEABAPIAYgAMAAAAoxDrAAAACQBIAGUAYQBk AGkAbgBnACAANAAAACIABAADJAMFJAEGJAEKJgMLRgYAEmTwAAAAFKTwAEAmA2EkAxQAQIj8/0NK GABLSBwAT0oCAFFKAgBUAAVAAQDyAFQADAAAAKMQ6wAAAAkASABlAGEAZABpAG4AZwAgADUAAAAY AAUABSQBBiQBCiYECOYGABJk8AAAAEAmBBAAQIj8/0tIHABPSgIAUUoCAFwABkABAPIAXAAMAAAA oxDrAAAACQBIAGUAYQBkAGkAbgBnACAANgAAABwABgAFJAEGJAEKJgULRgYAEmTcAAAAE6SMAEAm BRMANgiBQIj8/0tIHABPSgIAUUoCAABYAAdAAQDyAFgADAAAAKMQ6wAAAAkASABlAGEAZABpAG4A ZwAgADcAAAAcAAcABSQBBiQBCiYGC0YGABJk3AAAABOkjABAJgYQAECI/P9LSBwAT0oCAFFKAgBg AAhAAQDyAGAADAAAAKMQ6wAAAAkASABlAGEAZABpAG4AZwAgADgAAAACAAgABSQBBiQBCiYHC0YG ABJk3AAAABOkjABAJgcXADYIgUCI/P9DShIASOgcAE9KAgBRSgIAAFwACUABAPIAXAAMAAAAoxDr AAAACQBIAGUAYQBkAGkAbgBnACAAOQAAABwACQAFJAEGJAEKJggLRgYAEmTcAAAAE6SMAEAmCBQA QIj8/ONKEgBLSBwATOoCAFFKAgBEAEFA8v+hAEQADAEAAAAAAAAAABYARABlAGYAYQB1AGwAdAAg AFAAYQByAGEAZwByAGEAcABoACAARgBvAG4AdAAAAAAVgBpQPP/swBWAAwBAAAAAAAAAAAAAFQA YQBiAGwAZQAgAE4AbwByAG0AYQBsAAAAIAA6VgsAF/YDAAA01gYAAQUDAAA01gYAAQoDbABh9gMA AAAAAAAAAAkASAB5AHAAZQByAGwAaQBuAGsAAAAGAD4qAUIqAjQAH0ABABIBNAAMAAAAAAAAAAAAA BgBIAGUAYQBkAGUAcgAAAAOAEQANxggAAuAQwCEBAgAAADQAIEABACIBNAAMAAAAAAAAAAABgBG AG8AbwB0AGUAcgAAAA0AEgANxggAAuAQwCEBAgAAAGAA/k/xADIBYAAMAAAAAAAAAAAAADqBCAG8A ZAB5ACAAVAB1AHqAdAAqAEsAZQB1AHAAAAAdABMAAyQDBiQBD4Q4BBJk8AAAABSk8ABehDqEYSQD AAWAQIj7/09KAqBRSqIAUAAvQPEAQqFQAAwAAAAAAAAAAAAEAEwAaOBzAHQAAAAAAAQODD4Sq BRGEmP4S2PAAAAAUpPAAXoSgBWCEmP5hJAMMAECI+/9PSgIAUUoCAEYA/k8BAGIBRgAMAAAAAAA AAAABwBQAGkAYwB0AHUAcgBlAAAADQAVAAYkAQ+EOARehDgEABAAQIj7/0NKGABPSgIAUUoCAFAA IgBRAfIAUAAMAQAAAAAAAAABwBDAGEAcABOAGkAbwBuAAAAFwAWAAomAAtGBwASZNwAAAATpDwA FKTwAAAQAECIAABDShIATOoFAFFKBQBOAP5PAQByAU4ADAAAAAAAAAAAAAgAVABPAEMAIABCAGEA cwBlaAaAFAAXABJk8AAAABSk8AANxgUAAVAZChAAQIj7/ONKGABPSgIAUUoCAHYAUEABAIIBdgAM AAAAAAAAAACwBCAG8AZAB5ACAAVAB1AHqAdAAqADIAAAA4ABqAAyQDDcYpAA1pAW4E3AhKDbqR JhaUGgIfcCPeJ0wsujAoNQAAAAAAAAAAAAAAATpAEAYSQDDgBDShqAaAqAdEqJBHUIAEIAUUAB AJIBQgAMAAAAAAAAAACwBCAG8AZAB5ACAAVABlAHgAdAAgADMAAAAIABkAAyQDYSQDCgBoCAB0 SAkEdQgAhgD+TwEAogGGAAwAAAAAAAAAAAAAPAEIAbABvAGMAawAgAFEAdQBvAHQAYQB0AGkAbwBu AAAAPgAaAAMkAw6E8AAPhFgFEmTcAAAAFKTwACRkDAEIDCVkBgEIDCZkBgEIDCdkBgEIDC1EAAhd hPAAXORYBWEkAxAAQIj7/0NKGABPSqUAUUoFAFAAQ0ABALIBUAAMAAAANkhFAAAAEABCAG8AZAB5 ACAAVABlaHgAdAagAEkAbgBkAGUAbgB0AAAACqAbAa+E0AJehNACDABDShqAT0oCAFFKAqBIABNA AQACAEgADQEAAAIo+AAAAAUAVABPAEMAIAAxAAAAFQAcAA3GCAACWAK2IQAKE6R4ABSkeAAADgA1 CIE7CIFPSgIAUUoCAD4AFEABAAIAPgANAQAAAij4AAAABQBUAE8AQwAgADIAAAAKAB0AD4TIAF6E yAAPADoIgUNKGABPSgIAUUoCAAA6ABVAAQACADoADQEAAAIo+AAAAAUAVABPAEMAIAAzAAAACgAe AA+EkAFehJABCwA2CIFPSqIAUUoCAAAyABZAAQACADIADQEAAAAAAAAAAAAUAVABPAEMAIAAQAAAA CgAfAA+EWAJehFgCBABDShIAMgAXQAEAAgAyAA0BAAAAAAAAAAAFAFQATwBDACAANQAAAAOAIAAP hCADXoQgAwQAQOoSADIAGEABAAIAMqANAQAAAAAAAAAAABQBUAE8AQwAqADYAAAAKACEAD4ToA16E 6AMEAENKEGAYAB1AAQACADIADQEAAAAAAAAAAAUAVABPAEMAIAA3AAAACGAiAA+EsARehLAEBABD G0ABAAIAMgANAQAAAAAAAAABQBUAE8AQwagADkAAAAKACQAD4RAB16EQAYEAENKEqA4AFpAAQBS AjgADAAAAAAAAAAAAAOAUABsAGEAaQBuACAAVABlAHgAdAAAAAIAJQAIAE9KBgBRSgYALgApQKIA YQIuAAwAAAC4brkAAAALAFAAYQBnAGUAIABOAHUAbQBiAGUAcgAAAAAARqD+T0EBcqJGAAwAAAAA AAAAAAANAE4AdQBtAGIAZQByAGUAZAAgAEwAaQBzAHQAAAAJACcACiYACOYgAAAIAE9KAABRSgAA ZgD+TyEAsgFmAAwAAADRTVwAAAAdAFMAdAB5AGwAZQAgAEgAZQBhAGQAaQBuAGcAIAAyACAAKwAg AEEAcgBpAGEAbAAgADEAMgAgAHAAdAAAAAIAKAAPADUIqUNKGABPSqIAUUoCAABSAP5PMQCSAlIA DAAAAKMQ6wAAABcAUwB0AHkAbABlACAASABlAGEAZABpAG4AZwAgADMAIAArACAAMQAyACAAcAB0 AAAAAgApAAcAngiBQ0oYAABUAE1A8QCiAlQADAAAADZIRQAAABYAQqBvAGQAeQAqAFQAZQB4AHQA IABGAGkAcgBzAHQAIABJAG4AZAB1AG4AdAAAAA4AKqARhNIAFKR4AGCE0qAAAFIAUkABALICUqAM AAAANkhFAAAAEgBCAG8AZAB5ACAAVAB1AHqAdAAqAEkAbqBkAGUAbqB0ACAAMqAAABQAKwAPhGqB EmTgAQEAFKR4AF6EaAEAAG4A/k8RAMICbgAMAAAAp18LAAAAHQBTAHQAeQBsAGUAIABIAGUAYQBk AGkAbgBnACAAMQAgACsAIABBAHIAaQBhAGwAIAAxADIAIABwAHQAAAAKACwAD4SY/16EmP4PAENK GABPSgIAUUoCAFwIgQB+AP5PEQCCAn4ADAAAAFIdSAAAAB4AUwB0AHkAbAB1ACAASAB1AGEAZABp AG4AZwAgADEAIAArACAAQQByAGkAYQBsACAAMQAyACAAcAB0ADEAAAAYAC0AGYQAABqEAAAbJgAj JAAuhAAAL4QAAA8AQ0oYAE9KAgBRSgIAXAiBAEgAmQABAOICSAAMAQAAwEvXAAAAADABCAGEAbABs AG8AbwBuACAAVABlahgadaaaaalalgauaenkeabpsgcauuohaf5kbwbhshaaaaaaaaaaaaaaaaa Awaaaqqaaafaaaagaaaacaaaaa iaaaacqaaaaoaaaalaaaadaaaaoaaaaoaaadwaaabaaaaaa AAAAEgAAABMAAAAUAAAAFQAAABYAAAAXAAAAGAAAABkAAAAAAAAGwAAABwAAAAAAAAHgAAAB8A AAAgAAAAIQAAACIAAAAjAAAAJAAAACUAAAAmAAAAJwAAACqAAAApAAAAKqAAACsAAAAsAAAAAAAAAAQAA AAQAAAAFAAAAAQD////AAAAAAAAAAAAAABgAAAAEA////wAAAAAAAAAABgAAAACAAAABAP// AAARAAAAEgAAAAAAA/////wAAAAAAAAAAEgAAABMAAAABAP////8AAAAAAAAAABMAAAAUAAAAAOD/ ///AAAAAAAAAAUAAAAFQAAAAEA////wAAAAAAAAAAFQAAABYAAAABAP///8AAAAAAAAAAABYA AAAAHgAAAB8AAAABAP////8AAAAAAAAAAB8AAAAgAAAAQD////AAAAAAAAAAAgAAAAIQAAAAEA ////wAAAAAAAAIQAAACIAAAABAP///8AAAAAAAAACIAAAAjAAAAQD////AAAAAAAAAAA AAAAJAAAAAAA/////wAAAAAAAAAAAJAAAACUAAAABAP////8AAAAAAAAAAACUAAAAAAAAAAAQD/////

AAAAAwaaaaQaaaaFaaaaBgaaaacaaaaIaaaaCQaaaaoaaaaLaaaaDaaaaaOaaaaOaaaaDwaaabaa AB8AAAAGAAAAIQAAACIAAAAjAAAAJAAAACUAAAAmAAAAJwAAACgAAAApAAAAKgAAACsAAAAsAAA ${\tt LQAAADAAAAAAAAAAgBAAAAAAgCAAAAAAgDAAAAAAgEAAAAAAgFAAAAAAgGAAAAAAgHAAAAAAgI}$ AAAAAAgJAAAAAAgKAAAAAAgLAAAAAAgMAAAAAAgNAAAAAgOAAAAAagPAAAAAagQAAAAAagRaaaaAAgSAAAAAgTAAAAAAgUAAAAAgVAAAAAAgWAAAAAgXAAAAAgYAAAAAgZAAAAAAgaAAAAAAAg ААААААдсАААААдdAAAAAдeAAAAAдfAAAAAддаАААААддаАААААдіААААдіААААддіААААддіА AAAAkQgAAAkAADwAAAAA////waaaaabaaaaagaaaamaaaaeaaaabqaaaayaaaahaaaacaaaaaka AABFAAAAWgAAAFwAAABdAAAAcAAAAHEAAAByAAAAcwAAAHQAAAB1AAAAdgAAAHcAAAB4AAAAeQAA AJAAAACfAAAAtwAAAM8AAADZAAAA2gAAANsAAADCAAAA3QAAAN4AAADfAAAA4AAAAOEAAADiAAAA 4wAAAOQAAAD1AAAA5gAAAOcAAADoAAAAJgEAAGYBAACmAQAA5wEAACcCAAApAgAANgIAAFQCAACb AgAAnAIAALYCAAC3AgAAvQIAAMMCAADEAqAAzAIAAN0CAADeAqAA5qIAAPcCAAD4AqAAAAMAAAsD AAAMAwAAFAMAAB8DAAAgAwAAIQMAADQDAAA1AwAAPwMAAEwDAABNAwAAVQMAAGIDAABjAwAAZAMA AGUDAACLAwAAqQMAALkDAADTAwAA4AMAAAqEAAAJBAAAJgQAAEIEAABQBAAAhwQAAKkEAADJBAAA ygQAAN4EAAACBQAALAUAAFMFAABUBQAAVQUAAIAFAACRBQAAuAUAAMsFAADmBQAAAAYAAAoGAAA2 BgAAPAYAADOGAAA+BgAAWAYAAFkGAABtBgAAfwYAAJMGAACUBgAApQYAALYGAADGBgAA1gYAAOcG AAD9BgAAGgcAABsHAAAdBwAAHgcAADkHAABHBwAApwcAAKgHAACyBwAA2QcAAOQHAADxBwAA8wcA APQHAAA5CAAAOggAADwIAAA9CAAAYAgAAGEIAABiCAAAYwgAAGQIAAB1CAAAZggAAGcIAABoCAAA aQgAAGoIAABrCAAAbAgAAG0IAABuCAAAbwgAAHAIAABxCAAAcggAAHMIAAB0CAAAdQgAAHYIAAB3 CAAAeAgAAHkIAAB6CAAAewgAAHwIAAB9CAAAfggAAH8IAACACAAAqQgAAIIIAACDCAAAhagAAIUI AACGCAAAhwgAAIgIAACJCAAAiggAAIsIAACMCAAAjQgAAI4IAACPCAAAkggAAJgAAAAAAAAAAAA AACANgIAAAEAAAQAAAAAIACpaaaaaAdaaaaaaaaaagdycaaabaaaaaaaaaaaqqaaaaawaaaaaaaa AIA2AgAAAQAAAAAAAAAgAJkAAAAAAAAAAAAAAAAACANgIAAAEAAAQAAAAIACpaaaAADAAAAAAAAAAAA NgIAAAEAAAQAAAAAIACpAAAAADAAAAAAAAAqDYCAAABAAAAAAAAACAAqQAAAAAwAAAAAAAAIA2 AAQAAAAAIACpAAAAAAAAAAAAAAAAgDYCAAABAAAAAAAAAAAQQAAAAAwAAAAAAAAIA2AgAAAQAA

AAAAAACYAAAAGzAAAAAAAAAAAGDYCAAAAAAAAAAAAAAAAAAABswAAAAAAAAAIA2AgAAAAAAAAAAAAAA AAAAAJgAQSAbMAAAAAAAAAAACAngIAAAAAAAAAAAAAAACYAEEqGzABAAAAAAAqDYCAAAAAAAAAAAAAA AAAAmAAAABswAAAAAAAAIA2AqaaAAAAAAAAAAAAJqAAAAbMAAAAAAAAACAnqIAAAAAAAAAAAAAAAAAA AAAYAQYgAjABAAAAKQIAACkCAAAAAAAAAAAAAAAKAIGIAMwAAAAAkEAAAJBAAAAAAAAAAAAAAAAA AJGAAAAbMAAAAAAAAACAFwQAAAAAAAAAAAAAAGACYAAAAGZAAAAAAAAAAAGBcEAAAAAAAAAAAAAAAAAAA mAAAABswAAAAAAAAIAXBAAAAAAAAAAAAAAAAJgAAAAbMAAAAAAACAFwQAAAAAAAAAAAAAAAC ABswAAAAAAAIAXBAAAAAAAAAAAAAAAJgAAAAbMAAAAAAAACAFwQAAAAAAAAAAAAACYAAAA AAAAAAAAIAXBAAAAAAAAAAAAAAAAJqAAAAbMAAAAAAAACAFwQAAAAAAAAAAAAAAACYAAAAGzAA AAAAAIAXBAAAAAAAAAAAAAAAJgaaAabMaaaaaaaaCaFwQaaaaaaaaaaaaaaaCyaaaagzaaaaaa AACAFwQAAAAAAAAAAAAACYAAAAGzAAAAAAAAAAGBcEAAAAAAAAAAAAAAAAAAAAAABswaaaaAaa AIAXBAAAAAAAAAAAAAJgAAAAAbMAAAAAAAACAFwQAAAAAAAAAAAAAACYAAAAGzAAAAAAAAAA FwQAAAAAAAAAAAAAACYAAAAGzAAAAAAAAAgBcEAAAAAAAAAAAAAAAAAAAABswAAAAAAAAAIAX AAAAAAAAAAAAAAAAAABswAAAAAAAAIAXBAAAAAAAAAAAAAAAJgAAAAbMAAAAAAAAACAFwQA AAAAAAAAAAAAACYAAAAGzAAAAAAAAAAGBcEAAAAAAAAAAAAAAAKAIGIAMwAQAAAPoDAAD6AwAA AAAAAAAAAGYAAAAGzAAAAAAAAAAAAAAAAAIAAAAQAAAAABmAAAABswAAAAAAAAAIAAAACAAAAA EAAAAAAAZgAAAAbMAAAAAAAAACAAAAAgAAAABAAAAAAAGYQAAAETAAAAAAAAAAgaaAAIAAAAD4 AIAHmEAAAAAwAAAAAAAAAIAAAACAAAAMAAAAACABwgAAAAAMAAAAAAAAAAAAAAAAAAAAAKKFMAQMA B5gAAAAAMAAAAAAAACAAAAAgAAAAAAAAAAAAqaeYAAAAADAAAAAAAAAAAAAAIAAAAAAAAAAAAAIAH мААААААwAAAAAAAAIAAACAAAAAAAAAAAACAB5gAAAAAAAAAAAAAAACAAAAqAAAAAAAAAAAAAAAA ААААААСАААААдАААААААААААдАеҮАААААDАААААААААдаадАААТААААААААААТАНmaaaaaawaaa AACAAAAAgAAAAAAAAAAgAeYAAAAADAAAAAAAAAAgaaAAAIAAAAAAAAAAIAHmaaaaaawaaaaaaa АІАААСААААААААААСАВ5дАААААМААААААААСААААддАААААААААддаеҮАААААДАААААААААА gAAAAAAAAAAgAeYAAAAADAAAAAAAAAAAgaaAAIAAAAAAAAAAIAHmaaaaAawaaAaaaaaaiAaaaCa AAAAAAAAgAc80wEwLRAAAAAAAAAAAAAAQAAAAAQAAAAAFoHAAAAAAEAAAACAAAAAwAAAAQAAAAF AAAABgAAAAcaaaa1aaaacQaaafoaaabcaaaaxQaaahaaaabxaaaacqaaahmaaab0aaaadoaaahya AAB3AAAAeAAAHkAAACQAAAAtwAAAM8AAADZAAAA2gAAANsAAADcAAAA3QAAAN4AAADfAAAA4AAA AOEAAAD1AAA4wAAAOQAAAD1AAAA5gAAAOcAAADoAAAAKQIAADYCAADDAgAAxAIAAEwDAABNAwAA

AAAAAIAAAACAAAAAAwAAAAACABz57ATAAMAAAAAAAAAIAAAABAAAAOBibACx73AcCQAAAADAAAAAA IGhtqAEAAAAAAAAAAAAAAAAC+ewEwAjAAAAAAAAAAAAQAAADgYmwBke9wHAkAAAAAAAAAAAAA AACxDwAAkRAAAAkAAAANAAAADgAAABgAAAAAAAAAAYAAJ8IAAAnCgAAwwoAAN0KAAD3CgAACwsA AB8LAAA0CwAATAsAAGILAABQDAAApQ4AAGIQAAB/EAAAkRAAAAoAAAAAAAADwAAABAAAAAAAAAAAAAA EGAAABMAAAAUAAAAFQAAABYAAAAXAAAAGQAAABOAAAACAAAAHQAAAAAGAACQEAAACwAAAOgAAAD3 AAAABWEAACIBAAAKAQAARWEAAGIBAABKAQAAhWEAAKIBAACKAQAAYAEAAOMBAADlAQAACAIAACMC ADQAAAA5AAAAAAAAAEYAAABzAAAAEyEU/5WAExoU/5WADwAA8FABAAAAAAbwIAAAAAIMAAADAAAA //8AAAAAMgAH8CQAAAADBP+zDigbUivyH8V1xOE3Gkf/AEoFAAAAAAAA////wAAAAAyAAfwJAAA AAME2jdXO517Bdpwv3oB9LmhaP8ARwQAAAAAAAD////AAAAACIAB/AkAAAAAgTV/p+pkh2693Mi MABlVbru/wBiHwAAAAAAP///8AAAAAMgAH8CQAAAADBAkJWImwP8+DOPeCpY0VOUn/AEoHAAAA AAAA////wAAAABAAB7xEAAAAP//AAAAAP8AgICAAPcAABABDwAC8DwBAAAgAAjwCAAAAAMAAAAC AAAPAATwcgAAALIECvAIAAAAAQgAAAAKAABDAAvwNAAAAARBAQAAAAXBHAAAAAYBAgAAAP8BAAAI EfAEAAAACgAAAA8ABPByAAAAsgQK8AgAAAACCAAAAAA0AAEMAC/A0AAAABEEBAAAABcEcAAAABgEC AAAA/wEAAAgAaQBSAGEAZABpAG8AJQAyADAATABvAGcAbwAAABMAIvEGAAAAvwEAAGAAAAAQ8AQA AAABAAAAAAAR8AQAAAACAAAAAA8AAVCaAAAAEAAI8AgAAAABAAAAbAQAAA8AA/AwAAAADwAE8CgA AAEEAAAADgAAUwAL8B4AAAC/AQAAEADLAQAAAAD/AQAACAAEAwkAAAA/AwEAAQAAABHwBAAAAAEA AAAPAAXWAAAAAJEIAAAAAAASQAAAHMAAAABCAAAGfz//1D///88BgAAPgIAAFQAAAAAAIIAAAJ /f//QAAAACwHAAAuAwAAVAAAAAAA//8FAAAADABfAFQAbwBjADgAMQA2ADMANAAzADUAMgAMAF8A VABvAGMAOAAxADYAMwAOADMANQAzAAwAXwBUAG8AYwA4ADEANgAzADQAMwA1ADQADABfAFQAbwBj ADGAMQA2ADMANAAzADUANQAMAF8AVABvAGMAOAAxADYAMwA0ADMANQA2ACkCAAA2AgAACQQAACYE dXJuOnNjaGVtYXMtbWljcm9zb2Z0LWNvbTpvZmZpY2U6c21hcnR0YWdzBIBkYXRlAIAMAAABAQAA AAUAAAAAAAAAAAAAFAEAABeBAAAbQQAAHAEAACHBAAAlQQAAKKEAAC3BAAALAUAADQFAACZBQAA ngUAAJ8FAAC1BQAApgUAAKkFAACyBwAAugcAAPEHAAAcCAAAJggAACoIAAA4CAAAYQgAAGIIAACP СААА kggAAAcAHAAHABwABwACAAcAHAAHABwABwADAAcAAwAHAAcABwACAAcABwAHAAcABwAHAAIA BwAHAAAAAAAJAAAADwAAAJgAAACeAAAANgIAAEYCAACrAgAAtAIAAKkDAACvAwAACQQAAA8EAACu BAAAWAQAAO8EAAD2BAAAHQUAACsFAAB7BQAAfwUAAJEFAAC3BQAAJwcAAC4HAADxBwAAHAgAACYI AAAqCAAAOAgAAGEIAABiCAAAjwgAAJIIAAAHADMABwAzAAcAMwAHADMABwAzAAcAMwAHADMABwAz AACAMWAHADMABWADAACAMWAHAACABWAHAACABWACAACABWAAAAAAAAARQAAAIEAAACYAAAAngAAAKCA AAC3AAAA6AAAACgCAAA2AgAAtwIAACADAAAhAwAAYwMAAIsDAACoAwAAqQMAAOADAAAJBAAAJQQA ACYEAABQBAAAgAUAAJEFAAC3BQAAuAUAAMsFAAA2BgAAOwYAAD4GAABtBgAAfwYAAJIGAACoBwAA sQcAAPEHAAD1BwAAHAgAACYIAAAqCAAAPggAAF8IAABhCAAAYggAAJIIAAAHAAUABwAFAAcABQAH AAQABQAHAAUABwAFAAcABQAHAAUABwAFAAcABQAHAAUAAwAHAAUABwAFAAcABQAHAAUABwAFAAcA BwAFAAcABQAHAAUABwACAAcAAAAAAPEHAABhCAAAYggAAJIIAAAHAAcAAgAHAP//BAAAAAAARABh AHYAZQAgAFUAbABtAGUAcgAAAAYAUAAyADYANwAyADEAAAA7AID///gHdqX/w8AAAAAAAAAAAAAA AAAAAAEAUnYgB7pm9hH/D/8P/w//D/8P/w//D/8P/w8BAGQUvqqBAAkE/w8AAAAAAAAAAAAAAAAAA AAABAGYKOAwBAAkE/w8AAAAAAAAAAAAAAAAAAAAAAAAQBDJdQNEwAJBP8P/w//D/8P/w//D/8P/w// DwEAkCi4DyUACQT/D/8P/w//D/8P/w//D/8P/w8AAEtdEhYPAAkE/w8AAAAAAAAAAAAAAAAAAAAAAAAAA AQCjfAEgCpfcqP8P/w//D/8P/w//D/8P/w//DxAALl+TIDqh9D7/D/8P/w//D/8P/w//D/8P/w8B ACGOQyL4I+aN/w//D/8P/w//D/8P/w//D/8PEACyBJIiYF7Ghf8P/w//D/8P/w//D/8P/w//DwEA I3THIgEACQT/DwAAAAAAAAAAAAAAAAAAAAAAAAABAGox4yUBAAkE/w8AAAAAAAAAAAAAAAAAAAAAAAAAAQDW ZnYoAHQo+v8P/w//D/8P/w//D/8P/w//DxAAtR90LJ77Ehv/D/8P/w//D/8P/w//D/8P/w8QAF08 IiOBAAkE/w8AAAAAAAAAAAAAAAAAAAAAAQDmWCUvql94bv8P/w//D/8P/w//D/8P/w//DxAAtl3h NBo8vH3/D/8P/w//D/8P/w/D/8P/w8QAOhQQzoO1zQd/w//D/8P/w//D/8P/w//D/8PAOBmBMc7AAKE/w8AAAAAAAAAAAAAAAAAAAAAAQD6f+Q+EwAJBP8P/w//D/8P/w//D/8P/w//DwEAsXY0PwEA CQT/DwAAAAAAAAAAAAAAAAAAAAAAAAAABAOgYXT+2uD5b/w//D/8P/w//D/8P/w//D/8PEACqXVxHIpW4 KP8P/w//D/8P/w//D/8P/w//DwEAMkW2S8wm3vj/D/8P/w//D/8P/w//D/8P/w8QAHIFuk4BAAkE /w8AAAAAAAAAAAAAAAAAAAAAQBoRV9PAQAJBP8PAAAAAAAAAAAAAAAAAAAAAAAEAQ31mUWAtFJn/ AAAAAAAAAAAAAAAAAAAAAAAQD6AptbNitAvv8PAAAAAAAAAAAAAAAAAAAAAAAAAACAKTbuXUZnPCQnAAAA AAAAAAAAAAAAAAAAAABANA2iF/GgrDx/w8AAAAAAAAAAAAAAAAAAAAQDnCLdgFEhob/8P/w// D/8P/w//D/8P/w//DwEABlbJY2jtVt3/D/8P/w//D/8P/w/D/8P/w8BABFUqmYBAAkE/w8AAAAA D/8P/w//D/8P/w8AAGxQjGoVAAkE/w//D/8P/w//D/8P/w//D/8PAQDMMW5rAQAJBP8PAAAAAAAA AAAAAAAAAAAAAAEA9jqicAEACQT/DwAAAAAAAAAAAAAAAAAAAAABAIJ32XAyoHqU/w//D/8P/w// AAAAAAAAAABABRFZncBAAkE/w8AAAAAAAAAAAAAAAAAAAAODEKqV4AOAJBP8PAAAAAAAAAAAAA AAAAAAAAAEATDOkeiUACQQBAAIAAwAEAAUABgAHAAgACQAAAPg5L30BAAkE/w8AAAAAAAAAAAAA AAAACxgAAA+ECAcRhJj+FcYFAAEIBwZehAqHYISY/k9KAQBRSqEAbyqAAQC38AAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAABACOAAQAAABcQAAAAAAAAAAAAAGgBAAAAAAAAFRgAAA+EoAURhJj+ FcYFAAGgBQZehKAFYISY/k9KAQBRSgEAbygAh2gAAAAAiEgAAAEAt/ABAAAAF5AAAAAAAAAAAAAA aAEAAAAAAAZGAAAD4RwCBGEmP4VxgUAAXAIB16EcAhghJj+T0oGAFFKBgBeSgYAbygAh2gAAAAA iEgAAAEAbwABAAAAF5AAAAAAAAAAAAAAAAAAAAAAAAAAAAAVGAAAD4RACxGEmP4VxqUAAUALB16EQAtq hJj+T0oIAFFKCABvKACHaAAAAACISAAAAQCn8AEAAAAXkAAAAAAAAAAAAAAAOAQAAAAABUYAAAP hBAOEYSY/hXGBQABEA4GXoQQDmCEmP5PSgEAUUoBAG8oAIdoAAAAAIhIAAABALfwAQAAABeQAAAA AAAAAAAAGgBAAAAAAAGRgAAA+E4BARhJj+FcYFAAHqEAZehOAQYISY/k9KBqBRSqYAXkoGAG8o AldoAAAAAlhIAAABAG8AAQAAABeQAAAAAAAAAAAAAGgBAAAAAAAFRgAAA+EsBMRhJj+FcYFAAGw EwZehLATYISY/k9KCABRSggAbygAh2gAAAAAiEgAAAEAp/ABAAAAF5AAAAAAAAAAAAAAAAAAAAA AAAVGAAAD4SAFhGEmP4VxgUAAYAWB16EgBZghJj+T0oBAFFKAQBvKACHaAAAAACISAAAAQC38AEA AAAXkAAAAAAAAAAAABoAQAAAAAABkYAAAPhFAZEYSY/hXGBQABUBkGXoRQGWCEmP5PSgYAUUoG AF5KBgBvKACHaAAAAACISAAAAQBvAAEAAAAXkAAAAAAAAAAAAABoAQAAAAAABUYAAAPhCAcEYSY /hXGBQABIBwGXoQqHGCEmP5PSqqAUUoIAG8oAIdoAAAAAIhIAAABAKfwAQAAABcAAAAAAAAAAAAA AAAAAAAAAAACxgAAA+EaAERhJj+FcYFAAFoAQZehGgBYISY/k9KAQBRSgEAbygAAQC38AEAAAAX AAEAt/ABAAAFwAAAAAAAAAAAAAAAAAAAAAAAAAAATGAAAD4TQAhGEMP0VxgUAAdACB16E0AJqhDD9 TOoBAFFKAQBvKAABALfwAQAAABcAAAAAAAAAAAAAAAAAAAAAAAAAAACxgAAA+EaAERhJj+FcYFAAFo hhaieyqaabxgbqab2akgxorwcgceaaacaamakqabaaaaaacaaaaaaaaaaaaaaaaaaaaaaaaaaa GAAAD4QQDhGEAAAVxgUAAXgPB16EEA5ghAAAAwAoAAUAKQABAAAAAgACAAAAAAAAAAAAAAAAAAAAAAA

AAAAGAAAD4TgEBGEAAAVxgUAAUgSB16E4BBghAAAAwAoAAYAKQABAAAABAACAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAGAAAD4SAFhGEAAAVxgUAAegXBl6EgBZghAAAAwAoAAgAKQABAAAAFwAAAAAAAAAA AAAAAAAAAAAAAAAALGAAAD4RoARGEmP4VxgUAAWgBB16EaAFghJj+T0oBAFFKAQBvKAABALfwAQAA wP0VxgUAAUACB16EQAJghMD9bygAh2gAAAAAiEgAAAMAAAAuAAEAAQAAAAAAAQMFAAAAAAAAAAAAAA AAAAAAAADRgAAA+E0AIRhDD9FcYFAAHQAgZehNACYIQw/W8oAIdoAAAAAIhIAAAFAAAALgABAC4A AxGEEPwVxgUAAfADB16E8ANghBD8bygAh2gAAAAAiEgAAAAAuAAEALgACAC4AAwAuAAQAAQAA D4QQBRGE8PoVxgUAARAFB16EEAVghPD6bygAh2gAAAAAiEgAAAOAAAAuAAEALgACAC4AAwAuAAQA LgaFaC4aBgaBaaaaaaaBawUHCQsNDwAaaaaaaaaaaaaaaaAaAGaaaD4SgBRGEYPoVxgUAAaAFB16EoAVg hGD6bygAh2gAAAAAiEgAAA8AAAAuAAEALgACAC4AAwAuAAQALgAFAC4ABgAuAAcAAQAAAAAAAQMF BwkLDQ8RAAAAAAAAAAAAAAAHEMAYRhND5FcYFAAEwBgZehDAGYITQ+W8oAIdoAAAAAIhIAAAR AAAAGAAAD4RoARGEmP4VxgUAAWgBB16EaAFghJj+AgAAAC4AAQAAABcQAAAAAAAAAAAAAAAGgBAAAA AAAAFRGAAA+EoAURhJj+FcYFAAGgBQZehKAFYISY/k9KAQBRSgEAbygAh2gAAAAAiEgAAAEAt/AB mP4VxgUAAUALB16EQAtghJj+T0oIAFFKCABvKACHaAAAAACISAAAAQCn8AEAAAAXkAAAAAAAAAAAAA AABoAQAAAAAABUYAAAPhBAOEYSY/hXGBQABEA4GXoQQDmCEmP5PSgEAUUoBAG8oAIdoAAAAAIhI $\verb|AAABALfwAQAAABeQAAAAAAAAAAAAAAGgBAAAAAAAAGRgAAA+E4BARhJj+FcYFAAHgEAZehOAQYISY|$ /k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQAAAAAAAAAAAAAAGgBAAAAAAAAAAFRgA AA+EsBMRhJj+FcYFAAGwEwZehLATYISY/k9KCABRSggAbygAh2gAAAAAiEgAAAEAp/ABAAAAF5AA aAAAAACISAAAAQC38AEAAAAXkAAAAAAAAAAAAAAAAAABoAQAAAAAABkYAAAPhFAZEYSY/hXGBQABUBkG AAAAABUYAAAPhCAcEYSY/hXGBQABIBwGXoQgHGCEmP5PSggAUUoIAG8oAIdoAAAAAIhIAAABAKfw AAAuAAEAAAAXEAAAAAAAAAAAAAAAAAAAAAAAAABUYAAAPhKAFEYSY/hXGBQABoAUGXoSgBWCEmP5P SgEAUUOBAG80AIdOAAAAAIhIAAABALfwAQAAABcQAAAAAAAAAAAGgBAAAAAAAAGRgAAA+EcAgR hJj+FcYFAAFwCAZehHAIYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQAAAA AAAAAAAAAGgBAAAAAAAFRgAAA+EQAsRhJj+FcYFAAFACwZehEALYISY/k9KCABRSggAbygAh2gA AAAPhOAQEYSY/hXGBQAB4BAGXoTgEGCEmP5PSgYAUUoGAF5KBgBvKACHaAAAAACISAAAAQBvAAEA AAAXkAAAAAAAAAAAAAAAAAAABUYAAAPhLATEYSY/hXGBQABsBMGXoSwE2CEmP5PSggAUUoI AG8oAldoAAAAAlhIAAABAKfwAQAAABeQAAAAAAAAAAAAAAAAAAAAAAAFRgAAA+EgBYRhJj+FcYF AAGAFgZehIAWYISY/k9KAQBRSgEAbygAh2gAAAAAiEgAAAEAt/ABAAAAF5AAAAAAAAAAAAAAAAAEA AAAAAAAZGAAAD4RQGRGEmP4VxgUAAVAZB16EUBlghJj+T0oGAFFKBgBeSgYAbygAh2gAAAAAiEgA D4RoARGEmP4VxgUAAWgBB16EaAFghJj+T0oBAFFKAQBvKAABALfwAQAAABcAAAAAAAAAAAAAAAAAAAAAA AAAAAAAACxgAAA+EaAERhJj+FcYFAAFoAQZehGgBYISY/k9KAQBRSgEAbygAAQC38AEAAAAXEAAA AAAAAAAAAABOAQAAAAAABUYAAAPhKAFEYSY/hXGBQABOAUGXoSgBWCEmP5PSgEAUUoBAG8oAIdo AAAAAIhIAAABALfwAQAAABeQAAAAAAAAAAAAAGgBAAAAAAAAGRgAAA+EcAgRhJj+FcYFAAFwCAZe hHAIYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQAAAAAAAAAAAAAAAGgBAAAA AAAAFRGAAA+EQAsRhJj+FcYFAAFACwZehEALYISY/k9KCABRSggAbygAh2gAAAAAiEgAAAEAp/AB BQAB4BAGXoTgEGCEmP5PSgYAUUoGAF5KBgBvKACHaAAAAACISAAAAQBvAAEAAAAXkAAAAAAAAAAAAA AABoAQAAAAAABUYAAAPhLATEYSY/hXGBQABsBMGXoSwE2CEmP5PSggAUUoIAG8oAIdoAAAAAIhI AAABAKfwAQAAABeQAAAAAAAAAAAAGgBAAAAAAAAFRgAAA+EgBYRhJj+FcYFAAGAFgZehIAWYISY GRGEmP4VxgUAAVAZB16EUB1ghJj+T0oGAFFKBgBeSgYAbyqAh2qAAAAAiEqAAAEAbwABAAAAF5AA AAAAAAAAAAAAAAAAAAAAAAAAAVGAAAD4QgHBGEmP4VxqUAASAcB16EIBxqhJj+T0oIAFFKCABvKACH aAAAAACISAAAAQCn8AEAAAAXEAAAAAAAAAAAAAAAABOAQAAAAAABUYAAAPhKAFEYSY/hXGBQABOAUG XoSqBWCEmP5PSqEAUUoBAG8oAIdoAAAAAIhIAAABALfwAQAAABeQAAAAAAAAAAAAAAGgBAAAAAAAA GRGAAA+EcAgRhJj+FcYFAAFwCAZehHAIYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8A AQAAABeQAAAAAAAAAAAAGgBAAAAAAAFRgAAA+EQAsRhJj+FcYFAAFACwZehEALYISY/k9KCABR SggAbygAh2gAAAAAiEgAAAEAp/ABAAAAF5AAAAAAAAAAAaaAEAAAAAAAAAVGAAAD4QQDhGEmP4V xgUAARAOB16EEA5ghJj+T0oBAFFKAQBvKACHaAAAAACISAAAAQC38AEAAAAXkAAAAAAAAAAAAAAAAA AQAAAAAABkYAAAPhOAQEYSY/hXGBQAB4BAGXoTgEGCEmP5PSgYAUUoGAF5KBgBvKACHaAAAAACI SAAAAQBvAAEAAAAXkAAAAAAAAAAAAAAAABoAQAAAAAABUYAAAPhLATEYSY/hXGBQABsBMGXoSwE2CE mP5PSggAUUoIAG8oAIdoAAAAAIhIAAABAKfwAQAAABeQAAAAAAAAAAAAGgBAAAAAAAAAAFRgAAA+E gBYRhJj+FcYFAAGAFgZehIAWYISY/k9KAQBRSgEAbygAh2qAAAAAiEqAAAEAt/ABAAAAF5AAAAAA AAsYAAAPhGgBEYSY/hXGBQABaAEGXoRoAWCEmP5PSgEAUUoBAG8oAAEAt/ABAAAAFxAAAAAAAAA AAAAaAEAAAAAAAVGAAAD4SgBRGEmP4VxgUAAaAFB16EoAVghJj+T0oBAFFKAQBvKACHaAAAAACI SAAAAQC38AEAAAAXkAAAAAAAAAAAAABoAQAAAAAABkYAAAPhHAIEYSY/hXGBQABcAqGXoRwCGCE mP5PSgYAUUoGAF5KBgBvKACHaAAAAACISAAAAQBvAAEAAAAXkAAAAAAAAAAAAAAABoAQAAAAAAABUY AAAPhEALEYSY/hXGBQABQAsGXoRAC2CEmP5PSqqAUUoIAG8oAIdoAAAAAIhIAAABAKfwAQAAABeO AAAAAAAAAAAAGGBAAAAAAAFRGAAA+EEA4RhJj+FcYFAAEQDgZehBAOYISY/k9KAQBRSqEAbyqA h2gAAAAAiEgAAAEAt/ABAAAAF5AAAAAAAAAAAAAAAAAAAAAAAZGAAAD4TgEBGEmP4VxgUAAeAQ Bl6E4BBghJj+T0oGAFFKBgBeSqYAbyqAh2qAAAAAiEqAAAEAbwABAAAAF5AAAAAAAAAAAAAAAAA AAAAAAAVGAAAD4SwExGEmP4VxgUAAbATB16EsBNghJj+T0oIAFFKCABvKACHaAAAAACISAAAAQCn 8AEAAAAXkAAAAAAAAAAAAAABoAQAAAAAABUYAAAPhIAWEYSY/hXGBQABgBYGXoSAFmCEmP5PSgEA UUoBAG8oAIdoAAAAAIhIAAABALfwAQAAABeQAAAAAAAAAAAAGggBAAAAAAAAGRgAAA+EUBkRhJj+ FcYFAAFQGQZehFAZYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQAAAAAAA AAAAAGgBAAAAAAAFRgAAA+EIBwRhJj+FcYFAAEgHAZehCAcYISY/k9KCABRSggAbygAh2qAAAAA iEgAAAEAp/ABAAAAFwAAAAAAAAAAAAAAAAAAAAAAAAAATGAAAD4Q4BBGEmP4VxgUAATgEB16EOARg hJj+T0oCAFBKAABRSgIAXkoCAG8oAAEALQABAAAAF4AAAAAAAAAAAAAAAAAAAAAAAAAAAACGAAAD4QI BxGEmP4VxgUAAQgHB16ECAdghJj+T0oGAFFKBgBeSgYAbygAh2gAAAAAiEqAAAEAbwABAAAAF4AA AAAAAAAAAAAAAAAAAAAAAAAAVGAAAD4TYCRGEmP4VxgUAAdgJB16E2AlghJj+T0oIAFFKCABvKACH aAAAAACISAAAAQCn8AEAAAAXgAAAAAAAAAAAAAAAAAAAAABUYAAAPhKgMEYSY/hXGBQABqAwG GRGAAA+EeA8RhJj+FcYFAAF4DwZehHgPYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8A AQAAABeAAAAAAAAAAAAAAAAAAAAAAAFRgAAA+ESBIRhJj+FcYFAAFIEgZehEgSYISY/k9KCABR SggAbygAh2gAAAAAiEgAAAEAp/ABAAAAF4AAAAAAAAAAAAAAAAAAAAAAAAAAVGAAAD4QYFRGEmP4V xgUAARgVBl6EGBVghJj+T0oBAFFKAQBvKACHaAAAAACISAAAAQC38AEAAAAXgAAAAAAAAAAAAAAAA AAAAAAAABkYAAAPhOgXEYSY/hXGBQAB6BcGXoToF2CEmP5PSqYAUUoGAF5KBqBvKACHaAAAAACI SAAAAQBvAAEAAAAXgAAAAAAAAAAAAAAAAAAAAAAABUYAAAPhLqaEYSY/hXGBQABuBoGXoS4GmCE AAAPhGgBEYSY/hXGBQABaAEGXoRoAWCEmP5PSgEAUUoBAG8oAAEAt/ABAAAAFwAAAAAAAAAAAAAAA AAAAAAAAALGAAAD4RoARGEmP4VxgUAAWgBB16EaAFghJj+T0oBAFFKAQBvKAABALfwAQAAABcA AAAAAAAAAAAAAAAAAAAAAAAAAAACxgAAA+EaAERhJj+FcYFAAFoAQZehGgBYISY/k9KAQBRSgEAbygA hJj+T0oBAFFKAQBvKAABALfwAQAAABcQAAAAAAAAAAAAAAAAAAAAAAAAAAAAExgAAA+EOAQRhJj+FcYF AAE4BAZehDgEYISY/k9KAgBQSgAAUUoCAF5KAgBvKAABACOAAQAAABeQAAAAAAAAAAAAAAAAAAAAAA AAAAGRgAAA+EoAURhJj+FcYFAAGgBQZehKAFYISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAAB AG8AAQAAABeQAAAAAAAAAAAAAAAAAAAAAAAAAFRgAAA+EcAgRhJj+FcYFAAFwCAZehHAIYISY/k9K mP4VxgUAAUALB16EQAtghJj+T0oBAFFKAQBvKACHaAAAAACISAAAAQC38AEAAAAXkAAAAAAAAAAAAA AADQAgAAAAAABkYAAAPhBAOEYSY/hXGBQABEA4GXoQQDmCEmP5PSqYAUUoGAF5KBqBvKACHaAAA AACISAAAAQBvAAEAAAAXkAAAAAAAAAAAAAAQQAgAAAAAABUYAAAPhOAQEYSY/hXGBQAB4BAGXoTg EGCEmP5PSggAUUoIAG8oAIdoAAAAAIhIAAABAKfwAQAAABeQAAAAAAAAAAAAAAAAAAAAAAAAFRgA AA+EsBMRhJj+FcYFAAGwEwZehLATYISY/k9KAQBRSgEAbygAh2gAAAAAiEqAAAEAt/ABAAAAF5AA AAAAAAAAAAAAAAIAAAAAAAAAAZGAAAD4SAFhGEmP4VxgUAAYAWB16EgBZghJj+T0oGAFFKBgBeSgYA bygAh2gAAAAAiEgAAAEAbwABAAAAF5AAAAAAAAAAAAAAOAIAAAAAAAAAVGAAAD4RQGRGEmP4VxgUA AVAZB16EUB1ghJj+T0oIAFFKCABvKACHaAAAAACISAAAAQCn8AEAAAAEAAEAAAAAAAAAAAAAAAAAAA

AAAAAAAAADGAAAD4SgBRGEMP0VxgUAAaAFB16EoAVghDD9bygAAqAAACkAAQAAAASAAQAAAAAA AAAAAAAAAAAAAAAAChgAAA+ECAcRhJj+FcYFAAEIBwZehAqHYISY/odoAAAAAIhIAAACAAEALqAB DGCEmP6HaAAAAACISAAAAqADAC4AAQAAAASAAQAAAAAAAAAAAAAAAAAAAAAAChqAAA+EeA8Rhjj+ FcYFAAF4DwZehHgPYISY/odoAAAAA1hIAAACAAQALqABAAAAAoIBAAAAAAAAAAAAAAAAAAAAAAAAAAAA GAAAD4RIEhGETP8VxgUAAUgSB16ESBJghEz/h2gAAAAAiEgAAAIABQAuAAEAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAOYAAAPhBgVEYSY/hXGBQABGBUGXoQYFWCEmP6HaAAAAACISAAAAqAGAC4AAQAA AASAAQAAAAAAAAAAAAAAAAAAAAAAAAAIhi + FcYFAAHoFwZehOgXYISY/odoAAAAAIhi D4RoARGEmP4VxgUAAWgBB16EaAFghJj+T0oBAFFKAQBvKAABALfwAQAAABcQAAAAAAAAAAAAAGqB AAAAAAAAFRgAAA+EoAURhJj+FcYFAAGgBQZehKAFYISY/k9KAQBRSgEAbygAh2gAAAAAiEgAAAEA t/ABAAAAF5AAAAAAAAAAAAAAAAAAAAAAAAAAAAAZGAAAD4RwCBGEmP4VxgUAAXAIB16EcAhghJj+T0oG CxGEmP4VxgUAAUALB16EQAtghJj+T0oIAFFKCABvKACHaAAAAACISAAAAQCn8AEAAAAXkAAAAAAA AAAAAABoAQAAAAAABUYAAAPhBAOEYSY/hXGBQABEA4GXoQQDmCEmP5PSgEAUUoBAG8oAIdoAAAA AIhIAAABALfwAQAAABeQAAAAAAAAAAAAGgBAAAAAAAGGgAAA+E4BARhJj+FcYFAAHqEAZehOAQ YISY/k9KBgBRSgYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQAAAAAAAAAAAAAGgBAAAAAAAA FRGAAA+EsBMRhJj+FcYFAAGwEwZehLATYISY/k9KCABRSgqAbyqAh2qAAAAAiEqAAAEAp/ABAAAA F5AAAAAAAAAAAAAAAAAAAAAAAAAVGAAAD4SAFhGEmP4VxqUAAYAWB16EqBZqhJj+T0oBAFFKAOBv KACHaAAAAACISAAAAQC38AEAAAAXkAAAAAAAAAAAAAAAAAAABoAQAAAAAABkYAAAPhFAZEYSY/hXGBQAB UBkGXoRQGWCEmP5PSgYAUUoGAF5KBgBvKACHaAAAAACISAAAAQBvAAEAAAAXkAAAAAAAAAAAAAAA AQAAAAAABUYAAAPhCAcEYSY/hXGBQABIBwGXoQgHGCEmP5PSggAUUoIAG8oAIdoAAAAAIhIAAAB AKfwAQAAAAAAQAAAAAAAAAAAAAAAAAAAAAAAXqAA+EOAQRhJj+FcYFAAE4BAZehDqEYISY/m8o AAIAAAAuAAEAAAAXEAAAAAAAAAAAABoAQAAAAAABUYAAAPhKAFEYSY/hXGBQABoAUGXoSgBWCE mP5PSgEAUUoBAG8oAIdoAAAAAIhIAAABALfwAQAAABcQAAAAAAAAAAAAAGgBAAAAAAAAGRgAAA+E cAgRhJj+FcYFAAFwCAZehHAIYISY/k9KBqBRSqYAXkoGAG8oAIdoAAAAAIhIAAABAG8AAQAAABeQ AAAAAAAAAAAAGgBAAAAAAAFRgAAA+EQAsRhJj+FcYFAAFACwZehEALYISY/k9KCABRSqqAbyqA Bl6EEA5ghJj+T0oBAFFKAQBvKACHaAAAAACISAAAAQC38AEAAAAXkAAAAAAAAAAAAAAAAAAAAAAAAAAA ABkYAAAPhOAQEYSY/hXGBQAB4BAGXoTgEGCEmP5PSgYAUUoGAF5KBgBvKACHaAAAAACISAAAAQBv AAEAAAAXkAAAAAAAAAAAABoAQAAAAAABUYAAAPhLATEYSY/hXGBQABsBMGXoSwE2CEmP5PSqqA UUOIAG8OAIdOAAAAAIhIAAABAKfwAQAAABeQAAAAAAAAAAAAGgBAAAAAAAFRqAAA+EqBYRhJj+ FcYFAAGAFgZehIAWYISY/k9KAQBRSgEAbygAh2gAAAAAiEgAAAEAt/ABAAAAF5AAAAAAAAAAAAAA aAEAAAAAAAZGAAAD4RQGRGEmP4VxgUAAVAZB16EUBlghJj+T0oGAFFKBgBeSgYAbygAh2gAAAAA hGgBEYSY/hXGBQABaAEGXoRoAWCEmP5PSgEAUUoBAG8oAAEAt/ABAAAAFwAAAAAAAAAAAAAAAAAAAAA AAAAAAALGAAAD4RoARGEmP4VxgUAAWgBB16EaAFghJj+T0oBAFFKAQBvKAABALfwAQAAAAAAAQAA AAAAAAAAAAAAAAAAAAAAABhgAAA+EOAQRhJj+FcYFAAE4BAZehDgEYISY/jUIAW8oAAIAAAAuAAEA AWgBBl6EaAFghJj+T0oBAFFKAQBvKAABALfwAQAAABcAAAAAAAAAAAAAAAAAAAAAAAAAAACxqAAA+E aAERhJj+FcYFAAFoAQZehGgBYISY/k9KAQBRSgEAbyqAAQC38AEAAAABAAEAAAAAAAAAAAAAAAAAA AAAAAAOYAAAPhDD9EYQAABXGBQABmP4GXoQw/WCEAABvKACHaAAAAACISAAAagAAAC4AAQAAAAMA AQAAAAAAAAAAAAAAAAAAAAAADRgBAA+EAAARhAAAFcYFAAFoAQZehAAAYIQAAG8oAIdoAAAAAIhI AAAADRgEAA+EcAgRhAAAFcYFAAHYCQZehHAIYIQAAG8oAIdoAAAAAIhIAAADACqABAApAAEAAAAE AAIAAAAAAAAAAAAAAAAAAAAAAAOYBQAPhEALEYQAABXGBQABqAwGXoRAC2CEAABvKACHaAAAAACI 4BARhAAAFcYFAAFIEgZehOAQYIQAAG8oAldoAAAAAlhIAAADACgABwApAAEAAAACAAIAAAAAAAAA

AAAAAAAAAAAAAOYCAAPhLATEYQAABXGBQABGBUGXoSwE2CEAABvKACHaAAAAACISAAAAwAoAAgA AgAAAC4AAQAAABcAAAAAAAAAAAAAAAAAAAAAAAAAAACxgAAA+EaAERhJj+FcYFAAFoAOZehGgBYISY /k9KAQBRSgEAbygAAQC38AEAAAAXAAAAAAAAAAAAAAAAAAAAAASYAAAPhGgBEYSY/hXGBOAB AA+EaAERhJj+FcYFAAFoAQZehGgBYISY/k9KAQBRSqEAbyqAAQC38AEAAAAXAAAAAAAAAAAAAAAAAAA AAAAAAAAAASYAAAPhGgBEYSY/hXGBQABaAEGXoRoAWCEmP5PSgEAUUoBAG8oAAEAt/ABAAAAFwAA ALfwAQAAABcAAAAAAAAAAAAAAAAAAAAAAAAAAEcxqaaa+EaAERhJj+FcYFAAFoAQZehGqBYISY/k9K AAAAAAAAAAAANGAAAD4TQAhGEMP0VxgUAAdACB16E0AJghDD9bygAh2gAAAAAiEgAAAUAAAAuAAEA LgACAAEAAAAAAAEDBQcAAAAAAAAAAAAAAAAAAAAAAAAAYAAAPhGADEYSg/BXGBQABYAMGXoRgA2CEoPxv KACHaAAAAACISAAABwAAAC4AAQAuAAIALqADAAEAAAAAAAEDBQcJAAAAAAAAAAAAAAAAAAAQYAAAP hPADEYQQ/BXGBQAB8AMGXoTwA2CEEPxvKACHaAAAAACISAAACQAAAC4AAQAuAAIALqADAC4ABAAB AAAAAAABAwUHCQsAAAAAAAAAAAAAAAAAAAAAAGAAAD4SABBGEgPsVxgUAAYAEB16EqARqhID7byqAh2qA AAAPhBAFEYTw+hXGBQABEAUGXoQQBWCE8PpvKACHaAAAAACISAAADQAAAC4AAQauAAIALqADAC4A BAAuAAUALqAGAAEAAAAAAAEDBQcJCw0PAAAAAAAAAAAAAOYAAAPhKAFEYRg+hXGBQABoAUGXoSg BWCEYPpvKACHaAAAAACISAAADwAAAC4AAQAuAAIALgADAC4ABAAuAAUALgAGAC4ABwABAAAAAAAA Awuhcqsndxeaaaaaaaaaaaaaaaaaadqwbhgeopkvxquaatagbl6emazqhnd5byqah2qaaaaaiega ABEAAAAuAAEALgACAC4AAwAuAAQALgAFAC4ABgAuAAcALgAIAAEAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAASYAAAPhGgBEYSY/hXGBQABaAEGXoRoAWCEmP5PSgEAUUoBAG8oAAEAt/ABAAAAAQABAAAA AAAAAAAAAAAAAAAAAABgAAA+E0AIRhAAAFcYFAAE4BAZehNACYIQAAAIAAQAuAAEAAAAAAAA AGAAAAAAAAAAAAAAAAAAAAABGAAA+EQAsRhAAAFcYFAAGoDAZehEALYIQAAAMAKAAEACkAAOAA AAQAAgAAAAAAAAAAAAAAAAAAAAAABgAAA+EEA4RhAAAFcYFAAF4DwZehBAOYIQAAAMAKAAFACkA AQAAAAIAAgAAAAAAAAAAAAAAAAAAAABgAAA+E4BARhAAAFcYFAAFIEgZehOAQYIQAAAMAKAAG ACKAAQAAAAQAAgAAAAAAAAAAAAAAAAAAAAABgAAA+EsBMRhAAAFcYFAAEYFQZehLATYIQAAAMA KAAHACkAAQAAAAIAAqAAAAAAAAAAAAAAAAAAAAAAABgAAA+EgBYRhAAAFcYFAAHoFwZehIAWYIQA AAMAKAAIACkAQgAAAEM11A0AAAAAAAAAAAAAAAAACf+Q+AAAAAAAAAAAAAAAAbFCMaqaaaAaaaaaaaaAAAAAFJ2IAcAAAAAAAAAAAAAAjdMciAAAAAAAAAAAAAAATDOkegAAAAAAAAAAAAAP7///8A AADQNohfAAAAAAAAAAAAAAA83a9dgAAAAAAAAAAAAAF08Ii0AAAAAAAAAAAAAAD4OS99AAAA BlbJywaaaaaaaaaaaaahqqcoaaaaaaaaaaaaakFy8Faaaaaaaaaaaaaaqqcbwwaaaaaa VD4AAAAAAAAAAAABkFL4IAAAAAAAAAAAAAAEVSqZgAAAAAAAAAAAAALdbO1YAAAAAAAA AAAAAACxdjQ/AAAAAAAAAAAAAAACgW6TgAAAAAAAAAAAAAAGox4yUAAAAAAAAAAAAAAAApNu5d AAAAAAAAAAAAAASwi3YAAAAAAAAAAAAAAAAAKpdXEcAAAAAAAAAAAAAAAbxMFpAAAAAAAAAAAAAAA AAAAxCoFeAAAAAAAAAAAAAAAKoFD1sAAAAAAAAAAAAAAAAAMWW5rAAAAAAAAAAAAAAAAA23FCDAAA AAAAAAAAAAAAAGYExzsAAAAAAAAAAAAAAABRNlo+AAAAAAAAAAAAAAA9jqicAAAAAAAAAAAAAAAA ALIEkiIAAAAAAAAAAAAAAAPNu5dAAAAABzx3wMBAAAA4yVTBAAAAAAAAAAAAAAAACk2710AAAAA KPHfAwEAAAApNu5dAAAAADTx3wMBAAAAKTbuXQAAAABA8d8DAQAAACk2710AAAAATPHfAwEAAAAp Nu5daaaaafjx3wmbaaaaktbuxqaaaabk8d8daqaaaen9z1eaaaaaaaaaaaaaaabmwcuvaaaaaaa AAAAAAAAO3wBIAAAAAAAAAAAAAAAALVXWFUAAAAAAAAAAAAAAAAAODkMi<math>AAAAAAAAAAAAAAAAAXXkN BAAAAAAAAAAAAAADBA4QgAAAAAAAAAAAAAACKNiN/AAAAAAAAAAAAAAIqvaaQAAAAAAAAAAAA AAAAAJAouA8AAAAAAAAAAAAAAADWZnyoAAAAAAAAAAAAAAAtR90LAAAAAAAAAAAAAAADJFtksa ////////////A8N8DYP///wEAAAAXQAAAAAAAAAAAAAAAAAAAAAAAQAAAAPhIAHEYSI /////8BAAAAEABAAP///////AQAAABAAAQD////AQAAABAAQAD////AQAAABAAAQD//// AAEACQQDAAKEBQAJBAEACQQDAAKEBQAJBAEACQQDAAKEBQAJBAAAEgABAAKEAWAJBAUACQQBAAKE AwAJBAUACQQBAAkEAwAJBAUACQQAAAAAAAAAAAAAAEACQQDAAkEBQAJBAEACQQD AAKEBQAJBBIAAQAJBAMACQQFAAKEAQAJBAMACQQFAAKEAQAJBAMACQQFAAKEAAASAAEACQQDAAKE BQAJBAEACQQDAAKEBQAJBAEACQQDAAKEBQAJBBIAqCx0xAMACQQFAAKEAQAJBAMACQQFAAKEAQAJ BAMACQQFAAkEAAAAAAAAAAAAAAAAEgCALHTEAwAJBAUACQQBAAKEAwAJBAUACQQBAAKEAwAJBAUA CQQAABIAgDCigBkACQQbAAkEDwAJBBkACQQbAAkEDwAJBBkACQQbaAkEAAAAABIAAQAJBAMACQQF AAKEAQAJBAMACQQFAAKEAQAJBAMACQQFAAKEAAASAAEACQQDAAKEBQAJBAEACQQDAAKEBQAJBAEA AKMGFg4BAAAAAADiP/cDowYWDgEAAAAAAK5UGAefb1dIAQAAAAAAG1+2CJ9vV0gBAAAAAADTdAQK XCkWn29XSAEAAAAAJYc+hqjBhYOAQAAAAAHwooG59vV0qBAAAAAAB5eMUbn29XSAEAAAAAAPwU fx6fb1dIAQAAAAAA9B4jJ59vV0gBAAAAAA8UEwnowYWDgEAAAAAAIA51Sefb1dIAQAAAAAxyAC KKMGFg4BAAAAAA4WF0rn29XSAEAAAAAAMxoIzCjBhYOAQAAAAAA9xz6MKMGFg4BAAAAAAAUE38x owYWDgEAAAAAABVt5zOfb1dIAQAAAAAACzP0NKMGFq4BAAAAAA+OTw3n29XSAEAAAAAGdLWzej BhYOAQAAAAATmm2OJ9vV0gBAAAAAADjCuM4owYWDqEAAAAAAGV1Ozyfb1dIAQAAAAAA103UPKMG $\verb|Fg4BAAAAAADXLxo+owYWDgEAAAAAAOcbBECfb1dIAQAAAAAAyH7MQaMGFg4BAAAAAACwFDxDn29X| \\$ SAEAAAAAAMVDlUSjBhYOAQAAAAAA6U9JRZ9vV0qBAAAAAABiHl1GowYWDqEAAAAAADdPw0efbldI AQAAAAAAn29XSAAAAAAAAAAAAAECAAIAayN6TAAAAAAAAAAAAAECAAIAAU9RTqMGFg4BAAAAAAACL TWFQowYWDgEAAAAAHt4g1Cfb1dIAQAAAAA3BufUKMGFq4BAAAAAADjKnJSowYWDgEAAAAAACM5 OVOjBhYOAQAAAAAu38KWqMGFg4BAAAAAADtEpldowYWDgEAAAAAAJgMQmCjBhYOAQAAAAAAACdG YJ9vV0gBAAAAADpdVphn29XSAEAAAAAAA0uzWGfb1dIAQAAAAAASWb1ZJ9vV0gBAAAAAACpbjx1 owYWDgEAAAAAJtreGWfbldIAQAAAAAAe2SJZqMGFg4BAAAAADzQMppowYWDgEAAAAAAGBy5Gqj BhYOAQAAAAAAlAuZa59vV0gBAAAAAAAuIb5rowYWDgEAAAAAADYx9Wyfb1dIAQAAAAAAiDBmbaMG Fg4BAAAAAABzc51tn29XSAEAAAAAANBPWm6jBhYOAQAAAAAAYR0yb6MGFg4BAAAAAABUSwNxowYW DgEAAAAAAHlwFXKjBhYOAQAAAAAAqCbfcp9vV0gBAAAAAAAQQgx0owYWDgEAAAAAALQOEXSfb1dI AQAAAAAA61pkdZ9vV0gBAAAAAAD0HKV4owYWDgEAAAAAHJ7OHqfb1dIAQAAAAAATzhheqMGFq4B AAAAAACVelh9n29XSAEAAAAAAGQYHH+jBhYOAQAAAAAAeqAAAAQAAAAIAAAA5QAAAAAAAAABuaAaA ugECAN1DAwBtFwgAlFwIADwPCQC9FwoAp18LALUZDqBsWBEAH3qRAGs1EqBvSBMA4X0UACVAFqDS ShgAVRYZAMQ2HABmMR4Aj0IkAM51JwCiMikAfGctADQmLgDrPjAA3icyAHRFNABbSzQAeHU1AHJ6 NQBiTjkAzg06AFUgPAD0WTwAlB49AEdhPQDcP0AAHlZAADBeQAArOUIANkhFAOoDSABSHUgAAFhI AO5ySQCFeEsApklMACkKUwDFNVQAc0JYABp4WAAfZFsA0U1cADIVYQDLJ2IANXdiACURYwBcFmOA BjxlAEsOZgCDP20Acl1yAFIDcwDwXHQAmnp5ADJwgAD/V4IAgDKEAPZ5hwA4BYgA81yIALcsigBl CYSAo2OLAGtejQAUWo8ArFyRAGZhmgD3XJwAvFeeAPp/pAD9LKYAtEKpAH14qgB2RK4Ani6xAN8E sgAYOLUAOX22ALhuuQALIrwADje8AM18vwBKfcUAZOfGAIsjyAARSc4AZkTPAEhyzwDNQtEA1BfT AMBL1wCnVtsA+TzcAGB33gA+Jt8AkBjjABV55wB2HugAUWjoAKMQ6wDpXewADjHtAOI87QBPfO4A 0ArvAG5z8wD1XfUAAij4AKMs+gA3Fv0ADUz9AFR4/wAAAAAAtwIAAL0CAADDAgAAxAIAAMwCAADd AgAA3gIAAOYCAAD3AgAA+AIAAAADAAALAwAADAMAABQDAAAfAwAAIAMAADQDAAA1AwAAPwMAAEwD AABNAwAAVQMAAGIDAABjAwAAkggAAAAAAAIAAAAgEAAAIBAACeAQAEAgEAAAIBAACeAQAEAgEA AAIBAACeAQAEAgEAAAIBAACeAQAEAgEAAAIBAACeAQAEAgEAAJ4BAAQCAQAAAgEAAJ4BAAQCAQAA AgEAAJYBAAT/QAOAAQAoAgAAKAIAAOjj0Q0BAAEAKAIAAAAAAAAAAqaqaQITAewIQAAAAAAAAJEI AACQAAAQAEAAAP//AQAAAAcAVQBuAGsAbgBvAHcAbgD//wEACAAAAAAAAAAAAAAA//8BAAAAAAA /wAAAgD//wAAAAD//wAAAgD//wAAAAAJAAAARxaQAQAAAgIGAwUEBQIDBId6ACAAAACACAAAAAAA AAD/AQAAAAAAFQAaQBtAGUAcwAgAE4AZQB3ACAAUgBvAG0AYQBuAAAANRaQAQIABQUBAgEHBgIF AAAAAAAAAAAAQAAAAAAAABDAG8AcABwAGUAcgBwAGwAYQB0AGUAIABHAG8AdABoAGkAYwAqAEwA aQBnAGgAdAAAAEgAZQBsAHYAZQBOAGkAYwBhAAAARzWQAYAKAgIGCQQCBQgDBL8CAKD7/MdoEAAA AAAAAACfAAIAAAAAEOAUwAgAEOAaQBuAGMAaABvAAAALf8z/yAADmYdZwAAQSaQAQAAAgsFBgIC AgMCBIcCAAAAAAAAAAAAAAAACfAAAAAAAAAAAEEAcgBpAGEAbAAgAE4AYQByAHIAbwB3AAAAPzWQ AQAAAgcDCQICBQIEBId6ACAAAACACAAAAAAAAAD/AQAAAAAAAEMAbwB1AHIAaQB1AHIAIABOAGUA cwAAACIABAAxCIgYAPDQAgAAaAEAAAAAz/KIJkPziCbAyohmDABlAAAAIgEAAM8GAAABAEMAAAAE

////f///3///9////f////3///9/brcIAP//EqAAAAAAAAAAAAABy AAwACwAMAAwADAANAAwADgAMAA8ADAAQAAwAEQAMABIADAATAAwAFAAMABUADAAWAAwAFwAMABgA DAAZAAWAGGAMABSADAACAAWAHQAMAB4ADAAfAAWAIAAMACEADAAiAAWAIWAMACQADAAlAAWAJGAM ACCADAAOAAwAKQAMACOADAArAAwALAAMACOADAAuAAwALwAMADAADAAxAAwAMgAMADMADAAOAAwA AAAAAAAA/v8AAAUBAgAAAAAAAAAAAAAAAAAAAAAAAQAAAOCFn/L5T2gQq5EIACsns9kwAAAACAEA ABEAAAABAAAkAAAAIAAACYAAAAAwAAALAAAAAEAAAAvAAAAAUAAADIAAAABwaAANQAAAAIAAAA 6AAAAAkAAAD4AAAAEgAAAAQBAAAKAAAAIAEAAAsAAAASAQAADAAAADgBAAANAAAARAEAAA4AAABQ AQAADwAAAFgBAAAQAAAAYAEAABMAAABoAQAAAqAAAOQEAAAeAAAAAAAAG1SYWRpbvBwcm90b2Nv baaeaaaaaqaaaabsywqeaaaabaaaaepnvgaeaaaaaqaaaabnvqaeaaaacwaaae5vcm1hbC5kb3qa bx4AAAAHAAAUDI2NzIxAGQeAAAAAwAAADEyADceAAAAFAAAAE1pY3Jvc29mdCBXb3JkIDEwLjAA QAAAAACeChwOAAAAQAAAAAAQqFbNisQBQAAAAADqKUO9jsQBQAAAAAByi1nMjsQBAwAAAAEAAAAD

AAAFAQIAAAAAAAAAAAAAAAAAAAAAIAAAAC1c3VnC4bEJOXCAArLPmuRAAAAAXVzdWcLhsQk5cI ACss+a5EAQAAAAEAAAwAAAABAAAAaAAAAAAABwAAABQAAAIQAAAAGAAAAjAAAABEAAACUAAAA Fwaaajwaaaalaaaapaaaabaaaacsaaaaewaaalqaaaawaaaavaaaaa0aaadeaaaadaaaaoaaaaac AAAA5AQAAB4AAAAJAAAATW90b3JvbGEAAGcAAwAAAGYAAAADAAAAQwAAAAMAAACuBwAAAwAAAHsQ ZAAAAAIAAADUAAAAAwAAANwAAAAEAAAAEEAAAUAAAAOAQAABgAAAFABAAAFAAAAAqAAABQAAABf QWRIb2NSZXZpZXdDeWNsZUlEAAMAAAAOAAAAX0VtYWlsU3ViamVjdAAEAAAADOAAAF9BdXRob3JF bWFpbAAFAAAAGAAAAF9BdXRob3JFbWFpbERpc3BsYXlOYW11AAYAAAAZAAAAX1Jldmlld2luZ1Rv b2xzU2hvd25PbmN1AAIAAADkBAAAAwAAADAPMJIeAAAAKQAAAE1hcmt1dCBSZXF1aXJ1bWVudHMq RG9jIChEcmFmdCkgYXR0YWNoZWQAAF9SHgAAABkAAABkYXZpZC51bG1lckBtb3Rvcm9sYS5jb20A RHJhHgAAABIAAABVbG1lciBEYXZ1LUU0MjcyMQBsYR4AAAABAAAAAGxtZQAAAAAAAAAAAAAAAAAAAAA AAAEAAAABQAAAAYAAAAHAAAACAAAAAkAAAAKAAAACwAAAAwAAANAAAADgAAAA8AAAAQAAAAEQAA ABIAAAATAAAAFAAAABUAAAAWAAAAFwAAABgAAAAZAAAAGgAAABsAAAACAĀAAHQAAAB4AAAAfAAAA IAAAACEAAAAiAAAAIwAAACQAAAAlAAAAJgAAACcAAAAoAAAAKQAAACoAAAArAAAALAAAACOAAAAu AAA9AAAAPgAAAD8AAABAAAAAQQAAAEIAAABDAAAARAAAEUAAABGAAAARwAAAEgAAABJAAAASgAA AESAAABMAAATQAAAE4AAABPAAAAUAAAAFEAAABSAAAAUwAAAFQAAAD+///VgAAAFcAAABYAAAA WQAAAFOAAABbAAAAXAAAAP7///9eAAAAXwAAAGAAAABhAAAAYgAAAGMAAABkaAAAZQAAAGYAAABn AAAAaAAAAGkAAABqAAAAawAAAGwAAABtAAAAbgAAAG8AAABwAAAAcQAAAHIAAABzAAAAdAAAAHUA AAB2AAAAdwAAAHgAAAB5AAAAegAAAHsAAAB8AAAAfQAAAH4AAAB/AAAAgAAAAIEAAACCAAAAgwAA AIQAAACFAAAAhgAAAIcAAACIAAAAiQAAAIoAAACLAAAAjAAAAIOAAACOAAAAjwAAAJAAAACRAAAA kgAAAJMAAACUAAAA1QAAAJYAAACXAAAAmAAAAJkAAACaAAAAmwAAAJwAAACdAAAAngAAAJ8AAACg AAAAoQAAAKIAAACjAAAA/v///6UAAACmAAAApwAAAKgAAACpAAAAqgAAAKsAAAD+////rQAAAK4A //////wmaaaagcQIaaaaamaaaaaaaabgaaaaaaaaaaaaaaaaaaf92ecyOxAG5AAAagaaaaaaa

AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AHkASQBuAGYAbwByAG0AYQB0AGkAbwBuAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
///////waaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
AAUARABvAGMAdQBtAGUAbgB0AFMAdQBtAG0AYQByAHkASQBuAGYAbwByAG0AYQB0AGkAbwBuAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAArAAAAAAQAAAAAAAAQBDAG8AbQBwAE8AYgBqAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAABIAAgD///////////////////////////////////
ΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑΑ
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
//////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
/////////AQD+/wMKAAD////BgkC
AAAAAADAAAAAAAAARhgAAABNaWNyb3NvZnQgV29yZCBEb2N1bWVudAAKAAAATVNXb3JkRG9jABAA
AABXb3JkLkRvY3VtZW50LjgA9DmycQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
<i>АААААААААААААААААААААААААААААААААААА</i>
<u> АДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАД</u>
<u>АДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАД</u>
<u>АДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАДАД</u>
<u>АДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДДД</u>
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
cgB5AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
///AwAAAAYJAgAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
YQBOAGEAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAIB//////////AAAAAAAAAAAAAAAAA
VQAAAAQAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAOIOAAAAAAAABXAG8AcgBkAEQAbwBjAHUAbQBlAG4AdaAaAaAaAaA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAhgAAAIcAAACIAAAAiQAAAIoAAACLAAAAjAAAAIOAAACOAAAAjwAAAJAAAACRAAAAkgAAAJMA
AAAANIGAAA1CAAACIAAAA1QAAA1OAAACLAAAAJAAAACOAAAAJWAAACCAAAAAJAAAACKAAAAKGAAAJMA AACUAAAA1QAAAJYAAACXAAAAAAAAAJkAAACaAAAAmwAAAJWAAACCAAAAAngAAAJ8AAACGAAAAAOOAA
AKIAAACjAAAA/v//6UAAACmAAAApwAAAKgAAACpAAAAqgAAAKsAAAD+//////////////////////////////////
//////////////////////////////////////
////v///70AAAD///////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
1//////////////////////////////////////
////////AQAAAP7//8DAAAABAAAAAUA
AAAGAAABWAAAAgAAAAJAAAACgAAAASAAAAMAAAADQAAAP7//////////////////////////////////
///////////////////////////////////////
````\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
///////////////////////////////////////
////////+UAQAABgAAAAIAAAAUAAAAXOFk
SG9jUmV2aWV3Q3ljbGVJRAADAAAADgAAAF9FbWFpbFN1Ymp1Y3QABAAAAA0AAABfQXV0aG9yRW1h
aWwABOAAABGAAABfOXVOaG9vRW1haWyFaXNwhGF5TmFt7OAGAAAAGOAAAF9S7X7p7Xdphmdiib29c

clNob3duT25jZQAHAAAAHAAAAF9QcmV2aW91c0FkSG9jUmV2aWV3Q3ljbGVJRAACAAAA5AQAAAMA AAAuu+54HwAAABUAAABXAGkAcgBlAGwAZQBzAHMAIABDAGEAcqAqAEEAZABhAHAAdABlAHIAAAAA AB8AAAARAAAagBtAHYAQABtAG8AdABvAHIAbwBsAGEALgBjAG8AbQAAAAAAHwAAABYAAABWAGKA bABsAGUAdqBpAGUAaQBsAGwAZQAqAEoALQBQADIANqA3ADIAMQAAAAMAAAAwDzCSAAAAAAAAAAAA YwB1AG0AZQBuAHQAUwB1AG0AbQBhAHIAeQBJAG4AZgBvAHIAbQBhAHQAaQBvAG4AAAAAAAAAAAAA AAAAAAAARhgAAABNaWNyb3NvZnQgV29yZCBEb2N1bWVudAAKAAAATVNXb3JkRG9jABAAAABXb3Jk AAAAAAAAAAAAAAAAAAAAAAAAAAAAXXN1ZwuGxCTlwqAKyz5rkQAAAAF1c3VnC4bEJOXCAArLPmu RAEAAAABAAMAAAAAQAAAGqAAAAPAAAACAAAAAUAAACEAAAABqAAAIwaAAARaaAA1aAABcAAACc AAAACwAAAKQAAAAQAAAArAAABMAAACOAAAAFgAAALwAAAANAAAAxAAAAAwAAADgAAAAAgAAAQQE AAAA+AAAAAAAAAAAQAABAAAADQBAAAFAAAAYAEAAACAAAA=

----_=_NextPart_000_01C48ECC.A41A12C2--

```
From - Thu Feb 10 14:15:13 2005
 Return-Path: <jmv@motorola.com>
 Received: from az43exm04.phx.mcd.mot.com ([144.191.86.40])
 by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i8RLoip32221
 for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Mon, 27 Sep 2004 14:50:44 -0700
 Received: by az43exm04.phx.mcd.mot.com with Internet Mail Service (5.5.2657.72)
 id <TXXX45RQ>; Mon, 27 Sep 2004 14:14:06 -0700
 Message-ID: <3F05200B37A1D511BE550002B3289243159F1414@az43exm04.phx.mcd.mot.com>
 From: Villevieille J-P26721 <jmv@motorola.com>
 To: Ahmad Ahsan-G30074 <ahsan.ahmad@motorola.com>,
 Natt Amrit-AAN040
 <amritnatt@motorola.com>,
 Will Andrew-AWILL1 <Andrew.Will@motorola.com>,
 Matlock Christine-G20007 <christine.c.matlock@motorola.com>,
 Costello Edward-G20048 <ejc@motorola.com>,
 CLAYTON MARK-AMC036
 <Mark.Clayton@motorola.com>,
 Roth Matthew-p53995
 <Matthew.Roth@motorola.com>,
 Rutledge Shawn-E50053
 <shawn.rutledge@motorola.com>
 Subject: RE: When do I get content that I just bought?
 Date: Mon, 27 Sep 2004 14:14:05 -0700
 MIME-Version: 1.0
 X-Mailer: Internet Mail Service (5.5.2657.72)
 Content-Type: multipart/alternative;
 boundary="---_=_NextPart_001_01C4A4D6.EB9A60FA"
 This message is in MIME format. Since your mail reader does not understand
 this format, some or all of this message may not be legible.
 ----- = NextPart 001 01C4A4D6.EB9A60FA
 Content-Type: text/plain
 Ashan.
 Actually, the use case was debated before and may or may not be included in version1
 regards...JMv
 Jean-Marc Villevieille
 Director Engineering Advanced Solutions
 Motorola
 Tempe, AZ
 (W) 602-659-8177
 (M) 480-236-3446
 jmv@motorola.com <mailto:jmv@motorola.com>
 ----Original Message----
 From: Ahmad Ahsan-G30074
 Sent: Monday, September 27, 2004 11:57 AM
To: Ahmad Ahsan-G30074; Natt Amrit-AAN040; Will Andrew-AWILL1; Matlock Christine-G20
 Subject: When do I get content that I just bought?
and the state of the second and the
 This is something we need to consider during detailed design but I thought I'd ask b
 Under the present design we were (I was) envisioning If I am listening to a song vi
 Once a user sends a request to buy content should we allow them to replay the conten
```

Thanks,

Ahsan

-----_= NextPart_001 01C4A4D6.EB9A60FA

Content-Type: text/html

Content-Transfer-Encoding: base64

PCFET0NUWVBF1EhUTUwgUFVCTE1DICItLy9XM0MvL0RURCBIVE1MIDQuMCBUcmFuc210aW9uYWwv L0VOIj4NCjxIVE1MPjxIRUFEPg0KPE1FVEEgSFRUUC1FUVVJVj0iQ29udGVudC1UeXB1IiBDT05U RU5UPSJ0ZXh0L2h0bWw7IGNoYXJzZXQ9VVMtQVNDSUkiPg0KPFRJVExFPk1lc3NhZ2U8L1RJVExF Pg0KDQo8TUVUQSBjb250ZW50PSJNU0hUTUwgNi4wMC4yODAwLjE0NTgiIG5hbWU9R0VORVJBVE9S PjwvSEVBRD4NCjxCT0RZPg0KPERJVj48U1BBTiBjbGFzcz00Mzc1NTUzMTktMjcwOTIwMDQ+PEZP  $\verb|TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| | |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlQqZmFjZTlBcmlhbCBjb2xvcj0jMDAwMGZmIA0Kc2l6ZT0yPkFzaGFuLDwvRk90VD48L1NQQU4+| |TlqqZmFjZmFjZmPm| |TlqqZmFjZmPm| |TlqqZmPm| |TlqqZm| |T$ PC9ESVY+DQ08RE1WPjxTUEFOIGNsYXNzPTQzNzU1NTMxOS0yNzA5MjAwND48Rk9OVCBmYWN1PUFy aWFsIGNvbG9yPSMwMDAwZmYgDQpzaXplPTI+PC9GT05UPjwvU1BBTj4mbmJzcDs8L0RJVj4NCjxE SVY+PFNQQU4gY2xhc3M9NDM3NTU1MzE5LTI3MDkyMDA0PjxGT05UIGZhY2U9QXJpYWwgY29sb3I9 IzAwMDBmZiANCnNpemU9Mj5BY3R1YWxseSwgdGhlIHVzZSBjYXNlIHdhcyBkZWJhdGVkIGJlZm9y ZSBhbmQgbWF5IG9yIG1heSBub3QgYmUgaW5jbHVkZWQgDQppbiB2ZXJzaW9uMS4wIGJ1dCB3aWxs IGJ11HRoZXJ11HVsdG1tYXRlbHk6IGFz1HRoZSBjb250ZW50IG1z1HJ1c21kZW50IG9u1HRoZSAN CnBob251IG11bW9yeSwgdGhlIGFjdGlvbiBQdXNoLXRvLUJ1eSAoZXZlbiBpZiBpdCB3aWxsIHBo eXNpY2FsbHkgYmUgc3luY2h1ZCBvbmx5IA0KbGF0ZXIgaW4gdGh1IGRheSkgc2hvdWxkIGNsZWFy IGEgZmxhZyBpbiB0aGUgc29uZyByaWdodHMgYXNzb2NpYXR1ZCBkaWdpdGFsIA0KcmlnaHRzIHN0 b3J1ZCBpbnRvIHRoZSBwaG9uZSB0aGF0IHdvdWxkIGFsbG93IHVubGltaXR1ZCByZXdpbmQvcGxh eSByaWdodCBhd2F5IA0Kb24gdGhlIHBob25lIGlmIG5lZWRlZC4mbmJzcDsgV2UgbWF5IGF1dG9t  ${\tt YXRpY2FsbHkgcHVzaCB0aGUgc29uZyBpbnRvIHRoZSAnTXkgDQptdXNpYyBjaGFubmVsIiBvbiB0}\\$ aGUgcGhvbmUgb3Iga2VlcCBpdCBpbiB0aGUgc2FtZSBjaGFubmVsIGFuZCBhbGxvdyBpbnN0YW50 IA0KcmVwbGF5LCB3aGljaGV2ZXIgaXMgdGhlIG1vc3QgbmF0dXJhbCBmb3IgdGhlIHVzZXIqKFRC RCB1c2VyIGdyb3VwKS4mbmJzcDsgYXMgd2UgDQphcmUgZW1waGFzaXppbmcgb251IHR5cGUgb2Yg YmVoYXZpb3IgcGVyIGNoYW5uZWwgKHRyaWNrIHBsYX1zIG9yIG5vIHRyaWNrIA0KcGxheXMpLCB0 a GUgZmlyc3QgbWVjaGFuaXNtIG1heSBiZSB0aGUgYmVzdC4mbmJzcDsgVGhpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3JracBigVghpcyBtb2RlbCB3b3BayBbybAbAbayBigVghpcyBtb2RlbCB3b3BayBayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybAbAbayBbybcyB3ZWxsIGZvciANCmZ1dHVyZSB0b2tlbiBjcmVkaXQgLWJhc2VkIHRyYW5zYWN0aW9uIGNvdW50 ZXJzIHdoaWNoIGRvIG5vdCBuZWVkIGEgbGl2ZSANCmludGVyYWN0aW9uIHRvIGNhcnJ5IGZvcndh cmQgdGhlIHRyYW5zYWN0aW9uJm5ic3A7YW5kIGF2b2lkIHNlcGFyYXRlIA0KbWljcm8tcHVyY2hh dXNpYyBtYXkgYmUgDQpmb3Igbm90aGluZyBhcyB0aGUgc29uZyB3aWxsIGFwcGVhciBhdXRvbWF0 aWNhbGx5IGluICJteSByZWNlbnRseSBwdXJjaGFzZWQiIA0Kc2VjdGlvbiBvZiBNeSBNdXNpYyBj aGFubmVsKS4uLjwvRk9OVD48L1NQQU4+PC9ESVY+DQo8RE1WPjxTUEFOIGNsYXNzPTQzNzU1NTMx OS0yNzA5MjAwND48Rk9OVCBmYWNlPUFyaWFsIGNvbG9yPSMwMDAwZmYgDQpzaXplPTI+PC9GT05U PjwvU1BBTj4mbmJzcDs8L0RJVj4NCjxESVY+PFNQQU4gY2xhc3M9NDM3NTU1MzE5LTI3MDkyMDA0 PjxGT05UIGZhY2U9QXJpYWwgY29sb3I9IzAwMDBmZiANCnNpemU9Mj5yZWdhcmRzLi4uSk12PC9G T05UPjwvU1BBTj48L0RJVj4NCjxESVY+Jm5ic3A7PC9ESVY+DQo8RElWIGFsaWduPWxl2nQ+DQo8 RElWIGFsaWduPWxlZnQ+PEZPTlQgZmFjZT0iQ29taWMgU2FucyBNUyIgY29sb3I9IzAwMDA4MCBz aXplPTI+SmVhbi1NYXJjIA0KVmlsbGV2aWVpbGxlPC9GT05UPjwvRE1WPg0KPERJViBhbGlnbj1s ZWZ0PjxGT05UIGZhY2U9IkNvbWljIFNhbnMgTVMiIGNvbG9yPSMwMDAwODAgc216ZT0yPkRpcmVj dG9yIA0KRW5naW51ZXJpbmcgQWR2YW5jZWQgU29sdXRpb25zPC9GT05UPjwvRE1WPg0KPERJViBh bGlnbj1sZWZ0PjxGT05UIGZhY2U9IkNvbWljIFNhbnMgTVMiIGNvbG9yPSMwMDAwODAgDOpzaXpl PTI+TW90b3JvbGE8L0ZPT1Q+PC9ESVY+DQo8RE1WIGFsaWduPWx1ZnQ+PEZPT1QqZmFjZT0iQ29t aWMgU2FucyBNUyIgY29sb3I9IzAwMDA4MCBzaXplPTI+VGVtcGUsIA0KQVo8L0ZPTlQ+PC9ESVY+ DQo8RElWIGFsaWduPWxlZnQ+PEZPTlQgZmFjZT0iQ29taWMgU2FucyBNUyIgY29sb3I9IzAwMDA4 MCANCnNpemU9Mj4oVyk2MDItNjU5LTgxNzc8L0ZPT1Q+PC9ESVY+DQo8RE1WIGFsaWduPWx1ZnQ+ PEZPTlQgZmFjZT0iQ29taWMgU2FucyBNUyIgY29sb3I9IzAwMDA4MCANCnNpemU9Mj4oTSk0ODAt MjM2LTM0NDY8L0ZPT1Q+PC9ESVY+DQo8RE1WIGFsaWduPWx1ZnQ+PEZPT1QgZmFjZT0iQ29taWMg U2FucyBNUyIgY29sb3I9IzAwMDA4MCBzaXp1PTI+PEEgDQpocmVmPSJtYWlsdG86am12QG1vdG9y b2xhLmNvbSI+am12QG1vdG9yb2xhLmNvbTwvQT48L0ZPT1Q+PC9ESVY+PC9ESVY+DQo8QkxPQ0tR VU9URSBkaXI9bHRyIHN0eWxlPSJNQVJHSU4tUklHSFQ6IDBweCI+DQogIDxESVY+PC9ESVY+DQog IDxESVYgY2xhc3M9T3V0bG9va011c3NhZ2VIZWFkZXIgbGFuZz1lbi11cyBkaXI9bHRyIGFsaWdu  ${\tt PWx1ZnQ+PEZPT1QgDQogIGZhY2U9VGFob21hIHNpemU9Mj4tLS0tLU9yaWdpbmFsIE11c3NhZ2UtML} \\$ 

L0I+IE1vbmRheSwgU2VwdGVtYmVyIDI3LCAyMDA0IDExOjU3IA0KICBBTTxCUj48Qj5Ubzo8L0I+  ${\tt IEFobWFkIEFoc2FuLUczMDA3NDsgTmF0dCBBbXJpdC1BQU4wNDA7IFdpbGwgQW5kcmV3LUFXSUxM} \\$ MTsgDQogIE1hdGxvY2sgQ2hyaXN0aW51LUcyMDAwNzsqQ29zdGVsbG8qRWR3YXJkLUcyMDA0ODsq VmlsbGV2aWVpbGxl1EotUDI2NzIxOyANCiAqQ0xBWVRPTiBNQVJLLUFNOzAzNjsqUm90aCBNYXRO aGV3LXA1Mzk5NTsgUnV0bGVkZ2UgDQogIFNoYXduLUU1MDA1MzxCUj48Qj5TdWJqZWN0OjwvQj4q V2hlbiBkbyBJIGdldCBjb250ZW50IHRoYXQgSSBqdXN0IA0KICBib3VnaHQ/PEJSPjxCUj48L0ZP TlQ+PC9ESVY+DQogIDxESVY+PEZPTlQgZmFjZT1BcmlhbCBzaXplPTI+PFNQQU4qY2xhc3M9MzY3 MTYzNDE4LTI3MDkyMDA0P1RoaXMgaXMgc29tZXRoaW5nIA0KICB3ZSBuZWVkIHRvIGNvbnNpZGVy IGR1cmluZyBkZXRhaWxlZCBkZXNpZ24gYnV0IEkgdGhvdWdodCBJJ2QgYXNrIGJ1Zm9yZSBJIA0K ICBmb3JnZXQuPC9TUEFOPjwvRk9OVD48L0RJVj4NCiAgPERJVj48Rk9OVCBmYWN1PUFyaWFsIHNp emU9Mj48U1BBTiANCiAgY2xhc3M9MzY3MTYzNDE4LTI3MDkyMDA0PjwvU1BBTj48L0ZPTlQ+Jm5i c3A7PC9ESVY+DQogIDxESVY+PEZPTlQgZmFjZT1BcmlhbCBzaXp1PTI+PFNQQU4gY2xhc3M9MzY3 MTYzNDE4LTI3MDkyMDA0PlVuZGVyIHRoZSBwcmVzZW50IA0KICBkZXNpZ24gd2UmbmJzcDsmbmJz cDt3ZXJlIChJIHdhcykgZW52aXNpb25pbmcgSWYgSSBhbSBsaXN0ZW5pbmcgdG8gYSBzb25nIHZp YSANCiAgaVJhZGlvIGluIG15IGNhciBhbmQgSSB3YW50IHRvIGJ1eSBpdCBJIGNsaWNrICJwdXNo IHRvIGJ1eSIuIEJ1dCBJIGNhbid0IA0KICBsaXN0ZW4qdG8qdGhlIGNvbnRlbnQqdG8qdGhlIHRv YWNrIGFnYWluIHVudGlsIEkgZ2V0IGhvbWUgb3IgdG8gYSBob3RzcG90IGFuZCANCiAgc3luYy4g PC9TUEFOPjwvRk9OVD48L0RJVj4NCiAgPERJVj48Rk9OVCBmYWN1PUFyaWFsIHNpemU9Mj48U1BB TiANCiAgY2xhc3M9MzY3MTYzNDE4LTI3MDkyMDA0PjwvU1BBTj48L0ZPTlQ+Jm5ic3A7PC9ESVY+ DQogIDxESVY+PEZPTlQgZmFjZT1BcmlhbCBzaXplPTI+PFNQQU4gY2xhc3M9MzY3MTYzNDE4LTI3 MDkyMDA0Pk9uY2UgYSB1c2VyIHNlbmRzIA0KICBhIHJlcXVlc3QgdG8gYnV5Jm5ic3A7Y29udGVu dCBzaG91bGQgd2UgYWxsb3cgdGhlbSB0byByZXBsYXkgdGhlIGNvbnRlbnQgdGhhdCANCiAqdGhl eSBqdXN0IGJvdWdodCBpbW11ZG1hdGVseT88L1NQQU4+PC9GT05UPjwvRE1WPg0KICA8RE1WPjxG T05UIGZhY2U9QXJpYWwgc216ZT0yPjxTUEF0IA0KICBjbGFzcz0zNjcxNjM0MTqtMjcwOTIwMDO+ PC9TUEFOPjwvRk90VD4mbmJzcDs8L0RJVj4NCiAgPERJVj48Rk90VCBmYWN1PUFyaWFsIHNpemU9 Mj48U1BBTiANCiAgY2xhc3M9MzY3MTYzNDE4LTI3MDkyMDA0P1RoYW5rcyw8L1NQQU4+PC9GT05U PjwvRElWPg0KICA8RElWPjxGT05UIGZhY2U9QXJpYWwgc216ZT0yPjxTUEF0IA0KICBjbGFzcz0z NjcxNjMOMTgtMjcwOTIwMDQ+PC9TUEFOPjwvRk9OVD4mbmJzcDs8L0RJVj4NCiAqPERJVj48Rk9O VCBmYWNlPUFyaWFsIHNpemU9Mj48U1BBTiANCiAgY2xhc3M9MzY3MTYzNDE4LTI3MDkyMDA0PkFo c2FuPC9TUEFOPjwvRk9OVD48L0RJVj48L0JMT0NLUVVPVEU+PC9CT0RZPjwvSFRNTD4NCa==

----- = NextPart 001 01C4A4D6.EB9A60FA--

```
- From - Thu Feb 10 14:16:42 2005
 Return-Path: <Michael.Pearce@Motorola.com>
 Received: from az33exr03.mot.com ([10.64.251.233])
 by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i8TIvWp03045
 for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Wed, 29 Sep 2004 11:57:32 -0700
 Received: from labs.mot.com (udomsvc2.labs.mot.com [173.23.250.2])
 by az33exr03.mot.com (Motorola/az33exr03) with ESMTP id i8TIKBIf032309;
 Wed, 29 Sep 2004 13:20:11 -0500
 Received: from udomsvc6.labs.mot.com (udomsvc6.labs.mot.com [173.23.250.6])
 by labs.mot.com (MotLabs Smoke & Mirrors) with ESMTP id i8TIKQ5j022043;
 Wed, 29 Sep 2004 13:20:26 -0500 (CDT)
 Received: from ames (ames.labs.mot.com [173.23.163.2])
 by ims2.labs.mot.com (iPlanet Messaging Server 5.2 (built Feb 21 2002))
 with ESMTPA id <0I4T0036PEY2Y8@ims2.labs.mot.com>; Wed,
 29 Sep 2004 13:20:26 -0500 (CDT)
 Date: Wed, 29 Sep 2004 13:20:26 -0500
 From: Michael Pearce <Michael.Pearce@Motorola.com>
 Subject: iRadio Streaming Media Protocol
 To: "'Mark Clayton'" <mark.clayton@Motorola.com>,
 Villevieille Jean Marc-P26721 <jmv@Motorola.com>,
 Costello Edward-G20048 <ejc@Motorola.com>
 Cc: Tzvetan Horozov <horozov@labs.mot.com>,
 "'Jay Almaula'" <Jay.Almaula@Motorola.com>,
 "'Venu Vasudevan'" <CVV012@Motorola.com>
 Message-id: <00e801c4a650$fe33f930$02a317ad@labs.mot.com>
 MIME-version: 1.0
 X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441
 X-Mailer: Microsoft Outlook, Build 10.0.6626
 Content-type: text/plain; charset=us-ascii
 Content-transfer-encoding: 7BIT
 Importance: Normal
 X-Priority: 3 (Normal)
 X-MSMail-priority: Normal
 Folks,
 Before I get started working on the document again, I wanted to summarize
 the results of our meeting this morning.
 - The current protocol is geared towards abstract commands only. The iRadio
 team feels they will have more flexibility if we can support low-level user
 events that are interpreted by the handset software. We'll still need the
 abstract commands for the in-home scenario. So, there will be three
 categories of messages in this area:
 + Interaction Events (key pressed/released, dials, switches)
 + Renderer Commands (pause, play, flush buffers)
 + Server Commands (goto channel, next channel, prev channel, next track,
 . . .)
 - Initialization will require the in-car adaptar to tell the handset about
 itself (software version) and about the head unit it's attached to (deck
 id).
 - We'll need a power-down event from the in-car adapter to signal a graceful
termination of the session.
 - Push-to-buy will be special cased everywhere:
 + In the car, PTB will be interpreted based on the low-level events from the
 in-car adapter and recorded for later synchronization with the server.
 + On the go, PTB will be directly available on the handset UI and will be
```

- recorded for later synchronization with the server.
- + In the home, PTB will be directly available on the handset UI and will be sent immediately to the server as a command.
- The current ID3 message will be replaced with an abstract metadata message that can include any or all of these fields:
- + Artist
- + Title
- + Album
- + Genre
- + Channel Number
- + Channel Name
  - + Track Number
  - + Total Tracks
  - + Channel Length
  - + Track Length

  - + Channel Time Remaining
  - + Track Time Remaining
  - Ed will be working on an interaction event format proposal that includes the necessary support for dials and switches as well as buttons while I work on other changes to the document.
  - If I've missed anything, let me know.

Note, I've been looking through the A2DP and AVRCP Bluetooth specs. There are a couple of interesting things I've learned:

- A2DP basically uses IETF's RTP over L2CAP (instead of over UDP/IP). - AVRCP basically uses IEEE 1394's AV/C over L2CAP (instead of over firewire). This is a very abstract, high-level control scheme.

## Mike

Mike Pearce

Pervasive Platforms and Architectures Lab, Center for Applications, Content and Services Research, Motorola Labs

email: Michael.Pearce@Motorola.com

"Stamp out extremism!"

From - Thu Feb 10 14:17:07 2005 Return-Path: <Michael.Pearce@motorola.com> Received: from az43exm04.phx.mcd.mot.com ([144.191.86.40]) by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i8UJbtp09590 for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Thu, 30 Sep 2004 12:37:55 -0700 Received: by az43exm04.phx.mcd.mot.com with Internet Mail Service (5.5.2657.72) id <TXXXYGDW>; Thu, 30 Sep 2004 12:00:37 -0700 Received: from udomsvc6.labs.mot.com ([173.23.250.6]) by az43exm04.phx.mcd.mot.com w id TXXXYGDQ; Thu, 30 Sep 2004 12:00:32 -0700 Received: from ames (ames.labs.mot.com [173.23.163.2]) by ims2.labs.mot.com (iPlanet Messaging Server 5.2 (built Feb 21 2002)) with ESMTPA id <0I4V00CQYBGWME@ims2.labs.mot.com> for AMC036@az43.mcd.mot.com; Thu, 30 Sep 2004 14:00:32 -0500 (CDT) Date: Thu, 30 Sep 2004 14:00:32 -0500 From: Michael Pearce <Michael.Pearce@motorola.com> Subject: RE: Streaming protocol discussion. In-reply-to: <3F05200B37A1D511BE550002B328924316DF4E96@az43exm04.phx.mcd.mot.com> To: "'Costello Edward-G20048'" <ejc@motorola.com> Cc: "'Clayton Mark-AMC036'" < AMC036@az43.mcd.mot.com> Message-id: <001b01c4a71f\$c2dbdc70\$02a317ad@labs.mot.com> MIME-version: 1.0 X-MIMEOLE: Produced By Microsoft MimeOLE V6.00.2800.1441 X-Mailer: Microsoft Outlook, Build 10.0.6626 Content-type: text/plain; charset=us-ascii Importance: Normal X-Priority: 3 (Normal) X-MSMail-priority: Normal Content-Transfer-Encoding: 8bit X-MIME-Autoconverted: from quoted-printable to 8bit by pooh.tcg.mcg.mot.com id i8UJb It sounds like the direction you're going is here is to keep stripping the WACA down until it just does two things:

- 1) Decode streamed audio for the head unit
- 2) Serve as a bi-directional conduit for UI events (from head unit) and commands (to head unit)

In theory, that will certainly work, and it has a certain elegance to it. But, this is bigger step than just using head-unit specific UI events (those are easily handled with a mapping table). My concerns (emphasis on concerns, not objections) are:

- 1) How does this approach mesh with your long-term roadmap that includes devices that have a lot more smarts on them, potentially enough to not rely on the handset at all?
- 2) Will this make it more likely or less likely to get other manufacturers to build compatible devices (since they will all be directly exposed to the details of all the head units in the world)?
- 3) From a product development process standpoint, this will mean the handset software team will have to be a lot more directly involved in understanding what the head units all look like. By defining abstract UI events and metadata formats, the protocol would serve as a stable contract that allows teams to work on implementations of the WACA and handset software a lot more independently.

In short, we can probably handle this for CES (since there will only be one

head unit). But, long term, there may be some down sides that need to be evaluated before making this big a change.


Mike


```
P.S. Jean-Marc cancelled our meeting this afternoon didn't he?
> ----Original Message----
> From: Costello Edward-G20048 [mailto:ejc@motorola.com]
> Sent: Thursday, September 30, 2004 1:37 PM
> To: PEARCE MICHAEL-AMP001
> Cc: Clayton Mark-AMC036
> Subject: Streaming protocol discussion.
> Mike,
> Something I was talking with Mark Clayton about is the notion
> of Metadata sent to the WACA (Wireless Audio Car Adapter).
> In our meeting yesterday, we agreed the device-specific
> smarts live in the phone. To be consistent, the metadata
> should be changed into device-specific commands to display
> text, illuminate lights, trigger audio prompts, etc on the
> head unit.
 I guess what I'm suggesting is the commands
> containing the metadata should be converted to simpler device
> commands and sent to the WACA at the same level we get simple
> device commands from it.
> Admittedly, we didn't delve too far into the ramifications
> and side effects, but wanted to broach the subject with you
> and the team.
> Thoughts?
> Ed Costello
> iRadio Client Applications
> 2900 S. Diablo Way - TCG2
> Tempe, AZ 85282
> (602) 659-7737
> ejc@motorola.com
> ----Original Message----
> From: PEARCE MICHAEL-AMP001
> Sent: Thursday, September 30, 2004 11:22 AM
> To: Costello Edward-G20048
> Subject: RE: Event table for Streaming Protocol Doc.
> Yeah, this is what I was thinking (and is practically
> identical to what I put in that section as a placeholder
> yesterday afternoon!). See attached for what I have right now.
> I added some canonical button identifiers (table 4) -- if
> this just doesn't make any sense then we can remove it and
> leave it as "head unit specific" (tables 4, 5, and 6 would
> probably be removed in that case).
> I also removed the "still down" message for buttons -- I
> realized that all we need are pressed and released events,
```

```
> since "still down" messages would be synthesized based on a
> timer anyway, we can just do that in the handset (which will
> give us more flexibility over the heuristic).
> I also added an interpretation of the CONTROL PARAM for dials
> that goes beyond CW/CCW boolean to include a number of clicks
> (I just interpreted CONTROL PARAM as an 8-bit signed number).
> I'm going to make another pass through this with some more
> verbiage and send it out this afternoon as v0.3.
> Thanks,
>
> Mike
> > ----Original Message----
> > From: Costello Edward-G20048 [mailto:ejc@motorola.com]
> > Sent: Thursday, September 30, 2004 1:08 PM
> > To: PEARCE MICHAEL-AMP001
> > Subject: Event table for Streaming Protocol Doc.
> >
> >
> > Mike,
> >
> > See if this matches your understanding of the lower-level events.
> > Cheers,
> >
> > Ed
> > <<iRadio Streaming Media Protocol v0.1.doc>>
> >
>
```

```
From - Thu Feb 10 14:21:56 2005
 Return-Path: <ejc@motorola.com>
 Received: from az43exm04.phx.mcd.mot.com ([144.191.86.40])
 by pooh.tcg.mcg.mot.com (8.11.6/8.9.3) with ESMTP id i91Huap12218
 for <CLAYTON@POOH.TCG.MCG.MOT.COM>; Fri, 1 Oct 2004 10:56:36 -0700
 Received: by az43exm04.phx.mcd.mot.com with Internet Mail Service (5.5.2657.72)
 id <TXXXZ24C>; Fri, 1 Oct 2004 10:19:05 -0700
 Message-ID: <3F05200B37A1D511BE550002B328924316DF4EA7@az43exm04.phx.mcd.mot.com>
 From: Costello Edward-G20048 <ejc@motorola.com>
 To: "'tyounsi@consultant.com'" <tyounsi@consultant.com>,
 PEARCE MICHAEL-AMP001 <Michael.Pearce@motorola.com>
 Cc: Villevieille J-P26721 <jmv@motorola.com>,
 Clayton Mark-AMC036
 <AMC036@az43.mcd.mot.com>
 Subject: RE: iRadio Streaming Media Protocol
 Date: Fri, 1 Oct 2004 10:19:03 -0700
 MIME-Version: 1.0
 X-Mailer: Internet Mail Service (5.5.2657.72)
 Content-Type: multipart/mixed;
 boundary="---- = NextPart_000 01C4A7DA.BA2EA628"
 This message is in MIME format. Since your mail reader does not understand
 this format, some or all of this message may not be legible.
 ----- = NextPart 000 01C4A7DA.BA2EA628
 Content-Type: text/plain
 Thomas,
 No problem. I much prefer to have too much expert input than not enough.
 To address your question: What are the spec of the WACA unit in term of CPU, MEMORY,
We're working on that now. Here's an overview of the mobile <--> WACA prototype. R
 * Programmable uProcessor (ARM-7 or ARM-9 class or equivalent?)
 * Capable of decoding MP3 and AAC+ (Min. 120 MIPS)
 * Evaluation decoders should be made available
 * Storage for data and code (2MB Flash, 16MB SRAM or SDRAM - must have a memory cont
 * Bluetooth chipset and supported stack
 * Might be able to use a USB<-->BT dongle if USB and SW support is available
 * Minimum 2 RS-232 ports - 115.2kBaud or higher
 * Some RTOS or uKernel (ThreadX, pSos, eCos, etc)
 I'm probably omitting some things, but I hope you get the idea.
 Cheers,
 Ed
 ----- = NextPart 000 01C4A7DA.BA2EA628
 Content-Type: application/octet-stream;
 name="WACA Dataflow.ZIP"
 Content-Transfer-Encoding: base64
 Content-Disposition: attachment;
 filename="WACA Dataflow.ZIP"
 base64 data omitted.
```


1





Satisfied iRadio

Customer



£ Radio™

iRadio "Physical" Concept Architecture



### Channel #1: Subscription Webcast "Themed" music channel

 Sweet Home Alabama, Ramblin' Man, The Night They Old Dixie Down, Wrap it Up

## Channel #2: Subscription Webcast

Don't Tell Me, I'm the Only One, You "Mood music" channel Oughta Know, Bitch

**of** Rock

## Channel #3: Subscription Webcast

·FreeBird, Can't get no Satisfaction, Smoke on the Water, Karn Evil 9 "Genre" Music channel

## Channel #4 Subscription Webcast

Sledgehammer, Girls Just Want to "Personal" Music channel · Burning Down The House, Have Fun, Sweet Dreams

## Channel #5 Subsscription Spoken

Telk

n|p|r news

My Telk Shows

 NPR-Talk of the Nation, Sporting News Flash, Cold Case Files, Weather Channel Car talk, Words

### Stream #6: Music I own

Digital Music downloads

CD ripped collection




### My MP3

Motorola Confidential Proprietary Page 4










Ç Radio™



**RadioTM** 

نڻ،

# iRadio Car Adaptation Road-Map

Wireless (Legacy) Adaptor



IRedio Middeemere

ÚSE Hext

WHE

Elue Teeth





_
Gen
$\exists$
X
$\mathbf{\neg}$
듸
21
gration
<u> </u>
#
듸
$\exists$
힏
ea





ikadio Middleware	Memory Gerral		
· · · · iRedio	WHE		
	Elve Tooth	×	

1 2 · · · ·						
<b>Volte</b> Commence						
Multi- Gedess		×				
FW Breadeer		X				

×

×

×

×

 $\times$ 

Hend				×
Mede Memory Cerrel		×	×	
WHF			×	×
Elve Teoth	X	X		



×

×

×

×

×

×

Low End

×

High End


*ુ*ં Radio™

## intelligence 📉 everywhere"

# 🔾 Radio™ Engineering Rules of Engagement

Mix E.Deming's Philosophy with SW Spiral Model Lifecycle:

- 4 phases accelerated lifecycle in fast iterations
- You can't control what you can't measure → light progress metrics
- K.I.S.F....we need small victories one at a time...
- Do Risk Mitigation on bigger unknowns
  first
- Design for testability
- Do not forget / underestimate debugging tools (dataloggers, parsers
  - Concurrent DFT for unit and system level
- Emphasis on shared tools & CM
  - Web portal, wiki, IM, Compass
- ... Be curious... Experiment... Communicate... Have fun!






MOTOROLA

# **Goals & Milestones**







### Summer (1) § Imtirodwetion

### • Client

- 2-boards WACA: BT+CD spoofer
- Car deck to serial CD
- Bluetooth stream from PC spoofer
  - 1 phone BT to WACA BT to WACA

### Client

- Dual board WACA
- E680 & MPX BT demo

server" functions UPnP AV compliance • JAVA E680 & C# MPX "personal

Single board WACA pilot

Client

 A2DP, AVRCP, PAN, SPP server, renderer, controller)

PC client integrated UI

Daily set synchro

DRM

browser+player

- PC BT daemon / USB host PC client content selection
- · Pause here, play there phone & home synchro
  - · Push-to-Buy Simulation

### Server

 Integration with live content AudioFeast???

Database Metadata

schemas...

Framework

Server

- User config, profile
- User authentication
  - · Usage tracking
- Basic synchronization Administrative Mgmt

- Production WACA multimodels legacy decks
- middleware & application UI • E680 & MPX SW release
  - PC client content browser
    - PC phone daily synch
- •DRM enforcement multi- Pause here, play there all domains+ all trick plays
- Server codecs

• Pause here, play there 3 domains

· Push-to-Buy

• Server

- Integration with more than 1 content provider
  - Database & streaming cost optimization
- · QoS monitoring
  - · Fully validated

Robust Database metadata mgmt

& usage tracking

DRM, automated download

Trial level SMS

• Full content management

integration AudioFeast

### MOTOROLA




# Architecture vision / details

## Mark Clayton

Ç Radio™








É Radio™ Overview





### Person

E680


Bulk Content Storage Player Car Control Input Structure Content Service Output Control Home SPP Bluetooth PAN Service Update A2DP s/c


**્રે** Radio™

## MOTOROLA

## **Home Gateway**







## É Radio™ Issues

- encrypted once with relatively small individual license Licensing approaches – hopefully content is files for each device to access the content.
- experience. Meeting scheduled for Friday to discuss. Personalization approaches – what is the user
- (local phone content and home content). Best case How do we browse owned content via the phone is we don't.

# ई Radio™ Issues (cont.)

- How much does server bandwidth cost? iRadio will transfer LOTS of data.
- How will we work with our Content Provider(s)?



# Server vision / details

- Server Team "Committee"-

Radio™



VPN

Motorola Confidential Proprietary Page 19


# iRadio Sever System Architecture - Production

Web Server Cluster

Data/Media Store


J2EE Application Server Cluster


JSP/Servlet/EJB/Web Service





Oracle

Oracle





















Client Gateway







**્** Radio™


## MOTOROLA







نۇ،



# Key Tasks for Alpha Release جُ Radio™

Key Tasks	Owners
Domain Model	Tony/All
CM/Development Processes	Tony
Common API	All
Content Management	Amrit, Matt
Content Provider Interface	Ahsan
Updating Service (Content)	Ahsan
DRM	Matt
User Account/User Auth	Christine
Usage Tracking	Christine/Tony
Personalization	Christine/Tony
Updating Service (Activity, Personalization)	Christine/Tony
Logging	Ahsan

# Client vision / details

Ed Costello & al

Radio™



# Phone/Controller




Collects information on user operation and consumption

Enforces constraints on consumption


Content updated from Home Gateway

Streams audio to WACA

Interprets navigation commands from




# 🕹 Radio™ Media Home Gateway Architecture






## **Auto Domain**



Ç, Radio™

# Wireless Audio Car Adapter Ç Radio™





Motorola Confidential Proprietary Page 27

# Radio™ Client Development Dependencies

E680 Support from Beijing

SDK distribution

JSR-82 implementation (Trial & Product)

Allow native app loading and debug

Collaboration/Tech transfer w/Chicago

UPnP AV

Personal Media Server project using E680

Extensive experience w/Zeevo

SSI America

WACA Support

Zeevo

HW and SDK

Application

# **₹** Radio™ Key CES Tasks for Client

Key Tasks	Owners
Content Update – Home Gateway	Andy
Content Update – Mobile	Shawn/Thomas
Home Gateway User Interface	Andy
BT Control Mobile - Home Gateway	Andy/Shawn/Thomas
BT Device & Service Discovery	Team
BT Command/Control Mobile - WACA	Shawn/Ed/Zeevo
Mobile player app	Shawn/Thomas
Mobile audio streaming	Shawn/Thomas
WACA command translation	Ed/Zeevo/SSI
WACA audio decoding	Ed/Zeevo
WACA audio rendering	Ed/Zeevo/SSI
Buy Now simulation	Shawn/Thomas/Andy



### iRadio AVRCP Interface Specification

iRadio Group Motorola, Inc.

Revision Number	Date of revision	Author	Comments
v0.1	02/09/2005	Brian Tucker	Initial draft

Page 469 of 667

### **Table of Content**

### 1 Introduction

The Bluetooth AVRCP specification defines a set of functionality for a remote control device to send control commands to a audio/visual device. AVRCP does provide two way communications to and from the remote control device, but the defined set of commands is limited to standard A/V control commands such as PLAY, PAUSE and STOP. This document will define how the Motorola iRadio business group is extending the AVRCP profile to include support for iRadio specific functionality

### 2 Theory of Operation

By utilizing the opid_vendor_specific (0x7E) opcode id as defined by the AVRCp profile, iRadio will send Meta Data and channel control commands to and from the iRadio Wireless Audio Car Adapter (WACA). The two primary extension areas relate to Meta data transmision from the iRadio mobile device to the WACA and for channel control commands to be sent from the WACA to the mobile device. A standard Passthrough command will be used to send a vendor specific opcode (0x7E) along with the specific AVRCP extension data.

### 3 Messages

### 3.1 Message Overview

### 3.1.1 Message Structure

The iRadio AVRCP extension will borrow from the IMCP protocol to send and receive data to and from the mobile device and WACA. Following is the header used for all commands.

Field	Type · ·	Length (bytes)	Value	Description
Sync	Integer	4	0xDEADB EEF	Synchronization sequence
Message Length	Integer	2	0-65535	Total length of the command
Command	Integer	1	0-255	Command for the message

### 3.1.2 Physical Layer

The physical layer is via the AVRCP profile.

### 3.1.3 Transmission Order

The transmission order is Octet 0, Octet 1, ..., Octet n. Within each octet, the transmission order is Bit 7, Bit 6, ... Bit 1, Bit 0.

### 3.1.4 Byte Order

In all cases where a data element is greater than one byte, a Little Endian format will be used.

### 3.1.5 Checksum Calculation

The checksum is calculated by summing up all of the bytes in the message into a 16 bit counter.

### 3.2 Message Header

Field	Type	Length (bytes)	Value	Description
Sync	Integer	4	0xDEADB EEF	Synchronization sequence
Message Length	Integer	2	0-65535	Total length of the command
Command	Integer	1	0-255	Command for the message

### 3.3 Message Payload

### 3.3.1 Show Meta Data

This message is sent from the mobile device to the WACA. The WACA is limited in storage space, so whatever text is sent in this command is immediately displayed on the radio's graphical interface.

Field • • •	Туре	Length (bytes)	Value 👈 🛈	Description
Sync	Integer	4	0xDEADB	Synchronization sequence
			EEF	_
Message	Integer	2	Variable	Total length of the command
Length				_
Command	Integer	1	0	Command for the message
Data	String	Variable		Meta data to display
Checksum	Integer	2	0-65535	Sum of header and payload
				Message


### 3.3.2 iRadio Command

This message is sent from the WACA to the mobile device.

Field  • • • •	Type •	Length (bytes)	Value 44 4	Description
Sync	Integer	4	0xDEADB	Synchronization sequence
			EEF	_
Message	Integer	2	0x0003	Total length of message
Length				
Command	Integer	1	1	Command for the message
iRadio	Integer	1	0-255	Command type generated by
Command				the WACA
Туре				
Checksum	Integer	2	0-65535	Sum of header and payload
				Message

### 3.3.2.1 iRadio Command Type

Command Type	Code	Comment
SCMD_GOTO_CHANNEL	0x06	Go to Channel in CMD_PARAM (zero-based)
SCMD_PURCHASE	0x07	Purchase Current Track
SCMD_GOTO_TRACK	0x08	Go to Track in CMD_PARAM (zero-based)
SCMD_GOTO_OFFSET	0x09	Go to Track offset CMD_PARAM seconds



### **Topics** Ç. Radio™

# Marketing Analysis

- What unique/novel user scenarios (use case) problems are being addressed by iRadio?
  - What commercial problem is being addressed?
- What are the incentives to adopt this solution?
- What are the dependencies/unknowns and how do we plan to address them?
- Potential Partnerships
- Demo scenario description
- Overall script (multiple use cases)
- Overall architecture
- Wireless Audio car Adaptor

# What unique/novel user scenarios problems are being addressed by iRadio?

content people want, when they want it and where they want it: Enables the provision and access to the personalized audio

- Content you own (CDs collection, digital music purchase)
- Content you subscribe (S-DARS, Internet Music Services...)
- Content you receive "free-to-Air" (AM/FM, Internet...)


# Pause here – Play there

Pause playback on one device and resume on another

# Enables user-friendly music acquisition and rights management across various platforms and services

Combines power of Broadcast PUSH with intelligent Search PULL









## For a PC-based Internet Digital Music and radio provider (Yahoo Launchcast, Napster...)

- Extends their "PC-centric" subscription reach to the living-room, car and "On-the-Go" phone/media players
- Increase revenue growth through new premium service
- Increase user's to brand "Stickiness" through integration with other services (IMessenger, digital music store...)

# For an S-DARS provider (XM, Sirius...)

- Drive Revenue Growth through enhanced service features
- Capitalize on XM unique content (live concerts, exclusive interviews...)
- Capture share of impulse buying revenue:
- Turns the XM radio into a digital storefront (more than 2millions titles)
- Integrated impulse purchasing of tracks and CD
- Increase XM brand and service recognition leveraging Motorola footprint at home, in the car and on-the-go.







# What are the incentives to adopt this solution? £. Radio™

# Significant potential to create new growth:

- By preventing "commodization" of Motorola products
- By participating in service revenues from audio subscription models
- By potential IPR licensing upside

# High level of interest of key targeted service providers:

Launchcast, MusicChoices, Napster, MusicNet, XM...

## Fits broad Motorola strategic vision to provide "seamless" connected content across domains:

Transversal solution across Motorola sectors' specific products (PCS, BCS, ACES)

# Leverages many unique Motorola assets:

· Home networks products, Entertainment phones and On-Star telematics TCUs, IPR, DRM strategies, "Liquid media"...



## £ Radio™

## What are the dependencies/unknowns and how do we plan to address them?

# Interfacing with key Motorola products: works with SDKs

- Home media gateway: MS1000 and UPnP graphical remote control, Melody Jukebox from Premise Systems (?)
- E680 Linux/Real Audio entertainment phone: 50Meg internal + WiFi card
- Mohawk4 TCU development platform for voice-activated BlueTooth wireless adaptor
- Re-use parts of VIAMOTO Off-board Navigation Client-Server architecture

# Integrating external strategic technology partners:

- SIMPLE DEVICES: SimpleCenter, OMNIFI...
  - Licensing agreement "on-going"
- RFP for a "Poor's man" OMNIFI wireless car adaptor
- Leverage / Mitigation Plan:
- Integrates Mediabolic software and develop stand-alone BlueTooth or WiFI wireless car adaptor







## Ç Radio™

# **Services Partners Assumptions**


Content / Services providers	XM / SDARS	INTERNET SUBSCRIPTION MUSIC LIBRARY (Napster, MusicNet)	INTERNET PERSONAL RADIO & MUSIC STORE (Yahoo Launcast, iTunes?)
Key Value proposition	<ul> <li>Broadcast Rich niche aggregated content</li> <li>Interactive back-channel</li> <li>Cache &amp; autorecord XM specific events/ tunes</li> <li>XM community IM interaction</li> <li>Possible Internet Radio/Music Store</li> </ul>	<ul> <li>Unlimited library subscription</li> <li>Pre-canned Internet radio catalog</li> <li>Few music sales for out of circle users (hard CD copy)</li> <li>Extremely strong community / playlist referrals</li> </ul>	<ul> <li>"personal" Content Push subscription</li> <li>Focused on trigger song purchase through music suggestions</li> <li>Some community / playlist referrals and teasers exchane (Instant Music messenger)</li> </ul>
Detailed Features	<ul> <li>Interactive button:         <ul> <li>Live or delayed buy action</li> <li>Vote, data mining, PTL</li> </ul> </li> <li>Cache of XM contents         <ul> <li>on live 1st hand segments</li> <li>scheduled broadcasts EPG based</li> <li>Scheduled events catalog based</li> </ul> </li> <li>Pause and Xdomains resume</li> <li>"Deferred" community interactivity</li> <li>Possible Internet Direct play:         <ul> <li>Personal radio channels referal-based engine</li> <li>XM Music store</li> </ul> </li> </ul>	<ul> <li>Unlimited Music streaming &amp; download:</li> <li>Music DRM-clock based</li> <li>Possible migration Talk segments</li> <li>renders legacy libraries and "shady P2P content obsolete</li> <li>Personnalized or pre-tuned channels (&gt;100+)</li> <li>Personalized Play-lists</li> <li>Pause and Xdomains resume</li> <li>Community exchanges (play-lists, music pointers, teasers</li> <li>Legal Music xfer on CDs on the top of secured clock devices</li> </ul>	<ul> <li>Limited "personal Music" or pretuned channels streaming"</li> <li>Rating to influence referral engine</li> <li>Pay-per-song download / Interactive purchase</li> <li>Pause and Xdomains resume</li> <li>IM messenger music community</li> <li>for chat, referrals, teasers exchange</li> </ul>












ऐ Radio™ iRadio "Physical" Architecture example for XM...





MOTOROLA

♦·····• BlueTooth ♦····• WiFi

.... Wireless

Wireline

Motorola Confidential Proprietary Page 9

લું Radio™

# **iRADIO CES Demo Script Description (preliminary)**

## ই Radio™

# An "Audio Day" in the life of a consumer

- On PC, user prepares 5-6 "Play-list" content to be automatically daily Single user interface to access "owned music", service provider subscription library, Internet audible books and other spoken-words catalog based content refreshed & downloaded to car and phone (preprocessing / set-up)
  - E.g. Itunes jukebox, Yahoo Launchcast, NPR's Car Talk, jokes of the day, trivia, horoscope, new movies reviews, sports reports....
- Organize in 5 or 6 main "supersets / genres" that will be available on the car radio head-unit 5-6 preset keys with user friendly interactive bargraph to mix % of content preferences (128Meg / 4-6 hours depending codecs & content)
  - E.g. My Ripped Music, My personal music channel, My Sports, My Talk radio, My Audible book.
- Genres could also be organized by mood: My Morning Latte, My energy boost, My relaxation, My learning channel...
- Start demo to show "domains" transitions over course of normalday:
- Start listening to 1st program streamed on Home Theater from MS1000 NAS
  - Jump in the car Seamless handoff to legacy car stereo
- Use familiar CD radio controls and memory preset to browse through various prepared contents, can pause, skip forward and back. Receive live phone call interrupts musichandsfree on car stereo.
- Park the car- Finish phone conversation and resume listening experience with phone earphones or external speakerphone
- End of the day: Come back in the car at then back to home...
- radio depressing the CD start Key 2 seconds (tags the music title / artist/ CD) Listen to a "pop tune" from subscription service and likes it: push-to-buy on
- donwloaded from Music services into "My recently purchased" folder on the PC When entering the home, request is uploaded (WiFi) from car and instantly
  - Purchased Content can then be listened to right away on Home Theater
- Also, "Tag Event" could have a "Push-to-Learn more" function that flags artist bios on PC, possible concerts in the area etc...

## Key Messages



"My Audio Daily Set...



...Follows Me:

- Home to Car
- · Car to Phone



...and I can interact with it"



Motorola Confidential Proprietary



## Daily Set across domains



PC configuration 5 to 6 "Daily Sets" mapped to Radio or Home receiver

· Channel #1: My "digital music"

CD ripped collection

• Digital Music downloads

· Channel #2: My "Yahoo" Personal Music Channel

•AI based suggestion

Channel #3: My talk show radio shows

• Car talk, CNBC McEnroe...


Channel #4: My Audible books

· Channel #5: My Sports radio

Soccer news, stats, scores

· Channel #6: My Lifestyles

 Movies reviews, Entertainment gossip, Discovery, History ...







## Wireless Car Audio Adaptor:

WiFi (home, phone) or BlueTooth (phone)

 AiNet interface CD changer spoofing, CD text spoof for ID3 tags

•128MB storage (option)

USB extension (option)


· Voice command (option)



MOTOROLA

Motorola Confidential Proprietary Page 11

€ Radio™





**્** Radio™

# ঐ Radio™ Q&A Topics from BCS

- What unique/novel user scenarios (use case) problems are being addressed by iRadio?
- What commercial problem is being addressed? What are the incentives to adopt this solution?
- What are the dependencies/unknowns and how do we plan to address them?
- What is a demo scenario description (hardware, software, and use case procedure)





## What unique/novel user scenarios problems are being addressed by iRadio?

content people want, when they want it and where they want it: Enables the provision and access to the personalized audio

Content you own (CDs collection, digital music purchase)

Content you subscribe (S-DARS, Internet Music Services...)

Content you receive "free-to-Air" (AM/FM, Internet...)

Pause here – Play there

Pause playback on one device and resume on another

 Enables user-friendly music acquisition and rights management across various platforms and services

Combines power of Broadcast PUSH with intelligent Search PULL







# ई Radio™ What commercial problem is being addressed?



- Extends their "PC-centric" subscription reach to the living-room, car and "On-the-Go" phone/media players
- Increase revenue growth through new premium service
- Increase brand "Stickiness" through integration with other services (IMessenger, digital music store...)

# For an S-DARS provider (XM, Sirius...)

- Drive Revenue Growth through enhanced service features
- Capitalize on XM unique content (live concerts, exclusive interviews...)
- Capture share of impulse buying revenue:
- Turns the XM radio into a digital storefront (more than 2millions titles)
- Integrated impulse purchasing of tracks and CD
- Increase XM brand and service recognition leveraging Motorola footprint at home, in the car and on-the-go.







# Significant potential to create new growth:

- By preventing "commodization" of Motorola products
- By participating in service revenues from audio subscription models
- By potential IPR licensing upside

# High level of interest of key targeted service providers:

Launchcast, MusicChoice, Napster, MusicNet, XM...

## Fits broad Motorola strategic vision to provide "seamless" connected content across domains:

Transversal solution across Motorola sectors' specific products (PCS, BCS, ACES)

# Leverages many unique Motorola assets:

 Home networks products, Entertainment phones and On-Star telematics TCUs, IPR, DRM strategies, "Liquid media"...







## What are the dependencies/unknowns and how do we plan to address them?

# Interfacing with key Motorola products: works with SDKs

- Home media gateway: MS1000 and UPnP graphical remote control, Melody Jukebox from Premise Systems (?)
- E680 Linux/Real Audio entertainment phone: 50Meg internal + WiFi card
- Mohawk4 TCU development platform for voice-activated BlueTooth wireless adaptor
- Re-use parts of VIAMOTO Off-board Navigation Client-Server architecture


# Integrating external strategic technology partners:

- SIMPLE DEVICES: SimpleCenter, OMNIFI...
  - Licensing agreement "on-going"
- RFP for a "Poor's man" OMNIFI wireless car adaptor
- Leverage / Mitigation Plan:
- Integrates Mediabolic software and develop stand-alone Blue Tooth or WiFI wireless car adaptor












Motorola Confidential Proprietary Page 7

Wireline

Motorola Confidential Proprietary Page 8



# 🕏 Radio™ iRADIO CES Demo Script Description (preliminary)

## An "Audio Day" in the life of a consumer

- On PC, user prepares 5-6 "Play-list" content to be automatically daily refreshed & downloaded to car and phone (preprocessing / set-up)
  - library, Internet audible books and other spoken-words catalog based content Single user interface to access "owned music", service provider subscription
    - E.g. Itunes jukebox, Yahoo Launchcast, NPR's Car Talk, jokes of the day, trivia, horoscope, new movies reviews, sports reports,...
- Organize in 5 or 6 main "supersets / genres" that will be available on the car radio head-unit 5-6 preset keys with user friendly interactive bargraph to mix % of content preferences (128Meg / 4-6 hours depending codecs & content)
  - E.g. My Ripped Music, My personal music channel, My Sports, My Talk radio, My Audible book.
- Genres could also be organized by mood: My Morning Latte, My energy boost, My relaxation, My learning channel...
- Start demo to show "domains" transitions over course of normalday:
- Start listening to 1st program streamed on Home Theater from MS1000 NAS
  - Jump in the car Seamless handoff to legacy car stereo
- Use familiar CD radio controls and memory preset to browse through various prepared contents, can pause, skip forward and back. Receive live phone call interrupts musichandsfree on car stereo.
  - Park the car- Finish phone conversation and resume listening experience with phone earphones or external speakerphone
- End of the day: Come back in the car at then back to home..
- radio depressing the CD start Key 2 seconds (tags the music title / artist/CD) Listen to a "pop tune" from subscription service and likes it: push-to-buy on
- donwloaded from Music services into "My recently purchased" folder on the PC When entering the home, request is uploaded (WiFi) from car and instantly
- Purchased Content can then be listened to right away on Home Theater
- Also, "Tag Event" could have a "Push-to-Learn more" function that flags artist bios on PC, possible concerts in the area etc...

## Key Messages



"My Audio Daily Set...



...Follows Me:

- Home to Car
- Car to Phone



...and I can interact with it"



MOTOROLA

Motorola Confidential Proprietary

intelligence (V) everywhere

intelligence (V) everywhere


## Ç Radio™

## Daily Set across domains



PC configuration 5 to 6 "Daily Sets" mapped to Radio or Home receiver

- · Channel #1: My "digital music"
  - CD ripped collection
- Digital Music downloads
- · Channel #2: My "Yahoo" Personal Music Channel
- AI based suggestion
- Channel #3: My talk show radio shows
- Car talk, CNBC McEnroe..
  - · Channel #4: My Audible books
- Channel #5: My Sports radio • Soccer news, stats, scores
- Channel #6: My Lifestyles
- Movies reviews, Entertainment gossip, Discovery, History ...





## ireless Car Audio Adaptor:

- WiFi (home, phone) or BlueTooth (phone)
- •AiNet interface CD changer spoofing, CD text spoof for ID3 tags
  - •128MB storage (option)
- · USB extension (option)
- Voice command (option)



broadcast or your XM cache "daily

set" / owned music

· Keep listening to XM live In the car

• Pause now...play later in the

 Impulse Buy "daily set"

car ... or back home

Keep listening to your XM

On-the-Go

Optional "off-line" tagged XM

event recording Impulse Buy ·Pause now...play in the phone

MOTOROLA



"daily sets" or a mix Music I own / recently Listen to XM live broadcast or XM cache

purchased

• Impulse Buy

# •


• Browse XM music store

Relax...Fine Tune the experience

se now...play in the car...

Page 496 of 667

& Radio™ A Day In The Life . Art home




BT to WiFi gap Filler (optional garage)




Wireline

Motorola Confidential Proprietary Page 12





## experiences to consumers across the person, home, and car... Motorola is uniquely positioned to deliver wireless music



## iRadio

- You've heard Ed Zander & Padmasree Warrior talk about iRadio. This is a space we're really excited about!
- seamlessly from your home to your car & when you're on the go iRadio enables your music to follow you . . .
- We'll create a "daily set" of your digital music collection, your favorite talk radio shows and a couple hours of your personalized radio channel
- And let you listen to it anyplace, anytime!




## % Radio™

# **Growth Platform Update**

March 8, 2004

## iRadio - The Original Concept



Infrastructure was not Ready Broad Vision of Services Automobile Centric

Motorola Confidential Proprietary Page 2

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☑ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Оотика

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Motorola Confidential Proprietary Page 3


## iRadio - Reincarnated



Consumer Centric – across Domains Wireless & Content Infra Ready Focused & Phased Approach



## Market Factors highlight a hot opportunity in digital audio services across the person-home-car



# iRadio - Reinventing & Personalizing Audio!

## Consumer Value

- favorite radio/TV show when & where you • Listen to your want to!
- Hear the 1st half in the car . . . The rest at home!

E398'

- Like what you hear? Buy it!
- Link to your community.

## iRadio Capabilities

Service Provider

Suggestion/Referral Engine Seamless Pause-Resume Time Slipped Audio Push-to-Buy

Motorola Confidential Proprietary Page 5





# Value Chain - Where is the Strategic Control Spot?

						/
INS H)	Subsystems Software (HW & SW) Framework	re rk rk es	Oistribution & Installation	ion Creation & Aggregation	ant Service & Support	שָּלַ
PERSON	iRadio Server	Combinations	Consumer	iTunes	Wireless SP	
Phone	- Back Office	of:	Electronics	MusicMatch	- AWS	
Audio Player	er in the second se		- Best Buy, CC	Movie Link		
PDA	IRadio Clent	Person			Telematics SP	
	Person/Car	Home	Computer	Internet	- OnStar, ATX	
HOME	100 mm m	Car	Specialty	Broadcasters		
Gateway	iRadio Gateway	"Back Office"			SDAR	
PC	- Home/Hotr Jot		Broadband SP	Artists	- XM, Sirius	
Stereo				Record Labels		
PVR	Time-Slip,		Auto Affermarket	Personal Content		
	Pause-Resume,		L			
CAR	Push-to-Buy		Auto OEIM			
Head unit	IP	1				
TCU			-			
	Software Framework		egic control poi	& IP - Strategic control point to seamlessly deliver	y deliver	
	time-slipped, personalized digital audio across the person, home & car	alized digital au	udio across the	person, home	& car	
		1				





## Motorola Confidential Proprietary

		Person	Ноте	Car	Enterprise
Consumer Apple	Apple	X	×		
Electronics	Panasonic	×	×	×	
	Sony	×	X	×	
Automotive	Delphi		×	X	
	Visteon		X	X	
Computing	IBM		X		×
S C C C C C C C C C C C C C C C C C C C	Microsoft	×	X	X	×
S S S S S S S S S S S S S S S S S S S	Cisco		×		×
Service	XM	×	×	X	
New	Gotulit		×	X	
Entrants	Simple Dev		X	X	
	Motorola	X	X	X	

Competition Is Quickly Heating Up!

## Why Will Motorola Win?



Unparalleled footprint in the person,

home & car

A BCS SOA A **∀** ACES

Seamless, multi-mode networking

expertise

▼ Cellular

**▼** Bluetooth

₹ 802.11

Strong & trusted global brand

▼ Client

**∀** Server

Gateway

## Intellectual Property

▼ Multi-domain content synch

▶ Pause-Resume

Push-to-Buy

▶ Particularly in NA and China





## **iRadio Media Control Protocol**

Motorola Labs

	Revision History	
Working Draft v0.1	September 28, 2004	Michael Pearce
Working Draft v0.2	September 29, 2004	Michael Pearce
Working Draft v0.3	September 30, 2004	Michael Pearce
Working Draft v0.4	October 1, 2004	Michael Pearce
Working Draft v0.5	October 7, 2004	Michael Pearce
Working Draft v0.6	October 13, 2004	Michael Pearce
Working Draft v0.7	October 15, 2004	Michael Pearce
Working Draft v0.8	October 24, 2004	Michael Pearce
Working Draft v0.9	October 27, 2004	Ed Costello
Working Draft v0.10	October 28, 2004	Michael Pearce

## **Table of Contents**

1	Intro	oduction	1
2	The	ory of Operation	<u>2<del>2</del>1</u>
	2.1	Initiation	
	2.2	Termination	2
3	State	e Machines	2
	3.1	Mobile Client State Machine	<u>3<del>3</del>2</u>
	3.2	Peer State Machine	<u>54</u> 3
4	Prot	tocol Interface	<u>66</u> 4
	4.1	Mobile Client Interface	<u>66</u> 5
	4.2	Peer Interface	<u>7<del>7</del>5</u>
5	Mes	ssage Framing and Encoding	<u>9<del>8</del>6</u>
	5.1	Framing	<u>99</u> 6
	5.2	Control Channel	
	5.3	Content Channel	<u>17<del>16</del>14</u>
	5.4	Management Channel	<u>18<del>17</del>15</u>
6	Seci	urity Considerations	<u>18<del>17</del>15</u>

## 1 Introduction

This protocol is intended to support playback of content in the distributed environment envisioned by iRadio. It supports distributed control of playback and supports optional streaming of content from a handset to a player via Bluetooth.

## 2 Theory of Operation

The system is envisioned to consist of three classes of devices:

- The Mobile Client (a.k.a. handset), which contains a synchronized subset of the
  content. The Mobile Client also contains a playback control user interface and is
  capable of rendering the content locally as well as remotely controlling rendering
  of the content. The Mobile Client can optionally stream the content to a remote
  renderer.
- 2. The gateway, which contains the master copy of the content. The gateway also contains a playback control user interface and is capable of rendering the content locally or via remote control.
- 3. The WACA (Wireless Audio Car Adapter), which does not contain a copy of the content. The WACA contains a playback control user interface and is capable of rendering the content received in a stream from the Mobile Client.

Throughout this document, in contexts where either the gateway or the WACA would be playing the same role, the term "peer" is used to refer them interchangeably. However, this does not imply equivalence between these devices in the overall system architecture. Rather, it is used to in this specification to simplify the description of the protocol.

## 2.1 Initiation

iMCP operates over a Bluetooth serial port profile (SPP) connection. The Mobile Client is always the SPP server, while the gateway and WACA are always SPP clients. This means the gateway and WACA must be periodically scanning for the presence of the Mobile Client and, when it's presence is detected, initiating an SPP connection to the Mobile Client. Once such a connection is established between the Mobile Client and either the gateway or the WACA, the control channel is used to exchange MSG_SYN and MSG_ACKMSG_SYN_ACK messages (which includes an indication by the peer of whether it will require streamed audio content or not). At this point, the protocol is ready to carry other control messages as well as streamed audio content (if necessary).

## 2.2 Termination

iMCP termination is implied by tearing down the Bluetooth SPP connection. A peer may optionally indicate termination via a MSG_POWERDOWN message prior to closing the Bluetooth SPP connection


## 3 State Machines

In the following sections, the state machines are specified using tables (one per state). In each table, only the relevant events are included. Events that occur in a state that are not specified in these tables are to be ignored for purposes of state transitions. This includes any event that occurs without a matching condition to what is specified in the table.

The Mobile Client state machine should be implemented by the handset (or other non-handset controller).

The peer state machine should be implemented by the WACA and the gateway peers.

## 3.1 Mobile Client State Machine



Mobile Client State Diagram

## 3.1.1 CLOSED State

In this state, the Bluetooth transport connection is closed. The implementation should be listening for incoming Bluetooth SPP connections.

Event	Condition	Next State	Action
New Transport Connection		OPEN_WAIT	

## 3.1.2 OPEN_WAIT State

In this state, the Bluetooth transport connection should be open. The state machine is waiting for the upper layer to request a connection.

Event	Condition	Next State	Action
PRIM_OPEN_CONN		SYN_SENT	Tx(MSG_SYN)

Rx(EOF)	CLOSED	Notify(CONN_FAILURE)
1	<b> </b>	

## 3.1.3 SYN_SENT State

In this state, the state machine is awaiting a response to the MSG_SYN message.


Event	Condition	Next State	Action
Rx( <del>MSG_ACK</del> <u>MSG_S</u> <u>YN_ACK</u> )		CONNECTED	Notify(CONN_OPEN)
Rx(MSG_ERR)		CLOSED	Notify(CONN_FAILURE)
Rx(EOF)		CLOSED	Notify(CONN_FAILURE)
PRIM_CLOSE_CONN		CLOSED	Tx(MSG_ERR)

## 3.1.4 CONNECTED State

In this state, the connection has been successfully opened.

Event	Condition	Next State	Action
Rx(MSG_POWERDOWN)		CLOSED	Notify(CONN_CLOSED)
Rx(EOF)		CLOSED	Notify(CONN_CLOSED)
PRIM_CLOSE_CONN		CLOSED	

## 3.2 Peer State Machine



Peer State Diagram

### 3.2.1 CLOSED State

In this state, the Bluetooth transport connection is closed. The implementation should be periodically scanning for the presence of the Mobile Client. When the Mobile Client is detected, a new SPP connection should be initiated to the Mobile Client.

Event	Condition	Next State	Action
New Transport Connection		SYN_WAIT	

### 3.2.2 SYN_WAIT State

In this state, the Bluetooth transport connection should be open. The state machine is waiting for an MSG_SYN message.

Event	Condition	Next State	Action
Rx(MSG_SYN)		SYN_RCVD	Notify(CONN_REQUEST)
Rx(EOF)		CLOSED	Notify(CONN_FAILURE)

### 3.2.3 SYN_RCVD State

In this state, the peer has received a MSG_SYN and is waiting for the upper layer to either accept or reject the connection.

Event	Condition	Next State	Action
PRIM_ACCEPT_CONN		CONNECTED	Tx(MSG_ACKMSG_SYN_ACK)
PRIM_REJECT_CONN		CLOSED	Tx(MSG_ERR)
Rx(MSG_ERR)		CLOSED	Notify(CONN_FAILURE)
Rx(EOF)		CLOSED)	Notify(CONN_FAILURE)

### 3.2.4 CONNECTED State

In this state, the connection has been successfully opened.

Event	Condition	Next State	Action
PRIM_POWERDOWN		CLOSED	Tx(MSG_POWERDOWN)
Rx(EOF)		CLOSED	Notify(CONN_CLOSED)

### 43.3 Protocol Interface

The primitives and notifications in the protocol interface describe only the state-changing events that drive (and are generated from) the state machines specified in section 3. Data types referenced in this section are abstract only (and should be self-explanatory).

This is not intended to be an application programming interface. It is merely intended to describe the events that are exchanged between the state machine and the upper layer. A primitive is an event received by the state machine from the upper layer, while a notification is an event delivered to the upper layer from the state machine.

### 4.13.3.1 Mobile Client Interface

### 4.1.13.3.1.1 Primitives

### 4.1.1.13.3.1.1.1 PRIM OPEN CONN

Sent to the state machine by the upper layer when the upper layer wishes to initiate the iMCP connection establishment procedures.

### <u>4.1.1.23.3.1.1.2</u> PRIM_CLOSE_CONN

Sent to the state machine by the upper layer when the upper layer wishes to initiate the iMCP connection close procedures.

### 4.1.23.3.1.2 Notifications

### <u>4.1.2.1</u>3.3.1.2.1 ____CONN_OPEN

Sent by the state machine to the upper layer to indicate the iMCP protocol is now open. Information included in this notification is described below.

Parameter	Type	Required	Description	
iMCP_Version	Integer	Mandatory	Protocol version supported by peer	
ContentAvail	Boolean	Mandatory	True: Peer has local content	
			False: Peer needs streamed content	
HardwareId	Integer	Mandatory	0: No Interaction Hardware	
			0x1-0xFFFFFFFF: Hardware Identifier	

### 4.1.2.23.3.1.2.2 CONN FAILURE

<u>Sent by the state machine to the upper layer to indicate the iMCP protocol failed to open.</u>
<u>Information included in the notification is described below.</u>

Parameter	Type	Required	Description
ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### <u>4.1.2.33.3.1.2.3</u> CONN_CLOSED

Sent by the state machine to the upper layer to indicate the iMCP protocol has been closed.

### 4.23.3.2 Peer Interface

### 4.2.13.3.2.1 Primitives

### <u>4.2.1.1</u>3.3.2.1.1 **PRIM** ACCEPT CONN

Sent by the upper layer to the state machine to indicate the upper layer wishes to accept the offered connection. Information included in this primitive is described below.

Parameter	Type	Required	Description	
ContentAvail	Boolean	Mandatory	True: Peer has local content	
			False: Peer needs streamed content	
HardwareId	Integer	Mandatory	0: No Interaction Hardware	
:			0x1-0xFFFFFFFFF: Hardware Identifier	

### 4.2.1.23.3.2.1.2 **PRIM REJECT CONN**

Sent by the upper layer to the state machine to indicate the upper layer does not wish to accept the offered connection. Information included in this primitive is described below.

Parameter	Type	Required	Description

ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### <u>4.2.1.3</u>3.3.2.1.3 PRIM_POWERDOWN

Sent by the upper layer to the state machine to indicate the upper layer is powering off and the iMCP protocol should be closed.

### 4.2.23.3.2.2 Notifications

### 4.2.2.13.3.2.2.1 CONN REQUEST

Sent by the state machine to the upper layer to indicate an new connection has been requested. Information included in this notification is described below.

	Parameter	Type	Required	Description
Γ	iMCP_Version	Integer	Mandatory	Protocol version supported by Mobile Client

### 4.2.2.23.3.2.2.2 CONN_FAILURE

<u>Sent by the state machine to the upper layer to indicate the connection has failed.</u>
<u>Information included in this notification is described below.</u>

Parameter	Type	Required	Description
ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### <u>4.2.2.33.3.2.2.3</u> CONN_CLOSED

Sent by the state machine to the upper layer to indicate the connection has been closed.




Figure 1 Normal Connection Open and Close

SPP Connection Teardown

### 54 Message Framing and Encoding

Boolean data is encoded as a single byte having either a 0x00 (false) or 0x01 (true) value.

Integer data is encoded in big-endian variable length fields, depending on the maximum range of values allowed for the field in question. Integer field lengths must be 1, 2, 4, or 8 bytes long. Integers are unsigned unless otherwise indicated.

String data is encoded using a 2-byte (big-endian) length prefix followed by the specified number of bytes of UTF8-encoded character data (note: the length prefix specifies the number of bytes of character data, not the number of characters in the string). The longest string that may be transferred using this encoding is 65535 characters, assuming none of the characters requires more than one byte.

Note that this encoding scheme is compatible with the commonly used java.io.DataInputStream and java.io.DataOutputStream classes.

### **5.14.1** Framing

All messages begin with a 1-byte channel identifier, allowing control and content information to be multiplexed across a single byte stream.

Each message is framed using a length-prefix scheme. Immediately following the channel identifier is a 2-byte message length field. The 3 bytes of channel identification and message length information are not included in the message size, allowing a maximum enclosed message size of 65535 bytes.

Table 1 Framing Header

Field	Type	Length	Value	Description
	~ ^			· •

		(bytes)		
CHANNEL	Integer	1	0-1	Channel Identifier:
				0: Control
				1: Content
MSG_LEN	Integer	2	0-65535	Message Length

### 5.24.2 Control Channel

Control messages begin with a 1-byte message type field. The remainder of the message format is type-specific. The message types are enumerated below:

**Table 2 Control Message Types** 

Message Type	Value
MSG_SYN	0x00
MSG_SYN_ACK	0x01
MSG_ERR	0x02
MSG_DISPLAY	0x03
MSG_META	0x04
MSG_CREDIT	0x05
MSG_FLUSH	0x06
MSG_POWERDOWN	0x07
MSG_RENDER_CMD	0x08
MSG_SERVER_CMD	0x09

### <u>5.2.14.2.1</u> MSG_SYN

This message is only sent by the Mobile Client to either the gateway or WACA peers.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	2	Message Length
MSG_TYPE	Integer	1	0x00	MSG_SYN
IMCP_VERSION	Integer	1	0x01	Protocol Version Number

### 5.2.24.2.2 MSG_ACKMSG SYN ACK

This message is only sent by the gateway or WACA peers to the Mobile Client in response to a MSG_SYN. If the peer has a local content cache (e.g., the gateway), then it

should set the FLAG_CONTENT_AVAIL to true, causing the Mobile Client to avoid sending content on the content channel as well as metadata in MSG_META messages. If the peer does not have a local content cache (e.g., the WACA), then it should set the FLAG_CONTENT_AVAIL to false, causing the Mobile Client to stream content on the content channel as well as send metadata in MSG_META messages.

The HW_ID field indicates the interaction hardware identifier. The gateway should return a zero for this field, while the WACA should return an identifier specific to the head unit it's attached to. This will enable the Mobile Client to properly interpret the interaction events for that device.

		Length		
Field	Туре	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	3	Message Length
MSG_TYPE	Integer	1	0x01	MSG_ACKMSG_SY N_ACK
IMCP_VERSION	Integer	1	0x01	Protocol Version Number
FLAG_CONTENT_AVAIL	Boolean	1	0, 1	True: Local content available
				False: Need content
HW_ID	Integer	4	0x0- 0xFFFFFFF	0: No Interaction Hardware
				0x1-0xFFFFFFFF: Hardware Id

### 5.2.34.2.3 MSG_ERR

This message may be sent by either the Mobile Client or the peers in response to MSG_SYN or MSG_EVT messages.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
MSG_TYPE	Integer	1	0x02	MSG_ERR
ERR_CODE	Integer	1	0-255	Error Code
ERR_MSG	String	Variable		Error Message

**Table 3 Error Codes** 

Error Type	Code	Description
UNKNOWN_EVENT	0x80	An unknown or invalid event message was received

### 5.2.44.2.4 MSG_DISPLAY

This message is sent from the Mobile Client to a content-receiving peer to indicate a request to display a short text message for a minimum amount of time.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
MSG_TYPE	Integer	1	0x03	MSG_METADISPLAY
MESSAGE	String	Variable		Message to display
EXPIRES	Integer	1	0-255	0: Display until explicitly cancelled by user
				1-255: Display for EXPIRES seconds (or until cancelled)

### 5.2.54.2.5 MSG_META

This message is sent from the Mobile Client to a content-receiving peer to indicate a change in the relevant content metadata. This message would be sent as a result of a GOTO_CHANNEL event or a transition from one track to another within a channel. Note that not all of the tag information will be sent in every META message – the Mobile Client may only include the most relevant information in a given message. For example, when a new track begins within a channel, the CHANNEL_NUM and CHANNEL_NAME tags would not be sent again since they haven't changed.

`		Length			
Field	Type	(bytes)	Value	Description	
CHANNEL	Integer	1	0	Control Channel	
MSG_LEN	Integer	2	Variable	Message Length	
MSG_TYPE	Integer	1	0x04	MSG_META	
NUM_TAGS	Integer	1	1-255	Number of metadata tags that follow	
Repeat the follow	ing NUM	_TAGS ti	mes:		
TAG_ID	Integer	1	0-255	Tag Identifier	
TAG_LENGTH	Integer	2	0-65535	Tag Length (bytes that follow)	
TAG_DATA		Variable		Tag Data	

**Table 4 Tag Identifiers** 

Tag	Id	Comment
ARTIST	0x00	Artist Name
TITLE	0x01	Track Title
ALBUM	0x02	Album Title
GENRE	0x03	Genre
CHANNEL_NUM	0x04	Channel Number
CHANNEL_NAME	0x05	Channel Name
TRACK	0x06	Track Number
NUM_TRACKS	0x07	Number of Tracks in Channel
CHANNEL_LEN	0x08	Length of Channel
TRACK_LEN	0x09	Length of Track
CHANNEL_REMAIN	0x0A	Channel Time Remaining
TRACK_REMAIN	0x0B	Track Time Remaining

### **<u>5.2.5.14.2.5.1</u>** Artist Tag

		Length		
Field	Type	(bytes)	Value	Description
ARTIST	String	Variable		Artist Name

### **<u>5.2.5.2</u>**4.2.5.2 Track Title Tag

				_
		Length		
Field	Type	(bytes)	Value	Description
TITLE	String	Variable		Track Title

### <u>5.2.5.34.2.5.3</u> Album Tag

		Length		
Field	Type	(bytes)	Value	Description
ALBUM	String	Variable		Album Title

### <u>5.2.5.44.2.5.4</u> Genre Tag

		Length	_	
Field	Type	(bytes)	Value	Description

GENRE	String	Variable	Genre
OFME	Sumg	v al lable	Ocine

### **<u>5.2.5.54.2.5.5</u>** Channel Number Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_NUM	Integer	1	0-255	Channel Number

### **<u>5.2.5.64.2.5.6</u>** Channel Name Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_NAME	String	Variable		Channel Name

### **<u>5.2.5.74.2.5.7</u>** Track Number Tag

		Length		
Field	Type	(bytes)	Value	Description
TRACK	Integer	1	0-255	Track Number

### **<u>5.2.5.84.2.5.8</u>** Total Tracks Tag

		Length		
Field	Type	(bytes)	Value	Description
NUM_TRACKS	Integer	1	0-255	Number of Tracks in Channel

### **<u>5.2.5.94.2.5.9</u>** Channel Length Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_LEN	Integer	2	0-65535	Length of Channel (in seconds)

### <u>5.2.5.10</u>4.2.5.10 Track Length Tag

		Length		
Field	Type	(bytes)	Value	Description
TRACK_LEN	Integer	2	0-65535	Length of Track (in seconds)

### 5.2.5.114.2.5.11 Channel Time Remaining Tag

		Length		
Field	Type	(bytes)	Value	Description

CHANNEL_REMAIN	Integer	2	l	Channel Time remaining (in
			65535	seconds)

### **<u>5.2.5.124.2.5.12</u>** Track Time Remaining Tag

		Length		
Field	Type	(bytes)	Value	Description
TRACK_REMAIN	Integer	2	0-65535	Track Time remaining (in seconds)

### 5.2.64.2.6 MSG CREDIT

This message is sent from a content-receiving peer to the Mobile Client to control the flow of content. The CREDIT field indicates the number of bytes of new content should be transmitted to the receiver before waiting for another CREDIT message.

New content bytes need not be delivered in a single message matching the value in the CREDIT field. They may be delivered in several content messages as long as no more than CREDIT bytes of new content are delivered prior to receiving a new MSG_CREDIT message (this may be necessary, for example, if the tail of one track contains fewer bytes than the advertised credit; in this case, two content messages would be sent, one with the tail of the current track, and another with the head of the next track in the channel).

New MSG_CREDIT messages may be transmitted before all of the content fulfilling the previous MSG_CREDIT message has been delivered. This pipelining may be necessary to minimize buffering in the receiver.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	3	Message Length
MSG_TYPE	Integer	1	0x05	MSG_CREDIT
CREDIT	Integer	2	0-65535	Content Credit

### 5.2.74.2.7 MSG_FLUSH

This message is sent from the Mobile Client to a content-receiving peer to cause the peer's content buffers to be flushed. This message would be sent as a result of a discontinuity in the playback due to, for example, a GOTO_CHANNEL event.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	1	Message Length
MSG_TYPE	Integer	1	0x06	MSG_FLUSH

### 5.2.84.2.8 MSG_POWERDOWN

This message is sent from the WACA to indicate it is powering down and the session should be terminated.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	1	Message Length
MSG_TYPE	Integer	1	0x07	MSG_POWERDOWN

### 5.2.94.2.9 MSG_RENDER_CMD

This message is sent from the Mobile Client to either the WACA or the gateway peer to control playback. It may also be sent from the WACA to the Mobile Client to indicate a local change in playback state (as a result of the user interaction), in which case it is informative only and will not result in a corresponding MSG_RENDER_CMD from the Mobile Client to the WACA.

		Length	<u> </u>	
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	2	Message Length
MSG_TYPE	Integer	1	0x08	MSG_RENDER_CMD
RCMD_TYPE	Integer	1	0-255	Command Type

### **Table 5 Render Command Types**

Command Type	Code	Comment
RCMD_PLAY	0x00	Begin Playback
RCMD_PAUSE	0x01	Pause Playback

### <u>5.2.104.2.10</u> MSG_SERVER_CMD

This message is sent from the Mobile Client to the gateway peer or from the WACA to the Mobile Client to control content selection.

		Length		
Field	Туре	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	3	Message Length
MSG_TYPE	Integer	1	0x09	MSG_SERVER_CMD

SCMD_TYPE	Integer	1	0-255	Command Type
CMD_PARAM	Integer	1	0-255	Command Parameter

### **Table 6 Render Command Types**

Command Type	Code	Comment
SCMD_FFW	0x00	Fast Forward
SCMD_REW	0x01	Rewind
SCMD_NEXT_TRACK	0x02	Next Track
SCMD_PREV_TRACK	0x03	Previous Track
SCMD_NEXT_CHANNEL	0x04	Next Channel
SCMD_PREV_CHANNEL	0x05	Previous Channel
SCMD_GOTO_CHANNEL	0x06	Go to Channel in CMD_PARAM
SCMD_PURCHASE	0x07	Purchase Current Track

### 5.34.3 Content Channel

Blocks of encoded audio content are sent in messages across the content channel from the Mobile Client to the peer if the peer indicated a need for content during the control channel establishment (see Section 4.2.24.2.25.2.2). The size and pacing of content messages is determined by the receiving peer, which sends MSG_CREDIT messages on the control channel to the Mobile Client indicating how many more bytes of content it wishes to receive (see Section 4.2.64.2.65.2.6). There is no correlation between content channel message boundaries and MPEG frames.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	1	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
CODEC_TYPE	Integer	1	0-255	Codec Identifier
CONTENT	Bytes	Variable		Audio Content

**Table 7 Codec Identifiers** 

Codec	Id	Comment
WAV	0x00	Microsoft WAV File Format
SBC	0x01	Sub Band Codec
MP3	0x02	MPEG Layer 3 Audio
MP3_PRO	0x03	MP3 Pro

AAC	0x04	Advanced Audio Codec
AAC_PLUS	0x05	AAC w/SBR
WMA	0x06	Windows Media Audio
OGG_VORBIS	0x07	Ogg Vorbis Audio

### <u>5.44.4</u> Management Channel

Need to capture the management channel requirement and protocol. Fundamentally, the Mobile Client is able to send firmware or other operationally-relevant information (e.g., model-specific translation tables) to the WACA. The WACA should be capable of updating this information by re-flashing itself or otherwise remembering it. The Management Channel will be used to update the WACA when new car radio models are introduced with new user event commands or new features.

### **65** Security Considerations

Since this protocol is intended to run over Bluetooth, this specification relies on the Bluetooth authentication and encryption facilities for security.

### iRadio Media Control Protocol

Motorola Labs

Revision History						
Working Draft v0.1	September 28, 2004	Michael Pearce				
Working Draft v0.2	September 29, 2004	Michael Pearce				
Working Draft v0.3	September 30, 2004	Michael Pearce				
Working Draft v0.4	October 1, 2004	Michael Pearce				
Working Draft v0.5	October 7, 2004	Michael Pearce				
Working Draft v0.6	October 13, 2004	Michael Pearce				
Working Draft v0.7	October 15, 2004	Michael Pearce				
Working Draft v0.8	October 24, 2004	Michael Pearce				
Working Draft v0.9	October 27, 2004	Ed Costello				
Working Draft v0.10	October 28, 2004	Michael Pearce				
Working Draft v0.11	November 2, 2004	Michael Pearce				
Working Draft v0.12	November 19, 2004	Michael Pearce				
Working Draft v0.13	December 2, 2004	Michael Pearce				
Working Draft v0.14	<u>December 16, 2004</u>	Michael Pearce				

### **Table of Contents**

1	Intro	oduction	2
2.		ory of Operation	
	2.1	Initiation	
	2.2	Termination	2 <del>3</del>
3	State	e Machines	2 <del>3</del>
	3.1	Mobile Client State Machine	34
	3.2	Peer State Machine	5 <del>6</del>
	3.3	Protocol Interface	67
	3.4	Example Message Sequences	9 <del>10</del>
4	Mes	sage Framing and Encoding	<del>910</del>
	4.1	Framing	
	4.2	Control Channel 1	011
	4.3	Content Channel	8 <del>19</del>
	4.4	Harmonization	920
	4.5	Management Channel	920
5	Secu	urity Considerations	<u>20</u> 21

### 1 Introduction

This protocol is intended to support playback of content in the distributed environment envisioned by iRadio. It supports distributed control of playback and supports optional streaming of content from a handset to a player via Bluetooth.

### 2 Theory of Operation

The system is envisioned to consist of three classes of devices:

- 1. The Mobile Client (a.k.a. handset), which contains a synchronized subset of the content. The Mobile Client also contains a playback control user interface and is capable of rendering the content locally as well as remotely controlling rendering of the content. The Mobile Client can optionally stream the content to a remote renderer.
- 2. The gateway, which contains the master copy of the content. The gateway also contains a playback control user interface and is capable of rendering the content locally or via remote control.
- 3. The WACA (Wireless Audio Car Adapter), which does not contain a copy of the content. The WACA contains a playback control user interface and is capable of rendering the content received in a stream from the Mobile Client.

Throughout this document, in contexts where either the gateway or the WACA would be playing the same role, the term "peer" is used to refer them interchangeably. However, this does not imply equivalence between these devices in the overall system architecture. Rather, it is used to in this specification to simplify the description of the protocol.

### 2.1 Initiation

iMCP operates over a Bluetooth serial port profile (SPP) connection. The Mobile Client is always the SPP server, while the gateway and WACA are always SPP clients. This means the gateway and WACA must be periodically scanning for the presence of the Mobile Client and, when it's presence is detected, initiating an SPP connection to the Mobile Client. Once such a connection is established between the Mobile Client and either the gateway or the WACA, the control channel is used to exchange MSG_SYN and MSG_SYN_ACK messages (which includes an indication by the peer of whether it will require streamed audio content or not). At this point, the protocol is ready to carry other control messages as well as streamed audio content (if necessary).

### 2.2 Termination

iMCP termination is implied by tearing down the Bluetooth SPP connection. A peer may optionally indicate termination via a MSG_POWERDOWN message prior to closing the Bluetooth SPP connection

### 3 State Machines


In the following sections, the state machines are specified using tables (one per state). In each table, only the relevant events are included. Events that occur in a state that are not

specified in these tables are to be ignored for purposes of state transitions. This includes any event that occurs without a matching condition to what is specified in the table.

The Mobile Client state machine should be implemented by the handset (or other non-handset controller).

The peer state machine should be implemented by the WACA and the gateway peers.

### 3.1 Mobile Client State Machine



Mobile Client State Diagram

### 3.1.1 CLOSED State

In this state, the Bluetooth transport connection is closed. The implementation should be listening for incoming Bluetooth SPP connections.

Event	Condition	Next State	Action
New Transport Connection		OPEN_WAIT	

### 3.1.2 OPEN_WAIT State

In this state, the Bluetooth transport connection should be open. The state machine is waiting for the upper layer to request a connection.

Event	Condition	Next State	Action
PRIM_OPEN_CONN		SYN_SENT	Tx(MSG_SYN)
Rx(EOF)		CLOSED	Notify(CONN_FAILURE)

### 3.1.3 SYN_SENT State

In this state, the state machine is awaiting a response to the MSG_SYN message.


Event	Condition	Next State	Action
Rx(MSG_SYN_ACK)		CONNECTED	Notify(CONN_OPEN)
Rx(MSG_ERR)		CLOSED	Notify(CONN_FAILURE)
Rx(EOF)		CLOSED	Notify(CONN_FAILURE)
PRIM_CLOSE_CONN		CLOSED	Tx(MSG_ERR)

### 3.1.4 CONNECTED State

In this state, the connection has been successfully opened.

Event	Condition	Next State	Action
Rx(MSG_POWERDOWN)		CLOSED	Notify(CONN_CLOSED)
Rx(EOF)		CLOSED	Notify(CONN_CLOSED)
PRIM_CLOSE_CONN		CLOSED	

### 3.2 Peer State Machine



Peer State Diagram

### 3.2.1 CLOSED State

In this state, the Bluetooth transport connection is closed. The implementation should be periodically scanning for the presence of the Mobile Client. When the Mobile Client is detected, a new SPP connection should be initiated to the Mobile Client.

Event	Condition	Next State	Action
New Transport Connection		SYN_WAIT	

### 3.2.2 SYN_WAIT State

In this state, the Bluetooth transport connection should be open. The state machine is waiting for an MSG_SYN message.

Event	Condition	Next State	Action
Rx(MSG_SYN)		SYN_RCVD	Notify(CONN_REQUEST)
Rx(EOF)		CLOSED	Notify(CONN_FAILURE)

### 3.2.3 SYN_RCVD State

In this state, the peer has received a MSG_SYN and is waiting for the upper layer to either accept or reject the connection.

Event	Condition	Next State	Action
PRIM_ACCEPT_CONN		CONNECTED	Tx(MSG_SYN_ACK)
PRIM_REJECT_CONN		CLOSED	Tx(MSG_ERR)
Rx(MSG_ERR)		CLOSED	Notify(CONN_FAILURE)
Rx(EOF)		CLOSED)	Notify(CONN_FAILURE)

### 3.2.4 CONNECTED State

In this state, the connection has been successfully opened.

Event	Condition	Next State	Action
PRIM_POWERDOWN		CLOSED	Tx(MSG_POWERDOWN)
Rx(EOF)		CLOSED	Notify(CONN_CLOSED)

### 3.3 Protocol Interface

The primitives and notifications in the protocol interface describe only the state-changing events that drive (and are generated from) the state machines specified in section 3. Data types referenced in this section are abstract only (and should be self-explanatory).

This is not intended to be an application programming interface. It is merely intended to describe the events that are exchanged between the state machine and the upper layer. A primitive is an event received by the state machine from the upper layer, while a notification is an event delivered to the upper layer from the state machine.

### 3.3.1 Mobile Client Interface

### 3.3.1.1 Primitives

### 3.3.1.1.1 PRIM_OPEN_CONN

Sent to the state machine by the upper layer when the upper layer wishes to initiate the iMCP connection establishment procedures.

### 3.3.1.1.2 PRIM_CLOSE_CONN

Sent to the state machine by the upper layer when the upper layer wishes to initiate the iMCP connection close procedures.

### 3.3.1.2 Notifications

### 3.3.1.2.1 CONN_OPEN

Sent by the state machine to the upper layer to indicate the iMCP protocol is now open. Information included in this notification is described below.

Parameter	Type	Required	Description
iMCP_Version	Integer	Mandatory	Protocol version supported by peer
ContentAvail	Boolean	Mandatory	True: Peer has local content
			False: Peer needs streamed content
HardwareId	Integer	Mandatory	0: No Interaction Hardware
			0x1-0xFFFFFFFFF: Hardware Identifier

### 3.3.1.2.2 CONN_FAILURE

Sent by the state machine to the upper layer to indicate the iMCP protocol failed to open. Information included in the notification is described below.

Parameter	Type	Required	Description
ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### 3.3.1.2.3 CONN CLOSED

Sent by the state machine to the upper layer to indicate the iMCP protocol has been closed.

### 3.3.2 Peer Interface

### 3.3.2.1 Primitives

### 3.3.2.1.1 PRIM_ACCEPT_CONN

Sent by the upper layer to the state machine to indicate the upper layer wishes to accept the offered connection. Information included in this primitive is described below.

Parameter	Type	Required	Description	
ContentAvail	Boolean	Mandatory	True: Peer has local content	
			False: Peer needs streamed content	
HardwareId	Integer	Mandatory	0: No Interaction Hardware	
			0x1-0xFFFFFFFFF: Hardware Identifier	

### 3.3.2.1.2 PRIM_REJECT_CONN

Sent by the upper layer to the state machine to indicate the upper layer does not wish to accept the offered connection. Information included in this primitive is described below.

Parameter Type	Required	Description
----------------	----------	-------------

ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### 3.3.2.1.3 PRIM POWERDOWN

Sent by the upper layer to the state machine to indicate the upper layer is powering off and the iMCP protocol should be closed.

### 3.3.2.2 Notifications

### 3.3.2.2.1 CONN REQUEST

Sent by the state machine to the upper layer to indicate an new connection has been requested. Information included in this notification is described below.

Parameter	Type	Required	Description
iMCP_Version	Integer	Mandatory	Protocol version supported by Mobile Client

### 3.3.2.2.2 CONN_FAILURE

Sent by the state machine to the upper layer to indicate the connection has failed. Information included in this notification is described below.

Parameter	Type	Required	Description
ErrorCode	Integer	Mandatory	Error Code
ErrorMsg	String	Mandatory	Error Message

### 3.3.2.2.3 CONN_CLOSED

Sent by the state machine to the upper layer to indicate the connection has been closed.

### 3.4 Example Message Sequences




Figure 1 Normal Connection Open and Close

### 4 Message Framing and Encoding

Boolean data is encoded as a single byte having either a 0x00 (false) or 0x01 (true) value.

Integer data is encoded in big-endian variable length fields, depending on the maximum range of values allowed for the field in question. Integer field lengths must be 1, 2, 4, or 8 bytes long. Integers are unsigned unless otherwise indicated.

String data is encoded using a 2-byte (big-endian) length prefix followed by the specified number of bytes of UTF8-encoded character data (note: the length prefix specifies the number of bytes of character data, not the number of characters in the string). The longest string that may be transferred using this encoding is 65535 characters, assuming none of the characters requires more than one byte.

Note that this encoding scheme is compatible with the commonly used java.io.DataInputStream and java.io.DataOutputStream classes.

### 4.1 Framing

All messages begin with a 4-byte synchronization sequence¹ (0xDEADBEEF) followed by a 1-byte channel identifier, allowing control and content information to be multiplexed across a single byte stream.

Each message is framed using a length-prefix scheme. Immediately following the channel identifier is a 2-byte message length field. The 7 bytes of synchronization, channel

¹ The synchronization sequence is present in every message, but is only included in table 1 in this document.

identification and message length information are not included in the message size, allowing a maximum enclosed message size of 65535 bytes.

Table 1 Framing Header

		Length		
Field	Type	(bytes)	Value	Description
SYNC	Integer	4	0xDEADBEEF	Synchronization Sequence
CHANNEL	Integer	1	0-1	Channel Identifier:
				0: Control
				1: Content
				2: Harmonization
				255: Management
MSG_LEN	Integer	2	0-65535	Message Length

### 4.2 Control Channel

Control messages begin with a 1-byte message type field. The remainder of the message format is type-specific. The message types are enumerated below:

**Table 2 Control Message Types** 

Message Type	Value
MSG_SYN	0x00
MSG_SYN_ACK	0x01
MSG_ERR	0x02
MSG_DISPLAY	0x03
MSG_META	0x04
MSG_CREDIT	0x05
MSG_FLUSH	0x06
MSG_POWERDOWN	0x07
MSG_RENDER_CMD	0x08
MSG_SERVER_CMD	0x09
MSG_ECHO	<u>0x0A</u>

### 4.2.1 MSG_SYN

This message is only sent by the Mobile Client to either the gateway or WACA peers.

Field Type Length Value Desc	iption
------------------------------	--------

		(bytes)		
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	2	Message Length
MSG_TYPE	Integer	1	0x00	MSG_SYN
IMCP_VERSION	Integer	1	0x01	Protocol Version Number

### 4.2.2 MSG_SYN_ACK

This message is only sent by the gateway or WACA peers to the Mobile Client in response to a MSG_SYN. If the peer has a local content cache (e.g., the gateway), then it should set the FLAG_CONTENT_AVAIL to true, causing the Mobile Client to avoid sending content on the content channel as well as metadata in MSG_META messages. If the peer does not have a local content cache (e.g., the WACA), then it should set the FLAG_CONTENT_AVAIL to false, causing the Mobile Client to stream content on the content channel as well as send metadata in MSG_META messages.

The HW_ID field indicates the interaction hardware identifier. The gateway should return a zero for this field, while the WACA should return an identifier specific to the head unit it's attached to. This will enable the Mobile Client to properly interpret the interaction events for that device.

	:	Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	7	Message Length
MSG_TYPE	Integer	1	0x01	MSG_SYN_ACK
IMCP_VERSION	Integer	1	0x01	Protocol Version Number
FLAG_CONTENT_AVAIL	Boolean	1	0, 1	True: Local content available
				False: Need content
HW_ID	Integer	4	0x0- 0xFFFFFFF	0: No Interaction Hardware
				0x1-0xFFFFFFFF: Hardware Id

### 4.2.3 MSG_ERR

This message may be sent by either the Mobile Client or the peers in response to MSG_SYN or MSG_EVT messages.

Field	Type	Length	Value	Description
-------	------	--------	-------	-------------

		(bytes)		
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
MSG_TYPE	Integer	1	0x02	MSG_ERR
ERR_CODE	Integer	1	0-255	Error Code
ERR_MSG	String	Variable		Error Message

**Table 3 Error Codes** 

Error Type	Code	Description
UNKNOWN_EVENT	0x80	An unknown or invalid event message was received

### 4.2.4 MSG_DISPLAY

This message is sent from the Mobile Client to a content-receiving peer to indicate a request to display a short text message for a minimum amount of time.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
MSG_TYPE	Integer	1	0x03	MSG_DISPLAY
MESSAGE	String	Variable		Message to display
EXPIRES	Integer	1	0-255	0: Display until explicitly cancelled by user
				1-255: Display for EXPIRES seconds (or until cancelled)

### 4.2.5 MSG_META

This message is sent from the Mobile Client to a content-receiving peer to indicate a change in the relevant content metadata, and will be inserted immediately prior to the content message to which it applies. This message would be sent as a result of a GOTO_CHANNEL event or a transition from one track to another within a channel. Note that not all of the tag information will be sent in every META message – the Mobile Client may only include the most relevant information in a given message. For example, when a new track begins within a channel, the CHANNEL_NUM and CHANNEL_NAME tags would not be sent again since they haven't changed.

This message will also be sent from the WACA and Gateway to the Mobile Client to indicate when the playback process actually makes the metadata relevant. In the WACA case, this is necessary due to the buffering on the WACA, while in the Gateway case, the Mobile Client has no other way to determine exactly when track playback begins.

		Length		
Field	Туре	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
MSG_TYPE	Integer	1	0x04	MSG_META
NUM_TAGS	Integer	1	1-255	Number of metadata tags that follow
Repeat the follow	ing NUM	I_TAGS ti	mes:	
TAG_ID	Integer	1	0-255	Tag Identifier
TAG_LENGTH	Integer	2	0-65535	Tag Length (bytes that follow)
TAG_DATA		Variable		Tag Data

### **Table 4 Tag Identifiers**

Tag	Id	Comment
ARTIST	0x00	Artist Name
TITLE	0x01	Track Title
ALBUM	0x02	Album Title
GENRE	0x03	Genre
CHANNEL_NUM	0x04	Channel Number
CHANNEL_NAME	0x05	Channel Name
TRACK	0x06	Track Number
NUM_TRACKS	0x07	Number of Tracks in Channel
CHANNEL_LEN	0x08	Length of Channel
TRACK_LEN	0x09	Length of Track
CHANNEL_REMAIN	0x0A	Channel Time Remaining
TRACK_REMAIN	0x0B	Track Time Remaining

### **4.2.5.1** Artist Tag

		Length						
Field	Type	(bytes)	Value	Description				
ARTIST	String	Variable		Artist Name				

### 4.2.5.2 Track Title Tag

Field	Type	Length	Value	Description

		(bytes)	-
TITLE	String	Variable	 Track Title

### 4.2.5.3 Album Tag

		Length		
Field	Type	(bytes)	Value	Description
ALBUM	String	Variable		Album Title

### 4.2.5.4 Genre Tag

		Length	_	
Field	Туре	(bytes)	Value	Description
GENRE	String	Variable		Genre

### 4.2.5.5 Channel Number Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_NUM	Integer	1	0-255	Channel Number

### 4.2.5.6 Channel Name Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_NAME	String	Variable		Channel Name

### 4.2.5.7 Track Number Tag

			-	
		Length		
Field	Туре	(bytes)	Value	Description
TRACK	Integer	1	0-255	Track Number

### 4.2.5.8 Total Tracks Tag

		Length		
Field	Type	(bytes)	Value	Description
NUM_TRACKS	Integer	1	0-255	Number of Tracks in Channel

### 4.2.5.9 Channel Length Tag

	Field	Type	Length	Value	Description
L			1	i e	I

		(bytes)		
CHANNEL_LEN	Integer	2	0-65535	Length of Channel (in seconds)

### 4.2.5.10 Track Length Tag

		Length		
Field	Type	(bytes)	Value	Description
TRACK_LEN	Integer	2	0-65535	Length of Track (in seconds)

### 4.2.5.11 Channel Time Remaining Tag

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL_REMAIN	Integer	2	0- 65535	Channel Time remaining (in seconds)

### 4.2.5.12 Track Time Remaining Tag

		Length		
Field	Type	(bytes)	Value	Description
TRACK_REMAIN	Integer	2	0-65535	Track Time remaining (in seconds)

### 4.2.6 MSG CREDIT

This message is sent from a content-receiving peer to the Mobile Client to control the flow of content. The CREDIT field indicates the number of bytes of new content should be transmitted to the receiver before waiting for another CREDIT message.

New content bytes need not be delivered in a single message matching the value in the CREDIT field. They may be delivered in several content messages as long as no more than CREDIT bytes of new content are delivered prior to receiving a new MSG_CREDIT message (this may be necessary, for example, if the tail of one track contains fewer bytes than the advertised credit; in this case, two content messages would be sent, one with the tail of the current track, and another with the head of the next track in the channel).

New MSG_CREDIT messages may be transmitted before all of the content fulfilling the previous MSG_CREDIT message has been delivered. This pipelining may be necessary to minimize buffering in the receiver.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	3	Message Length
MSG_TYPE	Integer	1	0x05	MSG_CREDIT

CREDIT	Integer	2	0-65535	Content Credit
	i			

### 4.2.7 MSG_FLUSH

This message is sent from the Mobile Client to a content-receiving peer to cause the peer's content buffers to be flushed. This message would be sent as a result of a discontinuity in the playback due to, for example, a GOTO_CHANNEL event. This message resets any accumulated credit to zero. As a result, the content-receiving peer should immediately send a new MSG_CREDIT message indicating a new credit value.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	1	Message Length
MSG_TYPE	Integer	1	0x06	MSG_FLUSH

### 4.2.8 MSG_POWERDOWN

This message is sent from the WACA to indicate it is powering down and the session should be terminated.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	1	Message Length
MSG_TYPE	Integer	1	0x07	MSG_POWERDOWN

### 4.2.9 MSG_RENDER_CMD

This message is sent from the Mobile Client to either the WACA or the gateway peer to control playback. It may also be sent from the WACA to the Mobile Client to indicate a local change in playback state (as a result of the user interaction), in which case it is informative only and will not result in a corresponding MSG_RENDER_CMD from the Mobile Client to the WACA.

		Length		
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	2	Message Length
MSG_TYPE	Integer	1	0x08	MSG_RENDER_CMD
RCMD_TYPE	Integer	1	0-255	Command Type

**Table 5 Render Command Types** 

Command Type	Code	Comment
RCMD_PLAY		
RCMD_PAUSE	0x01	Pause Playback

### 4.2.10 MSG_SERVER_CMD

This message is sent from the Mobile Client to the gateway peer or from the WACA to the Mobile Client to control content selection.

		Length		
Field	Type	(bytes)	·Value	Description
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	3	Message Length
MSG_TYPE	Integer	1	0x09	MSG_SERVER_CMD
SCMD_TYPE	Integer	1	0-255	Command Type
CMD_PARAM	Integer	1	0-255	Command Parameter

Table 6 Render-Server Command Types

Command Type	Code	Comment
SCMD_FFW	0x00	Skip Forward CMD_PARAM tenths of a second
SCMD_REW	0x01	Skip Backwards CMD_PARAM tenths of a second
SCMD_NEXT_TRACK	0x02	Next Track
SCMD_PREV_TRACK	0x03	Previous Track
SCMD_NEXT_CHANNEL	0x04	Next Channel
SCMD_PREV_CHANNEL	0x05	Previous Channel
SCMD_GOTO_CHANNEL	0x06	Go to Channel in CMD_PARAM (zero-based)
SCMD_PURCHASE	0x07	Purchase Current Track
SCMD_GOTO_TRACK	<u>0x08</u>	Go to Track in CMD_PARAM (zero-based)
SCMD GOTO OFFSET	<u>0x09</u>	Go to Track offset CMD_PARAM seconds

The expected operation of the SCMD_FFW and SCMD_REW messages is as follows: the CMD_PARAM field indicates a skip forward or backward in tenths of a second. A single SCMD_FFW or SCMD_REW command can therefore indicate up to 25.5 seconds of skip. For typical user interfaces that use the >> and << buttons held down as FFW/REW, this means the user interface will need to show the user a clock running forward or backward while the button is held down. If the user accumulates more than

25.5 seconds of skip, a SCMD_FFW or SCMD_REW will need to be sent. When the user releases the button, another message will need to be sent with the remainder.

The SCMD_GOTO_CHANNEL command uses zero-based channel indexing for the CMD_PARAM field. This allows up to 256 channels numbered zero through 255.

The SCMD GOTO TRACK command uses zero-based track indexing for the CMD PARAM field. This allows up to 256 tracks numbered zero through 255.

The SCMD_GOTO_OFFSET command CMD_PARAM field indicates an absolute track offset at which playback should continue. Interpreting the CMD_PARAM field in seconds allows this command to indicate an offset up to 255 seconds (4 minutes 15 seconds) into the track.

Many of the server commands imply a discontinuity in the audio stream. If the mobile client is streaming audio content to a peer, the discontinuity will be handled by sending a MSG_FLUSH (see Section 4.2.7).

### 4.2.11 MSG ECHO

This message is sent from either the Mobile Client or one of the peers (gateway or WACA). MSG ECHO with FLAG REQ RESP == 0 is an echo request, while FLAG REQ RESP == 1 is an echo response. On reception of an echo request, an echo response must be sent immediately. The echo response ECHO DATA field must exactly match the ECHO DATA field of the original echo request message (in order to correlate a response with a particular request). If a response to an echo request is not received in some implementation-defined interval, the sender may determine the connection is no longer usable and disconnect.

		Length		
<u>Field</u>	<u>Type</u>	(bytes)	<u>Value</u>	<u>Description</u>
CHANNEL	Integer	1	0	Control Channel
MSG_LEN	Integer	2	<u>5</u>	Message Length
MSG_TYPE	Integer	1	<u>0x0A</u>	MSG_ECHO
FLAG_REQ_RESP	Integer	1	<u>0-1</u>	Request/Response Flag
				0: Echo Request
				1: Echo Response
ECHO_DATA	Integer	4	Any	Response Correlation

### 4.3 Content Channel

Blocks of encoded audio content are sent in messages across the content channel from the Mobile Client to the peer if the peer indicated a need for content during the control channel establishment (see Section Error! Reference source not found.4.2.2). The size and pacing of content messages is determined by the receiving peer, which sends MSG_CREDIT messages on the control channel to the Mobile Client indicating how

many more bytes of content it wishes to receive (see Section 4.2.6). There is no correlation between content channel message boundaries and MPEG frames.

		Length		-
Field	Type	(bytes)	Value	Description
CHANNEL	Integer	1	1	Control Channel
MSG_LEN	Integer	2	Variable	Message Length
CODEC_TYPE	Integer	1	0-255	Codec Identifier
CONTENT	Bytes	Variable	,	Audio Content

**Table 7 Codec Identifiers** 

Codec	Id	Comment
WAV	0x00	Microsoft WAV File Format
SBC	0x01	Sub Band Codec
MP3	0x02	MPEG Layer 3 Audio
MP3_PRO	0x03	MP3 Pro
AAC	0x04	Advanced Audio Codec
AAC_PLUS	0x05	AAC w/SBR
WMA	0x06	Windows Media Audio
OGG_VORBIS	0x07	Ogg Vorbis Audio

### 4.4 Harmonization

The iRadio Harmonization Protocol (iHP) messages may be carried in iMCP channel 2 when the Mobile Client is connected to the Gateway. iHP is not supported between the Mobile Client and WACA. All Mandatory and Optional iHP fields must be included in iHP messages.

At this time, only the Playpoints message (iradio.plp, type 0x0011) is supported. Immediately following transition to the CONNECTED state, the Mobile Client will transmit its current Playpoint information to the Gateway in a channel 2 iMCP frame. The Gateway should immediately respond with a harmonized Playpoint message which the Mobile Client will use to replace its current Playpoint information.

### 4.5 Management Channel

Need to capture the management channel requirement and protocol. Fundamentally, the Mobile Client is able to send firmware or other operationally-relevant information (e.g., model-specific translation tables) to the WACA. The WACA should be capable of updating this information by re-flashing itself or otherwise remembering it. The Management Channel will be used to update the WACA when new car radio models are introduced with new user event commands or new features.


### **5 Security Considerations**

Since this protocol is intended to run over Bluetooth, this specification relies on the Bluetooth authentication and encryption facilities for security.

### Overview


## Sadlo Manager


# Where is Motorola in your life?





# And where do you listen to music?





# Access to the content you want

## Content you own:

- Home music collection
- Downloaded purchases

## Content you "rent":

- Satellite radio broadcasts
- Online subscriptions to music services
- Online memberships to personality talk shows
- Custom radio channels

## Content you receive:

- Broadcast radio

   DAB & Analog



- Home entertainment system
- **Home PC network**
- Car stereo
- Portable digital music device
- **Cellular handset**
- Laptop on the road
- And whatever comes next!



Where you want it


## Whenever you want it!

Schedule your favorite programs to playback when you want to hear them

Synchronize your playlists across domains and devices

driving your car or exercising at the gym Access your home collection while





# Key iRadio Capabilities

# Time-shifted programming

"Server-in-the-sky" records and stores favorite programs to play back when and where requested

## Pause here – Play there

Pause playback on one device and resume on another

## **Buffered broadcasts**

Pause, rewind, & repeat music, news, talk, weather and sports

## Push-to-Buy

Buy the track or CD of the songs you're listening to



# Benefits to content owners & distributors

# Converts radio play to subscription pay

- Added value of convenience & personalization drives demand for service
- Sparks transition from ad-based business to music sales & subscription-based business

# Extends purchase points beyond the PC

- Into home, car, phone and portable devices
- Eases transition to secure distribution
- Transparent move to a full end-to-end DRM system



## Benefits to consumers

## Seamless mobility

- Cures music schizophrenia
- Multiple playlists, codecs, libraries, devices, and protocols

# Unprecedented access to catalogs and choices


- Wherever you are, whenever you want it
  - All available content is actually available





My favorite music





My favorite programs



### iRadio Car Radio Interface Serial Protocol

iRadio Group Motorola, Inc.

Revision Number	Date of revision	Author	Comments
X0.1	12/1/2004	Brian Tucker	Initial draft
X0.2	12/1/2004	JMV	Formating

### **Table of Content**

1 INTRODUCTION	4
	4
	5
	5
	5
<del>-</del>	5
	5
	6
	6
	6
3.3.1.1 Valid Key Codes	6
	7
3.3.3 Radio Power Change	
3.3.4 Source Change	8
3.3.5 Radio Type	8
3.3.5.1 Valid Car Radio Types	8
	9
3 3 6 1 METADATA Types	Q

### 1 Introduction

This iRadio Car radio Interface Serial Protocol (iCRISP) is intended to unify the interface between the Wireless Audio Car Adapter (WACA) and the Car Radio Serial Interface. The primary purpose of this protocol is to notify the WACA of key presses and releases on the car radio and provide a mechanism for the WACA to display METADATA text on the car radio interface.

### 2 Theory of Operation

The system will consist of two primary functionalities:

- 1. The WACA needs to be aware of key presses and key release on the car radio head unit. Each possible key will be assigned a value that will provide a universal set of key codes across all card radio makes and models. The Car Radio Serial Interface will send a message to the WACA for each key press and key release.
- 2. The WACA needs to provide information to the user via the user interface of the car radio. This protocol will provide a consistent interface for sending audio METADATA text and general informational messages to the car radio for display

### 3 Messages

### 3.1 Message Overview

### 3.1.1 Message Structure

iCRISP messages will be consistent for all messages sent to and from the WACA and Car Radio Serial Interface. Each message will consist of a 4 bytes header followed by the message payload followed by a two byte checksum of the Header and payload message.

Field	Type	Length (bytes)	Value	Description
Header	Integer	4	See next	Indicates the start of an iCRISP
			paragraph	message. Includes start header
				and message length
Payload	Integer	variable	See rest of	Commands or car radio events
Message			document	codes
Checksum	Integer	2 (MSB,LSB)	0-xFFFF	Sum of Header and payload
:				Message (no complement to 1?)

### 3.1.2 Physical Layer

The physical layer is an USART. The protocol is one start bit, eight data bits, and one stop bit. The baud rate is 9600.

### 3.1.3 Transmission Order

The transmission order is Octet 0, Octet 1, ..., Octet n. Within each octet, the transmission order is Bit 7, Bit 6, ... Bit 1, Bit 0.

### 3.2 Message Header

Field	Type	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP
(MSB,LSB?)				message.
Message	Integer	2	0-65535	Length of message payload.
Length				This does not include the 4 byte
(MSB,LSB?)				header of 2 byte checksum.

### 3.3 Message Payload

### 3.3.1 Key Press

This message is sent from the Car Radio Serial Interface to the WACA when a key on the car radio is pressed.

Field	Type	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP
				message.
Message	Integer	2	0-65535	Length of message payload.
Length				This does not include the 4 byte
				header of 2 byte checksum.
Command	Integer	1	0x10	Key press command
Key Pressed	Integer	1	0-255	Key code of key that was
				pressed. See included chart for
				valid key codes
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

### 3.3.1.1 Valid Key Codes

Here are the valid key codes that the Car Radio Serial Interface can send to the WACA.

Key Description	Code
Channel 1	0x41
Channel 2	0x42
Channel 3	0x43
Channel 4	0x44
Channel 5	0x45
Channel 6	0x46
Channel Band	0x50
Right	0x51
Left	0x52

Motorola Confidential Proprietary

Page 6

2/11/2005

Up	0x53
Down	0x54
Text Display Change	0x55
Previous Track	0x10
Next Track	0x11
Disc Up	0x12
Disc Down	0x13
Repeat	0x14
Shuffle	0x15
Fast Forward	0x16
Reverse	0x17

### 3.3.2 Key Release

This message is sent from the Car Radio Serial Interface to the WACA when a key on the car radio is released.

Field	Type	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP
				message.
Message	Integer	2	0-65535	Length of message payload.
Length				This does not include the 4 byte
				header of 2 byte checksum.
Command	Integer	1	0x13	Key release command
Key Released	Integer	1	0-255	Key code of key that was
				pressed. See included chart for
				valid key codes
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

### 3.3.3 Radio Power Change

This message is sent from the Car Radio Serial Interface to the WACA when the car radio is turned on or off.

Field	Туре	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP message.
Message Length	Integer	2	0-65535	Length of message payload. This does not include the 4 byte header of 2 byte checksum.
Command	Integer	1	0x11	Radio power command
On/Off	Integer	1	0x00, 0x01	0x00 = Radio OFF 0x01 = Radio ON
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

Motorola Confidential Proprietary

Page 7

2/11/2005

### 3.3.4 Source Change

This message is sent from the Car Radio Serial Interface to the WACA when the user selects/deselects the iRadio source.

Field	Type	Length (bytes)	Value	<b>Description</b>
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP
				message
Message	Integer	2	0-65535	Length of message payload. This does
Length				not include the 4 byte header of 2 byte
				checksum.
Command	Integer	1	0x12	Source select command
Select/Deselect	Integer	1	0x00, 0x01	0x00 = iRadio deselected
				0x01 = iRadio selected
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

### 3.3.5 Radio Type

This message is sent from the Car Radio Serial Interface to the WACA after the WACA has asked for the type of car radio that is connected to the Car Radio Serial Interface.

	Type	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP
				message.
Message Length	Integer	2	0-65535	Length of message payload. This does not include the 4 byte header of 2 byte checksum.
Command	Integer	1	0x14	Radio type command
Туре	Integer	1	0-255	Type of radio that is connected to the Car Radio Serial Interface.
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

### 3.3.5.1 Valid Car Radio Types

Here are the valid car radio types

Key Description	Code	Supported Radios (Tested)
Sony 1	0x00	XR-CA350X
Pioneer 1	0x01	DEH-P4600MP

Motorola Confidential Proprietary

Page 8

2/11/2005

### 3.3.6 METADATA Text


This message is sent from the WACA to the Car Radio Serial Interface to send METADATA text to the car radio.

Field	Туре	Length (bytes)	Value	Description
Start Header	Integer	2	0xA55A	Indicates the start of an iCRISP message.
Message Length	Integer	2	0-65535	Length of message payload. This does not include the 4 byte header of 2 byte checksum.
Command	Integer	1	0x20	METADATA text command
METADATA Type	Integer	1	0-255	Type of METADATA being sent to the car radio. See the include chart for valid types.
METADATA text	String	Variable		METADATA text
Checksum	Integer	2	0-65535	ADD 00 to n-2 Octet

### 3.3.6.1 METADATA Types

Here are the valid METADATA text types

METADATA Type	Code
Artist Name	0x00
Song Title	0x01
Time Remaining	0x02



Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003. AL, March 2004

# iRadio - Assumptions

### **Content Sources**

Internet Services

ex. Yahoo Launchcast

- ex. MusicChoice Cable Service

Satellite Radio

- ex. XM/Sirius

Digital FM

- ex. Ibiquity

### Services

- Partner with broadcaster (ex. XM) Time-slip, seamless pause/resume

Push-to-buy

- Partner with seller (ex. iTunes)

Daily Set:

 Partner with content aggregator (ex. MusicChoice, Launchcast) Share in revenue from add-on

services

## **Content Types**

Time-Slip and Pause/Resume - Store digital broadcast content

- Play later, play/resume on other device

- Stored as time segments, not tracks

- Set of tracks received from service

- Tailored to user's preferences/feedback

Purchased Tracks

MP3, MPEG, etc. purchased by user

Promotional Tracks

- Trail period tracks, or

- 30sec snippets, or

Trail tracks recorded at lower quality

 Other information requested by user - Recorded commercials

### Hardware & Clients

Home: PC or set top box with SW

Car: in-dash head-unit with SW

Person: client SW on phone

Server: central server, server SW

### Content Use

For personal use only

If necessary, limited plays or No redistribution in any form

expiration time

needed for seamless experience Files of all categories will be copied between devices as

## Digital Rights Management


Store time-slip, pause/resume and daily set in secure format

leaving single user's device set Prevent content copies from

Allow copies of content between single user's devices for seamless experience



Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003.



intelligence 🚺 everywhere

# iRadio – Capabilities

## Time-Slip, Pause/Resume

broadcast content to hard-drive Store digital non-interactive "Virtual TIVO for radio"

Play/resume on any device



Play purchased tracks on any device

**Purchased Tracks** 

seamless pers/home/car experience

Typical MP3 player capabilities

### **Central Service**

Push-to-Buy

- Seamless Time-Slip, Pause/Resume

Daily Set (batch or streaming)

Push-to-X

Existing service provider + add



### Promotional Tracks

information and/or snippets requested Receive and store promotional by user (push-for-more)

Record tracks as snippets, at lower quality or with expire feature

Capture user ratings for later upload

Play daily set from any device

Receive custom-tailored set of

Daily Set

tracks from central service

Enable push-to-buy, push-for-more

and recommend-to-friend


Enable push-to-buy for promo tracks - download to device-of-choice Record commercials for later use as requested by user

MOTOROLA

Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003.

intelligence 💛 everywhere

# iRadio - Personal Content Repository




- Consistent meta-data
- Holds all user data

(PCR)

Personal Content Repository

Secure data format





MOTOROLA

Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003. AL, April 2004



Promo

Daily Set



 Aggregator provides batch or stream of custom-- ex. MusicChoice, YahooLaunchcast subscriber service tailored content via Cable or Internet (interactive)

(XMRadio/Sirius)

Digital Satellite


Radio

Digital Satellite Radio received by car or home

- ex. XM/Sirius add-on subscriber service

Digital

Digital FM received by car or home



Internet

Subscriber Service

(for ex. Yahoo Launchcast)

MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. © Motorola, Inc. 2003. Motorola Confidential Proprietary AL, April 2004



## **Content Use**

Content

## Time slip and pause/resume

- requires copy of content to destination device

### Daily Set

- synchronize to any device Enables Push-to-Buy


### **Promotional Tracks**

- synchronize to any device Enables Push-to-Buy

### **Purchased Tracks**

- MP3-like functionality
- synchronize across devices Seamless experience

Strictly personal use
No redistribution in any form



MOTOROLA

AL, April 2004

Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. © Motorola, Inc. 2003.

### Slide 7

intelligence 🚺 everywhere

# Questions - Time-Slip, Pause/Resume - Broadcast

## For each content source:


-Digital Satellite Radio (subscription service)

-Digital FM

time-slip and pause/resume? needed to perform seamless 1. Is an additional license

owners be likely to negotiate a content providers or copyright 2. If so, would either the license?

infringement litigation and how 3. What is the risk of can it be reduced?





Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003.


### Slide 8



# Questions - Time-Slip, Pause/Resume - Internet/Cable Stream

## For each content source:

- Cable content service (ex. MusicChoice)
- Internet interactive service (ex. YahooLauchcast)



### Digital CATV

(for ex. MusicChoice)

### Internet


Subscriber Service

(for ex. Yahoo Launchcast)

time-slip and pause/resume? needed to perform seamless 1. Is an additional license

owners be likely to negotiate a content providers or copyright 2. If so, would either the icense?

infringement litigation and how 3. What is the risk of can it be reduced?




MOTOROLA

Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other
product or service names are the property of their respective owners. © Motorola, Inc. 2003.

## **Questions - Daily Set**

## For each content source:

- Cable content service (ex. MusicChoice)
- Internet interactive service (ex. YahooLauchcast)
- time-slip and pause/resume? needed to perform seamless 1. Is an additional license
- owners be likely to negotiate a content providers or copyright 2. If so, would either the icense?
- infringement litigation and how 3. What is the risk of can it be reduced?
- 4. Does push-to-buy, push-forrequire a transactional patent track/artist/album-to-friend more and/or recommend icense?




### Digital CATV

(for ex. MusicChoice)

### Internet

Subscriber Service

(for ex. Yahoo Launchcast)





## MOTOROLA

MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service names are the property of their respective owners. © Motorola, Inc. 2003. Motorola Confidential Proprietary

**AL**, April 2004

# Questions – Promotional Tracks

## For each content source:

-Digital Satellite Radio (subscription service)

-Digital FM

### 1. Is a <u>license needed</u> to


a) Record track at lower quality (Analog FM or worse)?


b) Record 30 second snippet?

c) Record track which expires after certain period?

d) Export track from daily set to promotional tracks in one of the above formats? 2. If so, would either the content providers or copyright owners be <u>likely to negotiate</u> a license?

 Is a <u>license needed</u> to provide <u>push-to-buy</u> service for promotional tracks?










### Slide 11

intelligence Werywhere

# **Questions – Purchased Tracks**

### For content which was purchased:


- 1. Is a additional <u>license</u> needed to copy tracks to other devices for play?
- 2. If so, would either the content providers or copyright owners be likely to negotiate a license? (ex. iTunes)?
- 3. What is the <u>risk of infringement litigation</u> and how can it be reduced?





AL, April 2004
Motorola Confidential Proprietary
MOTOROLA and the Stylized M Logo are registered in the US Patent & Trademark Office. All other product or service narses are the property of their respective owners. © Motorola, Inc. 2003.

9/22/04



Radio™



## **Consumer Perspective**

# Partners & Business Model

# Solution Summary & Status

Seed Funding Request

**Business Case** & Eco-System

### Ç. Radio™

## iRadio Phase I Approach

First 45 days

Second 45 days

Set Targets

Competition

Consumer Customer

External

**Technology** 

		"Where"	ere"		_
	Person	Home	Car	Other	
Navigation					
Entertainment					Ü
Seamle	ss Digital	Seamless Digital Audio across Person-Home-Car	ss Persor	Home-Car	
Information					<u></u>
Safety & Security					


**Solution Definition** & Business Mode


Competencies Resources Internal


Goal

Motorola Confidential Proprietary Page 3












Motorola Confidential Proprietary Page 4

# Two Distinct Market Entry Strategies

Option 1: Sustain Broadcast Radio by offering customers a hear, create customized playlists and listen to precisely what premium service that allows them to purchase songs they they want, when they want



Performance Demand

flexibility and more customization. Partner with alternate content business model, with less total choice but lower prices, greater Option 2: Disrupt Broadcast Radio by offering a distinct provider (e.g., Yahoo!Launch) to provide content

Time







## **History & Vision**



# Partners & Business Model


# Solution Summary & Status

Motorola Confidential Proprietary Page 6

# Consumers' Perspective - An opportunity to


serve the 97%

## Satellite subscribers love their service!



Special & Pricing live events Audio Quality channels

# But non-subscribers shun cost & hassle...and desire satellite benefits



MOTOROLA

Motorola Confidential Proprietary Page 7



50

£ Radio™

# What do consumers want?

- want my content... "The best of both worlds"!
- Includes my home music collection (66%)
- A wide variety of audio content that better matches my moods and tastes (65%)



- In my car (89%)
- On my home stereo (71%)
- On my PC (48%)




- Skip commercials (70%)
- Pause, resume, rewind (61%)
- Add song I'm hearing to my home collection (53%)

Source: eBrain/iRadio consumer research, Aug. 04





# ♣ Radio™ And a high willingness to pay!



* Hi interest, Heavy commute, Hi income

Source: eBrain/iRadio consumer research, Aug. 04



Motorola Confidential Proprietary

**Total Market** 

Source: eBrain/iRadio consumer research, Aug. 04

**Target** 

Motorola Confidential Proprietary Page 10



### AudioFeast Will Be Our Initial Content Partner £ Radio™

Poor Music CHOICE كال العالقال Good 0 **In** musicnet Wholesaler •0 LIVE(ECE)COM Mot Go to Market Strategic Control Web Caster CALCOLGOM. · Customer Reach Lose Control Musicmatch mass bonn. Solution Fit The maine Sontent . **Susiness** Gustomer offwelle Wentlety Keedh/ ्रीशि මැළඹම්



Motorola Confidential Proprietary Page 11


intelligence (X) everywhere"

### **History & Vision**

### **Consumer Perspective**


### Partners & Business Model

### Solution Summary & Status



### ્રે Radio™

### **Phone/Controller**



2 Espresso Mix

Launch iRadi

Volume up


4 Classic Rock


Eric Clapton

- Acts as UPnP controller in all domains
- Collects information on user operation and consumption
- Enforces constraints on consumption
- Content updated from Home Gateway
- Streams audio to WACA
- Interprets navigation commands from WACA

(nockin' on Heaven's Door

01:12







Emulating iPOD joystick behavior Limited display pages: **Artist/song** 

User Interface

- Art Cover menus
- Extended Menu (preferences, vote...)
- Direct PTB on screen or 2 sec activation center select key







Devices

Home

Personal

Thin Car

Adapter

Thick Car


Device


£ Radio™ Other View

**Providers** 


Content

### ई Radio™ Person






MOTOROLA



### ऐ Radio™ Goals & Milestones









- 2-boards WACA: BT+CD spoofer
- Car deck to serial CD spoofer
- Bluetooth stream from PC to WACA

· Pause here, play there phone

· Push-to-Buy Simulation

& home synchro

• PC BT daemon / USB host • PC client content selection

· E680 & MPX BT demo

Dual board WACA

1 phone BT to WACA BT

### Client

- Single board WACA pilot
- server" functions UPnP AV compliance • JAVA E680 & C# MPX "personal server, renderer, controller)
  - A2DP, AVRCP, PAN, SPP
    - PC client integrated Ul browser+player
- Daily set synchro • DRM
- Pause here, play there 3 domains
  - Push-to-Buy

### Server

Integration with live content

Server

 User config, profile User authentication

AudioFeast???

Database Metadata

schemas...

Framework

• Server

- · Full content management integration AudioFeast
- DRM, automated download
  - Trial level SMS
- Robust Database metadata mgmt

Basic synchronization

Usage tracking

Administrative Mgmt

### Client

- Production WACA multimodels legacy decks
- middleware & application UI · E680 & MPX SW release PC client content browser
  - PC phone daily synch
- Pause here, play there all domains+ all trick plays
- DRM enforcement multicodecs

### Server

- Integration with more than 1 content provider
  - Database & streaming cost optimization
- QoS monitoring

& usage tracking

Fully validated

### MOTOROLA

Motorola Confidential Proprietary Page 20

intelligence (M. everywhere



iRadio UART High level protocol for Wireless Audio Adaptor Requirement Document

**Draft Revision XA** 

Motorola, Inc. iRadio JM Villevieille Director of Engineering 8/30/2004



1	A	AN INTRODUCTION TO THIS DOCUMENT	ERROR! BOOKMARK NOT DEFINED.
1.	1	What it is	ERROR! BOOKMARK NOT DEFINED.



### 1 Introduction

### 1.1 Transport Frame Structure:

Please use whichever is fastest to implement: XM –like CBM or iPOD TBD

E.g. SDARS CBM transport:

OCTET	FIELD		
octet 0	start header MSB		
octet 1	start header LSB		
octet 2	length MSB		
octet 3	length LSB		
iRadio Bus Message			
octet n-1	checksum MSB		
octet n	checksum LSB		

Start header: 2 bytes – 00A5h / 005ah

Length: 2 bytes - 0000h-FFFFh

iRadio message:

- Transaction code = 1 byte

- Message body

Checksum: 2 bytes (XOR 00 to n-2 Octet)

### 1.2 iRadio Bus Message structure

### 1.2.1 Messages from the Head-Unit

### What we need:

User_interface control type: e.g Button, dial, switch User_interface control number #ID User_interface control action

### Optional for later.

Head-Unit Status ( audio source, ...)
Head-Unit profile (display capability, ...)
Power_ON handshake – Devices discovery



Specific controls buttons/ switches - asap
PRESETS keys 1-6
SOURCE: Audio Source (AM, FM, CD, XM...)
STOP / PLAY/ PAUSE
FORWARD (hold & Momentary)
REWIND (hold & Momentary)
SEEK/SCAN
ENTER / SELECT (if different from the play)
INFO

### Examples of codes needed:

UI_CONTROL_BUTTON
UI_CONTROL_DIAL
UI_CONTROL_SWITCH

UI_ACTION_DOWN
UI_ACTION_HOLD
UI_ACTION_UP
UI_ACTION_ON
UI_ACTION_OFF
UI_ACTION_CLOCKWISE
UI_ACTION_COUNTERCLOCKWISE

### 1.2.2 Messages to the Head-Unit

### What we need:

Read Write on remote Head-Unit Display informations associated with the track or text prompts...

### Optional:

Power_ON handshake – Devices discovery Get status Get Profile

### **■iRadio -- Experimentation**

Last updated: June 16

### Introduction

We have an initial outline of what the *i*Radio system might consist of, but given the huge number of business and product uncertainties it is not clear what the system will eventually be. This page focuses on refining the outline by doing a very simple trial implementation. There are the following high-level goals for this implementation:

- Have something to demonstrate the iRadio idea
- Refine ideas by squarely facing implementation details
- Allow future experimentation which user interfaces

Even if this plan is overtaken or modified by events, there is still much which will be learned.

### **Proposed Implementation**

The minimum system involves the following ingredients/entities:

### Content

The nature and quality of the content will be driven by demo requirements. For experimentation and proving the idea, it doesn't matter what format the content has. Initially I would rip some of my personal CDs to relatively small WAV or MP3 files. Other alternatives are:

- Purchase popular CDs for the the office
- Purchase music which is specifically royalty free (this is available on the net)
- Use MIDI files of songs which are out of copyright (this is available on the net)

### **Content Provider**

This would be a Linux laptop which would would have the content and a few channels/playlists which would be constructed by hand. It would contain servlets which would allow the content to be retrieved from the *i*Radio Server. Being a laptop, it could more easily be moved for connection to the external Internet.

### iRadio Server

This would be a Linux laptop (could be the same laptop as the Content Provider) which would cache the content and hold the user configuration data. It would contain the following very simple service and agent implementations:

- content storage service
- channel/playlist storage service
- User configuration service
- General Preferences/Profile service
- Authorized user service
- Usage Tracking/logging service
- Content fetching agent

There would also be servlet which would be called by the mobile devices to update provide feedback and get updated content.

### **Wireless Communications**

For this proposal Bluetooth is the suggested mobile communications approach. For demos and inoffice experimentation Bluetooth (class 2, PAN, DUN or SPP) has the following advantages over 802.11:

- Limited range
- Less interference and interoperation problems with the building's existing wireless LAN which is 802.11 based.
- Phone mobile clients are likely already have some type of Bluetooth support The only disadvantage is limited throughput. (For DUN or SPP, very limited throughput.)

### **Mobile Device**

The mobile device could be a another laptop or more impressively, a cell phone. It would contain software to login to the *i*Radio Server, provide feedback and get updated content and configuration information. The user would have a simple set of channels which would allow the playing of channels.

`

### What's Included

- Getting content from a content provider
- Caching content in the iRadio Server
- Updating content in the Mobile Device
- Capturing feedback from the Mobile Device
- Pause/Resume between different Mobile Devices

### What's Not Included

- No DRM
- No communications security
- No high quality audio unless we use 802.11
- No video
- No UPnP A/V
- No community stuff
- No push to buy (is an optional enhancement)
- No recording or program guides
- No expiration of content
- No or limited network failure recovery

### **Development Tasks**

None of the tasks should be longer than 2 intense days if done as a highest priority. Done in the background (at home) each could take a week. There is significant reuse of services between the three entities.

### **Content Provider**

Some of the services which will be required for the *i*Radio Server and/or the Mobile Client are convenient building blocks for the content provider. The content provider could be developed without using these building blocks, but it will be easier to use them. Therefore, the content provider development looks larger because it includes development of these services.

- 1. Design and implement preferences/profile service (reused elsewhere)
- 2. Design, document and write stubs for HTTP login and channel protocol
- 3. Design and implement channel building tool
- 4. Design and implement channel storage service (reused elsewhere)
- 5. Design and implement media storage service (reused elsewhere)
- 6. Design and implement the channel servlets
- 7. Design and implement user authentication service (reused elsewhere)

### **Optional**

- 8. Design and document HTTP purchase protocol
- 9. Design and implement the purchase servlet(s)

### iRadio Server

- 1. Design and implement channel content replenishment agent
- 2. Design and implement mobile update servlet(s)
- 3. Design and implement user configuration service
- 4. Design and implement feedback queuing service

### **Optional**

- 5. Design and implement trivial owned content storage service (reused elsewhere)
- 6. Design and implement owned content acquisition agent

### **Mobile Device**

- 1. Design and implement content player on top of platform
- 2. Design and implement configuration driven UI
- 3. Design and implement updating agent
- 4. Design and implement server connection discovery

### **Optional**

5. Design and implement owned content browser

### **Other Tasks**

- 1. Get a few phones with Bluetooth support:
  - J2ME or BREW network access over Bluetooth using PAN
  - o J2ME or BREW network access over Bluetooth using SSP
  - o J2ME with serial port access and Bluetooth SSP dongle

### **■iRadio -- Experimentation**

Last updated: July 13

### Introduction

We have an broad initial outline of what the *i*Radio system might consist of, but given the huge number of business and product uncertainties it is not clear what the system will eventually be. This page focuses on refining the outline by doing a very simple trial implementation. There are the following high-level goals for this implementation:

- Refine ideas by squarely facing implementation details
- Have something to demonstrate the iRadio idea
- Allow future experimentation with user interfaces

There are obviously some conflicts between the above goals and the time available. Polish will be sacrificed for time where ever possible.

Even if this plan is overtaken or modified by events, there is still much that will be learned.

### **Proposed Implementation**

The minimum system involves the following ingredients/entities:

### **Content**

The nature and quality of the content will be driven by demo requirements. For experimentation and proving the idea, it doesn't matter what format the content has. Initially I would use MIDI files or rip some of my personal CDs to relatively small WAV or MP3 files. Other longer-term alternatives are:

- Purchase popular CDs for the the office
- Purchase music which is specifically royalty free (this is available on the net)
- Get some type of agreement with a real content provider

### **Content Provider**

This would be a Linux laptop which would would have the content and a few channels/playlists which would be constructed by hand. It would contain servlets which would allow the content to be retrieved from the *i*Radio Server. Being a laptop, it could more easily be moved for connection to the external Internet.

### iRadio Server

This would be a Linux laptop (could be the same laptop as the Content Provider) which would cache the content and hold the user configuration data. It would contain the following very simple service and agent implementations:

- · content storage service
- playlist storage service
- channel (U/I Config) storage service
- User configuration service
- General Preferences/Profile service

- User Authentication service
- Usage Tracking/logging service
- Content fetching agent
- Mobile client interface servlet(s)

### Wireless Communications

For this proposal Bluetooth is the suggested mobile communications approach. For demos and inoffice experimentation Bluetooth (class 2, PAN, DUN or SPP) has the following advantages over 802.11:

- Limited range
- Less interference and potential interoperation problems with the building's existing wireless LAN which is 802.11 based.
- Phone mobile clients more likely to already have some type of Bluetooth support The only disadvantage -- a big one -- is limited throughput. (DUN and SPP, have very limited throughput.)

### **Mobile Device**

The mobile device could be a another laptop (allowing WiFi) or more impressively, a cell phone. It would contain software to login to the *i*Radio Server, provide feedback and get updated content and configuration information. The user would have a simple set of channels which would allow the playing of channels.

### What's Included

- Getting content from a content provider
- Caching content in the iRadio Server
- Updating content in the Mobile Device
- Capturing feedback from the Mobile Device
- Pause here Play there between different Mobile Devices

### What's Not Included

- No DRM
- No communications security
- No high quality audio unless we use 802.11
- No video
- No UPnP A/V
- No community stuff
- No push to buy (is an optional enhancement)
- No recording or program guides
- No expiration of content
- No or limited network failure recovery

### **Development Tasks**

None of the tasks should be longer than 2 intense days if done as a highest priority. Done in the background (at home) each could take a week or more. There is significant reuse of services between the three entities.

### **Content Provider**

Some of the services which will be required for the *i*Radio Server and/or the Mobile Client are convenient building blocks for the content provider. The content provider could be developed without using these building blocks, but it will be easier to use them. Therefore, the content provider development looks larger because it includes development of these services.

- 1. Design and implement preferences/profile service (reused elsewhere)
- 2. Design, document and write stubs for HTTP login and channel protocol
- 3. Design and implement playlist/content stream building tool
- 4. Design and implement playlist storage service (reused elsewhere)
- 5. Design and implement media storage service (reused elsewhere)
- 6. Design and implement the playlist/content stream servlets

### **Optional**

- 7. Design and implement user authentication service (reused elsewhere)
- 8. Design and document HTTP purchase protocol
- 9. Design and implement the purchase servlet(s)

### iRadio Server

This reuses several of the Content Provider services, so only the new development is listed below.

- 1. Design and implement playlist/content replenishment agent
- 2. Design and implement mobile update servlet(s)
- 3. Design and implement user configuration service
- 4. Design and implement feedback queuing service

### **Optional**

- 5. Design and implement trivial owned content storage service (reused elsewhere)
- 6. Design and implement owned content acquisition agent

### **Mobile Device**

This reuses several of the Content Provider and iRadio Server services, so only the new development is listed below.

- 1. Design and implement content player on top of platform
- 2. Design and implement configuration driven UI
- 3. Design and implement updating agent
- 4. Design and implement server connection discovery

### Optional

5. Design and implement owned content browser

### **Other Tasks**

- 1. Get a few phones with Bluetooth support:
  - o J2ME or BREW network access over Bluetooth using PAN
  - o J2ME or BREW network access over Bluetooth using SSP
  - o J2ME with serial port access and Bluetooth SSP dongle

### Risks/Unknowns

### Wireless networking

There is no specific task associated with getting the wireless networking working. If WiFi is used, then this should be trivial if it is transparent on the mobile device. If Bluetooth is used then there will probably be work on the server and client to make it work.

### Language/Platform

For a J2ME client, there is substantial opportunity for code reuse. For other platforms, there will need to be some additional development.

### 🗵 iRadio -- Initial Approach

The initial *i*Radio system will concentrate on seamless delivery of content for home and vehicle. Although "person" is not included in this initial system, the behavior of a personal device is largely identical to the vehicle case. This initial set of functionality is targeted as in place internally by the end of 2004 and avialable for trials in 1Q05.

### Requirements

These are not formal requirements, but more like points we need to agree upon. The points are half user expectations, half implementation and half requirements. :-)

### Service Assumptions

- User listens to audio channels (like Yahoo launch & XM) with supporting images, text and links available.
- The service provider will have access to feedback and disposition (listened, skipped, timed-out) concerning the content.

### Home

- User can play audio on their sound system via a hand-held remote
- UPnP A/V (with extensions) will be used for all in-home audio
- UPnP A/V extensions are required for feedback
- The MS-1000 is the prime candidate for content storage in the home
- For rich interfaces (TV screen?), user can link to more information or purchase the audio (single/album).

### Car

- The user could view data associated with the playing content.
- If the network is available, the user could access extended data associated with the song. Not sure who we need for this, maybe GraceNote. I could see concert schedule/tickets, lyrics ... We need something better than Yahoo which just does a search.
- The user selects a channel and it starts playing from where it left off when last played in any domain. Do we have some limitted ability for the user to restart the song if it is starting in the middle? It would need to be limited because it could be abused to repeat a song an arbitrary number of times.
- For limited interfaces, user could purchace immediately if a plan is set up ahead of time. Ideally the just purchaced track would be immediately available (plucked out of the channel stream) on the device for selection and playing.
- For limited interfaces, user can press a button to mark an intent to buy which sends an email. The actual purchace is done later via a browser.
- Abiltity to search and play owned content on the device. This would have the same pause capability.
- Do we want a limited rewind/replay capability just incase the user misses something the first time. (This would be more for talk radio.)

# Initial iRadio Architecture

Mark Clayton

## System Components

The system is composed of the following physical components:

Content Provider

iRadio Server

Home Gateway

Mobile Devices

Home Device

# Content Provider Subsystems

• iRadio interface

Supplier interface (server) – supplying content

Feedback interface (server) – getting feedback

## iRadio Server Subsystems

- Content Provider interface
- Supplier interface (client) getting content
- Feedback interface (client) providing feedback
- Content Repository user's enqueued content
- Media Storage service bulk media storage
- · Content fetching Agent
- DRM encoder
- User/device authentication/subscription services
- User preferences service
- Device sync agent
- Home Gateway sync agent
- Web preferences/configuration interface

# Home Gateway Subsystems

Content Repository – user's enqueued content

Device sync agent

• iRadio server sync agent

User/device authentication – lightweight

UPnP A/V services for home device support

# Mobile Device Subsystems

Sync agent

Client authentication

Content repository – lightweight version

Media streamer – device independent

DRM decoder

Platform media player

• Platform UI

## Home Device Subsystems

UPnP A/V renderer implementation


UPnP A/V controller implementation

• DRM decoder


## Architectural Issues


- Need to setup the master/slave relationships and other details for the for the various synchronizations.
- synchronization? this would require using Do we use UPnP (SimpleDevices stuff) for a special tunnel for UPnP to work at a HotSpot.

## iRadio Server Details



## Home Gateway Details





### **I**Radio 2004

This note is a companion to the May 20 "Initial iRadio System" slides.

For 2004, the *i*Radio system will concentrate on seamless access to of content from home and vehicle. The content consists of genre based audio channels and playlists composed of content the user has previously purchased. The audio content is preemptively recorded on the user's mobile devices so that it is available when needed. The consumption and pause information is promptly communicated to the *i*Radio server (when possible) so that devices is other domains can continue seamlessly. The user is also able instant buy the currently playing audio.

At home, the audio is streamed from the user's local Home Gateway.

The mobile devices communicate via 802.11 or other high speed wireless protocol. Communications occurs via a wireless access point connected to a home broadband connection or at other public access points away from home. There is no need for the *i*Radio devices to have cellular access or a broadcast receiver.

This initial set of functionality is targeted to be in place internally by the end of 2004 and available for trials in 1Q05.

Extensions already considered for the future include:

- broader range of content sources including video
- community services would allow content suggestions and playlists to be made between users
- Import existing MP3 or other content

### **System Operations**

These points are half user expectations, half implementation and half requirements. :-)

### **Service Assumptions**

- The user has access to the following audio content:
  - o Genre audio channels (similar to CM Radio or Yahoo Launch)
  - o Playlists composed of the content the user has purchased
  - o Subset of user purchased content which is on the device
- · Audio is accompanied by supporting text and images
- Audio is seamless between home and car. (Pause resume across devices in different domains.)
- A service provider will have access to feedback and disposition (listened, skipped, timed-out) concerning the content they supply.
- Instant buy.
- The *i*Radio system extends from the Content Providers to the point at which the user listens to the content. Digital content itself is never exposed outside this system as individual pieces of content. This gives us more flexibility in the user of DRM/Encryption.
- There are multiple entities in the system, some of which are behind firewalls which constrain communications. If we assume that user content can only be consumed at one point at a time, then state changes to be synchronized across the user's devices are only being introduced at one point

at a time. The picture is much more complex if a user's content is allowed to be consumed concurrently at multiple points.

- It would be very convenient if all the initially supported devices had the same DRM system. (Assuming we are using DRM on individual pieces of content rather than Encrypting the whole content store.
- Regardless of the encryption method chosen, there needs to be rights management on the pieces of content once they reach the user.
- There are many caches in the system. There is provision for cached content to expire. The Service Provider is notified of this.

### Home Experience

- User can play audio on their sound system.
- For rich interfaces (TV screen?), user can link to more information or purchase the audio (single/album).

### Car

- The user could view data associated with the playing content.
- The user selects a channel and it starts playing from where it left off when last played in any domain. (Does content licensing allow some limited ability for the user to restart the song if it is starting in the middle? It would need to be limited because it could be abused to repeat a song an arbitrary number of times.)
- For limited interfaces, user could purchase immediately if a plan is set up ahead of time. (Ideally the just purchased track would be immediately available (plucked out of the channel stream) on the device for selection and playing.)
- Abilitity to search and play owned content on the device. This would have the same pause capability.
- Do we want a limited rewind/replay capability just in case the user misses something the first time. (This would be more for talk radio.)
- For limited interfaces, user can press a button to mark an intent to buy which sends an email. The actual purchase is done later via a browser.
- If the network is available, the user could access extended data associated with the song. (Not sure who we need for this, maybe GraceNote.) I could see concert schedule/tickets, lyrics ... (We need something better than Yahoo for lyrics. They just does a search for lyrics.)

### **System Implementation**

Various early implementation thoughts ...

### **Content Providers**

Content providers (as the name implies) supply all the content we deliver to our customers. The following content will be needed:

- Genre channels (either customized or fixed).
- Ability to purchase any content the user hears ont he channels.

These two type of content will probably require different content providers with us being the

middleman. We will need a unambiguous way to identify content regardless of which content provider it came from. Hopefully there is some industry standard which all providers support.

We will always be the initiator of communications with the Content Provider. Every request for content will be for a uniquely identified user. For each piece of content a Content Provider specifies for a user, the disposition of the content will eventually be reported back (skip, rating, timed-out, etc.).

### iRadio Server

- All communications with our customers is directly or indirectly through the *i*Radio Server. (The user never communicates directly with the Content Provider.)
- Synchronization engine for HotSpot connections
- Assuming that UPnP is the basis for synchronization, then the *i*Radio Server must provide for for tunneling (or other mechanism) to allow UPnP to work between subnets.
- iRadio web site allows for user configuration of the iRadio service
- Supports preemptive caching of content on the Home Gateway.
- Caches channel content for all users
- For more efficient interaction with the content provider, it would be best if the *i*Radio Server cached individual pieces of content as separate entities. This would vastly reduce the number of times identical content was transferred from the content provider.
- With the *i*Radio Server caching the actual content, the content provider can specify channel content as a list of content id which refer to the actual content.
- We need a way to map and handle internally content ids from different content providers.
- For trials, a VPN to the Content Provider(s) should be sufficient. For commercial operations we will want to have redundant dedicated and secure connections to the Content Providers.
- The iRadio Server makes the following requests to the Content Provider:
  - o user session creation
  - o request channel content to be played (returned as ids)
  - o request actual content for a specified id

### HotSpot

- This is assumed to be a commercial 802.11 access point.
- It is also assumed that firewalls will largely require that connections be initiated by the device rather than the *i*Radio Server.
- Caching of content at HotSpots is unlikely to be worthwhile until a large number of devices exist. A HotSpot can not predict which user content will be needed ahead of time, so caching would need to be very extensive to be useful.

### Home Gateway

- This is an embedded device with no user interface required.
- Top candidates for the Gateway are the MS-1000 or a PC which is always on.
- A reliable broadband connection is assumed to exist between the Home Gateway and the *i*Radio Server so that they are always in sync.
- Local (at home) synchronization engine for devices within range of the home wireless network.
- Preemptively caches user content so that it is ready to be copied to mobile devices or streamed to home devices.
- We may need to cache multiple copies of the content to support different device DRM or encodings. (Especially in the early stages when we have to make do with existing systems.)

<I>i</I>Radio 2004 Page 4 of 4

• To avoid Internet latencies, the Home Gateway should be able to function independent of the *i*Radio Server for hours at a time.

- Communications with the iRadio Server should be secure.
- The Home Gateway initiates communications with the iRadio Server to help avoid firewall issues.

### **Mobile Devices**

- In-vehicle devices are the current focus.
- Play stored content.
- Download content as needed when connected to the Home network or a foreign network which can reach the *i*Radio Server.
- SimpleDevices has a solution for the automated loading of media using UPnP A/V
- We'll probably want to keep tabs on the trade-offs of using UPnP A/V for synchronization versus a specifically developed solution since we may need that other solution when we move to other devices (phones).
- A modified OmniFi is the early leading candidate for the actual mobile device. (SimpleDevices did the original software for it.)
- If the OmniFi (or other existing device) were used, extensions would be required for consumption feedback including pause information.
- The mobile device will have to initiate the connection to the *i*Radio Server on foreign networks to help avoid firewall issues.
- Instant buy copies content to owned area on the device for immediate replay and actual purchase transaction completes when the device next contacts the *i*Radio Server.
- The Mobile Device doesn't need cellular access.
- All network communications should be secure.

### **Home Device**

- UPnP A/V (with extensions) will be used for all in-home audio
- UPnP A/V extensions are required for consumption feedback including pause information.
- No device has been chosen yet.

### Web Browser

- Any web browser.
- Required Plug-ins would depend on the interface implementation.
- This effort would be more complex if the user can listen to content as part of a browser session.

### **Disruptive Business and Technical Issues**

### **Huge Library Subscription Model**

Some music services avoid the whole ownership issue and offer a subscription which gives you access to huge amounts of audio so long as your subscription is current. This would place a different emphasis on the type of applications we provide to the user but overall should not require significant changes.

### Huge amounts of mobile storage

This would make our job easier. Although it may be harder to demonstrate the value of our system.

# Initial iRadio System

Mark Clayton May 20, 2004

# Minimal iRadio Functionality

Channels (like launch.yahoo.com or XM Radio)

Seamless media consumption between home & car

Pause/resume works between home & car

Everything is subject to change depending on business deals

# User Interface – Mobile

- Ability to listen to any of the channels configured for that device
- Possible ability to provide feedback for the currently playing content (skip, rating ...)
- Instant purchase and repeat of content
- Future –ability to mark a piece of content for further attention/purchase later (via email?)

# User Interface – Home

- Primarily determined by UPnP A/V controller/renderer
- configured for home (probably at higher quality Ability to select and stream any channels than mobile devices)
- Actual capabilities determined by selected device(s)
- Allow search and playing of purchased content

# User Interface – Browser

Allows a user to manage their preferences (channels available) for each device Updated preferences are stored on the iRadio Server and Home Gateway

U/I details TDB

Ability to consume content from Browser-TBD

Future – ability to review marked content (including purchase)

### System Overview Picture 田 Home Gateway HotSpot, M Radio Server Browser Web

# System Components

Content Providers – Supplier of audio content iRadio Server - Our aggregation point and remote sync engine

Home Gateway – Local content cache and HotSpot – Any public Internet hot spot local sync engine

Mobile Device – Mobile storage player with Home Device – Home streaming player sync capability

# Content Providers

Supplies all content

Organizes content into channels

Provides metadata associated with content

Receives user consumption feedback Maintains royalty agreements with

copyright owners

## iRadio Server

Single point of contact with the Content Provider

iRadio content aggregation point

Central synchronization master

Synchronization engine for public hot spots iRadio configuration web site

Cache of user channel content

### HotSpot

- Any public hot spot nothing special
- Acts as a pipe back to the iRadio Server
- Allows synchronization of device content away from home

# Home Gateway

- Local preemptive caching of user channels so that Internet latency is eliminated
- Local synchronization engine
- Always in sync with iRadio Server
- Streaming server for home consumption of content (via UPnP)
- Could be MA-1000 or PC (always on)

# Mobile Devices

Vehicle or personal devices

Play stored content anytime, anywhere

information when connected to a network Synchronize consumption and feedback

Load new content as needed when connected to a network

## Home Device

Streams information from the Home Gateway

Devices because it doesn't store content. Fundamentally different from Mobile

Streaming via UPnP with extensions.

## Web Browser

Allows user to configure their preferences on the iRadio Server

Likely via the user's home PC

# Component Connections

- A Preemptive fetching of user channel content and consumption feedback
- **B** Interactive configuration of preferences
- C Preemptive fetching of user channel content and consumption feedback
- **D** UPnP+ streaming of channel content
- **E** Synchronization of new content and consumption feedback

## Connection A

Content Provider – iRadio Server

- iRadio Server requests x minutes of user y channel z content
- Content Provider responds with a list of content items and associated metadata
- iRadio Server provides consumption feedback to the Content Provider on a per user/channel/item basis
- High capacity connection
- Should consider having the iRadio Server cache content items to avoid redundant transfers

## Connection B

iRadio Server – Web Browser

User channel and device preference information is managed via a Browser

Handled via standard HTTP/HTML/JavaScript as required for the desired user experience

Typical web browsing connection capacity

## Connection C

iRadio Server - Home Gateway

### • Synchronization:

- iRadio Server sends new channel pause/consumption information (due to hot spot sync)
- Home Gateway sends new channel pause/consumption information (due to local sync or streaming)
- iRadio Server sends new channel content and associated metadata to the Home Gateway
- Relatively high capacity connection preferred to facilitate content loading

## Connection D

Home Gateway - Home Device

- UPnP A/V protocol with extensions for pause, consumption and device management
- Moderate capacity connection for content streaming - probably wireless

## Connection E

Home Gateway/iRadio Server – Mobile Devices

### • Synchronization:

- Sync Engine sends new channel pause/consumption information (due to update from iRadio Server)
- Mobile Device sends new channel pause/consumption information (due to pause or consumption)
- Sync Engine sends new channel content and associated metadata to the Mobile Device
- Relatively high capacity connection preferred to facilitate content loading – wireless assumed
- No upload of content from Mobile Devices

# Beyond the Initial System

- No significant communication paths change
- Complexity and breadth of transferred information will increase
- Integration of purchased/pre-owned content will prompt more sophisticated interfaces
- Integration of commercial video shouldn't introduce significant changes

### **Updating Approach**

Created: Sept 16, 2004

### Introduction

ì

The *i*Radio allows the customer to personalize the content they want and then consume it seamlessly as they pass through their various domains (home, car and personal). As they listen to their audio content at various times of the day, they continue listening from the same point they previously stopped, so they miss nothing. Fresh up-to-date content is automatically loaded onto the phone when the phone is part of the home network.

Updating is the key behind *i*Radio's seamless experience across domains. It works in the background allowing all the user's *i*Radio audio channels to be kept up-to-date.

Updating has two aspects:

### **Content loading**

This is the loading of the audio content. Even with lossy compression, this is over 14 Megabytes per hour of content (assuming 32 Kbps). Loading this amount of data requires a relatively high bandwidth connection (USB, WiFi, or better) to get the job done quickly. With Bluetooth connections peaking at 700 Kbps, it will take several minutes to load each hour of hour of audio content when BT is used.

For economic reasons, the data connection for content loading (especially the bulk content) must be free or covered by a flat rate rather than a per Megabyte rate.

### Light weight updating

This is the playpoint and assorted usage tracking information which is collected by the client and sent to the Home Gateway and other Mobile Clients.

### Terms

### Client

For the purposes of this note, the word client will refer to any client of the updating system which includes the *i*Radio Server, Home Gateway and any Moblie clients.

### Bridging

This is when one Mobile Client updates another so that the other may never actually connect directly with the Home Gateway.

### **Bulk Content**

The actual audio content which is the bulk of the content which needs to be moved. This is distinct from all the other information which is updated.

### Synchronization

This word is used interchangeably with "updating". It refers to the exchange of specific information between updating clients. Some aspects of this exchange meet the normal definition

of synchronization while others do not.

### Scope

The updating system is used to keep the *i*Radio Server, Home Gateway and Mobile Clients in close synchronization. It does not interact with the Content Provider even though some of the updated information will eventually be sent there.

### **Assumptions**

- Communications may end prematurely. but any data received on an updating communications channel is assumed to be correct.
- The communications channel is assumed to be secure. Otherwise security will have to be introduced as an updating requirement.
- Although the system will probably support multiple users in the future, we are largely assuming a single user per device for this note.
- iRadio/Home Gateway bandwidth issues are not addressed as part of this note.
- User preference information will reuse the audio updating system to be updated on clients.
- USB will only be used for download of Bulk content and possibly playlists.
- Wireless updating will make leverage bulk content already on the client rather than downloading
  it again. This will allow USB downloaded to be "found" and used without any special
  coordination.

### Goals

- 1. Bulk content can be loaded over USB or network updating
- 2. Consumption and usage data is sent from clients
- 3. Updating works with HTTP port 80 (to traverse firewalls)
- 4. Updating works with a single two-way serial channel
- 5. Updating works with multiple two-way serial channels
- 6. Tolerates sudden disconnects
- 7. Mobile Clients discover connections which cover matching user(s)
- 8. Clients can act as update bridges
- 9. iRadio Server or Home Gateway can be the master copy depending on the data
- 10. No use intervention to resolve updating issues
- 11. Support multiple Mobile Clients per person
- 12. Playpoints are updated between clients
- 13. Content is updated between clients
- 14. Updating approach is platform agnostic

### Data

For a typical Mobile Client, the following data is sent:

### **Content Status Changes**

Any change in the playing/paused/consumed state of an audio track is captured on the client and updated to other devices. This usage information information is needed on the *i*Radio Server for reporting user content consumption to the content provider.

### Rating

Relative changes to the rating of a piece of content are captured on the client and updated to other devices. If this is implemented at all in Phase 1, this information could be used by the Home Gateway for a user's personal content and by the *i*Radio Server for Content Provider. It could also be used by other clients to update the rating information for the content they hold.

### Purchase Request

Purchase requests are captured on the client and updated to other devices. This is of critical interest to the *i*Radio Server. Other update clients could use this information to update metadata on the content or move the content into the owned category.

### **Key Press**

Each UI actuation is captured here whether or not any action resulted. This usage tracking information is intended for later analysis on the *i*Radio Server.

### **Other Events**

This contains other events of interest to the updating clients.

A typical Mobile Client receives:

### iRadio Channel Additions

If an *i*Radio Channel has been partly consumed, updating can add additional items to the channel. This includes adding items to the channel description.

### Content updates

This is the bulk content associated with the *i*Radio channel additions which contains the actual audio content.

Above are the typical cases for a Mobile Client in a system with only a single Mobile Client. The *i*Radio Server and Home Gateway tend to reverse the flow of content. For systems with more than one Mobile Client, each type of updating information will flow in both directions.

### Approach

Updating occurs in the following phases:

### 0. Discovery or establish session

Initial connection to setup communication.

### 1. Playpoint updating for all iRadio Channels

Playpoint information is exchanged and each client uses the most recent playpoint information.

### 2. Light weight content updating

Usage tracking and other event data is exchanged. Also exchanged is acknowledgement information.

### 3. iRadio Channel updating

If channel content has been consumed, this phase allows new content to be added to an *i*Radio Channel.

Most of these phases have their own sub-phases.

### **Discovery or Establish Session**

Mobile Clients which are intermittently connected use discovery to learn when other updating clients for the same user are in the vicinity. Bluetooth and WiFi both have mechanisms (or at least the primitives) which allow other devices in the vacinity to be discovered. Once an updating client has been discovered, a conversation can occur which includes a challenge/response to determine whether they have any users in common. With matching users, the updating process proceeds.

Connections to the *i*Radio server are a little different. They don't involve discovery or use a conversational approach. HTTP (or HTTPS) is used used for communication to ensure that firewalls can be traversed. The first exchange establishes a session id which is used for the remainder of the communications. Initially, the only *i*Radio Server communications which occurs is with the Home Gateway. In the future, cellular and hotspot communication could allow Mobile Clients to also connect to the *i*Radio Server. These direct Mobile Client connections to the *i*Radio Server also use HTTP/HTTPS.

### Playpoint Updating for AlliRadio Channels

Playpoint information includes channel description, channel item, and the actual playpoint time index. For each channel, this information is exchanged and the following process is followed:

```
if my channel description id and other channel description id match
 if my channel item is not as advanced other channel item
 if my cached content for the channel includes other channel_item
 adopt the other playpoint and channel item as current
 mark the intervening content as consumed
 else
 do nothing, there is no overlap (reload in phase 3)
 else if my channel_item is the same as other channel_item
 if my playpoint is not as advanced as the other channel playpoint
 adopt the other playpoint
 else
 do nothing
 else
 do nothing
else
 do nothing
```

### **Light Weight Content Updating**

In the simplest Mobile Client case, the Home Gateway would indicate indicate what content it needed from the Mobile client and what content had already reached the *i*Radio Server. With this information

the Mobile Client can erase the information which the *i*Radio Server already has and would start supplying the information requested by the Home Gateway. This is the degenerate case of the more complex system which is needed for multiple Mobile Clients. The move complex system involves client information being shared between all Mobile Clients assuming this maximizes the chances of information reaching its destination.

Each information record has a record number which is constantly increasing. Each updating client has their own independent sequence of record numbers. (A 32 bit integer is more than adequate to hold the sequence number.)

At the start of light weight updating, the clients exchange the request information and confirmed receipt information which are all expressed in terms of record sequence numbers. This information is used to determine what gets transferred. The request information is the starting sequence number for each client the other client would like to receive. Data for multiple clients is requested and transferred to account for bridging situations.

The confirmed receipt information is a matrix which shows for each client information updating stream, what the last confirmed sequence number is for each other client. This information is used to update the current client's matrix. Information which has been updated to all clients (or the *i*Radio Server in the case of some information) can be erased from the local client..

Information records are sent oldest first so that there are no sequence number gaps.

### iRadio Channel Updating

In this last phase the *i*Radio Channel information between the two clients is compared and the client and the content updating priorities are established.

The channel description ids are compared between the two clients. When descriptions ids don't match, the more recent description is used to update the channel information of the other client. When description ids match, an assessment is made of what content can be transferred. The channels requiring the most content to be transferred are updated first on the assumption they are the more heavily listened to.

The bulk content is updated before the *i*Radio Channel playlists are updated. This bulk/playlist updating order is a natural fit for USB updating of the bulk content.

### **Issues**

### USB operation is still sketchy

USB operation is still needs more work. For instance, the USB host will need to erase content and load new content. The USB host will need to understand the content naming and placement scheme.

### Locked Playlists still sketchy

For content provider music, we are required to make it accessible just as it would be in a stream. Having the content exposed, on removable memory cards makes this difficult. An enforcement mechanism hasn't been identified.

### Network Bandwidth is an issue

This note outlines a common updating system which could use multiple transports to address all iRadio updating situations including iRadio Server to Home Gateway updating. Although this is still technically viable and probably handy for early development, business issues will probably push use to adopt some type of secure peer-to-peer approach to address bulk content loading.

### **Revisions**

31

Date	Author	Description
Sept 29, 2004	Mark Clayton	Initial draft for limited distribution (including Motorola Labs)
Oct 6, 2004	Mark Clayton	Minor updates

### iRadio WACA (Wireless Audio Car Adapter) Use Cases

Revision		Author	Comments
Number	revision		
0.1	12/2/2004	Mark Clayton	Initial draft

### **Table of Contents**

INTRODUCTION	
IHOLLYWOOD SHOW	
CES DEMO	
TRIAL	5
USE CASES	
COLD START TO AUDIO STREAMING	5
SWITCHING IRADIO CHANNELS FROM CAR RADIO	5
SWITCHING IRADIO CHANNELS FROM STREAMER	6
PLAYING NEXT TRACK IN IRADIO CHANNEL	7
Pause and resume of streaming content	7
Purchase current content	
NOT DISCOVERABLE BY OTHER BULLETOOTH DEVICES	Я

### Introduction

Use cases describe the functionality which is required at a particular point in time. The iRadio project has the following timing requirements:

Dec 8, 2004 iHollywood show
Jan 6, 2005 CES Demo
Apr 4, 2005 Trial start
Sep 30, 2005 Product launch

This note covers the first two items in the list with a testing focus rather than software development.

### iHollywood Show

Hollywood has the following high-level WACA requirements:

- fits in the Hummer
- supports Pioneer car radio
- supports BT receipt and display of metadata
- supports BT streaming of MP3 audio (at least 96 Kbps)
- supports BT switching of MP3 audio streams

The following WACA use cases exist for this show:

- Cold start to audio streaming
- Switching iRadio channels from streamer
- Playing next track in iRadio channel
- Pause and resume of streaming content
- Not discoverable by other Bluetooth deviœs

### **CES Demo**

The CES functionality is based on the 0.4 Demo Script for CES.

The CES demo has the following high-level WACA requirements:

- o fits in the CES kiosk
- o supports Pioneer car radio
- supports BT transmission of car radio presets
- supports BT transmission of pause, resume, and purchase
- o supports BT receipt and display of metadata
- supports BT streaming of MP3 audio (at least 96 Kbps)
- supports BT switching of MP3 audio streams
- supports BT echo of metadata back to streamer

The following WACA use cases must be supported for the demo:

- Cold start to audio streaming
- Switching iRadio channels from car radio
- Switching iRadio channels from streamer
- Playing next track in iRadio channel
- Pause and resume of streaming content
- Purchase current content
- Not discoverable by other Bluetooth devices

### Trial

The Trial will add use cases associated with installation and tighter metadata presentation.

### **Use Cases**

All use cases are from the perspective of the WACA as the system.

### Cold start to audio streaming

This use case describes the process of the streaming device and WACA coming together and content being played.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- Streamer already has content
- WACA is already connected to the carradio
- Car radio is already powered and in iRadio mode

### Flow of Events:

- 1. WACA uses iMCP to connect to streamer
- 2. Streamer sends initial car radio text over iMCP
- 3. Car radio displays initial text on car radio
- 4. Streamer sends metadata for song
- 5. Metadata is displayed on car radio display
- 6. Streamer sends MP3 audio data as a stream
- 7. iRadio channel audio is playing from car radio

### **Post-Conditions:**

- · Audio content is playing from car radio
- Associated metadata is displayed on car radio

### Switching iRadio channels from car radio

This use case describes the process of changing from one iRadio channel to another via the preset buttons on the car radio. This same series of steps occurs then a track is skipped within a channel.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- Streamer already has content and is streaming an iRadio channel
- WACA is powered and already connected to the car radio which is in iRadio mode

### Flow of Events:

- 1. Car radio sends preset press notification to WACA
- 2. WACA notifies streamer via iMCP connection of button press
- 3. Streamer commands WACA to stop an flush current content
- 4. Streamer sends metadata for song on new channel
- 5. Metadata is displayed on car radio display
- 6. Streamer sends MP3 audio data as a stream
- 7. iRadio channel audio is playing from car radio

### **Post-Conditions:**

- Audio content for new channel is playing from car radio
- Associated metadata is displayed on car radio

### Switching iRadio channels from streamer

This use case describes the process of changing from one iRadio channel to another without using the car radio interface. This same series of steps occurs then a track is skipped within a channel without using the car radio interface. Since the car radio interface isn't used to initiate the change in audio flow, presumably some user interface associated directly with the streamer is used.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- Streamer already has content and is streaming an iRadio channel
- WACA is powered and already connected to the car radio which is in iRadio mode

### Flow of Events:

- 1. Streamer commands WACA to stop an flush current content
- 2. Streamer sends metadata for song on new channel
- 3. Metadata is displayed on car radio display
- 4. Streamer sends MP3 audio data as a stream
- 5. iRadio channel audio is playing from car radio

### **Post-Conditions:**

- Audio content for new channel is playing from car radio
- Associated metadata is displayed on car radio

### Playing next track in iRadio channel

This use case describes the process associated with one track naturally ending and a new one starting.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- · Streamer already has content and is streaming an iRadio channel
- WACA is powered and already connected to the car radio which is in iRadio mode

### Flow of Events:

- 1. Streamer streams last bit of previous track to WACA
- 2. Streamer sends metadata for song on new channel
- 3. Last bit of previous track plays on car radio
- 4. Metadata is displayed on car radio display
- 5. Streamer sends MP3 audio data as a stream
- 6. iRadio channel audio is playing from car radio

### **Post-Conditions:**

- Audio content for new channel is playing from car radio
- Associated metadata is displayed on car radio

### Pause and resume of streaming content

This use case describes the process associated with pausing the current track and resuming it a short time later. This use case assumes that the pause and resume were initiated from the streamer interface rather than the car radio interface. The only difference is the button information received by the WACA from the car radio and the additional iMCP button notifications.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- Streamer already has content and is streaming an iRadio channel
- WACA is powered and already connected to the car radio which is in iRadio mode

### Flow of Events:

- 1. Streamer sends a pause command to WACA via iMCP
- 2. WACA stops sending audio information to the car radio
- Time passes with the car radio being silent
- 4. Streamer sends resume command to the WACA via iMCP
- 5. WACA resumes sending audio information to the car radio

### **Post-Conditions:**

- Audio content is playing from car radio
- Associated metadata is displayed on car radio

### Purchase current content

This use case describes the process associated with purchasing the current audio track.

Actors: Streamer (E680), Car radio

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred
- Streamer already has content and is streaming an iRadio channel
- WACA is powered and already connected to the car radio which is in iRadio mode

### Flow of Events:

- Car radio sends button press notification to WACA which corresponds to purchase
- 2. WACA notifies streamer via iMCP connection of button press
- 3. Streamer sends a "Purchased" text display command to WACA via iMCP with a TBD (5?) second timeout
- 4. car radio displays the "Purchased" text for TBD (5?) seconds

### **Post-Conditions:**

- Audio content is playing from car radio
- Associated metadata is displayed on car radio

### Issues:

 What type of feedback does the user get if the track can not be purchased or is already owned?

### Not discoverable by other Bluetooth devices

This use case describes the process associated with ignoring other Bluetooth devices in the vicinity, including other streamers which the WACA doesn't already have a relationship with.

Actors: Streamer (E680), Car radio, a 3rd Bluetooth device

### **Pre-Conditions:**

- Bluetooth binding/association has already occurred with associated streamer
- WACA is powered and already connected to the carradio which is in iRadio mode
- A second Bluetooth device (not associated with the WACA) is present

### Flow of Events:

- 1. A Bluetooth SDP scan by a device (with is not the associated streamer)
- 2. WACA does not respond and WACA doesn't show up in the list of close Bluetooth devices

### **Post-Conditions:**

- No change to WACA
- WACA is not in list of discovered devices



### eIntelligence - Innovation Disclosure

### **Disclosure BCS03802 (29148)**

ID: BCS03802 (29148)

Title: Wireless audio adapter for car radios

Innovators: Mark Clayton, Mike Gaumond, Dave Ulmer, Jmv Villevieille

Status:

**Submitted Date:** 

Review Date:
Originating Sector:

Owning Sector:

BCS

Patent Committee: BCS - iRadio
Business Unit: IESS-Other

Organization: IESS, iRADIO, OTHER

Department:JD128Location:AZ43Submit Country:USA

Previous Docket Number(s): IS01963TC

### Workflow

Dolo	Nama	Antinu
Reviewer Information		
Technical Reviewer	Bob D'Avello	Review Complete 2/2/2005
Manager	Michael Bordelon	Acknowledgement Complete 12/6/2004
Witness	Tom Miller	Acknowledgement Complete 10/25/2004, Notebook Not Signed
Witness	Blake Bullock	Acknowledgement Complete 10/27/2004, Notebook Not Signed
Co-Innovator	Jmv Villevieille	Verification Complete 10/25/2004
Co-Innovator	Dave Ulmer	Verification Complete 10/7/2004
Co-Innovator	Mike Gaumond	Verification Complete 10/11/2004
First Innovator	Mark Clayton	Verification Complete 10/7/2004
Role	Name	Action

Role Name Action

Technical Reviewer Bob D'Avello

### **Documents**

	Document Name	Description	Document Type	Uploaded By	Uploaded Date	Size
9	device_disclosure.ppt	Device connection diagram	Disclosure Details	<u>Mark</u> <u>Clayton</u>	6 Oct 2004	19 Kb

### Questions

### Name of Innovation or Engineering Development?

Wireless audio adapter for car radios

### What is the problem(s) to be resolved by or need(s) for your idea?

Portable music players which are used in a car or other vehicle don't have any convenient way to integrate with the average person's car audio system and controls.

### What patents or publications describe your idea and why don't they resolve the problem(s) or fulfill the need(s)?

There is at least one specific case there Apple's iPOD player can use the audio system and controls in a BMW via a special cable, but this isn't wireless and hardly addresses the average car owner. Other solutions like FM rebroadcast of content don't leverage the in-car audio controls and have degraded audio quality.

### What is the idea you are disclosing? Please provide a written description summarizing the idea. Please define all acronyms and other terms of art used.

This patent is for a device which allows a suitably enabled portable audio player to wirelessly integrate with the audio system in the vehicle via the existing car radio. The device would plug into the CD changer or AUX connection on the back of the radio. This gives the device access to the car audio system and controls. The device then uses Bluetooth, 802.11 or another proximity network to interact with the portable player. The player would send audio to the device (possibly encoded) which would be sent to the car audio system after conversion if required. The device would send any audio control requests from the in-car audio controls to the personal audio device so that the audio can be controlled by the in-car controls. Status and radio identification information would also be sent to the portable music player. For car radios which have the ability to display text, this adapter device would allow this text to be displayed if the portable audio device supplied information about the audio content. The in-car device would support a discovery protocol which would allow the portable audio device to dynamically discover this adapter device.

For a Bluetooth transport, there are standard stereo audio profiles which can be leveraged. This would allow the adapter to work with a large variety of portable devices even if the device didn't implement the control and status communciations.

Because of the wireless interface to existing car radios and the ability to use the regular in-car media controls, this is more than just another headset or car kit.

### How does this idea resolve the problem(s) or fulfill the need(s) in a new way? It allows audio from a portable audio device to be played and controlled in the car in a natural

and intuitive way for the majority of cars being sold today.

How or where will this idea be used (e.g. what process or product will it be applied to)? This will be used as part of the iRadio project to stream audio from a hand-held audio player (E680) within the car.

Please enter one or more key words that may be used to identify your disclosure. iRadio audio car streaming control

Do you plan to disclose your idea outside of Motorola (e.g. conference, publication, customer meeting, product offering, etc.)?

Is your idea known or has it been disclosed outside of Motorola without a duty of confidence (e.g., non-disclosure agreement, joint development agreement, etc.)?

Has a product incorporating your idea been sold, offered for sale, placed in production, qualification, sampled, described in any publication (including Motorola promotional literature), marketed, shipped to anyone outside of Motorola (customer or distributor), or placed into inventory?

NO

What is the earliest verifiable date that you communicated your idea to an individual that is NOT an <u>innovato</u>r (e.g., the date a non-innovator witness signed your engineering notebook)?

Was your idea created or developed through work performed with a consortium, alliance, government contract, university, or joint venture?

Please specify the Export Control Classification Number(s) (ECCN) to which this disclosure pertains

Unknown

Standards

None Selected

**Key Technologies** 

**IESS - Wireless communications** 

IESS - User interfaces

(Primary)

**Innovators** 

Richard M Clayton (Mark)

The address and personal information for this innovator should be treated as confidential.

Commerce ID:

10002604

Core ID:

**AMC036** 

Phone:

602/659-8110

Fax:

Email: Department: Mark.Clayton@motorola.com

Location:

AZ43

Mail Drop:

JD128 TCG2

Manager:

Jmv Villevieille

Sector:

**IESS** 

**Business Unit: IESS-Other** 

SSN:

054805444

Citizenship:

Canada

Residential Address:

13418 S 41ST ST

Mailing

13418 S 41ST ST

PHOENIX, AZ 85044 USA Address: PHOENIX, AZ 85044

USA

Michael T Gaumond (Mike)

The address and personal information for this innovator should be treated as confidential.

Commerce ID:

10115459

Core ID:

**MGAUMOND** 

Phone:

602-659-8053

Fax:

602-659-8176

Email: Department: Mike.Gaumond@motorola.com

**OR918** 

Location:

AZ43

Mail Drop:

2 NC

Manager:

Michael Bordelon

Sector:

**Business Unit: PCS-CXPS/Other** 

**PCS** 

SSN:

389743609

Citizenship:

**USA** 

Residential Address:

10943 East Greenway Scottsdale, AZ 85255 USA Mailing Address:

10943 East Greenway Scottsdale, AZ 85255

**USA** 

**David E Ulmer (Dave)** 

The address and personal information for this innovator should be treated as confidential.

Commerce ID:

12050680

Core ID:

E42721

Phone:

602/659-8161

Fax:

Email: Department: david.ulmer@motorola.com

Location:

AZ43

Mail Drop:

TCG2

JD128

Manager:

Mike Gaumond

Sector:

**IESS** 

**Business Unit: IESS-Other** 

SSN:

568236001

Citizenship:

USA

Residential Address:

James British

4647 E. Francisco Dr #123 Phoenix, AZ 85044 USA

Mailing Address: 4647 E. Francisco Dr

#123

Phoenix, AZ 85044

**USA** 

Jean Marc A Villevieille (Jmv)

The address and personal information for this innovator should be treated as confidential.

Commerce ID:

10023319

Core ID:

P26721

Phone:

602/659-8177

Fax:

Email:

jmv@motorola.com

AZ43

Department: Mail Drop:

JD128 TCG2

Location: Manager:

Mike Gaumond

Sector:

**IESS** 

**Business Unit: IESS-Other** 

SSN: Residential 316988916 2615 East Amberwood Citizenship: Mailing

France

Address:

Phoenix, AZ 85048 USA

Address:

2615 East Amberwood Phoenix, AZ 85048

**USA** 

ver 2

Attorney-Client Privileged Upon Completion

Send any comments to: eIntelligence Contacts Last Updated: 8 July 2004

**Privacy Practices** 

© Copyright 2000-2004 Motorola, Inc. All Rights Reserved. Motorola Confidential Prioprietary

### This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

### IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

<b>PATENT</b>	<b>APPLICATION</b>	SERIAL	NO.	

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FEE RECORD SHEET

02/16/2005 EABUBAK1 00000030 502117 60651963 01 FC:1005 200.00 DA

PTO-1556 (5/87)

*U.S. Government Printing Office: 2002 - 489-267/89033

PATENT APPLICATION SERIAL NO.	ION SERIAL NO.
-------------------------------	----------------

### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FEE RECORD SHEET

03/18/2005 AGDITOM 00000004 502117 60651963 01 FC:1085 3000.00 DA

02/16/2005 EABUBAKI 00000030 502117 60651963 01 FC:1005 200.00 DA

> PTO-1556 (5/87)

*U.S. Government Printing Office: 2002 -- 489-267/89035

BEST AVAILABLE COPY