ABSTRACT

The present disclosure provides methods for evaluating daily ammonia exposure based on a single fasting ammonia blood level measurement, as well as methods that utilize this technique to adjust the dosage of a nitrogen scavenging drug, determine whether to administer a nitrogen scavenging drug, and treat nitrogen retention disorders.

Electronic A	Acknowledgement Receipt
EFS ID:	12273906
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
Title of Invention:	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	09-MAR-2012
Filing Date:	
Time Stamp:	20:28:09
Application Type:	Utility under 35 USC 111(a)

Payment information:

D T.			
Payment Type	Deposit Account		
Payment was successfully received in RAM	\$1025		
RAM confirmation Number	6954		
Deposit Account	502586		
Authorized User			

Charge any Additional Fees required under 37 C.F.R. Section 1.19 (Document supply fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.20 (Post Issuance fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.21 (Miscellaneous fees and charges)

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.
9	Transmittal of New Application	Transmitted add	18577	-	2
÷.	transmittal of New Application	Transmittal.pdf	1cfd2119bc2afa29a21939d99abd99abd99ad296d pb9e	no	2
Warnings:					
Information:					
2		US_Specification.pdf	407442	yes	38
1			826a6226d6be4a/33c5624c17150d929e34 b1e14	,	50
	Multipa	art Description/PDF files in	zip description		
	Document Description		Start	End	
	Specification		1	32	
	Claims		33	34	
	Abstract		35	35	
	Drawings-only black and white line drawings		36	38	
Warnings:					
Information:					
3	Petition to make special based on Age/	1PetitiontoMakeSpecial.pdf	28687	по	2
	Health	n enternentakespecialipar	be009/bfb1b142993a8d25ef1/615b6f7b9 d1002	119	
Warnings:					
Information:					
4	Fee Worksheet (SB06)	fee-info.pdf	38065	no	2
		1000 000 C	662566/ie500c3786afc686d59086ba63210a 15c6		
Warnings:				-	
Information:	1				

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application. What is claimed is:

1. A method for determining whether to increase a dosage of a nitrogen scavenging drug in a subject currently receiving the nitrogen scavenging drug, comprising:

a) measuring a fasting blood ammonia level for the subject; and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level to determine whether to increase the dosage of a nitrogen scavenging drug, wherein the dosage needs to be increased if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

2. A method for determining whether to administer a nitrogen scavenging drug to a subject having a nitrogen retention disorder comprising:

a) measuring a fasting blood ammonia level for the subject; and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level to determine whether to administer a nitrogen scavenging drug to the subject, wherein a nitrogen scavenging drug needs to be administered to the subject if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

3. A method of treating a subject with a nitrogen retention disorder who has previously been administered a nitrogen scavenging drug comprising:

a) measuring a fasting blood ammonia level for the subject; and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level and administering an increased dosage of the nitrogen scavenging drug if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

4. The method of claim 1, further comprising:

c) administering an increased dosage of the nitrogen scavenging drug if the need exists.

5. The method of any of claims 1-3, wherein the nitrogen retention disorder is selected from the group consisting of a urea cycle disorder and hepatic encephalopathy.

 The method of any of claims 1-3, wherein the nitrogen scavenging drug is a PAA prodrug.

 The method of claim 6, wherein the PAA prodrug is selected from the group consisting of glyceryl tri-[4-phenylbutyrate] (HPN-100), phenylbutyric acid (PBA), sodium PBA (NaPBA), and a combination of two or more of HPN-100, PBA, and NaPBA.

8. The method of any of claims 1-3, wherein the nitrogen scavenging drug is sodium benzoate.

9. The method of claim 3 or 4, wherein administering an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject.

10. The method of any of claims 1-3, further comprising the step of determining an upper limit of normal for blood ammonia level for the subject prior to step (b).


11. The method of any of claims 1-3, wherein the upper limit of normal blood ammonia level is 35 μmol/L.

12. The method of claim 6, further comprising:


c) measuring urinary PAGN excretion; and

e) determining an effective dosage of the PAA prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%.

















(Ohr)



Electronic A	Acknowledgement Receipt
EFS ID:	12273906
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
Title of Invention:	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	09-MAR-2012
Filing Date:	
Time Stamp:	20:28:09
Application Type:	Utility under 35 USC 111(a)

Payment information:

D T.			
Payment Type	Deposit Account		
Payment was successfully received in RAM	\$1025		
RAM confirmation Number	6954		
Deposit Account	502586		
Authorized User			

Charge any Additional Fees required under 37 C.F.R. Section 1.19 (Document supply fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.20 (Post Issuance fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.21 (Miscellaneous fees and charges)

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.
9	Transmittal of New Application	Transmitted add	18577	-	2
÷.	transmittal of New Application	Transmittal.pdf	1cfd2119bc2afa29a21939d99abd99abd99ad296d pb9e	no	2
Warnings:					
Information:					
2		US_Specification.pdf	407442	yes	38
1			826a6226d6be4a/33c5624c17150d929e34 b1e14	,	50
	Multipa	art Description/PDF files in	zip description		
	Document Description		Start	End	
	Specification		1	32	
	Claims		33	34	
	Abstract		35	35	
	Drawings-only black and white line drawings		36	38	
Warnings:					
Information:					
3	Petition to make special based on Age/	1PetitiontoMakeSpecial.pdf	28687	по	2
	Health	n enternenterepectation	be009/bfb1b142993a8d25ef1/615b6f7b9 d1002	119	
Warnings:					
Information:					
4	Fee Worksheet (SB06)	fee-info.pdf	38065	no	2
		1000 000 C	662566/ie500c3786afc686d59086ba63210a 15c6		
Warnings:				-	
Information:	1				

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Application Number:					
Appression Number.					
Filing Date:					
Title of Invention:	METHODS OF DRUGS	THERAF	EUTIC MONITOR	NG OF NITROGEN	I SCAVENGING
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT				
Filer:	Patrick D. Morris/Colleen Kirchner				
Attorney Docket Number:	79532.8003.US02				
Filed as Small Entity					
Utility under 35 USC 111(a) Filing Fees					
Description	Fee	Code	Quantity	Amount	Sub-Total ir USD(\$)
Basic Filing:					
Utility filing Fee (Electronic filing)	40	11	1	95	95
Utility Search Fee	21	11	1	310	310
Utility Examination Fee	23	11	t	125	125
Pages:					
Claims:				12	CIT
Claims in excess of 20	22	02	9	30	270
Multiple dependent claims	22	03	1	225	225

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD (\$)	1025

Doc code : PET.OP.AGE

Description : Petition to make special based on Age/Health

PTO/SB/130 (07-09) Special based on Age/Health U.S. Patient and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

PET	TION TO MAKE SP	UNDER 37 CFR	GE FOR ADVANCEM 1.102(c)(1)	ENTOFEXA	MINATION
		Application	Information		
Application Number		Confirmation Number		Filing Date	2012-03-09
Attorney Docket Number (optional)	79532.8003.US02	Art Unit		Examiner	
First Named Inventor	Bruce Scharschmidt			*	
Title of Invention	METHODS OF THEF	RAPEUTIC MONITORIN	G OF NITROGEN SCAV	ENGING DRUG	ŝS
(2) Certification by a showing one name	a registered attorney/	agent having evidenc ication is 65 years of a	e/she is 65 years of age e such as a birth certific age, or more.		, driver's license, etc.
Given Name	who is 65 years of a Middle	0.020.000	Family Name	Su	ffix
Bruce					
A signature of the a	pplicant or represent 1.4(d) for the format		Scharschmidt cordance with 37 CFR	1.33 and 10.1	8.
) (1) I am an invento	or in this application and	I I am 65 years of age, c	r more.		
(2) I am an attorne	y or agent registered to retain such in the applic	practice before the Pate cation file record, showir	ent and Trademark Office ig that the inventor listed a	, and I certify th above is 65 yea	at I am in possession of irs of age, or more.
(2) I am an attorne	retain such in the applic	practice before the Pat cation file record, showir D. Morris/	ent and Trademark Office ig that the inventor listed a Date (YYYY-MM-D	above is 65 yea	at I am in possession of irs of age, or more. 2-03-09

Doc code : PET.OP.AGE Description : Petition to make special based on Age/Health

PTO/SB/130 (07-09) pecial based on Age/Health U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Fr eedom of Information Act requires disclosure of these records.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about indivi duals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

RELATED APPLICATIONS

[0001] The present application claims the benefit of U.S. Provisional Application No. 61/564,668, filed November 29, 2011, and U.S. Provisional Application No. 61/542,100, filed September 30, 2011, the disclosures of which are incorporated by reference herein in their entirety, including drawings.


BACKGROUND

[0002] Nitrogen retention disorders associated with elevated ammonia levels include urea cycle disorders (UCDs) and hepatic encephalopathy (HE).

[0003] UCDs include several inherited deficiencies of enzymes or transporters necessary for the synthesis of urea from ammonia, including enzymes involved in the urea cycle. The urea cycle is depicted in Figure 1, which also illustrates how certain ammonia-scavenging drugs act to assist in elimination of excessive ammonia. With reference to Figure 1, N-acetyl glutamine synthetase (NAGS)-derived N-acetylglutamate binds to carbamyl phosphate synthetase (CPS), which activates CPS and results in the conversion of ammonia and bicarbonate to carbamyl phosphate. In turn, carbamyl phosphate reacts with ornithine to produce citrulline in a reaction mediated by ornithine transcarbamylase (OTC). A second molecule of waste nitrogen is incorporated into the urea cycle in the next reaction, mediated by arginosuccinate synthetase (ASS), in which citrulline is condensed with aspartic acid to form argininosuccinic acid. Argininosuccinic acid is cleaved by argininosuccinic lyase (ASL) to produce arginine and fumarate. In the final reaction of the urea cycle, arginase (ARG) cleaves arginine to produce ornithine and urea. Of the two atoms of nitrogen incorporated into urea, one originates from free ammonia (NH_4^+) and the other from aspartate. UCD individuals born with no meaningful residual urea synthetic capacity typically present in the first few days of life (neonatal presentation). Individuals with residual function typically present later in childhood or even in adulthood, and symptoms may be precipitated by increased dietary protein or physiological stress (e.g., intercurrent illness).

[0004] Hepatic encephalopathy (HE) refers to a spectrum of neurologic signs and symptoms believed to result from hyperammonemia, which frequently occur in subjects with cirrhosis or

certain other types of liver disease. Subjects with HE typically show altered mental status ranging from subtle changes to coma, features similar to subjects with UCDs. [0005] Subjects with nitrogen retention disorders whose ammonia levels and/or symptoms are not adequately controlled by dietary restriction of protein and/or dietary supplements are generally treated with nitrogen scavenging agents such as sodium phenylbutyrate (NaPBA, approved in the United States as BUPHENYL® and in Europe as AMMONAPS®) or sodium benzoate. These are often referred to as alternate pathway drugs because they provide the body with an alternate pathway to urea for excretion of waste nitrogen (Brusilow 1980; Brusilow 1991). NaPBA is a phenylacetic acid (PAA) prodrug. Another nitrogen scavenging drug currently in development for the treatment of nitrogen retention disorders is glyceryl tri-[4phenylbutyrate](HPN-100), which is described in U.S. Patent No. 5,968,979. HPN-100, which is commonly referred to as GT4P or glycerol PBA, is a prodrug of PBA and a pre-prodrug of PAA. [0006] HPN-100 and NaPBA share the same general mechanism of action: PBA is converted to PAA via beta oxidation, and PAA is conjugated enzymatically with glutamine to form phenylacetylglutamine (PAGN), which is excreted in the urine. The structures of PBA, PAA, and PAGN are set forth below.



[0007] The clinical benefit of NaPBA and HPN-100 with regard to nitrogen retention disorders derives from the ability of PAGN to effectively replace urea as a vehicle for waste nitrogen excretion and/or to reduce the need for urea synthesis (Brusilow 1991; Brusilow 1993). Because

each glutamine contains two molecules of nitrogen, the body rids itself of two waste nitrogen atoms for every molecule of PAGN excreted in the urine. Therefore, two equivalents of nitrogen are removed for each mole of PAA converted to PAGN. PAGN represents the predominant terminal metabolite, and one that is stoichiometrically related to waste nitrogen removal, a measure of efficacy in the case of nitrogen retention states. The difference between HPN-100 and NaPBA with respect to metabolism is that HPN-100 is a triglyceride and requires digestion, presumably by pancreatic lipases, to release PBA (McGuire 2010).

[0008] In contrast to NaPBA or HPN-100, sodium benzoate acts when benzoic acid is combined enzymatically with glycine to form hippuric acid. For each molecule of hippuric acid excreted in the urine, the body rids itself of one waste nitrogen atom.

[0009] Methods of determining an effective dosage of PAA prodrugs such as NaPBA or HPN-100 for a subject in need of treatment for a nitrogen retention disorder are described in WO09/1134460 and WO10/025303. Daily ammonia levels, however, may vary greatly in a subject. This can lead to overestimation by the physician of the average daily ammonia levels, which may result in overtreatment. Thus, there is a need in the art for improved methods for PAA prodrug dose determination and adjustment based on ammonia levels in subjects with nitrogen retention disorders such as UCDs or HE.

SUMMARY

[0010] Provided herein in certain embodiments are methods for determining whether to increase a dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder by measuring a fasting blood ammonia level and comparing the fasting blood ammonia level to the upper limit of normal (ULN) for blood ammonia, where a fasting blood ammonia level that is greater than half the ULN for blood ammonia indicates that the dosage needs to be increased. In certain embodiments, the nitrogen retention disorder is a UCD or HE. In certain embodiments, the nitrogen scavenging drug is HPN-100, PBA, NaPBA, sodium benzoate, or any combination thereof (i.e., any combination of two or more of HPN-100, PBA, NaPBA). In certain embodiments, the uLN is around 35 μ mol/L or 59 μ g/mL. In certain embodiments, the methods include an additional step of administering an increased dosage of the nitrogen scavenging drug if the need exists, and in certain of these embodiments administration of the nitrogen scavenging drug have a gravenging drug produces a normal average daily ammonia level in the subject. In certain embodiments wherein a determination is made to administer an increased dosage of nitrogen scavenging drug rug methods in the subject.

and wherein the nitrogen scavenging drug is a PAA prodrug, the methods include an additional step of measuring urinary PAGN excretion and determining an effective dosage of the PAA prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%. [0011] Provided herein in certain embodiments are methods for determining whether to administer a nitrogen scavenging drug to a subject with a nitrogen retention disorder by measuring a fasting blood ammonia level and comparing the fasting blood ammonia level to the ULN for blood ammonia, where a fasting blood ammonia level that is greater than half the ULN for blood ammonia indicates that the nitrogen scavenging drug needs to be administered. In certain embodiments, the nitrogen retention disorder is a UCD or HE. In certain embodiments, the nitrogen scavenging drug is HPN-100, PBA, NaPBA, sodium benzoate, or any combination thereof (i.e., any combination of two or more of HPN-100, PBA, NaPBA). In certain embodiments, the ULN is around 35 µmol/L or 59 µg/mL. In certain embodiments, the methods include an additional step of administering a nitrogen scavenging drug if the need exists, and in certain of these embodiments administration of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject. In certain embodiments wherein a determination is made to administer a nitrogen scavenging drug and wherein the nitrogen scavenging drug is a PAA prodrug, the methods further include a step of determining an effective initial dosage of the PAA prodrug by determining a target urinary PAGN output based on a target nitrogen output and calculating an effective initial dosage that results in the target urinary PAGN output based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%. In certain embodiments, the methods include a step of administering the calculated effective initial dosage.

[0012] Provided herein in certain embodiments are methods for treating a nitrogen retention disorder in a subject who has previously been administered a nitrogen scavenging drug by measuring a fasting blood ammonia level, comparing the fasting blood ammonia level to the ULN for blood ammonia, and administering an increased dosage of the nitrogen scavenging drug if the fasting ammonia level is greater than half the ULN for blood ammonia. In certain embodiments, administration of an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject. In certain embodiments, the nitrogen retention disorder is a UCD or HE. In certain embodiments, the nitrogen scavenging drug is HPN-100, PBA, NaPBA, sodium benzoate, or any combination thereof (i.e., any combination of two or more of HPN-100, PBA, NaPBA). In certain embodiments, the ULN is around 35

79532-8003.US01/LEGAL22714905.1

4

µmol/L or 59 µg/mL. In certain embodiments wherein the nitrogen scavenging drug is a PAA prodrug, the methods include an additional step of measuring urinary PAGN excretion and determining an effective dosage of the PAA prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%. In certain embodiments, the methods include a step of administering the calculated effective dosage.

BRIEF DESCRIPTION OF DRAWINGS

[0013] Figure 1: The urea cycle and how certain nitrogen-scavenging drugs may assist in elimination of excessive ammonia.

[0014] Figure 2: Relationship between fasting ammonia and average ammonia UCD patients.[0015] Figure 3: Venous blood ammonia values over 24 hours in (A) adult and (B) pediatric UCD patients.

DETAILED DESCRIPTION

[0016] The following description of the invention is merely intended to illustrate various embodiments of the invention. As such, the specific modifications discussed are not to be construed as limitations on the scope of the invention. It will be apparent to one skilled in the art that various equivalents, changes, and modifications may be made without departing from the scope of the invention, and it is understood that such equivalent embodiments are to be included herein.

[0017] In subjects with a nitrogen retention disorder, the desired effect of treatment with a nitrogen scavenging drug is control of blood ammonia level. Control of blood ammonia level generally refers to ammonia values within the normal range and avoidance of hyperammonemic crises, which are often defined in the art as transient ammonia values exceeding 100 μ mol/L or 178 μ g/mL accompanied by clinical signs and symptoms of hyperammonemia. Dosing of nitrogen scavenging drugs is usually based upon clinical assessment and measurement of ammonia. However, assessment of treatment effect and interpretation of ammonia levels is confounded by the fact that individual ammonia values vary several-fold over the course of a day and are impacted by timing of the blood draw in relation to the last meal and dose of drug (see, e.g., Lee 2010; Lichter-Konecki 2011; Diaz 2011).

[0018] A random ammonia value obtained during an outpatient visit may fail to provide a reliable measure of a subject's status and the drug effect. For example, basing treatment on a blood sample taken after eating a meal might overestimate average daily ammonia level and

result in overtreatment. Conversely, basing treatment on a blood sample taken after drug administration might underestimate average daily ammonia level and result in undertreatment. A fasting ammonia level at or near the ULN might be taken as an indication of satisfactory control without appreciating the fact that the ammonia burden during the day (average and/or highest possible value) might be significantly higher. Thus, a fasting level at or near the ULN may actually reflect undertreatment in a subject already a receiving nitrogen scavenging drug or the need for treatment in a subject not currently prescribed a nitrogen scavenging drug. A more accurate view of daily ammonia level could be obtained by multiple blood draws in a controlled setting over an extended period of time. Although this is currently done in clinical trials, it is clinically impractical.

[0019] As set forth below, the relationship between fasting ammonia levels and daily ammonia exposure was evaluated in subjects with nitrogen retention disorders. It was found that fasting ammonia correlates strongly with daily ammonia exposure, assessed as a 24 hour area under the curve for ammonia, daily average, or maximal daily concentration, and that a target fasting value which does not exceed half of the ULN is a clinically useful and practical predictor of ammonia values over 24 hours. As such, provided herein are clinically practical methods of evaluating ammonia exposure in subjects with nitrogen retention disorders based on fasting ammonia levels, as well as methods of using the resultant information to adjust the dosage of a nitrogen scavenging drug, determine whether to administer a nitrogen scavenging drug, treat a nitrogen retention disorder, and predict daily ammonia burden. The use of fasting ammonia levels to predict ammonia exposure provides a significant advantage over previously developed methods by reducing the number of required blood draws and eliminating the confusion associated with conflicting ammonia levels over the course of the day.

[0020] As further disclosed herein, the relationship between ammonia control and neurocognitive outcome was evaluated in UCD patients. Previous research has demonstrated that UCD patients often exhibit lower IQ overall and deficient executive function manifested by difficulty in goal setting, planning, monitoring progress and purposeful problem solving. As set forth herein, it was found that ammonia control with GPB resulted in a significant improvement in executive functions in pediatric patients. Based on these results, methods are provided herein for improving executive function in a pediatric subject with a UCD by administering one or more nitrogen scavenging drugs.

[0021] As further disclosed herein, the relationship between elevated PAA levels and neurological adverse events (AEs) was analyzed. Many of the over 30 reports of administration of NaPBA and/or sodium PAA to humans describe AEs, particularly when administered intravenously. IV administration of PAA to cancer patients was shown previously to result in AEs that included fatigue, dizziness, dysgeusia, headache, somnolence, lightheadedness, pedal edema, nausea, vomiting, and rash (Thibault 1994; Thibault 1995). These AEs correlated with PAA levels from 499 to 1285 µg/mL. Although NaPBA has been used in UCD treatment for over two decades and AEs reportedly associated with PAA are similar to those associated with hyperammonemia, little was known previously about the relationship between PAA levels and neurological AEs in UCD patients. As shown herein, increased PAA levels did not correlate with increased neurological AEs in subjects with UCD. However, PAA levels were associated with an increase in neurological AEs in healthy subjects. Based on these results, methods are provided herein for predicting or diagnosing AEs in a subject by measuring PAA levels. Further provided herein are methods of treating and/or preventing AEs in a subject with elevated PAA levels by administering one or more nitrogen scavenging drugs.

[0022] Provided herein are specific target values for blood ammonia upon which an effective dosage of a nitrogen scavenging drug can be based. In certain embodiments, an effective dosage of a nitrogen scavenging drug may be an initial dosage, subsequent/maintenance dosage, improved dosage, or a dosage determined in combination with other factors. In certain embodiments, the effective dosage may be the same as or different than the initial dosage. In other embodiments, the effective dosage may be higher or lower than the initial dosage. In certain embodiments, methods are provided for adjusting the dose or regimen of a nitrogen scavenging drug to achieve a target ammonia level that is predictive of the average daily ammonia level and/or the highest ammonia value that the subject is likely to experience during the day.

[0023] Using the methods herein, a subject's fasting blood ammonia level may be used as a predictor of daily ammonia burden, average daily ammonia level, and/or highest daily ammonia value. Whether a subject with a nitrogen retention disorder is receiving an optimum dosage of nitrogen scavenging drug may be determined based on predicted daily ammonia exposure. By optimizing the therapeutic efficacy of a nitrogen scavenging drug, the therapeutic dosage of the nitrogen scavenging drug is adjusted so that the subject experiences the desired nitrogen

scavenging effect. In particular, the dose is adjusted so that the subject may experience a normal average daily ammonia level. In certain embodiments, the effective dosage of nitrogen scavenging drug is determined by adjusting (e.g., increasing) a dosage to achieve a fasting blood ammonia level for a subject that is less than or equal to half the ULN for blood ammonia. [0024] Provided herein in certain embodiments are methods of determining whether the dosage of a nitrogen scavenging drug needs to be increased in a subject with a nitrogen retention disorder comprising comparing a fasting blood ammonia level for the subject to a ULN for blood ammonia. If the fasting blood ammonia level has a value that greater than half the ULN, the dosage of the nitrogen scavenging drug needs to be increased. In certain embodiments, the methods further comprise increasing the dosage of the nitrogen scavenging drug if the need exists, and in certain of these embodiments the methods further comprise administering the increased dosage. In certain of these embodiments, administration of the increased dosage results in a normal average daily ammonia level in the subject.

[0025] Provided herein in certain embodiments are methods of determining whether the dosage of a nitrogen scavenging drug needs to be increased in a subject with a nitrogen retention disorder comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the dosage of the nitrogen scavenging drug needs to be increased. In certain embodiments, the methods further comprise increasing the dosage of the nitrogen scavenging drug if the need exists, and in certain of these embodiments the methods further comprise administering the increased dosage. In certain of these embodiments, administration of the increased dosage results in a normal average daily ammonia level in the subject.

[0026] Provided herein in certain embodiments are methods of adjusting the dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder comprising comparing a fasting blood ammonia level for the subject to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the dosage of the nitrogen scavenging drug is increased, and if the dosage is less than or equal to half the ULN the dosage of the nitrogen scavenging drug is not increased. In certain embodiments, the methods further comprise administering the increased dosage. In certain of these embodiments, administration of the increased dosage results in a normal average daily ammonia level in the subject.

[0027] Provided herein in certain embodiments are methods of adjusting the dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the dosage of the nitrogen scavenging drug is increased, and if the dosage is less than or equal to half the ULN the dosage of the nitrogen scavenging drug is not increased. In certain embodiments, the methods further comprise administering the increased dosage. In certain of these embodiments, administration of the increased dosage results in a normal average daily ammonia level in the subject.

[0028] Provided herein in certain embodiments are methods of adjusting the dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the dosage of the nitrogen scavenging drug is increased, and if the dosage is significantly less than half the ULN, the dosage of the nitrogen scavenging drug is greater than half the decreased. In certain embodiments, the methods further comprise administering the adjusted dosage. In certain of these embodiments, administration of the adjusted dosage results in a normal average daily ammonia level in the subject.

[0029] Provided herein in certain embodiments are methods of adjusting the dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder comprising administering an initial dosage of the nitrogen scavenging drug, measuring fasting blood ammonia level, and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, subsequent maintenance dosages of the nitrogen scavenging drug are adjusted to be greater than the initial dosage. In certain embodiments, the methods further comprise administering the increased maintenance dosage, and in certain of these embodiments, administration of the increased maintenance dosage results in a normal average daily ammonia level in the subject.

[0030] Provided herein in certain embodiments are methods of adjusting the dosage of a nitrogen scavenging drug in a subject with a nitrogen retention disorder to achieve a fasting blood ammonia level that is less than or equal to half the ULN for blood ammonia comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood

ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the subject is administered an increased dosage of the nitrogen scavenging drug. After a time period sufficient for the drug to reach steady state (e.g., 48 hours, 48 to 72 hours, 72 hours to 1 week, 1 week to 2 weeks, greater than 2 weeks), fasting blood ammonia level is measured again and compared to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the dosage of the nitrogen scavenging drug is increased. This process is repeated until a fasting blood ammonia level of less than or equal to half the ULN is obtained.

[0031] Provided herein in certain embodiments are methods for assessing whether a subject with a nitrogen retention disorder is more or less likely to need a dosage adjustment of a nitrogen scavenging drug comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia, wherein a fasting blood ammonia level that is greater than half the value of ULN indicates that the subject is more likely to need a dosage adjustment and a fasting blood ammonia level less than or equal to half the value of ULN indicates that the subject is less likely to need a dosage adjustment. [0032] Provided herein in certain embodiments are methods of determining whether to administer a nitrogen scavenging drug to a subject with nitrogen retention disorder comprising comparing a fasting blood ammonia level for the subject to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, a nitrogen scavenging drug needs to be administered to the subject. In certain embodiments, these methods further comprise administering the nitrogen scavenging drug. In certain embodiments, the subject may not have been administered any nitrogen scavenging drugs prior to the determination. In other embodiments, the subject may have previously been administered a nitrogen scavenging drug other than the one being evaluated. In these embodiments, the methods provided herein can be used to determine whether to administer a new nitrogen scavenging drug to a subject. [0033] Provided herein in certain embodiments are methods of determining whether to administer a nitrogen scavenging drug to a subject with nitrogen retention disorder comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, a nitrogen scavenging drug needs to be administered to the subject. In certain embodiments, these methods further comprise administering the nitrogen scavenging

drug. In certain embodiments, the subject may not have been administered any nitrogen scavenging drugs prior to the determination. In other embodiments, the subject may have previously been administered a nitrogen scavenging drug other than the one being evaluated. In these embodiments, the methods provided herein can be used to determine whether to administer a new nitrogen scavenging drug to a subject.

[0034] Provided herein in certain embodiments are methods for selecting a dosage of a nitrogen scavenging drug for treating a nitrogen retention disorder in a subject based on blood ammonia levels comprising selecting a dosage that results in a fasting blood ammonia level that is less than or equal to half the ULN for blood ammonia. In certain embodiments, selecting the effective dosage is further based on diet, endogenous waste nitrogen excretion capacity, or any combination thereof. In certain embodiments, the methods further comprise administering the selected dosage.

[0035] Provided herein in certain embodiments are methods of treating a subject with a nitrogen retention disorder who has previously been administered a nitrogen scavenging drug comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the subject is administered an increased dosage of the nitrogen scavenging drug. If the fasting blood ammonia level has a value that is less than or equal to half the ULN, the subject is administered the same dosage or a decreased dosage of the nitrogen scavenging drug. In certain embodiments, administration of an increased dosage results in a normal average daily ammonia level in the subject.

[0036] Provided herein in certain embodiments are methods of treating a subject with a nitrogen retention disorder who has previously been administered an initial dosage of a nitrogen scavenging drug comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the subject is administered a maintenance dosage that is greater than the initial dosage of the nitrogen scavenging drug. If the fasting blood ammonia level has a value that is less than or equal to half the ULN, the subject is administration of an increased maintenance dosage results in a normal average daily ammonia level in the subject.

[0037] Provided herein in certain embodiments are methods of treating a subject with a nitrogen retention disorder comprising administering a nitrogen scavenging drug, then measuring a fasting blood ammonia level for the subject at some point after drug administration and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, the subject is administered an increased dosage of the nitrogen scavenging drug. If the fasting blood ammonia level has a value that is less than or equal to half the ULN, the subject is administered the original or a lower dosage of the drug.

[0038] Provided herein in certain embodiments are methods of treating a subject with a nitrogen retention disorder comprising administering a first dosage of a nitrogen scavenging drug, measuring a fasting blood ammonia level for the subject, and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, a second dosage of a nitrogen scavenging drug that is greater than the first dosage is administered to the subject. A fasting ammonia blood level is measured again in the subject and compared to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN, a third dosage of a nitrogen scavenging drug that is greater than the second dosage is administered to the subject. This process is repeated until the subject exhibits a fasting blood ammonia level with a value less than or equal to half the ULN. [0039] Provided herein in certain embodiments are methods of monitoring the efficacy of nitrogen scavenging drug administration in a subject with a nitrogen retention disorder who has previously been administered a nitrogen scavenging drug comprising measuring a fasting blood ammonia level for the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia. If the fasting blood ammonia level has a value that is greater than half the ULN. the previously administered dosage of the nitrogen scavenging drug is considered inadequate to treat the nitrogen retention disorder. If the fasting blood ammonia level has a value that is less than or equal to half the ULN, the previously administered dosage is considered adequate to treat the nitrogen retention disorder. In certain embodiments where the previously administered dosage is considered inadequate to treat the nitrogen retention disorder, the methods provided herein further comprise administering an increased dosage of the nitrogen scavenging drug. [0040] Provided herein in certain embodiments are methods for monitoring therapy with a nitrogen scavenging drug in a subject having a nitrogen retention disorder comprising measuring

a fasting blood ammonia level from the subject and comparing the fasting blood ammonia level to a ULN for blood ammonia, wherein a fasting blood ammonia level that is greater than half the ULN indicates that the subject is more likely to need a dosage adjustment of the nitrogen scavenging drug, and wherein a fasting blood ammonia level less than or equal to half the ULN indicates that the subject is less likely to need a dosage adjustment.

[0041] A nitrogen retention disorder as used herein refers to any condition associated with elevated blood nitrogen/ammonia levels. In certain embodiments, a nitrogen retention disorder may be a UCD. In other embodiments, a nitrogen retention disorder may be HE.

[0042] A nitrogen scavenging drug as used herein refers to any drug that decreases blood nitrogen and/or ammonia levels. In certain embodiments, a nitrogen scavenging drug may remove nitrogen in the form of PAGN, and in certain of these embodiments the nitrogen scavenging drug may be an orally administrable drug that contains or is metabolized to PAA. For example, a nitrogen scavenging drug may be a PAA prodrug such as PBA or HPN-100, a pharmaceutically acceptable salt of PBA such as NaPBA, or a pharmaceutically acceptable ester, acid, or derivative of a PAA prodrug. In other embodiments, a nitrogen scavenging drug may remove nitrogen via hippuric acid. In certain of these embodiments, a nitrogen scavenging drug may be benzoic acid, a pharmaceutically acceptable salt of benzoic acid such as sodium benzoate, or a pharmaceutically acceptable ester, acid, or derivative of benzoic acid.

[0043] Increasing the dosage of a nitrogen scavenging drug may refer to increasing the amount of drug per administration (e.g., an increase from a 3 mL dosage to a 6 mL dosage), increasing the number of administrations of the drug (e.g., an increase from once-a-day dosing to twice- or three-times-a-day), or any combination thereof.

[0044] A subject that has previously been administered a nitrogen scavenging drug may have been administered the drug for any duration of time sufficient to reach steady state. For example, the subject may have been administered the drug over a period of 2 to 7 days, 1 week to 2 weeks, 2 weeks to 4 weeks, 4 weeks to 8 weeks, 8 weeks to 16 weeks, or longer than 16 weeks.

[0045] In certain embodiments of the methods disclosed herein, the fasting period for obtaining a fasting blood ammonia level is overnight. In certain embodiments, the fasting period is 4 hours or more, 5 hours or more, 6 hours or more, 7 hours or more, 8 hours or more, 9 hours or more, 10 hours or more, 11 hours or more, or 12 hours or more, and in certain embodiments the fasting

period is 4-8 hours, 6-8 hours, or 8-12 hours. During the fasting period, the subject preferably does not ingest any food. In certain embodiments, the subject may also refrain from ingesting certain non-food substances during the fasting period. For example, in certain embodiments the subject does not ingest any supplements and/or nitrogen scavenging drugs during the fasting period. In certain of these embodiments, the subject may nonetheless ingest one or more drugs other than nitrogen scavenging drugs during the fasting period. In certain of these embodiments the subject does not ingest any high calorie liquids during the fasting period. In certain of these embodiments, the subject does not ingest any high calorie liquids during the fasting period. In certain of these embodiments, the subject does not ingest any high calorie liquids during the fasting period. In certain of these embodiments, the subject does not ingest any liquids other than water during the fasting period. In other embodiments, the subject may ingest small amounts of low calorie beverages, such as tea, coffee, or diluted juices.

[0046] In certain embodiments of the methods disclosed herein, blood samples used for measuring fasting blood ammonia levels and/or ULN blood ammonias are venous blood samples. In certain embodiments, a blood sample is a plasma blood sample. Any methods known in the art may be used to obtain a plasma blood sample. For example, blood from a subject may be drawn into a tube containing heparin or ethylenediaminetetraacetic acid (EDTA). In certain embodiments, the sample can be placed on ice and centrifuged to obtain plasma within 15 minutes of collection, stored at 2-8°C (36-46°F) and analyzed within 3 hours of collection. In other embodiments, the blood plasma sample is snap frozen, stored at ≤-18°C (≤0°F) and analyzed at a later time. For example, the sample may be analyzed at 0-12 hours, 12-24 hours, 24-48, 48-96 hours after freezing, or within any other timeframe over which the sample has demonstrated stability. In certain embodiments, blood samples are taken in a laboratory or hospital setting. In certain embodiments, a single fasting blood sample is used to measure fasting blood ammonia level. However, in other embodiments, multiple fasting blood samples may be obtained. In certain embodiments, a subject's blood ammonia level may be monitored throughout the day. Further, in certain embodiments, the methods disclosed herein comprise an additional step of obtaining one or more blood samples from a subject prior to or after measuring fasting blood ammonia level.

[0047] In certain embodiments, a blood sample is analyzed immediately after collection. In other embodiments, the blood sample is stored for some period between collection and analysis. In these embodiments, the sample may be stored for less than 1 hour, 1 hour to 6 hours, 1 hour to 12 hours, 1 hour to 24 hours, or 1 hour to 48 hours. In certain of these embodiments, the blood

sample is stored at a temperature between $0-15^{\circ}$ C, such as $2-8^{\circ}$ C. In other embodiments, the blood sample is stored below 0° C or below -18° C.

[0048] Measurement of ammonia levels in a fasting blood sample is carried out using techniques known in the art. For example, ammonia levels may be measured using a colorimetric reaction or an enzymatic reaction. In certain embodiments, a colorimetric reaction may involve the use of bromophenol blue as an ammonia indicator. In these embodiments, ammonia may react with bromophenol blue to yield a blue dye. In certain embodiments, an enzymatic reaction may involve glutamate dehydrogenase catalyzing the reductive amination of 2-oxoglutarate with NH4+ and NADPH to form glutamate and NADP+. The formation of NADP⁺ formed is directly proportional to the amount of ammonia present in the blood sample. Therefore, the concentration of ammonia is measured based on a decrease in absorbance. [0049] In certain embodiments of the methods disclosed herein, a subject exhibiting a fasting blood ammonia level less than or equal to half the ULN for blood ammonia has an average likelihood within a confidence interval that their average daily ammonia level will remain within a normal average daily ammonia level. In certain embodiments, the average likelihood of having a normal daily ammonia value is 80% to 90%. In certain embodiments, one may predict with 95% confidence that a blood ammonia level will fall within a certain range. In certain embodiments, one can predict with 95% confidence that a true probability of predicting normal values based on fasting blood ammonia is between 65% and 93%. In other embodiments, one can predict with 80% confidence that a true probability of predicting normal values based on fasting blood ammonia is at least 70%. In certain embodiments, the average likelihood of predicting normal ammonia value based on fasting blood ammonia is about 84% with 95% confidence that the true probability is between 65% and 93%.

[0050] In certain embodiments of the methods disclosed herein, a subject exhibiting a fasting blood ammonia level less than or equal to half the ULN for blood ammonia has an average likelihood within a confidence interval that their maximum daily blood ammonia level will not exceed 1.5 times the ULN for blood ammonia. In certain of these embodiments, the average likelihood is about 70% to 80%. In certain embodiments, the confidence interval is a 95% confidence interval. In certain embodiments, the average likelihood is about 75% with 95% confidence that the true probability is between 58% and 86%.

[0051] In certain embodiments of the methods disclosed herein, a subject exhibiting a fasting blood ammonia level less than or equal to half the ULN for blood ammonia has an average likelihood within a confidence interval that their maximum daily blood ammonia level will be less than 100 μ mol/L. In certain of these embodiments, the average likelihood is 90% to 98%. In certain embodiments, the confidence interval is 95%. In certain embodiments, the average likelihood is about 93% with 95% confidence that the true probability is between 77% and 100%.

[0052] The maximal ammonia value refers to the maximum amount of ammonia that may be detected in a subject following consumption of meals, if repeated measurement of blood ammonia can be instituted to detect such maximum value over an extended period of time. Based on well-controlled clinical trials with repeated blood sampling over 24 hours, the maximum blood ammonia has been observed to occur following the third major meal of the day in the early to mid evening hours (4-8PM, assuming that breakfast is approximately 8AM; see, e.g., Lee 2010; Lichter-Konecki 2011).

[0053] The ULN for blood ammonia typically represents the highest level in the range of normal values, which may be influenced by a variety of factors such as the assay method, types of regents, standard reference samples used, and specifications and calibration of equipment used to perform the measurement. In certain embodiments of the methods disclosed herein, the ULN for blood ammonia is determined for a subject individually. In other embodiments, the ULN for blood ammonia may be based on measurements obtained across a range of subjects (i.e., subjects with UCD or with a particular subtype of UCD, subjects with HE, healthy subjects, etc.). In certain embodiments, the ULN for blood ammonia may represent a standard reference value disclosed in the art, such as a mean ULN developed across a particular subset of subjects. In other embodiments, the ULN for blood ammonia may represent a standard measurement that has been developed by a particular entity that performs blood draws and/or blood evaluations, such as a particular clinical laboratory. In certain embodiments, the ULN is a standard reference value utilized by the same entity that measures the fasting blood ammonia level. In these embodiments, one skilled in the art will appreciate that interpretation of average daily ammonia in subject with a nitrogen retention disorder must be made relative to the reference range of normal values at the laboratory in which the ammonia was measured. Furthermore, the units of ammonia measurement may also vary from lab to lab (e.g., $\mu g/mL$ or $\mu moI/L$), emphasizing the

importance of interpreting the subject's ammonia levels relative to the ULN at the laboratory in which the measurement was performed. In certain embodiments, the ULN for blood ammonia may be in the range of 26-64 μ mol/L. In certain of these embodiments, the ULN for blood ammonia may be in the range of 32-38 μ mol/L or 34-36 μ mol/L, and in certain of these embodiments the ULN for blood ammonia is 35 μ mol/L. In certain embodiments, the ULN for blood affects the ULN for blood ammonia is 35 μ mol/L. In certain embodiments, the ULN for blood ammonia may be in the range of 50-65 μ g/mL. In certain of these embodiments, the ULN for blood ammonia may be in the range of 55-63 μ g/mL or 57-61 μ g/mL, and in certain of these embodiments the ULN for blood ammonia is 59 μ g/mL.

[0054] In certain embodiments, the average daily ammonia is the average amount of ammonia an individual may experience during the day, if serial blood sampling were performed for ammonia measurements. In well-controlled clinical studies, it has been established that ammonia fluctuates several fold during the day, depending on the timing of blood draw relative to food and drug intake. Due to these fluctuations, the timing of individual or serial blood sampling should be controlled relative to the timing of food and drug intake. Even serial sampling may not be enough to capture the peaks and troughs of the fluctuating ammonia values, unless samples are taken frequently enough. Therefore, obtaining a simple average of several measurements may provide inadequate or misleading information regarding the total ammonia burden a subject may experience during the day.

[0055] Provided herein are methods to better estimate a subject's average daily ammonia assessed as the area under the curve for 24-hr ammonia (ammonia AUC_{0-24hr}) obtained from adequate and well-spaced samples over 24 hours. This ammonia AUC_{0-24hr} can be further normalized for the entire actual period of sampling, i.e., ammonia AUC_{0-24hr} is divided by the sampling period (e.g., 24 hours). For example, if an AUC of 1440 µmol*hr/L is calculated using the trapezoidal rule based on 8-11 ammonia values obtained over 24 hours, then the average daily ammonia value or time-normalized AUC_{0-24hr} would be equal to 1440 µmol*hr/ml divided by the sampling time of 24 hr, or 60 µmol/L. If the normal reference range at the laboratory which performed the ammonia analysis was 10-35 µmol/L, then the average daily ammonia value for this subject would be approximately 1.71 times the ULN of 35 µmol/L. Similarly, if the ammonia AUC_{0-24hr} was determined to be equal to 840 µmol*hr/L based on multiple, well-spaced samples over 24 hours and analyzed at the same laboratory, and the sampling period was 24 hours, then the time-normalized AUC_{0-24hr} would be 35 µmol/L. This corresponds to an

average ammonia or daily ammonia burden within the ULN. Finally, subjects with nitrogen retention disorders such as UCDs may experience a hyperammonemic crisis, which is often defined clinically as a blood level exceeding 100 µmol/L and clinical manifestations of hyperammonemia, which may require intervention to prevent irreversible hard and enable recovery.

[0056] Provided herein are methods of adjusting nitrogen scavenging drug dosage by measuring fasting blood ammonia to minimize the likelihood a subject may experience an ammonia value (Cmax) over 24 hours that exceeds 100 µmol/L. It has been found that 100 µmol/L corresponds to approximately 2-3 times the ULN in most laboratories. Previously, if a subject with a nitrogen retention disorder such as UCD had a blood ammonia level within or slightly above the normal reference range for the laboratory which performed the analysis, the subject was considered to be in good clinical control regardless of the timing of the blood draw in relation to meals and last administration of drug dose. However, it has been shown that a subject with a UCD who has a fasting blood ammonia level between the ULN and 1.5 times the ULN (e.g., 35 to 52 µmol/L) has an average likelihood of only 45% (with a 95% confidence interval of 21% to 70%) that his or her average daily ammonia is within the normal range; an average likelihood of only 35% (with a 95% confidence interval of 13% to 60%) that his or her maximal level of ammonia during the day is less than 1.5 times the ULN (e.g., 52 µmol/L); and an average likelihood of 25% that his or her maximal daily ammonia level exceeds 100 µmol/L during the day. Thus, after measuring a UCD subject's fasting blood ammonia, the dosage of a nitrogen scavenging drug may be progressively increased and/or his or her protein intake progressively decreased until the fasting ammonia value is less than or equal to half of the ULN for the local laboratory in which the ammonia analysis was performed.

[0057] In certain embodiments of the methods disclosed herein, one or more factors other than ammonia level may be taken into consideration when evaluating nitrogen scavenging drug dosage. For example, blood ammonia measurements may be combined with urinary PAGN measurements in determining whether to administer a nitrogen scavenging drug, adjusting the dosage of a nitrogen scavenging drug, or treating a nitrogen retention disorder. US Patent Publication No. 2010/0008859 discloses that urinary PAGN levels correlate more closely to PBA prodrug dosage than plasma PAA, PBA, or PAGN levels, and further discloses that PBA prodrugs are converted to urinary PAGN with a mean efficiency of 60-75%. Therefore, certain

embodiments of the methods disclosed herein comprise an additional step wherein urinary PAGN levels are measured. In certain of these embodiments, calculation of an effective dosage of nitrogen scavenging drug is based in part on a mean 60-75% conversion of PAA prodrug to urinary PAGN. For example, in certain embodiments the methods disclosed herein for determining whether to administer a nitrogen scavenging drug to a subject comprise an additional step of measuring urinary PAGN and calculating an effective initial dosage based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%. Similarly, in certain embodiments the methods disclosed herein for adjusting the dosage of a nitrogen scavenging drug comprise an additional step of measuring urinary PAGN and calculating an effective dosage based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%. In certain of these embodiments, the effective dosage is calculated based on a target nitrogen output. In certain embodiments, urinary PAGN may be determined as a ratio of the concentration of urinary PAGN to urinary creatinine. In certain embodiments, urinary PAGN is a factor that is taken into consideration when determining whether to administer or increase the dosage of a nitrogen scavenging drug, i.e., urinary PAGN is evaluated in combination with ammonia level to determine whether to administer or increase the dosage of the drug. In other embodiments, ammonia level alone is used to determine whether to administer or increase the dosage of a nitrogen scavenging drug, and urinary PAGN is simply used to calculate the initial or adjusted dosage.

[0058] One skilled in the art will recognize that a variety of other factors may be taken into consideration when determining the effective dosage of a nitrogen scavenging drug. For example, factors such as diet (e.g., protein intake) and endogenous waste nitrogen capacity (e.g., urea synthesis capacity) may be considered.

[0059] Provided herein in certain embodiments are kits for carrying out the methods disclosed herein. In certain embodiments, kits are provided for determining whether to administer or adjust the dosage of a nitrogen scavenging drug for a subject with a nitrogen retention disorder. The kits disclosed herein may include one or more nitrogen scavenging drugs and/or one or more reagents (e.g., bromophenol blue) or enzymes (e.g., glutamate dehydrogenase) to measure blood ammonia levels in a sample. The kit may additionally include other pigments, binders, surfactants, buffers, stabilizers, and/or chemicals necessary to obtain a blood sample and to

measure the ammonia level in the sample. In certain embodiments, the kits provided herein comprise instructions in a tangible medium.

[0060] One of ordinary skill in the art will recognize that the various embodiments described herein can be combined.

[0061] The following examples are provided to better illustrate the claimed invention and are not to be interpreted as limiting the scope of the invention. To the extent that specific materials are mentioned, it is merely for purposes of illustration and is not intended to limit the invention. One skilled in the art may develop equivalent means or reactants without the exercise of inventive capacity and without departing from the scope of the invention. It will be understood that many variations can be made in the procedures herein described while still remaining within the bounds of the present invention. It is the intention of the inventors that such variations are included within the scope of the invention.

Examples

Example 1: Analysis of predictability of pharmacodynamic ammonia values from fasting ammonia in UCD patients:

[0062] This example demonstrates the relationship between fasting ammonia and the pharmacodynamic (PD) profile of daily ammonia in patients receiving PAA prodrugs for UCDs. Ammonia values vary many-fold over the course of 24 hours in UCD patients. As depicted in Figures 3a and 3b, venous ammonia was measured for 24 hours following one week of dosing with either NaPBA or glycerol phenylbutyrate (GPB). The graphs display ammonia values as mean ±SD over 24 hours, where time zero corresponds to just prior to dosing and breakfast (i.e., fasting state). In view of this variability in daily ammonia levels, a single measurement may not be very informative in determining whether a UCD patient is optimally dosed. The ability to predict the highest potential ammonia a UCD patient may experience during the day and the average 24-hour ammonia from a single measurement such as fasting levels has important practical implications for nitrogen scavenging drug dosing guidelines and patient management. [0063] Data from two Phase 2 studies and one Phase 3 study comparing ammonia control assessed by 24-hour sampling during steady state treatment with HPN-100 versus NaPBA in 65 UCD patients were used for the analysis. The two Phase 2 studies include protocols UP 1204-003 and HPN-100-005 (Lee 2010; Lichter-Konecki 2011). The Phase 3 study includes protocols from HPN-100-006 (Diaz 2011).

[0064] Ammonia values obtained from different hospital laboratories with different normal ranges were normalized to a standard laboratory range of 9-35 µmol/L. The patient population included a broad range of ages, UCD subtypes, and doses of drug, and is summarized in Table 1 below.

Gender	Male	18 (27.7)
n (%)	Female	47 (72.3)
Age at screening	N	65
(years)	Mean (SD)	29.46 (15.764)
	Median	24.00
	Range	6.0-75.0
UCD diagnosis	OTC deficiency	57 (87.7)
n (%)	CPS1 deficiency	1 (1.5)
	ASS deficiency	5 (7.7)
	ASL deficiency	1 (1.5)
and a set of the set of	Missing	1 (1.5)
Duration of NaPBA	N	63
treatment	Mean (SD)	114.14 (90.147)
(months)	Median	101.00
	Range	0.2-300.0
Daily dose NaPBA	N	64
	Mean (SD)	14.10 (6.255)
	Median	13.50
	Range	1.5-36.0

Table 1: UCD demographics in studies UP 1204-003, HPN-100-005, and HPN-100-006:

[0065] Exploratory analysis:

[0066] Several PD parameters for steady-state ammonia were explored: AUC_{0-24br}, timenormalized AUC, log AUC, maximal ammonia value over 24 hours (Cmax), and average ammonia. Data from 65 subjects from all three studies with steady-state ammonia and fasting ammonia were used. Missing data were imputed per procedures specified in the protocol and statistical analysis plan, except that no imputations were made for subjects who had no PK sampling conducted while on a given study drug.

[0067] Sample collection times of 0-hr (before first daily dose) and 24-hours post-dose (before first daily dose of the following day) were both evaluated as representative of fasting ammonia. No noticeable difference in the shape or quality of the relationship due to the choice of time point was observed.

[0068] The relationship between fasting ammonia and pharmacokinetic profile was evaluated separately for HPN-100 and NaPBA, with no apparent difference in the strength or magnitude of

the relationship. Therefore, all data from both HPN-100 and NaPBA treatments were used and conclusions regarding fasting ammonia pertain to both HPN-100 and NaPBA.

[0069] The relationships between (1) fasting ammonia and AUC_{0-24hr} and (2) fasting ammonia and maximum observed ammonia (Cmax) were visually explored for the whole population. The effects of the following covariates were also observed; age, weight, gender, and dietary protein intake. A positive and strong relationship was observed between fasting ammonia and AUC_{0-24hr} , with increasing fasting ammonia being associated with higher AUC_{0-24hr} and maximum observed ammonia (Figure 2).

[0070] Prediction of AUC_{0-24hr}, through GEE Modeling:

[0071] The aim of this modeling was to predict average daily or highest achieved ammonia based on the subject's fasting ammonia. In order to take into account the differences in normal ranges at different laboratories, all ammonia values were normalized to a reference range of 9-35 µmol/L, and the predictions were referenced to the ULN rather than a fixed value.

[0072] Generalized Estimating Equations (GEE) were used to model the predictive ability of fasting ammonia against various ammonia PD properties. GEE methodology can be used to analyze repeated measures of categorical data, in which the repeated measures are assumed to be correlated (Liang 1986). The model allows for the specification of the assumed correlation structure without the knowledge of the magnitude of the correlation.

[0073] The 24-hour ammonia profile was divided into ordered categories using a variety of endpoints and cutpoints as follows:

1) AUC [0-1.0*ULN, >1.0*ULN];

2) AUC [0-1.5*ULN, >1.5*ULN];

3) Cmax [0-1.0*ULN, >1.0*ULN];

4) Cmax [0-1.5*ULN, >1.5*ULN]; and

5) Cmax [0-100] µmol/L.

[0074] Three levels of fasting ammonia were considered in separate models as input:

1) [0-0.5*ULN];

2) [>0.5*ULN-<1.0 ULN]; and

3) [>1.0*ULN-1.5*ULN].

[0075] Using Statistical Analysis Software (SAS) Proc Genmod, generalized linear models were fit with a logit link function. Pre-dose fasting ammonia was the only predictor variable in

the model. The repeated nature of the data (two study periods per subject) was modeled using GEE with exchangeable correlation matrix. ULN for fasting ammonia was set at 35 μ mol/L. ULN for AUC over 24 hours was taken as 840 (35 μ mol/L * 24 hours); i.e., the AUC which corresponds to an average daily ammonia less than or equal to 35 μ mol/L, which was the normalized ULN among the participating study sites and is derived by dividing the 24-hour area under the curve by the sampling time of 24 hours. The GEE model was bootstrap-resampled 1,000 times according to the method outlined in Davison, A.C. & Hinkley, D.V., Bootstrap Methods and their Application, Cambridge University Press, London (1997), pp.358-362. The results of these models are shown in Table 2 below.

<u>Table 2</u>: Summary of results from GEE model to predict ability of fasting ammonia against various ammonia PD properties:

Model #	Fasting ammonia level	Ammonia PK outcome	Probability of outcome in category	Bootstrap 95% c.i.	Bootstrap 80% c.i.	Bootstrap pred. error rate* (%)
Ţ	[0-0.5 ULN]	AUC in 24 hours [0-1.0 ULN]	0.84	0.67, 0.93	0.71, 0.89	11.5
2		AUC in 24 hours [0-1.5 ULN]		Did not co	onverge	
3		Cmax observed [0- 1.0 ULN]	0.53	0.38, 0.65	0.42, 0.61	45.8
4		Cmax observed [0- 1.5 ULN]	0.76	0.61, 0.86	0.66, 0.82	23.3
5		Cmax observed [0- 100]	0.93	0.78, 1.00	0.85, 0.97	5.7
6	[0-<1.0 ULN]	AUC in 24 hours [0-1.0 ULN]	0.58	0.42, 0.73	0.48, 0.68	42.8
7		AUC in 24 hours [0-1.5 ULN]	0.88	0.78, 0.97	0.82, 0.94	11.1
8		AUC in 24 hours [0-2 ULN]	0.97	0.90, 1.00	0.93, 1.00	2.2
9		Cmax observed [0-	0.21	0.11, 0.38	0.14, 0.33	20.0

		1.0 ULN]				
10		Cmax observed [0- 1.5 ULN]	0.52	0.35, 0.66	0.42, 0.61	46.0
11		Cmax observed [0- 2.0 ULN]	0.74	0.62, 0.85	0.91, 1.00	27.2
12		Cmax observed [0- 100]	0.95	0.88, 1.00	0.66, 0.81	4.3
13	[>1.0-1.5 ULN]	AUC in 24 hours [0-1.0 ULN]	0.45	0.24, 0.71	0.30, 0.63	43
14		AUC in 24 hours [0-1.5 ULN]	÷	Did not co	onverge	
15		AUC in 24 hours [0-2 ULN]	0.80	0.49, 0.99	0.63, 0.92	27
16		Cmax observed [0- 1.0 ULN]		Did not co	onverge	
17		Cmax observed [0- 1.5 ULN]	0.35	0.16, 0.58	0.23, 0.51	33
18		Cmax observed [0- 2.0 ULN]		Did not co		
19		Cmax observed [0- 100]		Did not co	onverge	

[0076] From Table 2 above, we can conclude that in the population of UCD patients described in Table 1, we can be 95% confident that, given a fasting ammonia less than or equal to half the ULN, the true probability of having an AUC in the range [0-840] is on average 84%, at least 67%, and as high as 93%.

[0077] Row 1 of Table 2 above suggests that a UCD patient with a fasting ammonia of 17 μ mol/L as determined by a laboratory with a normal reference range of 9-35 μ mol/L (i.e., a fasting ammonia in the range [0-0.5 ULN]) has an 84% chance (with a 95% confidence interval of 67% to 93%) of having a time normalized AUC_{0-24hr} in the normal range [AUC_{0-24hr} of 0-840 or an average daily ammonia of 35 μ mol/L], a 76% chance (with a 95% confidence interval of 61% to 86%) of having a Cmax of less than 1.5 ULN, and a 93% chance (with a 95% confidence

interval of 78% to 100%) of never having an ammonia of more than 100 μ mol/L. Therefore, this patient would be optimally controlled and unlikely to suffer from high ammonia during the day. **[0078]** This Example shows that fasting ammonia correlates strongly with daily ammonia exposure, assessed as a daily average or as maximal daily concentration, and that a target fasting value which does not exceed half of the upper level of normal for the local lab appears to be a clinically useful as well as practical predictor of ammonia values over 24 hours as well. Furthermore, this Example shows that a subject with a fasting ammonia in the range 0-0.5 ULN has an 84% chance of having an AUC_{0-24hr} in the normal range (0-840 or an average daily ammonia of 35 μ mol/L).

Example 2: Selecting and adjusting HPN-100 dosage based on fasting blood ammonia levels in a patient with UCD:

[0079] Patient A is an adult with UCD being managed with amino acid supplements and dietary protein restriction only. Patient A consumes neither his supplements nor food for approximately 8 hours prior to a fasting morning blood draw. A venous blood draw is performed, and fasting blood ammonia level is determined to be 52 µmol/L. This fasting blood ammonia level is compared to the ULN for blood ammonia in the laboratory performing the blood draw, which is 35 µmol/L. Based on the correlation of fasting ammonia level to average ammonia level, it is determined that Patient A's fasting blood ammonia level of approximately 1.5 times the ULN represents only a 45% chance on average of having an average ammonia level to ULN for blood ammonia indicates that Patient A will benefit from treatment with a nitrogen scavenging drug.

[0080] The physician elects to treat Patient A with HPN-100. Initial dosage is determined based on body surface area or as otherwise instructed according to HPN-100 drug labeling. Patient A's body surface area is 1.4 m², and therefore the initial dosage is determined to be 9 mL per day or 3 mL TID, which is approximately 60% of the maximum allowed dosage per HPN-100 label. Patient A is treated with 9mL/day of HPN-100 for at least 7 days, and returns for an additional blood draw. The fasting blood ammonia level at this time is 33 µmol/L, which is slightly below the ULN and falls into the range of 0.5 to 1.0 times normal. Patient A's blood ammonia level is monitored throughout the day after administration of a 3 mL dose of HPN-100 with each meal. It is observed that Patient A's maximum ammonia reaches 95 µmol/L after

dinner with an average daily ammonia of 66 µmol/L, which is almost two times the upper normal range. Therefore, Patient A's dosage of HPN-100 is increased by approximately one-third to 12 mL total or 4 mL TID. Patient A returns after at least 7 days of treatment with HPN-100. Patient A's fasting ammonia level is 15 µmol/L, which is less than half of the ULN range. It is determined that Patient A has reached satisfactory ammonia control.

[0081] It is expected that if Patient A adheres to his prescribed diet, his maximal daily ammonia is not expected to exceed approximately 52 μ mol/L, i.e., approximately 1.5 times the ULN, with an average likelihood of 75% with 95% confidence. The average ammonia level during the day is expected to remain within normal range with greater than 84% likelihood and 95% confidence. Moreover, Patient A's maximal daily ammonia is highly unlikely to reach 100 μ mol/L during the day.

Example 3: Adjusting HPN-100 dosage based on fasting blood ammonia levels in a patient with UCD:

[0082] Patient B is an 11-year UCD patient receiving 24 pills of BUPHENYL[®] per day, amino acid supplements, and restricted dietary protein intake. Patient B does not consume BUPHENYL[®], supplements, or food for approximately 6 hours prior to a fasting morning blood draw. A venous blood draw is performed, and fasting blood ammonia level is determined to be 40 µmol/L. This fasting blood ammonia level is compared to the ULN for blood ammonia for the laboratory performing the blood draw, which is 35 µmol/L. Based on the correlation of fasting ammonia level to average ammonia level, it is determined that Patient B's fasting blood ammonia level falling between 1 and 1.5 times the ULN represents a 55% chance of having an average ammonia during the day that is greater than the normal range, and as high as a 65% chance that her ammonia will go above 52 µmol/L or 1.5 times ULN during the day. [0083] Based on discussion with the patient and her mother, the physician suspects that Patient B is noncompliant with her medication, and decides to change her to HPN-100. The initial dosage is determined based on the amount of BUPHENYL® Patient B was receiving, and it is determined that Patient B needs to take 10.5 mL of HPN-100 per day. Patient B is treated with 3.5mL of HPN-100 3 times a day for at least 7 days, and returns for additional blood draws. Her fasting blood ammonia level at this time is 17 µmol/L, which is below the ULN and falls into the range of 0 to 0.5 times normal. It is determined that Patient B has reached satisfactory ammonia control.

[0084] It is expected that if Patient B adheres to her prescribed diet, her maximal daily ammonia will not go above approximately 50 μ mol/L, which is less than 1.5 times the ULN. Her average ammonia level during the day is expected with greater than 84% average likelihood to remain within normal range. Moreover, there is only a small chance (7%) that Patient B's maximal daily ammonia will exceed 100 μ mol/L during the day.

Example 4: Selecting and adjusting sodium benzoate dosage based on fasting blood ammonia levels in a patient with UCD:

[0085] Patient C is an adult UCD patient who is allergic to PBA and is therefore being managed with amino acid supplements and dietary protein restriction only. Patient C complains of chronic headache and frequent nausea. Patient C consumes neither his supplements nor food for approximately 8 hours prior to a fasting morning blood draw. A venous blood draw is performed, and fasting blood ammonia level is determined to be 77 µmol/L. This fasting blood ammonia level is compared to the ULN for blood ammonia for the laboratory performing the blood draw, which is 35 µmol/L. Based on the correlation of fasting ammonia level to average ammonia level, it is determined that Patient C's fasting blood ammonia level of approximately 2 times the ULN represents a high likelihood of ammonia levels going over 100 µmol/L during the day. Thus, the ratio of fasting blood ammonia level to ULN for blood ammonia indicates that Patient C will benefit from treatment with a nitrogen scavenging drug.

[0086] The physician decides to treat Patient C with 15 g of sodium benzoate per day since the patient is allergic to PBA. Patient C is treated with 15 g/day of sodium benzoate for at least 7 days, and returns for additional blood draws. Fasting blood ammonia level at this time is 35 μ mol/L, which is equal to the ULN. Patient C's dosage of sodium benzoate is increased by approximately 30% to 18 grams per day. After at least 7 days of treatment, Patient C's fasting ammonia level is 15 μ mol/L, which is less than half of the ULN. It is determined that Patient C has reached satisfactory ammonia control.

[0087] It is expected that if Patient C adheres to his prescribed diet and medication, his maximal daily ammonia will not exceed approximately 52 µmol/L, which is approximately 1.5 times the ULN. His average ammonia level during the day is expected with greater than 80% likelihood to remain within normal range. Moreover, Patient C's maximal daily ammonia is highly unlikely to reach 100 µmol/L during the day.

Example 5: Evaluation of the effect of ammonia control on neurocognitive outcome:

[0088] It has been shown that UCD patients are likely to suffer from diminished intelligence and impaired neurocognitive functions (Kirvitsky 2009). These neuropsychological impairments have been attributed to repeated episodes of acute hyperammonemia interspersed on chronically elevated ammonia. Abnormalities in neuropsychological function and/or brain imaging have been detected even in UCD patients with mild disorders who exhibit normal IQ and/or appear clinical normal (Gropman 2008a; Gropman 2008b). Therefore, it was hypothesized that maintaining average daily ammonia within normal limits and thereby reducing the long term ammonia burden could result in improved cognition.

[0089] The relationship between reducing ammonia burden by maintaining fasting ammonia at or close to half ULN and neuropsychological outcomes in pediatric UCD patients was explored in clinical trials. Eleven pediatric patients ages 6-17 were enrolled in short term switch over comparison of NaPBA and HPN-100 in controlling ammonia. These patients underwent 24-hr serial sample collection in a confined setting where the last sample at 24 hr was considered fasting and under supervision of the study personnel. At the end of treatment with HPN-100 the average fasting ammonia at 24-hr time point was 15.5 µmol/L or less than half ULN, indicating good clinical control. These 11 patients along with another 15 pediatric patients were enrolled in two long term studies and received HPN-100 for 12 months, during which monthly fasting ammonia were collected. At the time of enrollment and at the end of the study, all patients underwent assessment for neuropsychological outcomes including the following: BRIEF (Behavior Rating Inventory of Executive Function) to assess day-to-day executive functioning, CBCL (Child Behavior Checklist) to evaluate internalizing (e.g., mood/anxiety) and externalizing behaviors, and WASI (Wechsler Abbreviated Scale of Intelligence) to estimate of intellectual ability.

[0090] During the 12 month treatment with HPN-100, pediatric UCD patients experienced fewer episodes of acute hyperammonemia than in the 12 months preceding enrollment (5 episodes during the study versus 9 before enrollment), with peak ammonia dropping from a mean of 233 μ mol/L before enrollment to 166 μ mol/L during the study. Fasting ammonia remained controlled and monthly averages were at or close to half ULN, ranging from 17 to 22 μ mol/L. Although patients had been instructed to remain fasting before monthly study visits, some ammonia samples were taken in a non-fasted state, resulting in average monthly ammonia of slightly above half ULN.

[0091] In pediatric patients, WASI and CBCL scores were stable in comparison to baseline. The majority of the BRIEF subscales at baseline were at or close to 65, consistent with borderline and/or clinically significant dysfunction. Among 22 pediatric subjects who completed the neuropsychological testing at 12 months, all BRIEF domains were improved (lower T scores) with means (SD) at end of study compared to baseline for Behavioral Regulation Index 53.7 (9.79) vs. 60.4 (14.03) (p<0.05); Metacognition Index 57.5 (9.84) vs. 67.5 (13.72) (p<0.001), and Global Executive Scale 56.5 (9.71) vs. 66.2 (14.02) (p<0.001).

[0092] The significant improvement in executive functions in this group of pediatric UCD patients indicates the importance of long term ammonia control and achieving target levels of fasting ammonia.

Example 6: Correlation of elevated PAA levels to neurological AEs in UCD and healthy subjects:

[0093] Elevated plasma levels of PAA may cause symptoms that mimic those associated with hyperammonemia, including headache, nausea, somnolence, etc. Since such symptoms are common and nonspecific, an ammonia level below half the upper limit of normal in a subject with a nitrogen retention disorder who exhibits such symptoms and is receiving a PAA prodrug would prompt a physician to check plasma PAA levels.

[0094] The relationship between elevated PAA levels and neurological AEs was evaluated in three populations: (1) 130 healthy adults dosed with 4 to 12 mL TID of GPB in a thorough QTc study, (2) 54 adult and 11 pediatric UCD patients (ages 6-17) enrolled in one of 3 protocols involving short term (2-4 week) switchover comparisons of NaPBA vs. GPB, and (3) 77 patients enrolled in two nearly identical 12-month GPB treatment protocols. In populations 1 and 2, maximal PAA (i.e., Cmax) levels were analyzed in relation to neurological AEs as defined by MEDDRA using an Exact non-parametric Mann-Whitney test and Generalized Estimating Equations (GEE) with a logit link function and effects for dose and PAA level. The relationship between PAA levels and the occurrence of the AEs reported by Thiebault was also explored in population 3.

[0095] No statistically significant relationship was observed between neurological AEs and PAA levels for either GPB or NaPBA. The odds ratio of a neurological AE occurring for each $20 \mu \text{g/mL}$ increase in PAA levels for the two drugs combined was 0.95, very close to 1. Thus, among UCD patients dosed with HPN-100 or NaPBA over the ranges used in these studies,

increasing levels of PAA (ranging up to 244 µg/mL) were not associated with an increase in neurological AEs. Similarly, in population 3, PAA levels did not increase over time and exhibited no apparent relationship to neurological AEs, which also did not increase in frequency over time. The pediatric patient with the highest PAA level (410 µg/mL) did not report neurological AEs close to the timing of the blood draw.

[0096] Unlike UCD subjects, healthy adult volunteers who reported a nervous system AE had statistically significantly higher PAA C_{max} levels than those who did not. While this analysis in healthy adults is compromised by the fact that PAA levels were not always available at the time of occurrence of the AEs, as well as by the small sample size in the higher dose groups, the odds ratio of 1.75 (p=0.006) suggests that increasing levels of PAA are associated with increased probability of experiencing a nervous system AE among healthy adults. AEs reported by healthy adults generally began within 36 hours of dosing and, among those adults who remained on study, most resolved with continued dosing.

[0097] A significant relationship between PAA levels and occurrence of neurological AEs, which generally resolved with continued dosing, was detected in healthy volunteers. Unlike in healthy adults, PAA C_{max} did not correlate with nervous system AEs in UCD patients over a similar range of doses and PAA levels. These findings may reflect metabolic differences among the populations (e.g., UCD patients exhibit high glutamine levels compared with healthy humans) and/or metabolic adaptation with continued dosing.

[0098] Population PK model building was performed on 65 UCD patients who participated in the short-term switchover Hyperion studies using NONMEM (version 7.2) based on 2981 ([PBA], [PAA], [PAGN], and urine PAGN [UPAGN])) data points from 53 adult and 11 pediatric UCD patients (ages 6-17) who participated in 3 switchover studies of NaPBA and GPB. The median GPB dose, expressed as grams of PBA per m2, was 8.85 and 7.01 for pediatric and adult subjects, respectively. Diagnostic plots and statistical comparisons were used to select among candidate models, and covariates were assessed by graphical analyses and covariate modeling. Using the final popPK model and parameter estimates, Monte Carlo simulations were performed in ~1000 virtual patients for a range of NaPBA and GPB doses to predict systemic metabolite exposure and UPAGN output.

[0099] The final model that best fit the data was characterized by (a) partial conversion of PBA to PAGN prior to reaching the systemic circulation, (b) saturable conversion of PAA to PAGN

(Km ~161ug/ml), and (c) ~60% slower PBA absorption when delivered as GPB vs. NaPBA. Body surface area (BSA) was a significant covariate such that metabolite clearance was proportionally related to BSA. Fractional presystemic metabolism of PBA was higher for adults than for pediatric patients receiving GPB (43% vs. 14%), whereas the reverse was true for NaPBA (23% vs. 43%). Predicted median PAA exposure based on simulated GPB dosing at the PBA equivalent of 13g/m2 of NaPBA was ~13%-22% lower in adults than NaPBA (Cmax = 82 vs. 106 µg/mL; AUC₀₋₂₄ = 649 vs. 829 µg.h/m) and ~13% higher in pediatric subjects ages 6-17 than NaPBA (Cmax = 154 vs. 138 µg/mL; AUC₀₋₂₄ = 1286 vs. 1154 µg.h/ml); predicted upper 95th percentile PAA exposure was below 500 µg/mL and 25%-40% lower for adult subjects on GPB versus NaPBA and similar for pediatric subjects. Simulated dosing at the PBA equivalent of ~5g/m² of NaPBA yielded similar and less variable PAA exposure for both drugs and for pediatric and adult patients. Recovery of PBA as UPAGN was very similar whether delivered orally as GPB or NaPBA.

[00100] These findings based on PopPK modeling and dosing simulations suggest that while most patients treated with PAA prodrugs including NaPBA or HPN-100 will have PAA levels below those reportedly associated with toxicity and while no relationship between PAA levels and neurological AEs was found on a population basis, individual patients exhibiting symptoms such as headache or nausea might be suffering from either hyperammonemia or high PAA levels and that a fasting ammonia level equal to or below half the upper limit of normal would prompt the physician to check plasma PAA levels.

[00101] As stated above, the foregoing is merely intended to illustrate various embodiments of the present invention. The specific modifications discussed above are not to be construed as limitations on the scope of the invention. It will be apparent to one skilled in the art that various equivalents, changes, and modifications may be made without departing from the scope of the invention, and it is understood that such equivalent embodiments are to be included herein. All references cited herein are incorporated by reference as if fully set forth herein.

REFERENCES

- 1. Brusilow Science 207:659 (1980)
- 2. Brusilow Pediatr Res 29:147 (1991)
- 3. Diaz Mol Genet Metab 102:276 (2011)
- 4. Gropman Mol Genet Metab 94:52 (2008a)

Attorney Ref. 79532.8003.US02

- 5. Gropman Mol Genet Metab 95:21 (2008b)
- 6. Lee Mol Genet Metab 100:221 (2010)
- 7. Liang Biometrika 73:13 (1986)
- 8. Lichter-Konecki Mol Genet Metab 103:323 (2011)
- 9. McGuire Hepatology 51:2077 (2010)
- 10. Thibault Cancer Res 54:1690 (1994)
- 11. Thibault Cancer 75:2932 (1995)

Patent 79532.8003.US02

To: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

NEW APPLICATION TRANSMITTAL - UTILITY

Sir:

Transmitted herewith for filing is a utility patent application:

Inventor(s):	Bruce Scharschmidt
	Masoud Mokhtarani

Title: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

I. PAPERS ENCLOSED HEREWITH FOR FILING UNDER 37 CFR § 1.53(b):

- 32 Page(s) of Written Description
- 2 Page(s) Claims
- 1 Page(s) Abstract
- 3 Sheets of Drawings
 - Sheets of Sequence Listing

II. ADDITIONAL PAPERS ENCLOSED IN CONNECTION WITH THIS FILING:

Petition to Make Special Based on Age for Advancement of Examination Under 37 CFR 1.102(c)(1)

III. U.S. PRIORITY:

The present application claims the benefit of U.S. Provisional Application No. 61/564,668, filed November 29, 2011, and U.S. Provisional Application No. 61/542,100, filed September 30, 2011, the disclosures of which are incorporated by reference herein in their entirety, including drawings.

IV. FEES:

- Applicant claims small entity status pursuant to 37 CFR § 1.27
- This application is being filed without Declaration under 37 CFR § 1.53.

79532-8003.US01/LEGAL23054756.1

Patent 79532.8003.US02

V. CORRESPONDENCE ADDRESS

Please send all correspondence to Customer Number 34055.

Perkins Coie LLP Patent – LA P.O. Box 1208 Seattle, WA 98111-1208 Phone: (310) 788-9900 Fax: (206) 332-7198

Please direct all inquiries to Patrick Morris at the above customer number.

Respectfully submitted,

PERKINS COIE LLP

Dated: March 9, 2012

By: /Patrick D. Morris/

Patrick D, Morris Reg. No. 53,351

79532-8003.US01/LEGAL23054756.1

EFS ID:	12273906
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
ent date: 03/22/2012 CCETIN D12 INTEFSW 00006954 502586 13417137 202 270.00 CR Title of Invention: D12 CCETIN 00000021 502586 13417137 202 210.00 DA	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	09-MAR-2012
Filing Date:	
Time Stamp:	20:28:09
Application Type:	Utility under 35 USC 111(a)
Payment information:	
Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$1025
RAM confirmation Number	6954
Deposit Account	502586
Authorized User	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)

	MU F	EE CALO	CULATI		ET		Application N 1341713	7		Filing Date	_		
		Substitute (For use w	e for Form ith Form I	PTO-1360 PTO/SB/06)			Applicant(s)	Bruce S	CHARS	CHMID.	ŗ		
	MS AS FILED AFTER FIRST AFTER SECOND				* May be used for additional claims or amendments								
CLAIMS	AS	AMENDM		AFTER FIRST AFTER SECOND MENDMENT AMENDMENT				2.11					
	Indep	Depend	Indep	Depend	Indep	Depend	1.2	Indep	Depend	Indep	Depend	Indep	Deper
· (†). · · ·	1	1		10-00			51			1.1.1			
2	1				-		52					_	-
4		1	-				54	1		1.0		-	
5	-	3		1	1000	1.1	55	1	· · · · ·	1			
6 7	1	3	1	1	-	1	56	Constant 1		1	-		-
8	10	3		· · · · · ·			58			1			-
9	1	2	2		1	1	59	2					1
10		3	P	1. 1. 1.	2003	1	60	<u>x</u>				1	
11		3	-				61	1			-	-	-
13				-	1		63					-	-
14	e	· · · · · ·				1	64	Y		4		L. 1. 1.	
15					-		65	-					-
16 17	1		-		-		66 67	-		1			-
18		1 · · · · · ·		1			68	-		· •			
19	1	· · · · · ·		1	1		69			1	·	F	
20		-	-		1		70				<u> </u>		<u></u>
21 22			-		-		71	-		-		-	-
23	+		1		j — .·		73	R. Fri		·			
24	1						74		1	1			
25 26			-		-		75	-			-	-	-
27	-		1			1	77						
28			1.1			1.0	78	1.000					
29	1	1.000		1	-	(79	1		1	1	-	-
30 31		-		-	-	1	80				-		-
32	1	1.0	1 m		1.1.1		82	1					1
33	-		1		1	1	83						
34 35							84	A. 1994				1	-
35			1				85						
37					C		87						
38	-		1		2 - E 4		88			4			1.00
39 40				_			89 90	-					-
40	1						90	1		1			-
42					2.1.2		92						
43				10000		1.5.5	93				-		-
44 45	-		-				94 95						-
46						5	96	2					
47	i				=	1	97	6.51		1			
48		-				- L	98				-		
49 50			-		-		99						
Fotal Indep	3		۵	1-14-1	0	1.5		_					-
Total Depend	24	ъ.	0	L.	0	- L							
Total Claims	27		0		0								

	PATE			titute for Form		ION RECOP	τD.	<u> </u>	13/41	ion or Docket N 7,137		2
	APPL	ICATION AS			olumn 2)	SMAL	L ENTIT	ΓY	OR			THAN NTITY
	FOR	NUMBE	R FILE		ER EXTRA	RATE(\$)	F	EE(\$)		RATE(\$)	T	FEE(\$)
	SIC FEE CFR 1.16(a), (b), or (c))	N	/A	-1	N/A	N/A		95	1	N/A	T	
SE/	ARCH FEE CFR 1.16(k), (i), or (m))	N	/A	100-0	N/A	N/A	3	310	10.1	N/A	T	
EX/	AMINATION FEE	N	/A		N/A	N/A		125		N/A	T	
0	TAL CLAIMS SFR 1.16(i))	27	minus	20=	7	× 30		210	OR			
ND	EPENDENT CLAIM	s 3	minus	3 =		× 125	- (0.00		1	1	
API	PLICATION SIZE	sheets of p \$310 (\$155 50 sheets of	aper, th 5 for sma or fractic	and drawings of e application s all entity) for ea on thereof. See CFR 1.16(s).	ize fee due is ach additional		(0.00				
MU	LTIPLE DEPENDEN	T CLAIM PRES	SENT (3	7 CFR 1.16(j))	1	-		225	10.01			2
if 1	the difference in colu	umn 1 is less th	an zero.	enter "0" in colu	mn 2.	TOTAL		965	1	TOTAL	+	-
	APPLICA	(Golumn 1) CLAIMS	MEND	ED - PART (Column 2) HIGHEST NUMBER	(Column 3)	1.20.00		17.14 (B)	OR	SMAL		
	APPLICA	(Column 1) CLAIMS REMAINING	MEND	(Column 2) HIGHEST NUMBER	(Column 3) PRESENT	1.20.00	ADD	DITIONAL	OR	SMAL		
		(Golumn 1) CLAIMS		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3)	SMAL RATE(\$)	ADD	17.14 (B)	OR			NTITY
	Total (37 CFR 1.15(ii))	(Column 1) CLAIMS REMAINING AFTER	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	RATE(\$)	ADD	DITIONAL	OR	SMAL		
	Total	(Column 1) CLAIMS REMAINING AFTER		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT	RATE(\$)	ADD F	DITIONAL		SMAL RATE(\$)		
	Total (37 CFR 1.16(ii) Independent	(Column 1) CLAIMS REMAINING AFTER AMENDMENT	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	LL EI	
	Total (37 CFR (.16(i)) Independent (37 CFR (.16(h))	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = =	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	LL EI	
AMENDMENT A	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = =	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	-	
	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1)	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR *** DENT CLAIM (37 (Column 2)	(Column 3) PRESENT EXTRA = =	RATE(\$)	ADD F	DITIONAL	OR OR OR	SMAL RATE(\$) X TOTAL	-	
AMENUMENI	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Golumn 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = = CFR 1 (6(j))	RATE(\$)	ADD F -	DITIONAL	OR OR OR	SMAL RATE(\$) X TOTAL	-	NTITY Addition/ FEE(s)
AMENUMENI	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** TO DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$)	ADD F -	DITIONAL FEE(\$)	OR OR OR	SMAL RATE(\$) x TOTAL ADD'L FEE	-	ADDITIONA FEE(\$)
ENDMENT B AMENDMENT	Total (37 CFR 1,16(i)) Independent (37 CFR 1,16(h)) Application Size Fee FIRST PRESENTAT	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER	Minus Minus E DEPEN	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** TO DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR	SMAL RATE(\$) x TOTAL ADD'L FEE RATE(\$)	-	ADDITIONA FEE(\$)
ENDMENT B AMENDMENT	Total (37 CFR (16(i)) Independent (37 CFR 1.16(h)) Application Size Fee FIRST PRESENTAT	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER AMENDMENT	Minus Minus E DEPEN Minus	(Golumn 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** *** DENT CLAIM (37 (Golumn 2) HIGHEST NUMBER PREVIOUSLY PAID FOR **	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR OR OR	SMAL RATE(\$) x x TOTAL ADD'L FEE RATE(\$) *	-	ADDITIONA FEE(\$)
	Total (37 CFR (.16(i)) Independent (37 CFR (.16(i)) Application Size Fee FIRST PRESENTAT	(Golumn 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus Minus E DEPEN Minus Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** ** DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR **	(Column 3) PRESENT EXTRA = CFR 1.16(j)) (Column 3) PRESENT EXTRA = = = = = = =	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR OR	SMAL RATE(\$) x x TOTAL ADD'L FEE RATE(\$) *	-	ADDITIONA FEE(\$)

				United States Pa Address: COMMISSIC PC Box 1450	DEPARTMENT OF COMMERCE tent and Trademark Office NER FOR PATENTS gmia 22313-1450
APPLICATION NUMBER	FILING or 371(c) DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	TOT CLAIMS IND CLAIMS
13/417,137	03/09/2012	1629	965	79532.8003.US02	12 3
				C	ONFIRMATION NO. 6423
34055	A 14 0			FILING RE	CEIPT
PERKINS CO POST OFFICE SEATTLE, WA	E BOX 1208				C000000053293071*
					Date Mailed: 03/26/2012

Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Applicant(s)

Bruce SCHARSCHMIDT, Residence Not Provided; Masoud Mokhtarani, Residence Not Provided;

Power of Attorney: None

Domestic Priority data as claimed by applicant

This appln claims benefit of 61/564,668 11/29/2011 and claims benefit of 61/542,100 09/30/2011

Foreign Applications (You may be eligible to benefit from the Patent Prosecution Highway program at the USPTO. Please see http://www.uspto.gov for more information.)

If Required, Foreign Filing License Granted: 03/22/2012

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is US 13/417,137

Projected Publication Date: To Be Determined - pending completion of Missing Parts

Non-Publication Request: No

Early Publication Request: No ** SMALL ENTITY **

page 1 of 3

Title

METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

Preliminary Class

514

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as

page 2 of 3

set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage, facilitate, and accelerate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit <u>SelectUSA.gov</u>.

	S Patent and Tradem	UNITED ST4 United State Address COMM PC Box	ia, Virginia 22313-1450
APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
13/417,137	03/09/2012	Bruce SCHARSCHMIDT	79532.8003.US02
			CONFIRMATION NO. 6423
4055		FORMALI	TIES LETTER
PERKINS COIE LLP POST OFFICE BOX 1208			

POST OFFICE BOX 1208 SEATTLE, WA 98111-1208

NOTICE TO FILE MISSING PARTS OF NONPROVISIONAL APPLICATION

FILED UNDER 37 CFR 1.53(b)

Filing Date Granted

Items Required To Avoid Abandonment:

An application number and filing date have been accorded to this application. The item(s) indicated below, however, are missing. Applicant is given TWO MONTHS from the date of this Notice within which to file all required items below to avoid abandonment. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The oath or declaration is missing.

A properly signed oath or declaration in compliance with 37 CFR 1.63, identifying the application by the above Application Number and Filing Date, is required.

Note: If a petition under 37 CFR 1.47 is being filed, an oath or declaration in compliance with 37 CFR 1.63 signed by all available joint inventors, or if no inventor is available by a party with sufficient proprietary interest, is required.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121(d) are required. The drawings submitted are not acceptable because:
 - . The drawings have a line guality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(I) and (p)(1)); See Figure(s) 1.3.

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

The applicant needs to satisfy supplemental fees problems indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

. A surcharge (for late submission of filing fee, search fee, examination fee or oath or declaration) as set forth in 37 CFR 1.16(f) of \$65 for a small entity in compliance with 37 CFR 1.27, must be submitted.

page 1 of 2

Date Mailed: 03/26/2012

SUMMARY OF FEES DUE:

Total fee(s) required within **TWO MONTHS** from the date of this Notice is \$65 for a small entity • \$65 Surcharge.

Replies should be mailed to:

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web. https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html

For more information about EFS-Web please call the USPTO Electronic Business Center at 1-866-217-9197 or visit our website at http://www.uspto.gov/ebc.

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

/rerry/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

UNITED STATES PATENT AND TRADEMARK OFFICE



Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.usplo.gov

PERKINS COIE LLP POST OFFICE BOX 1208 SEATTLE WA 98111-1208

In re Application of

Bruce Scharschmidt, et al. Application No. 13/417,137 Filed: March 9, 2012 Attorney Docket No. 79532.8003.US02

DECISION ON PETITION TO MAKE SPECIAL UNDER 37 CFR 1.102(c)(1)

MAILED

APR 04 2012

OFFICE OF PETITIONS

This is a decision on the petition under 37 CFR 1.102(c)(1), filed March 9, 2012, to make the aboveidentified application special based on applicant's age as set forth in M.P.E.P. § 708.02, Section IV.

The petition is GRANTED.

A grantable petition to make an application special under 37 CFR 1.102(c)(1) and MPEP § 708.02, Section IV: Applicant's Age must be accompanied by evidence showing that at least one of the applicants is 65 years of age, or more, such as a birth certificate or a statement by applicant. No fee is required

The instant petition includes a statement from the inventor, Bruce Scharschmidt, declaring that he is 65 years of age or older. Accordingly, the above-identified application has been accorded "special" status.

Telephone inquiries concerning this decision should be directed to Terri Johnson at 571-272-2991.

All other inquiries concerning either the examination or status of the application should be directed to the Technology Center.

The application is being forwarded to the Technology Center Art Unit 1629 for action on the merits commensurate with this decision.

/Terri Johnson/ Terri Johnson Petitions Examiner Office of Petitions

Attorney Docket No. 79532.8003.US02

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: BRUCE SCHARSCHMIDT ET AL.

APPLICATION NO.: 13/417,137

FILING DATE: MARCH 9, 2012

FOR: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS CONFIRMATION NO.: 6423 ART UNIT: 1629

RESPONSE TO NOTICE TO FILE MISSING PARTS OF APPLICATION

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Notice to File Missing Parts of Nonprovisional Application mailed on March 26, 2012, applicants submit the following:

- an executed Declaration of Inventorship;
- an executed Power of Attorney by Assignee;
- Replacement Drawings (3 sheets); and

an Information Disclosure Statement (Form PTO/SB/08a) with cited references.

1. Authorization for Extensions of Time Under 37 C.F.R. § 1.136 (a)(3)

Applicants petition for an Extension of Time if necessary for timely filing of this Response. The Commissioner is authorized to treat this or any future reply requiring a Petition for Extension of Time under 37 C.F.R. § 1.136 (a)(3) for its timely submission as incorporating a petition herefore for the appropriate length of time. Please charge all required extension of time fees in this application to Deposit Account No. 50-2586.

79532-8003.US02/LEGAL23323428.1

For:	(Col. 1) No.	(Col. 2) No.	Sma	II Entity		1000	r Than a all Entity
	Filed	Extra	Rate	Fee		Rate	Fee
Filing Fee			\$95	\$	or	\$380	\$
Search Fee			\$310	\$	or	\$620	\$
Examination Fee			\$125	\$	or	\$250	\$
Total Claims	- 20		X \$30=	\$	or	X \$60=	\$
Independent Claims	- 3		X \$125=	\$	or	X \$250=	\$
Multiple Depend	lent Claim P	resented	+ \$225=	\$	or	+ \$450=	\$
Application Size Fee – for each additional 50 sheets that exceeds 100 sheets			X \$155=	\$	or	X \$310=	\$
Missing Parts Surc	harge		\$65.00	\$65.00		\$130	\$
Extension of Time	Fee	2.12		\$			\$
*If the difference in zero, enter "0" in (ss than	TOTAL	\$	or	TOTAL	\$

2. Fee Calculation and Payment

 \boxtimes

Please charge Deposit Account No. 50-2586 in the amount of \$65.00 for the requisite fees.

Please charge any deficiency or credit to Deposit Account No. 50-2586.

Dated: May 16, 2012

Correspondence Address:

Customer No. 34055 Perkins Coie LLP Patent - LA P.O. Box 1208 Seattle, WA 98111-1208 Phone: (310) 788-9900 Fax: (206) 332-7198 Respectfully submitted,

PERKINS COIE LLP


By: <u>/Patrick D. Morris/</u> Patrick D. Morris, Ph.D.

Reg. No. 53,351

 $[\]boxtimes$

Application No.: 13/417,137 filed March 9, 2012 Inventors: Bruce Scharschmidt et al. Title: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS Attorney Docket No.: 79532.8003.US02 Sheet 1 of 3 REPLACEMENT SHEET


Figure 1





79532-8003.US02/LEGAL23629389.1


Application No.: 13/417,137 filed March 9, 2012 Inventors: Bruce Scharschmidt et al. Title: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS Attorney Docket No.: 79532.8003.US02 Sheet 2 of 3 REPLACEMENT SHEET

Figure 2









Electronic A	cknowledgement Receipt
EFS ID:	12798370
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
Title of Invention:	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	16-MAY-2012
Filing Date:	09-MAR-2012
Time Stamp:	19:20:54
Application Type:	Utility under 35 USC 111(a)

Payment information:

Payment Type	Deposit Account
Payment was successfully received in RAM	\$65
RAM confirmation Number	8260
Deposit Account	502586
Authorized User	

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.	
	Applicant Response to Pre-Exam		91043	1.00	100	
1	Formalities Notice	MPResponse.pdf	de86685115971651c545c86c074a9eb1c501c Dfc	no	2	
Warnings:			·, .,			
Information:	0					
2	Oath or Declaration filed	Declaration.pdf	603747	no	2	
			c/40d668233ca153472350a3c9a2af53d39d b285	1.00	10	
Warnings:						
Information:	(
3	Power of Attorney	POA.pdf	107837	no	2	
- Č	. site er mentey	i etikai	723cfdc9504150(1c23)3ab828eb07e936c2 430b	the state		
Warnings:			1			
Information:						
4	Drawings-only black and white line	ReplacementDrawings.pdf	475055	no	3	
	drawings	Replacementorawings.pu	165e93435f3354490e110c408f5e7ccc95ff3 5Rd	no		
Warnings:	*					
Information:						
5	Transmittal Letter	IDSTransmittal.pdf	72270	no	3	
		100 million million	081947a417cafc53060cd980c583a55d9259 d969			
Warnings:				_		
Information:						
6	Information Disclosure Statement (IDS) Form (SB08)	IDSForm.pdf	140927	no	10	
-	F0111(5606)		37ddd347dd(114b625181071904615a39d5 54471		2.2	
Warnings:					_	
Information:						
This is not an U	SPTO supplied IDS fillable form					
7	Non Patent Literature	Liang.pdf	2034880	no	10	
			cb2f1d347134493252f297648bfe002fa89f3 175			
Warnings:						
Information:	1					
8	Fee Worksheet (SB06)	fee-info.pdf	30356	no	2	
.		and the second second	b79ad12b4ba80fa419dcf7f4d84031a03928 8cc2		2	

Total Files Size (in bytes):

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Electronic Pat	ent App	lication Fee	e Transmit	tal			
Application Number:	134	17137					
Filing Date:	09-1	/lar-2012					
Title of Invention:	MET	THODS OF THERAF	PEUTIC MONITOR	ING OF NITROGE	N SCAVENGING		
First Named Inventor/Applicant Name:	Brue	ce SCHARSCHMID	τ				
Filer:	Patr	ick D. Morris/Colle	en Kirchner				
Attorney Docket Number:	795	79532.8003.US02					
Filed as Small Entity	,						
Utility under 35 USC 111(a) Filing Fees							
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)		
Basic Filing:							
Pages:							
Claims:							
Miscellaneous-Filing:							
Late filing fee for oath or declaration		2051	1	65	65		
Petition:			5				
Patent-Appeals-and-Interference:							
Post-Allowance-and-Post-Issuance:							
Extension-of-Time:							

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
	Total in USD (\$)		A1	65

INFORMATION DISCLOSURE STATEMENT BY APPLICANT				COMPLETE IF KNOWN		
				Application Number	13/417,137	
				Confirmation Number	6423	
				Filing Date	2012-03-09	
Form PTO-1449 (Modified)				First Named Inventor	Bruce SCHARSCHMIDT	
(Use several she	eets if necessary	()	Group Art Unit	1629	
		Examiner Name	To be assigned			
Sheet	1	of	10	Attorney Docket No.	79532.8003.US02	

				U.S. PATENT DOCUMENTS		
Examin er Initials	Cite No.	U.S. Patent or Application Kind Code Cite No. NUMBER (if known)		Name of Patentee or Inventor of Cited Document	Date of Publication or Filing Date of Cited Document	Pages, Columns, Lines, Where Relevant Figures Appear
	A1	2004/0229948	A1	SUMMAR et al.	11/18/2004	
-	A2	2006/0135612	A1	FERRANTE	06/22/2006	
	A3	2008/119554	A1	JALAN et al.	05/22/2008	
	A4	4,284,647		BRUSILOW et al.	08/18/1981	
	A5	5,968,979		BRUSILOW	10/19/1999	
	A6	6,050,510	A	BONNEWITZ	05/09/2000	
	A7	6,083,984	11.001	BRUSILOW	07/04/2000	

		E	oreign Patent or Applicatio	n		Date of		Τ		
Exami ner Initial	Cite No.	Office	Kin	d Code known)	Name of Patentee or Applicant of Cited Document	Publication or Filing Date of Cited Document	Pages, Columns, Lines, Where Relevant Figures Appear			
51	B1	wo	2005/053607	A1	MEDICIS PHARMACEUTICAL CORP.	06/16/2005				
	B2	WO	2006/056794		UCL BUSINESS PLC	06/01/2006	1			
	B3	WO	2009/087474		AKTHELIA PHARMACEUTICALS	07/16/2009				
	B4	WO	2009/134460	A1	HYPERION THERAPEUTICS	11/05/2009				
	B5	WO	2010/0250303	A1	HYPERION THERAPEUTICS	03/04/2010				
			OTHER PRIOR	ART-N	NON PATENT LITERATURE	OCUMENTS	a la ser en en			
Examine Initials	r Cite I	No.			(in CAPITAL LETTERS), title of the article (when appropriate), title of the item , symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.					
	C1		AMBROSE, A.M. et al. (1933). "Further Studies on the Detoxification of Phenylacetic Acid," J. Bio. Chem. 101:669-675.							
ini.	C2				ecember 1980). "Treatme of Urea Synthesis," J. Peo					

EXAMINER		DATE CONSIDERED	
*EXAMINER:	*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s).		
79532-8003.US	502/LEGAL23642286.1		

				COMPLETE IF KNOWN			
				Application Number	13/417,137		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Confirmation Number	6423		
				Filing Date	2012-03-09		
	Form PTO-1449 (Modified) (Use several sheets if necessary)			First Named Inventor	Bruce SCHARSCHMIDT		
(1				Group Art Unit	1629		
and the second				Examiner Name	To be assigned		
Sheet	2	of	10	Attorney Docket No.	79532.8003.US02		

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	-
	C3	BATSHAW, M.L. et al. (August 1981). "New Approaches to the Diagnosis and Treatment of Inborn Errors of Urea Synthesis," Pediatrics 68(2):290-297.	
	C4	BATSHAW M.L. et al. (June 10, 1982). "Treatment of Inborn Errors of Urea Synthesis: Activation of Alternative Pathways of Waste Nitrogen Synthesis and Excretion," N. Engl. J. Med. 306(23):1387-1392.	
	C5	BATSHAW, M.L. (1984). "Hyperammonemia," in Current Problems in Pediatrics, Lockhart, J.D. ed.: Year Book Medical Publishers, pp. 2-69.	
	C6	BERRY, G. T., et al., "Long-Term Management of Patients with Urea Cycle Disorders," J. Pediatrics (2001) 138:S56-S61.	
	C7	BRUSILOW, S., et al., "Amino Acid Acylation: A Mechanism of Nitrogen Excretion in Inborn Errors of Urea Synthesis," Science 207:659-661 (1980).	
	C8	BRUSILOW, S. W., et al., "Phenylacetylglutamine May Replace Urea as a Vehicle for Waste Nitrogen Excretion," Pediatr. Res. 29:147-150 (1991).	
	C9	BRUSILOW, S.w. et al. (September 1,1979). "New Pathways of Nitrogen Excretion in Inborn Errors of Urea Synthesis," Lancet 2(8140):452-454.	
	C10	BRUSILOW, S.w. (June 21,1984). "Treatment of Episodic Hyperammonemia in Children With Inborn Errors of Urea Synthesis," N. Engl. J. Med. 310(25):1630-1634.	
	C11	BRUSILOW, S.w. (Amendment Dated July 25, 1994). "Protocols for Management of Intercurrent Hyperammonemia in Patients with Urea Cycle Disorders," FDA Application to Market A New Drug for Human Use or an Antibiotic Drug for Human Use, Fourteen pages.	
	C12	BRUSILOW, S.w. et al. (1991). "Treatment of Urea Cycle Disorders," Chapter 5 in Treatment of Genetic Diseases, Desnik, R.J. et al. eds, Churchill Livingstone, New York, New York, pp. 79-94.	

EXAMINER		DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not criteria considered. Include copy of this form with next com	a is in conformance with MPEP 609. Draw line through citation if not in conformance and not munication to application(s).
79532-8003.US	502/LEGAL23642286.1	

				0	COMPLETE IF KNOWN
100				Application Number	13/417,137
INFORMATION DISCLOSURE				Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
		149 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
(1	(Use several sheets if necessary)			Group Art Unit	1629
1				Examiner Name	To be assigned
Sheet	3	of	10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	_
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	1
	C13	BRUSILOW, S.W. et al. (1995). "Urea Cycle Enzymes," Chapter 32 in The Metabolic and Molecular bases of Inherited Diseases, Scriver, C.R. et al. eds., McGraw-Hill, Inc. New York, New York, pp.1187-1232.	
	C14	BRUSILOW, S.W., et al. (1996)." Urea Cycle Disorders: Diagnosis, Pathophysiology, and Therapy," Adv. Pediatr. 43:127-170.	
	C15	BRUSILOW, S.W., et al. (1995). "Urea Cycle Disorders: Clinical Paradigm of Hyperammonemic Enecphalopathy," Progress in Liver Diseases (1995) 12:293- 309.	
	C16	BRUSILOW, S. W., et al., "Restoration of Nitrogen Homeostasis in a Man with Ornithine Transcarbamylase Deficiency," J. Metabolism (1993) 42:1336-1339.	
	C17	CALLOWAY, D.H. et al. (1971). "Sweat and Miscellaneous Nitrogen Losses in Human Balance Studies," J. Nutrition 101:775-786.	
	C18	CALLOWAY, D.H. et al. (1971). "Variation in Endogenous Nitrogen Excretion and Dietary Nitrogen Utilization as Determinants of Human Protein Requirements," J. Nutrition 101:205-216.	
	C19	CAMACHO, L.H. et al. (2007, e-pub. October 20,2006). "Phase I Dose Escalation Clinical Trial of Phenyl butyrate Sodium Administered Twice Daily to Patients With Advanced Solid Tumors," Invest. New Drugs 25:131-138.	
	C20	CHANG JG., et al., "Treatment of Spinal Muscular Atrophy by Sodium Butyrate," PNAS USA (2001) 98(17):9808-9813.	
	C21	ClinicalTrials.Gov/Archive View of NCT00551200 on 2007_12_11 "Dose- Escalation Safety Study of Glyceryl Tri (4-Phenylbutyrate)(GT4P) to Treat Urea Cycle Disorders" [accessed 5 October 2009], 4 pages.	
	C22	Combined Search and Examination Report mailed on September 9, 2010, for Great Britain Patent Application No. 1013468.2, filed on August 27, 2009, six pages.	

EXAMINER		DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not crit considered. Include copy of this form with next of	teria is in conformance with MPEP 609. Draw line through citation if not in conformance <u>and</u> not communication to application(s).
79532-8003.US	S02/LEGAL23642286.1	

				COMPLETE IF KNOWN		
100		ante sense		Application Number	13/417,137	
		DISCLOSURE		Confirmation Number	6423	
		BY APPLICANT		Filing Date	2012-03-09	
		49 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT	
(1	Jse several she	ets if necessary)	Group Art Unit	1629	
			-	Examiner Name	To be assigned	
Sheet 4 of 10			10	Attorney Docket No.	79532.8003.US02	

1	1	OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	T
Examiner Initials	Cite No.	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C23	Combined Search and Examination Report mailed on October 9, 2009, for Great Britain Patent Application No. GB0915545.8, filed on August 27, 2009, eight pages.	
3	C24	COMTE, B., et al., "Identification of Phenylbutyrylglutamine, A new Metabolite of Phenylbutyrate Metabolism in Humans," Journal of Mass Spectrometry (2002) 37(6):581-590.	
	C25	DEFERRARI, G. et al. (1981). "Brain Metabolism of Amino Acids and Ammonia in Patients with Chronic Renal Insufficiency," Kidney International 20:505-510.	
	C26	DIAZ, G.A., et al., "Phase 3 Blinded, Randomized, Crossover Comparison of Sodium Phenylbutyrate (NaPBA) and Glycerol Phenylbutyrate (GPB): Ammonia (NH3) Control in Adults with Urea Cycle Disorders (UCDs)," Mol. Genet. Metab. 102:276 (2011).	
	C27	Examination Report mailed on October 27, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, two pages.	
	C28	Examination Report mailed February 5, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, two page.	
9	C29	Examination Report mailed May 11, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, one page.	
	C30	FDA. (August 2003). "Buphenyl® (Sodium Phenylbutyrate) Label" nine pages.	
	C31	FDA Label for BUPHENYL, 6 pages.	
	C32	GARGOSKY, S. (2006). "High Ammonia Levels Are Associated With Increased Mortality and Coma," Ucyclyd Pharma, Inc., one page.	
Ξ	C33	GARGOSKY, S. et al. (October 14, 2005). "Results of a Twenty-two Year Clinical Trial: Actue, Adjunctive Pharmacological Treatment of Hyperammonemic Episodes in Patients with Deficiencies in Enzymes of the Urea Cycle," poster, Ucyclyd Pharma, Inc., one page.	

EXAMINER		DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not criteria is in conforma considered. Include copy of this form with next communication to a	nce with MPEP 609. Draw line through citation if not in conformance and not upplication(s).
79532-8003.US	S02/LEGAL23642286.1	

				COMPLETE IF KNOWN		
				Application Number	13/417,137	
		DISCLOSURE		Confirmation Number	6423	
STATEMENT BY APPLICANT Form PTO-1449 (Modified)				Filing Date	2012-03-09	
				First Named Inventor	Bruce SCHARSCHMIDT	
(Use several she	eets if necessary	()	Group Art Unit	1629	
				Examiner Name	To be assigned	
Sheet	5	of 10		Attorney Docket No.	79532.8003.US02	

1		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	Т
Examiner Initials	Cite No.	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C34	GARGOSKY, S. (August 2, 2005). "Improved Survival of Neonates Following Administration of Ammonul® (Sodium Phenyl acetate & Sodium Benzoate) 10% 110% Injection," SSIEM Poster, six pages.	
	C35	GHARBRIL, M., et al., "Glycerol Phenylbutyrate (GPB) Administration in Patients with Cirrhosis and Episodic Hepatic Encephalopathy (HE)," accepted for presentation at Digestive Disease Week, 2012.	
	C36	GROPMAN, A. L., et al., "1H MRS Allows Brain Phenotype Differentiation in Sisters with Late Onset Ornithine Transcarbamylase Deficiency (OTCD) and Discordant Clinical Presentations," Mol. Genet. Metab. 94(1):52-60 (2008).	
	C37	GROPMAN, A.L., et al., "1H MRS Identifies Symptomatic and Asymptomatic Subjects with Partial Ornithine Transcarbamylase Deficiency," Mol. Genet. Metab. 95:21-30 (2008).	
	C38	HYPERION THERAPEUTICS. (March 30, 2009). "Hyperion Therapeutics Announces Results for Phase II Study in Urea Cycle Disorders," located at <http: 1238518388,="" pr="" press="" release="" www.hyperiontx.com=""> last visited on April 27, 2011, three pages.</http:>	
	C39	HYPERION THERAPEUTICS. (June 2, 2009.) "Hyperion Therapeutics Announces Results of Phase I Study in Patients with Liver Cirrhosis" located at <http: 1243891161="" pr="" press="" release="" www.hyperiontx.com="">, last visited on April 27, 2011, three pages.</http:>	
2	C40	International Preliminary Report on Patentability mailed on March 1, 2011, for PCT Application No. PCT/US2009/030362, filed on January 7, 2009, seven pages.	
	C41	International Preliminary Report on Patentability mailed on March 1, 2011, for PCT Application No. PCT/US2009/055256, filed on August 27, 2009, six pages.	
F	C42	JAMES, M.O. et al. (1972). "The Conjugation of Phenylacetic Acid in Man, Sub- Human Primates and Some Other Non-Primates Species," Proc. R. Soc. London 182:25-35.	

EXAMINER	DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s).
79532-8003.US	S02/LEGAL23642286.1

				COMPLETE IF KNOWN		
				Application Number	13/417,137	
		DISCLOSURE		Confirmation Number	6423	
STATEMENT BY APPLICANT				Filing Date	2012-03-09	
		149 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT	
(Use several she	eets if necessary	()	Group Art Unit	1629	
				Examiner Name	To be assigned	
Sheet	6	of	10	Attorney Docket No.	79532.8003.US02	

Examiner Initials	Cite No.	OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	Ι.
muero	C43	JOHN, BA et al. (March 2009). "The Disposition of HPN-100, A Novel Pharmaceutical Under Development for Potential Treatment of Hyperammonemia, in Cynomologus Monkeys," abstract presented at ACMG 2009, one page.	
	C44	JOHN, BA et al. (March 2009). "The Disposition of HPN-100, A Novel Pharmaceutical Under Development for Potential Treatment of Hyperammonemia, in Cynomolgus Monkeys," ACMG 2009 ADME, poster, two pages.	
-	C45	KASUMOV, T., et al., "New Secondary Metabolites of Phenylbutyrate in Humans and Rats," Drug Metabolism and Disposition (2004) 32(1):10-19.	
	C46	LEE, B. et al. (August 2009). "Dosing and Therapeutic Monitoring of Ammonia Scavenging Drugs and Urinary Phenylacetylglutamine (PAGN) as a Biomarker; Lessons From a Phase 2 Comparison of A Novel Ammonia Scavenging Agent With Sodium Phenylbutyrate (NaPBA),".abstract presented at ICIEM 2009, San Diego, CA, one page.	
	C47	LEE, B. et al. (August 2009). "Dosing and Therapeutic Monitoring of Ammona Scavenging Drugs and Urinary Phenylacetylglutamine (PAGN) as a Biomarker: Lessons From a Phase 2 Comparison of a Novel Ammonia Scavenging Agent with Sodium Phenyl butyrate (NAPBA)," presented at ICIEM 2009, San Diego, CA, poster, one page.	
	C48	LEE, B. et al. (March 2009). "Phase 2 Study of A Novel Ammonia Scavenging Agent in Adults With Urea Cycle Disorders (UCDs)," abstract presented at ACMG 2009, one page.	
	C49	LEE, B. et al. (March 2009). "Phase 2 Study of A Novel Ammonia Scavenging Agent in Adults with Urea Cycle Disorders (UCDs)," presented at ACMG 2009, seventeen pages.	

EXAMINER	DATE	DATE CONSIDERED		
*EXAMINER:	R: Initial if reference considered, whether or not criteria is in conformance wi considered. Include copy of this form with next communication to applica	에게 다 이번 것 것 같아요. 이는 데이지 않는 것 같아요. 것이 먹 다니지 않는 것이 먹 다니지 않는 것이 하는 것이 가지 않는 것이 하는 것이 하는 것 (** 2011) ~~		
79532-8003.US	US02/LEGAL23642286.1			

				0	COMPLETE IF KNOWN	
				Application Number	13/417,137	
	19,40, 000 20,00 A (0 0 0 0 0	DISCLOSURE		Confirmation Number	6423	
STATEMENT BY APPLICANT Form PTO-1449 (Modified)				Filing Date	2012-03-09	
				First Named Inventor	Bruce SCHARSCHMIDT	
(Use several sh	eets if necessary	')	Group Art Unit	1629	
				Examiner Name	To be assigned	
Sheet	7	7 of 10		Attorney Docket No.	79532.8003.US02	

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C50	LEE, B. et al. (August 2008). "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in an Open-Label, Switch-Over, Dose-Escalation Study Comparing a New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN - 100], to Buphenyl® (Sodium Phenylbutyrate [PBAj)," abstract presented at SSIEM 2008, Lisbon, Portugal, one page.	
	C51	LEE, B. et al. (September 2008). "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in An Open-Label, Switch-Over, Dose Escalation Study Comparing A New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN-1 00], to BUPHENYL® (Sodium Phenylbutyrate [PBA]," presented at SSIEM 2008, Lisbon, Portugal, Poster, one page.	
	C52	LEE, B., et al.,"Phase 2 Comparison of a Novel Ammonia Scavenging Agent with Sodium Phenylbutyrate in Patients with Urea Cycle Disorders: Safety, Pharmacokinetics and Ammonia Control," Mol. Genet. Metab. 100:221-228 (2010).	
	C53	LEE, B., et al., "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in an Open-Label, Switch-Over, Dose-Escalation Study Comparing a New Ammonia Scavenger, Glyceryl Tri(4-Phenylbutyrate) (HPN-100), to Buphenyl (Sodium Phenylbutyrate (PBA))," J. Inherit. Metab. Dis. 31(Suppl. 1):91 (2008).	
	C54	LEWIS, H.B. (1914). "Studies in the Synthesis of Hippuric Acid in the Animal Organism. II. The Synthesis and Rate of Elimination of Hippuric Acid After Benzoate Ingestion In Man," J. Bioi. Chem. 18 :225-231.	
	C55*	LIANG, K.Y., et al., "Longitudinal Data Analysis Using Generalized Linear Models," Biometrika 73(1):13-22 (1986).	
	C56	LICHTER-KONECKI, U., et al., "Ammonia Control in Children with Urea Cycle Disorders (UCDs); Phase 2 Comparison of Sodium Phenylbutyrate and Glycerol Phenylbutyrate," Mol. Genet. Metab. 103:323-329 (2011).	
	C57	MACARTHUR, R. B., et al., "Pharmacokinetics of Sodium Phenylacetate and Sodium Benzoate Following Intravenous Administration as Both a Bolus and Continuous Infusion to Healthy Adult Volunteers," Mol. Genet. Metab. 81:S67-S73 (2004).	

*EXAMINER:	Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s).
70520 0002 11	C09// ECAL09640906 1

				COMPLETE IF KNOWN	
				Application Number	13/417,137
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Confirmation Number	6423
				Filing Date	2012-03-09
	Form PTO-1449 (Modified)			First Named Inventor	Bruce SCHARSCHMIDT
(Use several sheets if necessary)				Group Art Unit	1629
	C			Examiner Name	To be assigned
Sheet	8	of	10	Attorney Docket No.	79532.8003.US02

Examiner Initials (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published. C58 MANSOUR, A. et al. (October 1997). "Abdominal Operations in Patients with Cirrhosis: Still A Major Surgical Challenge," Surgerv 122(4):730-735. (Abstract Only.) C59 MASETRI, N.E. et al. (August 1992). "Plasma Glutamine Concentration: A Guide in the Management of Urea Cycle Disorders," J. Pediatr. 121 (2):259-261. C60 MCGUIRE, B. M., et al., "Pharmacology and Safety of Glycerol Phenylbutyrate in Healthy Adults and Adults with Cirrhosis," Hepatol. 51:2077-2085 (2010). C61 MCGUIRE, B.M. et al. (2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page. C62 MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benz	1	OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	T
 Cirrhosis: Still A Major Surgical Challenge," Surgerv 122(4):730-735. (Abstract Only.) C59 MASETRI, N.E. et al. (August 1992). "Plasma Glutamine Concentration: A Guide in the Management of Urea Cycle Disorders," J. Pediatr. 121 (2):259-261. C60 MCGUIRE, B. M., et al., "Pharmacology and Safety of Glycerol Phenylbutyrate in Healthy Adults and Adults with Cirrhosis," Hepatol. 51:2077-2085 (2010). C61 MCGUIRE, B.M. et al. (2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page. C62 MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments," Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373. 		(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city	
in the Management of Urea Cycle Disorders," J. Pediatr. 121 (2):259-261. C60 MCGUIRE, B. M., et al., "Pharmacology and Safety of Glycerol Phenylbutyrate in Healthy Adults and Adults with Cirrhosis," Hepatol. 51:2077-2085 (2010). C61 MCGUIRE, B.M. et al. (2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page. C62 MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments," Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairments," Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacet	C58	Cirrhosis: Still A Major Surgical Challenge," Surgerv 122(4):730-735. (Abstract	
Healthy Adults and Adults with Cirrhosis," Hepatol. 51:2077-2085 (2010). C61 MCGUIRE, B.M. et al. (2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page. C62 MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C59		
Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page. C62 MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C60		
a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages. C63 MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C61	Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis,"	
Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only). C64 MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C62	a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis,"	
Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages. C65 MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C63	Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic	
Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614. C66 PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C64	Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova),	
Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	C65	Metabolism of Phenylethylamine and Phenylacetic Acid,"	
	C66	Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal.	
C67 PROPST, A. et al. (August 1995). "Prognosis and Life Expectancy in Chronic Liver Disease," Dig Dis Sci 40(8):1805-1815. (Abstract Only).	C67	PROPST, A. et al. (August 1995). "Prognosis and Life Expectancy in Chronic Liver Disease," Dig Dis Sci 40(8):1805-1815. (Abstract Only).	

*EXAMINER:	Initial if reference considered, whether or not criteria is in conform considered. Include copy of this form with next communication to	nance with MPEP 609. Draw line through citation if not in conformance <u>and</u> not o application(s).
79532-8003119	S02/LEGAL236422861	

				COMPLETE IF KNOWN	
		and a subset		Application Number	13/417,137
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Confirmation Number	6423
				Filing Date	2012-03-09
Form PTO-1449 (Modified)				First Named Inventor	Bruce SCHARSCHMIDT
(Use several sheets if necessary)				Group Art Unit	1629
		1		Examiner Name	To be assigned
Sheet	9	of	10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	_
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C68	RILEY, T.R. et al. (November 15, 2001). "Preventive Strategies in Chronic Liver Disease: Part II. Cirrhosos," Am. Fam. Physician 64(10):1735-1740. (Abstract Only).	
	C69	RUDMAN, D., et al., "Maximal Rates of Excretion and Synthesis of Urea in Normal and Cirrhotic Subjects," J. Clin. Invest. (1973) 52:2241-2249.	
	C70	SHIPLE, G.J. et al. (1922). "Synthesis of Amino Acids in Animal Organisms. I. Synthesis of Glycocoll and Glutamine in the Human Organism," J. Am. Chem. Soc. 44:618-624.	
	C71	SIMELL, O., et al., "Waste Nitrogen Excretion Via Amino Acid Acylation: Benzoate and Phenylacetate in Lysinuric Protein Intolerance," Pediatr. Res. 20(11):1117-1121 (1986).	
	C72	SINGH, "Consensus Statement from a Conference for the Management of Patients with Urea Cycle Disorders," Suppl. to J. Pediatrics (2001) 138(1):S1-S5.	
	C73	SUMMAR, M.L. et al. (October 2008, e-pub. July 17, 2008). "Diagnosis, Symptoms, Frequency and Mortality of 260 Patients with Urea Cycle Disorders From a 21-Year, Multicentre Study of Acute Hyperammonaemic Episodes," Acta Paediatr. 97:1420-1425.	
	C74	SUMMAR, M. et al. (2007). "Description and Outcomes of 316 Urea Cycle Patients From a 21-Year, Multicenter Study of Acute Hyperammonemic Episodes," Abstract, presented at Annual Symposium CCH - Congress Centre Hamburg, September 4-7,2007, GSSIEM 2007, two pages.	
	C75	SWEDISH ORPHAN INTERNATIONAL. (January 12, 2007). "Urea Cycle Disorders an International Perspective," Poster, Symposium Swedish Orphan International, Barcelona, Spain, January 12, 2007, one page.	
	C76	TANNER, L. M., et al., "Nutrient Intake in Lysinuric Protein Intolerance," J. Inherit. Metab. Dis. 30:716-721 (2007).	
	C77	THIBAULT, A., et al., "A Phase I and Pharmacokinetic Study of Intravenous Phenylacetate in Patients with Cancer," Cancer Res. 54:1690-1694 (1994).	
EXAMINE		DATE CONSIDERED	_

*EXAMINER:	R: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if	not in conformance and not
	considered. Include copy of this form with next communication to application(s).	
79532-8003 US	3 US02/LEGAL23642286.1	

				COMPLETE IF KNOWN		
				Application Number	13/417,137	
		DISCLOSURE		Confirmation Number	6423	
STATEMENT BY APPLICANT				Filing Date	2012-03-09	
Form PTO-1449 (Modified)				First Named Inventor	Bruce SCHARSCHMIDT	
(Use several sheets if necessary)				Group Art Unit	1629	
				Examiner Name	To be assigned	
Sheet	10	of	10	Attorney Docket No.	79532.8003.US02	

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	т
	C78	THIBAULT, A., et al., "Phase I Study of Phenylacetate Administered Twice Daily to Patients with Cancer," Cancer 75:2932-2938 (1995).	
E	C79	TUCHMAN, M. et al. (2008, e-pub. June 17, 2008). "Cross-Sectional Multicenter Study of Patients With Urea Cycle Disorders in the United States," Malec. Genetics Metab. 94:397-402.	
	C80	WATERLOW, J.C. (March 1963). "The Partition of Nitrogen in the Urine of Malnourished Jamaican Infants," Am. J. of Clin. Nutrition 12:235-240.	
	C81	ZEITLIN, P.L. et al. (July 2002). "Evidence of CFTR Function in Cystic Fibrosis After System Administration of 4-Phenylbutyrate," Mol. Therapy 6(1):119-126.	

EXAMINER		DATE CONSIDERED
*EXAMINER:	Initial if reference considered, whether or not criteria is in confo considered. Include copy of this form with next communication	rmance with MPEP 609. Draw line through citation if not in conformance and not to application(s).
79532-8003.US	502/LEGAL23642286.1	

UTILITY DECLARATION OF INVENTORSHIP

As a below named inventor, I hereby declare that:

 \boxtimes

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS**, the specification of which

(Check One)

is attached hereto OR

was deposited on March 9, 2012 and accorded United States Application No. 13/417,137.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign	Country	Date of Filing	Priority Claimed	
Application Number(s)	country	Date of Filling	Yes	No

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date	
61/542,100	September 30, 2011	
61/564,668	November 29, 2011	

I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Patent Attorney Docket No. 79532.8003.US02

	U.S. Parent Application Number	PCT Parent Number	Parent Filing Date	Status-Patented, Pending or Abandoned
--	-----------------------------------	-------------------	--------------------	---

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, § 1001 and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

	FULL NAME OF	FIRST Name Bruce	MIDDLE Initial	LAST Name SCHARSCHM	IDT
201	RESIDENCE & CITIZENSHIP	City San Francisco	State or Foreign Country CA	Country of Citizen USA	ship
	POST OFFICE ADDRESS	45 St. Francis Boulevard	City San Francisco	State or Country CA	Zip Code 94127

	FULL NAME OF	FIRST Name Masoud	MIDDLE Initial	LAST Name MOKHTARAN	1
202	RESIDENCE & CITIZENSHIP	City Walnut Creek	State or Foreign Country CA	Country of Citizen USA	ship
	POST OFFICE ADDRESS	725 Castle Rock Road	City Walnut Creek	State or Country CA	Zip Code 94598

Attorney Docket No. 79532.8003.US02

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: BRUCE SCHARSCHMIDT ET AL.

APPLICATION NO.: 13/417,137

FILING DATE: MARCH 9, 2012

FOR: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS CONFIRMATION NO.: 6423 ART UNIT: 1629

Power of Attorney by Assignee and Certification Under 37 C.F.R. § 3.73(b)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

I, the undersigned, acting on behalf of the Assignee of the entire right, title and interest in the above-identified patent application, by virtue of an Assignment recorded on April 9, 2012, at Reel/Frame 028014/0894, appoint the attorneys and agents listed below to prosecute this patent and transact all business with the U.S. Patent and Trademark Office in connection therewith. This appointment is to the exclusion of the inventor(s) and their attorney(s) and agent(s) in accordance with the provisions of 37 C.F.R. § 3.71.

All prior powers of attorney for this application are hereby revoked. The Assignee hereby appoints all of the registered practitioners identified by Customer Number 34055:

Customer Number 34055 Perkins Coie LLP Patent – LA P.O. Box 1208 Seattle, WA 98111-1208 Phone: (310) 788-9900 Fax: (206) 332-7198

Please direct all inquires to Patrick D. Morris at the above Customer Number.

1

79532-8003.US02/LEGAL23321627.1

In accordance with 37 C.F.R. § 3.73(b), I hereby certify that I am empowered to act on behalf of the Assignee. To the best of my knowledge and belief, title is in the Assignee, as evidenced by the Assignment noted above.

I further declare that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, USC § 1001 and that such willful false statements may jeopardize the validity of this patent.

ASSIGNEE:	HYPERION THERAPEUTICS, INC.
Signature:	MIT
Typed Name:	/teffrey Farrow
Title:	CFO
Date:	4/17/12
Address:	601 Gateway Blvd., Suite 200, South San Francisco, CA 94080

Attorney Docket No. 79532.8003.US02

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: BRUCE SCHARSCHMIDT

APPLICATION NO.: 13/417,137

FILED: MARCH 9, 2012

FOR: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS ART UNIT: 1629 CONF. NO: 6423

Information Disclosure Statement Within Three Months of Application Filing or Before First Action – 37 C.F.R. § 1.97(b)

Mail Stop Missing Parts Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

1. <u>Timing of Submission</u>

This information disclosure is being filed within three months of the filing date of this application or date of entry into the national stage of an international application or before the mailing date of a first Office action on the merits, whichever occurs last [37 C.F.R. § 1.97(b)]. The references listed on the enclosed Form PTO-1449 (modified) may be material to the examination of this application; the Examiner is requested to make them of record in the application.

2. <u>Cited Information</u>

Copies of the following references are enclosed:

- □ All cited references
- References marked by asterisks
- □ The following:

- Copies of the following references can be found in related U.S. Application No. 12/350,111:
 - All cited references except those marked by asterisks
 - References marked by asterisks
 - □ The following:
- This application was filed after 30 June 2003 and no copies of U.S. patents nor published applications are enclosed (See Notice of Deputy Commissioner Kunin on 11 July 2003).
- □ The following references are not in English. For each such reference, the undersigned has enclosed (i) a translation of the reference; (ii) a copy of a communication from a foreign patent office or International Searching Authority citing the reference, (iii) a copy of a reference which appears to be an English-language counterpart, or (iv) an English-language abstract for the reference prepared by a third party. Applicant has not verified that the translation, English-language counterpart or third-party abstract is an accurate representation of the teachings of the non-English reference, though, and reserves the right to demonstrate otherwise.
 - □ All cited references
 - References marked by ampersands
 - □ The following:
- Effect of Information Disclosure Statement (37 C.F.R. § 1.97(h))

This Information Disclosure Statement is not to be construed as a representation that: (i) a search has been made; (ii) additional information material to the examination of this application does not exist; (iii) the information, protocols, results and the like reported by third parties are accurate or enabling; or (iv) the cited information is, or is considered to be, material to patentability. In addition, applicant does not admit that any enclosed item of information constitutes prior art to the subject invention and specifically reserves the right to demonstrate that any such reference is not prior art.

4. Fee Payment

No fees are believed due because this Information Disclosure Statement is being filed before the mailing date of the first Office Action.

- Applicant further submits that no fee is due in light of the following certification under 37 C.F.R. § 1.97(e) (check only one):
 - In accordance with 37 C.F.R. § 1.97(e)(1), the undersigned hereby states that each item of information submitted herewith was cited in a communication from a foreign patent office in a counterpart

79532-8003.US02/LEGAL23646350.1

foreign application not more than three months prior to the filing of this statement; or

□ In accordance with 37 C.F.R. § 1.97(e)(2), the undersigned hereby states that no item of information submitted herewith was cited in a communication from a foreign patent office in a counterpart foreign application, or, to the knowledge of the person signing the certification after making reasonable inquiry, was known to any individual designated in 37 C.F.R. § 1.56(c), more than three months prior to the filing of this statement.

However, should the Commissioner determine that fees are due in order for this Information Disclosure Statement to be considered, the Commissioner is hereby authorized to charge such fees to Deposit Account No. 50-2586.

5. Patent Term Adjustment (37 C.F.R. § 1.704(d))

□ The undersigned states that each item of information submitted herewith was cited in a communication from a foreign patent office in a counterpart application and that this communication was not received by any individual designated in 37 C.F.R. § 1.56(c) more than thirty days prior to the filing of this statement. 37 C.F.R. § 1.704(d).

Respectfully submitted, Perkins Coie LLP

Date: May 16, 2012

/Patrick D. Morris/ Patrick D. Morris, Ph.D. Registration No. 53,351

Correspondence Address:

Customer No. 34055 Perkins Coie LLP Patent – LA P.O. Box 1208 Seattle, WA 98111-1208 Phone: (310) 788-9900 Fax: (206) 332-7198

	www.usplo.i	Virginia 22313-1450 gov
ILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
03/09/2012	Bruce SCHARSCHMIDT	79532.8003.US02
		CONFIRMATION NO. 6423
	POA ACCE	PTANCE LETTER
		03/09/2012 Bruce SCHARSCHMIDT POA ACCE

Date Mailed: 05/25/2012

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 05/16/2012.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/rsantos/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101



	PATE			titute for Form		ION RECOP	τD.	<u> </u>	13/41	ion or Docket N 7,137		2
	APPL	ICATION AS			olumn 2)	SMAL	L ENTIT	ΓY	OR			THAN NTITY
	FOR	NUMBE	R FILE		ER EXTRA	RATE(\$)	F	EE(\$)		RATE(\$)	T	FEE(\$)
	SIC FEE CFR 1.16(a), (b), or (c))	N	/A	-1	N/A	N/A		95	1	N/A	T	
SE/	ARCH FEE CFR 1.16(k), (i), or (m))	N	/A	100-0	N/A	N/A	3	310	10.1	N/A	T	
EX/	AMINATION FEE	N	/A	1 3	N/A	N/A		125		N/A	T	
0	TAL CLAIMS SFR 1.16(i))	27	minus	20=	7	× 30		210	OR			
ND	EPENDENT CLAIM	s 3	minus	3 =		× 125	- (0.00		-	1	
API	PLICATION SIZE	sheets of p \$310 (\$155 50 sheets of	aper, th 5 for sma or fractic	and drawings of e application s all entity) for ea on thereof. See CFR 1.16(s).	ize fee due is ach additional		(0.00				
MU	LTIPLE DEPENDEN	T CLAIM PRES	SENT (3	7 CFR 1.16(j))	1	-		225	10.01			2
if 1	the difference in colu	umn 1 is less th	an zero.	enter "0" in colu	mn 2.	TOTAL	1	965	1	TOTAL	+	-
	APPLICA	(Golumn 1) CLAIMS	MEND	ED - PART (Column 2) HIGHEST NUMBER	(Column 3)	1.20.00		17.14 (B)	OR	SMAL		
	APPLICA	(Column 1) CLAIMS REMAINING	MEND	(Column 2) HIGHEST NUMBER	(Column 3) PRESENT	1.20.00	ADD	DITIONAL	OR	SMAL		
		(Golumn 1) CLAIMS		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3)	SMAL RATE(\$)	ADD	17.14 (B)	OR			NTITY
	Total (37 CFR 1.15(ii))	(Column 1) CLAIMS REMAINING AFTER	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	RATE(\$)	ADD	DITIONAL	OR	SMAL		
	Total	(Column 1) CLAIMS REMAINING AFTER		(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT	RATE(\$)	ADD F	DITIONAL		SMAL RATE(\$)		
	Total (37 CFR 1.16(ii) Independent	(Column 1) CLAIMS REMAINING AFTER AMENDMENT	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	LL EI	
	Total (37 CFR (.16(i)) Independent (37 CFR (.16(h))	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = =	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	LL EI	
AMENDMENT A	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = =	RATE(\$) x	ADD F	DITIONAL	OR	SMAL RATE(\$)	-	
	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1)	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR *** DENT CLAIM (37 (Column 2)	(Column 3) PRESENT EXTRA = =	RATE(\$)	ADD F	DITIONAL	OR OR OR	SMAL RATE(\$) X TOTAL	-	
AMENUMENI	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Golumn 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR	(Column 3) PRESENT EXTRA = = CFR 1 (6(j))	RATE(\$)	ADD F -	DITIONAL	OR OR OR	SMAL RATE(\$) X TOTAL	-	NTITY Addition/ FEE(s)
AMENDMENI	Total (37 CFR 1,16(ii)) Independent (37 CFR 1,16(hi)) Application Size Fee	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER	Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** TO DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$)	ADD F -	DITIONAL FEE(\$)	OR OR OR	SMAL RATE(\$) x TOTAL ADD'L FEE	-	ADDITIONA FEE(\$)
ENDMENT B AMENDMENT	Total (37 CFR 1,16(i)) Independent (37 CFR 1,16(h)) Application Size Fee FIRST PRESENTAT	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER	Minus Minus E DEPEN	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** TO DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR	SMAL RATE(\$) x TOTAL ADD'L FEE RATE(\$)	-	ADDITIONA FEE(\$)
ENDMENT B AMENDMENT	Total (37 CFR (16(i)) Independent (37 CFR 1.16(h)) Application Size Fee FIRST PRESENTAT	(Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER AMENDMENT	Minus Minus E DEPEN Minus	(Golumn 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** *** DENT CLAIM (37 (Golumn 2) HIGHEST NUMBER PREVIOUSLY PAID FOR **	(Column 3) PRESENT EXTRA = CFR 1 16(j)) (Column 3) PRESENT	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR OR OR	SMAL RATE(\$) x x TOTAL ADD'L FEE RATE(\$) *	-	ADDITIONA FEE(\$)
	Total (37 CFR (.16(i)) Independent (37 CFR (.16(i)) Application Size Fee FIRST PRESENTAT	(Golumn 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s)) ION OF MULTIPL (Column 1) CLAIMS REMAINING AFTER AMENDMENT (37 CFR 1.16(s))	Minus Minus E DEPEN Minus Minus	(Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR ** ** DENT CLAIM (37 (Column 2) HIGHEST NUMBER PREVIOUSLY PAID FOR **	(Column 3) PRESENT EXTRA = CFR 1.16(j)) (Column 3) PRESENT EXTRA = = = = = = =	RATE(\$) x TOTAL ADD'L FEE RATE(\$) x	ADD F = ADDE F	DITIONAL FEE(\$)	OR OR OR OR	SMAL RATE(\$) x x TOTAL ADD'L FEE RATE(\$) *	-	ADDITIONA FEE(\$)

			OFFICE UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PC Box 1450 Alexandra, Virgnia 22313-1450 www.uspto.gov		
APPLICATION NUMBER	FILING or 371(c) DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	TOT CLAIMS IND CLAIMS
13/417,137	03/09/2012	1629	1030	79532.8003.US02	12 3
34055				Salar Alasta	ONFIRMATION NO. 6423 FILING RECEIPT
PERKINS COI	ELLP				
POST OFFICE SEATTLE, WA	BOX 1208				C000000054439983*
					Date Mailed: 05/25/2012

Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Applicant(s)

Bruce SCHARSCHMIDT, San Francisco, CA; Masoud Mokhtarani, Walnut Creek, CA;

Power of Attorney: The patent practitioners associated with Customer Number 34055

Domestic Priority data as claimed by applicant

This appln claims benefit of 61/564,668 11/29/2011 and claims benefit of 61/542,100 09/30/2011

Foreign Applications (You may be eligible to benefit from the Patent Prosecution Highway program at the USPTO. Please see <u>http://www.uspto.gov</u> for more information.)

If Required, Foreign Filing License Granted: 03/22/2012

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is US 13/417,137

Projected Publication Date: 04/04/2013

Non-Publication Request: No

Early Publication Request: No ** SMALL ENTITY **

page 1 of 3

Title

METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

Preliminary Class

514

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at http://www.uspto.gov/web/offices/pac/doc/general/index.html.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, http://www.stopfakes.gov. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4158).

LICENSE FOR FOREIGN FILING UNDER

Title 35, United States Code, Section 184

Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as

page 2 of 3

set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign AssetsControl, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage, facilitate, and accelerate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit <u>SelectUSA.gov</u>.

79532-8003. NOOO PDAI/CDK

PATENT DOCKETING

JUN 25 2012

PATENT COOPERATION TREATY

PERKINS COIE LLP

From the INTERNATIONAL SEARCHING AUTHORITY	PERKINS COIE
To: PATRICK MORRIS PERKINS COIE LLP P.O. BOX 1208 SEATTLE, WA 98111-12080CKETED TO CPI Deadline Previously 1/30//3 Abandoned 2/32//3 Transferred	PCT NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT AND THE WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY, OR THE DECLARATION
1/30/15 Dedockete	Date of mailing (day/month/year) 20 JUN 2012
Applicant's or agent's file reference 795328003WO	FOR FURTHER ACTION See paragraphs 1 and 4 below
International application No. PCT/US2012/028620	International filing date (day/month/year) 09 March 2012
international search report. Where? Directly to the International Bureau of WI 1211 Geneva 20, Switzerland, Facsimile b For more detailed instructions, see PCT Applicant 2	claims of the international application (see Rule 46): ints is normally two months from the date of transmittal of the IPO, 34 chemin des Colombettes
the protest together with the decision thereon h request to forward the texts of both the protest a	dditional fee(s) under Rule 40.2, the applicant is notified that: has been transmitted to the International Bureau together with any and the decision thereon to the designated Offices. he applicant will be notified as soon as a decision is made.
International Bureau. The International Bureau will send international preliminary examination report has been or is to priority date, these comments will also be made available to t	the written opinion of the International Searching Authority to the a copy of such comments to all designated Offices unless an o be established. Following the expiration of 30 months from the the public. rity date, the international application will be published by the
International Bureau. If the applicant wishes to avoid or p application, or of the priority claim, must reach the Internation international publication (Rules 90bis.1 and 90bis.3). Within 19 months from the priority date, but only in respect of examination must be filed if the applicant wishes to postpone date (in some Offices even later); otherwise, the applicant mu acts for entry into the national phase before those designated In respect of other designated Offices, the time limit of 30 m months.	postpone publication, a notice of withdrawal of the international and Bureau before the completion of the technical preparations for of some designated Offices, a demand for international preliminary the entry into the national phase uatll 30 months from the priority ist, within 20 months from the priority date, perform the prescribed
PCT Applicant's Guide, National Chapters.	Authorized officer
Commissioner for Patents P.O. Box 1450, Alazandria, Virainia 22313-1450	Blaine R. Copenheaver PCT Helpdosk: 571-272-4300 Telephone No. PCT OSP: 571-272-7774

Form PCT/ISA/220 (July 2010)

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 95328003WO	FOR FURTHER ACTION as well	see Form PCT/ISA/220 as, where applicable, item 5 below.
International application No. PCT/US2012/028620	International filing date (day/month/year) D9 March 2012	(Earliest) Priority Date (day/month/year) 30 September 2011
PRARSCHMIDT, BRUCE		
according to Article 18. A copy is be This international search report consist	been prepared by this International Searching , ing transmitted to the International Bureau. sts of a total of sheets. y a copy of each prior art document cited in this	
1. Basis of the report		22.4
a. With regard to the language,	the international search was carried out on the b	asis of:
the international a	pplication in the language in which it was filed.	
	e international application into shed for the purposes of international search (R)	which is the language o ules 12.3(a) and 23.1(b)).
b. This international search	h report has been established taking into account to this Authority under Rule 91 (Rule 43.6bis)	unt the rectification of an obvious mistake
	eotide and/or amino acid sequence disclosed i	
2. Certain claims were for	und unsearchable (see Box No. 11).	
3. Unity of invention is la	cking (see Box No. III).	
4. With regard to the title,		
the text is approved as s	ubmitted by the applicant.	
the text has been established	shed by this Authority to read as follows:	
5. With regard to the abstract,		
the text is approved as s	ubmitted by the applicant.	
the text has been establis may, within one month f	shed, according to Rule 38.2, by this Authority a from the date of mailing of this international sear	as it appears in Box No. 1V. The applicant ch report, submit comments to this Authority
6. With regard to the drawings,		
a. the figure of the drawings to as suggested by the	be published with the abstract is Figure No. 2 e applicant.	
as selected by this	Authority, because the applicant failed to sugge	est a figure.
as selected by this	Authority, because this figure better characteriz	zes the invention.
b. none of the figures is to	be published with the abstract.	

Form PCT/ISA/210 (first sheet) (July 2009)

INTERNATIONAL SEARCH REPORT

International application No. PCT/US2012/028620

A. CLASSIFICATION OF SUBJECT MATTER IPC(8) - A61K 49/00 (2012.01) USPC - 424/9.2

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC(8) - A61B 5/00; A61K 31/192; A61K 49/00; A61P 13/00 (2012.01) USPC - 424/9.2; 514/568; 600/322, 341

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) Patbase, Google Patent, Google, PubMed

C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.
X Y Y A A	US 2010/0008859 A1 (SCHARSCHMIDT) 14 January ENNS et al., Survival after Treatment with Phenylacatu Disorders, N Engl J Med 356; 22, 31 May 2007. entire US 6,219,567 B1 (EGGERS et al) 17 April 2001 (17.04 LEE et al., Phase 2 Comparison of A Novel Ammonia Phenylbutyrate in Patients with Urea Cycle Disorders: Control. Mol. Genet Metab. 100(3) July 2010 entire do LICHTER-KONECKI et al., Ammonia Control with Urea comparison of sodium phenylbutyrate and glycerol phy	ate and Benzoate for Urea-Cycle document. 4.2001) entire document Scavenging Agent with Sodium Safety, Pharmacokinetics, and Ammonia cument a Cycle Disorders (UCDs); Phase 2	1-7, 9-12 8 1-12 1-12
Furth	er documents are listed in the continuation of Box C.		
"A" docum to be o "E" earlier filing o "L" docum cited 1 special "O" docum means "P" docum	ent which may throw doubts on priority claim(s) or which is o establish the publication date of another citation or other I reason (as specified) ent referring to an oral disclosure, use, exhibition or other	the principle or theory underlying the "X" document of particular relevance; the considered novel or cannot be consid- step when the document is taken alone "Y" document of particular relevance; the considered to involve an inventive combined with one or more other such being obvious to a person skilled in th	ation but cited to understand invention claimed invention cannot be ered to involve an inventive claimed invention cannot be step when the document is documents, such combination e art
	actual completion of the international search	Date of mailing of the international sear 20 JUN 2012	
Mail Stop PC P.O. Box 14	nailing address of the ISA/US 2T, Attn: ISA/US, Commissioner for Palents 50, Alexandria, Virginia 22313-1450 10. 571-273-3201	Authorized officer: Blaine R. Copenhe PCT Helpdosk: 571-272-4300 PCT OSP: 571-272-7774	

Form PCT/ISA/210 (second sheet) (July 2009)

PATENT COOPERATION TREATY

To: PATRICK MORRIS PERKINS COIE LLP P.O. BOX 1208 SEATTLE, WA 98111-1208	6		PCT RITTEN OPINION OF THE IONAL SEARCHING AUTHORITY (PCT Rule 43 <i>bis</i> .1)
		Date of mailing (day/month/year)	20 JUN 2012
Applicant's or agent's file reference 795328003WO		FOR FURTHER	ACTION See paragraph 2 below
International application No. PCT/US2012/028620	International filing date 09 March 2012	(day/month/year)	Priority date (day/month/year) 30 September 2011
Box No. IV Lack of un Box No. V Reasoned s citations ar Box No. VI Certain dou Box No. VII Certain det	ity of invention	(a)(i) with regard to no uch statement lication	ve step and industrial applicability welty, inventive step or industrial applicability;
International Preliminary Examin other than this one to be the IPE opinions of this International Sea If this opinion is as provided abo	aing Authority ("IPEA") exc A and the chosen IPEA has urching Authority will not be ove, considered to be a writte opropriate, with amendments ation of 22 months from the	ept that this does not a notified the Internatio so considered. on opinion of the IPEA before the expiration	be considered to be a written opinion of the pply where the applicant chooses an Authority nal Bureau under Rule 66.1 <i>bis</i> (b) that written , the applicant is invited to submit to the IPEA to f 3 months from the date of mailing of Form er expires later.
Name and mailing address of the ISA Mail Stop PCT, Attn: ISA/US Commissioner for Patents P.O. Box 1450, Alexandria, Virginia 22313- Facsimite No. 571-273-3201	04 June 2012	this opinion	Authorized officer. Blaine R. Copenheaver PCT Helpdink: 571-272-4300 PCT OSP: 571-272-7774

Form PCT/ISA/237 (cover sheet) (July 2011)

	WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY	International application No. PCT/US2012/028620
Box No. I	Basis of this opinion	
	egard to the language, this opinion has been established on the the international application in the language in which it was fil a translation of the international application into translation furnished for the purposes of international search (I	led. which is the language of a
2. 🔲	This opinion has been established taking into account the rectif to this Authority under Rule 91 (Rule 43 <i>bis</i> .1(a))	fication of an obvious mistake authorized by or notifica
3. With restablis a. (me	egard to any nucleotide and/or amino acid sequence disclose shed on the basis of a sequence listing filed or furnished: eans) on paper in electronic form	d in the international application, this opinion has been
ь. (tir	me) in the international application as filed together with the international application in electronic for subsequently to this Authority for the purposes of search	m
4. 🗆	In addition, in the case that more than one version or copy of a statements that the information in the subsequent or additiona does not go beyond the application as filed, as appropriate, we	al copies is identical to that in the application as filed of
5. Additi	ional comments:	

Form PCT/ISA/237 (Box No. I) (July 2011)

-	INTERNATIONAL	OPINION O		International application No.	
Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to citations and explanations supporting such statement			1000 800	PCT/US2012/028620	cability;
BOX 140. V	citations and explanati	ons supportin	ng such statement		
I. Stateme	ent				
Nov	elty (N)	Claims	8		YES
		Claims	1-7, 9-12		_ NO
	100	Claims	None		YES
inve	ntive step (IS)	Claims Claims	1-12		NO
			920		
Indu	strial applicability (IA)	Claims	1-12		_ YES
		Claims	None		_ NO
Claims 1-7 an				Scharschmidt et al. (hereafter Scharschmid determining whether to increase a dosage	
atient's curre measuring he subject (so comparing mit for venous a nitrogen sca needs to be immonia con dPN-100 trea	ant dosage (already receivin a fasting blood ammonia le ubjects, Para. [0213]); the fasting blood ammonia is (blood) ammonia, Para. [avenging drug (determining pcreased if the fasting blood trol is inadequate, the dosa timent (26, 1 umold) was wi	ng a drug), Par vel (PK/PD mo level to the up 0201], plasma and adjusting i ammonia levo ge of the nitro bin the norma	ra. (0044)) comprising: odeling (a measurement) of upper limit of normal for blood upper limit of normal, Para the dose of an anmonia so el is greater than half the up gen scavenging drug can b at range and above the upp	osage of the prodrug that is selected based ammonia in fasted and fed (subjects), Par d ammonia level ((comparing fasting with) n (10094)) to determine whether to increase cavenging drug, Para. [0041]), wherein the oper limit of normal for blood ammonia leve e increased, Para. [0083]; ammonia value a e timit of normal (ULN) after sodium PB (uj to 17.5 umol/L which is greater than 26. 1 t	a. [0212]) I tormal uppe the dosage dosage il (If the after pper limit o
scavenging di	rug (adjusting the schedule	and dose of o	rally administered nitrogen	determining whether to administer a nitrog scavenging drugs, Para. (0020)) to a subje r disease, Para. (0064)) comprising:	en ct having a
	a fasting blood ammonia le for the subject (subjects, P			easurement) of ammonia in fasted and fed	for the start of
	ra, 102011, plasma upper lin	tit of normal. F	Para, (00941) ammonia level	d ((comparing) normal upper limit for venou	(subjects),
ammonia, Par scavenging di nitrogen scav normal for blo after HPN-100	rug to the subject (determin enging drug needs to be ac od ammonia level (adjustin 0 treatment (26.1 umol/L) w I is approximatiey 26 to 35	ing the dose o ministered to t g the initial do as within the r	of an ammonia scavenging of the subject if the fasting blo sage of the new drug based normal range and above the	Is to determine whether to administer a nitro drug to be administered, Para. [0041]), whi od ammonia level is greater than half the u d upon ammonia control, Para. [0099]; (am a upper limit of normal (ULN) after sodium f bout 13 to 17.5 umol/L which is greater than	s (blood) ogen erein a opper limit o monia valu 28 (upper

Form PCT/ISA/237 (Box No. V) (July 2011)

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY International application No.

PCT/US2012/028620

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of:

Regarding claim 3, Scharschmidt discloses the method (method, Para. [0039]) of treating a subject with a nitrogen retention disorder dosing schedule and dose adjustments necessary for treatment of nitrogen retention states including urea cycle disorders and liver disease complicated by hepatic encephalopathy, Para. [0064]) who has previously been administered a nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising:

a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213]); and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level and administering an increased dosage of the nitrogen scavenging drug (if the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]) if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (ammonia value after HPN-100 (26.1 umol/L) was within the normal range of 26 to 35 umol/L and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 4, Scharschmidt discloses the method of claim 1. Scharschmidt discloses further comprising: c) administering an Increased dosage of the nitrogen scavenging drug if the need exists (treatment with an ammonia scavenging agent as described in this invention is determined clinically if the subject is in need of such treatment. This clinical determination would be based upon a variety of factors (e.g. signs and symptoms of hepatic encephalopathy in patients with cirrhosis, elevated blood ammonia levels), Para. [0221]);

Regarding claim 5, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen retention disorder is selected from the group consisting of a urea cycle disorders and hepatic encephalopathy (urea cycle disorder, Para. [0221], hepatic encephalopathy, Para. [0041]).

Regarding claim 6, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen scavenging drug is a PAA prodrug (prodrugs of PAA, Para. [0217]).

Regarding claim 7, Scharschmidt discloses the method of claim 6. Scharschmidt discloses wherein the PAA prodrug is selected from the group consisting of glyceryl tri-14-phenylbutyrate] (HPN-100), phenylbutyric acid (PBA), sodium PBA (NaPEA), and a combination of two or more of HPN-100, PBA, and NaPBA (HPN-100, Para. [0020]).

Regarding claim 9. Scharschmidt discloses the method of claim 3 or 4. Scharschmidt discloses wherein administering an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject (administering the effective dosage of HPN-100 (effective dose may require increasing or decreasing the drug) to the patient preferably produces a normal plasma ammonia level in the patient, Para. [0142]); nitrogen scavenging drug may need to be increased, Para. [0083]).

Regarding claim 10, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses further comprising the step of determining an upper limit of normal for blood ammonia level for the subject prior to step (b) (monitoring the effect of the initial dosage of HPN-100 consists essentially of determining the patient's urinary phenylacetyl glutamine (PAGN) output and/or total urinary nitrogen. Administering the effective dose of HPN-100 to the patient produces a normal plasma ammonia level. Plasma ammonia in the patient can be a level of about 35 or about 40 umol/L (determining the upper limit of normal for the subject via unnary excretion of PAGN prior to step b), Para. [0142]); the normal upper limit for venous (blood) ammonia varied among the study sites from 26 to 35 umol/L, Para. [0201]).

Regarding claim 11, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the upper limit of normal blood ammonia level is 35 umol/L (upper limit of normal for subjects is between 26 to 35 umol/L, Para. [0094]).

Regarding claim 12, Scharschmidt discloses the method of claim 6. Scharschmidt discloses further comprising:

c) measuring urinary PAGN excretion (measuring PAGN excretion, Para. [0096]); and e) determining an effective dosage of the PAA (effective dose, Para. [0140]), prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75% (determining an amount of the PAA prodrug needed to mobilize the target amount of urinary PAGN based on about 60% to about 75% conversion of the PAA prodrug into urinary PAGN, Para. [0148]).

Form PCT/ISA/237 (Supplemental Box) (July 2011)

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/US2012/028620

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of:

Claim 8 lacks an inventive step under PCT Article 33(3) as being obvious over Scharschmidt et al. (hereafter Scharschmidt) in view of Ennts et al. (hereafter Ennis).

Regarding claim 8, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt fails to explicitly disclose wherein the nitrogen scavenging drug is sodium benzoate. Ennis is in the field of treating uraa cycle disorders with phenylacetate and benzoate and teaches the use of sodium benzoate to treat patients with ammonia disorders (sodium benzoate therapy in patients, Pg. 1, Lns.1-16). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the therapeutic drug sodium benzoate as taught by Ennis with the method of Scharschmidt. The motivation would have been to lower plasma ammonium levels and improve the survival of patients with lethal urea-cycle enzyme defects (Ennis, tower plasma ammonium levels and improve survival in small cohorts of patients with historically lethal urea-cycle enzyme defects, Pg. 1, Lns. 1-16).

Claims 1-12 meet the criteria set out in PCT Article 33(4), and thus have industrial applicability because the subject matter claimed can be made or used in industry.

Form PCT/ISA/237 (Supplemental Box) (July 2011)

Electronic A	Acknowledgement Receipt
EFS ID:	13131186
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
Title of Invention:	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	28-JUN-2012
Filing Date:	09-MAR-2012
Time Stamp:	14:44:18
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment		no	no						
File Listing:			~~~~						
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)				
1	Non Patent Literature	Enns.pdf	217222	no	11				
		Emspur	5362f6c61e6309894e260bcc6da28b2583c 1d937	10	2				
Warnings:									
Information:									

Informatio	n:	Total Files Size (in bytes)	1228		
Warnings:					
	Form (SB08)	pdf	ed 1/c185274116b2c315e54071b1396fccd) 9f9f		
3	Information Disclosure Statement (IDS)	Supplemental_IDS_8003US02.	612460	no	4
Informatio	n:				
Warnings:					
		inch siper	5763d426b44557frt539b95e2fa5b181(1004 9e19		
2	Non Patent Literature	ISR_WO.pdf	398953	no	8

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application. Doc code: IDS

Doc description: Information Disclosure Statement (IDS) Filed

PTO/SB/08a (01-10) Approved for use through 07/31/2012. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number		13417137	
	Filing Date		2012-03-09	
	First Named Inventor Brue		Bruce Scharschmidt	
	Art Unit		1629	
	Examiner Name	To be	be assigned	
	Attorney Docket Number		79532.8003.US02	

		V	7		U.S.F	PATENTS		_	Remove		
Examiner Cite Initial* No		Patent Number	Kind Code ¹	Issue Da					s,Columns,Lines where rant Passages or Relev es Appear		
	1	6219567	B1	2001-04-	17	EGGERS et al.					
lf you wish	n to ac	dd additional U.S. Pa	atent citatio	n informa	tion pl	ease click the	Add button.		Add		
			U.S.P	ATENT A	PPLIC	CATION PUB	LICATIONS	-	Remove		
Examiner Initial*		No Publication Number	Kind Code ¹	Publicati Date	ion	Name of Patentee or Applicant of cited Document		Name of Patentee of Applicant Relevant Passage		s,Columns,Lines where vant Passages or Relev es Appear	
	1	20100008859	A1	2010-01-	14	SCHARSCHMIDT					
lf you wist	n to ac	dd additional U.S. Pu	l Iblished Ap	plication	citatior	n information	please click the Ad	d butto	n. Add		
				FOREIG	N PAT	ENT DOCUM	IENTS		Remove		
Examiner Cite Foreign Document Initial* No Number ³							Publication Name of Patente Applicant of cited Document		- C	Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	T5
	1										
lf you wisł	n to ac	d additional Foreigr	Patent Do	cument c	itation	information p	lease click the Add	buttor	Add		
			NON	-PATEN	T LITE	RATURE DO	CUMENTS		Remove		
Examiner Initials*	Cite No	Include name of the (book, magazine, jo publisher, city and/							iate), title of the item sue number(s),	T 5	

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number		13417137	
	Filing Date		2012-03-09	
	First Named Inventor Bruce		e Scharschmidt	
	Art Unit	Genet.	1629	
	Examiner Name	To b	e assigned	
	Attorney Docket Number		79532.8003.US02	

1		ENNS, G. M., et al., "Survival After Treatment with Phenylacetate and Benzoate for Urea-C Med. 356:2282-2292 (2007).	ycle Disorders," N. Eng. J.	
2		UNITED STATES PATENT AND TRADEMARK OFFICE, International Search Report and 4, 2012 for PCT/US2012/028620.	Written Opinion dated June	
If you wish t	o ado	d additional non-patent literature document citation information please click the Ad	d button Add	
1.00		EXAMINER SIGNATURE		5
Examiner S	ignat	ure Date Considered		
		tial if reference considered, whether or not citation is in conformance with MPEP 6 onformance and not considered. Include copy of this form with next communication		
Standard ST.3 ⁴ Kind of docur). ³ Fo nent b	USPTO Patent Documents at <u>www.USPTO.GOV</u> or MPEP 901.04. ² Enter office that issued the docu or Japanese patent documents, the indication of the year of the reign of the Emperor must precede the y the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁵ Ap Instation is attached.	serial number of the patent doc	ument.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Application Number	1.2	13417137	
	Filing Date		2012-03-09	
	First Named Inventor Bruce		ce Scharschmidt	
	Art Unit		1629	
	Examiner Name	To b	e assigned	
	Attorney Docket Number		79532.8003.US02	

		CER	TIFICATION STATEMENT	
Ple	ase see 37 Cl	FR 1.97 and 1.98 to make the approp	priate selection(s):	
×	from a forei		information disclosure statement was reign application not more than three .97(e)(1).	
OF	e l			
	foreign pate after making any individu statement. S See attache	nt office in a counterpart foreign ap g reasonable inquiry, no item of infor al designated in 37 CFR 1.56(c) m See 37 CFR 1.97(e)(2). d certification statement.	nformation disclosure statement was oplication, and, to the knowledge of the mation contained in the information d nore than three months prior to the f	ne person signing the certification isclosure statement was known to
		forth in 37 CFR 1.17 (p) has been su		
×	A certificatio	n statement is not submitted herewit	In. SIGNATURE	
	ignature of th n of the signa		ired in accordance with CFR 1.33, 10.	18. Please see CFR 1.4(d) for the
Sig	nature	/Patrick D. Morris/	Date (YYYY-MM-DD)	2012-06-28
Nar	ne/Print	Patrick D. Morris	Registration Number	53,351
pub 1.14 app	lic which is to 4. This collec lication form f	file (and by the USPTO to process) tion is estimated to take 1 hour to co o the USPTO. Time will vary depen	.97 and 1.98. The information is requi an application. Confidentiality is gove mplete, including gathering, preparing ding upon the individual case. Any co educing this burden, should be sent to	rned by 35 U.S.C. 122 and 37 CFR and submitting the completed mments on the amount of time you

Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether the Freedom of Information Act requires disclosure of these record s.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspections or an issued patent.
- 9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box (450 Alexandra, Virginia 22313-1450 www.nsplo.gov

BIB DATA SHEET

CONFIRMATION NO. 6423

SERIAL NUME 13/417,137		FILING or 371(c) DATE 03/09/2012 RULE	CLASS 514	GROU	ROUP ART UNIT 1629		T ATTORNEY DOC NO. 79532.8003.US	
	ARSCH	MIDT, San Francisco, ni, Walnut Creek, CA;	CA;				V	
This appln	claims b	penefit of 61/564,668 11 enefit of 61/542,100 09	/29/2011 /30/2011					
and the second		IONS *****						
** IF REQUIRED 03/22/2012		GN FILING LICENSE	GRANTED ** ** SM	ALL ENT	ITY **			
		RAO/	CA	SHE DRAW 3	INGS	TOT CLAI	MS	INDEPENDENT CLAIMS 3
ADDRESS PERKINS POST OFF SEATTLE, UNITED S	FICE BO WA 981	X 1208						
TITLE			and an Observer		1.0	60		
METHODS	S OF TH	ERAPEUTIC MONITOR	RING OF NITROGE	N SCAVE	ENGIN	G DRU	GS	
					I All Fe	es		
au usa ana F	EES A	uthority has been given	in Paper		1.16 Fees (Filing)			
FILING FEE	10		It DEPOSIT ACCOL	INT C	l 1.17 F	ees (P	rocess	ing Ext. of time)
1030 N	10	for following:			11.18 F	ees (Is	sue)	
					Other			
					Credit			

nnecting via Winsock to STN at stnc.cas.org on port 23

Welcome to STN International! Enter x:X LOGINID:SSPTASMR1614 PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2 * * * Welcome to STN International NEWS 1 Instructor-led and on-demand STN training options available FEB from CAS NEWS 2 SEP 01 Older Versions of STN Express to be Discontinued Beginning in March 2012 NEWS 3 FEB INPADOC Databases Enhanced with Japanese Patent 1 Classifications, Current U.S. Classification and Japanese Legal Status. NEWS 4 FEB 3 Access More Than 32,000 Harmonized Tariff Codes Now in CHEMLIST on STN NEWS 5 FEB 13 PCTFULL Documents with Non-Latin Filing Language Enhanced with English Machine Translations NEWS 6 FEB 28 REACH List of Registered Substances Now in CHEMLIST on STN NEWS 7 MAR 12 RTECS Database on STN Enhanced with Aquatic and In Vitro Exposure Toxicity Data NEWS MAR 19 The IMOBILITY and 2MOBILITY databases were reloaded on 8 March 18, 2012 NEWS 9 MAR 19 STN Adds Chinese Patent Full Text Database - CNFULL NEWS 10 MAR 19 Get the Content You Need Sooner with ePub Ahead of Print Records Available in MEDLINE on STN! NEWS 11 MAR 30 NAPRALERT Updated with More Natural Products Information NEWS 12 APR 9 CAS Expands Global Patent Coverage - The Eurasian Patent Organization Becomes 63rd Authority on CA/CAplus NEWS 13 APR 16 DWPI Database (WPINDEX, WPIDS, WPIX) Enhanced with Numerical Property Search Feature RSS Delivery for STN Alerts (SDIs) is Now Available on STN NEWS 14 APR 23 NEWS 15 MAY 9 INIS, BABS and GMELIN97 Databases Removed from STN NEWS 16 MAY 21 Reload of FSTA Database NEWS 17 MAY 21 Search DOIs in CA/CAplus on STN NEWS 18 MAY 23 Get the Latest Version of STN Express, Version 8.5.1! NEWS 19 MAY 30 INPADOC Databases-Update on Japanese Legal Status Information NEWS 20 MAY 30 INPADOC Databases-Enhanced Coverage of US Citation Data NEWS 21 JUN 01 INPADOCDB: Legal Status in Original Language Available JUN 11 NEWS 22 Keep Current with Weekly SDI Packages Now Available on STN NEWS 23 JUL 05 More Frequent Updates to the Emtree Thesaurus in Embase on STN Provide Earlier Access to the Latest Drug and Medical Terminology NEWS 24 JUL 18 INPADOCDB: Enhanced Display Options NEWS 25 Upcoming Reload of AEROSPACE: Effect on SDIs, Manual JUL 19 Profiles and Saved Answers NEWS 26 JUL 30 Launch of new PQSciTech Database, Created from 25 Individual CSA Databases Allows More Efficient Searching on STN NEWS 27 JUL 30 Reload of ENCOMPPAT/2 Databases JUL 30 More Experimental Property Data in CAS REGISTRY NEWS 28 NEWS 29 AUG 1 Reload of ReaxysFile on STN - Significantly More Content Added and Updates are Resumed NEWS 30 AUG 1 Redesigned CAS Website to be Launched on August 5, 2012

NEWS 31 AUG 6 INPADOC: German Patent Coverage Resumed NEWS 32 SEP 10 Get More Current Reaction Information with Daily Updates to CASREACT NEWS 33 SEP 10 Predict when CAS REGISTRY Hits 70 Million NEWS 34 SEP 20 Reload of METADEX - Effect on SDIs and Saved Answers NEWS 35 SEP 24 Expanded Embase Database Coverage on STN Includes More Biomedical and Pharmacological Content from Conferences NEWS 36 OCT 19 MARPAT Backfile Expansion Update NEWS 37 OCT 23 Embase's Emtree Thesaurus Updated NEWS 38 OCT 29 New Japanese Full-Text Patent Database Now Available on STN NEWS 39 NOV 13 Upcoming Reload of AGRICOLA - Effect on SDIs, Manual Profiles and Saved Answers NEWS EXPRESS 23 MAY 2012 CURRENT WINDOWS VERSION IS V8.5.1, AND CURRENT DISCOVER FILE IS DATED 20 JULY 2012. NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items NEWS TRAINING Find instructor-led and self-directed training opportunities Enter NEWS followed by the item number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties. * * * * * * * * * * * * * * STN Columbus * * * * FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012

COST IN U.S. DOLLARS	SINCE FILE	TOTAL	
	ENTRY	SESSION	
FULL ESTIMATED COST	1.68	1.68	

FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

=> file caplus

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Nov 2012 VOL 157 ISS 22 FILE LAST UPDATED: 15 Nov 2012 (20121115/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: September 2012 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: September 2012

CAplus now includes complete International Patent Classification (IPC)

reclassification data for the fourth quarter of 2012. CAS Information Use Policies apply and are available at: http://www.cas.org/legal/infopolicy This file contains CAS Registry Numbers for easy and accurate substance identification. => s "nitrogen scavenging" 951198 "NITROGEN" 4883 "NITROGENS" 954619 "NITROGEN" ("NITROGEN" OR "NITROGENS") 44689 "SCAVENGING" 20 "SCAVENGINGS" 44704 "SCAVENGING" ("SCAVENGING" OR "SCAVENGINGS") 32 "NITROGEN SCAVENGING" L1 ("NITROGEN" (W) "SCAVENGING") => s 11 and PAA 10799 PAA 573 PAAS 11191 PAA (PAA OR PAAS) 1 L1 AND PAA L2 => d 12 ibib ab L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2010:708850 CAPLUS DOCUMENT NUMBER: 154:477123 Phase 2 comparison of a novel ammonia scavenging agent TITLE: with sodium phenylbutyrate in patients with urea cycle disorders: Safety, pharmacokinetics and ammonia control AUTHOR(S): Lee, Brendan; Rhead, William; Diaz, George A.; Scharschmidt, Bruce F.; Mian, Asad; Shchelochkov, Oleg; Marier, J. F.; Beliveau, Martin; Mauney, Joseph; Dickinson, Klara; Martinez, Antonia; Gargosky, Sharron; Mokhtarani, Masoud; Berry, Susan A. CORPORATE SOURCE: Baylor College of Medicine, Houston, TX, R814, USA SOURCE : Molecular Genetics and Metabolism (2010), 100(3), 221-228 CODEN: MGMEFF; ISSN: 1096-7192 PUBLISHER: Elsevier B.V. DOCUMENT TYPE: Journal LANGUAGE: English Glycerol phenylbutyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being AB studied as an alternative to sodium phenylbutyrate (NaPBA) for the treatment of urea cycle disorders (UCDs). This phase 2 study explored the hypothesis that GPB offers similar safety and ammonia control as NaPBA, which is currently approved as adjunctive therapy in the chronic management of UCDs, and examined correlates of 24-h blood ammonia. Methods: An open-label, fixed sequence switch-over study was conducted in adult UCD patients taking maintenance NaPBA. Blood ammonia and blood and urine metabolites were compared after 7 days (steady state) of TID dosing on

either drug, both dosed to deliver the same amount of phenylbutyric acid (PBA). Results: Ten subjects completed the study. Adverse events were comparable for the two drugs; 2 subjects experienced hyperammonemic events

on NaPBA while none occurred on GPB. Ammonia values on GPB were .apprx.30% lower than on NaPBA (time-normalized AUC = 26.2 vs. 38.4 µmol/L; Cmax = 56.3 vs. 79.1 µmol/L; not statistically significant), and GPB achieved non-inferiority to NaPBA with respect to ammonia (time-normalized AUC) by post hoc anal. Systemic exposure (AUC0-24) to PBA on GPB was 27% lower than on NaPBA (540 vs. 739 μg h/mL), whereas exposure to phenylacetic acid (PAA) (575 vs. 596 μ g h/mL) and phenylacetylglutamine (PAGN) (1098 vs. 1133 µg h/mL) were similar. Urinary PAGN excretion accounted for .apprx.54% of PBA administered for both NaPBA and GPB; other metabolites accounted for <1%. Intact GPB was generally undetectable in blood and urine. Blood ammonia correlated strongly and inversely with urinary PAGN (r = -0.82; p < 0.0001) but weakly or not at all with blood metabolite levels, Conclusions: Safety and ammonia control with GPB appear at least equal to NaPBA. Urinary PAGN, which is stoichiometrically related to nitrogen scavenging, may be a useful biomarker for both dose selection and adjustment for optimal control of venous ammonia.

OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD

REFERENCE COUNT:

(8 CITINGS)

13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL STNGUIDE COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
11.77	13.45

FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 2012 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 9, 2012 (20121109/UP).

=> d his

(FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012)

FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012 32 S "NITROGEN SCAVENGING" L1 L2 1 S L1 AND PAA

FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 2012

=> s 11 and butyric

- 0 "NITROGEN" 0 "SCAVENGING"
- 0 "NITROGEN SCAVENGING"
- ("NITROGEN" (W) "SCAVENGING") 0 BUTYRIC
- 0 L1 AND BUTYRIC L3

=> s 11 and phenylbutyric 0 "NITROGEN" 0 "SCAVENGING" 0 "NITROGEN SCAVENGING" ("NITROGEN" (W) "SCAVENGING") 0 PHENYLBUTYRIC L4 0 L1 AND PHENYLBUTYRIC

=> s nitrogen L5 0 NITROGEN

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.62	15.07

FILE 'CAPLUS' ENTERED AT 07:31:11 ON 16 NOV 2012 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Nov 2012 VOL 157 ISS 22 FILE LAST UPDATED: 15 Nov 2012 (20121115/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: September 2012 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: September 2012

CAplus now includes complete International Patent Classification (IPC) reclassification data for the fourth quarter of 2012.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>	S	nit	trogen	
			951198	NITROGEN
			4883	NITROGENS
L6			954619	NITROGEN
				(NITROGEN OR NITROGENS)
=>	S	16	and sca	avenging
			44689	SCAVENGING
			20	SCAVENGINGS
			44704	SCAVENGING
				(SCAVENGING OR SCAVENGINGS)
г.			1850	L6 AND SCAVENGING
=>	S	17	and PA	4
			10799	PAA
			573	PAAS
			11191	PAA
				(PAA OR PAAS)
L8			1	L7 AND PAA
			-	an and a sea
=>	d	18	ibib al	0

L8 ANSWER 1 OF 1 (ACCESSION NUMBER: DOCUMENT NUMBER:	CAPLUS COPYRIGHT 2012 ACS on STN 2010:708850 CAPLUS 154:477123
TITLE:	Phase 2 comparison of a novel ammonia scavenging agent with sodium phenylbutyrate in patients with urea cycle disorders: Safety, pharmacokinetics and ammonia control
AUTHOR(S):	Lee, Brendan; Rhead, William; Diaz, George A.; Scharschmidt, Bruce F.; Mian, Asad; Shchelochkov, Oleg; Marier, J. F.; Beliveau, Martin; Mauney, Joseph; Dickinson, Klara; Martinez, Antonia; Gargosky, Sharron; Mokhtarani, Masoud; Berry, Susan A.
CORPORATE SOURCE: SOURCE:	Baylor College of Medicine, Houston, TX, R814, USA Molecular Genetics and Metabolism (2010), 100(3), 221-228 CODEN: MGMEFF; ISSN: 1096-7192
PUBLISHER:	Elsevier B.V.
DOCUMENT TYPE:	Journal
LANGUAGE:	English
AB Glycerol phenyll	outyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being

Glycerol phenylbutyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being studied as an alternative to sodium phenylbutyrate (NaPBA) for the treatment of urea cycle disorders (UCDs). This phase 2 study explored the hypothesis that GPB offers similar safety and ammonia control as NaPBA, which is currently approved as adjunctive therapy in the chronic management of UCDs, and examined correlates of 24-h blood ammonia. Methods: An open-label, fixed sequence switch-over study was conducted in adult UCD patients taking maintenance NaPBA. Blood ammonia and blood and urine metabolites were compared after 7 days (steady state) of TID dosing on either drug, both dosed to deliver the same amount of phenylbutyric acid (PBA). Results: Ten subjects completed the study. Adverse events were comparable for the two drugs; 2 subjects experienced hyperammonemic events on NaPBA while none occurred on GPB. Ammonia values on GPB were .apprx.30% lower than on NaPBA (time-normalized AUC = 26.2 vs. 38.4 µmol/L; Cmax = 56.3 vs. 79.1 µmol/L; not statistically significant), and GPB achieved non-inferiority to NaPBA with respect to ammonia (time-normalized AUC) by post hoc anal. Systemic exposure (AUC0-24) to PBA on GPB was 27% lower than on NaPBA (540 vs. 739 µg h/mL), whereas exposure to phenylacetic acid (PAA) (575 vs. 596 $\mu g~h/mL)$ and phenylacetylglutamine (PAGN) (1098 vs. 1133 μg h/mL) were similar. Urinary PAGN excretion accounted for .apprx.54% of PBA administered for both NaPBA and GPB; other metabolites accounted for <1%. Intact GPB was generally undetectable in blood and urine. Blood ammonia correlated strongly and inversely with urinary PAGN (r = -0.82; p < 0.0001) but weakly or not at all with blood metabolite levels. Conclusions: Safety and ammonia control with GPB appear at least equal to NaPBA. Urinary PAGN, which is stoichiometrically related to nitrogen scavenging, may be a useful biomarker for both dose selection and adjustment for optimal control of venous ammonia. OS.CITING REF COUNT:

REFERENCE COUNT:

THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD (8 CITINGS)

THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s PAA prodrug 10799 PAA 573 PAAS 11191 PAA (PAA OR PAAS) 17954 PRODRUG 20950 PRODRUGS

8

13

27897 PRODRUG (PRODRUG OR PRODRUGS) L9 0 PAA PRODRUG (PAA(W)PRODRUG) => s PAA 10799 PAA 573 PAAS L10 11191 PAA (PAA OR PAAS) => s L10 and prodrug 17954 PRODRUG 20950 PRODRUGS 27897 PRODRUG (PRODRUG OR PRODRUGS) 9 L10 AND PRODRUG L11 => d 111 1-9 ibib ab L11 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2012:1197939 CAPLUS DOCUMENT NUMBER: 157:426609 Determination of phenylbutyric acid and its metabolite TITLE: phenylacetic acid in different tissues of mouse by liquid chromatography with tandem mass spectrometry and its application in drug tissue distribution AUTHOR(S): Marahatta, Anu; Bhandary, Bidur; Lee, Mi-Rin; Kim, Do-Sung; Lee, Yong Chul; Kim, So-Ri; Kim, Hyung-Ryong; Chae, Han-Jung Department of Pharmacology, School of Medicine, CORPORATE SOURCE: Chonbuk National University, Jeonju, 560-182, S. Korea SOURCE: Journal of Chromatography, B: Analytical Technologies in the Biomedical and Life Sciences (2012), 903, 118-125 CODEN: JCBAAI; ISSN: 1570-0232 PUBLISHER: Elsevier B.V. DOCUMENT TYPE: Journal; (online computer file) LANGUAGE: English AB Endoplasmic reticulum (ER) stress is associated with various human diseases. Phenylbutyric acid (PBA) is a well-known chemical chaperone that regulates ER stress. The main objective of this study was to develop a simple, rapid, and sensitive method for the simultaneous determination of phenylbutyric acid and its metabolite, phenylacetic acid (PAA). A LC-MS/MS anal. using neg. electrospray ionization was used. Samples were analyzed by multiple reaction monitoring (MRM) in 15 min of total run time, using dll-PBA and d7-PAA as internal stds. The limit of quantification was 1 μ g/g for tissue and 0.8 µg/mL for plasma. Recoveries for plasma and tissues were higher than 81% for both PBA and PAA. The inter-day and intra-day accuracy and precision were within ±15%. We then further successfully validated this method by applying it to determine the tissue distribution of

PBA and its metabolite PAA after i.p. injection of PBA at a dose of 500 mg/kg in mice. The maximum concns. of PBA and PAA in plasma and tissues were seen at 15 min and 45 min, resp. The PBA plasma concentration was 15-fold higher than the concentration in the kidney, whereas the PAA plasma concentration was

6-fold higher than the concentration in the liver. The area under the curve decreased in the order of plasma > kidney > liver > heart > muscle > lung for PBA and plasma > liver > kidney > heart > muscle > lung for PAA. The tissue to plasma ratio ranged from 0.007 to 0.063 for PBA and 0.016 to

0.109 for PAA. In summary, the LC-ESI-MS method developed in this study is simple, sensitive and reliable. 23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN 2011:1275522 CAPLUS ACCESSION NUMBER: DOCUMENT NUMBER: 156:626560 TITLE: Macromolecular prodrugs based on synthetic polyaminoacids: drug delivery and drug targeting in antitumor therapy Cavallaro, Gennara; Pitarresi, Giovanna; Giammona, AUTHOR(S): Gaetano Dipartimento di Chimica e Tecnologie Farmaceutiche, CORPORATE SOURCE: Universita degli Studi di Palermo, Palermo, 90123, Italy SOURCE : Current Topics in Medicinal Chemistry (Sharjah, United Arab Emirates) (2011), 11(18), 2382-2389 CODEN: CTMCCL; ISSN: 1568-0266 Bentham Science Publishers Ltd. PUBLISHER: DOCUMENT TYPE: Journal; General Review English LANGUAGE: AB A review. In the last twenty years a depth study on potential pharmaceutical applications of synthetic polymers at protein-like structure as carrier for macromol. prodrug production has been performed in academia and in industry. In particular α,β -poly(N-2-hydroxyethyl)-DL-aspartamide (PHEA), α,β -polyaspartylhydrazide (PAHy), poly(glutamic acid) (PGA), poly(aspartic acid) (PAA) and polylysine (PLL) have been extensively studied in this field. In the present review, the use of PHEA, PAHy, PGA as starting materials to prepare macromol. prodrugs is reported and drug delivery and targeting aspects have been considered. OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS) REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2011:122221 CAPLUS DOCUMENT NUMBER: 154:243916 DOCUMENT NUMBER: TITLE: Reducible and degradable polymer prodrug and preparation method thereof Huang, Jin; Yu, Jiahui; Fan, Honglei INVENTOR(S): PATENT ASSIGNEE (S): Wuhan University of Technology, Peop. Rep. China SOURCE: Faming Zhuanli Shenqing, 12pp. CODEN: CNXXEV DOCUMENT TYPE: Patent LANGUAGE : Chinese FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION: KIND DATE APPLICATION NO. DATE PATENT NO. -----المتحصيلية والمركبة A 20110126 CN 2010-10507432 CN 101954091 20101014 CN 2010-10507432 20101014 PRIORITY APPLN. INFO .: AB The title polymer prodrug has a chemical structural formula of MPEG-graft-SS-PAA-T, wherein MPEG is polyethylene glycol monomethyl ether with mol. weight of 475-5000 Da, SS-PAA is disulfide bond-containing polycystamine, and $\tilde{\mathsf{T}}$ represents medicine mol., e.g. camptothecin. The title method comprises Michael addition reaction of diacryloyl cystamine to obtain disulfide bond-containing alkynyl polycystamine, linking alkynyl with azimino-containing medicine mol. via click reaction, reacting the alkynyl with azido-ended polyethyleneglycol monomethyl ether via click reaction. The method is highly effective, safe and simple.

L11 ANSWER 4 OF 9 C7 ACCESSION NUMBER: DOCUMENT NUMBER:	LUS COPYRIGHT 2012 ACS on STN 2010:1063363 CAPLUS 153:626843	
TITLE:	Nanomicelle with long-term circulation an stability of camptothecin based on mPEGyl α, β -poly (L-aspartic acid)-camptothecin conjugate	
AUTHOR(S):	Zhang, Weilu; Huang, Jin; Fan, Naiqian; Y Liu, Yongbiao; Liu, Shiyuan; Wang, Daxin;	
CORPORATE SOURCE:	Institutes for Advanced Interdisciplinary East China Normal University, Shanghai, 2 Rep. China	Research,
SOURCE:	Colloids and Surfaces, B: Biointerfaces (297-303 CODEN: CSBBEQ; ISSN: 0927-7765	2010), 81(1),
PUBLISHER:	Elsevier B.V.	
DOCUMENT TYPE:	Journal	
LANGUAGE:	English	
OTHER SOURCE(S):	CASREACT 153:626843	
mPEGylated α, β -positive synthesized, and	bility and long-term circulation of camptot (L-aspartic acid)-CPT conjugates were sed to fabricate nanomicelle. Firstly,	
	ic acid) derivative (PAA-der) containing	
	ized via the ring-opening of PSI with propa onalized CPT derivs. (CPT-N3) and azide-ter	
	4e ether (mPEG-N3) were conjugated with PAA	
	give mPEG-graft-PAA-CPT conjugates. The	
	CPT nanomicelles was confirmed by fluoresce	
	and particle size measurements. It was fou	
	nowed spherical shapes with size about 178	
	nanomicelles showed good storage stability for 60 days, and improved the stability of	
	seous media. A steady release rate of CPT	
h, suggested the	ceat potential of mPEG-graft-PAA-CPT nanomi	
polymer prodrug o	CPT.	
OS.CITING REF COUNT:	(6 CITINGS)	
REFERENCE COUNT:	32 THERE ARE 32 CITED REFERENCES AVAIL	
	RECORD. ALL CITATIONS AVAILABLE IN	THE RE FORMAT
L11 ANSWER 5 OF 9 CA	LUS COPYRIGHT 2012 ACS on STN	
ACCESSION NUMBER:	2005:622439 CAPLUS	
DOCUMENT NUMBER:	143:278873	
TITLE:	Mechanism of poly(acrylic acid) accelerat	
	antithrombin inhibition of thrombin: impl	ications for
	design of novel heparin mimics	
AUTHOR(S): CORPORATE SOURCE:	Monien, Bernhard H.; Cheang, Kai I.; Desa Departments of Medicinal Chemistry and Ph	
CONFORME SOURCE.	Institute for Structural Biology and Drug	
	Virginia Commonwealth University, Richmon	
	USA	
SOURCE:	Journal of Medicinal Chemistry (2005), 48	(16),
	5360-5368	
DUDI TOURD	CODEN: JMCMAR; ISSN: 0022-2623	
PUBLISHER:	American Chemical Society Journal	
DOCUMENT TYPE: LANGUAGE:	English	
HINGORGE .	muA++211	

dominant mechanis the reaction rate Our recent study acid-based polyme surprisingly high Desai, U. R. J. M interesting pheno acceleration in a studies with low- that PAA binds ar extended heparin- modeling. The sa interaction shows the contribution interaction that bell-shaped profis of thrombin as a inhibition process gained in this me	anism of antithrombin inhibition of thrombin is a m contributing a massive .apprx.2500-fold acceleration in and is also a key reason for the clin. usage of heparin. of the antithrombin-activating properties of a carboxylic c, poly(acrylic acid) (PAA), demonstrated a acceleration in thrombin inhibition (Monien, B. H.; ed. Chemical 2005, 48, 1269). To better understand this menon, we have studied the mechanism of PAA-dependent ntithrombin inhibition of thrombin. Competitive binding affinity heparin and a heparin tetrasaccharide suggest tithrombin in both the pentasaccharide- and the binding sites, and these results are corroborated by mol. It-dependence of the KD of the PAA-antithrombin the formation of five ionic interactions. In contrast, of nonionic forces is miniscule, resulting in an is significantly weaker than that observed for heparins. A le of the observed rate constant for antithrombin inhibition function of PAA concentration was observed, suggesting that ds through the "bridging" mechanism. The knowledge chanistic study highlights important rules for the f orally available heparin mimics. 9 THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD
OS.CITING REF COUNT:	9 IHERE ARE 9 CAPLOS RECORDS IHAI CITE THIS RECORD (9 CITINGS)
REFERENCE COUNT;	37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT
L11 ANSWER 6 OF 9 CA ACCESSION NUMBER: DOCUMENT NUMBER: TITLE: AUTHOR(S): CORPORATE SOURCE: SOURCE: PUBLISHER: DOCUMENT TYPE: LANGUAGE:	PLUS COPYRIGHT 2012 ACS on STN 2000:890604 CAPLUS 134:242530 Mucoadhesive drug carriers based on complexes of poly(acrylic acid) and PEGylated drugs having hydrolyzable PEG-anhydride-drug linkages Lele, B. S.; Hoffman, A. S. Bioengineering Department, University of Washington, Seattle, WA, 98195, USA Journal of Controlled Release (2000), 69(2), 237-248 CODEN: JCREEC; ISSN: 0168-3659 Elsevier Science Ireland Ltd. Journal English
AB We have designed H-bonded complexe (PMAA) with the p The PEGylated pro PEG-anhydride-dru formulation. In which is PEGylate designed first to mucosal surfaces hydrolyzes to rel PAA increases, th in decreased rate release from PEG- PEG-indomethacin- complexes. Due t exhibited slight	A new mucoadhesive drug delivery formulation based on s of poly(acrylic acid) (PAA) or poly(methacrylic acid) oly(ethylene glycol) (PEG), of a (PEG)-drug conjugate. drugs are synthesized with degradable g bonds for eventual delivery of free drug from the this work we have used indomethacin as the model drug d via anhydride bonds to the PEG. The complexes are dissociate as the formulation swells in contact with at pH 7.4, releasing PEG-indomethacin, which then ease free drug and free PEG. We found that as MW of e dissociation rate of the complex decreases, which results of release of the drug. On the other hand, the drug indomethacin alone and from solid mixture of PAA was much faster than that from the H-bonded o the differences in the thermal stability, PMAA complex y faster drug release than that of the PAA complex of nese H-bonded complexes of degradable PEGylated drugs polymers should be useful for mucosal drug delivery. 78 THERE ARE 78 CAPLUS RECORDS THAT CITE THIS RECORD (78 CITINGS) 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS
NEFERENCE COUNT;	33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR 1815

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 1997:5450 CAPLUS TITLE: Patent evaluation anti-infectives Phosphonic acid prodrugs with improved antiviral activity Univ. California, USA CORPORATE SOURCE: Expert Opinion on Therapeutic Patents (1996), 6(12), SOURCE: 1331-1333 CODEN: EOTPEG; ISSN: 1354-3776 PUBLISHER: Ashley Publications DOCUMENT TYPE: Journal LANGUAGE: English AB This patent discloses lipid derivs. as prodrugs for antiviral agents. It relates particularly to lipid prodrugs of phosphonic acids and their use in the treatment of viral infections. The invention claims a series of improved prodrugs of phosphonoformate (PFA), phosphonoacetate (PAA) and their analogs, with increased in vitro antiviral activity over the parent compds. against human cytomegalovirus (HCMV), herpes simplex virus (HSV) and human immunodeficiency virus (HIV). L11 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 1994:631238 CAPLUS DOCUMENT NUMBER: 121:231238 ORIGINAL REFERENCE NO.: 121:42186h, 42187a Inhibition of Human Immunodeficiency Virus Type 1 TITLE: Replication by Phosphonoformate- and Phosphonoacetate-2', 3'-Dideoxy-3'-thiacytidine Conjugates Charvet, Anne-Sophie; Camplo, Michel; Faury, Philippe; AUTHOR(S): Graciet, Jean-Christophe; Mourier, Nicolas; Chermann, Jean-Claude; Kraus, Jean-Louis CORPORATE SOURCE: Laboratoire de Chimie Biomoleculaire, Faculte des Sciences de Luminy, Marseille, 13288, Fr. SOURCE: Journal of Medicinal Chemistry (1994), 37(14), 2216-23 CODEN: JMCMAR; ISSN: 0022-2623 Journal DOCUMENT TYPE: LANGUAGE: English The synthesis of potential "combined prodrugs" where phosphonoformic AB acid (PFA) or phosphonoacetic acid (PAA) was attached to the 5'-O- or N4-position of 2',3'-dideoxy-3'-thiacytidine (BCH-189) is described. The anti-HIV-1 activity of 11 analogs I [R1 = Ac, COCH2P(0)(OEt)2, COCH2P(O)(OH)2, COP(O)(OMe)2, COP(O)(OH)2, (CH2)402CP(O)(OEt)2, H; R2 = COP(0)(OMe)2, COP(0)(OH)2, COP(0)(OEt)2, COCH2P(0)(OEt)2, COCH2P(0)(OH)2, P(O)(OH)CO2Et, P(O)(OH)CO2H] was determined in MT-4 cells. Of these compds., the IC50 of I [R1 = Ac, R2 = COCH2P(0)(OEt)2, COCH2P(0)(OH)2, COP(0)(OMe)2, COP(0)(OH)2; 1 = COCH2P(0)(OH)2, R2 = H; R1 = R2 = COP(0)(OH)2] ranged from 0.2 to 100 μ M, while IC50 for BCH-189 in this system was 0.1 µM. In vitro hydrolysis of the various esters or amides in human plasma indicated that these agents were relatively stable in the presence of plasma esterases with t1/2 values of up to 120 min. Moreover, lipophilicity of these compds. (partition coefficient) was determined in order to establish correlation between lipophilicity and diffusion of BCH-189 analogs into the cells. The active compds. may exert their effects by extracellular or intracellular hydrolysis to BCH-189, but intrinsic anti-HIV-1 activity of some adducts, themselves, may also be involved. ITING REF COUNT: 34 THERE ARE 34 CAPLUS RECORDS THAT CITE THIS OS.CITING REF COUNT: RECORD (34 CITINGS) L11 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN

ACCESSION NUMBER:	1985:67342 CAPLUS
DOCUMENT NUMBER:	102:67342
ORIGINAL REFERENCE	NO.: 102:10499a,10502a
TITLE:	Physicochemical and antitumor characteristics of some polyamino acid prodrugs of mitomycin C
AUTHOR(S):	Roos, C. F.; Matsumoto, Satoshi; Takakura, Yoshinobu; Hashida, Mitsuru; Sezaki, Hitoshi
CORPORATE SOURCE:	Fac. Pharm. Sci., Kyoto Univ., Kyoto, 606, Japan
SOURCE:	International Journal of Pharmaceutics (1984), 22(1), 75-87
	CODEN: IJPHDE; ISSN: 0378-5173
DOCUMENT TYPE:	Journal
LANGUAGE :	English

Mitomycin C (MMC) conjugates with the polyamino acids: poly-L-glutamic AB acid (PGA; mol. weight 11,000 and 60,000), poly-L-aspartic acid (PAA; mol. weight 14,000) and poly-L-lysine (PLY; mol. weight 13,000) were synthesized to obtain more information about the application of polyamino acids as high mol, weight carriers. Some physicochem. and antitumor characteristics of these conjugates were investigated. Gel filtration confirmed covalent binding and provided information about the mol. sizes. The release rates of MMC [50-07-7] from conjugates were determined in vitro. The PAA and PGA (mol. weight 11,000) conjugates acted as neg. charged mols. in their interaction with ion exchangers. The PLY conjugate showed a pos. charge and was able to bind to Ehrlich ascites carcinoma cells in vitro. The effects of 1 h exposure of mouse L1210 leukemia cells to the conjugates were evaluated using cell culture system. In this experiment, only the PLY conjugate showed better effects than MMC. Continuous exposure to the conjugates showed a similar effect to MMC. In vivo, less toxicity was found for the conjugates than for MMC. The PGA (mol. weight 11,000) and PLY conjugates showed slightly higher effects against P388 leukemia than MMC, while no toxic doses were reached.

12

OS.CITING REF COUNT: 14 THERE ARE 14 CAPLUS RECORDS THAT CITE THIS RECORD (14 CITINGS)

=> d his

(FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012)

	FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012
L1	32 S "NITROGEN SCAVENGING"
L2	1 S L1 AND PAA
	FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 20
L3	0 S L1 AND BUTYRIC
L4	0 S L1 AND PHENYLBUTYRIC
L5	0 S NITROGEN
	FILE 'CAPLUS' ENTERED AT 07:31:11 ON 16 NOV 2012
LG	954619 S NITROGEN
L7	1850 S L6 AND SCAVENGING
L8	1 S L7 AND PAA
L9	0 S PAA PRODRUG
L10	11191 S PAA
111	C C LIG AND DEODDUC

L11 9 S L10 AND PRODRUG

=>

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp	
S1	0	"13417137".rlan. or ("13".src. and "417137".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/15 13:46	
S2	4	((BRUCE) near2 (SCHARSCHMIDT)).INV.	US-PGPUB; USPAT; USOCR	OR.	OFF	2012/11/15 13:46	
S3	0	((MASOUD) near2 (MOKHTARANI)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2012/11/15 13:46	
S4	9	0 "13417137".rlan. or ("13".src. and "417137".ap.) US-PGPUB; USPAT; USOCR; DERWENT OF 4 ((BRUCE) near2 (SCHARSCHMIDT)).INV. US-PGPUB; USPAT; USOCR OF 0 ((MASOUD) near2 (MOKHTARANI)).INV. US-PGPUB; USPAT; USOCR OF 9 ((BRUCE) near2 (SCHARSCHMIDT)).INV. US-PGPUB; USPAT; USOCR; OF 9 ((MASOUD) near2 (SCHARSCHMIDT)).INV. US-PGPUB; USPAT; USOCR; OF 0 ((MASOUD) near2 (SCHARSCHMIDT)).INV. US-PGPUB; USPAT; USOCR; OF 0 ((MASOUD) near2 (MOKHTARANI)).INV. US-PGPUB; USPAT; USOCR; OF 0 ((MASOUD) near2 (MOKHTARANI)).INV. US-PGPUB; USPAT; USOCR; OF 18 ("20040229948" "20060135612" "20080119554" "6219567" "20100008859" "6050510" "20100008859" "6050510" "20100008859" "20100008859" "20100008859" "6050510" JPO; "20100008859" "20100008859" DERWENT; IBM_TDB OF 0 S1 and nitrogen US-PGPUB; USPAT; USOCR; OF		OR	OFF	2012/11/15 13:56	
S5	0	0 ((MASOUD) near2 US-PGPUB; OR		OR	OFF	2012/11/15 13:56	
S6	(MOKHTARANI)).INV.		USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/11/15 13:56	
S7	"4284647" "6083984" "20080119554" "6219567" "20100008859" "6050510" "5968979" "20100008859"		USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/11/15 13:57	
S8	0	S1 and nitrogen		OR	OFF	2012/11/15 14:08	
S9	8	S7 and nitrogen	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/15 14:08	
S10	2	S9 and scavenging	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/15 14:08	
S11	109	"nitrogen scavenging"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/15 14:12	
S12	12 4 S11 and PAA		US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/15 14:12	
S13	4	((BRUCE) near2 (SCHARSCHMIDT)).INV,	US-PGPUB; USPAT; USOCR	OR	OFF	2012/11/15 14:13	
S14	9	((BRUCE) near2 (SCHARSCHMIDT)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/11/15 14:13	

			DERWENT; IBM_TDB			
S15	18	("4284647" "6083984" "6050510" "6219567" "20040229948" "20080119554" "20060135612" "5968979" "20100008859").PN.	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/16 07:11
S16	2	S15 and "nitrogen scavenging"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2012/11/16 07:11
S17	1	("6083984").PN.	USPAT; USOCR	OR	OFF	2012/11/16 07:12
S18	9	((Saul) near2 (Brusilow)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2012/11/16 07:13

11/ 16/ 2012 8:21:39 AM C:\ Users\ srao3\ Documents\ EAST\ Workspaces\ 13417137.w sp

ceipt date	: 05/16/2	2012		(COMPLETE IF	KADWA37 - GAU:
INFORMATION DISCLOSURE				Application Number	13/417,137	
				Confirmation Number	6423	
		NT BY APPLICA		Filing Date	2012-03-09	
		O-1449 (Modified		First Named Inventor	Bruce SCHARSCHMIDT 1629 To be assigned 79532.8003.US02	
	(Use severa	I sheets if necess	ary)	Group Art Unit		
			a statement	Examiner Name		
Sheet	1	of	10	Attorney Docket No.		
			U.S. PATE	NT DOCUMENTS		
- 11-	1.		U.O.T ATE	IT DOCUMENTO	Date of	
1.1.1	U.S. F	atent or Application			Publication or	

Examin		U.S. Patent or Applic	ation d Code	Name of Patentee or Inventor	Date of Publication or Filing Date	Pages, Columns, Lines, Where Relevant
er Initials	Cite No.	I have a set of the second set	known)	of Cited Document	of Cited Document	Figures Appear
	A1	2004/0229948	A1	SUMMAR et al.	11/18/2004	
	A2	2006/0135612	A1	FERRANTE	06/22/2006	
	A3	2008/119554	A1	JALAN et al.	05/22/2008	
	A4	4,284,647		BRUSILOW et al.	08/18/1981	
	A5	5,968,979		BRUSILOW	10/19/1999	
	A6	6,050,510	A	BONNEWITZ	05/09/2000	
	A7	6,083,984		BRUSILOW	07/04/2000	

		1	nan ann a bhanta		EIGN PATENT DOCUMENTS	Date of	17.	T
Exami ner Initial	Cite No.	Office		n nd Code known)	Name of Patentee or Applicant of Cited Document	Publication or Filing Date of Cited Document	Pages, Columns, Lines, Where Relevant Figures Appear	
	B1	WO	2005/053607	A1	MEDICIS PHARMACEUTICAL CORP.	06/16/2005		
	B2	WO	2006/056794		UCL BUSINESS PLC	06/01/2006		
	B3	WO	2009/087474		AKTHELIA PHARMACEUTICALS	07/16/2009		
	B4	wo	2009/134460	A1	HYPERION THERAPEUTICS	11/05/2009		
	B5	WO	2010/0250303	A1	HYPERION THERAPEUTICS	03/04/2010		
			OTHER PRIOR	ART-N	NON PATENT LITERATURE	OCUMENTS		
Examiner Initials	r Cite I	No.			n CAPITAL LETTERS), fitle of the artic ymposium, catalog, etc.), date, page(s and/or country where published), volume issue numbe		Ŧ
	C1				933). "Further Studies on . Chem. 101:669-675.	the Detoxificati	ion of	
	C2				ecember 1980). "Treatme of Urea Synthesis," J. Peo			

EXAMINER	/Savitha Rao/	DATE CONSIDERED 11/15/2012
*EXAMINER:		nance with MPEP 609. Draw line through citation if not in conformance <u>and</u> not capplication(s). EDEXCEPT WHERE LINED THROUGH. /S.R.
79532-8003.U	S02/ABGAL2366228EIRENCES CONSIDER	ED EXCEPT WHERE LINED THROUGH. 7S.R.

eceipt dat	e: 05/16/201	12		0	COMPLETE IF KADWA37 - GAU: 1
1.1				Application Number	13/417,137
		DISCLOSURE		Confirmation Number	6423
		BY APPLICANT		Filing Date	2012-03-09
		449 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
	(Use several she	eets if necessary)	Group Art Unit	1629
				Examiner Name	To be assigned
Sheet	2	of	10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	_
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C3	BATSHAW, M.L. et al. (August 1981). "New Approaches to the Diagnosis and Treatment of Inborn Errors of Urea Synthesis," Pediatrics 68(2):290-297.	
	C4	BATSHAW M.L. et al. (June 10, 1982). "Treatment of Inborn Errors of Urea Synthesis: Activation of Alternative Pathways of Waste Nitrogen Synthesis and Excretion," N. Engl. J. Med. 306(23):1387-1392.	
	C5	BATSHAW, M.L. (1984). "Hyperammonemia," in Current Problems in Pediatrics, Lockhart, J.D. ed.: Year Book Medical Publishers, pp. 2-69.	
	C6	BERRY, G. T., et al., "Long-Term Management of Patients with Urea Cycle Disorders," J. Pediatrics (2001) 138:S56-S61.	
	C7	BRUSILOW, S., et al., "Amino Acid Acylation: A Mechanism of Nitrogen Excretion in Inborn Errors of Urea Synthesis," Science 207:659-661 (1980).	
	C8	BRUSILOW, S. W., et al., "Phenylacetylglutamine May Replace Urea as a Vehicle for Waste Nitrogen Excretion," Pediatr. Res. 29:147-150 (1991).	
	C9	BRUSILOW, S.w. et al. (September 1,1979). "New Pathways of Nitrogen Excretion in Inborn Errors of Urea Synthesis," Lancet 2(8140):452-454.	
	C10	BRUSILOW, S.w. (June 21,1984). "Treatment of Episodic Hyperammonemia in Children With Inborn Errors of Urea Synthesis," N. Engl. J. Med. 310(25):1630-1634.	
	C11	BRUSILOW, S.w. (Amendment Dated July 25, 1994). "Protocols for Management of Intercurrent Hyperammonemia in Patients with Urea Cycle Disorders," FDA Application to Market A New Drug for Human Use or an Antibiotic Drug for Human Use, Fourteen pages.	
	C12	BRUSILOW, S.w. et al. (1991). "Treatment of Urea Cycle Disorders," Chapter 5 in Treatment of Genetic Diseases, Desnik, R.J. et al. eds, Churchill Livingstone, New York, New York, pp. 79-94.	

EXAMINER		DATE CONSIDERED
	/Savitha Rao/	11/15/2012
*EXAMINER:		eria is in conformance with MPEP 609. Draw line through citation if not in conformance <u>and</u> not communication to application(s).
79532-8003.US	SOZ/AGALZBEERENCES CO	NSIDERED EXCEPT WHERE LINED THROUGH. /

.1

ceipt date: 05/16/2012 INFORMATION DISCLOSURE				0	COMPLETE IF KNOWN37 - GAU:
				Application Number	13/417,137
				Confirmation Number	6423
		BY APPLICANT		Filing Date	2012-03-09
		449 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
1 1 1	(Use several sh	eets if necessary)	Group Art Unit	1629
				Examiner Name	To be assigned
Sheet	3	of	10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	-
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C13	BRUSILOW, S.W. et al. (1995). "Urea Cycle Enzymes," Chapter 32 in The Metabolic and Molecular bases of Inherited Diseases, Scriver, C.R. et al. eds., McGraw-Hill, Inc. New York, New York, pp.1187-1232.	
	C14	BRUSILOW, S.W., et al. (1996)." Urea Cycle Disorders: Diagnosis, Pathophysiology, and Therapy," Adv. Pediatr. 43:127-170.	
	C15	BRUSILOW, S.W., et al. (1995). "Urea Cycle Disorders: Clinical Paradigm of Hyperammonemic Enecphalopathy," Progress in Liver Diseases (1995) 12:293- 309.	
	C16	BRUSILOW, S. W., et al., "Restoration of Nitrogen Homeostasis in a Man with Ornithine Transcarbamylase Deficiency," J. Metabolism (1993) 42:1336-1339.	
	C17	CALLOWAY, D.H. et al. (1971). "Sweat and Miscellaneous Nitrogen Losses in Human Balance Studies," J. Nutrition 101:775-786.	
ľ.	C18	CALLOWAY, D.H. et al. (1971). "Variation in Endogenous Nitrogen Excretion and Dietary Nitrogen Utilization as Determinants of Human Protein Requirements," J. Nutrition 101:205-216.	
	C19	CAMACHO, L.H. et al. (2007, e-pub. October 20,2006). "Phase I Dose Escalation Clinical Trial of Phenyl butyrate Sodium Administered Twice Daily to Patients With Advanced Solid Tumors," Invest. New Drugs 25:131-138.	
	C20	CHANG JG., et al., "Treatment of Spinal Muscular Atrophy by Sodium Butyrate," PNAS USA (2001) 98(17):9808-9813.	
	C21	ClinicalTrials.Gov/Archive View of NCT00551200 on 2007_12_11 "Dose- Escalation Safety Study of Glyceryl Tri (4-Phenylbutyrate)(GT4P) to Treat Urea Cycle Disorders" [accessed 5 October 2009], 4 pages.	
	C22	Combined Search and Examination Report mailed on September 9, 2010, for Great Britain Patent Application No. 1013468.2, filed on August 27, 2009, six pages.	

EXAMINER	/Savitha Rao/	DATE CONSIDERED			
	/Savina hao/	11/15/2012			
*EXAMINER:		criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not			
79532-8003.US	502/AGAL236 BEREIRENCES C	ONSIDERED EXCEPT WHERE LINED THROUGH. /S.			

eipt date: 05/16/2012				0	COMPLETE IF KNOWN37 - GAU:
				Application Number	13/417,137
		N DISCLOSURE		Confirmation Number	6423
		BY APPLICANT		Filing Date	2012-03-09
		449 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
(Use several sheets if necessary)				Group Art Unit	1629
				Examiner Name	To be assigned
Sheet	4	of	10	Attorney Docket No.	79532.8003.US02

1		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	Ē
Examiner Initials	Cite No.	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C23	Combined Search and Examination Report mailed on October 9, 2009, for Great Britain Patent Application No. GB0915545.8, filed on August 27, 2009, eight pages.	
	C24	COMTE, B., et al., "Identification of Phenylbutyrylglutamine, A new Metabolite of Phenylbutyrate Metabolism in Humans," Journal of Mass Spectrometry (2002) 37(6):581-590.	
	C25	DEFERRARI, G. et al. (1981). "Brain Metabolism of Amino Acids and Ammonia in Patients with Chronic Renal Insufficiency," Kidney International 20:505-510.	
	C26	DIAZ, G.A., et al., "Phase 3 Blinded, Randomized, Crossover Comparison of Sodium Phenylbutyrate (NaPBA) and Glycerol Phenylbutyrate (GPB): Ammonia (NH3) Control in Adults with Urea Cycle Disorders (UCDs)," Mol. Genet. Metab. 102:276 (2011).	
	C27	Examination Report mailed on October 27, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, two pages.	
	C28	Examination Report mailed February 5, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, two page.	
9	C29	Examination Report mailed May 11, 2010, for United Kingdom Patent Application No. GB0915545.8, filed on August 27,2009, one page.	
	C30	FDA. (August 2003). "Buphenyl® (Sodium Phenylbutyrate) Label" nine pages.	
	C31	FDA Label for BUPHENYL, 6 pages.	
	C32	GARGOSKY, S. (2006). "High Ammonia Levels Are Associated With Increased Mortality and Coma," Ucyclyd Pharma, Inc., one page.	
	C33	GARGOSKY, S. et al. (October 14, 2005). "Results of a Twenty-two Year Clinical Trial: Actue, Adjunctive Pharmacological Treatment of Hyperammonemic Episodes in Patients with Deficiencies in Enzymes of the Urea Cycle," poster, Ucyclyd Pharma, Inc., one page.	

EXAMINER	/Savitha Rao/	DATE CONSIDERED 11/15/2012
*EXAMINER:		nance with MPEP 609. Draw line through citation if not in conformance <u>and</u> not o application(s). ED EXCEPT WHERE LINED THROUGH. /S.R./
79532-8003.US	502/HEGAL23682285-HEINCES CONSIDER	ED EXCEPT WHERE LINED THROUGH. /S.R./

eipt date: 05/16/2012				0	COMPLETE IF KNOWN37 - GAU:
				Application Number	13/417,137
		DISCLOSURE		Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
		449 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
(Use several sheets if necessary)				Group Art Unit	1629
				Examiner Name	To be assigned
Sheet	5	of	10	Attorney Docket No.	79532,8003,US02

	1.2.1	OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item	T
Examiner Initials	Cite No.	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C34	GARGOSKY, S. (August 2, 2005). "Improved Survival of Neonates Following Administration of Ammonul® (Sodium Phenyl acetate & Sodium Benzoate) 10% 110% Injection," SSIEM Poster, six pages.	
	C35	GHARBRIL, M., et al., "Glycerol Phenylbutyrate (GPB) Administration in Patients with Cirrhosis and Episodic Hepatic Encephalopathy (HE)," accepted for presentation at Digestive Disease Week, 2012.	
	C36	GROPMAN, A. L., et al., "1H MRS Allows Brain Phenotype Differentiation in Sisters with Late Onset Ornithine Transcarbamylase Deficiency (OTCD) and Discordant Clinical Presentations," Mol. Genet. Metab. 94(1):52-60 (2008).	
-	C37	GROPMAN, A.L., et al., "1H MRS Identifies Symptomatic and Asymptomatic Subjects with Partial Ornithine Transcarbamylase Deficiency," Mol. Genet. Metab. 95:21-30 (2008).	
	C38	HYPERION THERAPEUTICS. (March 30, 2009). "Hyperion Therapeutics Announces Results for Phase II Study in Urea Cycle Disorders," located at <http: 1238518388,="" pr="" press="" release="" www.hyperiontx.com=""> last visited on April 27, 2011, three pages.</http:>	
	C39	HYPERION THERAPEUTICS. (June 2, 2009.) "Hyperion Therapeutics Announces Results of Phase I Study in Patients with Liver Cirrhosis" located at <http: 1243891161="" pr="" press="" release="" www.hyperiontx.com="">, last visited on April 27, 2011, three pages.</http:>	
	C40	International Preliminary Report on Patentability mailed on March 1, 2011, for PCT Application No. PCT/US2009/030362, filed on January 7, 2009, seven pages.	
	C41	International Preliminary Report on Patentability mailed on March 1, 2011, for PCT Application No. PCT/US2009/055256, filed on August 27, 2009, six pages.	
	C42	JAMES, M.O. et al. (1972). "The Conjugation of Phenylacetic Acid in Man, Sub- Human Primates and Some Other Non-Primates Species," Proc. R. Soc. London 182:25-35.	

EXAMINER	/Savitha Rao/	DATE CONSIDERED 11/15/2012
*EXAMINER:		nnance with MPEP 609. Draw line through citation if not in conformance and not to application(s). TED EXCEPT WHERE LINED THROUGH. /S.R./
79532-8003.U	502/ABGAL2562285:RENCES CONSIDER	RED EXCEPT WHERE LINED THROUGH. 7S.R.

ceipt date: 05/16/2012		0	COMPLETE IF KNOWN37 - GAU:		
INFORMATION DISCLOSURE				Application Number	13/417,137
				Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
Form PTO-1449 (Modified)				First Named Inventor	Bruce SCHARSCHMIDT
	(Use several sh	eets if necessary)	Group Art Unit	1629
Sheet 6 of 10				Examiner Name	To be assigned
			10	Attorney Docket No.	79532.8003.US02

Examiner	1.51	OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city	T
Initials	Cite No. C43	JOHN, BA et al. (March 2009). "The Disposition of HPN-100, A Novel Pharmaceutical Under Development for Potential Treatment of Hyperammonemia, in Cynomologus Monkeys," abstract presented at ACMG 2009, one page.	
	C44	JOHN, BA et al. (March 2009). "The Disposition of HPN-100, A Novel Pharmaceutical Under Development for Potential Treatment of Hyperammonemia, in Cynomolgus Monkeys," ACMG 2009 ADME, poster, two pages.	
-	C45	KASUMOV, T., et al., "New Secondary Metabolites of Phenylbutyrate in Humans and Rats," Drug Metabolism and Disposition (2004) 32(1):10-19.	
	C46	LEE, B. et al. (August 2009). "Dosing and Therapeutic Monitoring of Ammonia Scavenging Drugs and Urinary Phenylacetylglutamine (PAGN) as a Biomarker; Lessons From a Phase 2 Comparison of A Novel Ammonia Scavenging Agent With Sodium Phenylbutyrate (NaPBA),".abstract presented at ICIEM 2009, San Diego, CA, one page.	
	C47	LEE, B. et al. (August 2009). "Dosing and Therapeutic Monitoring of Ammona Scavenging Drugs and Urinary Phenylacetylglutamine (PAGN) as a Biomarker: Lessons From a Phase 2 Comparison of a Novel Ammonia Scavenging Agent with Sodium Phenyl butyrate (NAPBA)," presented at ICIEM 2009, San Diego, CA, poster, one page.	
	C48	LEE, B. et al. (March 2009). "Phase 2 Study of A Novel Ammonia Scavenging Agent in Adults With Urea Cycle Disorders (UCDs)," abstract presented at ACMG 2009, one page.	
	C49	LEE, B. et al. (March 2009). "Phase 2 Study of A Novel Ammonia Scavenging Agent in Adults with Urea Cycle Disorders (UCDs)," presented at ACMG 2009, seventeen pages.	

EXAMINER	/Savitha Bao/	DATE CONSIDERED
		11/15/2012
*EXAMINER:	and the second s	ot criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not next communication to application(s).
79532-8003.U	S02/ABGAL2364228EIRENCES	CONSIDERED EXCEPT WHERE LINED THROUGH. 7S.R.

ceipt date: 05/16/2012		0	COMPLETE IF KNOWN37 - GAU: 1		
INFORMATION DISCLOSURE				Application Number	13/417,137
				Confirmation Number	6423
STATEMENT BY APPLICANT Form PTO-1449 (Modified)				Filing Date	2012-03-09
				First Named Inventor	Bruce SCHARSCHMIDT
(Use several sh	eets if necessary)	Group Art Unit	1629
Sheet 7 of 10				Examiner Name	To be assigned
			10	Attorney Docket No.	79532.8003.US02

Cite No. Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.							
C50	LEE, B. et al. (August 2008). "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in an Open-Label, Switch-Over, Dose-Escalation Study Comparing a New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN - 100], to Buphenyl® (Sodium Phenylbutyrate [PBAj)," abstract presented at SSIEM 2008, Lisbon, Portugal, one page.						
C51	LEE, B. et al. (September 2008). "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in An Open-Label, Switch-Over, Dose Escalation Study Comparing A New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN-1 00], to BUPHENYL® (Sodium Phenylbutyrate [PBA]," presented at SSIEM 2008, Lisbon, Portugal, Poster, one page.						
C52	LEE, B., et al.,"Phase 2 Comparison of a Novel Ammonia Scavenging Agent with Sodium Phenylbutyrate in Patients with Urea Cycle Disorders: Safety, Pharmacokinetics and Ammonia Control," Mol. Genet. Metab. 100:221-228 (2010).						
C53	LEE, B., et al., "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in an Open-Label, Switch-Over, Dose-Escalation Study Comparing a New Ammonia Scavenger, Glyceryl Tri(4-Phenylbutyrate) (HPN-100), to Buphenyl (Sodium Phenylbutyrate (PBA))," J. Inherit. Metab. Dis. 31(Suppl. 1):91 (2008).						
C54	LEWIS, H.B. (1914). "Studies in the Synthesis of Hippuric Acid in the Animal Organism. II. The Synthesis and Rate of Elimination of Hippuric Acid After Benzoate Ingestion In Man," J. Bioi. Chem. 18 :225-231.						
C55*	LIANG, K.Y., et al., "Longitudinal Data Analysis Using Generalized Linear Models," Biometrika 73(1):13-22 (1986).						
C56	LICHTER-KONECKI, U., et al., "Ammonia Control in Children with Urea Cycle Disorders (UCDs); Phase 2 Comparison of Sodium Phenylbutyrate and Glycerol Phenylbutyrate," Mol. Genet. Metab. 103:323-329 (2011).						
C57	MACARTHUR, R. B., et al., "Pharmacokinetics of Sodium Phenylacetate and Sodium Benzoate Following Intravenous Administration as Both a Bolus and Continuous Infusion to Healthy Adult Volunteers," Mol. Genet. Metab. 81:S67-S73 (2004).						
	C52 C53 C54 C55*	 Comparing a New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN - 100], to Buphenyl® (Sodium Phenylbutyrate [PBAj)," abstract presented at SSIEM 2008, Lisbon, Portugal, one page. LEE, B. et al. (September 2008). "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in An Open-Label, Switch-Over, Dose Escalation Study Comparing A New Ammonia Scavenger, Glyceryl Tri (4-Phenylbutyrate) [HPN-1 00], to BUPHENYL® (Sodium Phenylbutyrate [PBA]," presented at SSIEM 2008, Lisbon, Portugal, Poster, one page. LEE, B., et al., "Phase 2 Comparison of a Novel Ammonia Scavenging Agent with Sodium Phenylbutyrate in Patients with Urea Cycle Disorders: Safety, Pharmacokinetics and Ammonia Control," Mol. Genet. Metab. 100:221-228 (2010). LEE, B., et al., "Preliminary Data on Adult Patients with Urea Cycle Disorders (UCD) in an Open-Label, Switch-Over, Dose-Escalation Study Comparing a New Ammonia Scavenger, Glyceryl Tri(4-Phenylbutyrate) (HPN-100), to Buphenyl (Sodium Phenylbutyrate (PBA))," J. Inherit. Metab. Dis. 31(Suppl. 1):91 (2008). LEWIS, H.B. (1914). "Studies in the Synthesis of Hippuric Acid in the Animal Organism. II. The Synthesis and Rate of Elimination of Hippuric Acid After Benzoate Ingestion In Man," J. Bioi. Chem. 18 :225-231. LIANG, K.Y., et al., "Longitudinal Data Analysis Using Generalized Linear Models," Biometrika 73(1):13-22 (1986). LICHTER-KONECKI, U., et al., "Ammonia Control in Children with Urea Cycle Disorders (UCDS); Phase 2 Comparison of Sodium Phenylbutyrate and Glycerol Phenylbutyrate," Mol. Genet. Metab. 103:323-329 (2011). MACARTHUR, R. B., et al., "Pharmacokinetics of Sodium Phenylacetate and Sodium Benzoate Following Intravenous Administration as Both a Bolus and Continuous Infusion to Healthy Adult Volunteers," Mol. Genet. Metab. 81:S67-S73 					

		1110/2012	
*EXAMINER:	Initial if reference considered, whether or not criteria is in conforma	nce with MPEP 609. Draw line through citation if not in conformance and not	
196. (dr.) (dawn)	considered. Include copy of this form with next communication to a	DEXCEPT WHERE LINED THROUGH. /S.I	- ·
79532-8003.US	502/HGAL2568228E/KENCES CONSIDERE	DEXCEPT WHERE LINED THROUGH. /S.I	R./

ceipt date: 05/16/2012		0	COMPLETE IF KADWN37 - GAU:		
INFORMATION DISCLOSURE				Application Number	13/417,137
				Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
Form PTO-1449 (Modified) (Use several sheets if necessary)				First Named Inventor	Bruce SCHARSCHMIDT
				Group Art Unit	1629
Sheet 8 of 10				Examiner Name	To be assigned
			10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	-
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C58	MANSOUR, A. et al. (October 1997). "Abdominal Operations in Patients with Cirrhosis: Still A Major Surgical Challenge," Surgerv 122(4):730-735. (Abstract Only.)	
	C59	MASETRI, N.E. et al. (August 1992). "Plasma Glutamine Concentration: A Guide in the Management of Urea Cycle Disorders," J. Pediatr. 121 (2):259-261.	
	C60	MCGUIRE, B. M., et al., "Pharmacology and Safety of Glycerol Phenylbutyrate in Healthy Adults and Adults with Cirrhosis," Hepatol. 51:2077-2085 (2010).	
	C61	MCGUIRE, B.M. et al. (2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," Hyperion Therapeutics, poster, one page.	
	C62	MCGUIRE, B.M. et al. (May 2009). "Pharmacokinetic (PK) and Safety Analyses of a Novel Ammonia-Reducing Agent in Healthy Adults and Patients with Cirrhosis," abstract presented at DDW, May 2009, two pages.	
	C63	MCGUIRE, B. et al. (April 2008). "Pharmacokinetic Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects With Hepatic Impairments,' Liver International 28:743. (Abstract Only).	
	C64	MCGUIRE, B. et al. (April 2008). "Pharmacokeinetic (PK) Safety Study of Sodium Phenylacetate and Sodium Benzoate Administered to Subjects with Hepatic Impairment," abstract of The13th International Symposium, Abano (Padova), Italy, April 28-May 1,2008, two pages.	
	C65	MCQUADE P.S. (1984). "Analysis and the Effects of Some Drugs on the Metabolism of Phenylethylamine and Phenylacetic Acid," Neuropsychopharmacol. Bioi. Psychiat. 8:607-614.	
	C66	PISCITELLI, S.C. et al. (1995). "Disposition of Phenyl butyrate and its Metabolites, Phenylacetete and Phenylacetylglutamine," J. Clin. Pharmacal. 35:368-373.	
	C67	PROPST, A. et al. (August 1995). "Prognosis and Life Expectancy in Chronic Liver Disease," Dig Dis Sci 40(8):1805-1815. (Abstract Only).	

*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s). 79532-8003.US02/AEAL236E228E:RENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.R./

ceipt date: 05/16/2012		0	COMPLETE IF KNOWN37 - GAU:		
INFORMATION DISCLOSURE				Application Number	13/417,137
				Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
Form PTO-1449 (Modified) (Use several sheets if necessary)				First Named Inventor	Bruce SCHARSCHMIDT
				Group Art Unit	1629
Sheet 9 of 10				Examiner Name	To be assigned
			10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	-
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	
	C68	RILEY, T.R. et al. (November 15, 2001). "Preventive Strategies in Chronic Liver Disease: Part II. Cirrhosos," Am. Fam. Physician 64(10):1735-1740. (Abstract Only).	
4	C69	RUDMAN, D., et al., "Maximal Rates of Excretion and Synthesis of Urea in Normal and Cirrhotic Subjects," J. Clin. Invest. (1973) 52:2241-2249.	
	C70	SHIPLE, G.J. et al. (1922). "Synthesis of Amino Acids in Animal Organisms. I. Synthesis of Glycocoll and Glutamine in the Human Organism," J. Am. Chem. Soc. 44:618-624.	
	C71	SIMELL, O., et al., "Waste Nitrogen Excretion Via Amino Acid Acylation: Benzoate and Phenylacetate in Lysinuric Protein Intolerance," Pediatr. Res. 20(11):1117-1121 (1986).	
	C72	SINGH, "Consensus Statement from a Conference for the Management of Patients with Urea Cycle Disorders," Suppl. to J. Pediatrics (2001) 138(1):S1-S5.	
	C73	SUMMAR, M.L. et al. (October 2008, e-pub. July 17, 2008). "Diagnosis, Symptoms, Frequency and Mortality of 260 Patients with Urea Cycle Disorders From a 21-Year, Multicentre Study of Acute Hyperammonaemic Episodes," Acta Paediatr. 97:1420-1425.	
	C74	SUMMAR, M. et al. (2007). "Description and Outcomes of 316 Urea Cycle Patients From a 21-Year, Multicenter Study of Acute Hyperammonemic Episodes," Abstract, presented at Annual Symposium CCH - Congress Centre Hamburg, September 4-7,2007, GSSIEM 2007, two pages.	
	C75	SWEDISH ORPHAN INTERNATIONAL. (January 12, 2007). "Urea Cycle Disorders an International Perspective," Poster, Symposium Swedish Orphan International, Barcelona, Spain, January 12, 2007, one page.	
	C76	TANNER, L. M., et al., "Nutrient Intake in Lysinuric Protein Intolerance," J. Inherit. Metab. Dis. 30:716-721 (2007).	
	C77	THIBAULT, A., et al., "A Phase I and Pharmacokinetic Study of Intravenous Phenylacetate in Patients with Cancer," Cancer Res. 54:1690-1694 (1994).	

*EXAMINER: Initial if reference considered, whether or not criteria is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application(s). 79532-8003.US02/AGAL25642285-RENCES CONSIDERED EXCEPT WHERE LINED THROUGH. WHERE LINED THROUGH. /S.R./

eceipt dat	e: 05/16/201	2		(COMPLETE IF KNOWN37 - GAU: 1
				Application Number	13/417,137
		DISCLOSURE		Confirmation Number	6423
STATEMENT BY APPLICANT				Filing Date	2012-03-09
		149 (Modified)		First Named Inventor	Bruce SCHARSCHMIDT
	(Use several she	eets if necessary)	Group Art Unit	1629
1				Examiner Name	To be assigned
Sheet	10	of	10	Attorney Docket No.	79532.8003.US02

		OTHER PRIOR ART-NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume issue number(s), publisher, city and/or country where published.	т
	C78	THIBAULT, A., et al., "Phase I Study of Phenylacetate Administered Twice Daily to Patients with Cancer," Cancer 75:2932-2938 (1995).	
	C79	TUCHMAN, M. et al. (2008, e-pub. June 17, 2008). "Cross-Sectional Multicenter Study of Patients With Urea Cycle Disorders in the United States," Malec. Genetics Metab. 94:397-402.	
	C80	WATERLOW, J.C. (March 1963). "The Partition of Nitrogen in the Urine of Malnourished Jamaican Infants," Am. J. of Clin. Nutrition 12:235-240.	Ĩ
	C81	ZEITLIN, P.L. et al. (July 2002). "Evidence of CFTR Function in Cystic Fibrosis After System Administration of 4-Phenylbutyrate," Mol. Therapy 6(1):119-126.	

EXAMINER	/Savitha Rao/	DATE CONSIDERED 11/15/2012
*EXAMINER:		I mance with MPEP 609. Draw line through citation if not in conformance and not to application(s).
79532-8003.US	502/Addata64228ERENCES CONSIDER	RED EXCEPT WHERE LINED THROUGH. /S.R.

Beceipt date: 06/28/2012

Doc description: Information Disclosure Statement (IDS) Filed

06/28/2012 13417137 - GAUL: 1629 Maproved for use through 07/31/2012. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Application Number		13417137	
	Filing Date		2012-03-09	
INFORMATION DISCLOSURE	First Named Inventor	Bruce	e Scharschmidt	
STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Art Unit		1629	
(Notion submission under 57 GPK 1.55)	Examiner Name	To be	e assigned	
	Attorney Docket Num	per	79532.8003.US02	

				1.1	U.S.I	PATENTS		-	Remove	
Examiner Initial*	Cite No	Patent Number	Kind Code ¹	Issue D	ate	Name of Pat of cited Doci	entee or Applicant ument	Relev	s,Columns,Lines where ant Passages or Relev es Appear	
	1	6219567	В1	2001-04	-17	EGGERS et a	L			
If you wisl	n to ac	d additional U.S. Pa	tent citatio	l n informa	ation pl	ease click the	Add button.		Add	
			U.S.P	ATENT	APPLIC	CATION PUB	LICATIONS	_	Remove	
Examiner Initial*	Cite I	No Publication Number	Kind Code ¹	Publica Date	tion	Name of Pat of cited Docu	entee or Applicant ument	Relev	s,Columns,Lines where ant Passages or Relev es Appear	
	1	20100008859	A1	2010-01	-14	SCHARSCHN	NDT			
lf you wisl	n to ac	d additional U.S. Pt	Iblished Ap	plication	citatio	n information	please click the Ad	d butto	n. Add	
				FOREIG	N PAT	TENT DOCUM	IENTS		Remove	
Examiner Initial*	Cite No	Foreign Document Number ³	Countr Code ²		Kind Code⁴	Publication Date	Name of Patente Applicant of cited Document		Pages,Columns,Lines where Relevant Passages or Relevant Figures Appear	TS
	1									
If you wisl	n to ac	d additional Foreigr	Patent Do	ocument	citation	information p	lease click the Add	button	Add	
			NON	-PATEN		RATURE DO	CUMENTS		Remove	1
Examiner Initials*	Cite No	Include name of the (book, magazine, jo publisher, city and/	ournal, seri	al, sympo	osium,	catalog, etc),			iate), title of the item sue number(s),	T 2

/Savitha Rao/

11/15/2012

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /S.R./ EFS Web 2.1.17

Receipt date: 06/28/2012	Application Number		13417137	13417137 - GAU: 1629
	Filing Date		2012-03-09	
INFORMATION DISCLOSURE	First Named Inventor	Brug	e Scharschmidt	
STATEMENT BY APPLICANT (Not for submission under 37 CFR 1.99)	Art Unit		1629	
(Notion submission under 57 OFK 1.55)	Examiner Name	Tob	e assigned	
	Attorney Docket Num	ber	79532.8003.US	502

	1	ENNS, G. M., et al., "Survival After Treatment w Med. 356:2282-2292 (2007).	ith Phenylacetate and Benzoate for Urea-Cycl	e Disorders," N. Eng. J.	
	2	UNITED STATES PATENT AND TRADEMARK 4, 2012 for PCT/US2012/028620.	OFFICE, International Search Report and Wri	tten Opinion dated June	
If you wis	h to a	add additional non-patent literature document	citation information please click the Add b	outton Add	
		EXAMIN	IER SIGNATURE		- · ·
Examine	Sigr	vature /Savitha Rao/	Date Considered	11/15/2012	
		Initial if reference considered, whether or not on conformance and not considered. Include co			1
Standard S ⁴ Kind of do	T.3). 3 cumer	of USPTO Patent Documents at <u>www.USPTO.GOV</u> or M For Japanese patent documents, the indication of the ye at by the appropriate symbols as indicated on the docume translation is attached.	ar of the reign of the Emperor must precede the ser	ial number of the patent doc	ument.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Tradenark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
13/417,137	03/09/2012	Bruce SCHARSCHMIDT	79532.8003.US02	6423
34055 PERKINS COI	7590 11/21/2012 ELLP		EXAM	INER
POST OFFICE	BOX 1208		RAO, SA	VITHA M
SEATTLE, WA	A 98111-1208		ART UNIT	PAPER NUMBER
			1629	
			NOTIFICATION DATE	DELIVERY MODE
			11/21/2012	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentprocurement@perkinscoie.com

		Application No.	Applicant(s)	
		13/417,137	SCHARSCHMIDT ET AL	-
Office Action Summ	nary	Examiner	Art Unit	
		SAVITHA RAO	1629	
	communication a		vith the correspondence address	
Period for Reply A SHORTENED STATUTORY PE WHICHEVER IS LONGER, FROM - Extensions of time may be available under the after SIX (6) MONTHS from the mailing date of - If NO period for reply is specified above, the r - Failure to reply within the set or extended per Any reply received by the Office later than thr	I THE MAILING e provisions of 37 CFR of this communication, naximum statutory peri iod for reply will, by sta ee months after the ma	DATE OF THIS COMMUN 1.136(a). In no event, however, may a od will apply and will expire SIX (6) MC tute, cause the application to become a	ICATION. reply be timely filed NTHS from the mailing date of this communic BANDONED (35 U.S.C. § 133).	
earned patent term adjustment. See 37 CFR Status	1.704(b).			
1) Responsive to communicati	on(s) filed on 09	March 2012.		
2a) This action is FINAL.		his action is non-final.		
3) An election was made by th			irement set forth during the inter	view or
		ion have been incorporated		
4) Since this application is in c				s is
closed in accordance with th			승규가 여러 가지 않는 것이 가지 않는 것이 같아요. 이 것이 집에 집에 있는 것이 같아요. 이 것이 없는 것이 같아요. 이 가 있는 것이 같아요. 이 것이 없는 것이 없 않는 것이 없는 것이 없 않는 것이 없는 것이 않는 것이 않는 것이 없는 것이 없는 것이 않는 것 않는 것	
Disposition of Claims				
5) Claim(s) <u>1-12</u> is/are pending	in the applicati	on.		
5a) Of the above claim(s)				
6) Claim(s) is/are allowed				
7) Claim(s) 1-12 is/are rejected				
8) Claim(s) is/are objec				
9) Claim(s) are subject		d/or election requirement.		
* If any claims have been determined program at a participating intellectual http://www.uspto.gov/patents/init_ever	property office for	or the corresponding application	ation. For more information, plea	
Application Papers				
10) The specification is objected	to by the Exam	ner.		
11) The drawing(s) filed on	_ is/are: a)□ a	ccepted or b) dojected to	by the Examiner.	
Applicant may not request that	any objection to t	he drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s)	including the corr	ection is required if the drawin	g(s) is objected to. See 37 CFR 1.12	21(d).
Priority under 35 U.S.C. § 119				
12)□ Acknowledgment is made of a)□ All b)□ Some * c)□ No		gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
 Certified copies of the 	priority docume	ents have been received.		
		ents have been received in		
이 가슴다 가슴 옷을 넣었다. 영상 것은 것은 것은 것은 것은 것은 것은 것은 것은 것을 수 있다. 것은 것은 것은 것은 것은 것을 수 있다. 것은 것을 수 있다. 것은			n received in this National Stage	
 A set of the set of		eau (PCT Rule 17.2(a)).		
* See the attached detailed Off	ice action for a l	ist of the certified copies no	t received.	
Attachment(s)				
1) INotice of References Cited (PTO-892)		3) 🗍 Interview	Summary (PTO-413)	
 Information Disclosure Statement(s) (PT Paper No(s)/Mail Date <u>05/16/2012, 06/20</u> 	O/SB/08)		(s)/Mail Date	
aper 110/5/11/101 Date 00/10/2012, 00/20	ALVIA-			

DETAILED ACTION

Claims 1-12 are pending and have been considered on the merits herein.

Information Disclosure Statement

The information disclosure statement (IDS) dated 05/16/20102 and 06/28/2012 complies with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609. Accordingly, it has been placed in the application file and the information therein has been considered as to the merits.

Priority

This application claims benefit of U.S. Provisional Application No. 61/564668, filed on 11/29/2011 and Provisional Application No. 61/542100 filed on 09/30/2011.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7 and 9-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Scharschmidt

(US 2010/0008859, cited in the IDS dated 06/28/2012))

Scharschmidt discloses the method (method, Para. [0039]) for determining whether to increase a

dosage of a nitrogen scavenging drug in a subject (adjusting the schedule and dose of orally

administered nitrogen scavenging drugs, Para. [0020]) currently receiving the nitrogen scavenging drug

(method involves administering an initial dosage of the prodrug that is selected based on the patient's

current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood

ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213]); b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level ((comparing fasting with) normal upper limit for venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) to determine whether to increase the dosage of a nitrogen scavenging drug (determining and adjusting the dose of an ammonia scavenging drug, Para. [0041]), wherein the dosage needs to be increased if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (If the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]; ammonia value after HPN-100 treatment (26.1 umol/L) was within the normal range and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 2, Scharschmidt discloses the method (method, Para. [0039]) for determining whether to administer a nitrogen scavenging drug by adjusting the schedule and dose of orally administered nitrogen scavenging drugs, Para. [0020]) to a subject having a nitrogen retention disorder (retention states including urea cycle disorders and liver disease, Para. [0064]) comprising: a) measuring a fasting blood ammonia level for the subject (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213]); and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ((comparing) normal upper limit for venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) ammonia levels to determine whether to administer a nitrogen scavenging drug to the subject (determining the dose of an ammonia scavenging drug to be administered, Para. [0041]), wherein a nitrogen scavenging drug needs to be administered to the subject if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia value after HPN-100 treatment (26.1 umol/L) was within the normal range and above the upper limit of normal VB. (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0020]).

Regarding claim 3, Scharschmidt discloses the method (method, Para. [0039]) of treating a subject with a nitrogen retention disorder (dosing schedule and dose adjustments necessary for treatment of nitrogen retention states including urea cycle disorders and liver disease complicated by hepatic encephalopathy, Para. [0064]) who has previously been administered a nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213]); and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]) if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia value after HPN-100 (26.1 umol/L) was within the normal range of 26 to 35 umol/L and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 4, Scharschmidt discloses the method of claim 1. Scharschmidt discloses further comprising: c) administering an increased dosage of the nitrogen scavenging drug if the need exists (treatment with an ammonia scavenging agent as described in this invention is determined clinically if the subject is in need of such treatment. This clinical determination would be based upon a variety of factors (e.g. signs and symptoms of hepatic encephalopathy in patients with cirrhosis, elevated blood ammonia levels), Para. [0221]);

Regarding claim 5, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen retention disorder is selected from the group consisting of a urea cycle disorders and hepatic encephalopathy (urea cycle disorder, Para. [0221], hepatic encephalopathy, Para. [0041]).

Regarding claim 6, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen scavenging drug is a PAA prodrug (prodrugs of PAA, Para. [0217]).

Page 4

Regarding claim 7, Scharschmidt discloses the method of claim 6. Scharschmidt discloses wherein the PAA prodrug is selected from the group consisting of glyceryl td-[4-phenylbutyrate] (HPN-100), phenylbutyric acid (PBA), sodium PBA (NaPEA), and a combination of two or more of HPN-100, PBA, and NaPBA (HPN-100, Para. [0020]).

Regarding claim 9, Scharschmidt discloses the method of claim 3 or 4. Scharschmidt discloses wherein administering an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject (administering the effective dosage of HPN-100 (effective dose may require increasing or decreasing the drug) to the patient preferably produces a normal plasma ammonia level in the patient, Para. [0142]); nitrogen scavenging drug may need to be increased, Para. [0083]).

Regarding claim 10, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses further comprising the step of determining an upper limit of normal for blood ammonia level for the subject prior to step (b) (monitoring the effect of the initial dosage of HPN-100 consists essentially of determining the patient's urinary phenylacetyl glutamine (PAGN) output and/or total urinary nitrogen. Administering the effective dose of HPN-100 to the patient produces a normal plasma ammonia level. Plasma ammonia in the patient can be a level of about 35 or about 40 umol/L (determining the upper limit of normal for the subject via urinary excretion of PAGN prior to step b), Para. [0142]); the normal upper limit for venous (blood) ammonia varied among the study sites from 26 to 35 umol/L, Para. [0201]).

Regarding claim 11, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the upper limit of normal blood ammonia level is 35 umol/L (upper limit of normal for subjects are between 26 to 35 umol/L, Para. [0094]). regarding claim 12, Scharschmidt discloses the method of claim 6. Scharschmidt discloses further comprising: c) measuring urinary PAGN excretion (measuring PAGN excretion, Para. [0096]); and e) determining an effective dosage of the PAA (effective dose, Para. [0140]), prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75% (determining an amount of the PAA prodrug needed to mobilize the target amount of urinary PAGN based on about 60% to about 75% conversion of the PAA prodrug into urinary PAGN, Para. [0148]).

Regarding claim 12, Scharschmidt discloses the method of claim 6. Scharschmidt discloses further comprising: c) measuring urinary PAGN excretion (measuring PAGN excretion, Para. [0096]); and

Page 5

e) determining an effective dosage of the PAA (effective dose, Para. [0140]), prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75% (determining an amount of the PAA prodrug needed to mobilize the target amount of urinary PAGN based on about 60% to about 75% conversion of the PAA prodrug into urinary PAGN, Para. [0148]).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scharschmidt (US 2010/0008859) in view of Ennis et al. (The New England Journal of Medicine, 2007, 356; pages 2282-92, Both references are cited in the IDS dated 06/28/2012).

Scharschmidt discloses the method (method, Para. [0039]) for determining whether to increase a dosage of a nitrogen scavenging drug in a subject (adjusting the schedule and dose of orally administered nitrogen scavenging drugs, Para. [0020]) currently receiving the nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213]); b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level ((comparing fasting with) normal upper limit for venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) to determine whether to increase the dosage of a nitrogen scavenging drug (determining and adjusting the dose of an ammonia scavenging drug, Para. [0041]), wherein the dosage needs to be increased if the fasting blood ammonia level is greater than half

the upper limit of normal for blood ammonia level (If the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]; ammonia value after HPN-100 treatment (26.1 umol/L) was within the normal range and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 2, Scharschmidt discloses the method (method, Para. [0039]) for determining whether to administer a nitrogen scavenging drug by adjusting the schedule and dose of orally administered nitrogen scavenging drugs, Para. [0020]) to a subject having a nitrogen retention disorder (retention states including urea cycle disorders and liver disease, Para. [0064]) comprising: a) measuring a fasting blood ammonia level for the subject (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (Subjects, Para. [0213]); and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ((comparing) normal upper limit for venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) ammonia levels to determine whether to administere a nitrogen scavenging drug to the subject (determining the dose of an ammonia scavenging drug to be administered, Para. [0041]), wherein a nitrogen scavenging drug needs to be administered to the subject if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (adjusting the initial dosage of the new drug based upon ammonia control, Para. [0099]; (ammonia value after HPN-100 treatment (26.1 umol/L) was within the normal range and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 3, Scharschmidt discloses the method (method, Para. [0039]) of treating a subject with a nitrogen retention disorder (dosing schedule and dose adjustments necessary for treatment of nitrogen retention states including urea cycle disorders and liver disease complicated by hepatic encephalopathy, Para. [0064]) who has previously been administered a nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212])

for the subject (subjects, Para. [0213]); and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level and administering an increased dosage of the nitrogen scavenging drug (If the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]) if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (ammonia value after HPN-100 (26.1 umol/L) was within the normal range of 26 to 35 umol/L and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 umol/L; half the upper limit of normal is about 13 to 17.5 umol/L which is greater than 26.1 umol/L), Para. [0201]).

Regarding claim 4, Scharschmidt discloses the method of claim 1. Scharschmidt discloses further comprising: c) administering an increased dosage of the nitrogen scavenging drug if the need exists (treatment with an ammonia scavenging agent as described in this invention is determined clinically if the subject is in need of such treatment. This clinical determination would be based upon a variety of factors (e.g. signs and symptoms of hepatic encephalopathy in patients with cirrhosis, elevated blood ammonia levels), Para. [0221]);

Regarding claim 5, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen retention disorder is selected from the group consisting of a urea cycle disorders and hepatic encephalopathy (urea cycle disorder, Para. [0221], hepatic encephalopathy, Para. [0041]).

Regarding claim 6, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the nitrogen scavenging drug is a PAA prodrug (prodrugs of PAA, Para. [0217]).

Regarding claim 7, Scharschmidt discloses the method of claim 6. Scharschmidt discloses wherein the PAA prodrug is selected from the group consisting of glyceryl td-[4-phenylbutyrate] (HPN-100), phenylbutyric acid (PBA), sodium PBA (NaPEA), and a combination of two or more of HPN-100, PBA, and NaPBA (HPN-100, Para. [0020]).

Regarding claim 9, Scharschmidt discloses the method of claim 3 or 4. Scharschmidt discloses wherein administering an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject (administering the effective dosage of HPN-100 (effective dose may

require increasing or decreasing the drug) to the patient preferably produces a normal plasma ammonia level in the patient, Para. [0142]); nitrogen scavenging drug may need to be increased, Para. [0083]).

Regarding claim 10, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses further comprising the step of determining an upper limit of normal for blood ammonia level for the subject prior to step (b) (monitoring the effect of the initial dosage of HPN-100 consists essentially of determining the patient's urinary phenylacetyl glutamine (PAGN) output and/or total urinary nitrogen. Administering the effective dose of HPN-100 to the patient produces a normal plasma ammonia level. Plasma ammonia in the patient can be a level of about 35 or about 40 umol/L (determining the upper limit of normal for the subject via urinary excretion of PAGN prior to step b), Para. [0142]); the normal upper limit for venous (blood) ammonia varied among the study sites from 26 to 35 umol/L, Para. [0201]).

Regarding claim 11, Scharschmidt discloses the method of any of claims 1-3. Scharschmidt discloses wherein the upper limit of normal blood ammonia level is 35 umol/L (upper limit of normal for subjects are between 26 to 35 umol/L, Para. [0094]). regarding claim 12, Scharschmidt discloses the method of claim 6. Scharschmidt discloses further comprising: c) measuring urinary PAGN excretion (measuring PAGN excretion, Para. [0096]); and e) determining an effective dosage of the PAA (effective dose, Para. [0140]), prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75% (determining an amount of the PAA prodrug needed to mobilize the target amount of urinary PAGN based on about 60% to about 75% conversion of the PAA prodrug into urinary PAGN, Para. [0148]).

Regarding claim 12, Scharschmidt discloses the method of claim 6. Scharschmidt discloses further comprising: c) measuring urinary PAGN excretion (measuring PAGN excretion, Para. [0096]); and e) determining an effective dosage of the PAA (effective dose, Para. [0140]), prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75% (determining an amount of the PAA prodrug needed to mobilize the target amount of urinary PAGN based on about 60% to about 75% conversion of the PAA prodrug into urinary PAGN, Para. [0148]).

Scharschmidt fails to explicitly disclose wherein the nitrogen scavenging drug is sodium benzoate.

However, Ennis is in the field of treating urea cycle disorders with phenylacetate and benzoate and teaches the use of sodium benzoate to treat patients with ammonia disorders (sodium benzoate therapy in patients, Pg. 1, Lns.1-16). It would have been obvious to one of ordinary skill in the art at the time of the invention to use the therapeutic drug sodium benzoate as taught by Ennis with the method of Scharschmidt. The motivation would have been to lower plasma ammonium levels and improve the survival of patients with lethal urea-cycle enzyme defects (Ennis, lower plasma ammonium levels and improve survival in small cohorts of patients with historically lethal urea-cycle enzyme defects, Pg. 1, Lines. 1-16).

Conclusion

Claims 1-12 are rejected.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAVITHA RAO whose telephone number is (571)270-5315. The examiner can normally be reached on 7.00 AM to 4.00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Lundgren can be reached on (571)272-5541. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/SAVITHA RAO/

Primary Examiner, Art Unit 1629

Search Notes	Application/Control No.	Applicant(s)/Patent Under Reexamination SCHARSCHMIDT ET AL
	Examiner SAVITHA RAO	Art Unit 1629

SEARCHED	

SEARCH NO	TES	
Search Notes	Date	Examine
EAST search (see attached)	11/16/2012	SR
inventor search in EAST and PALM	11/16/2012	SR
STN search for NPL and patents (see attached)	11/16/2012	SR

	INTERFERENCE SEA	RCH	
Class	Subclass	Date	Examiner

	/SAVITHA RAO/ Primary Examiner.Art Unit 1629	
--	---	--

U.S. Patent and Trademark Office

r

Part of Paper No. 20121116

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

SCHARSCHMIDT, Bruce, et al.

Serial No.: 13/417,137

Filed: March 9, 2012

For: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS Examiner: RAO, Savitha M.

Group Art Unit: 1629

Docket No.: 79532.8003.US02

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is being deposited with the U.S. Patent and Trademark Office this 7th day of December 2012 via EFS-Web Electronic Filing.

/ Colleen Kirchner / Colleen Kirchner

AMENDMENT AND RESPONSE

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The following is in response to the Non-Final Office Action mailed November 21,

2012 for the above-identified application.

Amendments to the claims begin on page 2.

Remarks begin on page 4.

Conclusion begins on page 10.

REMARKS

Initial comments

Claims 1-12 are pending in the present application and stand rejected.

Applicant has amended independent claims 1-3. Claims 1 and 2 have been amended to recite a method of adjusting and a method of administering, respectively, rather than simply a method of determining whether to adjust or administer. Accordingly, both claims now include an active step of administering a nitrogen scavenging drug or an adjusted dosage of a nitrogen scavenging drug. Claim 3 has been amended to clarify the meaning of the dosages recited therein. Amended claims 1-3 all retain the fundamental steps of measuring a fasting blood ammonia level and comparing this level to the upper limit of normal, wherein a fasting blood ammonia level greater than half the upper limit of normal triggers administration of a nitrogen scavenging drug or administration of an increased dosage of a nitrogen scavenging drug.

Claim 4 has been canceled as redundant in light of the amendments to claim 1, while claim 12 has been amended to correct a typographical error.

Anticipation

Rejection

The Office Action rejects claims 1-7 and 9-12 as anticipated by US Patent Publication No. 2010/0008859 ("Scharschmidt"). With regard to independent claim 1, the Office Action states:

Scharschmidt discloses the method...for determining whether to increase the dosage of a nitrogen scavenging drug in a subject (adjusting the schedule of and dose of orally administered nitrogen scavenging drugs, Para. [0020]) currently receiving the nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject...b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level ((comparing fasting with) normal upper limit for venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) to determine whether to increase the dosage of a nitrogen scavenging drug...wherein the dosage needs to be increased if the fasting blood ammonia level is greater than

half the upper limit of normal for blood ammonia level (if the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]; ammonia value after HPN-100 treatment (26.1 μ mol/L) was within the normal range and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 μ mol/L; half the upper limit of normal is about 13 to 17.5 μ mol/L which is greater than 26.1 μ mol/L, Para. [0201]).

With regard to independent claim 2, the Office Action states:

Scharschmidt discloses the method...for determining whether to administer a nitrogen scavenging drug (adjusting the schedule and dose of orally administered nitrogen scavenging drugs, Para. [0020]) to a subject having a nitrogen retention disorder (retention states including urea cycle disorders and liver disease, Para. [0064]) comprising: a) measuring a fasting blood ammonia level for the subject (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject...and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ((comparing) normal upper limit to venous (blood) ammonia, Para. [0201], plasma upper limit of normal, Para. [0094]) to determine whether to administer a nitrogen scavenging drug...wherein a nitrogen scavenging drug needs to be administered if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (adjusting the initial dosage of the new drug based upon ammonia control, Para. [0099]; (ammonia value after HPN-100 treatment (26.1 µmol/L) was within the normal range and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 µmol/L; half the upper limit of normal is about 13 to 17.5 µmol/L which is greater than 26.1 µmol/L), Para. [0201]).

With regard to independent claim 3, the Office Action states:

Scharschmidt discloses the method...of treating a subject with a nitrogen retention disorder (dosing schedule and dose adjustments...) who has previously been administered a nitrogen scavenging drug (method involves administering an initial dosage of the prodrug that is selected based on the patient's current dosage (already receiving a drug), Para. [0044]) comprising: a) measuring a fasting blood ammonia level (PK/PD modeling (a measurement) of ammonia in fasted and fed (subjects), Para. [0212]) for the subject (subjects, Para. [0213)); and b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level and administering an increased dosage of the nitrogen scavenging drug (if the ammonia control is inadequate, the dosage of the nitrogen scavenging drug can be increased, Para. [0083]) if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level (ammonia value after HPN-100 (26.1 µmol/L) was

within the normal range of 26 to 35 μ mol/L and above the upper limit of normal (ULN) after sodium PB (upper limit of normal is approximately 26 to 35 μ mol/L; half the upper limit of normal is about 13 to 17.5 μ mol/L which is greater than 26.1 μ mol/L), Para. [0201]).

The Office Action goes on to address each of dependent claims 4-7 and 9-12 in detail by citing portions of Scharschmidt that allegedly disclose the various limitations of each claim.

Response

As acknowledged in the background section of the present application, it is well known in the art that nitrogen retention disorders are associated with elevated blood ammonia levels, and that these disorders can be treated by administering nitrogen scavenging drugs. The Office Action is correct that Scharschmidt discloses methods of determining whether to increase the dosage of a nitrogen scavenging drug, methods of determining whether to administer a nitrogen scavenging drug, and methods of treating nitrogen retention disorders by administering a nitrogen scavenging drug in a particular manner. These methods are based on the finding in Scharschmidt that blood PBA, PAA, and PAGN levels are unreliable indicators of PAA prodrug dosage efficacy, and that urinary PAGN is a more reliable biomarker for PAA prodrug dosage evaluation. Scharschmidt provides experimental results showing that the percent conversion of HPN-100 to urinary PAGN varies significantly from patient to patient, with an average percent conversion of approximately 60-75% (Examples 2 and 3), and that administration of HPN-100 results in more effective control of ammonia levels than sodium PBA. Scharschmidt's claimed methods are based on these findings regarding the relationship between urinary PAGN levels and drug efficacy.

Scharschmidt only briefly mentions the upper limit of normal for ammonia. Specifically, Scharschmidt states at paragraph 0094 that "In certain clinical tests described herein the upper limit of normal for the subjects was between 26 and 35 µmol/L." This represents a fairly standard range for the upper limit of normal in a nitrogen retention disorder population, which varies somewhat from laboratory to laboratory. At paragraph 0201 (Example 3), Scharschmidt states that the "normal upper limit for venous ammonia varied among the study sites from 26 to 35 µmol/L," and that "patients with higher ammonia levels on sodium PBA exhibited greater decreases in ammonia values following administration of HPN-100." Paragraph 0201 goes on to state that "the mean ammonia value after HPN-100...was within the normal range while it was above the upper limit of normal (ULN) after sodium PBA." This paragraph simply reiterates the upper limit of normal observed in the clinical population being examined in Scharschmidt, and notes that HPN-100 lowered mean ammonia level to below the upper limit of normal while sodium PBA did not (i.e., HPN-100 was more effective than sodium PBA). This is reiterated in paragraph 0209, in which Scharschmidt states that "ammonia levels were better controlled in this test by HPN-100 than with sodium PBA, e.g., the average ammonia levels are lower, and tend to be below the upper limit for normal."

The present claims are based on a detailed investigation of the relationship between fasting blood ammonia levels and daily ammonia exposure. As noted in the present application, a single random ammonia value is an unreliable indicator of a subject's actual daily ammonia exposure, and hence an unreliable indicator of nitrogen scavenging drug dosing efficacy. The present application provides experimental results showing that a fasting ammonia level greater than half the upper limit of normal indicates unsatisfactory nitrogen control. This is a novel and unexpected finding, because it suggests that a subject with a fasting nitrogen level below the upper limit of normal may nonetheless require an increased dosage of nitrogen scavenging drug to achieve satisfactory daily ammonia levels. Accordingly, each of the independent claims includes steps of measuring fasting blood ammonia level and comparing it to the upper limit of normal for blood ammonia level to determine whether it is greater than half the upper limit of normal. If the fasting blood ammonia level is greater than half the upper limit of normal, the claims call for increasing the dosage of a nitrogen scavenging drug (claims 1 and 3) or administering a nitrogen scavenging drug (claim 2).

Although Scharschmidt mentions the upper limit of normal for ammonia, it does not teach or suggest the use of fasting ammonia levels in evaluating nitrogen scavenging drug dosage, and it certainly does not teach or suggest that a fasting ammonia level greater than half the upper limit of normal indicates a need for increased drug dosage. In noting that HPN-100 was more effective than sodium PBA at controlling ammonia levels, Scharschmidt states that HPN-100 resulted in ammonia levels below the upper limit of normal. Based on the findings in the present application, such a result would be insufficient on its own to establish optimal dosage levels. Specifically, Scharschmidt discloses that HPN-100 treatment resulted in a blood ammonia level of 26.1 µmol/L versus an upper limit of normal of about 26 to 35 µmol/L. As noted in the Office Action, half of the upper limit of normal disclosed in Scharschmidt is about 13 to 17.5 µmol/L. Since the measured blood ammonia level was greater than half the upper limit of normal (Applicant notes that the Office Action is incorrect in repeatedly stating that "half the upper limit of normal is about 13 to 17.5 µmol/L which is greater than 26.1 µmol/L"), the results proffered by Scharschmidt to indicate efficacy of HPN-100 actually suggest a need for an increased dosage of the drug to achieve optimal ammonia control.

Given the lack of disclosure in Scharschmidt regarding the relationship between the upper limit of normal and nitrogen scavenging drug dosage efficacy, Scharschmidt fails to teach each and every element of the present claims.

<u>Obviousness</u>

Rejection

The Office Action rejects claims 1-12 as obvious Scharschmidt in view of Enns N Engl J Med 356:2282 (2007) ("Enns"). The Office Action acknowledges that Scharschmidt "fails to explicitly disclose wherein the nitrogen scavenging drug is sodium benzoate," but asserts that Enns "is in the field of treating urea cycle disorders with phenylacetate and benzoate and teaches the use of sodium benzoate to treat patients with ammonia disorders." As such, the Office Action asserts that it would have been obvious to use sodium benzoate as taught by Enns with the method of Scharschmidt, with the motivation being the lowering of plasma ammonium levels and improved survival for patients with urea cycle enzyme defects. <u>Response</u>

As discussed in the background of the present application, sodium benzoate is a wellknown nitrogen scavenging agent, and Applicant acknowledges that Enns teaches the use of sodium benzoate to treat various nitrogen retention disorders. However, Enns does not contain disclosure sufficient to overcome the various deficiencies of Scharschmidt discussed above. Specifically, Enns does not teach or suggest the relationship between fasting ammonia levels and the upper limit of normal for blood ammonia, or the use of this relationship in optimizing nitrogen scavenging drug dosage.

CONCLUSION

In view of the foregoing, it is submitted that the present claims are in condition for allowance. Accordingly, Applicant respectfully requests that a Notice of Allowance be issued. If Applicant can do anything more to expedite this application, Applicant requests that the Examiner contact the undersigned at (650) 838-4355.

Respectfully submitted, Perkins Coie LLP

Date: December 7, 2012

/Patrick D. Morris/ Patrick D. Morris, Ph.D. Registration No. 53,351

Correspondence Address:

Customer No. 34055 Patent - LA Perkins Coie LLP P.O. Box 1208 Seattle, WA 98111-1208 Telephone: (310) 788-9900 Facsimile: (206) 332-7198

AMENDMENTS TO THE CLAIMS

The following complete listing of claims replaces all previous claims in the application. Applicant has amended claims 1-3 and 12, and canceled claim 4.

 (currently amended) A method for <u>adjusting the</u> determining whether to increase a dosage of a nitrogen scavenging drug in a subject <u>who has previously been</u> <u>administered an initial dosage of currently receiving</u> the nitrogen scavenging drug, comprising:

a) measuring a fasting blood ammonia level for the subject; and

 b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level to determine whether to increase the dosage of a nitrogen scavenging drug; and

c) administering an adjusted dosage of the nitrogen scavenging drug, wherein the adjusted dosage is greater than the initial wherein the dosage needs to be increased if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

 (currently amended) A method <u>of administering</u> for determining whether to administer a nitrogen scavenging drug to a subject having a nitrogen retention disorder comprising:

a) measuring a fasting blood ammonia level for the subject; and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level: and

<u>c)</u> to determine whether to administering the [[a]] nitrogen scavenging drug to the subject, wherein a nitrogen scavenging drug needs to be administered to the subject if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

 (currently amended) A method of treating a subject with a nitrogen retention disorder who has previously been administered <u>an initial dosage of</u> a nitrogen scavenging drug comprising;

a) measuring a fasting blood ammonia level for the subject; and

b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level; and

c) administering an <u>adjusted increased</u> dosage of the nitrogen scavenging drug <u>that is</u> <u>greater than the initial dosage</u> if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

4. (canceled)

5. (original) The method of any of claims 1-3, wherein the nitrogen retention disorder is selected from the group consisting of a urea cycle disorder and hepatic encephalopathy.

6. (original) The method of any of claims 1-3, wherein the nitrogen scavenging drug is a PAA prodrug.

7. (original) The method of claim 6, wherein the PAA prodrug is selected from the group consisting of glyceryl tri-[4-phenylbutyrate] (HPN-100), phenylbutyric acid (PBA), sodium PBA (NaPBA), and a combination of two or more of HPN-100, PBA, and NaPBA.

8. (original) The method of any of claims 1-3, wherein the nitrogen scavenging drug is sodium benzoate.

9. (original) The method of claim 3 or 4, wherein administering an increased dosage of the nitrogen scavenging drug produces a normal average daily ammonia level in the subject.

10. (original) The method of any of claims 1-3, further comprising the step of determining an upper limit of normal for blood ammonia level for the subject prior to step (b).

 (original) The method of any of claims 1-3, wherein the upper limit of normal blood ammonia level is 35 µmol/L.

12. (currently amended) The method of claim 6, further comprising:

d [[c]]) measuring urinary PAGN excretion; and

e) determining an effective dosage of the PAA prodrug based on a mean conversion of PAA prodrug to urinary PAGN of 60-75%.

Electronic A	cknowledgement Receipt
EFS ID:	14414441
Application Number:	13417137
International Application Number:	
Confirmation Number:	6423
Title of Invention:	METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS
First Named Inventor/Applicant Name:	Bruce SCHARSCHMIDT
Customer Number:	34055
Filer:	Patrick D. Morris/Colleen Kirchner
Filer Authorized By:	Patrick D. Morris
Attorney Docket Number:	79532.8003.US02
Receipt Date:	07-DEC-2012
Filing Date:	09-MAR-2012
Time Stamp:	15:59:09
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment		no			
File Listing:			~~~~~	10.0	-
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
4		OAResponse.pdf	119786	uar	10
1		OAResponse.pdf	cc67f3b37c264024b014ae9c8dad95b84cb 93æ9a	yes	10

	Multipart Description/PDF files in .2	ip description	
	Document Description	Start	End
	Amendment/Req. Reconsideration-After Non-Final Reject	ĩ	Ť
	Claims	2	3
	Applicant Arguments/Remarks Made in an Amendment	-4	10
Warnings:			
Information:			

Total	Files	Size	(in	by	tes):	l
-------	-------	------	-----	----	-------	---

119786

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

Approved for use through 1/31/2007. OMB 0651-0032 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number Application or Docket Number PATENT APPLICATION FEE DETERMINATION RECORD Filing Date 13/417.137 03/09/2012 To be Mailed Substitute for Form PTO-875 APPLICATION AS FILED - PART I OTHER THAN (Column 1) (Column 2) SMALL ENTITY OR SMALL ENTITY FOR NUMBER FILED NUMBER EXTRA RATE (\$) FEE (\$) RATE (\$) FEE (\$) BASIC FEE N/A N/A N/A N/A 7 CFR 1.16(a SEARCH FEE N/A N/A N/A N/A (37 CFR 1 16(k); (i), or (m)) EXAMINATION FEE N/A N/A N/A N/A (37 CFR 1.16(o), (p), or (g) TOTAL CLAIMS OR minus 20 = XS XS = (37 CEB 1.16(i)) INDEPENDENT CLAIMS (37 CFR 1.16(h)) x s XS minus 3 : -If the specification and drawings exceed 100 sheets of paper, the application size fee due APPLICATION SIZE FEE is \$250 (\$125 for small entity) for each (37 CFR 1.16(s)) additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s). MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j)) * If the difference in column 1 is less than zero, enter "0" in column 2. TOTAL TOTAL APPLICATION AS AMENDED - PART II OTHER THAN SMALL ENTITY SMALL ENTITY (Column 1) (Column 2) (Column 3) OR CLAIMS HIGHES REMAINING NUMBER PRESENT ADDITIONAL ADDITIONAL 12/07/2012 RATE (\$) RATE (\$) PREVIOUSLY EXTRA AFTER FEE (\$) FEE (\$) AMENDMEN AMENDMENT PAID FOR Total (37 CFR . 27 . 20 Minus = 0 OR X \$31 = 0 XS 3 Minus3 0 X \$125 = 0 OR X S Independent Application Size Fee (37 CFR 1.16(s)) FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) OR TOTAL TOTAL 0 OR ADD'L ADD'L FEE FEE (Column 1) (Column 2) (Column 3) CLAIMS HIGHES ADDITIONAL ADDITIONAL REMAINING PRESENT NUMBER RATE (\$) RATE (\$) FEE (\$) PREVIOUSLY FEE (\$) AFTER EXTRA AMENDMEN PAID FOR ENT Total (37 CFR Minus X S OR XS ENDM OR ndepe Minus X S -XS Application Size Fee (37 CFR 1.16(s)) AM FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j)) OR TOTAL TOTAL ADD'L OR ADD'L FFF FEE * If the entry in column 1 is less than the entry in column 2, write "0" in column 3. Legal Instrument Examiner: ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20". /DORIS BURNS/ *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3". The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete individual case. Any comments on the amount of time you require to complete information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS

ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/06 (07-06)

Connecting via Winsock to STN at stnc.cas.org on port 23

```
Welcome to STN International! Enter x:X
```

LOGINID:SSPTASMR1614

```
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2
```

```
* * * * * Welcome to STN International
  NEWS
        1 FEB 1 Instructor-led and on-demand STN training options available
                   from CAS
  NEWS
        2
           SEP 01
                   Older Versions of STN Express to be Discontinued
                   Beginning in March 2012
                   INPADOC Databases Enhanced with Japanese Patent
  NEWS
        3
           FEB
               1
                   Classifications, Current U.S. Classification and Japanese
                   Legal Status.
  NEWS
        4 FEB
                   Access More Than 32,000 Harmonized Tariff Codes Now in
                3
                   CHEMLIST on STN
  NEWS
        5
           FEB 13
                   PCTFULL Documents with Non-Latin Filing Language Enhanced
                   with English Machine Translations
  NEWS
        6
           FEB 28
                   REACH List of Registered Substances Now in CHEMLIST on STN
  NEWS
           MAR 12
                   RTECS Database on STN Enhanced with Aquatic and In Vitro
        7
                   Exposure Toxicity Data
  NEWS
        8
           MAR 19
                   The IMOBILITY and 2MOBILITY databases were reloaded on
                   March 18, 2012
  NEWS
        9
           MAR 19
                   STN Adds Chinese Patent Full Text Database - CNFULL
  NEWS 10
           MAR 19
                   Get the Content You Need Sooner with ePub Ahead of Print
                   Records Available in MEDLINE on STN!
  NEWS 11 MAR 30
                   NAPRALERT Updated with More Natural Products Information
  NEWS 12 APR 9
                   CAS Expands Global Patent Coverage - The Eurasian Patent
                   Organization Becomes 63rd Authority on CA/CAplus
  NEWS 13 APR 16
                   DWPI Database (WPINDEX, WPIDS, WPIX) Enhanced with
                   Numerical Property Search Feature
 NEWS 14 APR 23
                   RSS Delivery for STN Alerts (SDIs) is Now Available on STN
  NEWS 15 MAY 9
                   INIS, BABS and GMELIN97 Databases Removed from STN
  NEWS 16 MAY 21
                  Reload of FSTA Database
           MAY 21 Search DOIs in CA/CAplus on STN
  NEWS 17
  NEWS 18 MAY 23
                   Get the Latest Version of STN Express, Version 8.5.1!
  NEWS 19
           MAY 30
                   INPADOC Databases-Update on Japanese Legal Status Information
  NEWS 20 MAY 30
                   INPADOC Databases-Enhanced Coverage of US Citation Data
           JUN 01
  NEWS 21
                   INPADOCDB: Legal Status in Original Language Available
  NEWS 22
          JUN 11
                   Keep Current with Weekly SDI Packages Now Available on STN
  NEWS 23
           JUL 05
                   More Frequent Updates to the Emtree Thesaurus in Embase on STN
                   Provide Earlier Access to the Latest Drug and Medical
                   Terminology
           JUL 18
                   INPADOCDB: Enhanced Display Options
  NEWS 24
  NEWS 25
           JUL 19
                   Upcoming Reload of AEROSPACE: Effect on SDIs, Manual
                   Profiles and Saved Answers
NEWS 26
           JUL 30
                   Launch of new PQSciTech Database, Created from 25 Individual
                   CSA Databases Allows More Efficient Searching on STN
  NEWS 27
           JUL 30
                   Reload of ENCOMPPAT/2 Databases
  NEWS 28
           JUL 30
                   More Experimental Property Data in CAS REGISTRY
  NEWS 29
                   Reload of ReaxysFile on STN - Significantly More Content Added
           AUG
               1
                   and Updates are Resumed
NEWS 30 AUG 1
                   Redesigned CAS Website to be Launched on August 5, 2012
```

NEWS 31 AUG 6 INPADOC: German Patent Coverage Resumed NEWS 32 SEP 10 Get More Current Reaction Information with Daily Updates to CASREACT NEWS 33 SEP 10 Predict when CAS REGISTRY Hits 70 Million NEWS 34 SEP 20 Reload of METADEX - Effect on SDIs and Saved Answers NEWS 35 SEP 24 Expanded Embase Database Coverage on STN Includes More Biomedical and Pharmacological Content from Conferences NEWS 36 OCT 19 MARPAT Backfile Expansion Update NEWS 37 OCT 23 Embase's Emtree Thesaurus Updated NEWS 38 OCT 29 New Japanese Full-Text Patent Database Now Available on STN NEWS 39 NOV 13 Upcoming Reload of AGRICOLA - Effect on SDIs, Manual Profiles and Saved Answers NEWS EXPRESS 23 MAY 2012 CURRENT WINDOWS VERSION IS V8.5.1, AND CURRENT DISCOVER FILE IS DATED 20 JULY 2012. STN Operating Hours Plus Help Desk Availability NEWS HOURS NEWS LOGIN Welcome Banner and News Items NEWS TRAINING Find instructor-led and self-directed training opportunities Enter NEWS followed by the item number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties. * * * * * * * * * * * * * * STN Columbus * * * FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012 => file caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.68	1.68

FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Nov 2012 VOL 157 ISS 22 FILE LAST UPDATED: 15 Nov 2012 (20121115/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: September 2012 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: September 2012

CAplus now includes complete International Patent Classification (IPC) reclassification data for the fourth quarter of 2012,

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s "nitrogen scavenging" 951198 "NITROGEN" 4883 "NITROGENS" 954619 "NITROGEN" ("NITROGEN") 44689 "SCAVENGING" 20 "SCAVENGINGS" 44704 "SCAVENGING" ("SCAVENGING" OR "SCAVENGINGS") L1 32 "NITROGEN SCAVENGING" ("NITROGEN"(W)"SCAVENGING")

=> s 11 and PAA 10799 PAA 573 PAAS 11191 PAA (PAA OR PAAS) L2 1 L1 AND PAA

=> d 12 ibib ab

L2 ANSWER 1 OF 1 ACCESSION NUMBER: DOCUMENT NUMBER:	CAPLUS COPYRIGHT 2012 ACS on STN 2010:708850 CAPLUS 154:477123
TITLE:	Phase 2 comparison of a novel ammonia scavenging agent with sodium phenylbutyrate in patients with urea cycle disorders: Safety, pharmacokinetics and ammonia control
AUTHOR(S):	Lee, Brendan; Rhead, William; Diaz, George A.; Scharschmidt, Bruce F.; Mian, Asad; Shchelochkov, Oleg; Marier, J. F.; Beliveau, Martin; Mauney, Joseph; Dickinson, Klara; Martinez, Antonia; Gargosky, Sharron; Mokhtarani, Masoud; Berry, Susan A.
CORPORATE SOURCE: SOURCE:	Baylor College of Medicine, Houston, TX, R814, USA Molecular Genetics and Metabolism (2010), 100(3), 221-228
PUBLISHER: DOCUMENT TYPE: LANGUAGE:	CODEN: MGMEFF; ISSN: 1096-7192 Elsevier B.V. Journal English buturate (alucerul tri (4-phenulbuturate)) (GPB) is being

AB Glycerol phenylbutyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being studied as an alternative to sodium phenylbutyrate (NaPBA) for the treatment of urea cycle disorders (UCDs). This phase 2 study explored the hypothesis that GPB offers similar safety and ammonia control as NaPBA, which is currently approved as adjunctive therapy in the chronic management of UCDs, and examined correlates of 24-h blood ammonia. Methods: An open-label, fixed sequence switch-over study was conducted in adult UCD patients taking maintenance NaPBA. Blood ammonia and blood and urine metabolites were compared after 7 days (steady state) of TID dosing on either drug, both dosed to deliver the same amount of phenylbutyric acid (PBA). Results: Ten subjects completed the study. Adverse events were comparable for the two drugs; 2 subjects experienced hyperammonemic events on NaPBA while none occurred on GPB. Ammonia values on GPB were .apprx.30% lower than on NaPBA (time-normalized AUC = 26.2 vs. 38.4

(FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012) FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012 32 S "NITROGEN SCAVENGING" 1 S L1 AND PAA FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 2012 => s 11 and butyric 0 "NITROGEN"

("NITROGEN" (W) "SCAVENGING")

("NITROGEN" (W) "SCAVENGING")

FILE CONTAINS CURRENT INFORMATION. LAST RELOADED: Nov 9, 2012 (20121109/UP).

0 "SCAVENGING"

0 L1 AND BUTYRIC

0 "NITROGEN" 0 "SCAVENGING"

0 BUTYRIC

0 "NITROGEN SCAVENGING"

0 "NITROGEN SCAVENGING"

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

SINCE FILE

=> FIL STNGUIDE

COST IN U.S. DOLLARS

control of venous ammonia.

OS.CITING REF COUNT: 8

=> d his

L1

L2

L3

REFERENCE COUNT:

ENTRY 11.77

THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD

THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

µmol/L; Cmax = 56.3 vs. 79.1 µmol/L; not statistically significant), and GPB achieved non-inferiority to NaPBA with respect to ammonia (time-normalized AUC) by post hoc anal. Systemic exposure (AUC0-24) to PBA on GPB was 27% lower than on NaPBA (540 vs. 739 µg h/mL), whereas

exposure to phenylacetic acid (PAA) (575 vs. 596 μg h/mL) and phenylacetylglutamine (PAGN) (1098 vs. 1133 μg h/mL) were similar. Urinary PAGN excretion accounted for .apprx.54% of PBA administered for both NaPBA and GPB; other metabolites accounted for <1%. Intact GPB was generally undetectable in blood and urine. Blood ammonia correlated strongly and inversely with urinary PAGN (r = -0.82; p < 0.0001) but weakly or not at all with blood metabolite levels. Conclusions: Safety and ammonia control with GPB appear at least equal to NaPBA. Urinary PAGN, which is stoichiometrically related to nitrogen scavenging, may be a useful biomarker for both dose selection and adjustment for optimal

(8 CITINGS)

FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 2012

FULL ESTIMATED COST

13

TOTAL SESSION 13.45

161 of 210

0 PHENYLBUTYRIC L4 0 L1 AND PHENYLBUTYRIC => s nitrogen 1.5 0 NITROGEN

=> s 11 and phenylbutyric

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.62	15.07

FILE 'CAPLUS' ENTERED AT 07:31:11 ON 16 NOV 2012 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS, COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Nov 2012 VOL 157 ISS 22 FILE LAST UPDATED: 15 Nov 2012 (20121115/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: September 2012 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: September 2012

CAplus now includes complete International Patent Classification (IPC) reclassification data for the fourth quarter of 2012.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>	S	nitrogen	NITROGEN
			NITROGENS
L6		954619	
20		001015	(NITROGEN OR NITROGENS)
=>	S	16 and sc	avenging
			SCAVENGING
		20	SCAVENGINGS
		44704	SCAVENGING
			(SCAVENGING OR SCAVENGINGS)
L7		1850	L6 AND SCAVENGING
=>	s	17 and PA	A
		10799	PAA
			PAAS
		11191	
			(PAA OR PAAS)
L8		1	L7 AND PAA
=>	d	18 ibib a	b
L8 ACC	CE:	ANSWER 1 SSION NUMB	
		MENT NUMBE	
TIT			Phase 2 comparison of a novel ammonia scavenging

AUTHOR(S):

CORPORATE SOURCE: SOURCE:

PUBLISHER: DOCUMENT TYPE: LANGUAGE : AB

agent with sodium phenylbutyrate in patients with urea cycle disorders: Safety, pharmacokinetics and ammonia control Lee, Brendan; Rhead, William; Diaz, George A.; Scharschmidt, Bruce F.; Mian, Asad; Shchelochkov, Oleg; Marier, J. F.; Beliveau, Martin; Mauney, Joseph; Dickinson, Klara; Martinez, Antonia; Gargosky, Sharron; Mokhtarani, Masoud; Berry, Susan A. Baylor College of Medicine, Houston, TX, R814, USA Molecular Genetics and Metabolism (2010), 100(3), 221-228 CODEN: MGMEFF; ISSN: 1096-7192 Elsevier B.V. Journal

Glycerol phenylbutyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being studied as an alternative to sodium phenylbutyrate (NaPBA) for the treatment of urea cycle disorders (UCDs). This phase 2 study explored the hypothesis that GPB offers similar safety and ammonia control as NaPBA, which is currently approved as adjunctive therapy in the chronic management of UCDs, and examined correlates of 24-h blood ammonia. Methods: An open-label, fixed sequence switch-over study was conducted in adult UCD patients taking maintenance NaPBA. Blood ammonia and blood and urine metabolites were compared after 7 days (steady state) of TID dosing on either drug, both dosed to deliver the same amount of phenylbutyric acid (PBA). Results: Ten subjects completed the study. Adverse events were comparable for the two drugs; 2 subjects experienced hyperammonemic events on NaPBA while none occurred on GPB. Ammonia values on GPB were .apprx.30% lower than on NaPBA (time-normalized AUC = 26.2 vs. 38.4 µmol/L; Cmax = 56.3 vs. 79.1 µmol/L; not statistically significant), and GPB achieved non-inferiority to NaPBA with respect to ammonia (time-normalized AUC) by post hoc anal. Systemic exposure (AUC0-24) to PBA on GPB was 27% lower than on NaPBA (540 vs. 739 μg h/mL), whereas exposure to phenylacetic acid (PAA) (575 vs. 596 μ g h/mL) and phenylacetylglutamine (PAGN) (1098 vs. 1133 µg h/mL) were similar. Urinary PAGN excretion accounted for .apprx.54% of PBA administered for both NaPBA and GPB; other metabolites accounted for <1%. Intact GPB was generally undetectable in blood and urine. Blood ammonia correlated strongly and inversely with urinary PAGN (r = -0.82; p < 0.0001) but weakly or not at all with blood metabolite levels. Conclusions: Safety and ammonia control with GPB appear at least equal to NaPBA. Urinary PAGN, which is stoichiometrically related to nitrogen scavenging, may be a useful biomarker for both dose selection and adjustment for optimal control of venous ammonia.

English

OS.CITING REF COUNT: THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD 8

REFERENCE COUNT:

(8 CITINGS) THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s PAA prodrug 10799 PAA 573 PAAS 11191 PAA (PAA OR PAAS) 17954 PRODRUG 20950 PRODRUGS 27897 PRODRUG (PRODRUG OR PRODRUGS) L9 0 PAA PRODRUG (PAA(W) PRODRUG)

13

=> s PAA 10799 PAA 573 PAAS 11191 PAA L10 (PAA OR PAAS) => s L10 and prodrug 17954 PRODRUG 20950 PRODRUGS 27897 PRODRUG (PRODRUG OR PRODRUGS) L11 9 L10 AND PRODRUG => d 111 1-9 ibib ab L11 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN 2012:1197939 CAPLUS ACCESSION NUMBER: DOCUMENT NUMBER: 157:426609 Determination of phenylbutyric acid and its metabolite TITLE: phenylacetic acid in different tissues of mouse by liquid chromatography with tandem mass spectrometry and its application in drug tissue distribution AUTHOR(S): Marahatta, Anu; Bhandary, Bidur; Lee, Mi-Rin; Kim, Do-Sung; Lee, Yong Chul; Kim, So-Ri; Kim, Hyung-Ryong; Chae, Han-Jung CORPORATE SOURCE: Department of Pharmacology, School of Medicine, Chonbuk National University, Jeonju, 560-182, S. Korea Journal of Chromatography, B: Analytical Technologies SOURCE: in the Biomedical and Life Sciences (2012), 903, 118-125 CODEN: JCBAAI; ISSN: 1570-0232 PUBLISHER: Elsevier B.V. DOCUMENT TYPE: Journal; (online computer file) LANGUAGE: English Endoplasmic reticulum (ER) stress is associated with various human diseases. AB Phenylbutyric acid (PBA) is a well-known chemical chaperone that regulates ER stress. The main objective of this study was to develop a simple, rapid, and sensitive method for the simultaneous determination of phenylbutyric acid and its metabolite, phenylacetic acid (PAA). A LC-MS/MS anal. using neg. electrospray ionization was used. Samples were analyzed by multiple reaction monitoring (MRM) in 15 min of total run time, using d11-PBA and d7-PAA as internal stds. The limit of quantification was 1 μ g/g for tissue and 0.8 µg/mL for plasma. Recoveries for plasma and tissues were higher than 81% for both PBA and PAA. The inter-day and intra-day accuracy and precision were within ±15%. We then further successfully validated this method by applying it to determine the tissue distribution of PBA and its metabolite PAA after i.p. injection of PBA at a dose of 500 mg/kg in mice. The maximum concns. of PBA and PAA in plasma and tissues were seen at 15 min and 45 min, resp. The PBA plasma concentration was 15-fold higher than the concentration in the kidney, whereas the PAA plasma concentration was 6-fold higher than the concentration in the liver. The area under the curve decreased in the order of plasma > kidney > liver > heart > muscle > lung for PBA and plasma > liver > kidney > heart > muscle > lung for PAA. The tissue to plasma ratio ranged from 0.007 to 0.063 for PBA and 0.016 to 0.109 for PAA. In summary, the LC-ESI-MS method developed in this study is simple, sensitive and reliable. REFERENCE COUNT: 23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN

2011:1275522 CAPLUS ACCESSION NUMBER: DOCUMENT NUMBER: 156:626560 TITLE: Macromolecular prodrugs based on synthetic polyaminoacids: drug delivery and drug targeting in antitumor therapy AUTHOR(S): Cavallaro, Gennara; Pitarresi, Giovanna; Giammona, Gaetano Dipartimento di Chimica e Tecnologie Farmaceutiche, CORPORATE SOURCE: Universita degli Studi di Palermo, Palermo, 90123, Italy SOURCE : Current Topics in Medicinal Chemistry (Sharjah, United Arab Emirates) (2011), 11(18), 2382-2389 CODEN: CTMCCL; ISSN: 1568-0266 Bentham Science Publishers Ltd. PUBLISHER: DOCUMENT TYPE: Journal; General Review LANGUAGE: English AB A review. In the last twenty years a depth study on potential pharmaceutical applications of synthetic polymers at protein-like structure as carrier for macromol. prodrug production has been performed in academia and in industry. In particular α , β -poly(N-2-hydroxyethyl)-DL-aspartamide (PHEA), α,β -polyaspartylhydrazide (PAHy), poly(glutamic acid) (PGA), poly(aspartic acid) (PAA) and polylysine (PLL) have been extensively studied in this field. In the present review, the use of PHEA, PAHy, PGA as starting materials to prepare macromol. prodrugs is reported and drug delivery and targeting aspects have been considered. THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD OS.CITING REF COUNT: 1 (1 CITINGS) REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2011:122221 CAPLUS DOCUMENT NUMBER: 154:243916 TITLE: Reducible and degradable polymer prodrug and preparation method thereof INVENTOR(S): Huang, Jin; Yu, Jiahui; Fan, Honglei PATENT ASSIGNEE(S): Wuhan University of Technology, Peop. Rep. China Faming Zhuanli Shenqing, 12pp. CODEN: CNXXEV SOURCE : DOCUMENT TYPE: Patent LANGUAGE : Chinese FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION: APPLICATION NO. PATENT NO. KIND DATE DATE -------A 20110126 CN 2010-10507432 CN 101954091 20101014 20101014 CN 2010-10507432 PRIORITY APPLN. INFO .: The title polymer prodrug has a chemical structural formula of MPEG-graft-SS-PAA-T, wherein MPEG is polyethylene glycol monomethyl ether with mol. weight of 475-5000 Da, SS-PAA is disulfide bond-containing polycystamine, and T represents medicine mol., e.g. camptothecin. The title method comprises Michael addition reaction of diacryloyl cystamine to obtain disulfide bond-containing alkynyl polycystamine, linking alkynyl with azimino-containing medicine mol. via click reaction, reacting the alkynyl with azido-ended polyethyleneglycol monomethyl ether via click reaction. The method is highly effective, safe and simple. L11 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2010:1063363 CAPLUS DOCUMENT NUMBER: 153:626843

TITLE: Nanomicelle with long-term circulation and enhanced stability of camptothecin based on mPEGylated α , β -poly (L-aspartic acid)-camptothecin conjugate AUTHOR(S): Zhang, Weilu; Huang, Jin; Fan, Naiqian; Yu, Jiahui; Liu, Yongbiao; Liu, Shiyuan; Wang, Daxin; Li, Yaping Institutes for Advanced Interdisciplinary Research, CORPORATE SOURCE: East China Normal University, Shanghai, 200062, Peop. Rep. China SOURCE: Colloids and Surfaces, B: Biointerfaces (2010), 81(1), 297-303 CODEN: CSBBEQ; ISSN: 0927-7765 PUBLISHER: Elsevier B.V. DOCUMENT TYPE: Journal LANGUAGE: English OTHER SOURCE(S): CASREACT 153:626843 AB To enhance the stability and long-term circulation of camptothecin (CPT), mPEGylated α , β -poly (L-aspartic acid)-CPT conjugates were synthesized, and used to fabricate nanomicelle. Firstly, α,β -poly (L-aspartic acid) derivative (PAA-der) containing alkyne groups was synthesized via the ring-opening of PSI with propargyl amine. Then, azide-functionalized CPT derivs. (CPT-N3) and azide-terminated poly (ethylene glycol) Me ether (mPEG-N3) were conjugated with PAA-der by click cycloaddn. to give mPEG-graft-PAA-CPT conjugates. The formation of mPEG-graft-PAA-CPT nanomicelles was confirmed by fluorescence spectrophotoscopy and particle size measurements. It was found that all the nanomicelles showed spherical shapes with size about 178 nm. MPEG-graft-PAA-CPT nanomicelles showed good storage stability, even incubation at 37° for 60 days, and improved the stability of CPT lactone form in aqueous media. A steady release rate of CPT was kept for 72 h, suggested the great potential of mPEG-graft-PAA-CPT nanomicelles as polymer prodrug of CPT. OS.CITING REF COUNT: 6 THERE ARE 6 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS) REFERENCE COUNT: THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS 32 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN 2005:622439 CAPLUS ACCESSION NUMBER: DOCUMENT NUMBER: 143:278873 Mechanism of poly(acrylic acid) acceleration of TITLE: antithrombin inhibition of thrombin: implications for design of novel heparin mimics AUTHOR(S): Monien, Bernhard H.; Cheang, Kai I.; Desai, Umesh R. CORPORATE SOURCE: Departments of Medicinal Chemistry and Pharmacy and Institute for Structural Biology and Drug Discovery, Virginia Commonwealth University, Richmond, VA, 23298, USA SOURCE : Journal of Medicinal Chemistry (2005), 48(16), 5360-5368 CODEN: JMCMAR; ISSN: 0022-2623 American Chemical Society PUBLISHER: DOCUMENT TYPE: Journal LANGUAGE: English The bridging mechanism of antithrombin inhibition of thrombin is a AB dominant mechanism contributing a massive .apprx.2500-fold acceleration in the reaction rate and is also a key reason for the clin. usage of heparin. Our recent study of the antithrombin-activating properties of a carboxylic acid-based polymer, poly(acrylic acid) (PAA), demonstrated a surprisingly high acceleration in thrombin inhibition (Monien, B. H.; Desai, U. R. J. Med. Chemical 2005, 48, 1269). To better understand this

interesting phenomenon, we have studied the mechanism of PAA-dependent

acceleration in antithrombin inhibition of thrombin. Competitive binding studies with low-affinity heparin and a heparin tetrasaccharide suggest that PAA binds antithrombin in both the pentasaccharide- and the extended heparin-binding sites, and these results are corroborated by mol. modeling. The salt-dependence of the KD of the PAA-antithrombin interaction shows the formation of five ionic interactions. In contrast, the contribution of nonionic forces is miniscule, resulting in an interaction that is significantly weaker than that observed for heparins. A bell-shaped profile of the observed rate constant for antithrombin inhibition of thrombin as a function of PAA concentration was observed, suggesting that inhibition proceeds through the "bridging" mechanism. The knowledge gained in this mechanistic study highlights important rules for the rational design of orally available heparin mimics. THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD OS.CITING REF COUNT: 9 (9 CITINGS) REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2000:890604 CAPLUS DOCUMENT NUMBER: 134:242530 Mucoadhesive drug carriers based on complexes of TITLE: poly(acrylic acid) and PEGylated drugs having hydrolyzable PEG-anhydride-drug linkages AUTHOR(S): Lele, B. S.; Hoffman, A. S. Bioengineering Department, University of Washington, CORPORATE SOURCE: Seattle, WA, 98195, USA SOURCE: Journal of Controlled Release (2000), 69(2), 237-248 CODEN: JCREEC; ISSN: 0168-3659 Elsevier Science Ireland Ltd. PUBLISHER: DOCUMENT TYPE: Journal LANGUAGE: English AB We have designed a new mucoadhesive drug delivery formulation based on H-bonded complexes of poly(acrylic acid) (PAA) or poly(methacrylic acid) (PMAA) with the poly(ethylene glycol) (PEG), of a (PEG)-drug conjugate. The PEGylated prodrugs are synthesized with degradable PEG-anhydride-drug bonds for eventual delivery of free drug from the formulation. In this work we have used indomethacin as the model drug which is PEGylated via anhydride bonds to the PEG. The complexes are designed first to dissociate as the formulation swells in contact with mucosal surfaces at pH 7.4, releasing PEG-indomethacin, which then hydrolyzes to release free drug and free PEG. We found that as MW of PAA increases, the dissociation rate of the complex decreases, which results in decreased rate of release of the drug. On the other hand, the drug release from PEG-indomethacin alone and from solid mixture of PEG-indomethacin+PAA was much faster than that from the H-bonded complexes. Due to the differences in the thermal stability, PMAA complex exhibited slightly faster drug release than that of the PAA complex of comparable MW. These H-bonded complexes of degradable PEGylated drugs with bioadhesive polymers should be useful for mucosal drug delivery. THERE ARE 78 CAPLUS RECORDS THAT CITE THIS OS.CITING REF COUNT: 78 RECORD (78 CITINGS) REFERENCE COUNT: 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT L11 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 1997:5450 CAPLUS Patent evaluation anti-infectives Phosphonic acid TITLE: prodrugs with improved antiviral activity CORPORATE SOURCE: Univ. California, USA SOURCE : Expert Opinion on Therapeutic Patents (1996), 6(12), 1331-1333

CODEN: EOTPEG; ISSN: 1354-3776 PUBLISHER: Ashley Publications DOCUMENT TYPE: Journal LANGUAGE: English AB This patent discloses lipid derivs. as prodrugs for antiviral agents. It relates particularly to lipid prodrugs of phosphonic acids and their use in the treatment of viral infections. The invention claims a series of improved prodrugs of phosphonoformate (PFA), phosphonoacetate (PAA) and their analogs, with increased in vitro antiviral activity over the parent compds. against human cytomegalovirus (HCMV), herpes simplex virus (HSV) and human immunodeficiency virus (HIV). L11 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 1994:631238 CAPLUS DOCUMENT NUMBER: 121:231238 ORIGINAL REFERENCE NO.: 121:42186h, 42187a TITLE: Inhibition of Human Immunodeficiency Virus Type 1 Replication by Phosphonoformate- and Phosphonoacetate-2', 3'-Dideoxy-3'-thiacytidine Conjugates Charvet, Anne-Sophie; Camplo, Michel; Faury, Philippe; AUTHOR(S): Graciet, Jean-Christophe; Mourier, Nicolas; Chermann, Jean-Claude; Kraus, Jean-Louis CORPORATE SOURCE: Laboratoire de Chimie Biomoleculaire, Faculte des Sciences de Luminy, Marseille, 13288, Fr. SOURCE: Journal of Medicinal Chemistry (1994), 37(14), 2216-23 CODEN: JMCMAR; ISSN: 0022-2623 DOCUMENT TYPE: Journal LANGUAGE: English The synthesis of potential "combined prodrugs" where phosphonoformic AB acid (PFA) or phosphonoacetic acid (PAA) was attached to the 5'-O- or N4-position of 2',3'-dideoxy-3'-thiacytidine (BCH-189) is described. The anti-HIV-1 activity of 11 analogs I [R1 = Ac, COCH2P(0)(OEt)2, COCH2P(O)(OH)2, COP(O)(OMe)2, COP(O)(OH)2, (CH2)402CP(O)(OEt)2, H; R2 = COP(0)(OMe)2, COP(0)(OH)2, COP(0)(OEt)2, COCH2P(0)(OEt)2, COCH2P(0)(OH)2, P(O)(OH)CO2Et, P(O)(OH)CO2H] was determined in MT-4 cells. Of these compds., the IC50 of I [R1 = Ac, R2 = COCH2P(0)(OEt)2, COCH2P(0)(OH)2,COP(O)(OMe)2, COP(O)(OH)2; 1 = COCH2P(O)(OH)2, R2 = H; R1 = R2 = COP(O)(OH)2] ranged from 0.2 to 100 $\mu M,$ while IC50 for BCH-189 in this system was 0.1 $\mu M.$ In vitro hydrolysis of the various esters or amides in human plasma indicated that these agents were relatively stable in the presence of plasma esterases with t1/2 values of up to 120 min. Moreover, lipophilicity of these compds. (partition coefficient) was determined in order to establish correlation between lipophilicity and diffusion of BCH-189 analogs into the cells. The active compds. may exert their effects by extracellular or intracellular hydrolysis to BCH-189, but intrinsic anti-HIV-1 activity of some adducts, themselves, may also be involved. THERE ARE 34 CAPLUS RECORDS THAT CITE THIS OS.CITING REF COUNT: 34 RECORD (34 CITINGS) L11 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 1985:67342 CAPLUS DOCUMENT NUMBER: 102:67342 ORIGINAL REFERENCE NO .: 102:10499a,10502a TITLE: Physicochemical and antitumor characteristics of some polyamino acid prodrugs of mitomycin C AUTHOR(S): Roos, C. F.; Matsumoto, Satoshi; Takakura, Yoshinobu; Hashida, Mitsuru; Sezaki, Hitoshi CORPORATE SOURCE: Fac. Pharm. Sci., Kyoto Univ., Kyoto, 606, Japan SOURCE : International Journal of Pharmaceutics (1984), 22(1), 75-87

CODEN: IJPHDE; ISSN: 0378-5173 Journal English

DOCUMENT TYPE: LANGUAGE:

AB Mitomycin C (MMC) conjugates with the polyamino acids: poly-L-glutamic acid (PGA; mol. weight 11,000 and 60,000), poly-L-aspartic acid (PAA; mol. weight 14,000) and poly-L-lysine (PLY; mol. weight 13,000) were synthesized to obtain more information about the application of polyamino acids as high mol, weight carriers. Some physicochem, and antitumor characteristics of these conjugates were investigated. Gel filtration confirmed covalent binding and provided information about the mol. sizes. The release rates of MMC [50-07-7] from conjugates were determined in vitro. The PAA and PGA (mol. weight 11,000) conjugates acted as neg. charged mols. in their interaction with ion exchangers. The PLY conjugate showed a pos. charge and was able to bind to Ehrlich ascites carcinoma cells in vitro. The effects of 1 h exposure of mouse L1210 leukemia cells to the conjugates were evaluated using cell culture system. In this experiment, only the PLY conjugate showed better effects than MMC. Continuous exposure to the conjugates showed a similar effect to MMC. In vivo, less toxicity was found for the conjugates than for MMC. The PGA (mol. weight 11,000) and PLY conjugates showed slightly higher effects against P388 leukemia than MMC, while no toxic doses were reached.

OS.CITING REF COUNT: 14 THERE ARE 14 CAPLUS RECORDS THAT CITE THIS RECORD (14 CITINGS)

=> d his

(FILE 'HOME' ENTERED AT 07:15:37 ON 16 NOV 2012) FILE 'CAPLUS' ENTERED AT 07:19:34 ON 16 NOV 2012 32 S "NITROGEN SCAVENGING" L1 1 S L1 AND PAA L2 FILE 'STNGUIDE' ENTERED AT 07:20:35 ON 16 NOV 2012 0 S L1 AND BUTYRIC 1.3 0 S L1 AND PHENYLBUTYRIC L4 0 S NITROGEN L5 FILE 'CAPLUS' ENTERED AT 07:31:11 ON 16 NOV 2012 L6 954619 S NITROGEN 1850 S L6 AND SCAVENGING L7 1 S L7 AND PAA L.8 L9 0 S PAA PRODRUG L10 11191 S PAA 9 S L10 AND PRODRUG L11 Connecting via Winsock to STN at stnc.cas.org on port 23 Welcome to STN International! Enter x:X LOGINID:SSPTASMR1614 PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 3 NEWS 4 NEWS 5 NEWS 6 NEWS 7 NEWS 8	3 APR 4 APR 5 APR 6 MAY 7 MAY 8 MAY 9 MAY 9 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 8 JUL 9 JUL 9 AUG	16 23 9 21 21 23 30 30 01 11 05 18 19 30 30	from CAS Older Versions of STN Express to be Discontinued Beginning in March 2012 CAS Expands Global Patent Coverage - The Eurasian Patent Organization Becomes 63rd Authority on CA/CAplus DWPI Database (WPINDEX, WPIDS, WPIX) Enhanced with Numerical Property Search Feature RSS Delivery for STN Alerts (SDIs) is Now Available on STN INIS, BABS and GMELIN97 Databases Removed from STN Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual CSA Databases Allows More Efficient Searching on STN
NEWS 4 NEWS 5 NEWS 6 NEWS 7 NEWS 8 NEWS 9 NEWS 10 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 16 NEWS 17 NEWS 16 NEWS 17 NEWS 16 NEWS 17 NEWS 18 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	4 APR 5 APR 6 MAY 7 MAY 8 MAY 9 MAY 0 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL	16 23 9 21 21 23 30 30 01 11 05 18 19 30 30	CAS Expands Global Patent Coverage - The Eurasian Patent Organization Becomes 63rd Authority on CA/CAplus DWPI Database (WPINDEX, WPIDS, WPIX) Enhanced with Numerical Property Search Feature RSS Delivery for STN Alerts (SDIs) is Now Available on STN INIS, BABS and GMELIN97 Databases Removed from STN Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 5 NEWS 6 NEWS 7 NEWS 8 NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 16 NEWS 17 NEWS 17 NEWS 18 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	5 APR 6 MAY 7 MAY 8 MAY 9 MAY 0 MAY 1 MAY 2 JUN 3 JUN 3 JUN 4 JUL 5 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL	23 9 21 23 30 30 01 11 05 18 19 30 30	DWPI Database (WPINDEX, WPIDS, WPIX) Enhanced with Numerical Property Search Feature RSS Delivery for STN Alerts (SDIs) is Now Available on STN INIS, BABS and GMELIN97 Databases Removed from STN Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 6 NEWS 7 NEWS 8 NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 16 NEWS 17 NEWS 16 NEWS 17 NEWS 17 NEWS 18 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	6 MAY 7 MAY 8 MAY 9 MAY 9 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 5 JUL 7 JUL 8 JUL 9 JUL 9 JUL	9 21 23 30 30 01 11 05 18 19 30 30	RSS Delivery for STN Alerts (SDIs) is Now Available on STN INIS, BABS and GMELIN97 Databases Removed from STN Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 6 NEWS 7 NEWS 8 NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 16 NEWS 17 NEWS 16 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	6 MAY 7 MAY 8 MAY 9 MAY 9 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 5 JUL 7 JUL 8 JUL 9 JUL 9 JUL	9 21 23 30 30 01 11 05 18 19 30 30	INIS, BABS and GMELIN97 Databases Removed from STN Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 7 NEWS 8 NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	7 MAY 8 MAY 9 MAY 1 MAY 2 JUN 3 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL	21 23 30 01 11 05 18 19 30 30	Reload of FSTA Database Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 8 NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 17 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	8 MAY 9 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL	21 23 30 01 11 05 18 19 30 30	Search DOIs in CA/CAplus on STN Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 9 NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 17 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 20 NEWS 21 NEWS 23 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	9 MAY 0 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL 0 AUG	23 30 30 01 11 05 18 19 30 30	Get the Latest Version of STN Express, Version 8.5.1! INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on ST Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 10 NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	0 MAY 1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL 0 AUG	30 30 01 11 05 18 19 30 30	INPADOC Databases-Update on Japanese Legal Status Information INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on S ^T Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 11 NEWS 12 NEWS 13 NEWS 14 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	1 MAY 2 JUN 3 JUN 4 JUL 5 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL 0 AUG	30 01 11 05 18 19 30 30	INPADOC Databases-Enhanced Coverage of US Citation Data INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on S Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 12 NEWS 13 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	2 JUN 3 JUN 4 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 0 AUG	01 11 05 18 19 30 30	INPADOCDB: Legal Status in Original Language Available Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on S Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 13 NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 17 NEWS 19 NEWS 20 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	3 JUN 4 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 0 AUG	11 05 18 19 30 30	Keep Current with Weekly SDI Packages Now Available on STN More Frequent Updates to the Emtree Thesaurus in Embase on S Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 14 NEWS 15 NEWS 16 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 26 NEWS 26 NEWS 28 NEWS 28 NEWS 29	4 JUL 5 JUL 6 JUL 7 JUL 8 JUL 9 JUL 9 JUL 0 AUG	05 18 19 30 30	More Frequent Updates to the Emtree Thesaurus in Embase on S Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 15 NEWS 16 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	5 JUL 5 JUL 7 JUL 8 JUL 9 JUL 0 AUG	18 19 30 30	Provide Earlier Access to the Latest Drug and Medical Terminology INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 16 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	5 JUL 7 JUL 8 JUL 9 JUL 0 AUG	19 30 30	INPADOCDB: Enhanced Display Options Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 16 NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	5 JUL 7 JUL 8 JUL 9 JUL 0 AUG	19 30 30	Upcoming Reload of AEROSPACE: Effect on SDIs, Manual Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 17 NEWS 19 NEWS 20 NEWS 21 NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29	7 JUL 8 JUL 9 JUL 0 AUG	30 30	Profiles and Saved Answers Launch of new PQSciTech Database, Created from 25 Individual
NEWS 18 NEWS 19 NEWS 20 NEWS 21 NEWS 22 NEWS 23 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	8 JUL 9 JUL 0 AUG	30	
NEWS 19 NEWS 20 NEWS 21 NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	9 JUL 0 AUG		· 이번 전 전에서 2008년(2018년) (2018년) 17 년 년 21년 21년 21년 21년 21년 21년 21년 21년 21년
NEWS 20 NEWS 21 NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	0 AUG	30	Reload of ENCOMPPAT/2 Databases
NEWS 21 NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 26 NEWS 27 NEWS 28 NEWS 29			More Experimental Property Data in CAS REGISTRY
NEWS 22 NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29		1	Reload of ReaxysFile on STN - Significantly More Content Add and Updates are Resumed
NEWS 23 NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	1 AUG	1	Redesigned CAS Website to be Launched on August 5, 2012
NEWS 24 NEWS 25 NEWS 26 NEWS 27 NEWS 27 NEWS 28 NEWS 29	2 AUG	6	INPADOC: German Patent Coverage Resumed
NEWS 25 NEWS 26 NEWS 27 NEWS 28 NEWS 29	3 SEP	10	Get More Current Reaction Information with Daily Updates to CASREACT
NEWS 26 NEWS 27 NEWS 28 NEWS 29	4 SEP	10	Predict when CAS REGISTRY Hits 70 Million
NEWS 27 NEWS 28 NEWS 29	5 SEP	20	Reload of METADEX - Effect on SDIs and Saved Answers
NEWS 28 NEWS 29	6 SEP	24	Expanded Embase Database Coverage on STN Includes More Biomedical and Pharmacological Content from Conferences
NEWS 29	7 OCT	19	MARPAT Backfile Expansion Update
	B OCT	23	Embase's Emtree Thesaurus Updated
NEWS 30	9 OCT	29	New Japanese Full-Text Patent Database Now Available on STN
	0 NOV	13	Upcoming Reload of AGRICOLA - Effect on SDIs, Manual Profile
NEWS 31	1 NOV	19	and Saved Answers Reload of IMSPATENTS - Effect on SDIs, Manual profiles and
			Saved answers
			INPADOC: The New Cooperative Patent Classification Is Now Available.
NEWS 33	3 DEC	3	Enhanced CASREACT Coverage on STN - A New Source of Prior Ar
NEWS 34	4 DEC	10	New SDI STANDARD Option Streamlines SDI Set-ups on STN
NEWS EX	XPRESS		MAY 2012 CURRENT WINDOWS VERSION IS V8.5.1, CURRENT DISCOVER FILE IS DATED 11 DECEMBER 2012.
NEWS HO NEWS LO	OGIN	We	N Operating Hours Plus Help Desk Availability lcome Banner and News Items
NEWS TR	RAINING	G Fi	nd instructor-led and self-directed training opportunities
Enter NE specific			ed by the item number or name to see news on that
A11	no of	TN	is subject to the provisions of the STN customer

for software development or design, implementation of commercial

gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 20:33:38 ON 20 DEC 2012

=> file caplus COST IN U.S. DOLLARS

| COST IN U.S. DOLLARS | SINCE FILE | TOTAL | |
|----------------------|------------|---------|--|
| | ENTRY | SESSION | |
| FULL ESTIMATED COST | 0.24 | 0.24 | |

FILE 'CAPLUS' ENTERED AT 20:33:50 ON 20 DEC 2012 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2012 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Dec 2012 VOL 157 ISS 26 FILE LAST UPDATED: 19 Dec 2012 (20121219/ED) REVISED CLASS FIELDS (/NCL) LAST RELOADED: November 2012 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: November 2012

CAplus now includes complete International Patent Classification (IPC) reclassification data for the fourth quarter of 2012.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy

This file contains CAS Registry Numbers for easy and accurate substance identification.

| => : | s "nitrogen | scavenger" or "nitrogen scavenging" |
|------|-------------|-------------------------------------|
| | 957090 | "NITROGEN" |
| | 4893 | "NITROGENS" |
| | 960515 | "NITROGEN" |
| | | ("NITROGEN" OR "NITROGENS") |
| | 38770 | "SCAVENGER" |
| | 40998 | "SCAVENGERS" |
| | 65856 | "SCAVENGER" |
| | | ("SCAVENGER" OR "SCAVENGERS") |
| | 9 | "NITROGEN SCAVENGER" |
| | | ("NITROGEN" (W) "SCAVENGER") |
| | 957090 | "NITROGEN" |
| | 4893 | "NITROGENS" |
| | 960515 | "NITROGEN" |
| | | ("NITROGEN" OR "NITROGENS") |
| | 45123 | "SCAVENGING" |
| | 21 | "SCAVENGINGS" |
| | | "SCAVENGING" |
| | | - Albeda Calegoria |

("SCAVENGING" OR "SCAVENGINGS") 33 "NITROGEN SCAVENGING" ("NITROGEN" (W) "SCAVENGING") 40 "NITROGEN SCAVENGER" OR "NITROGEN SCAVENGING" L1 => s 11 and ammonia 312555 AMMONIA 201 AMMONIAS 312639 AMMONIA (AMMONIA OR AMMONIAS) T.2 11 L1 AND AMMONIA => d 12 1-11 ibib ab L2 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN ACCESSION NUMBER: 2012:1307676 CAPLUS TITLE: Urinary phenylacetylglutamine as dosing biomarker for patients with urea cycle disorders Mokhtarani, M.; Diaz, G. A.; Rhead, W.; AUTHOR(S): Lichter-Konecki, U.; Bartley, J.; Feigenbaum, A.; Longo, N.; Berquist, W.; Berry, S. A.; Gallagher, R.; Bartholomew, D.; Harding, C. O.; Korson, M. S.; McCandless, S. E.; Smith, W.; Vockley, J.; Bart, S.; Kronn, D.; Zori, R.; Cederbaum, S.; Dorrani, N.; Merritt, J. L.; Sreenath-Nagamani, Sandesh; Summar, M.; LeMons, C.; Dickinson, K.; Coakley, D. F.; Moors, T. L.; Lee, B.; Scharschmidt, B. F. CORPORATE SOURCE: 601 Gateway Blvd, Hyperion Therapeutics, South San Francisco, CA, 94080, USA SOURCE: Molecular Genetics and Metabolism (2012), 107(3), 308-314 CODEN: MGMEFF; ISSN: 1096-7192 PUBLISHER: Elsevier B.V. DOCUMENT TYPE: Journal; (online computer file) LANGUAGE: English We have analyzed pharmacokinetic data for glycerol phenylbutyrate (also AB GT4P or HPN-100) and sodium phenylbutyrate with respect to possible dosing biomarkers in patients with urea cycle disorders (UCD). These analyses are based on over 3000 urine and plasma data points from 54 adult and 11 pediatric UCD patients (ages 6-17) who participated in three clin. studies comparing ammonia control and pharmacokinetics during steady state treatment with glycerol phenylbutyrate or sodium phenylbutyrate. All patients received phenylbutyric acid equivalent doses of glycerol phenylbutyrate or sodium phenylbutyrate in a cross over fashion and underwent 24-h blood samples and urine sampling for phenylbutyric acid, phenylacetic acid and phenylacetylglutamine.Patients received phenylbutyric acid equivalent doses of glycerol phenylbutyrate ranging from 1.5 to 31.8 g/day and of sodium phenylbutyrate ranging from 1.3 to 31.7 g/day. Plasma metabolite levels varied widely, with average fluctuation indexes ranging from 1979% to 5690% for phenylbutyric acid, 843% to 3931% for phenylacetic acid, and 881% to 1434% for phenylacetylglutamine. Mean percent recovery of phenylbutyric acid as urinary phenylacetylglutamine was 66.4 and 69.0 for pediatric patients and 68.7 and 71.4 for adult patients on glycerol phenylbutyrate and sodium phenylbutyrate, resp. The correlation with dose was strongest for urinary phenylacetylglutamine excretion, either as morning spot urine (r = 0.730, p < 0.001) or as total 24-h excretion (r = 0.791 p < 0.001), followed by plasma phenylacetylglutamine AUC24-hour, plasma phenylacetic acid AUC24-hour and phenylbutyric acid AUC24-hour. Plasma phenylacetic acid levels in adult and pediatric patients did not show a consistent relationship with either urinary phenylacetylglutamine or ammonia control. The findings are collectively consistent with substantial yet variable pre-systemic (1st

pass) conversion of phenylbutyric acid to phenylacetic acid and/or phenylacetylglutamine. The variability of blood metabolite levels during the day, their weaker correlation with dose, the need for multiple blood samples to capture trough and peak, and the inconsistency between phenylacetic acid and urinary phenylacetylglutamine as a marker of waste nitrogen scavenging limit the utility of plasma levels for therapeutic monitoring. By contrast, 24-h urinary phenylacetylglutamine and morning spot urine phenylacetylglutamine correlate strongly with dose and appear to be clin. useful non-invasive biomarkers for compliance and therapeutic monitoring. REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT ANSWER 2 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN 1.2 ACCESSION NUMBER: 2012:1307575 CAPLUS TITLE: Recurrent unexplained hyperammonemia in an adolescent with arginase deficiency AUTHOR(S): Zhang, Yan; Landau, Yuval E.; Miller, David T.; Marsden, Deborah; Berry, Gerard T.; Kellogg, Mark D. CORPORATE SOURCE: Department of Pathology and Laboratory Medicine, University of Rochester Medical Center, Rochester, NY, USA SOURCE: Clinical Biochemistry (2012), 45(18), 1583-1586 CODEN: CLBIAS; ISSN: 0009-9120 PUBLISHER: Elsevier B.V. Journal; (online computer file) DOCUMENT TYPE: LANGUAGE: English AB This report investigates the etiol. of recurrent episodic elevations in plasma ammonia in an adolescent male with arginase deficiency as there were concerns regarding pre-anal. and anal. perturbations of ammonia measurements. There were repeated discrepancies between the magnitude of his ammonia levels and the severity of his clin. signs of hyperammonemia. The patient is a fourteen-year-old arginase-deficient male diagnosed at three years of age. Since 2008 (when he reached 10 years of age), there appeared to be an increase in the frequency of hospitalizations with elevated ammonia. A typical emergency visit with initial ammonia of 105 µmol/L (reference interval: 16-47 µmol/L) is illustrated. Pre-anal. and anal. procedures for the patient's sample handling were retrospectively examd. His ammonia levels were compiled since diagnosis. The frequency of his initial or peak ammonia levels greater than two times (94 $\mu mol/L)$ or four times (188 $\mu mol/L)$ the upper limit of normal was computed. Student t-test was used to calculate the significance of the differences before 2008 and since 2008. One out of eleven and ten out of 19 hospitalizations had initial ammonia greater than two times normal before and after 2008, resp. Both the patient's overall ammonia and peak ammonia levels are significantly higher since 2008 (p value < 0.001 for both) than those before 2008. To our knowledge, few adolescent males with arginase deficiency experience recurrent episodes of hyperammonemia requiring i.v. nitrogen scavenging agents. We hope that this study provides new insights into the natural history of arginase deficiency and the management of such patients. REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT ANSWER 3 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN 1.2 ACCESSION NUMBER: 2012:661267 CAPLUS Argininosuccinate lyase deficiency TITLE: AUTHOR(S): Nagamani, Sandesh C. S.; Erez, Ayelet; Lee, Brendan

CORPORATE SOURCE: Department of Molecular and Human Genetics, Baylor College of Medicine, Houston, TX, USA Genetics in Medicine (2012), 14(5), 501-507

CODEN: GEMEF3; ISSN: 1098-3600

SOURCE:

173 of 210

| <pre>waste nitrogen into
cycle result in urea
hepatic metabolism to
Argininosuccinate ly
resulting in the bra
fumarate. ASL defice
prevalence of .appry
a severe neonatal-or
after birth or as a
long-term complicati
deficits, and hypert
the absence of hyper
outside of its role
be responsible for to
is typically establi-
elevated argininosuc
testing of ASL and a
biochem. findings an
the genotype or enzy
metabolic decompensa
protein intake, supp
and use of i.v. argi-
restriction of prote
mainstays in long-te
is best considered of
metabolic decompensa
Genet Med 2012:14(5)
doi:10.1038/gim.201
OS.CITING REF COUNT:
REFERENCE COUNT:
L2 ANSWER 4 OF 11 CAPI
ACCESSION NUMBER:
DOCUMENT NUMBER:</pre> | THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD
(1 CITINGS) THERE ARE 53 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT COPYRIGHT 2012 ACS on STN
2012:126202 CAPLUS 156:194959 |
|---|---|
| | |
| | nitrogen-scavenging drugs |
| INVENTOR(S):
PATENT ASSIGNEE(S):
SOURCE: | Scharschmidt, Bruce
Ucyclyd Pharma, Inc, USA
U.S. Pat. Appl. Publ., 48pp., Contin-part of Appl.
No. PCT/US2009/030362.
CODEN: USXXCO |
| DOCUMENT TYPE:
LANGUAGE:
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION: | Patent
English
3 |
| PATENT NO. | KIND DATE APPLICATION NO. DATE |
| CA, CH, CN,
FI, GB, GD,
KG, KM, KN,
ME, MG, MK, | A1 20120126 US 2011-61509 20110615 A1 20091105 WO 2009-US30362 20090107 AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, |

TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM US 20100008859 A1 20100114 US 2009-350111 20090107 A1 20100304 WO 2009-US55256 WO 2010025303 20090827 WO 2010025303 20100624 A9 AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, W: CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA PRIORITY APPLN. INFO .: US 2008-93234P P 20080829 US 2009-350111 A2 20090107 WO 2009-US30362 A2 20090107 WO 2009-US55256 W 20090827 US 2008-48830P P 20080429 ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT AB The invention provides a method for determining a dose and dosing schedule, and making dose adjustments of patients taking phenylbutyric acid (PBA) prodrugs as nitrogen scavengers to treat nitrogen retention states, including ammonia accumulation disorders as well as chronic renal failure, by measuring urinary excretion of phenylacetylglutamine and/or total urinary nitrogen. The invention provides methods to select an appropriate dosage of a PBA prodrug based on the patient's dietary protein intake, or based on previous treatments administered to the patient. The methods are applicable to selecting or modifying a dosing regimen for a subject receiving an orally administered waste nitrogen scavenging drug, and to monitoring patients receiving such drugs. ANSWER 5 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN L2 ACCESSION NUMBER: 2012:47116 CAPLUS DOCUMENT NUMBER: 157:433552 TITLE: Amino acid metabolism in patients with propionic acidaemia AUTHOR(S): Scholl-Buergi, Sabine; Sass, Joern Oliver; Zschocke, Johannes; Karall, Daniela CORPORATE SOURCE: Department of Paediatrics IV, Division of Neonatology, Neuropaediatrics and Inherited Metabolic Disorders, Innsbruck Medical University, Innsbruck, 6020, Austria Journal of Inherited Metabolic Disease (2012), 35(1), SOURCE: 65-70 CODEN: JIMDDP; ISSN: 0141-8955 **PUBLISHER:** Springer Journal; General Review; (online computer file) DOCUMENT TYPE: LANGUAGE: English AB A review. Propionic acidemia (PA) is an inborn error of intermediary metabolism caused by deficiency of propionyl-CoA carboxylase. The metabolic block leads to a profound failure of central metabolic pathways, including the urea and the citric acid cycles. This review will focus on changes in amino acid metabolism in this inborn disorder of metabolism The first noted disturbance of amino acid metabolism was hyperglycinemia, which is detectable in nearly all PA patients. Addnl., hyperlysinemia is a common

observation. In contrast, concns. of branched chain amino acids, especially of isoleucine, are frequently reported as decreased. These non-proportional changes of branched-chain amino acids (BCAAs) compared with aromatic amino acids are also reflected by the Fischer's ratio (concentration ratio of BCAAs)

to

most

aromatic amino acids), which is decreased in PA patients. As restricted dietary intake of valine and isoleucine as precursors of propionyl-CoA is part of the standard treatment in PA, decreased plasma concns. of BCAAs may be a side effect of treatment. The concentration changes of the nitrogen scavenger glutamine have to be interpreted in the light of ammonia levels. In contrast to other hyperammonemic syndromes, in PA plasma glutamine concns. do not increase in hyperammonemia, whereas CSF glutamine concns. are elevated. Despite lactic acidemia in PA patients, hyperalaninemia is only rarely reported. The mechanisms underlying the observed changes in amino acid metabolism have not yet been elucidated, but

of the changes can be at least partly interpreted as consequence of disturbance of anaplerosis.

REFERENCE COUNT: 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 6 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN L2 ACCESSION NUMBER: 2011:397345 CAPLUS DOCUMENT NUMBER: 155:453598 TITLE: Lysinuric protein intolerance: reviewing concepts on a multisystem disease AUTHOR(S): Sebastio, Gianfranco; Sperandeo, María P.; Andria, Generoso CORPORATE SOURCE: Department of Clinical Pediatrics, Federico II University of Naples, Italy SOURCE: American Journal of Medical Genetics, Part C: Seminars in Medical Genetics (2011), 157(1), 54-62 CODEN: AJMGFC; ISSN: 1552-4868 PUBLISHER: Wiley-Liss, Inc. DOCUMENT TYPE: Journal; General Review English LANGUAGE:

A review. Lysinuric protein intolerance (LPI) is an inherited AB aminoaciduria caused by defective cationic amino acid transport at the basolateral membrane of epithelial cells in intestine and kidney. LPI is caused by mutations in the SLC7A7 gene, which encodes the y+LAT-1 protein, the catalytic light chain subunit of a complex belonging to the heterodimeric amino acid transporter family. LPI was initially described in Finland, but has worldwide distribution. Typically, symptoms begin after weaning with refusal of feeding, vomiting, and consequent failure to thrive. Hepatosplenomegaly, hematol. anomalies, neurol. involvement, including hyperammonemic coma are recurrent clin. features. Two major complications, pulmonary alveolar proteinosis and renal disease are increasingly observed in LPI patients. There is extreme variability in the clin. presentation even within individual families, frequently leading to misdiagnosis or delayed diagnosis. This condition is diagnosed by urine amino acids, showing markedly elevated excretion of lysine and other dibasic amino acids despite low plasma levels of lysine, ornithine, and arginine. The biochem. diagnosis can be uncertain, requiring confirmation by DNA testing. So far, approx. 50 different mutations have been identified in the SLC7A7 gene in a group of 142 patients from 110 independent families. No genotype-phenotype correlation could be established. Therapy requires a low protein diet, low-dose citrulline supplementation, nitrogen-scavenging compds. to prevent hyper-ammonemia, lysine, and carnitine supplements. Supportive therapy is available for most complications with bronchoalveolar lavage being necessary for alveolar proteinosis. OS.CITING REF COUNT: 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD

| Andrew State | (8 CITINGS) |
|---|---|
| REFERENCE COUNT: | 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS
RECORD, ALL CITATIONS AVAILABLE IN THE RE FORMAT |
| L2 ANSWER 7 OF 11 | CAPLUS COPYRIGHT 2012 ACS on STN |
| ACCESSION NUMBER:
DOCUMENT NUMBER: | 2010:708850 CAPLUS
154:477123 |
| TITLE: | Phase 2 comparison of a novel ammonia scavenging
agent with sodium phenylbutyrate in patients with urea
cycle disorders: Safety, pharmacokinetics and |
| AUTHOR(S): | ammonia control
Lee, Brendan; Rhead, William; Diaz, George A.; |
| CORPORATE SOURCE: | Scharschmidt, Bruce F.; Mian, Asad; Shchelochkov,
Oleg; Marier, J. F.; Beliveau, Martin; Mauney, Joseph;
Dickinson, Klara; Martinez, Antonia; Gargosky,
Sharron; Mokhtarani, Masoud; Berry, Susan A.
Baylor College of Medicine, Houston, TX, R814, USA |
| SOURCE: | Molecular Genetics and Metabolism (2010), 100(3), 221-228 |
| PUBLISHER: | CODEN: MGMEFF; ISSN: 1096-7192
Elsevier B.V. |
| DOCUMENT TYPE: | Journal |
| LANGUAGE:
AB Glycerol phenyll | English
putyrate (glyceryl tri (4-phenylbutyrate)) (GPB) is being |
| treatment of ure
hypothesis that
which is current
management of UC
Methods: An open
adult UCD patien
and urine metabo
dosing on eithen
phenylbutyric ac
Adverse events of
hyperammonemic events of
hyperammonemic events of
26.2 vs. 38.4 µm
significant), an
ammonia (time-no
(AUCO-24) to PBA
h/mL), whereas events
h/mL) and phenyl
similar. Urinan
administered for
Intact GPB was of
correlated stron
0.0001) but weal
Conclusions: Sat | ternative to sodium phenylbutyrate (NaPBA) for the
ca cycle disorders (UCDs). This phase 2 study explored the
GPB offers similar safety and ammonia control as NaPBA,
cly approved as adjunctive therapy in the chronic
CDs, and examined correlates of 24-h blood ammonia.
-label, fixed sequence switch-over study was conducted in
its taking maintenance NaPBA. Blood ammonia and blood
olites were compared after 7 days (steady state) of TID
c drug, both dosed to deliver the same amount of
tid (PBA). Results: Ten subjects completed the study.
were comparable for the two drugs; 2 subjects experienced
events on NaPBA while none occurred on GPB. Ammonia
ere .apprx.30% lower than on NaPBA (time-normalized AUC =
nol/L; Cmax = 56.3 vs. 79.1 μ mol/L; not statistically
the GPB achieved non-inferiority to NaPBA with respect to
formalized AUC) by post hoc anal. Systemic exposure
A on GPB was 27% lower than on NaPBA (540 vs. 739 μ g
exposure to phenylacetic acid (PAA) (575 vs. 596 μ g
lacetylglutamine (PAGN) (1098 vs. 1133 μ g h/mL) were
ty PAGN excretion accounted for .apprx.54% of PBA
to bh NaPBA and GPB; other metabolites accounted for <1%.
generally undetectable in blood and urine. Blood ammonia
ingly and inversely with urinary PAGN (r = -0.82; p <
tly or not at all with blood metabolite levels.
Tety and ammonia control with GPB appear at least equal
ary PAGN, which is stoichiometrically related to nitrogen
be a useful biomarker for both dose selection and
optimal control of venous ammonia. |
| OS.CITING REF COUNT: | 8 THERE ARE 8 CAPLUS RECORDS THAT CITE THIS RECORD
(8 CITINGS) |
| REFERENCE COUNT: | 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT |
| L2 ANSWER 8 OF 11
ACCESSION NUMBER:
DOCUMENT NUMBER:
TITLE: | CAPLUS COPYRIGHT 2012 ACS on STN
2010:275617 CAPLUS
152:279601
Dosing and monitoring patients on
nitrogen-scavenging drugs |

| INVENTOR(S): | Scharschmidt, Bruce | | | |
|---|---|--|--|--|
| PATENT ASSIGNEE(S): | Hyperion Therapeutics, USA | | | |
| SOURCE: | PCT Int. Appl., 99pp. | | | |
| DOCUMENT TYPE:
LANGUAGE:
FAMILY ACC. NUM. COUNT:
PATENT INFORMATION: | CODEN: PIXXD2
Patent
English
3 | | | |

| 4 | PAI | ENT | NO. | | | KIN | D. | DATE | 2000 | 2 | APPL | ICAT | ION | NO. | | D. | ATE | 1.2 |
|-----|------|--------------|--|-----------|--|--|--------|--|--------------|--|-------|------|---|------|--------------|--|--|---------|
| | | 2010
2010 | | 0.00 | | A1
A9 | | 2010
2010 | 0304
0624 | | WO 2 | 009- | US55 | 256 | | 2 | 0090 | 827 |
| | | W: | AE, | AG, | AL, | AM, | AO, | AT, | AU, | AZ, | BA, | BB, | BG, | BH, | BR, | BW, | BY, | BZ, |
| | | | CA, | CH, | CL, | CN, | co, | CR, | CU, | CZ, | DE, | DK, | DM, | DO, | DZ, | EC, | EE, | EG, |
| | | | | | | | | | GM, | | | | | | | | | |
| | | | KE, | KG, | KM, | KN, | KP, | KR, | KZ, | LA, | LC, | LK, | LR, | LS, | LT, | LU, | LY, | MA, |
| | | | MD, | ME, | MG, | MK, | MN, | MW, | MX, | MY, | MZ, | NA, | NG, | NI, | NO, | NZ, | OM, | PE, |
| | | | PG, | PH, | PL, | PT, | RO, | RS, | RU, | SC, | SD, | SE, | SG, | SK, | SL, | SM, | ST, | SV, |
| | | | SY, | TJ, | TM, | TN, | TR, | TT, | TZ, | UA, | UG, | US, | UZ, | VC, | VN, | ZA, | ZM, | ZW |
| | | RW: | AT, | BE, | BG, | CH, | CY, | CZ, | DE, | DK, | EE, | ES, | FI, | FR, | GB, | GR, | HR, | HU, |
| | | | IE, | IS, | IT, | LT, | LU, | LV, | MC, | MK, | MT, | NL, | NO, | PL, | PT, | RO, | SE, | SI, |
| | | | | | August and | | 10.000 | and the second s | CG, | 1. | | | 1 | | 100 C | 100 million (1990) | | |
| | | | | | | 1000 | 1000 | | KE, | | | | 1000 | | 1.22 | 100 C 100 C | | 1000 |
| | | | | | | | | | KZ, | | | | | | | | | Color C |
| 1 | NO | 2009 | | | 100.00 | AI | | | 1105 | | | | | | and a | | 0090 | 107 |
| 19 | | W: | | | AL. | | AO. | | AU, | | | | | | BR. | | T T T T | |
| | | | | | | | | | CZ, | | | | | | | | | |
| | | | | 0.000.000 | 1. State 1. | 100 C 100 C 100 C | 1000 | 1.000 | GT, | | | | | | 10 A 10 A 10 | | 1. | |
| | | | and the second sec | | And the second s | | | | LA, | | | | | | | and the second sec | Contraction of the | |
| | | | | | | | | | MY, | | | | | | | | | |
| | | | | | | | | | SD, | | | | | | | | | |
| | | | | | | | | | | | | | | | | | DI, | 10, |
| | | DDT. | | | 1201220 | 1. | | | UG, | | 2.00 | | 1. State 1. | | 1.000 | | TID | TITT |
| | | RW: | | | | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | DE, | | | | | | | | | |
| | | | | | | | | | MC, | | | | | | | | | |
| | | | | | | | | | CI, | | | | | | | | | |
| | | | | | | | | | LS, | | | | SD, | 54, | 54, | 14, | UG, | ZM, |
| 1.1 | | 0010 | and the fail | N 2015 M | AZ, | | KG, | | MD, | 10 million (1997) | | | | | | 0 | 0000 | 100 |
| | | 2010 | | 859 | | A1 | | | 0114 | | US 2 | | | | | | 0090 | |
| | | 2735 | | | | A1 | | | 0304 | | | | | | | | 0090 | |
| | | 2465 | | | | A | | 2010 | | | GB 2 | 009- | 1554 | 5 | | 2 | 0090 | 827 |
| | | 2465 | 2020 | | | В | | 2011 | | | 20.00 | | 1.22 | 1.1 | | | 2000 | |
| 1 | EP | 2338 | | 6.0 - | 1.44 | | 1273 | 2011 | | | EP 2 | | | | 14.0 | | 0090 | |
| | | R: | | | | | | | DE, | | | | | | | | | |
| | | | | | | | | | LV, | MC, | MK, | MT, | NL, | NO, | PL, | PT, | RO, | SE, |
| | | | | | SM, | | AL, | BA, | | | | | | | | | | |
| 4 | JP | 2012 | 5014 | 51 | | Т | | 2012 | | 1.13 | JP 2 | 011- | 5252 | 14 | | 2 | 0090 | 827 |
| 1 | US | 2012 | 0022 | 157 | | A1 | | 2012 | 0126 | | US 2 | 011- | 6150 | 9 | | 2 | 0110 | 615 |
| IOR | ITY | APP | LN. | INFO | . : | | | | | | US 2 | -800 | 9323 | 4P | | P 2 | 0080 | 829 |
| | | | | | | | | | | | US 2 | 009- | 3501 | 11 | 1 | A 2 | 0090 | 107 |
| | | | | | | | | | | | WO 2 | 009- | US30 | 362 | | A 2 | 0090 | 107 |
| | | | | | | | | | | | US 2 | -800 | 4883 | 0P | | P 2 | 0800 | 429 |
| | | | | | | | | | | | WO 2 | 009- | US55 | 256 | | W 2 | 0090 | 827 |
| SIG | NME | INT H | ISTO. | RY F | OR U | S PA | TENT | AVA | ILABI | LE I | N LS | US D | ISPL. | AY F | ORMA | Т | | |
| | | | | | | | | thod | | | | | | | | | ng s | ched |
| 100 | 1110 | | | | | | | | | | | | | | | | | |

AB The invention provides a method for determining a dose and dosing schedule, and making dose adjustments of patients taking phenylbutyric acid (PBA) prodrugs as nitrogen scavengers to treat nitrogen retention states, including ammonia accumulation disorders as well as chronic renal failure, by measuring urinary excretion of phenylacetylglutamine and/or total urinary nitrogen. The invention provides methods to select an appropriate dosage of a PBA prodrug based on the patient's dietary protein intake, or based on previous treatments administered to the patient. The

methods are applicable to selecting or modifying a dosing regimen for a subject receiving an orally administered waste nitrogen scavenging drug, and to monitoring patients receiving such drugs. THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: 4 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT ANSWER 9 OF 11 CAPLUS COPYRIGHT 2012 ACS on STN 1.2 ACCESSION NUMBER: 1999:106789 CAPLUS DOCUMENT NUMBER: 130:295089 TITLE: Blood levels of ammonia and nitrogen scavenging amino acids in patients with inherited hyperammonemia

Tuchman, Mendel; Yudkoff, Marc

CODEN: MGMEFF; ISSN: 1096-7192

55455, USA

Journal

English

Academic Press

Departments of Pediatrics and Laboratory Medicine and Pathology, University of Minnesota, Minneapolis, MN,

Molecular Genetics and Metabolism (1999), 66(1), 10-15

AUTHOR(S): CORPORATE SOURCE:

SOURCE:

PUBLISHER: DOCUMENT TYPE: LANGUAGE:

AB Plasma levels of glutamine (456 detns.), alanine (434 detns.), and asparagine (431 detns.) and corresponding ammonia levels (260 detns.) were retrospectively analyzed in 30 patients with hyperammonemia secondary to urea cycle disorders (including 3 patients with amino acid transport defects) and 5 patients with propionic acidemia (PA). All patients had elevated glutamine levels on one or more testing except for 2 patients with severe PA and 1 patient with a mild urea cycle disorder. All but 4 patients with urea cycle disorders showed a maximal glutamine level higher than 100 µmol/dL, and 3 patients had a maximal glutamine level of higher than 200 µmol/dL. The only exceptions were 2 asymptomatic ornithine transcarbamylase (OTC)-deficient females, 1 male with mild OTC deficiency, and 1 patient with citrullinemia (CIT) whose plasma glutamine levels were never above 100 $\mu mol/L$. Patients with CIT and argininosuccinic aciduria (ASA) showed statistically significantly lower levels of glutamine than patients with other urea cycle disorders. However, the maximal glutamine level did not directly correlate with severity of the disorder and within disorders correlated inversely with severity of outcome. Patients with PA showed statistically significant lower glutamine, alanine, and asparagine levels than patients with urea cycle disorders and the severity of this disorder correlated inversely with plasma glutamine levels. Plasma ammonia levels showed a pos. correlation with glutamine in patients with carbamyl phosphate synthetase I and OTC deficiency and a neg. correlation in patients with PA. Although, most patients also showed elevated levels of alanine and asparagine, their levels generally did not show a good correlation with glutamine (R2 = 0.25 and 0.34, resp.). (c) 1999 Academic Press.

OS.CITING REF COUNT: 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS) 14

REFERENCE COUNT:

THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

| L2 ANSWER 10 OF 11 CA | PLUS COPYRIGHT 2012 ACS on STN |
|--------------------------|---|
| ACCESSION NUMBER: | 1991:477732 CAPLUS |
| DOCUMENT NUMBER: | 115:77732 |
| ORIGINAL REFERENCE NO .: | 115:13291a,13294a |
| TITLE: | Scavenging ratios and deposition of sulfur, nitrogen
and chlorine species in eastern England |
| AUTHOR(S): | Harrison, Roy M.; Allen, Andrew G. |
| CORPORATE SOURCE: | Inst. Aerosol Sci., Univ. Essex, Colchester, CO4 3SQ,
UK |
| SOURCE: | Atmospheric Environment, Part A: General Topics (1991), 25A(8), 1719-23 |
| | |

| CODEN: | AEATEN; | ISSN: | 0960-1686 |
|--------|---------|-------|-----------|
| Tourna | 1 | | |

DOCUMENT TYPE; LANGUAGE:

LANGUAGE: English AB Measurements of wet-deposited NH4+, S042-, NO3-, and Cl-, as well as airborne concns. of these species and gaseous HNO3, HCl, and NH3, were made at a site in eastern England. Scavenging ratios based solely upon aerosol-associated species and upon aerosol plus gaseous airborne species are presented and compared with literature values. It appears that HCl and HNO3 have only a rather minor influence upon wet deposition at this site. Gaseous NH3 influences ground-level air chemical appreciably, but scavenging ratios for NH4+ are low, even when based upon aerosol NH4+ concns. alone, presumably due to altitudinal gradients in this species. The problems inherent in interpretation of scavenging ratios are discussed. Deposition of nitrogen in various chemical forms is estimated from rainwater and air composition

If a transport-limited deposition velocity is assumed for ammonia gas, dry deposition of this species accounts for around 40% of total nitrogen deposition to the ground.

OS.CITING REF COUNT: 12 THERE ARE 12 CAPLUS RECORDS THAT CITE THIS RECORD (12 CITINGS)

| L2 ANSWER 11 OF 11 CA | APLUS COPYRIGHT 2012 ACS on STN |
|--------------------------|---|
| ACCESSION NUMBER: | 1989:54293 CAPLUS |
| DOCUMENT NUMBER: | 110:54293 |
| ORIGINAL REFERENCE NO .: | 110:8913a,8916a |
| TITLE: | Occurrence of effective nitrogen-scavenging |
| | bacteria in the rhizosphere of kallar grass |
| AUTHOR(S): | Hurek, T.; Reinhold, Barbara; Grimm, B.; Fendrik, I.; |
| | Niemann, E. G. |
| CORPORATE SOURCE: | Inst. Biophys., Univ. Hannover, Hannover, D-3000/21, |
| | Fed. Rep. Ger. |
| SOURCE : | Plant and Soil (1988), 110(2), 339-48 |
| | CODEN: PLSOA2; ISSN: 0032-079X |
| DOCUMENT TYPE: | Journal |
| LANGUAGE: | English |
| | |

AB Bacteria occurring in high nos. on the rhizoplane of kallar grass grown at a natural site in Pakistan were effective scavengers of traces of combined N from the atmospheric Bacteria grew under appropriate conditions in N-free semi-solid malate medium in the form of a typical subsurface pellicle which resulted in a significant N gain in the medium within 3-4 days of incubation; this could be also measured by 15N-dilution Bacteria grew and incorporated N under an atmospheric containing NH3 and N20. A rapid and strong binding of strain W1 to roots of kallar grass grown in hydroponic culture was found by using a 32P-tracer technique. There was no evidence for diazotrophy because the bacteria failed to grow on N-free media when gases of high purity were used. No 15N2 was incorporated when bacteria were grown on 15N2, although a N gain was found, no acetylene reduction was

observed,

and no homol. with DNA containing sequences of nifHDK structural genes for the nitrogenase components from Klebsiella pneumoniae were detected. Owing to close contact of these bacteria with roots of kallar grass, utilization of scavenged N by the plant may have to be taken into account.

OS.CITING REF COUNT: 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)

=> d his

(FILE 'HOME' ENTERED AT 20:33:38 ON 20 DEC 2012)

FILE 'CAPLUS' ENTERED AT 20:33:50 ON 20 DEC 2012 40 S "NITROGEN SCAVENGER" OR "NITROGEN SCAVENGING"

L1

L2 11 S L1 AND AMMONIA

=>

EAST Search History

EAST Search History (Prior Art)

| Ref
| Hits | Search Query | DBs | Default
Operator | Plurals | Time
Stamp | |
|----------|------|--|---|---------------------|---------|---------------------|--|
| S1 | 0 | "13417137".rlan. or ("13".src. and
"417137".ap.) | US-PGPUB;
USPAT; USOOR;
DERWENT | OR | OFF | 2012/11/15
13:46 | |
| S2 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR. | OFF | 2012/11/15
13:46 | |
| S3 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/11/15
13:46 | |
| S4 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/11/15
13:56 | |
| S5 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/11/15
13:56 | |
| S6 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/11/15
13:56 | |
| S7 | 18 | ("20040229948" "20060135612"
"4284647" "6083984"
"20080119554" "6219567"
"20100008859" "6050510"
"5968979" "20100008859"
"6219567").PN. | US-PGPUB;
USPAT; USOCR;
IPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/11/15
13:57 | |
| S8 | 0 | S1 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/15
14:08 | |
| S9 | 8 | S7 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/15
14:08 | |
| S10 | 2 | S9 and scavenging | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/15
14:08 | |
| S11 | 109 | "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/15
14:12 | |
| S12 | 4 | S11 and PAA | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/15
14:12 | |
| S13 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/11/15
14:13 | |
| S14 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO; | OR | OFF | 2012/11/15
14:13 | |

| | | | DERWENT;
IBM_TDB | | | |
|------|-----|--|---|----|-----|---------------------|
| S15 | 18 | ("4284647" "6083984" "6050510"
"6219567" "20040229948"
"20080119554" "20060135612"
"5968979" "20100008859").FN. | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/16
07:11 |
| S16 | 2 | S15 and "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/11/16
07:11 |
| S17 | 1 | ("6083984").PN. | USPAT; USOCR | OR | OFF | 2012/11/16
07:12 |
| S18 | 9 | ((Saul) near2 (Brusilow)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/11/16
07:13 |
| S19 | 0 | "13417137".rlan. or ("13".src. and
"417137".ap.) | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| S20 | 4 | ((BRUCE) near2
(SCHARSCHMLDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |
| S21 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |
| S22 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
10:56 |
| \$23 | 0 | ((MASOUD) near2
(MOKHTARANI)).1NV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |
| S24 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
10:56 |
| 925 | 18 | ("20040229948" "20060135612"
"4284647" "6083984"
"20080119554" "6219567"
"20100008859" "6050510"
"5968979" "20100008859"
"6219567").PN. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
10:56 |
| \$26 | 0 | S19 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| \$27 | 8 | S25 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| 528 | 2 | S27 and scavenging | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| 529 | 109 | "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| \$30 | 4 | S29 and PAA | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| S31 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |

file:///Cl/Users/srao3/Documents/e-Red%20Folder/13417137/EASTSearchHistory.13417137_AccessibleVersion.htm[12/20/2012 8:32:57 PM]

| S32 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
10:56 |
|-----|-----|--|--|-----|-----|---------------------|
| S33 | 18 | ("4284647" "6083984" "6050510"
"6219567" "20040229948"
"20080119554" "20060135612"
"5968979" "20100008859").PN. | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| S34 | 2 | S33 and "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
10:56 |
| S35 | 1 | ("6083984").PN. | USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |
| S36 | 9 | ((Saul) near2 (Brusilow)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
10:56 |
| 537 | 0 | "13417137".rlan. or ("13".src. and
"417137".ap.) | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S38 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| 539 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S40 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
I BM_TDB | OR | OFF | 2012/12/20
16:43 |
| S41 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S42 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S43 | 18 | ("20040229948" "20060135612"
"4284647" "6083984"
"20080119554" "6219567"
"20100008859" "6050510"
"5968979" "20100008859"
"6219567").PN. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S44 | 0 | S37 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S45 | 8 | S43 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR. | OFF | 2012/12/20
16:43 |
| S46 | 2 | S45 and scavenging | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S47 | 109 | "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S48 | 4 | S47 and PAA | US-PGPUB;
USPAT; USOCR; | OR | OFF | 2012/12/20
16:43 |

| | | | DERWENT | | | |
|-----------------|-----|--|---|----|-----|---------------------|
| S49 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S50 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S51 | 18 | ("4284647" "6083984" "6050510"
"6219567" "20040229948"
"20080119554" "20060135612"
"5968979" "20100008859").FN. | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S52 | 2 | S51 and "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S53 | 1 | ("6083984").PN. | USPAT; USOCR | OR | OFF | 2012/12/20 |
| S54 | 9 | ((Saul) near2 (Brusilow)).1NV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S55 | 0 | "13417137".rlan. or ("13".src. and
"417137".ap.) | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S56 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S57 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S58 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM TDB | OR | OFF | 2012/12/20
16:43 |
| S59 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S60 | 0 | ((MASOUD) near2
(MOKHTARANI)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S61 | 18 | ("20040229948" "20060135612"
"4284647" "6083984"
"20080119554" "6219567"
"20100008859" "6050510"
"5968979" "20100008859"
"6219567").PN. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S62 | 0 | S55 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S63 | 8 | S61 and nitrogen | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S 64 | 2 | S63 and scavenging | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S65 | 109 | "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR; | OR | OFF | 2012/12/20 |

file:///Cl/Users/srao3/Documents/e-Red%20Folder/13417137/EASTSearchHistory.13417137_AccessibleVersion.htm[12/20/2012 8:32:57 PM]

EAST Search History

| | | | DERWENT | | | |
|-----|------|---|---|----|-----|---------------------|
| S66 | 4 | S65 and PAA | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S67 | 4 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S68 | 9 | ((BRUCE) near2
(SCHARSCHMIDT)).INV. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:43 |
| S69 | 18 | (("4284647" "6083984" "6050510"
"6219567" "20040229948"
"20080119554" "20060135612"
"5968979" "20100008859").PN. | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S70 | 2 | S69 and "nitrogen scavenging" | US-PGPUB;
USPAT; USOCR;
DERWENT | OR | OFF | 2012/12/20
16:43 |
| S71 | 1 | ("6083984").PN. | USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S72 | 9 | ((Saul) near2 (Brusilow)).INV. | US-PGPUB;
USPAT; USOCR | OR | OFF | 2012/12/20
16:43 |
| S73 | 4418 | (424/9.2 514/533 514/433 514/432
73/61.41).ccls. | US-PGPUB;
USPAT; USOCR;
FPRS; EPO;
JPO;
DERWENT;
IBM_TDB | OR | OFF | 2012/12/20
16:59 |

12/ 20/ 2012 8:32:54 PM C:\ Users\ srao3\ Documents\ EAST\ Workspaces\ 13417137.w sp

| Index of Claims | | | 13417137 | | | | Applicant(s)/Patent Under
Reexamination
SCHARSCHMIDT ET AL. | | | |
|-----------------|---------------|----------------|-------------------------|------------|------------------|--------|---|---------------------------------------|--|--|
| | | | Examiner
SAVITHA RAC | - | Art Unit
1629 | | | | | |
| 1 | Rejected | | Cancelled | N | Non-El | ected | A | Appeal | | |
| = | Allowed | ÷ | Restricted | I Interfer | | ence O | | Objected | | |
| | is renumbered | in the same or | ler as presented by ap | plicant | | СРА | 🗆 Т.D. | 🛛 R.1.47 | | |
| Final | Original | 12/20/2012 | | | | | | | | |
| 1 | 1 | = | | | | | | | | |
| 2 | 2 | - | | | | | | | | |
| 3 | 3 | - | | | | | | | | |
| 1.1 | 4 | 1. 24 | | | | | | | | |
| 4 | 5 | | | | | | | - | | |
| 5 | 6 | = | | | | | | | | |
| 6 | 7 | 1.162.1 | | | | | | | | |
| 7 | 8 | - + | | | | | | | | |
| 8 | 9 | - | | | | | | | | |
| 9 | 10 | i ai | | | | | | | | |
| | 11 | LL TETY LL | | - 14 I | | 2 | | · · · · · · · · · · · · · · · · · · · | | |
| 10 | 12 | | | | | | | | | |

Part of Paper No. 20121220A

| | Application/Control No. | Applicant(s)/Patent Under Reexamination |
|----------------------|-------------------------|---|
| Issue Classification | 13417137 | SCHARSCHMIDT ET AL. |
| | Examiner | Art Unit |
| | SAVITHA RAO | 1629 |

| | | OR | GINAL | | 11 | | | | INTERNATIONAL CL | ASS | FICA | TION |
|--------------------|-------|------------|----------|----------------|---------|-----|------|------------|----------------------|---------|-----------|------|
| 1.1.1 | CLASS | 5 | 11 | SUBCLASS | CLAIMED | | | | | | N-CLAIMED | |
| 424 | | | 9.2 | | A | 6 | 1 | К | 49 / 00 (2006.0) | | PH C | |
| CROSS REFERENCE(S) | | | | | A | 6 | 4 | P | 13 / 00 (2006.01.01) | | |) |
| CLASS | SI | UBCLASS (C | NE SUBCL | ASS PER BLOCK) | | 1.1 | | | | 1 1 - 1 | 11.11 | |
| 514 | 533 | 433 | 432 | | | | 111 | <u>ini</u> | 1 | 11.27 | | |
| | | | | | | - | | | | | | |
| | - | 2 | | 4.1. | _ | | 11 | 14 | | 121 | 111 | |
| <u></u> | - | | - | .1 | | 1 | 141 | 111 | · | | 14 | |
| | - | | | | - | | 1.1 | | | | | |
| | - | | _ | | - | - | - | | | | | - |
| | | - | _ | | - | - | | 1 | | - | | |
| | 1 | | - | | - | | | | | - | | |
| | | - | - | | | 1 | 1111 | | | 1 | | |
| | | | - | | - | | | | | | | |
| | 1 | | | | | | | | | | | |
| 2 = 0 | 12.2 | | | 12 | | | 11 | | | 121 | | 1 |

| Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original |
|-------|----------|-------|--|-------|-------------|---------------|----------|-------|-----------|-------|----------|-------|-------------|--------|----------|
| 1 | 1 | F | | | | 1.1 | | | 1 1 | | | | | | |
| 2 | 2 | | 1. | | 11.00 | UC 1 | 1 | 1.1.1 | 0 11 | 1 | 1 | 1 | 10000 | 1.00 | |
| 3 | 3 | | 1.1.1.1 | - | 1 | | 1 | | | | | 122 | | 1 == 1 | |
| 4 | 4 | | | | | | | | 1 | | 1 | | 1 | 1.00 | 11 |
| 4 | 5 | | | | 1000 | S | | 1.27 | · · · · · | 1 | | | · · · · · · | - | |
| 5 | 6 | | | | 11 | () | | | | | | | | 1 | 1 |
| 6 | 7 | | | | 1 | 0.000 | | | - | | 1 | 1 | | 1 | |
| 7 | 8 | | | | | | | 1 | | | | | | | |
| 8 | 9 | | | | 1.1.1.1.1.1 | | | | 1 | | | | | | |
| 9 | 10 | | | | | 10.000 | | 1 1 1 | | 1 | 1 | | | | |
| 10 | 41 | | | | 1 | i harring i h | | 122 | | 1 | 1 | | | 1 | 1.5 |
| 11 | 12 | 1 | | | 1 | 0.000 | | | | | | | 1.0 | | |
| | 1 | | | | 10000 | 0.000 | 1 | - | | 1 | | | | - | |
| | | - | | | 10.000 | 1.000 | | p-0-4 | | | 12 | | 1 | 1000 | 1 |
| - | | | | | 1 | | 1 | - | | | 1 | | | | |

| NONE | | Total Claims Allowed: | | | |
|---|------------|-----------------------|-------------------|--|--|
| (Assistant Examiner) | (Date) | 1 | 1 | | |
| /SAVITHA RAO/
Primary Examiner.Art Unit 1629 | 12/20/2012 | O.G. Print Claim(s) | O.G. Print Figure | | |
| (Primary Examiner) | (Date) | 4 | 1 | | |

U.S. Patent and Trademark Office

Part of Paper No. 20121220A



34055

PERKINS COIE LLP POST OFFICE BOX 1208 SEATTLE, WA 98111-1208

7590

UNITED STATES PATENT AND TRADEMARK OFFICE

| nited | D STATES DEPARTMENT OF COMMERCE
States Patent and Trademark Office |
|---------|---|
| ddress: | COMMISSIONER FOR PATENTS |
| | P.O. Box 1450 |
| | Alexandria, Virginia 22313-1450 |
| | www.uspto.gov |

NOTICE OF ALLOWANCE AND FEE(S) DUE

| EX | AMINER |
|----------|--------------|
| RAO, S | SAVITHA M |
| ART UNIT | PAPER NUMBER |
| 1620 | 10 |

DATE MAILED: 01/02/2013

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 13/417,137 | 03/09/2012 | Bruce SCHARSCHMIDT | 79532.8003.US02 | 6423 |

TITLE OF INVENTION: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

01/02/2013

| APPLN. TYPE | SMALL ENTITY | ISSUE FEE DUE | PUBLICATION FEE DUE | PREV. PAID ISSUE FEE | TOTAL FEE(S) DUE | DATE DUE |
|----------------|--------------|---------------|---------------------|----------------------|------------------|------------|
| nonprovisional | YES | \$885 | \$300 | \$0 | \$1185 | 04/02/2013 |

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. <u>PROSECUTION ON THE MERITS IS CLOSED</u>. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED</u>. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

1. Review the SMALL ENTITY status shown above.

| If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status: | If the SMALL ENTITY is shown as NO: |
|--|--|
| A. If the status is the same, pay the TOTAL FEE(S) DUE shown above. | A. Pay TOTAL FEE(S) DUE shown above, or |
| B. If the status above is to be removed, check box 5b on Part B -
Fee(s) Transmittal and pay the PUBLICATION FEE (if required)
and twice the amount of the ISSUE FEE shown above, or | B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above. |

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: <u>Mail</u> Mail Stop ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 or <u>Fax</u> (571)-273-2885

| | DENCE ADDRESS (Note: Use B | |) No
Fe
Pa
ha | ote: A certificate of
e(s) Transmittal. Th
pers. Each addition
ve its own certificat | mailing
nis certifi
al paper,
e of mail | can only be used fo
cate cannot be used fo
such as an assignme-
ing or transmission. | r domestic mailings of t
or any other accompanyli
nt or formal drawing, mu |
|--|---|--|---|---|--|---|--|
| PERKINS COIE LLP
POST OFFICE BOX 1208
SEATTLE, WA 98111-1208 | | | Certificate of Mailing or Transmission
I hereby certify that this Fee(s) Transmittal is being deposited with the Unit
States Postal Service with sufficient postage for first class mail in an envelo
addressed to the Mail Stop ISSUE FEE address above, or being facsim
transmitted to the USPTO (571) 273-2885, on the date indicated below. | | | | |
| | | | 4 11 | | | | (Depositor's nam |
| | | | | | | | (Signatur |
| | | | 0 | | | | (Dat |
| APPLICATION NO. | FILING DATE | C 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | FIRST NAMED INVENTO | R | ATTOR | RNEY DOCKET NO, | CONFIRMATION NO. |
| | | _ | NG OF NITROGEN SCA | | | | |
| APPLN. TYPE | SMALL ENTITY | ISSUE FEE DUE | PUBLICATION FEE DUI | E PREV. PAID ISSU | JE FEE | TOTAL FEE(S) DUE | DATE DUE |
| nonprovisional | YES | \$885 | \$300 | \$0 | | \$1185 | 04/02/2013 |
| EXAM | MINER | ART UNIT | CLASS-SUBCLASS | | | | |
| RAO, SA | VITHA M | 1629 | 424-009200 | | | | |
| PLEASE NOTE: Un
recordation as set for
(A) NAME OF ASSI | iless an assignee is ident
th in 37 CFR 3.11. Com | ified below, no assigned
pletion of this form is NG | THE PATENT (print or t
e data will appear on the
OT a substitute for filing a
(B) RESIDENCE: (CTI | patent. If an assign
assignment.
'Y and STATE OR | COUNT | RY) | ocument has been filed f |
| a. The following fee(s) I Issue Fee Publication Fee () Advance Order - | No small entity discount j | | Payment of Fee(s): (Pl A check is enclosed Payment by credit c The Director is here overpayment, to Dep | ard. Form PTO-203
by authorized to cha | 8 is attac
rge the n | hed.
equired fee(s), any de | |
| | atus (from status indicate
ns SMALL ENTITY state | | b. Applicant is no lo | onger claiming SMA | LL ENT | TTY status. See 37 CF | FR 1.27(g)(2). |
| NOTE: The Issue Fee an
nterest as shown by the | nd Publication Fee (if req
records of the United Sta | uired) will not be accept
ites Patent and Trademar | ed from anyone other thar
k Office. | the applicant; a reg | istered a | ttorney or agent; or th | e assignee or other party |
| Authorized Signature | | | | Date | | _ | |
| Typed or printed nan | ne | | | Registration | No | | |
| an application. Confider
submitting the complete
his form and/or suggest | ntiality is governed by 35
ad application form to the
tions for reducing this bu
Virginia 22313-1450. DC | U.S.C. 122 and 37 CFR
USPTO. Time will var
rden, should be sent to t | ion is required to obtain o
& 1.14. This collection is e
y depending upon the ind
he Chief Information Offi
COMPLETED FORMS | stimated to take 12
ividual case. Any c
cer. U.S. Patent and | minutes
omments
Tradem | to complete, includin
on the amount of tir
ark Office, U.S. Depa | g gathering, preparing, a
ne you require to comple
artment of Commerce, P. |

| | | | UNITED STATES DEPARTMENT OF COMMER
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov | | |
|----------------------------------|---------------|----------------------|---|------------------|--|
| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. | |
| 13/417,137 | 03/09/2012 | Bruce SCHARSCHMIDT | 79532.8003.US02 | 6423 | |
| 34055 75 | 90 01/02/2013 | | EXAM | NER | |
| PERKINS COIE | LLP | | RAO, SAV | TTHA M | |
| POST OFFICE BO
SEATTLE, WA 98 | | | ART UNIT | PAPER NUMBER | |
| SERVICES, MA JO | ******* | | 1629
DATE MAILED: 01/02/2013 | | |

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b) (application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 0 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 0 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom
 of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of
 records may be disclosed to the Department of Justice to determine whether disclosure of these
 records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

| | Application No. | Applicant(s) |
|--|--|--|
| | 13/417,137 | SCHARSCHMIDT ET AL. |
| | Examiner | Art Unit |
| | SAVITHA RAO | 1629 |
| The MAILING DATE of this communication appeal
All claims being allowable, PROSECUTION ON THE MERITS IS (C
herewith (or previously mailed), a Notice of Allowance (PTOL-85) o
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG
of the Office or upon petition by the applicant. See 37 CFR 1.313 a | DR REMAINS) CLOSED in
r other appropriate comministic the second | this application. If not included unication will be mailed in due course. TH |
| . This communication is responsive to <u>12/07/2012</u> . | | |
| 2. An election was made by the applicant in response to a restric
requirement and election have been incorporated into this action | | during the interview on; the restric |
| 3. The allowed claim(s) is/are <u>1-3 and 5-12</u> . As a result of the all Prosecution Highway program at a participating intellectual please see <u>http://www.uspto.gov/patents/init_events/pph/inde</u> . | property office for the corr | esponding application. For more information |
| 4. Acknowledgment is made of a claim for foreign priority under | 35 U.S.C. § 119(a)-(d) or | (f). |
| a) 🔲 All b) 🛄 Some* c) 🛄 None of the: | | |
| 1. Certified copies of the priority documents have b | een received. | |
| 2. Certified copies of the priority documents have b | een received in Application | on No |
| 3. Copies of the certified copies of the priority docu | ments have been receive | d in this national stage application from th |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of
noted below. Failure to timely comply will result in ABANDONME
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | a reply complying with the requirements |
| 5. 🔲 CORRECTED DRAWINGS (as "replacement sheets") must b | e submitted. | |
| including changes required by the attached Examiner's
Paper No./Mail Date | Amendment / Comment o | in the Office action of |
| Identifying indicia such as the application number (see 37 CFR 1.8
each sheet. Replacement sheet(s) should be labeled as such in the | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIC attached Examiner's comment regarding REQUIREMENT FOR | | |
| Attachment(s) | | |
| 1. D Notice of References Cited (PTO-892) | 5. 🗌 Examiner's | Amendment/Comment |
| 2. Information Disclosure Statements (PTO/SB/08), | 6. 🛛 Examiner's | Statement of Reasons for Allowance |
| Paper No./Mail Date
3. Examiner's Comment Regarding Requirement for Deposit | 7. 🗋 Other | |
| of Biological Material
4. Interview Summary (PTO-413),
Paper No./Mail Date | | |
| /SAVITHA RAO/
Primary Examiner, Art Unit 1629 | | |
| | | |
| U.S. Patent and Trademark Office
PTOL-37 (Rev. 09-12) Noti | ce of Allowability | Part of Paper No./Mail Date 2012 |

Application/Control Number: 13/417,137 Art Unit: 1629

DETAILED ACTION

Claims 1-3 and 5-12 are pending in the instant application.

REASONS FOR ALLOWANCE

In view of the applicants amendments and arguments filed on 12/07/2012 and the following examiners statement of reasons for allowance, claims 1-3 and 5-12 are found to be allowable.

Following a diligent search it was determined that the prior art neither teaches nor provides adequate motivation to arrive at the instantly claimed method for adjusting dosage of a nitrogen scavenging drug in a subject who has previously been administered an initial dosage of the nitrogen scavenging drug, and a method of administering a nitrogen scavenging drug to a subject having a nitrogen retention disorder or a method of treating a subject with nitrogen retention disorder who has previously been administered an initial dosage of nitrogen scavenging drug comprising: a) measuring a fasting blood ammonia level for the subject; b) comparing the fasting blood ammonia level to the upper limit of normal for blood ammonia level; and c) administering an adjusted dosage of the nitrogen scavenging drug, wherein the adjusted dosage is greater than the initial if the fasting blood ammonia level is greater than half the upper limit of normal for blood ammonia level.

Conclusion

Claims 1-3 and 5-12 (renumbered 1-11) are allowed.

Page 2

Application/Control Number: 13/417,137 Art Unit: 1629

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAVITHA RAO whose telephone number is (571)270-5315. The examiner can normally be reached on Mon-Fri 7.00 am to 4.00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Melanie McCormick can be reached at 571-272-8037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/SAVITHA RAO/

Primary Examiner, Art Unit 1629

Application/Control Number: 13/417,137 Art Unit: 1629 Page 4

| 417137 | SCHARSCHMIDT ET AL |
|--------|--------------------|
| aminer | Art Unit |
| | |

| | SEARCHED | | |
|-------|---------------|------------|----------|
| Class | Subclass | Date | Examiner |
| 424 | 9.2 | 12/20/2012 | SR |
| 514 | 533, 433, 432 | 12/20/2012 | SR |

| SEARCH NOTES | | | |
|---|------------|----------|--|
| Search Notes | Date | Examiner | |
| EAST search (see attached) | 11/16/2012 | SR | |
| inventor search in EAST and PALM | 11/16/2012 | SR | |
| STN search for NPL and patents (see attached) | 11/16/2012 | SR | |
| updated EAST search (see attached) | 12/20/2012 | SR | |
| updated inventor search in EAST | 12/20/2012 | SR | |
| updated STN search for NPL and patents (see attached) | 12/20/2012 | SR | |

| | INTERFERENCE S | EARCH | |
|-------|----------------|------------|----------|
| Class | Subclass | Date | Examiner |
| 424 | 7.2 | 12/20/2012 | SR |
| 514 | 533, 433, 432 | 12/20/2012 | SR |

| /SAVITHA RAO/
Primary Examiner,Art Unit 1629 | |
|---|--|
| | |

U.S. Patent and Trademark Office

Г

Part of Paper No. 9.220121220A

| Electronic A | cknowledgement Receipt |
|--------------------------------------|---|
| EFS ID: | 15032264 |
| Application Number: | 13417137 |
| International Application Number: | |
| Confirmation Number: | 6423 |
| Title of Invention: | METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING
DRUGS |
| First Named Inventor/Applicant Name: | Bruce SCHARSCHMIDT |
| Customer Number: | 34055 |
| Filer: | Michael J. Wise/Amy Candeloro |
| Filer Authorized By: | Michael J. Wise |
| Attorney Docket Number: | 79532.8003.US02 |
| Receipt Date: | 22-FEB-2013 |
| Filing Date: | 09-MAR-2012 |
| Time Stamp: | 19:26:09 |
| Application Type: | Utility under 35 USC 111(a) |

Payment information:

| Submitted with Payment | yes |
|--|-----------------|
| Payment Type | Deposit Account |
| Payment was successfully received in RAM | \$1185 |
| RAM confirmation Number | 7735 |
| Deposit Account | 502586 |
| Authorized User | |

| Document
Number | Document Description | File Name | File Size(Bytes)/
Message Digest | Multi
Part /.zip | Pages
(if appl. |
|--|--|--|---|---|--|
| | Incure Fore Devemonst (DT/) (SED) | 2013-02-22_lssueFee_7953280 | 122178 | no | 1. |
| T | Issue Fee Payment (PTO-85B) | 02US2.pdf | 02US2.pdf
6143c577d206dr64c813d4eeb40eb10500
d16815 | | 1 |
| Warnings: | | | | | |
| Information: | | | ····· | | |
| | E WL-L+ (CROC) | 6 | 31933 | | |
| 2 | Fee Worksheet (SB06) | fee-info.pdf | ccbaf68)7a2240ce35d16)63b80cc38e069f
af45 | no | 2 |
| Warnings: | | | | | |
| and the second second second | | | | | |
| Information: | | | · · · · · · · · · · · · · · · · · · · | | |
| This Acknowled
characterized b
Post Card, as de
<u>New Applicatio</u>
If a new applica
1.53(b)-(d) and | gement Receipt evidences rece
y the applicant, and including p
escribed in MPEP 503.
<u>ns Under 35 U.S.C. 111</u>
tion is being filed and the applic
MPEP 506), a Filing Receipt (37 (
ent Receipt will establish the fil | age counts, where applicable.
ation includes the necessary c
CFR 1.54) will be issued in due o | SPTO of the indicated
It serves as evidence
omponents for a filin | of receipt si
g date (see | imilar to a
37 CFR |
| characterized b
Post Card, as de
<u>New Applicatio</u>
If a new applica
1.53(b)-(d) and
Acknowledgem
<u>National Stage</u>
If a timely sub m
U.S.C. 371 and d | y the applicant, and including p
escribed in MPEP 503.
<u>Ins Under 35 U.S.C. 111</u>
tion is being filed and the applic
MPEP 506), a Filing Receipt (37 C
ent Receipt will establish the fil
of an International Application o
ission to enter the national stage
other applicable requirements a | pt on the noted date by the US
age counts, where applicable.
Eation includes the necessary of
CFR 1.54) will be issued in due
ing date of the application.
<u>under 35 U.S.C. 371</u>
Je of an international applicati
Form PCT/DO/EO/903 indicati | SPTO of the indicated
It serves as evidence
components for a filin
course and the date s
on is compliant with t
ng acceptance of the | documents
of receipt si
g date (see
hown on th
the condition
application | imilar to a
37 CFR
is
ons of 35 |
| This Acknowled
characterized b
Post Card, as de
<u>New Applicatio</u>
If a new applica
1.53(b)-(d) and
Acknowledgem
<u>National Stage</u>
If a timely subm
U.S.C. 371 and d
national stage s | y the applicant, and including p
scribed in MPEP 503.
<u>ns Under 35 U.S.C. 111</u>
tion is being filed and the applic
MPEP 506), a Filing Receipt (37 C
ent Receipt will establish the fil
<u>of an International Application n</u>
ission to enter the national stag | pt on the noted date by the US
age counts, where applicable.
Eation includes the necessary of
CFR 1.54) will be issued in due
ing date of the application.
<u>Inder 35 U.S.C. 371</u>
Je of an international applicati
Form PCT/DO/EO/903 indicati
will be issued in addition to the | SPTO of the indicated
It serves as evidence
components for a filin
course and the date s
on is compliant with t
ng acceptance of the | documents
of receipt si
g date (see
hown on th
the condition
application | imilar to a
37 CFR
is
ons of 35 |

| Electronic Pat | ent App | lication Fee | e Transmit | tal | |
|---|---------|--------------------|----------------|-----------------|-------------------------|
| Application Number: | 134 | 17137 | | | |
| Filing Date: | 09-1 | /lar-2012 | | | |
| Title of Invention: | MET | HODS OF THERAF | PEUTIC MONITOR | ING OF NITROGEN | N SCAVENGING |
| First Named Inventor/Applicant Name: | Brue | e SCHARSCHMID | Ţ | | |
| Filer: | Mic | nael J. Wise/Amy (| Candeloro | | |
| Attorney Docket Number: | 795 | 32.8003.US02 | | | |
| Filed as Small Entity | , | | | | |
| Utility under 35 USC 111(a) Filing Fees | | | 1 | | |
| Description | | Fee Code | Quantity | Amount | Sub-Total in
USD(\$) |
| Basic Filing: | | | | | |
| Pages: | | | | | |
| Claims: | | | | | |
| Miscellaneous-Filing: | | | | | |
| Petition: | | | | | |
| Patent-Appeals-and-Interference: | | | | | |
| Post-Allowance-and-Post-Issuance: | | | | | |
| Utility Appl issue fee | | 2501 | 1 | 885 | 885 |
| Publ. Fee- early, voluntary, or normal | | 1504 | Ť | 300 | 300 |

| Description | Fee Code | Quantity | Amount | Sub-Total in
USD(\$) |
|--------------------|----------|----------|--------|-------------------------|
| Extension-of-Time: | * | | | |
| Miscellaneous: | | | | |
| | | | | |

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: <u>Mail</u> Mail Stop ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 or <u>Fax</u> (571)-273-2885

| maintenance fee notificati | one approaches in the function of the form of the fore | | s) No
Fe | ote: A certificate of | mailing o | an only be used for | ould be completed where
correspondence address as
rate "FEE ADDRESS" for
domestic mailings of the
or any other accompanying
at or formal drawing, must |
|--|--|--|--|---|-------------|-----------------------|---|
| 34055
PERKINS COII
POST OFFICE B
SEATTLE, WA 9 | OX 1208 | /2013 | | Cer | tificate of | f Mailine or Transr | |
| | | | | | | · · · · · · | (Depositor's name) |
| | | | - 14 | k | | | (Signature) |
| | | | | | | | (Date) |
| APPLICATION NO. | FILING DATE | 1.0 | FIRST NAMED INVENTO | R | ATTORN | NEY DOCKET NO. | CONFIRMATION NO. |
| 13/417,137 | 03/09/2012 | | Bruce SCHARSCHMID | Т | 7953 | 32.8003.US02 | 6423 |
| APPLN. TYPE | SMALL ENTITY | ISSUE FEE DUE | PUBLICATION FEE DUE | PREV. PAID ISSU | E FEE | TOTAL FEE(S) DUE | DATE DUE |
| nonprovisional | YES | \$885 | \$300 | \$0 | | \$1185 | 04/02/2013 |
| EXAMI | NER | ART UNIT | CLASS-SUBCLASS | 1 | | | |
| RAO, SAV | ITHA M | 1629 | 424-009200 | | | | |
| Number is required. | cation (or "Fee Address"
or more recent) attache | " Indication form
ed. Use of a Customer | registered attorney or
2 registered patent att
listed, no name will b | agent) and the nam
torneys or agents. If
e printed. | es of up I | 0 | |
| | ss an assignee is identi
in 37 CFR 3.11. Comp | | N THE PATENT (print or t
ce data will appear on the
IOT a substitute for filing a
(B) RESIDENCE: (CIT | patent. If an assign
n assignment. | | | ocument has been filed for |
| HYPERION T | THERAPEUTI | CS, INC. | South Sar | n Francisco, | CA | | |
| | | | printed on the patent) : [| | | or other private gro | up entity 📮 Government |
| 4a. The following fee(s) at
Issue Fee
D Publication Fee (No
Advance Order - # c | small entity discount p | | 4b. Payment of Fee(s): (Planck is enclosed. A check is enclosed. Payment by credit control is hered overpayment, to Depayment, to Depayment. | ard. Form PTO-2038 | is attach | ed. | |
| 5. Change in Entity Statu
a. Applicant claims | | | b. Applicant is no lo | | | | |
| NOTE: The Issue Fee and
interest as shown by the re | Publication Fee (if requestors of the United Sta | uired) will not be accep
tes Patent and Tradema | ted from anyone other than
irk Office. | the applicant; a regi | stered att | orney or agent; or th | e assignee or other party in |
| Authorized Signature _ | | 2n | | Date Feb | oruary | 22, 2013 | |
| Typed or printed name | Patrick D. M | orris | | Registration N | lo53 | 351 | |
| Alexandria, Virginia 2231. | 3-1450. | | tion is required to obtain or
R 1.14. This collection is c
ry depending upon the ind
the Chief Information Offi-
COMPLETED FORMS 7
respond to a collection of in | | | | by the USPTO to process)
g gathering, preparing, and
ne you require to complete
uriment of Commerce, P.O.
or Patents, P.O. Box 1450, |

1.46.00

PTOL-85 (Rev. 02/11) Approved for use through 08/31/2013.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandia, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | - 1 L | ISSUE DATE | PATENT NO. | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------|------------|------------|---------------------|------------------|
| 13/417,137 | | 03/26/2013 | 8404215 | 79532.8003.US02 | 6423 |
| 34055 | 7590 | 03/06/2013 | | | |

PERKINS COIE LLP POST OFFICE BOX 1208 SEATTLE, WA 98111-1208

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Bruce SCHARSCHMIDT, San Francisco, CA; Masoud Mokhtarani, Walnut Creek, CA;

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage and facilitate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit <u>SelectUSA.gov</u>.

IR103 (Rev. 10/09)

| | | United States
Address: COMMIS
PC Box 14 | Virginia 22313-1450 |
|--|-----------------------|---|---|
| APPLICATION NUMBER | FILING OR 371(C) DATE | FIRST NAMED APPLICANT | ATTY. DOCKET NO./TITLE |
| 13/417,137 | 03/09/2012 | Bruce SCHARSCHMIDT | 79532.8003.US02
CONFIRMATION NO. 642 |
| 055 | | PUBLICAT | ION NOTICE |
| ERKINS COIE LLP - LOS
OST OFFICE BOX 1247 | General | | |

Title:METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

Publication No.US-2013-0085179-A1 Publication Date:04/04/2013

SEATTLE, WA 98111-1247

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seq. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publically available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently http://www.uspto.gov/patft/.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Office of Public Records. The Office of Public Records can be reached by telephone at (703) 308-9726 or (800) 972-6382. by facsimile at (703) 305-8759, by mail addressed to the United States Patent and Trademark Office, Office of Public Records, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently http://pair.uspto.gov/. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at 1-866-217-9197.

Office of Data Managment, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

| Electronic A | Acknowledgement Receipt |
|--------------------------------------|---|
| EFS ID: | 15480943 |
| Application Number: | 13417137 |
| International Application Number: | |
| Confirmation Number: | 6423 |
| Title of Invention: | METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING
DRUGS |
| First Named Inventor/Applicant Name: | Bruce SCHARSCHMIDT |
| Customer Number: | 34055 |
| Filer: | Lauren Sliger/Colleen Kirchner |
| Filer Authorized By: | Lauren Sliger |
| Attorney Docket Number: | 79532.8003.US02 |
| Receipt Date: | 10-APR-2013 |
| Filing Date: | 09-MAR-2012 |
| Time Stamp: | 14:08:52 |
| Application Type: | Utility under 35 USC 111(a) |

Payment information:

| Submitted wit | n Payment | no | | | | |
|--------------------|---------------------------------------|-----------------------------|---|---------------------|---------------------|--|
| File Listing | | | | 100 | | |
| Document
Number | Document Description | File Name | File Size(Bytes)/
Message Digest | Multi
Part /.zip | Pages
(if appl.) | |
| .1 | Request for Certificate of Correction | CertificateofCorrection.pdf | 52493 | no | 1.4 | |
| | Request for Certificate of Correction | certificateorcorrection.pur | c21efe6754b4317/d4aa0c4894099e8dec7d4
457b | no | | |
| Warnings: | | 1 | 1 | | | |
| Information: | | | | | | |

| | Request for Certificate of Correction | RequestCertificateCorrection. | 50146 | no | - Ce 1 |
|-------------|---------------------------------------|-------------------------------|--|------|---------|
| 2 | Requestion Certificate of Correction | pdf | 96c1b491d8c963adaa8c85619e124daec90
63d6a | no | |
| Warnings: | | | | | |
| Information | E = | | | | |
| | | Total Files Size (in bytes) | 102 | 2639 | - 285-3 |
| New Applica | ations Under 35 U.S.C. 111 | | | | |

| | Under the paneowork Reduction | PTO/SB/44 (09-07
Approved for use through 08/31/2013, OMB 0651-003
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCI
Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control numbe |
|------|--|---|
| | | (Also Form PTO-1050 |
| | | UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION |
| | | Page <u>1</u> of <u>1</u> |
| | PATENT NO: : | 8,404,215 B1 |
| | APPLICATION NO. : | 13/417,137 |
| | ISSUE DATE : | March 26, 2013 |
| | INVENTOR(S) : | Bruce SCHARSCHMIDT et al. |
| | It is certified that
Patent is hereby correcte | an error appears or errors appear in the above-identified patent and that said Letters ad as shown below: |
| | On the Face pa
"NITROGEN SCAN | ge, in field (54) "TITLE", column 1, line 2, insertDRUGS after
/ENGING". |
| | Claim 2, columr | 24, line 45, insertc) before "administering the nitrogen". |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| M | | ER (Please do not use customer number below): |
| | Customer Number 340 | 55 |
| | Perkins Coie LLP
P.O. Box 1208 | |
| | Seattle, WA 98111-12 | |
| Th | Phone: (310) 788-9900
is collection of information is required |)
by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file |
| 1.64 | in a subsection of the section of th | The second |

In solilection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

79532-8003.US02/LEGAL26315708.1

Attorney Docket No. 79532.8003.US02

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: BRUCE SCHARSCHMIDT ET AL.

U.S. PATENT NO.: 8,404,215 B1

ISSUED: MARCH 26, 2013

FOR: METHODS OF THERAPEUTIC MONITORING OF NITROGEN SCAVENGING DRUGS

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322

Attn: Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

- Applicants request a Certificate of Correction to correct the error in the aboveidentified patent listed on the enclosed Form PTO/SB/44.
- The requested correction does not constitute new matter or require reexamination of the patent.
- The error listed on Form PTO/SB/44 is believed to be due to mistake on the part of the USPTO (37 C.F.R. § 1.322). Accordingly, no fee is believed to be due.
- Please send the Certificate of Correction to the undersigned at the address shown below.

Dated: April 10, 2013

Respectfully submitted,

Correspondence Address:

Customer No. 34055 Perkins Coie LLP Patent - LA P.O. Box 1208 Seattle, WA 98111-1208 Phone: (310) 788-9900 Fax: (206) 332-7198

PERKINS COIE LLP

By: <u>/Patrick D. Morris/</u> Patrick D. Morris Reg. No. 53,351

79532-8003.US02/LEGAL26315699.1

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

 PATENT NO.
 : 8,404,215 B1

 APPLICATION NO.
 : 13/417137

 DATED
 : March 26, 2013

 INVENTOR(S)
 : Scharschmidt et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, in Item [54] "TITLE", and in the Specifications, column 1, line 2, insert --DRUGS-- after "NITROGEN SCAVENGING".

In the Claims

Claim 2, column 24, line 45, insert --c)-- before "administering the nitrogen".

Signed and Sealed this Twenty-fifth Day of March, 2014

richelle K. Lee

Michelle K. Lee Deputy Director of the United States Patent and Trademark Office

| 1.60 | 100 /0 | 00/101 |
|------|-----------|--------|
| AU | 120 (Rev. | 00/101 |

| то: | Mail Stop 8 | | |
|-----|--|--|--|
| | Director of the U.S. Patent and Trademark Office | | |
| | P.O. Box 1450 | | |
| | Alexandria, VA 22313-1450 | | |

REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK

In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court United States District Court, Eastern District of Texas on the following

| DOCKET NO.
2:14-CV-384 | DATE FILED
4/23/2014 | U.S. DISTRICT COURT
United States District Court, Eastern District of Texas | |
|------------------------------------|--------------------------------|--|--|
| PLAINTIFF
Hyperion Therapeutics | s, Inc. | DEFENDANT
Par Pharmaceutical, Inc. | |
| PATENT OR
TRADEMARK NO. | DATE OF PATENT
OR TRADEMARK | HOLDER OF PATENT OR TRADEMARK | |
| 1 8,404,215 | 3/26/2013 | Hyperion Therapeutics, Inc. | |
| 2 8,642,012 | 2/4/2014 | Hyperion Therapeutics, Inc. | |
| 3 | | | |
| 4 | | | |
| 5 | | | |

In the above--entitled case, the following patent(s)/ trademark(s) have been included:

| DATE INCLUDED | INCLUDED BY | Answer Cross Bill Other Pleading | |
|----------------------------|--------------------------------|----------------------------------|--|
| PATENT OR
TRADEMARK NO. | DATE OF PATENT
OR TRADEMARK | HOLDER OF PATENT OR TRADEMARK | |
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | 1 | | |
| 5 | | | |

In the above-entitled case, the following decision has been rendered or judgement issued:

| DECISION/JUDGEMENT | |
|--------------------|--|
| | |

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy