

ETSI TS 100 977 V7.4.0 (1999-12)

Technical Specification

**Digital cellular telecommunications system (Phase 2+);
Specification of the Subscriber Identity Module -
Mobile Equipment (SIM - ME) interface
(GSM 11.11 version 7.4.0 Release 1998)**



GSM®
GLOBAL SYSTEM FOR
MOBILE COMMUNICATIONS



Reference

RTS/SMG-091111Q7R1

Keywords

Digital cellular telecommunications system,
Global System for Mobile communications (GSM)

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr

Individual copies of this ETSI deliverable
can be downloaded from
<http://www.etsi.org>

If you find errors in the present document, send your
comment to: editor@etsi.fr

Important notice

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

opyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.
All rights reserved.

Contents

- Intellectual Property Rights8
- Foreword.....8
- 1 Scope9
- 2 References9
- 3 Definitions, abbreviations and symbols11
 - 3.1 Definitions11
 - 3.2 Abbreviations12
 - 3.3 Symbols13
- 4 Physical characteristics14
 - 4.1 Format and layout.....14
 - 4.1.1 ID-1 SIM.....14
 - 4.1.2 Plug-in SIM14
 - 4.2 Temperature range for card operation14
 - 4.3 Contacts.....14
 - 4.3.1 Provision of contacts.....14
 - 4.3.2 Activation and deactivation15
 - 4.3.3 Inactive contacts15
 - 4.3.4 Contact pressure.....15
 - 4.4 Precedence.....15
 - 4.5 Static Protection15
- 5 Electronic signals and transmission protocols15
 - 5.1 Supply voltage Vcc (contact C1).....16
 - 5.2 Reset (RST) (contact C2)16
 - 5.3 Programming voltage Vpp (contact C6).....16
 - 5.4 Clock CLK (contact C3).....17
 - 5.5 I/O (contact C7).....17
 - 5.6 States17
 - 5.7 Baudrate18
 - 5.8 Answer To Reset (ATR).....18
 - 5.8.1 Structure and contents.....18
 - 5.8.2 PPS procedure.....20
 - 5.8.3 Speed enhancement.....21
 - 5.9 Bit/character duration and sampling time21
 - 5.10 Error handling.....21
- 6 Logical Model22
 - 6.1 General description.....22
 - 6.2 File identifier22
 - 6.3 Dedicated files.....23
 - 6.4 Elementary files.....23
 - 6.4.1 Transparent EF.....23
 - 6.4.2 Linear fixed EF23
 - 6.4.3 Cyclic EF24
 - 6.5 Methods for selecting a file25
 - 6.6 Reservation of file IDs.....26
- 7 Security features.....26
 - 7.1 Authentication and cipher key generation procedure.....27
 - 7.2 Algorithms and processes27
 - 7.3 File access conditions27
- 8 Description of the functions28
 - 8.1 SELECT28
 - 8.2 STATUS.....29

- 8.3 READ BINARY 29
- 8.4 UPDATE BINARY 29
- 8.5 READ RECORD 29
- 8.6 UPDATE RECORD 30
- 8.7 SEEK 30
- 8.8 INCREASE 31
- 8.9 VERIFY CHV 31
- 8.10 CHANGE CHV 32
- 8.11 DISABLE CHV 32
- 8.12 ENABLE CHV 32
- 8.13 UNBLOCK CHV 33
- 8.14 INVALIDATE 33
- 8.15 REHABILITATE 33
- 8.16 RUN GSM ALGORITHM 33
- 8.17 SLEEP 34
- 8.18 TERMINAL PROFILE 34
- 8.19 ENVELOPE 34
- 8.20 FETCH 34
- 8.21 TERMINAL RESPONSE 34
- 9 Description of the commands 34
 - 9.1 Mapping principles 35
 - 9.2 Coding of the commands 37
 - 9.2.1 SELECT 38
 - 9.2.2 STATUS 40
 - 9.2.3 READ BINARY 40
 - 9.2.4 UPDATE BINARY 41
 - 9.2.5 READ RECORD 41
 - 9.2.6 UPDATE RECORD 41
 - 9.2.7 SEEK 41
 - 9.2.8 INCREASE 42
 - 9.2.9 VERIFY CHV 42
 - 9.2.10 CHANGE CHV 42
 - 9.2.11 DISABLE CHV 43
 - 9.2.12 ENABLE CHV 43
 - 9.2.13 UNBLOCK CHV 43
 - 9.2.14 INVALIDATE 43
 - 9.2.15 REHABILITATE 43
 - 9.2.16 RUN GSM ALGORITHM 43
 - 9.2.17 SLEEP 44
 - 9.2.18 GET RESPONSE 44
 - 9.2.19 TERMINAL PROFILE 44
 - 9.2.20 ENVELOPE 44
 - 9.2.21 FETCH 45
 - 9.2.22 TERMINAL RESPONSE 45
 - 9.3 Definitions and coding 45
 - 9.4 Status conditions returned by the card 46
 - 9.4.1 Responses to commands which are correctly executed 47
 - 9.4.2 Responses to commands which are postponed 47
 - 9.4.3 Memory management 47
 - 9.4.4 Referencing management 47
 - 9.4.5 Security management 47
 - 9.4.6 Application independent errors 47
 - 9.4.7 Commands versus possible status responses 48
- 10 Contents of the Elementary Files (EF) 48
 - 10.1 Contents of the EFs at the MF level 49
 - 10.1.1 EF^{ICCID} (ICC Identification) 49
 - 10.1.2 EF^{ELP} (Extended language preference) 50
 - 10.2 DFs at the GSM application level 50
 - 10.3 Contents of files at the GSM application level 51

- 10.3.1 EF_{LP} (Language preference).....51
- 10.3.2 EF_{IMSI} (IMSI)51
- 10.3.3 EF_{Kc} (Ciphering key Kc).....52
- 10.3.4 EF_{PLMNsel} (PLMN selector)52
- 10.3.5 EF_{HPLMN} (HPLMN search period).....53
- 10.3.6 EF_{ACMmax} (ACM maximum value).....54
- 10.3.7 EF_{SST} (SIM service table).....55
- 10.3.8 EF_{ACM} (Accumulated call meter).....57
- 10.3.9 EF_{GID1} (Group Identifier Level 1).....57
- 10.3.10 EF_{GID2} (Group Identifier Level 2).....57
- 10.3.11 EF_{SPN} (Service Provider Name)58
- 10.3.12 EF_{PUCT} (Price per unit and currency table)58
- 10.3.13 EF_{CBMI} (Cell broadcast message identifier selection)59
- 10.3.14 EF_{BCCH} (Broadcast control channels)60
- 10.3.15 EF_{ACC} (Access control class)60
- 10.3.16 EF_{FPLMN} (Forbidden PLMNs).....61
- 10.3.17 EF_{LOCI} (Location information).....61
- 10.3.18 EF_{AD} (Administrative data).....63
- 10.3.19 EF_{Phase} (Phase identification).....64
- 10.3.20 EF_{VGCS} (Voice Group Call Service).....64
- 10.3.21 EF_{VGCS} (Voice Group Call Service Status).....65
- 10.3.22 EF_{VBS} (Voice Broadcast Service).....66
- 10.3.23 EF_{VBSS} (Voice Broadcast Service Status).....66
- 10.3.24 EF_{eMLPP} (enhanced Multi Level Pre-emption and Priority).....66
- 10.3.25 EF_{AAeM} (Automatic Answer for eMLPP Service)67
- 10.3.26 EF_{CBMID} (Cell Broadcast Message Identifier for Data Download).....68
- 10.3.27 EF_{ECC} (Emergency Call Codes).....69
- 10.3.28 EF_{CBMIR} (Cell broadcast message identifier range selection).....70
- 10.3.29 EF_{DCK} De-personalization Control Keys.....70
- 10.3.30 EF_{CNL}(Co-operative Network List)70
- 10.3.31 EF_{NIA}(Network's Indication of Alerting)72
- 10.3.32 EF_{KcGPRS} (GPRS Ciphering key KcGPRS).....73
- 10.3.33 EF_{LOCIGPRS} (GPRS location information).....73
- 10.3.34 EF_{SUME} (SetUpMenu Elements).....75
- 10.4 Contents of DFs at the GSM application level75
- 10.4.1 Contents of files at the GSM SoLSA level.....75
- 10.4.1.1 EF_{SAI} (SoLSA Access Indicator).....76
- 10.4.1.2 EF_{SLL} (SoLSA LSA List).....76
- 10.4.1.3 LSA Descriptor files.....79
- 10.5 Contents of files at the telecom level.....80
- 10.5.1 EF_{ADN} (Abbreviated dialling numbers)80
- 10.5.2 EF_{FDN} (Fixed dialling numbers)83
- 10.5.3 EF_{SMS} (Short messages)83
- 10.5.4 EF_{CCP} (Capability configuration parameters).....84
- 10.5.5 EF_{MSISDN} (MSISDN)85
- 10.5.6 EF_{SMSP} (Short message service parameters).....85
- 10.5.7 EF_{SMSS} (SMS status).....87
- 10.5.8 EF_{LND} (Last number dialled).....88
- 10.5.9 EF_{SDN} (Service Dialling Numbers).....88
- 10.5.10 EF_{EXT1} (Extension1).....89
- 10.5.11 EF_{EXT2} (Extension2).....90
- 10.5.12 EF_{EXT3} (Extension3).....90
- 10.5.13 EF_{BDN} (Barred Dialling Numbers)90
- 10.5.14 EF_{EXT4} (Extension4).....91
- 10.5.15 EF_{SMSR} (Short message status reports).....91
- 10.6 DFs at the telecom level92
- 10.6.1 Contents of files at the telecom graphics level.....92
- 10.6.1.1 EF_{IMG} (Image)92
- 10.6.1.2 Image Instance Data Files94
- 10.7 Files of GSM94

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.