

# ETSI TS 100 977 V7.4.0 (1999-12)

---

*Technical Specification*

**Digital cellular telecommunications system (Phase 2+);  
Specification of the Subscriber Identity Module -  
Mobile Equipment (SIM - ME) interface  
(GSM 11.11 version 7.4.0 Release 1998)**

---



---

Reference

---

RTS/SMG-091111Q7R1

---

Keywords

---

Digital cellular telecommunications system,  
Global System for Mobile communications (GSM)

---

**ETSI**

---

Postal address

---

F-06921 Sophia Antipolis Cedex - FRANCE

---

Office address

---

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16  
Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

Internet

---

secretariat@etsi.fr  
Individual copies of this ETSI deliverable  
can be downloaded from  
<http://www.etsi.org>  
If you find errors in the present document, send your  
comment to: editor@etsi.fr

---

**Important notice**

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

---

**copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999.  
All rights reserved.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
1 Scope .....	9
2 References .....	9
3 Definitions, abbreviations and symbols .....	11
3.1 Definitions .....	11
3.2 Abbreviations .....	12
3.3 Symbols .....	13
4 Physical characteristics .....	14
4.1 Format and layout.....	14
4.1.1 ID-1 SIM.....	14
4.1.2 Plug-in SIM .....	14
4.2 Temperature range for card operation .....	14
4.3 Contacts.....	14
4.3.1 Provision of contacts.....	14
4.3.2 Activation and deactivation .....	15
4.3.3 Inactive contacts .....	15
4.3.4 Contact pressure.....	15
4.4 Precedence.....	15
4.5 Static Protection .....	15
5 Electronic signals and transmission protocols .....	15
5.1 Supply voltage Vcc (contact C1).....	16
5.2 Reset (RST) (contact C2) .....	16
5.3 Programming voltage Vpp (contact C6).....	16
5.4 Clock CLK (contact C3).....	17
5.5 I/O (contact C7).....	17
5.6 States .....	17
5.7 Baudrate .....	18
5.8 Answer To Reset (ATR).....	18
5.8.1 Structure and contents.....	18
5.8.2 PPS procedure.....	20
5.8.3 Speed enhancement.....	21
5.9 Bit/character duration and sampling time .....	21
5.10 Error handling.....	21
6 Logical Model .....	22
6.1 General description.....	22
6.2 File identifier .....	22
6.3 Dedicated files.....	23
6.4 Elementary files.....	23
6.4.1 Transparent EF.....	23
6.4.2 Linear fixed EF .....	23
6.4.3 Cyclic EF .....	24
6.5 Methods for selecting a file .....	25
6.6 Reservation of file IDs.....	26
7 Security features.....	26
7.1 Authentication and cipher key generation procedure.....	27
7.2 Algorithms and processes .....	27
7.3 File access conditions .....	27
8 Description of the functions .....	28
8.1 SELECT .....	28
8.2 STATUS.....	29

8.3	READ BINARY .....	29
8.4	UPDATE BINARY .....	29
8.5	READ RECORD .....	29
8.6	UPDATE RECORD .....	30
8.7	SEEK .....	30
8.8	INCREASE .....	31
8.9	VERIFY CHV .....	31
8.10	CHANGE CHV .....	32
8.11	DISABLE CHV .....	32
8.12	ENABLE CHV .....	32
8.13	UNBLOCK CHV .....	33
8.14	INVALIDATE .....	33
8.15	REHABILITATE .....	33
8.16	RUN GSM ALGORITHM .....	33
8.17	SLEEP .....	34
8.18	TERMINAL PROFILE .....	34
8.19	ENVELOPE .....	34
8.20	FETCH .....	34
8.21	TERMINAL RESPONSE .....	34
9	Description of the commands .....	34
9.1	Mapping principles .....	35
9.2	Coding of the commands .....	37
9.2.1	SELECT .....	38
9.2.2	STATUS .....	40
9.2.3	READ BINARY .....	40
9.2.4	UPDATE BINARY .....	41
9.2.5	READ RECORD .....	41
9.2.6	UPDATE RECORD .....	41
9.2.7	SEEK .....	41
9.2.8	INCREASE .....	42
9.2.9	VERIFY CHV .....	42
9.2.10	CHANGE CHV .....	42
9.2.11	DISABLE CHV .....	43
9.2.12	ENABLE CHV .....	43
9.2.13	UNBLOCK CHV .....	43
9.2.14	INVALIDATE .....	43
9.2.15	REHABILITATE .....	43
9.2.16	RUN GSM ALGORITHM .....	43
9.2.17	SLEEP .....	44
9.2.18	GET RESPONSE .....	44
9.2.19	TERMINAL PROFILE .....	44
9.2.20	ENVELOPE .....	44
9.2.21	FETCH .....	45
9.2.22	TERMINAL RESPONSE .....	45
9.3	Definitions and coding .....	45
9.4	Status conditions returned by the card .....	46
9.4.1	Responses to commands which are correctly executed .....	47
9.4.2	Responses to commands which are postponed .....	47
9.4.3	Memory management .....	47
9.4.4	Referencing management .....	47
9.4.5	Security management .....	47
9.4.6	Application independent errors .....	47
9.4.7	Commands versus possible status responses .....	48
10	Contents of the Elementary Files (EF) .....	48
10.1	Contents of the EFs at the MF level .....	49
10.1.1	EF <sup>ICCID</sup> (ICC Identification) .....	49
10.1.2	EF <sup>ELP</sup> (Extended language preference) .....	50
10.2	DFs at the GSM application level .....	50
10.3	Contents of files at the GSM application level .....	51

10.3.1	EF <sub>LP</sub> (Language preference).....	51
10.3.2	EF <sub>IMSI</sub> (IMSI) .....	51
10.3.3	EF <sub>Kc</sub> (Ciphering key Kc).....	52
10.3.4	EF <sub>PLMNsel</sub> (PLMN selector) .....	52
10.3.5	EF <sub>HPLMN</sub> (HPLMN search period).....	53
10.3.6	EF <sub>ACMmax</sub> (ACM maximum value).....	54
10.3.7	EF <sub>SST</sub> (SIM service table).....	55
10.3.8	EF <sub>ACM</sub> (Accumulated call meter).....	57
10.3.9	EF <sub>GID1</sub> (Group Identifier Level 1).....	57
10.3.10	EF <sub>GID2</sub> (Group Identifier Level 2).....	57
10.3.11	EF <sub>SPN</sub> (Service Provider Name) .....	58
10.3.12	EF <sub>PUCT</sub> (Price per unit and currency table) .....	58
10.3.13	EF <sub>CBMI</sub> (Cell broadcast message identifier selection) .....	59
10.3.14	EF <sub>BCCH</sub> (Broadcast control channels) .....	60
10.3.15	EF <sub>ACC</sub> (Access control class) .....	60
10.3.16	EF <sub>FPLMN</sub> (Forbidden PLMNs).....	61
10.3.17	EF <sub>LOCI</sub> (Location information) .....	61
10.3.18	EF <sub>AD</sub> (Administrative data).....	63
10.3.19	EF <sub>Phase</sub> (Phase identification).....	64
10.3.20	EF <sub>VGCS</sub> (Voice Group Call Service).....	64
10.3.21	EF <sub>VGCS</sub> (Voice Group Call Service Status) .....	65
10.3.22	EF <sub>VBS</sub> (Voice Broadcast Service).....	66
10.3.23	EF <sub>VBSS</sub> (Voice Broadcast Service Status) .....	66
10.3.24	EF <sub>eMLPP</sub> (enhanced Multi Level Pre-emption and Priority).....	66
10.3.25	EF <sub>AAeM</sub> (Automatic Answer for eMLPP Service) .....	67
10.3.26	EF <sub>CBMID</sub> (Cell Broadcast Message Identifier for Data Download).....	68
10.3.27	EF <sub>ECC</sub> (Emergency Call Codes) .....	69
10.3.28	EF <sub>CBMIR</sub> (Cell broadcast message identifier range selection).....	70
10.3.29	EF <sub>DCK</sub> De-personalization Control Keys .....	70
10.3.30	EF <sub>CNL</sub> (Co-operative Network List) .....	70
10.3.31	EF <sub>NIA</sub> (Network's Indication of Alerting) .....	72
10.3.32	EF <sub>KcGPRS</sub> (GPRS Ciphering key KcGPRS).....	73
10.3.33	EF <sub>LOCIGPRS</sub> (GPRS location information).....	73
10.3.34	EF <sub>SUME</sub> (SetUpMenu Elements).....	75
10.4	Contents of DFs at the GSM application level .....	75
10.4.1	Contents of files at the GSM SoLSA level.....	75
10.4.1.1	EF <sub>SAI</sub> (SoLSA Access Indicator).....	76
10.4.1.2	EF <sub>SLL</sub> (SoLSA LSA List).....	76
10.4.1.3	LSA Descriptor files.....	79
10.5	Contents of files at the telecom level.....	80
10.5.1	EF <sub>ADN</sub> (Abbreviated dialling numbers) .....	80
10.5.2	EF <sub>FDN</sub> (Fixed dialling numbers) .....	83
10.5.3	EF <sub>SMS</sub> (Short messages) .....	83
10.5.4	EF <sub>CCP</sub> (Capability configuration parameters).....	84
10.5.5	EF <sub>MSISDN</sub> (MSISDN) .....	85
10.5.6	EF <sub>SMSP</sub> (Short message service parameters).....	85
10.5.7	EF <sub>SMSS</sub> (SMS status).....	87
10.5.8	EF <sub>LND</sub> (Last number dialled).....	88
10.5.9	EF <sub>SDN</sub> (Service Dialling Numbers).....	88
10.5.10	EF <sub>EXT1</sub> (Extension1).....	89
10.5.11	EF <sub>EXT2</sub> (Extension2).....	90
10.5.12	EF <sub>EXT3</sub> (Extension3).....	90
10.5.13	EF <sub>BDN</sub> (Barred Dialling Numbers) .....	90
10.5.14	EF <sub>EXT4</sub> (Extension4).....	91
10.5.15	EF <sub>SMSR</sub> (Short message status reports).....	91
10.6	DFs at the telecom level .....	92
10.6.1	Contents of files at the telecom graphics level.....	92
10.6.1.1	EF <sub>IMG</sub> (Image) .....	92
10.6.1.2	Image Instance Data Files .....	94
10.7	Files of GSM .....	94

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.