

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

- [Home](#)
- [Quick](#)
- [Advanced](#)
- [Pat Num](#)
- [Help](#)
- [Next List](#)
- [Bottom](#)
- [View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

Hits 1 through 50 out of 206

Next 50 Hits

Jump To

Refine Search

an/("kuhn s.a")

PAT. NO.	Title	
1 9,521,801	Agricultural machine with foldable extension arm	
2 9,491,900	Distribution box for single-seed seed drill with open grooves and seed drill using such a box	
3 9,468,141	Device for a self-regulated pneumatic supply with a means for regulating the air passage section	
4 9,462,742	Distribution machine with a device for remotely supplying at least one auxiliary tank comprising an air exhaust device	
5 9,408,340	Coupling device and agricultural machine comprising such a device	
6 9,357,698	Cutting machine with improved cinematics	
7 9,198,357	Pick-up device with articulated pick-up units and agricultural machine equipped with such a device	
8 9,198,356	Haymaking machine with rotor blocking system	
9 9,192,102	Agricultural harvesting machine comprising an improved device for guiding plants	
10 9,144,198	Harvesting machine with a lightening device	
11 9,084,390	Agricultural machine with an improved terrain following for the work elements	
12 9,066,466	Remote supply device for a single seeder and single seeder using such a supply device	
13 8,915,054	Rotor of haymaking machine provided with arms in two parts connected by a connecting device	
14 8,783,197	Single seeder with a foldable chassis and at least one distribution head arranged at the rear of the seeder	
15 D693,855	Conditioning finger of a mower-conditioner	Oxbo International Corporation, Patent Owner
16 8,578,690	Haymaking machine provided with a hitching device with an inclined	Exhibit 2016
17 8,573,321	Foldable seeder	H&S Manufacturing Company, Inc. v. Oxbo International Corporation
18 8,458,997	Plant mower-conditioner comprising a device for uniformly distributing the ground	IPR2016-00950

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

































Hits 1 through 50 out of 206

Next 50 Hits

Jump To

Refine Search

PAT. NO.	Title
1 9,521,801	Agricultural machine with foldable extension arm
2 9,491,900	Distribution box for single-seed seed drill with open grooves and seed drill using such a box
3 9,468,141	Device for a self-regulated pneumatic supply with a means for regulating the air passage section
4 9,462,742	Distribution machine with a device for remotely supplying at least one auxiliary tank comprising an air exhaust device
5 9,408,340	Coupling device and agricultural machine comprising such a device
6 9,357,698	Cutting machine with improved cinematics
7 9,198,357	Pick-up device with articulated pick-up units and agricultural machine equipped with such a device
8 9,198,356	Haymaking machine with rotor blocking system
9 9,192,102	Agricultural harvesting machine comprising an improved device for guiding plants
10 9,144,198	Harvesting machine with a lightening device
11 9,084,390	Agricultural machine with an improved terrain following for the work elements
12 9,066,466	Remote supply device for a single seeder and single seeder using such a supply device
13 8,915,054	Rotor of haymaking machine provided with arms in two parts connected by a connecting device
14 8,783,197	Single seeder with a foldable chassis and at least one distribution head arranged at the rear of the seeder
15 D693,855	Conditioning finger of a mower-conditioner
16 8,578,690	Haymaking machine provided with a hitching device with an inclined pivoting axis
17 8,573,321	Foldable seeder
18 8,458,997	Plant mower-conditioner comprising a device for uniformly distributing plants thrown back to the ground

- 19 [8,225,588](#)  [Agricultural mower comprising a carrying vehicle with plural pivotable front and lateral work units and a height adjustable front hitching device](#)
 - 20 [8,220,233](#)  [Agricultural mower comprising a carrying vehicle with four steering and driving wheels and plural pivotable front and lateral work units](#)
 - 21 [8,074,432](#)  [Agricultural mower comprising a carrying vehicle and several work units](#)
 - 22 [D647,538](#)  [Disc of rotary mower](#)
 - 23 [8,037,666](#)  [Mower with an lightening device including torsion bars](#)
 - 24 [8,020,364](#)  [Haymaking machine with a central protector](#)
 - 25 [D640,289](#)  [Disc of rotary mower](#)
 - 26 [D633,110](#)  [Cutting blade with a left side cutting edge](#)
 - 27 [D627,797](#)  [Cutting blade with a right side cutting edge](#)
 - 28 [7,828,071](#)  [Agricultural implement comprising an improved hitch structure](#)
 - 29 [7,823,371](#)  [Guiding arrangement for forage pickup device of an agricultural harvester](#)
 - 30 [7,712,295](#)  [Agricultural machine comprising a motor vehicle and several working units intended to cut plant products](#)
 - 31 [7,673,439](#)  [Agricultural machine for swathing products lying on the ground](#)
 - 32 [7,654,067](#)  [Mower-conditioner equipped with first and second hollow rollers with reliefs](#)
 - 33 [7,628,004](#)  [Machine for gathering products such as grass](#)
 - 34 [7,610,741](#)  [Mower with foldable mowing units](#)
 - 35 [7,543,433](#)  [Agricultural machine for cutting products](#)
 - 36 [7,523,601](#)  [Mower with an unfolding and folding device that includes a tilting element, a link rod, and a hydraulic jack](#)
 - 37 [7,500,341](#)  [Agricultural cutter comprising a carrier vehicle and several work units](#)
 - 38 [7,418,811](#)  [Mid mount rakes and pickup with side delivery swathers](#)
 - 39 [7,380,393](#)  [Windrower for plant matter with three raking wheels](#)
 - 40 [7,380,391](#)  [Agricultural mower maneuvering and lightening devices](#)
 - 41 [7,370,459](#)  [Agricultural machine, particularly of the rotary mower type, comprising an improved chopping device](#)
 - 42 [7,337,599](#)  [Device for processing fodder](#)
 - 43 [7,127,876](#)  [Device for treating fodder and reaping machine which uses such device for treating fodder](#)
 - 44 [7,100,350](#)  [Haying machine](#)
 - 45 [7,055,300](#)  [Cutting machine, particularly an agricultural mower whose placing in transport position is simplified](#)
 - 46 [6,996,965](#)  [Processing element for agricultural machines](#)
 - 47 [6,907,719](#)  [Agricultural implement comprising a transporting device](#)
 - 48 [6,748,730](#)  [Haymaking machine with telescopic carrier arms](#)
 - 49 [6,679,038](#)  [Haymaking machine, particularly a mower with a windrow grouping device](#)
 - 50 [6,668,531](#)  [Harvesting machine with freewheel compensation](#)
-

Home	Quick	Advanced	Pat Num	Help
Next List	Top	View Cart		

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Prev. List](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...

































Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

Hits 51 through 100 out of 206

[Prev. 50 Hits](#)[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

	PAT. NO.	Title
51	6,612,102	Mower comprising a windrow grouping mechanism
52	6,564,879	Locking device for a guard of soil-working machine
53	6,499,413	Seed planting device and seed drill using such devices
54	6,467,249	Hay making machine comprising at least one raking wheel articulated to a carrying arm
55	6,463,726	Hay harvesting machine provided with at least a swathing rotor equipped with a deflector with adjustable position
56	D462,702	Reaper cutter blade
57	6,427,428	Cutting device for a cutting machine
58	6,393,811	Cutting element for a rotary cutting machine
59	6,381,935	Cutting machine comprising a cutting device connected to a chassis by means of an improved connecting device
60	6,349,529	Operating device for an agricultural machine
61	6,345,490	Agricultural machine including a locking mechanism for preventing a double-rod ram from rotating around its longitudinal axis
62	6,334,292	Belt tensioner
63	6,328,327	Adapter device allowing the drawbar of an agricultural machine to be connected optimally to a hitching bar of a tractor
64	D450,065	Disk for mower blades
65	6,311,464	Mowing machine
66	6,308,504	Device for treating cut fodder and mower employing such a treatment device
67	D449,623	Disk for mower blades
68	6,305,153	Cutting member for agricultural mower

- 69 [D449,314](#)  [Mower element](#)
- 70 [D449,313](#)  [Mower element](#)
- 71 [D449,312](#)  [Mower element](#)
- 72 [D449,054](#)  [Cutting member of a cutting machine](#)
- 73 [D449,053](#)  [Reinforced mower blade and reinforced mower blade with lid](#)
- 74 [D448,779](#)  [Mower element](#)
- 75 [6,269,619](#)  [Mower with a centralized device for adjusting the lightening force exerted on the harvesting mechanism](#)
- 76 [6,189,306](#)  [Agricultural machine comprising a pivotable drawbar and transmission members comprising a coupling with universal joints](#)
- 77 [6,125,619](#)  [Implement or machine comprising a working unit articulated to a carrying structure, and method of articulation](#)
- 78 [6,101,796](#)  [Mower including a device preventing the vibrations from being transmitted between the cutting mechanism and the carrying structure](#)
- 79 [6,085,501](#)  [Automatic adjusting for lightening a machine working unit: method, device and machine](#)
- 80 [6,082,276](#)  [Disk colter for seed drills](#)
- 81 [6,055,800](#)  [Agricultural cutting machine comprising an improved suspension device for the cutting mechanism](#)
- 82 [6,050,076](#)  [Haymaking machine](#)
- 83 [6,003,291](#)  [Agriculture machine](#)
- 84 [5,992,133](#)  [Agricultural machine for harvesting plant matter, with two conditioning units](#)
- 85 [5,966,913](#)  [Conditioning device, conditioning machine and mower-conditioner comprising such a device](#)
- 86 [5,953,894](#)  [Haymaking machine](#)
- 87 [5,934,050](#)  [Cutting machine fitted with an automatic retractable stop](#)
- 88 [5,901,537](#)  [Cutting machine with a device for locking the cutting mechanism](#)
- 89 [5,901,533](#)  [Agricultural machine](#)
- 90 [5,896,733](#)  [Cutting machine](#)
- 91 [5,873,228](#)  [Shredder for plants](#)
- 92 [5,862,659](#)  [Haymaking machine with at least one windrowing rotor](#)
- 93 [5,857,314](#)  [Mower with an improved set-down member](#)
- 94 [5,852,921](#)  [Mower with improved windrowing device](#)
- 95 [5,839,261](#)  [Mower with an improved operating device](#)
- 96 [5,794,424](#)  [Mowing machine having a harvesting mechanism with a lightening device](#)
- 97 [5,784,873](#)  [Haymaking machine with a foldable protection device](#)
- 98 [5,749,390](#)  [Valve having four connection ports and two positions](#)
- 99 [5,743,075](#)  [Haymaking machine](#)
- 100 [5,727,371](#)  [Agricultural machine used for cutting vegetables with an improved protection device](#)
-

[Prev. List](#) [Next List](#) [Top](#) [View Cart](#)

[Home](#) [Quick](#) [Advanced](#) [Pat Num](#) [Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Prev. List](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...


Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

Hits 101 through 150 out of 206

[Prev. 50 Hits](#)[Next 50 Hits](#)[Jump To](#) [Refine Search](#)

PAT. NO.	Title
101 5,724,794	Cutting device with a control device
102 5,685,136	Haymaking machine
103 5,660,032	Locking mechanism for agricultural machine
104 5,605,032	Device for cutting and chopping and/or crushing cut plants
105 5,586,421	Haymaking machine
106 5,566,537	Mower with a safety device
107 5,548,949	Hay making machine with carrying wheels
108 5,522,208	Farm machine and connecting and transmission device therefor
109 5,507,136	Mower with a cutting device and supporting structure
110 5,423,165	Cutting machine which adapts to contour of ground
111 5,419,106	Fodder-processing roller, device and mowing-conditioning machine using these rollers
112 5,417,042	Farm machine with improved load-lightening and lifting device
113 5,357,737	Mower having a device for driving processing rollers of the mower
114 5,353,580	Mower with an improved locking device
115 5,353,579	Mower with dynamic load-lightening
116 5,274,990	Haymaking machine having an adjustable deflector
117 RE34,417	Mower having separately replaceable bearing subassembly
118 5,241,809	Cutting machine with a pivoting hitching structure
119 5,199,250	Harvesting machine having an orientation element
120 5,199,249	Farm machine adaptable to the contour of the land and having a pivoting housing
121 5,158,411	Seed planting device
122 5,146,737	Farm machine having a protected joint permitting rotation between two elements

- 123 [5,136,828](#)  [Farm machine which detects an intermediate position of a connecting device](#)
- 124 [5,111,636](#)  [Haymaking machine having multiple rotors](#)
- 125 [5,107,663](#)  [Farm machine having a deformable suspension mechanism](#)
- 126 [5,107,662](#)  [Mower](#)
- 127 [5,101,616](#)  [Mower having a coupling device](#)
- 128 [5,097,908](#)  [Farm machine for working the soil](#)
- 129 [5,094,063](#)  [Mower including a group of working elements extending crosswise to a direction of advance at work](#)
- 130 [5,060,465](#)  [Transportable farm machine for windrowing products](#)
- 131 [5,060,462](#)  [Mower having a lightening mechanism](#)
- 132 [5,024,053](#)  [Agricultural machine having at least one rotor for moving products located on the ground](#)
- 133 [5,014,766](#)  [Foundry core shooter](#)
- 134 [4,999,981](#)  [Mower with assembly of cutting elements](#)
- 135 [4,996,833](#)  [Foldable haymaking machine having a plurality of rotors](#)
- 136 [4,991,383](#)  [Agricultural harvesting machine movable into two positions](#)
- 137 [4,987,959](#)  [Farm machine for working the soil](#)
- 138 [4,986,064](#)  [Harvesting machine](#)
- 139 [4,986,061](#)  [Mower with skids](#)
- 140 [4,974,399](#)  [Mower having a frame forming a deformable quadrilateral](#)
- 141 [4,970,848](#)  [Mower with release safety device](#)
- 142 [4,953,346](#)  [Tractor driven farm machine](#)
- 143 [4,947,629](#)  [Mower](#)
- 144 [4,922,700](#)  [Haymaking machine](#)
- 145 [4,922,699](#)  [Farm machines with a jointed toolholding frame](#)
- 146 [4,922,693](#)  [Mower equipped with a cutting bar](#)
- 147 [4,914,901](#)  [Haymaking machine with at least one raking wheel equipped with controlled tool-carrying arms](#)
- 148 [4,909,023](#)  [Mower](#)
- 149 [4,903,468](#)  [Mower-conditioner having deflector](#)
- 150 [4,899,523](#)  [Mower](#)
-

[Prev. List](#) [Next List](#) [Top](#) [View Cart](#)

[Home](#) [Quick](#) [Advanced](#) [Pat Num](#) [Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Prev. List](#)[Next List](#)[Bottom](#)[View Cart](#)

Searching US Patent Collection...































Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

Hits 151 through 200 out of 206

[Prev. 50 Hits](#)[Final 6 Hits](#)[Jump To](#) [Refine Search](#)

PAT. NO.	Title
151 4,896,493	Pivotal mowing group for a tractor
152 4,890,678	Soil-working farm machine
153 4,879,870	Mower with improved stiffening of the cutting bar
154 4,875,332	Hay making machine
155 4,856,598	Machine for working soil
156 4,848,482	Machine for working soil
157 4,848,069	Mower
158 4,833,868	Mower
159 4,811,553	Rotary mower in which the rotary cutting elements are driven by transmission means located under the rotary cutting elements
160 4,809,488	Mower with rotating drums formed from spaced standards
161 4,771,591	Rotary cutter support for a mowing machine
162 4,768,333	Farm machinery for laterally moving and turning over windrows of hay
163 4,763,463	Rotary mower in which the rotary cutting elements are driven by transmission means located under the rotary cutting elements
164 4,742,862	Foundry core shooter
165 4,730,445	Rotary mower
166 4,723,404	Haymaking machine equipped with raking wheels
167 4,723,396	Mower
168 4,720,964	Mower
169 4,719,742	Mowing machine

- 170 [4,714,123](#)  [Farm machine with improved transmission device](#)
- 171 [4,694,640](#)  [Mowing machine for cutting hay and cereal grass](#)
- 172 [4,693,065](#)  [Farm machines having flexible skirts for moving agricultural products on the ground](#)
- 173 [4,685,281](#)  [Hay spreader](#)
- 174 [4,669,256](#)  [Rotary mower having a stabilization device](#)
- 175 [4,656,821](#)  [Haymaking machine for the tedding](#)
- 176 [4,633,656](#)  [Disk mower substantially preventing soil accumulation on its housing](#)
- 177 [4,628,673](#)  [Haymaking machine for the tedding](#)
- 178 [4,621,487](#)  [Haying machines for facilitating transport thereof](#)
- 179 [4,610,128](#)  [Fodder conditioning devices](#)
- 180 [4,590,981](#)  [Cast brake crown rotor and method of producing same](#)
- 181 [4,557,104](#)  [Mower, and method of manufacturing its transmission shaft](#)
- 182 [4,552,079](#)  [Machine for planting seeds](#)
- 183 [4,496,107](#)  [Machine for removing blocks of forage from a silo](#)
- 184 [4,452,034](#)  [Elongated cutting mechanism having a removable lateral shield](#)
- 185 [4,443,998](#)  [Mower having an improved cutter bar](#)
- 186 [4,428,185](#)  [Mower](#)
- 187 [4,426,828](#)  [Mower having an improved cutter bar](#)
- 188 [4,365,462](#)  [Mower having separately replaceable bearing subassembly](#)
- 189 [4,343,138](#)  [Supporting structure for an agricultural machine](#)
- 190 [4,304,088](#)  [Rotary mower with end-to-end connected blade-carrier supports](#)
- 191 [4,299,291](#)  [Power harrow with vertical rotating rotors](#)
- 192 [4,299,078](#)  [Mower-conditioner](#)
- 193 [4,283,904](#)  [Grass forage harvester](#)
- 194 [4,245,457](#)  [Haymaking machine](#)
- 195 [4,244,163](#)  [Device for reducing the width of windrows formed by a mower](#)
- 196 [4,212,147](#)  [Fodder mower-conditioner](#)
- 197 [4,198,805](#)  [Haymaking machine](#)
- 198 [4,194,348](#)  [Haymaking machine with rotary rake heads](#)
- 199 [4,179,872](#)  [Haymaking machine for central tedding and lateral windrowing](#)
- 200 [4,175,369](#)  [Haymaking machine with lateral discharge windrowing and central tedding](#)
-

[Prev. List](#) [Next List](#) [Top](#) [View Cart](#)

[Home](#) [Quick](#) [Advanced](#) [Pat Num](#) [Help](#)

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

- [Home](#)
- [Quick](#)
- [Advanced](#)
- [Pat Num](#)
- [Help](#)
- [Prev. List](#)
- [Bottom](#)
- [View Cart](#)

Searching US Patent Collection...

Results of Search in US Patent Collection db for:

AN/"kuhn s.a": 206 patents.

Hits **201** through **206** out of **206**

Prev. 50 Hits

Jump To

Refine Search

PAT. NO.	Title
201 4,166,350	Front deflector for a mower having cutter-carrying discs driven from beneath
202 4,151,703	Machine for tedding and/or windrowing cut fodder
203 4,149,364	Machine for tedding and/or windrowing cut fodder
204 4,145,865	Machine of mower or mower-conditioner type
205 4,144,699	Haymaking machine for tedding and windrowing of fodder
206 4,059,944	Haymaking machine for the tedding and windrowing of fodder

-
- [Prev. List](#)
 - [Top](#)
 - [View Cart](#)
 - [Home](#)
 - [Quick](#)
 - [Advanced](#)
 - [Pat Num](#)
 - [Help](#)