UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE PATENT TRIAL AND APPEAL BOARD

SANTA'S BEST AND POLYGROUP LIMITED (MCO) Petitioner

V.

VARIABLE LIGHTING, LLC, Patent Owner

> Case IPR2016-01066 Patents 6,285,140 B1

DECLARATION OF MIKE WOOD

Mail Stop "PATENT BOARD" Patent Trial and Appeal Board U.S. Patent & Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450






TABLE OF CONTENTS

I.	QUA	ALIFICATIONS AND EXPERTISE	4			
II.	LEG A. B. C.	AL UNDERSTANDING	8 9			
III.	BAC PAT A. B.	GROUND OF TECHNOLOGIES DESCRIBED IN THE '140 NT				
IV.	REL A. B. C.	"variable-effect lighting system" "a pair of commonly-coupled light-emitting diodes" "conduction angle of each said illuminating element"				
V.	OVE A. B. C. D. E. F.	Overview of Kazar Overview of Smith Overview of Gomoluch Overview of Minato Overview of Lys Overview of Sato				
VI.	GRO A.	Ground 1: Claims 1, 2, 4, and 5 are obvious over Kazar and Gomoluch 1. Claim 1 2. Kazar and Gomoluch teach claim 2: "wherein the at least one pattern is selectable according to a user-operable input to the controller." 3. Kazar teaches claim 4 "wherein each said multi-coloured lamp comprises a pair of commonly-coupled light-emitting diodes, a first light-emitting diode of the light-emitting diode comprising the first illuminating element and a second light-emitting diode of the light-emitting diode pair comprising the second illuminating element."	35			
		the second mullimating element.	33			




	4.	Kazar teaches claim 5: "The lighting system according to claim 4, wherein the first and second electronic switches form an U bridge."	.55				
D	Cara	form an H-bridge."	.33				
В.	Ground 2: Claim 3 is obvious over Kazar, Gomoluch, and Minato: claim 3 recites "[t]he lighting system according to claim 1, wherein the lamp controller includes a temperature sensor for selecting the at least one pattern," as recited by claim 3						
C.		und 3: Claims 6-9 are obvious over Kazar, Sato, and					
٠.	Gomoluch						
	1.	Claim 6					
	2.	Kazar, Gomoluch, and Sato teach Claim 7: "The night light according to claim 6, wherein each said predetermined pattern is selectable according to a user-operable input to the	.66				
	3.	Kazar, Gomoluch, and Sato teach claim 8: "The night light according to claim 6, wherein each said multi-coloured lamp comprises a pair of commonly-coupled light-emitting diodes, a first light-emitting diode of the light-emitting diode comprising the first illuminating element and a second light-emitting diode of the light-emitting diode pair comprising					
		the second illuminating element."	.66				
	4.	Kazar, Gomoluch, and Sato teach claim 9: "The night light according to claim 6, wherein the controller includes an ambient light sensor for inhibiting conduction of the illuminating elements when an intensity of ambient light					
		exceeds a threshold."	.67				
D.	Grou	und 4: Claims 10-13 are obvious over Kazar, Lys, and					
	Gon	noluch	.68				
	1.	Claim 10	.68				
	2.	Kazar, Gomoluch, and Lys teach claim 11: "The jewelry piece according to claim 10, wherein each said predetermined pattern is selectable according to a user-					
		-	.75				
	3.	Kazar, Gomoluch, and Lys teach claim 12: "The jewelry	. 1 3				
	3.	piece according to claim 10, wherein the lamp controller includes a temperature sensor for selecting the at least one	.75				
	4.	pattern."	. 13				
	4.	piece according to claim 10, wherein each said multi-					



		coloured lamp comprises a pair of commonly-coupled light- emitting diodes, a first light-emitting diode of the light- emitting diode comprising the first illuminating element and a second light-emitting diode of the light-emitting diode pair
Б	Cana	comprising the second illuminating element."
E.		und 5: Claims 1, 2, 4, and 5 are obvious over Smith and
		noluch
	1. 2.	Smith and Gomoluch teach claim 2: "The lighting system
		according to claim 1, wherein the at least one pattern is
		selectable according to a user-operable input to the
		controller"
	3.	Smith and Gomoluch teach claim 4: "The lighting system according to claim 1, wherein each said multi-coloured lamp comprises a pair of commonly-coupled light-emitting
		diodes, a first light-emitting diode of the light-emitting diode comprising the first illuminating element and a second light-emitting diode of the light-emitting diode pair comprising the second illuminating element."96
	4.	Smith and Gomoluch teach claim 5: "The lighting system according to claim 4, wherein the first and second electronic switches form an H-bridge."
F.	Gro	und 6: Claim 3 is obvious over Smith, Gomoluch, and Minato:
		m 3 recites "[t]he lighting system according to claim 1, wherein
	the l	amp controller includes a temperature sensor for selecting the
		ast one pattern."100
G.	Gro	und 7: Claims 6-9 are obvious over Smith Sato, and Gomoluch102
	1.	Claim 6
	2.	Smith, Gomoluch, and Sato teach claim 7: "The night light according to claim 6, wherein each said predetermined
		pattern is selectable according to a user-operable input to the controller."
	3.	Smith, Gomoluch, and Sato teach claim 8: "The night light
	٥.	according to claim 6, wherein each said multi-coloured lamp
		comprises a pair of commonly-coupled light-emitting
		diodes, a first light-emitting diode of the light-emitting diode
		comprising the first illuminating element and a second light-
		emitting diode of the light-emitting diode pair comprising
		the second illuminating element."



		4.	Smith, Gomoluch, and Sato teach claim 9: "The night light according to claim 6, wherein the controller includes an ambient light sensor for inhibiting conduction of the illuminating elements when an intensity of ambient light	
			exceeds a threshold."	.112
	H.	Groun	nd 8: Claims 10-13 are obvious over Smith, Lys, and	
		Gomo	oluch	.113
		1.	Claim 10	.113
		2.	Smith, Gomoluch, and Lys teach claim 11: "The jewelry piece according to claim 10, wherein each said predetermined pattern is selectable according to a user-	
			operable input to the controller."	.121
		3.	Smith, Gomoluch, and Lys teach claim 12: "The jewelry piece according to claim 10, wherein the lamp controller includes a temperature sensor for selecting the at least one	122
		4.	pattern."	l r
VII	CONO		ION	124



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

