

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** US 6,552,024 B1
(45) **Date of Patent:** Apr. 22, 2003

(54) **COMPOSITIONS AND METHODS FOR MUCOSAL DELIVERY**

5,166,202 A 11/1992 Schweizer 514/220
5,166,233 A 11/1992 Kuroya et al. 524/37
5,198,436 A 3/1993 Ellinwood, Jr. et al. 514/221

(75) Inventors: **Li-Lan H. Chen**, Edison; **William R. Pfister**, Robbinsville, both of NJ (US); **Donald W. Renn**, Glen Cove, ME (US); **Thitiwan Buranachokpaisan**, Milltown, NJ (US); **James Osborne**, Princeton Junction, NJ (US); **Hock Seng Tan**, Old Bridge, NJ (US); **Li Tao**, Edison, NJ (US)

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

| | | |
|----|---------------|---------|
| CA | 1263312 | 11/1989 |
| DE | 196 46 392 A1 | 5/1998 |
| EP | 0 084 705 A2 | 8/1983 |
| EP | 0 124 027 A1 | 11/1984 |
| EP | 0 200 508 A2 | 10/1986 |
| EP | 0 124 027 B1 | 6/1990 |
| EP | 0 371 466 A1 | 6/1990 |
| EP | 0 404 490 A1 | 12/1990 |
| EP | 0 553 777 A2 | 8/1993 |
| EP | 0 586 034 A2 | 3/1994 |
| EP | 0 627 218 A1 | 12/1994 |
| EP | 0 711 547 A1 | 5/1996 |
| WO | WO 93/23017 | 11/1993 |
| WO | WO 95/01782 | 1/1995 |
| WO | WO 95/20377 | 8/1995 |
| WO | WO 95/34293 | 12/1995 |

(73) Assignee: **Lavipharm Laboratories Inc.**, Hightstown, NJ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/434,878**

(22) Filed: **Nov. 5, 1999**

Related U.S. Application Data

(60) Provisional application No. 60/116,823, filed on Jan. 21, 1999.

(51) **Int. Cl.**⁷ **A61K 31/495**; A61K 9/00; A61K 9/14; A61K 9/70; A61K 31/24; A61K 31/44; A61K 31/50; A61K 31/505; A61K 31/56

(52) **U.S. Cl.** **514/252.16**; 424/400; 424/443; 424/444; 424/484; 424/485; 424/486; 424/487; 424/488; 514/182; 514/258; 514/289; 514/343; 514/534

(58) **Field of Search** 424/400, 443, 424/444, 484, 485, 486, 487, 488; 514/182, 252.16, 258, 289, 343, 534

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|----------|--------------------------|-----------|
| 4,029,757 A | 6/1977 | Mlodozienec et al. | 424/452 |
| 4,029,758 A | 6/1977 | Mlodozienec et al. | 424/452 |
| 4,031,200 A | 6/1977 | Reif | 424/459 |
| 4,059,686 A | 11/1977 | Tanaka et al. | 424/19 |
| 4,128,445 A | 12/1978 | Sturzenegger et al. | 156/64 |
| 4,136,145 A | 1/1979 | Fuchs et al. | 264/164 |
| 4,136,162 A | 1/1979 | Fuchs et al. | 424/443 |
| 4,414,198 A | 11/1983 | Michaelson | 424/44 |
| 4,572,832 A | 2/1986 | Kigasawa et al. | 424/19 |
| 4,680,323 A | 7/1987 | Lowey | 524/43 |
| 4,683,256 A | 7/1987 | Porter et al. | 524/285 |
| 4,721,709 A | 1/1988 | Seth et al. | 514/221 |
| 4,777,046 A | 10/1988 | Iwakura et al. | 424/435 |
| 4,876,092 A | 10/1989 | Mizobuchi et al. | 424/435 |
| 4,900,552 A | 2/1990 | Sanvordeker et al. | 424/422 |
| 4,935,243 A | 6/1990 | Borkan et al. | 424/441 |
| 4,946,684 A | 8/1990 | Blank et al. | 424/441 |
| 4,950,664 A | 8/1990 | Goldberg | 514/219 |
| 4,983,385 A | * 1/1991 | Hasegawa et al. | 514/772.4 |
| 5,004,601 A | 4/1991 | Snipes | 424/78 |
| 5,013,557 A | 5/1991 | Tai | 424/493 |
| 5,047,244 A | 9/1991 | Sanvordeker et al. | 424/435 |
| 5,073,374 A | 12/1991 | McCarty | 424/435 |
| 5,077,053 A | 12/1991 | Kunczewitch et al. | 424/441 |
| 5,112,616 A | 5/1992 | McCarty | 424/435 |
| 5,135,752 A | 8/1992 | Snipes | 424/435 |

OTHER PUBLICATIONS

JP 04363332 A Patent Abstract, Dec. 16, 1992, Toru et al.
JP 08291051 A Patent Abstract, Nov. 5, 1996, Tatara et al.
JP 09216816 A Patent Abstract, Aug. 19, 1997, Nakamichi et al.

JP 09309821 Patent Abstract, Dec. 2, 1997, Nakamichi et al.
JP 09309822 Patent Abstract, Dec. 2, 1997, Nakamichi et al.
JP 10053518 Patent Abstract, Feb. 24, 1998, Kayane et al.
JP 62081432 A Patent Abstract, Apr. 14, 1987, Morohoshi et al.

JP 62135417 A Patent Abstract, Jun. 18, 1987, Tatara et al.
JP 63310818 A Patent Abstract, Dec. 19, 1998, Tatara et al.
PCT/JP92/01631—Translation, *Intrabuccally Disintegrating Preparation and Production Thereof*

(List continued on next page.)

Primary Examiner—Jose' G. Dees

Assistant Examiner—Frank Choi

(74) *Attorney, Agent, or Firm*—Dechert; Thomas S. Deibert

(57) **ABSTRACT**

Mucosal surface-coat-forming film dosage units containing a water-soluble hydrocolloid, an effective dose of an active agent and a mucosal adhesion enhancer; wherein the active agent is encapsulated within a polymer which is chemically or physically distinct from the hydrocolloid; wherein the mucosal adhesion enhancer is a starch graft copolymer; wherein the film exhibits a dry tack value of less than 3.5 g, a wet tack of greater than 35 g, a gelation temperature that is greater than 70° C. for a 2% polymer solution, a dry film thickness of less than 20 mil, a water content of 0.5 to 10%, a tensile strength greater than 1500 psi, a modulus in the range of 35,000 to 300,000 psi, a % elongation of less than 20%, a tear propagation resistance of 0.001 to 1 N, and a dissolution time in the range of 1 to 600 seconds upon application to an oral mucosal surface.

51 Claims, 6 Drawing Sheets

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|---|---------|------------------------|----------|
| 5,223,264 | A | 6/1993 | Wehling et al. | 424/466 |
| 5,229,130 | A | 7/1993 | Sharma et al. | 424/449 |
| 5,229,164 | A | 7/1993 | Pins et al. | 264/510 |
| 5,244,668 | A | 9/1993 | Snipes | 424/435 |
| 5,288,497 | A | 2/1994 | Stanley et al. | 424/440 |
| 5,346,701 | A | 9/1994 | Heiber et al. | 424/435 |
| 5,378,473 | A | 1/1995 | Sharma et al. | 424/449 |
| 5,413,792 | A | 5/1995 | Ninomiya et al. | 424/434 |
| 5,430,029 | A | 7/1995 | Biella et al. | 514/220 |
| 5,466,464 | A | 11/1995 | Masaki et al. | 424/434 |
| 5,472,704 | A | 12/1995 | Santus et al. | 424/435 |
| 5,474,783 | A | 12/1995 | Miranda et al. | 424/448 |
| 5,501,861 | A | 3/1996 | Makino et al. | 424/464 |
| 5,529,789 | A | 6/1996 | Lo | 424/473 |
| 5,558,880 | A | 9/1996 | Gole et al. | 424/484 |
| 5,567,439 | A | 10/1996 | Myers et al. | 424/486 |
| 5,569,466 | A | 10/1996 | Tanner et al. | 424/452 |
| 5,576,014 | A | 11/1996 | Mizumoto et al. | 424/435 |
| 5,595,761 | A | 1/1997 | Allen, Jr. et al. | 424/484 |
| 5,629,003 | A | 5/1997 | Horstmann et al. | 424/401 |
| 5,635,210 | A | 6/1997 | Allen, Jr. et al. | 424/465 |
| 5,648,093 | A | 7/1997 | Gole et al. | 424/484 |
| 5,650,192 | A | 7/1997 | Britton et al. | 427/2.19 |
| 5,662,920 | A | 9/1997 | Santus | 424/435 |
| 5,700,478 | A | 12/1997 | Biegajski et al. | 424/434 |
| 5,716,928 | A | 2/1998 | Benet et al. | 514/11 |
| 5,720,974 | A | 2/1998 | Makino et al. | 424/464 |
| 5,731,339 | A | 3/1998 | Lowrey | 514/400 |
| 5,770,606 | A | 6/1998 | El-Rashidy et al. | 514/284 |
| 5,807,576 | A | 9/1998 | Allen, Jr. et al. | 424/465 |
| 5,948,430 | A | 9/1999 | Zerbe et al. | 424/435 |

OTHER PUBLICATIONS

Alderman, D., A Review of Cellulose Ethers in Hydrophilic Matrices for Oral Controlled-Release Dosage Forms, *Int. J. Pharm. tech & Prod. Mfr.*, 5 (3) 1-9, 1984.

Ahuja, A. et al., Mucoadhesive Drug Delivery Systems, *Drug Development and Industrial Pharmacy*, 23 (5), 489-515, 1997.

Brewster, D. et al., The systemic bioavailability of buprenorphine by various routes of administration, *J. Pharm. Pharmacol.*, 33, 500-506, 1981.

Christie, J. et al., Dose-Titration, Multicenter Study of Oral Transmucosal Fentanyl Citrate for the Treatment of Break-through Pain in Cancer Patients Using Transdermal Fentanyl for Persistent Pain, *Journal of Clinical Oncology*, vol. 16, No. 10, 3238-3256, Oct., 1998.

Feely, et al., The influence of polymeric excipients on drug release from hydroxypropylmethylcellulose matrices, *International Journal of Pharmaceutics*, 44, 131-139, 1988.

Gandhi et al., Oral cavity as a site for bioadhesive drug delivery, *Advanced Drug Delivery Reviews*, 13, 43-74, 1994.

Harris et al, Drug Delivery via the Mucous Membranes of the Oral Cavity, *Journal of Pharmaceutical Sciences*, vol. 81, No. 1, 1-10, Jan., 1992.

Ponchel, G., Formulation of oral mucosal drug delivery systems for the systemic delivery of bioactive materials, *Advanced Drug Delivery Reviews*, 13, 75-87, 1994.

Rathbone, M. et al., The oral cavity as a site for systemic drug delivery, *Advanced Drug Delivery Reviews*, 13, 1-22, 1994.

Russell, W. et al., Pharmacokinetics of a New Sublingual Formulation of Temazepam, *European Journal of Clinical Pharmacology*, 35, 437-439, 1988.

Sasaki et al., Kinetics of Buccal Absorption of Propafenone Single Oral Loading Dose in Healthy Humans, *Gen. Pharmac.*, vol. 331, No. 4, 589-591, 1998.

Streisand, et al., Oral Transmucosal Etomidate in Volunteers, *Anesthesiology*, 88, 899-95, 1998.

Yamanouchi, In Pursuit of New Drug Delivery Technologies, Annual Report 1996, <http://www.yamanouchi.com/eg/ar96/ar06.html>.

Zhang, J. et al., Buccal Absorption of Etomidate from a Solid Formulation in Dogs, *Anesth. Analg.*, 86, 1116-22, 1998.

* cited by examiner




FIG. 1




FIG.2




FIG. 3

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.