<u>Cart</u>						SEARCH	Search >
Qu	ickCa	alcs	1. Select category	2. Choose calculator	3. Enter data	4. View results]
			Unpaired	<i>t</i> test results			
P value and statistical significance: The two-tailed P value equals 0.0037 By conventional criteria, this difference is considered to be very statistically significant.							
Confidence interval: The mean of Group One minus Group Two equals -0.3300 95% confidence interval of this difference: From -0.5523 to -0.1077							
t = 2.9168 df = 583	ite values used ir 3 error of difference						
Learn more:							
GraphPad's web site includes portions of the manual for GraphPad Prism that can help you learn							
statistics. First, review the meaning of <u>P values</u> and <u>confidence intervals</u> . Then learn how to interpret results from an <u>unpaired</u> or <u>paired</u> <i>t</i> test. These links include GraphPad's popular <i>analysis checklists</i> .					·		
Tesuits inc	on an <u>unpaireu o</u> r	<u>palleu (</u> test. 1)		ipir au s populai ariaiysis criecki	1515 .		
Review your data:							
Group	Group One	Group Two					
Mean	-0.2400	0.090	00				
SD	1.3670	1.369	94				



SEM

Ν

GraphPad Prism

0.0800

292

Organize, analyze and graph and present your scientific data. $\underline{\mbox{MORE >}}$

0.0800

293



InStat

With InStat[®] you can analyze data in a few minutes. MORE >



StatMate

StatMate[®] calculates sample size and power. MORE >



Δ

Α

Questions about curve fitting or statistics? More >

DOCKET R M Find authenticated court documents without watermarks at docketalarm.com.