PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau




(51) International Patent Classification ⁶ : G06K		(11) International Publication Number:WO 98/21683(43) International Publication Date:22 May 1998 (22.05.98)		
(21) International Application Number: PCT/IB9 (22) International Filing Date: 6 November 1997 (0	(81) Designated States: CA, IL, JP, European patent (AT, BE, CI DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, P SE).			
(30) Priority Data: 60/030,639 8 November 1996 (08.11.96) Not furnished 6 November 1997 (06.11.97)	Published Without international search report and to be republished upon receipt of that report.			
 (71) Applicant: FINJAN SOFTWARE, LTD. [II/IL]; 42 far-Haim (IL). (72) Inventor: TOUBOUL, Shlomo; 42945 Kefar-Haim (I 		3-		
54) Title: SYSTEM AND METHOD FOR PROTECTING 57) Abstract	A CC	MPUTER AND A NETWORK FROM HOSTILE DOWNLOADABLE:		
A system protects a computer from suspicious Downloadables. The system comprises a security policy, an interface for receiving a Downloadable, and a com-		105		
parator, coupled to the interface, for applying the security policy to the Downloadable to determine if the security policy has been violated. The Downloadable may include a Java TM applet, an ActiveX TM control, a JavaScript TM script, or a Visual Basic script. The security policy may include a default security policy to be applied regardless	<	External Computer Network		
of the client to whom the Downloadable is addressed, or a specific security policy to be applied based on the client or the group to which the client belongs. The sys- em uses an ID generator to compute a Downloadables		Internal Network Security System		

ID identifying the Downloadable, preferably, by fetch-ing all components of the Downloadable and performing a hashing function on the Downloadable and performing tetched components. Further, the security policy may indicate several tests to perform, including (1) a compar-ison with known becilia and non-besilia Downloadables. ison with known hostile and non-hostile Downloadables; (2) a comparison with Downloadables to be blocked or allowed per administrative override; (3) a comparison of the Downloadable security profile data against access control lists; (4) a comparison of a certificate embodied in the Downloadable against trusted certificates; and (5) a comparison of the URL from which the Downloadable originated against trusted and untrusted URLs. Based on these tests, a logical engine can determine whether to allow or block the Downloadable.

DOCKET

Α

LARM



	FOR THE PURPOSES OF INFORMATION ONLY							
	Codes used to identify	States pa	rty to the PCT on the fr	ont pages o	f pamphlets publishing ir	iternationa	al applications under the PC	
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia	
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia	
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal	
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland	
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad	
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo	
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan	
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan	
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey	
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago	
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine	
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda	
BY	Belarus	18	Iceland	MW	Malawi	US	United States of America	
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan	
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam	
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia	
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe	
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand			
СМ	Cameroon		Republic of Korea	PL	Poland			
CN	China	KR	Republic of Korea	РТ	Portugal			
CU	Cuba	КZ	Kazakstan	RO	Romania			
cz	Czech Republic	LC	Saint Lucia	RU	Russian Federation			
DE	Germany	LI	Liechtenstein	SD	Sudan			
DK	Denmark	LK	Sri Lanka	SE	Sweden			
EE	Estonia	LR	Liberia	SG	Singapore			

SYSTEM AND METHOD FOR PROTECTING A COMPUTER AND A NETWORK FROM HOSTILE DOWNLOADABLES

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

This invention relates generally to computer networks, and more particularly provides . a system and method for protecting a computer and a network from hostile Downloadables.

2. Description of the Background Art

- 10 The Internet is currently a collection of over 100,000 individual computer networks owned by governments, universities, nonprofit groups and companies, and is expanding at an accelerating rate. Because the Internet is public, the Internet has become a major source of many system damaging and system fatal application programs, commonly referred to as "viruses."
- Accordingly, programmers continue to design computer and computer network security systems for blocking these viruses from attacking both individual and network computers. On the most part, these security systems have been relatively successful. However, these security systems are not configured to recognize computer viruses which have been attached to or configured as Downloadable application programs, commonly referred to as "Downloadables." A Downloadable is an executable application program, which is downloaded from a source computer and run on the destination computer. Downloadable is typically requested by an ongoing process such as by an Internet browser or web engine. Examples of Downloadables include Java[™] applets designed for use in the Java[™] distributing environment developed by Sun Microsystems, Inc., JavaScript scripts also

DCKET LARM Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

WO 98/21683

PCT/IB97/01626

developed by Sun Microsystems, Inc., ActiveX[™] controls designed for use in the ActiveX[™] distributing environment developed by the Microsoft Corporation, and Visual Basic also developed by the Microsoft Corporation. Therefore, a system and method are needed to protect a network from hostile Downloadables.

5

SUMMARY OF THE INVENTION

The present invention provides a system for protecting a network from suspicious Downloadables. The system comprises a security policy, an interface for receiving a Downloadable, and a comparator, coupled to the interface. for applying the security policy to 10 the Downloadable to determine if the security policy has been violated. The Downloadable may include a Java[™] applet, an ActiveX[™] control, a JavaScript[™] script, or a Visual Basic script. The security policy may include a default security policy to be applied regardless of the client to whom the Downloadable is addressed, a specific security policy to be applied based on the client or the group to which the client belongs, or a specific policy to be applied based on the client/group and on the particular Downloadable received. The system uses an .ID generator to compute a Downloadable ID identifying the Downloadable, preferably, by fetching all components of the Downloadable and performing a hashing function on the Downloadable including the fetched components.

Further, the security policy may indicate several tests to perform, including (1) a comparison with known hostile and non-hostile Downloadables; (2) a comparison with Downloadables to be blocked or allowed per administrative override; (3) a comparison of the Downloadable security profile data against access control lists; (4) a comparison of a certificate embodied in the Downloadable against trusted certificates; and (5) a comparison of the URL from which the Downloadable originated against trusted and untrusted URLs.

WO 98/21683

5

PCT/IB97/01626

Based on these tests, a logical engine can determine whether to allow or block the Downloadable.

The present invention further provides a method for protecting a computer from suspicious Downloadables. The method comprises the steps of receiving a Downloadable. comparing the Downloadable against a security policy to determine if the security policy has been violated, and discarding the Downloadable if the security policy has been violated.

It will be appreciated that the system and method of the present invention may provide computer protection from known hostile Downloadables. The system and method of the present invention may identify Downloadables that perform operations deemed suspicious.

10 The system and method of the present invention may examine the Downloadable code to determine whether the code contains any suspicious operations, and thus may allow or block the Downloadable accordingly.

BRIEF DESCRIPTION OF THE DRAWINGS

15 FIG. 1 is a block diagram illustrating a network system, in accordance with the present invention;

FIG. 2 is a block diagram illustrating details of the internal network security system of FIG. 1;

FIG. 3 is a block diagram illustrating details of the security program and the security 20 database of FIG. 2;

FIG. 4 is a block diagram illustrating details of the security policies of FIG. 3;

FIG. 5 is a block diagram illustrating details of the security management console of FIG. 1;

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.