

APPENDIX C



CONTAINS 3



MICROSOFT PROFESSIONAL EDITIONS

The Professional's Companion to Windows 95

The Technical Guide
to Planning for,
Installing, Configuring,
and Supporting
Windows 95 in
Your Organization



Microsoft
Windows 95
Resource Kit

Microsoft Press

PUBLISHED BY
Microsoft Press
A Division of Microsoft Corporation
One Microsoft Way
Redmond, Washington 98052-6399

Copyright © 1995 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data pending.

Printed and bound in the United States of America.

1 2 3 4 5 6 7 8 9 QMQM 0 9 8 7 6 5

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (206) 936-7329.

Project Team: Annie Pearson, Emily Warn, Doralee Moynihan, Jane Dow, Audrey Wehba, and Yong Ok Chung

Project Managers: Steven Guggenheimer and Yusuf Mehdi

Editorial Support and Production: Tony Nahra, Susie Hunter, David Thornbrugh, Bob Bristow, Dianne Parkin, Brad Matter, and Daniel Tyler

Graphic Design and Production: Sue Wyble, Gwen Gray, Elizabeth Read, Kathy Hall, and Shane Gonzalez

Technical Contributors: Doug Sheresh, Matthew Bookspan, Kristen Crupi, Joseph Davies, Pete Delaney, Brent Ethington, Brad Hastings, Jeff Howard, Kris Iverson, Jean Kaiser, Keith Laepple, Mike Lavery, Phyllis Levy, Rob MacKaughan, Dave Pollon, Adam Taylor, Christopher Vaughan, and Autumn Womack

Technical Consultants: George Allen, Craig Beilinson, Robert Bennett, Eric Bidstrup, Brian Boston, Jane Dailey, Harold Daniels, Alec Dun, Micheal Dunn, Tod Edwards, Metin Elyazar, Brian Emanuels, Wassef Haroun, Ross Heise, Petra Hoffmann, Phil Holden, David Jaffe, Margaret Jasso, Michael Kammer, Nadine Kano, Steven Lambert, Rhonda Landy, Denise La Rue, Sarah Lefko, Joo Shian Shirley Leong, Greg Lowney, Roman Lutz, Trang Luyen, Scott McArthur, Joe Mendel, Brita Meng, George Moore, Gary Natividad, Gale Nelson, Doug Ota, Kevin Otnes, Ted Padua, Irene Pasternack, Renee Prukop, Jim Reitz, Brian Reynolds, Stephen Shay, Mark Sundt, Stan Takemoto, Viroon Touranachun, Michael Tuchen, Marianne VanDeVrede, Keith White, and Robert J. Williams

We are particularly grateful to our most important contributors and reviewers, the Microsoft Windows 95 product development and product support services teams.

continued on page 1349

Benefits of the 32-bit file access driver over MS-DOS-based driver solutions include the following:

- Dramatically improved performance and real-mode disk caching software
- No conventional memory used (real-mode SMARTDrive has been replaced)
- Better multitasking when accessing information on disk
- Dynamic cache support

Both MS-DOS and Windows 3.1 used 16-bit real-mode code to manipulate the file allocation table (FAT) and to read to and write from the disk. Being able to manipulate the disk file system from protected mode removes or reduces the need to switch to real mode to write information to the disk through MS-DOS, thus resulting in a performance gain for file I/O access.

The 32-bit VFAT works with a 32-bit, protected-mode cache driver (VCACHE). This driver replaces the 16-bit, real-mode SMARTDrive disk cache software provided with MS-DOS and Windows 3.1. The VCACHE driver features better caching algorithms than SMARTDrive, to cache information read from or written to a disk drive. The VCACHE driver also manages the cache pool for the CD-ROM File System (CDFS) and the 32-bit network redirectors provided with Windows 95.

Another big improvement in VCACHE over SMARTDrive is that the memory pool used for the cache is dynamic and is based on the amount of available free system memory. Users no longer need to allocate a block of memory as a disk cache. The system automatically allocates or deallocates memory used for the cache based on system use.

For example, as you perform a large number of activities on the network, Windows 95 increases the size of the cache. As network activity decreases and more applications are started, Windows 95 decreases the cache size.

CD-ROM File System

The 32-bit, protected-mode CDFS implemented in Windows 95 provides improved CD-ROM access and performance over the real-mode MSCDEX driver in Windows 3.1. (CDFS conforms to the ISO 9660 standard.) The CDFS driver cache is also dynamic, requiring no configuration or static allocation on the part of the user. For information about the CD-ROM cache, see Chapter 17, "Performance Tuning."