3GPP TS 36.321 V8.2.0 (2008-05)

Technical Specification

3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Evolved Universal Terrestrial Radio Access (E-UTRA) Medium Access Control (MAC) protocol specification (Release 8)



The present document has been developed within the 3rd Generation Partnership Project (3GPPTM) and may be further elaborated for the purposes of 3GPP

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification Specifications and reports for implementation of the 3GPP^{1M} system should be obtained via the 3GPP Organizational Partners' Publications Offices

RM

Evolved Wireless, LLC Exhibit 2006 – 001 Apple/Microsoft v. Evolved Wireless IPR2016-01229

Find authenticated court documents without watermarks at docketalarm.com.

DOCKET

Δ

RM

Δ

Keywords

2

UMTS, radio

3GPP

Postal address

3GPP support office address 650 Route des Lucioles - Sophia Antipolis Valbonne - FRANCE Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

http://www.3gpp.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© 2008, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC). All rights reserved.

3GPP

ZTE/HTC

Find authenticated court documents without watermarks at docketalarm.com.

Release 8

DOCKET

3GPP TS 36.321 V8.2.0 (2008-05)

Contents

1 Scope	Forew	ord	.5
3 Definitions and abbreviations. 6 3.1 Definitions. 6 3.2 Abbreviations. 7 4 General 8 4.1 Introduction. 8 4.2 MAC architecture. 8 4.3.1 Services provided to upper layers. 8 4.3.2 Services provided to upper layers. 8 4.3.1 Services capted from physical layer 8 4.3.2 Services capted from physical layer 9 4.5.3 Channel structure. 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3.2 Downlink mapping 10 5.4.5 Downlink mapping 11 5.1.1 Random Access procedure 11 5.1.2 Downlink mapping 10 4.5.3.1 Uplink mapping 10 5.1.1 Random Access Procedures 11 5.1.1 Random Access Procedure initialization. 11 5.1.2 Maintenance of Up	1	Scope	.6
3.1 Definitions 6 3.2 Abbreviations 7 4 General 8 4.1 Introduction 8 4.2.1 MAC architecture 8 4.3.1 Services 8 4.3.2 Services expected from physical layer 8 4.3.1 Services expected from physical layer 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 9 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplik mapping 10 4.5.3.2 Downlink mapping 11 5.1 Random Access procedure 11 5.1 Random Access Procedure initialization 11 5.1.3 Random Access Procedure 11 5.1.4 Random Access Procedure 12 5.1.3 Random Access Procedure initialization 12 5.1.4 Random Access Procedure 13 6.3.1 DL Assignment reception 13 5.1.5 Contention Resolution 14 5.1.6	2	References	.6
3.2 Abbreviations 7 4 General	3	Definitions and abbreviations	.6
3.2 Abbreviations 7 4 General	55 S		
4 General			
4.1 Introduction 8 4.2 MAC architecture 8 4.2.1 MAC Entities 8 4.3 Services. 8 4.3.1 Services expected from physical layer 8 4.3.1 Services expected from physical layer 9 4.4 Functions. 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels. 10 4.5.3.2 Downlink mapping. 10 4.5.3.3 Mapping. 10 4.5.3.4 Downlink mapping. 11 5 MAC procedures 11 5.1.1 Random Access Procedure 11 5.1.2 Random Access Procedure initialization. 12 5.1.3 Random Access Procedure initialization. 12 5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 12 5.1.4 Random Access Response reception 15 5.			
4.2.1 MAC architecture 8 4.3 Services 8 4.3 Services provided to upper layers 8 4.3.2 Services expected from physical layer 8 4.4 Functions 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3.2 Downlink mapping 10 5.3 MAC procedures 11 5.1 Random Access procedure 11 5.1.3 Random Access Procedure initialization 12 5.1.4 Random Access Procedure election 12 5.1.3 Random Access Procedure 15 5.1.4 Random Access Procedure 16 5.1.5 Contention Resolution 12 5.1.4 Random Access Procedure 15 5.3 DL-SCH data transfer 16 5.4 UARQ operation 16 5.3.2			
4.2.1 MAC Entities 8 4.3 Services. 8 4.3.1 Services expected from physical layer. 8 4.3.2 Services expected from physical layer. 8 4.4 Functions. 9 4.5 Channel structure. 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels. 10 4.5.3.1 Uplik mapping. 10 4.5.3.2 Downlink mapping. 10 4.5.3.2 Downlink mapping. 11 5 MAC procedures. 11 5.1.1 Random Access Procedure. 11 5.1.2 Random Access Procedure initialization. 11 5.1.3 Random Access Response reception. 12 5.1.4 Random Access Response reception. 13 5.1.5 Contention Resolution. 12 5.1.4 Random Access procedure. 15 5.3 DL-SCH data transfer 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception. 16 5.4.2	100		
4.3 Services 8 4.3.1 Services expected from physical layer 8 4.3.2 Services expected from physical layer 9 4.4 Functions 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 5 MAC procedures 11 5.1 Random Access procedure 11 5.1.1 Random Access procedure initialization 11 5.1.2 Random Access Procedure initialization 12 5.1.3 Random Access Procedure initialization 12 5.1.4 Random Access Procedure initialization 12 5.1.5 Contention Resolution 12 5.1.4 Random Access procedure 14 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.3 DL-SCH data transfer 16 5.3.1 DL-SCH datat			
4.3.1 Services provided to upper layers 8 4.3.2 Services expected from physical layer 8 4.4 Functions. 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels. 10 4.5.3 Mapping of Transport Channels to Logical Channels. 10 4.5.3.1 Uplink mapping. 10 4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure 11 5.1.2 Random Access Procedure initialization. 12 5.1.3 Random Access Resource selection 12 5.1.4 Random Access Resource selection 13 5.1.5 Contention Resolution. 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment. 15 5.3 DL-SCH data transfer 16 6.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.1 DL Assignment recep			
4.3.2 Services expected from physical layer 8 4.4 Functions 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Chaunels to Logical Channels 10 4.5.3 Downlink mapping 10 4.5.3 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure initialization 11 5.1.2 Random Access Resource selection 12 5.1.3 Random Access Resource selection 12 5.1.4 Random Access Preamble transmission 12 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.4.1 HARQ operation 16 5.4.2.1 HARQ opereses 17<			
4.4 Functions 9 4.5 Channel structure 9 4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access Procedure initialization 11 5.1.2 Random Access Procedure election 11 5.1.3 Random Access Procedure election 12 5.1.4 Random Access Procedure election 12 5.1.5 Contention Resolution 12 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 </td <td>10000</td> <td></td> <td></td>	10000		
4.5 Channel structure			
4.5.1 Transport Channels 9 4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure 11 5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Procedure selection 12 5.1.3 Random Access Procedure selection 12 5.1.4 Random Access Procedure 12 5.1.5 Contention Resolution 12 5.1.6 Completion of the Random Access procedure 15 5.1 Completion of the Random Access procedure 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ process 17 5.4 UL-SCH data transfer 18 5.4.1 LARQ process 17 5.4 UL-SCH data transfer 18 5.4.2 HARQ protess 19			
4.5.2 Logical Channels 10 4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure initialization 11 5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Procedure selection 12 5.1.3 Random Access Procedure selection 12 5.1.4 Random Access Procedure 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ process 17 5.3.3 Disassembly and demultiplexing			
4.5.3 Mapping of Transport Channels to Logical Channels 10 4.5.3.1 Uplink mapping 10 4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure initialization 11 5.1.1 Random Access Procedure selection 12 5.1.3 Random Access Resource selection 12 5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 6.3.2.1 HARQ operation 16 5.3.2 HARQ process 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 <td></td> <td></td> <td></td>			
4.5.3.1 Úplink mapping 10 4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access procedure 11 5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Resource selection 12 5.1.3 Random Access Response reception 12 5.1.4 Random Access procedure 12 5.1.5 Contention Resolution. 12 5.1.6 Completion of the Random Access procedure 15 5.1 Contention Resolution. 14 5.1.6 Completion of the Random Access procedure 15 5.1 Destingtiment reception 16 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.3 Diassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation		Marriage of Transport Channels to Logical Channels	10
4.5.3.2 Downlink mapping 11 5 MAC procedures 11 5.1 Random Access Procedure 11 5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Presenble transmission 12 5.1.3 Random Access Resource selection 12 5.1.4 Random Access Resource selection 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2 HARQ process 17 5.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.1 UL operation methylexing and assembly 20 5.4.3 Disassembly and demultiplexing 17 5.4.4 UL operation methylexing and assembly 20 5.4.3 Logical channel		Unlike maming	10
5 MAC procedures 11 5.1 Random Access procedure 11 5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Resource selection 12 5.1.3 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3 Disassembly and demultiplexing 17 5.4 UL SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.3 Multiplexing and assembly 20 5.4.4 UL SCH data transfer 18 5.4.2 HARQ operation 18 5.4.2.1 HAR Q entity 20 5.4.3 Multiplexing of MAC SDUs 21 <tr< td=""><td>200.010</td><td></td><td></td></tr<>	200.010		
5.1 Random Access procedure. 11 5.1.1 Random Access Procedure initialization. 11 5.1.2 Random Access Preamble transmission. 12 5.1.3 Random Access Response reception. 13 5.1.5 Contention Resolution. 14 5.1.6 Completion of the Random Access procedure. 14 5.1.6 Completion of the Random Access procedure. 15 5.2 Maintenance of Uplink Time Alignment. 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception. 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process. 17 5.3.3 Disassembly and demultiplexing. 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ entity. 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing of MAC SDUs 20 5.4.3.1 Logical channel prioritization. 20 5.4.3.2 Mult	4.3.3.4		
5.1.1 Random Access Procedure initialization 11 5.1.2 Random Access Resource selection 12 5.1.3 Random Access Presuble transmission 12 5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4.1 UL SCH data transfer 18 5.4.2 HARQ process 17 5.4.1 UL Grant reception 18 5.4.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Report	5	MAC procedures	11
5.1.2 Random Access Resource selection 12 5.1.3 Random Access Preamble transmission 12 5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.3 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting	5.1		
5.1.3 Random Access Preamble transmission 12 5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ operation 18 5.4.2 HARQ operation 18 5.4.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3 Multiplexing of MAC SDUs 21 5.4.3 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5<	5.1.1	Random Access Procedure initialization	11
5.1.4 Random Access Response reception 13 5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.3 Multiplexing and assembly 20 5.4.4 HARQ entity 20 5.4.3 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Disco	5.1.2		
5.1.5 Contention Resolution 14 5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.1 UL Grant reception 18 5.4.2.1 HARQ process 19 5.4.2.1 HARQ process 19 5.4.2.2 HARQ process 19 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing and assembly 20 5.4.3.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BC	5.1.3	Random Access Preamble transmission	12
5.1.6 Completion of the Random Access procedure 15 5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.3.4 UL-SCH data transfer 18 5.4.1 UL-SCH data transfer 18 5.4.2 HARQ operation 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ operation 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5	5.1.4		
5.2 Maintenance of Uplink Time Alignment 15 5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ entity 18 5.4.2.1 HARQ operation 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception (DRX) 23 5.7 Discontinuous Reception (DR	5.1.5		
5.3 DL-SCH data transfer 16 5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2 HARQ Entity 16 5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ entity 18 5.4.2.1 HARQ entity 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24			
5.3.1 DL Assignment reception 16 5.3.2 HARQ operation 16 5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.1 Logical channel prioritization 20 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24			
5.3.2 HARQ operation 16 5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ entity 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.4 Logical channel prioritization 20 5.4.3.1 Logical channel prioritization 20 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24			
5.3.2.1 HARQ Entity 16 5.3.2.2 HARQ process 17 5.3.3 Disassembly and demultiplexing 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ entity 18 5.4.2 HARQ entity 18 5.4.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3 Logical channel prioritization 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24			
5.3.2.2 HARQ process. 17 5.3.3 Disassembly and demultiplexing. 17 5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2 HARQ entity. 18 5.4.2.1 HARQ process. 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24 5.9 MAC Reset 24			
5.3.3 Disassembly and demultiplexing	10.00		
5.4 UL-SCH data transfer 18 5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ entity 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24 5.9 MAC Reset 24			
5.4.1 UL Grant reception 18 5.4.2 HARQ operation 18 5.4.2.1 HARQ entity 18 5.4.2.2 HARQ process 19 5.4.3 Multiplexing and assembly 20 5.4.3.1 Logical channel prioritization 20 5.4.3.2 Multiplexing of MAC SDUs 21 5.4.4 Scheduling Request 21 5.4.5 Buffer Status Reporting 21 5.4.6 Power Headroom Reporting 22 5.5 PCH reception 22 5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24 5.9 MAC Reset 24			
5.4.2HARQ operation185.4.2.1HARQ entity185.4.2.2HARQ process195.4.3Multiplexing and assembly205.4.3.1Logical channel prioritization205.4.3.2Multiplexing of MAC SDUs215.4.4Scheduling Request215.4.5Buffer Status Reporting215.4.6Power Headroom Reporting225.5PCH reception225.6BCH reception235.7Discontinuous Reception (DRX)235.8MAC reconfiguration245.9MAC Reset24			
5.4.2.1HARQ entity			
5.4.2.2HARQ process		HARQ operation	10
5.4.3Multiplexing and assembly205.4.3.1Logical channel prioritization205.4.3.2Multiplexing of MAC SDUs215.4.4Scheduling Request215.4.5Buffer Status Reporting215.4.6Power Headroom Reporting225.5PCH reception225.6BCH reception235.7Discontinuous Reception (DRX)235.8MAC reconfiguration245.9MAC Reset24		HARQ entity	10
5.4.3.1Logical channel prioritization205.4.3.2Multiplexing of MAC SDUs215.4.4Scheduling Request215.4.5Buffer Status Reporting215.4.6Power Headroom Reporting225.5PCH reception225.6BCH reception235.7Discontinuous Reception (DRX)235.8MAC reconfiguration245.9MAC Reset24			
5.4.3.2Multiplexing of MAC SDUs215.4.4Scheduling Request215.4.5Buffer Status Reporting215.4.6Power Headroom Reporting225.5PCH reception225.6BCH reception235.7Discontinuous Reception (DRX)235.8MAC reconfiguration245.9MAC Reset24			
5.4.4Scheduling Request	100020	Autoriania profitzatori	20
5.4.5Buffer Status Reporting.215.4.6Power Headroom Reporting.225.5PCH reception.225.6BCH reception235.7Discontinuous Reception (DRX).235.8MAC reconfiguration.245.9MAC Reset24			
5.4.6 Power Headroom Reporting	1000		
5.5 PCH reception			
5.6 BCH reception 23 5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24 5.9 MAC Reset 24			
5.7 Discontinuous Reception (DRX) 23 5.8 MAC reconfiguration 24 5.9 MAC Reset 24			
5.8 MAC reconfiguration			
5.9 MAC Reset			

3

ZTF/HTC

A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

DOCKET

ALARM

Releas	e 8	4	3GPP TS 36.321 V8.2.0 (2008-05)	
6	Protocol Data Units, f	ormats and parameters		
6.1				
6.1.1				
6.1.2	MAC PDU (DL-	SCH and UL-SCH)		
6.1.3				
6.1.3.1	Buffer Status	Report MAC Control Elements		
6.1.3.2				
6.1.3.3	DRX Comma	nd MAC Control Element		
6.1.3.4	UE Contentio	n Resolution Identity MAC Control Eleme	ent	
6.1.3.5	Timing Adva	nce MAC Control Element		
6.1.3.6	Power Headr	oom MAC Control Element		
6.1.4				
6.1.5				
6.2				
6.2.1				
6.2.2				
6.2.3	MAC payload fo	r Random Access Response		
7	Variables and constan	ts		
7.1				
7.2				
Annex	A (informative):	Change history		

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

3GPP

Δ

DOCKET A L A R M



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.