

Chemical Society Reviews

Vol 8 No 4 1979

TILDEN LECTURE	Page
Concerning Stereochemical Choice in Enzymic Reactions	
By K. H. Overton	447
The Acidity of Solid Surfaces and its Determination by Amine Titration and Adsorption of Coloured Indicators	
By D. Atkinson and G. Curthoys	475
Non-isoprenoid Long Chain Phenols	
By J. H. P. Tyman	499
Some New N.M.R. Methods for Tracing the Fate of Hydrogen in Biosynthesis	
By M. J. Garson and J. Staunton	539
Isosterism and Molecular Modification in Drug Design	
By C. W. Thornber	563
1979 Indexes	581

The Chemical Society London



Chemical Society Reviews

Chemical Society Reviews appears quarterly and comprises approximately 25 articles (ca. 500 pp) per annum. It is intended that each review article shall be of interest to chemists in general, and not merely to those with a specialist interest in the subject under review. The articles range over the whole of chemistry and its interfaces with other disciplines.

Although the majority of articles are intended to be specially commissioned, the Society is always prepared to consider offers of articles for publication. In such cases a short synopsis, rather than the completed article, should be submitted to The Managing Editor, Books and Reviews Section, The Chemical Society, Burlington House, Piccadilly, London, W1V 0BN.

Members of the Chemical Society may subscribe to *Chemical Society Reviews* at £6.00 per annum (beginning 1980, £7.50 per annum); they should place their orders on their Annual Subscription renewal forms in the usual way.

Non-members may order *Chemical Society Reviews* for £16.00 (\$33) [beginning 1980, £22.00 (\$50)] per annum (remittance with order) from:

The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts., SG6 1HN, England.

Note to subscribers. We regret the delays in publication of the 1979 issues of CS Reviews. The main causes were the long-term effects of shortages in submitted articles and production difficulties during earlier years. Steps have been taken to rectify this distressing situation, and the intention is to revert to the usual quarterly publication dates by the end of 1980 or the beginning of 1981.

© Copyright reserved by The Chemical Society 1980

ISSN 0306---0012

Published by The Chemical Society, Burlington House, London, W1V 0BN Printed in England by Evre & Spottiswoode Ltd. Thanet Press. Margate



Isosterism and Molecular Modification in Drug Design

By C. W. Thornber IMPERIAL CHEMICAL INDUSTRIES LIMITED, PHARMACEUTICALS DIVISION, MERESIDE, ALDERLEY PARK, MACCLESFIELD, CHESHIRE, SK10 4TG

1 Introduction

The idea of isosterism goes back to Langmuir¹ in 1919. At that time the word isosterism was used to describe the similarity of molecules or ions which have the same number of atoms and valence electrons e.g. O²⁻, F⁻, Ne. Clearly only those isosteres with the same nett charge show similar chemical and physical properties. Grimm² enunciated his hydride displacement law to describe the similarity between groups which have the same number of valence electrons but different numbers of atoms. For example some similarities are present in the sequence: CH₃, NH₂, OH, Hal.

Grimm's hydride displacement law points out some similarities of size in groupings based on elements in the same row of the periodic table. Other similarities to be found in the periodic table are within the groups, where chemical reactivities are similar but with electronegativity decreasing as atomic weight increases and lipophilicity and polarizability increasing with the size of the atom. Other relationships exist in diagonal lines across the periodic table where atoms of similar electronegativity such as nitrogen and sulphur, oxygen and chlorine are found.

In trying to relate biological properties to the physical and chemical properties of atoms, groups, or molecules, many physical and chemical parameters may be involved and the simple relationships mentioned above are clearly inadequate for this purpose. Friedman³ introduced the term 'bioisosterism' to describe the phenomenon in which compounds which are related in structure have similar or antagonistic properties. The use of the word isosterism has clearly outgrown its original meaning when used in medicinal chemistry and a loose flexible definition could be adopted such as: 'Bioisosteres are groups or molecules which have chemical and physical similarities producing broadly similar biological properties'.

The term non-classical isosterism is also used interchangeably with bioisosterism, particularly in connection with isosteres which do not have the same number of atoms but do produce a similarity in some key parameter of importance in



563

¹ I. Langmuir, J. Amer. Chem. Soc., 1919, 41, 868, 1543.

² H. G. Grimm, Z. Elektrochem., 1925, 31, 474; 1928, 34, 430; 1934, 47, 53, 594.

³ H. L. Friedman, 'Influence of Isosteric Replacements upon Biological Activity', National Academy of Sciences—National Research Council Publication No. 206. Washington D.C., 1951, p. 295.

Isosterism and Molecular Modification in Drug Design

that series. For example⁴ the two β -adrenergic stimulants compounds (1) and (2) have similar activity.

CHOHCH₂NHMe

$$MeSO_2N$$

(1) pK_a 9.6

(2) pK_a 9.1

The concept of bioisosterism has been described in reviews by Burger,^{5a} Schatz,^{5b} Foye,⁶ Korolkovas,⁷ Ariens,⁸ and Hansch.⁹ This present review collates and extends the earlier observations with more recent reports from the literature and suggests new techniques for exploiting the concept.

The 'classical' isosteres as defined by Burger⁵ and Korolkovas⁷ are given in Table 1.

Table 1

1) Univalent atoms and groups

, <u></u> .				
F	OH	NH_2	Me	Cl
	SH	PH_2		
	I	$\mathbf{B}\mathbf{u^t}$		
	Br	$\mathbf{p_{ri}}$		

2) Bivalent atoms and groups

3) Tervalent atoms and groups

$$-N=$$
 $-CH=$ $-As=$

4) Quadrivalent atoms

5) Ring equivalents

⁴ A. A. Larson and P. M. Lish, Nature, 1964, 203, 1283.

⁶ W. O. Foye, 'Principles of Medicinal Chemistry', Lea and Febiger, Philadelphia, 1970.

⁸ E. J. Ariens in 'Drug Design', ed. E. J. Ariens, Academic Press, New York, 1971, Vol. 1.

⁹ C. Hansch, Intra-Science Chem. Rep., 1974, 8, 17.

564



^{5a} A. Burger in 'Medicinal Chemistry' 3rd Edn., ed. A. Burger, Wiley-Interscience, New York, 1970.

⁵b V. B. Schatz in 'Medicinal Chemistry' 2nd Edn., ed. A. Burger, Wiley-Interscience, New York, 1960.

⁷ A. Korolkovas, 'Essentials of Molecular Pharmacology: Background for Drug Design', Wiley, 1970.

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

