

GSM TECHNICAL SPECIFICATION

GSM 03.78

April 1997

Version 5.0.0

Source: ETSI TC-SMG

Reference: DTS/SMG-030378Q

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



Digital cellular telecommunications system (Phase 2+); Customized Applications for Mobile network Enhanced Logic (CAMEL) - Stage 2 (GSM 03.78)

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

Contents

| | |
|---------------|--|
| Foreword..... | |
| 1 | Scope..... |
| 2 | Normative references..... |
| 3 | Definitions and abbreviations..... |
| 3.1 | Definitions..... |
| 3.2 | Abbreviations..... |
| 4 | Architecture..... |
| 4.1 | Functional Entities used for CAMEL..... |
| 4.2 | Interfaces defined for CAMEL..... |
| 4.2.1 | HLR - VLR interface..... |
| 4.2.2 | GMSC - HLR interface..... |
| 4.2.3 | GMSC - gsmSSF interface..... |
| 4.2.4 | gsmSSF - gsmSCF interface..... |
| 4.2.5 | MSC - gsmSSF interface..... |
| 4.2.6 | gsmSCF - HLR interface..... |
| 5 | Detection Points (DPs)..... |
| 5.1 | Definition and description..... |
| 5.2 | DP processing rules..... |
| 6 | Description of CAMEL Subscriber Data..... |
| 6.1 | Description of Originating/Terminating CAMEL Subscription Information (O/T-CSI)..... |
| 6.1.1 | Content of the O/T-CSI..... |
| 6.1.1.1 | gsmSCF address..... |
| 6.1.1.2 | Service Key..... |
| 6.1.1.3 | Default Call Handling..... |
| 6.1.1.4 | TDP List..... |
| 6.2 | Description of Subscriber Information in S R I Ack indicator..... |
| 7 | Description of CAMEL BCSMs..... |
| 7.1 | General Handling..... |
| 7.2 | Originating Basic Call State Model (O-BCSM)..... |
| 7.2.1 | Description of O-BCSM..... |
| 7.2.1.1 | Description of the call model (PICs)..... |
| 7.2.1.1.1 | O_Null & Authorise_Origination_Attempt_Collect_Info..... |
| 7.2.1.1.2 | Analyse, Routing & Alerting..... |
| 7.2.1.1.3 | O_Active..... |
| 7.2.1.1.4 | O_Exception..... |
| 7.3 | Terminating Basic Call State Model (T-BCSM)..... |
| 7.3.1 | Description of T-BCSM..... |
| 7.3.1.1 | Description of the call model (PICs)..... |
| 7.3.1.1.1 | T_Null..... |
| 7.3.1.1.2 | Terminating Call Handling..... |
| 7.3.1.1.3 | T_Active..... |
| 7.3.1.1.4 | T_Exception..... |
| 7.4 | BCSM Modelling of Call Scenarios..... |
| 7.4.1 | Mobile Originated Call..... |
| 7.4.2 | Mobile Terminated Call..... |
| 7.4.3 | Call Forwarding at the GMSC..... |
| 7.4.4 | Call Forwarding at the MSC..... |

| | | |
|-----------|---|--|
| 8 | Procedures for CAMEL..... | |
| 8.1 | Handling of mobile originated calls..... | |
| 8.1.1 | Handling of Outgoing Call request in the MSC, Process CAMEL_OCH_MSC..... | |
| 8.1.1.1 | Actions at state Wait_For_MO_Call_Result_1..... | |
| 8.1.1.1.1 | Send_Info_For_Outgoing_Call_1 Negative Response..... | |
| 8.1.1.1.2 | Complete Call 1..... | |
| 8.1.1.2 | Actions at state DP_Collected_Info..... | |
| 8.1.1.2.1 | Int_Release_Call..... | |
| 8.1.1.2.2 | Int_Error..... | |
| 8.1.1.2.3 | Int_Continue..... | |
| 8.1.1.2.4 | Int_Connect..... | |
| 8.1.1.2.5 | Release_Transaction..... | |
| 8.1.1.3 | Actions at state Wait_For_MO_Call_Result_2..... | |
| 8.1.1.3.1 | Send_Info Negative Response..... | |
| 8.1.1.3.2 | Int_Release_Call..... | |
| 8.1.1.3.3 | Release_Transaction..... | |
| 8.1.1.3.4 | Complete Call 2..... | |
| 8.1.1.4 | Actions at state Wait_For_ACM_2..... | |
| 8.1.1.4.1 | ISUP_ACM..... | |
| 8.1.1.4.2 | ISUP_Connect..... | |
| 8.1.1.4.3 | ISUP_Release..... | |
| 8.1.1.4.4 | Release_Transaction..... | |
| 8.1.1.4.5 | Int_Release_Call..... | |
| 8.1.1.5 | Actions at state Wait_For_ANM_2..... | |
| 8.1.1.5.1 | Release_Transaction..... | |
| 8.1.1.5.2 | Int_Release_Call..... | |
| 8.1.1.5.3 | ISUP_Answer..... | |
| 8.1.1.6 | Actions at DP_O_Answer..... | |
| 8.1.1.6.1 | Int_Continue..... | |
| 8.1.1.6.2 | Release_Transaction..... | |
| 8.1.1.6.3 | ISUP_Release from destination exchange..... | |
| 8.1.1.7 | Actions at state Wait_For_Connect_Ack_2..... | |
| 8.1.1.8 | Actions at state Wait_For_Clear_2..... | |
| 8.1.1.8.1 | Release_Transaction..... | |
| 8.1.1.8.2 | ISUP_Release from destination exchange..... | |
| 8.1.1.8.3 | Int_Release_Call..... | |
| 8.1.2 | Handling of Outgoing Call request in the VLR, process CAMEL_OCH_VLR..... | |
| 8.1.2.1 | Actions at state Wait_For_SIFOC..... | |
| 8.1.2.2 | Actions at state Wait_For_SIFOC_2..... | |
| 8.1.2.2.1 | Send_Info_For_Outgoing_Call_2..... | |
| 8.1.2.2.2 | Release..... | |
| 8.2 | Handling of mobile terminating calls..... | |
| 8.2.1 | Handling of terminating call request in the GMSC, Process CAMEL_MT_GMSC..... | |
| 8.2.1.1 | Reception of ISUP_IAM..... | |
| 8.2.1.2 | Actions at state Wait_For_Routeing_Info_1..... | |
| 8.2.1.2.1 | Send_Routeing_Info Negative Response..... | |
| 8.2.1.2.2 | Send_Routeing_Info Ack with MSRN..... | |
| 8.2.1.2.3 | Send_Routeing_Info Ack with FTN..... | |
| 8.2.1.2.4 | Send_Routeing_Info Ack with T-CSI and possibly FTN and/or O-CSI..... | |
| 8.2.1.2.5 | Send_Routeing_Info Ack with O-CSI and FTN..... | |
| 8.2.1.2.6 | ISUP_Release received from originating exchange..... | |
| 8.2.1.3 | Actions at state DP_Termination_Attempt_Authorised..... | |
| 8.2.1.3.1 | Int_Release_Call..... | |

| | | |
|---------|-------------|--|
| | 8.2.1.3.2 | Int_Error..... |
| | 8.2.1.3.3 | Int_Continue..... |
| | 8.2.1.3.4 | Int_Connect..... |
| | 8.2.1.3.5 | ISUP_Release received from originating exchange..... |
| 8.2.1.4 | | Actions at state Wait_For_Routeing_Info_2..... |
| | 8.2.1.4.1 | Send_Routeing_Info Negative Response..... |
| | 8.2.1.4.2 | Send_Routeing_Info Ack with MSRN..... |
| | 8.2.1.4.3 | Send_Routeing_Info Ack with FTN..... |
| | 8.2.1.4.4 | Send_Routeing_Info Ack with O-CSI and FTN..... |
| | 8.2.1.4.5 | Int_Release_Call..... |
| | 8.2.1.4.6 | ISUP_Release received from originating exchange..... |
| 8.2.1.5 | | Actions at state Wait_For_Answer_1..... |
| | 8.2.1.5.1 | ISUP_Release from originating exchange..... |
| | 8.2.1.5.2 | ISUP_Release from destination exchange or process CAMEL_CF_MSC_GMSC..... |
| | 8.2.1.5.3 | Int_Release_Call..... |
| | 8.2.1.5.4 | ISUP_Answer..... |
| 8.2.1.6 | | Actions at state DP_T_Answer..... |
| | 8.2.1.6.1 | ISUP_Release from originating exchange..... |
| | 8.2.1.6.2 | ISUP_Release from destination exchange or process CAMEL_CF_MSC_GMSC..... |
| | 8.2.1.6.3 | Int_Release_Call..... |
| 8.2.1.7 | | Int_Continue..... |
| 8.2.1.7 | | Actions at state Wait_For_Clear_1..... |
| | 8.2.1.7.1 | ISUP_Release from originating exchange..... |
| | 8.2.1.7.2 | ISUP_Release from destination exchange or process CAMEL_CF_MSC_GMSC..... |
| | 8.2.1.7.3 | Int_Release_Call..... |
| 8.2.2 | | Handling of request for routing information, Process CAMEL_SRI_HLR..... |
| | 8.2.2.1 | Reception of Send_Routeing_Info..... |
| | 8.2.2.1.1 | Continue call handling..... |
| | 8.2.2.1.2 | Call forwarded..... |
| | 8.2.2.1.2.1 | Call allowed..... |
| | 8.2.2.1.2.2 | Call not allowed..... |
| | 8.2.2.1.3 | Call forwarding fails..... |
| | 8.2.2.2 | Actions at state Wait_For_MSRN..... |
| | 8.2.2.2.1 | Provide_Roaming_Number Ack from VLR..... |
| | 8.2.2.2.2 | Provide_Roaming_Number Negative Response from VLR..... |
| | 8.2.2.2.2.1 | Call allowed..... |
| | 8.2.2.2.2.2 | Call not allowed..... |
| | 8.2.2.3 | Macro CSI_Check..... |
| 8.2.3 | | Handling of Subscriber Information retrieval in the HLR, Procedure CAMEL_PSI_HLR..... |
| | 8.2.3.1 | MS reachable..... |
| | 8.2.3.2 | MS not reachable..... |
| | 8.2.3.2.1 | Location Information requested..... |
| | 8.2.3.2.2 | Subscriber State requested..... |
| | 8.2.3.3 | Actions at state Wait_For_Information..... |
| | 8.2.3.3.1 | Provide_Subscriber_Info Response..... |
| | 8.2.3.3.2 | Provide_Subscriber_Info Negative Response..... |

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.