

(19) KOREAN INTELLECTUAL PROPERTY OFFICE (KR)  
(12) PATENT PUBLICATION GAZETTE (A)

(51) Int. Cl.  
**H04B 1/69** (2006.01)

(11) Publication No.: **10-2007-0055845**

(43) Publication Date: **May 31, 2007**

---

(21) Filing No. **10-2005-0114306**

(22) Filing Date **November 28, 2005**

Date of request for examination **None**

---

(73) Applicant **LG Electronics Co., LTD.**  
20 Yeouido-dong, Youngdeungpo-gu, Seoul

(72) Inventors **HAN, Seung Hee**  
42-35 Yeokchon1-dong, Eunpyung-gu, Seoul  
**NOH, Min Seok**  
211, studio Miraegio 2F, Kuro3-dong, Kuro-gu, Seoul  
**YOON, Young Woo**  
114-1502 Doosan Apt., Bongcheonbon-dong Kwanak-gu, Seoul  
**KWON, Young Hyun**  
402 Smilevill, 103-6 Yuljeon-dong, Jangan-gu, Suwon-city,  
Gyeonggi-do

(74) Attorney **KIM, Yong In,**  
**SIM, Chang Seop**

Number of claims: 20 in total

---

**(54) CODE SEQUENCE GENERATION METHOD, SIGNAL TRANSMISSION METHOD, TRANSMISSION DEVICE, CODE SEQUENCE, AND CODE SEQUENCE SET IN COMMUNICATION SYSTEM**


---

**(57) Abstract**

The present invention relates to a code sequence that is used for initial synchronization acquirement, cell search, channel estimation or the like in a communication system. A code sequence generation method is characterized in that a code sequence generation method used for at least one among initial synchronization acquirement, cell search, and channel estimation in a communication system includes generating a code sequence set having a length of M by a code generation algorithm according to a code type; and adjusting a code length of at least one code sequence belonging to the code sequence set to a natural number N that is smaller than the length M.

***Representative drawing***

FIG. 1



### *Claims*

1. A signal transmission method in which a transmission side in a communication system data-processes a specific code sequence to a form required by the communication system for at least one among initial synchronization acquirement, cell search, and channel estimation and transmits the processed sequence to a reception side,

wherein the specific code sequence has a natural number  $N$  smaller than a number  $M$  as a code length due to the removal of some of the elements of a specific code sequence that belong to a code sequence set generated by a code generation algorithm enabling a length to be the number  $M$ .

2. The signal transmission method of claim 1, wherein the specific code sequence is data-processed and transmitted to a form of a preamble or pilot signal.

3. The signal transmission method of claim 1, wherein the code is a constant amplitude zero auto-correlation (CAZAC) code sequence

4. The signal transmission method of claim 1, wherein the code is a PN code or Hadamard code.

5. The signal transmission method of claim 3, wherein the code generation algorithm is

$$a^{index(A)}(n) = \begin{cases} \exp\left(i \frac{A\pi n(n+1)}{M}\right), & \text{when } M \text{ is odd} \\ \exp\left(i \frac{A\pi n^2}{M}\right), & \text{when } M \text{ is even} \end{cases}$$

where  $n = 0, 1, 2, \dots, M - 1$

(where a number  $A$  is relative prime to the number  $M$ , the numbers  $A$  and  $M$  are natural numbers,  $index(A) (=0, 1, 2, \dots, N_{seq} M-1)$  means an index when the number  $A$  is sorted in ascending order).

6. The signal transmission method of claim 3, wherein the number  $M$  is a smallest prime number among natural numbers that are larger than the number  $N$ .

7. A transmission device that comprises a unit data-processing a specific code sequence to a form required by a communication system to enable the communication system to transmit a signal to a reception side for at least one of initial synchronization acquirement, cell search, and channel estimation, and a unit transmitting the data-processed specific code sequence,

wherein the specific code sequence has a natural number  $N$  smaller than a number  $M$  as a code length due to the removal of some of the elements of a specific code sequence that belongs to a code sequence set generated by a code generation algorithm enabling a length to be the number  $M$ .

8. The transmission device of claim 7, wherein the specific code sequence is data-processed and transmitted to a form of a preamble or pilot signal.

9. The transmission device of claim 7, wherein the code is a CAZAC code sequence.

10. The transmission device of claim 7, wherein the code is a PN code or Hadamard code.

11. The transmission device of claim 9, wherein the code generation algorithm is

$$a^{\text{index}(A)}(n) = \begin{cases} \exp\left(i \frac{A\pi n(n+1)}{M}\right), & \text{when } M \text{ is odd} \\ \exp\left(i \frac{A\pi n^2}{M}\right), & \text{when } M \text{ is even} \end{cases}$$

where  $n = 0, 1, 2, \dots, M - 1$

(where a number  $A$  is relative prime to the number  $M$ , the numbers  $A$  and  $M$  are natural numbers,  $\text{index}(A) (= 0, 1, 2, \dots, N_{\text{seq}} M - 1)$  means an index when the number  $A$  is sorted in ascending order).

12. The transmission device of claim 9, wherein the number  $M$  is a smallest prime number among natural numbers that are larger than the number  $N$ .

13. A code sequence used for at least one among initial synchronization acquirement, cell search, and channel estimation in a communication system, wherein the code sequence has a natural number  $N$  smaller than a number  $M$  as a code length due to the removal of some of the elements of a specific code sequence that belongs to a code sequence set generated by a code generation algorithm enabling a length to be the number  $M$ .

14. The code sequence of claim 13, wherein the code is a CAZAC code sequence.

15. The code sequence of claim 14, wherein the number  $M$  is a smallest prime number among natural numbers that are larger than the number  $N$ .

16. A code sequence set used for at least one among initial synchronization acquirement, cell search, and channel estimation in a communication system, wherein the code sequence set is made up of code sequences that have a natural number  $N$  smaller than a number  $M$  as a code length due to the removal of some of the elements of a specific code

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.