

MAR. 31. 2004 12:36PM SONNENSCHNEIN

NO. 3527 P. 2

RECEIVED
CENTRAL FAX CENTER

MAR 31 2004

OFFICIAL

I hereby certify that this correspondence is being sent via
facsimile 571-273-1724 to Examiner Chris C. Chu at the
United States Patent and Trademark Office on

March 31, 2004
Date of Facsimile

Paul E. Rauch, Ph.D.
Name of Applicant, assignee or
Registered Representative

[Signature] / Reg. No. 43,853
Signature

Our File No. 09799940-0011

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
James E. Nulty, et al.)	
Serial No. 09/540,610)	Examiner Chris C. Chu
Filing Date: March 31, 2000)	Group Art Unit No. 2815
For Method for Eliminating Lateral Spacer Erosion on Enclosed Contact Topographies During RF Sputter Cleaning)	

CORRECTED AMENDMENT

Mail Stop - AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This Amendment is identical to the last amendment filed but it corrects the format of the presented claim set. Applicants thank Examiner Chu for pointing out this omission.

INTEL 1023

IN THE SPECIFICATION

Please add the following paragraph to the specification, page 15, after line 16:

The phrase "substantially rectangular" means that a side of the spacer has an angle relative to the substrate surface of more than 85°.

IN THE CLAIMS

1-24. (Cancelled)

25. (Previously presented) The semiconductor apparatus of claim 27 wherein said etch stop material comprises silicon nitride.

26. (Previously presented) The semiconductor apparatus of claim 27 wherein said etch stop material comprises silicon dioxide.

27. (Currently Amended) A structure, comprising:

(a) a conductive layer disposed over a substrate;

(b) a first insulating layer on the conductive layer;

(c) a contact region in said first insulating layer;

(d) at least one insulating spacer in the contact region adjacent to the first insulating layer; and

(e) an etch stop material over said first insulating layer and adjacent to the insulating spacer, the etch stop material being a different material from the insulating spacer,

wherein a side of the insulating spacer has an angle relative to the substrate surface of more than 85° ~~a substantially rectangular profile in the contact region.~~

28. (Cancelled).

29. (Previously presented) The structure of Claim 27, wherein the insulating spacer has a surface portion in the contact region without overlying etch stop material.

30. (Previously presented) The structure of Claim 29, wherein the insulating spacer surface portion without overlying etch stop material comprises an insulating spacer surface portion most distant from said substrate.

31. (Cancelled).

32. (Previously presented) The structure of Claim 27, further comprising a second insulating layer on the etch stop layer and over the conductive layer.

33. (Previously presented) The structure of Claim 32, further comprising a second conductive material in the contact region.

34. (Currently amended) A structure, comprising:

(a) a first electrically conductive material formed in and/or on a surface of a substrate;

(b) a contact opening in a region adjacent to a second electrically conductive material formed on the substrate;

(c) an electrically insulative spacer in the contact opening adjacent to the second electrically conductive material;

(d) an etch stop material over the electrically insulative spacer and the first and second electrically conductive materials, the etch stop material being a different material from the insulative spacer;

(e) a blanket layer over the etch stop material; and

(f) an opening through a first part of the etch stop material to the first electrically conductive material,

wherein a side of the electrically insulative spacer has a substantially rectangular cross-sectional shape in a plane that is substantially perpendicular an angle relative to the substrate surface of more than 85°.

35. (Cancelled).

36. (Previously presented) The structure of Claim 34, wherein the electrically insulative spacer has a surface portion without overlying etch stop material.

37. (Previously presented) The structure of Claim 36, wherein the electrically insulative spacer surface portion without overlying etch stop material comprises a surface portion most distant from the substrate.

38. (Previously presented) The structure of Claim 34, further comprising a second insulating layer on the etch stop layer and over the conductive layer.

39. (Previously presented) The structure of Claim 38, further comprising a second conductive material in the contact region.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.