

A GUIDE TO CLINICAL DRUG RESEARCH

edited by

ADAM COHEN

Professor of Clinical Pharmacology,
University of Leiden,
Leiden, The Netherlands
and

Director of the Centre for Human Drug Research,
Leiden University Hospital,
Leiden, The Netherlands

and

JOHN POSNER

Clinical Pharmacologist
Glaxo Wellcome PLC
Beckenham, Kent, UK

Sheppard Library
Massachusetts College of Pharmacy
and Health Sciences
179 Longwood Avenue
Boston, Massachusetts 02115



Kluwer Academic Publishers

DORDRECHT/BOSTON/LONDON

Library of Congress Cataloging-in-Publication Data

A guide to clinical drug research / edited by Adam Cohen and John
Posner

p. cm.

Includes index.

ISBN 0-7923-3508-2 (HB : alk. paper)

1. Drugs--Research. I. Cohen, Adam. II. Posner, John.

[DNLM: 1. Clinical Trials--methods. 2. Research Design. QV 771
G946 1995]

RM301.27.G85 1995

615'.19--dc20

DNLM/DLC

for Library of Congress

Ref.
RM
301.27
.G85
1995

95-8825

ISBN 0-7923-3508-2

Published by Kluwer Academic Publishers,
P.O. Box 17, 3300 AA Dordrecht, The Netherlands

Sold and distributed in the USA and Canada by
Kluwer Academic Publishers,
101 Philip Drive, Norwell, MA 02061, USA

In all other countries, sold and distributed by
Kluwer Academic Publishers Group
P.O. Box 322, 3300 AH Dordrecht, The Netherlands

DISCARD

Printed on acid-free paper

All Rights Reserved

© 1995 Kluwer Academic Publishers

No part of the material protected by this copyright notice may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system, without written permission from the copyright owner.

Printed in the Netherlands

What does the investigator need to know about the drug?

An investigator may be asked to conduct a study with a new molecular entity which has never been administered to man before, or else has only been administered to a small number of subjects in Phase I studies. Alternatively, he may undertake a trial during Phase II or III, when there is already a considerable amount of clinical data available.

This chapter will concentrate predominantly on the information an investigator should know before embarking on a Phase I study, with some comment about extra data that should be available to conduct later phase trials.

When an investigator is approached by a sponsoring pharmaceutical company for the first time, it is worth trying to establish the overall plan or strategy for the drug's evaluation. The data may prove to be confidential, but even an outline of the sponsoring drug company's intentions will help to put the study which the investigator is being requested to undertake, in context. It is not unusual for the sponsoring physician or the Clinical Research Associate to bring a research scientist with him on an early visit if the drug to be tested is at an early stage of development. At a later stage, the investigator may be taking part in a multi-centre trial, in which case it is quite usual to have an investigator's meeting, when critical decisions about the drug – such as primary end points, interim analyses and the remit of data safety monitoring committees – are made.

Introduction

Drug development is traditionally divided into four phases:

- **Phase I: Clinical pharmacology.**

Studies in healthy volunteers or patients, according to the class of drug and its safety, to determine:

Pharmacodynamics (biological effects) where practicable, tolerability, safety, and efficacy, if in patients

Pharmacokinetics: absorption, distribution, metabolism and excretion

Phases of drug development

- **Phase II: Clinical investigation**
 Studies in patients with the target disease
 Pharmacodynamics and pharmacokinetics: dose-ranging in expanding, carefully controlled studies for efficacy and safety
- **Phase III: Formal therapeutic trials**
 Randomised and controlled for efficacy in large numbers, safety, placebo and active comparator trials
- **Phase IV: Post-registration**
 Marketing or user studies
 Expand clinical experience for safety and efficacy; further formal therapeutic trials; comparisons with other active comparators

This classification assumes a logical, sequential approach to drug development, which rarely occurs in practice. Phase I studies initiate the clinical development programme, but some clinical pharmacology trials, e.g. bioequivalence studies, studies in special risk groups, such as hepatic and renal disease, and drug-drug interaction studies, may occur at various stages in the execution of the clinical development plans. Phases II and III often overlap, as sponsoring drug companies attempt to save time by initiating long term parallel group therapeutic trials, before the dose-range is adequately defined.

The investigator's brochure

A responsible sponsoring drug company should provide the investigator with an Investigator's Brochure containing the essential information on the drug, independently of the protocol. It is a confidential document, which can serve as a check list for the investigator to be sure that he is informed of all relevant data relating to the efficacy and safety of the drug. Its content is listed in Box 3.1 and this may be supplemented by separate documents supplied on request from the sponsoring drug company – including publications.

Key elements from the Investigator's Brochure on which the investigator must be informed will now be discussed.

Pre-clinical evaluation
 Pharmacology

This section should provide a scientific rationale for development of the drug and an hypothesis which is to be tested in man. An investigator reviewing this data for the first time may find this section rather daunting and unless he has a good grounding in pharmacology, many of the terms will be confusing. Readers are directed to some of the standard texts for further information.

Contents of Inv

- **General de**
 Physical pr
 Chemical pr
 Solubility
 Formula
- **Pre-clinical**
 - **Pharmac**
 Specific p
 General p
 Safety ph
 Metabolis
 - **Toxicolo**
 Single do
 Repeat d
 Mutageni
 Carcinog
 Reproduct
- **Pharmacet**
 Purity
 Percent an
 Formulatio
 Vehicle
 In vitro dis
 Stability
 Shelf life
 Light and h
- **Clinical se**
 - **Clinical**
 Safety
 Tolerabili
 Pharmac
 Bioavaila
 Metaboli
 Dynamic
 Interacti
 Special c
 - **Clinical**
 Dose-rar
 Placebo-
 Active cc
 Overall s

as: dose-ranging for efficacy and

large numbers, ls

efficacy; further with other active

ial approach to ractice. Phase I umme, but some e studies, studies nal disease, and ous stages in the hases II and III attempt to save erapeutic trials,

uld provide the containing the ndently of the can serve as a e is informed of fety of the drug. supplemented by the sponsoring

ure on which the ssed.

for development sted in man. An re may find this od grounding in ing. Readers are information.

Contents of Investigator's brochure

Box 3.1

- **General description of drug**
 - Physical properties
 - Chemical properties including pH of solution
 - Solubility
 - Formula
- **Pre-clinical section**
 - **Pharmacology**
 - Specific pharmacology and biochemistry: in vitro / in vivo
 - General pharmacology
 - Safety pharmacology
 - Metabolism and pharmacokinetics
 - **Toxicology**
 - Single dose studies
 - Repeat dose studies, including maximal repeatable dose
 - Mutagenicity: in vitro / in vivo
 - Carcinogenicity or oncogenicity (if appropriate)
 - Reproductive studies (if appropriate)
- **Pharmaceutical section**
 - Purity
 - Percent and type of impurity
 - Formulation
 - Vehicle
 - In vitro dissolution
 - Stability
 - Shelf life
 - Light and heat stability
- **Clinical section**
 - **Clinical pharmacology (Phase 1)**
 - Safety
 - Tolerability
 - Pharmacokinetics
 - Bioavailability
 - Metabolism (including radio-labelled studies)
 - Dynamics (biological effect)
 - Interactions (kinetic and dynamic)
 - Special groups
 - **Clinical research (Phases 2 & 3) – if available**
 - Dose-ranging studies
 - Placebo-controlled studies
 - Active comparator studies
 - Overall safety and tolerability

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.