

# 3GPP TR 25.814 ~~v0V1.50.0-21~~ (20065-41)

*Technical Report*

## **3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Physical Layer Aspects for Evolved UTRA (Release 7)**



The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP<sup>TM</sup>) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented. This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification. Specifications and reports for implementation of the 3GPP<sup>TM</sup> system should be obtained via the 3GPP Organizational Partners' Publications Offices.

Keywords

---

Evolved UTRA, radio, packet mode, layer 1

**3GPP**

---

Postal address

---

3GPP support office address

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

---

Internet

<http://www.3gpp.org>

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© 2005, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).  
All rights reserved.

**3GPP**

## Contents

Foreword .....	11
1 Scope .....	12
1.1 Rationale for RAN#30 decision on way forward for Evolved UTRA multiple access .....	12
2 References .....	12
3 Definitions, symbols and abbreviations .....	13
3.1 Definitions .....	13
3.2 Symbols .....	13
3.3 Abbreviations .....	14
4 Introduction .....	14
5 Requirements .....	14
6 General description of layer 1 .....	15
6.1 Multiband operation .....	15
6.1.1 MC-WCDMA based proposal .....	15
6.2 Duplexing .....	15
6.2.1 TDD mode aspects for OFDMA and SC-FDMA .....	15
6.2.1.1 Approach 1 –Multiple fixed frame structures .....	16
6.2.1.1.1 For co-existence with LCR-TDD .....	16
6.2.1.1.2 For co-existence with HCR-TDD .....	17
6.2.1.2 Approach 2 –Generic frame structure .....	17
6.2.2 Duplexing for the MC-WCDMA based proposal .....	2021
6.2.2.1 Unpaired spectrum use cases .....	2021
6.2.2.2 Time duplex operation .....	2021
7 Downlink concepts .....	2122
7.1 OFDMA (FDD / [TDD]) .....	2122
7.1.1 Basic transmission scheme .....	2122
7.1.1.1 Modulation scheme .....	2324
7.1.1.1.1 Basic modulation scheme .....	2324
7.1.1.1.2 Enhanced modulation scheme .....	2324
7.1.1.1.2.1 OFDM/OQAM overview .....	2324
7.1.1.1.2.2 OFDM/OQAM transmission scheme .....	2627
7.1.1.2 Multiplexing including reference-signal structure .....	2728
7.1.1.2.1 Downlink data multiplexing .....	2728
7.1.1.2.2 Downlink reference-signal structure .....	2728
7.1.1.3 Channel coding and physical channel mapping .....	3031
7.1.1.4 MIMO and Transmit Diversity .....	3031
7.1.1.4.1 Aspects for LTE MIMO .....	3031
7.1.1.4.2 High level principles of MIMO for unicast traffic .....	3031
7.1.1.4.3 High level principles of MIMO for broadcast traffic .....	3132
7.1.1.5 Downlink macro diversity .....	3132
7.1.2 Physical layer procedure .....	32
7.1.2.1 Scheduling .....	32
7.1.2.2 Link adaptation .....	3233
7.1.2.3 HARQ .....	33
7.1.2.4 Cell search .....	3334
7.1.2.5 Power control .....	3334
7.1.2.6 Inter-cell interference mitigation .....	3334
7.1.2.6.1 Inter-cell-interference randomization .....	3334
7.1.2.6.2 Inter-cell-interference cancellation .....	3334
7.1.2.6.3 Inter-cell-interference co-ordination/avoidance .....	3435
7.1.2.7 Inter-Node B Synchronization .....	3435
7.1.3 Physical layer measurements .....	3435
7.1.3.1 UE measurements .....	3435
7.1.3.1.1 Channel Quality Indicator .....	3435

7.1.3.2	Measurements support for mobility	3536
7.2	MC-WCDMA (FDD)	3536
7.2.1	High level principles	3536
7.2.2	Basic Transmission Scheme	3637
7.2.2.1	Definitions	3637
7.2.2.2	WCDMA LCR system numerology	3637
7.2.2.3	Assumptions for MC-WCDMA operation in DL	3738
7.2.2.4	DL Single-carrier PHY Channels	3739
7.2.2.5	DL Multi-Carrier PHY Channels	3839
7.2.2.5.1	N/M Asymmetry considerations	3840
7.2.3	Physical Layer Procedures	3941
7.2.3.1	DL PHY channels timing considerations	3941
7.2.3.2	Synchronization Procedures: Cell Search	4041
7.2.3.2.1	“Cold” Acquisition	4041
7.2.3.2.2	“Warm” Acquisition	4041
7.2.3.3	Synchronization Procedures: Synchronization of Dedicated channels	4042
7.2.3.3.1	Procedure A	4042
7.2.3.3.2	Procedure B	4042
7.2.3.4	Power Control: DL PC	4142
7.2.3.5	HS-DSCH Related Procedures	4143
7.2.3.5.1	HS-PDSCH Retransmission on Multi-Carrier system	4143
7.2.4	Physical layer measurements	4143
7.2.4.1	UE measurements	4143
7.2.4.2	Measurements support for mobility	4143
7.3	MC-TD-SCDMA (TDD)	4243
7.3.1	Basic transmission scheme	4243
7.3.1.1	Modulation scheme	4445
7.3.1.2	Multiplexing including pilot structure	4445
7.3.1.3	Channel Coding and physical channel mapping	4445
7.3.1.4	MIMO and beam-forming	4445
7.3.2	Physical layer procedure	4446
7.3.2.1	Scheduling	4446
7.3.2.1	Link adaptation	4446
7.3.2.3	HARQ	4446
7.3.2.4	Cell search	4446
7.3.2.5	Power control	4446
7.3.3	Physical layer measurements	4446
7.3.3.1	UE measurements	4446
7.3.3.2	Measurements support for mobility	4446
8	Evaluation of techniques for evolved UTRA DL	4546
8.1	Performance evaluation	4546
8.1.1	Traffic outage and latency requirements	4546
8.1.2	Evaluation against reference	4547
8.1.2.1	Evaluation for MC-WCDMA based evolved UTRA DL	4647
8.1.2.2	Evaluation for OFDMA based evolved UTRA DL	4648
8.1.3	Evaluation of OFDM based Multicast for evolved UTRA	4748
8.2	Analysis of UE complexity	4749
8.2.1	WCDMA based evolved UTRA downlink	4749
8.2.1.1	Baseband	4749
8.3	Analysis of Node B impacts	4849
8.3.1	WCDMA based evolved UTRA downlink	4849
8.3.1.1	Baseband	4849
9	UL Concepts	4850
9.1	SC-FDMA (FDD / [TDD])	4850
9.1.1	Basic transmission scheme	4850
9.1.1.1	Modulation scheme	5052
9.1.1.2	Multiplexing including reference signal structure	5052
9.1.1.2.1	Uplink reference-signal structure	5052
9.1.1.2.2	Multiplexing of L1/L2 control signaling	5253
9.1.1.3	Channel coding and physical channel mapping	5456

9.1.1.4	MIMO	5456
9.1.1.5	Uplink macro diversity	5456
9.1.1.6	Peak-to-Average Power Ratio (PAPR) Reduction	5456
9.1.2	Physical channel procedure	5456
9.1.2.1	Random access procedure	5456
9.1.2.2	Scheduling	5557
9.1.2.3	Link adaptation	5557
9.1.2.4	Power control	5557
9.1.2.5	HARQ	5557
9.1.2.6	Uplink timing control	5557
9.1.2.7	Inter-cell interference mitigation	5658
9.1.2.7.1	Inter-cell-interference co-ordination/avoidance	5658
9.1.2.7.2	Inter-cell-interference randomization	5658
9.1.3	Physical layer measurements	5759
9.1.3.1	Node B measurements	5759
9.2	OFDMA (FDD / [TDD])	5759
9.2.1	Basic transmission scheme	5759
9.2.1.1	Modulation scheme	5759
9.2.1.2	Multiplexing including pilot structure	5759
9.2.1.3	MIMO	5961
9.2.1.4	Peak to Average Power Ratio (PAPR) and its Reduction	5961
9.2.1.4.1	Tone reservation PAPR reduction method	5961
9.2.1.4.2	Circulated clipping and filtering	6162
9.3	MC-WCDMA (FDD)	6163
9.3.1	High level principles	6163
9.3.2	Basic Transmission Scheme	6264
9.3.2.1	Definitions	6264
9.3.2.2	Assumptions for MC-WCDMA operation in UL	6264
9.3.2.3	UL Single-carrier PHY Channels	6264
9.3.2.4	UL Multi-Carrier PHY Channels	6365
9.3.2.4.1	N/M Asymmetry considerations	6365
9.3.3	Physical Layer Procedures	6466
9.3.3.1	PHY channels timing considerations	6466
9.3.3.2	Power Control: UL PC	6567
9.3.3.3	Random Access Procedure	6567
9.3.3.4	E-DCH Related Procedures	6567
9.3.3.4.1	E-DPCH Retransmission on Multi-Carrier system	6567
9.3.4	Physical layer measurements	6567
9.3.4.1	Node B measurements	6567
9.4	MC-TD-SCDMA (TDD)	6668
9.4.1	Basic transmission scheme	6668
9.4.1.1	Modulation scheme	6668
9.4.1.2	Multiplexing including pilot structure	6668
9.4.1.3	Channel Coding and physical channel mapping	6668
9.4.1.4	MIMO and beamforming	6668
9.4.2	Physical channel procedure	6668
9.4.2.1	Random access procedure	6668
9.4.2.2	Scheduling	6668
9.4.2.3	Link adaptation	6668
9.4.2.4	Power control	6668
9.4.2.5	HARQ	6668
9.4.2.6	Uplink timing control	6668
10	Evaluation of techniques for evolved UTRA UL	6769
10.1	Performance evaluation	6769
10.1.1	Evaluation against reference	6769
10.1.1.1	MC-WCDMA based evolved UTRA UL	6769
10.1.1.2	OFDMA based evolved UTRA UL	6769
10.1.1.3	Evaluation of SC-FDMA based evolved UTRA UL	6870
10.1.2	Evaluation between evolved UTRA UL proposals	6870
10.1.2.1	Comparison between MC-WCDMA and OFDMA	6870
10.1.2.2	Comparison between SC-FDMA and OFDMA	6971

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.