

# 3GPP TS 36.300 V8.3.0 (2007-12)

---

*Technical Specification*

**3rd Generation Partnership Project;  
Technical Specification Group Radio Access Network;  
Evolved Universal Terrestrial Radio Access (E-UTRA)  
and Evolved Universal Terrestrial Radio Access Network  
(E-UTRAN);  
Overall description;  
Stage 2  
(Release 8)**

---



The present document has been developed within the 3<sup>rd</sup> Generation Partnership Project (3GPP™) and may be further elaborated for the purposes of 3GPP.

The present document has not been subject to any approval process by the 3GPP Organizational Partners and shall not be implemented.

This Specification is provided for future development work within 3GPP only. The Organizational Partners accept no liability for any use of this Specification.

Keywords

---

UMTS, stage 2, radio, architecture

**3GPP**

Postal address

---

3GPP support office address

---

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE  
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Internet

---

<http://www.3gpp.org>

---

**Copyright Notification**

---

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© 2007, 3GPP Organizational Partners (ARIB, ATIS, CCSA, ETSI, TTA, TTC).  
All rights reserved.

# Contents

Foreword .....	9
1 Scope .....	10
2 References .....	10
3 Definitions, symbols and abbreviations .....	11
3.1 Definitions .....	11
3.2 Abbreviations .....	11
4 Overall architecture .....	13
4.1 Functional Split .....	14
4.2 Interfaces .....	16
4.2.1 S1 Interface .....	16
4.2.2 X2 Interface .....	16
4.3 Radio Protocol architecture .....	16
4.3.1 User plane .....	16
4.3.2 Control plane .....	17
4.4 Synchronization .....	18
4.5 IP fragmentation .....	18
5 Physical Layer for E-UTRA .....	18
5.1 Downlink Transmission Scheme .....	20
5.1.1 Basic transmission scheme based on OFDM .....	20
5.1.2 Physical-layer processing .....	20
5.1.3 Physical downlink control channel .....	20
5.1.4 Downlink Reference signal .....	21
5.1.5 Downlink multi-antenna transmission .....	21
5.1.6 MBSFN transmission .....	21
5.1.7 Physical layer procedure .....	21
5.1.7.1 Link adaptation .....	21
5.1.7.2 Power Control .....	22
5.1.7.3 Cell search .....	22
5.1.8 Physical layer measurements definition .....	22
5.2 Uplink Transmission Scheme .....	22
5.2.1 Basic transmission scheme .....	22
5.2.2 Physical-layer processing .....	23
5.2.3 Physical uplink control channel .....	23
5.2.4 Uplink Reference signal .....	23
5.2.5 Random access preamble .....	24
5.2.6 Uplink multi-antenna transmission .....	24
5.2.7 Physical channel procedure .....	24
5.2.7.1 Link adaptation .....	24
5.2.7.2 Uplink Power control .....	24
5.2.7.3 Uplink timing control .....	24
5.3 Transport Channels .....	24
5.3.1 Mapping between transport channels and physical channels .....	26
5.4 E-UTRA physical layer model .....	26
5.4.1 Void .....	26
5.4.2 Void .....	26
6 Layer 2 .....	26
6.1 MAC Sublayer .....	27
6.1.1 Services and Functions .....	28
6.1.2 Logical Channels .....	28
6.1.2.1 Control Channels .....	28
6.1.2.2 Traffic Channels .....	29
6.1.3 Mapping between logical channels and transport channels .....	29
6.1.3.1 Mapping in Uplink .....	29

6.1.3.2	Mapping in Downlink.....	29
6.2	RLC Sublayer.....	30
6.2.1	Services and Functions.....	30
6.2.2	PDU Structure .....	30
6.3	PDCP Sublayer.....	31
6.3.1	Services and Functions.....	31
6.3.2	PDU Structure .....	32
6.4	Data flows through Layer 2 .....	32
7	RRC.....	32
7.1	Services and Functions .....	32
7.2	RRC protocol states & state transitions.....	33
7.3	Transport of NAS messages .....	33
7.4	System Information.....	33
7.5	RRC Procedures .....	35
8	E-UTRAN identities.....	35
8.1	E-UTRAN related UE identities.....	35
8.2	Network entity related Identities .....	35
9	ARQ and HARQ .....	36
9.1	HARQ principles.....	36
9.2	ARQ principles.....	36
9.3	HARQ/ARQ interactions .....	37
10	Mobility.....	37
10.1	Intra E-UTRAN.....	37
10.1.1	Mobility Management in EMM-IDLE .....	37
10.1.1.1	Cell selection .....	37
10.1.1.2	Cell reselection .....	38
10.1.1.3	Handling in eNB .....	39
10.1.1.4	Handling above eNB .....	39
10.1.1.5	Mobility Management Entity (MME).....	39
10.1.2	Mobility Management in EMM-CONNECTED .....	39
10.1.2.1	Handover.....	39
10.1.2.1.1	C-plane handling.....	40
10.1.2.1.2	U-plane handling.....	42
10.1.2.2	Path Switch .....	43
10.1.2.3	Data forwarding .....	43
10.1.2.3.1	For RLC-AM bearers.....	43
10.1.2.3.2	For RLC-UM bearers.....	44
10.1.2.4	Handling in eNB .....	44
10.1.2.5	Handling above eNB .....	44
10.1.2.6	Mobility Management Entity (MME).....	44
10.1.2.7	Timing Advance .....	44
10.1.3	Measurements.....	45
10.1.3.1	Intra-frequency neighbour (cell) measurements .....	46
10.1.3.2	Inter-frequency neighbour (cell) measurements .....	46
10.1.4	Paging and C-plane establishment .....	46
10.1.5	Random Access Procedure.....	46
10.1.5.1	Contention based random access procedure .....	47
10.1.5.2	Non-contention based random access procedure.....	48
10.1.5.3	Interaction model between L1 and L2/3 for Random Access Procedure.....	49
10.1.6	Radio Link Failure.....	50
10.1.7	Radio Access Network Sharing .....	51
10.1.8	Handling of Roaming and Area Restrictions for UEs in EMM-CONNECTED .....	51
10.2	Inter RAT .....	52
10.2.1	Cell reselection .....	52
10.2.2	Handover .....	52
10.2.2a	Inter-RAT cell change order to GERAN with NACC.....	53
10.2.3	Measurements.....	53
10.2.3.1	Inter-RAT handovers from E-UTRAN.....	53
10.2.3.2	Inter-RAT handovers to E-UTRAN.....	53

10.2.3.3	Inter-RAT cell reselection from E-UTRAN .....	54
10.2.3.4	Limiting measurement load at UE .....	54
10.2.4	Network Aspects .....	54
10.3	Mobility between E-UTRAN and Non-3GPP radio technologies .....	54
10.3.1	UE Capability Configuration .....	54
10.3.2	Mobility between E-UTRAN and cdma2000 network.....	54
10.3.2.1	Tunneling of cdma2000 Messages over E-UTRAN between UE and cdma2000 Access Nodes .....	54
10.3.2.2	Mobility between E-UTRAN and HRPD .....	56
10.3.2.2.1	Mobility from E-UTRAN to HRPD .....	56
10.3.2.2.1.1	HRPD System Information Transmission in E-UTRAN .....	56
10.3.2.2.1.2	Measuring HRPD from E-UTRAN .....	56
10.3.2.2.1.2.1	Idle Mode Measurement Control .....	56
10.3.2.2.1.2.2	Active Mode Measurement Control .....	56
10.3.2.2.1.2.3	Active Mode Measurement .....	57
10.3.2.2.1.3	Pre-registration to HRPD Procedure .....	57
10.3.2.2.1.4	E-UTRAN to HRPD Cell Re-selection .....	57
10.3.2.2.1.5	E-UTRAN to HRPD Handover .....	57
10.3.2.2.2	Mobility from HRPD to E-UTRAN .....	57
10.3.2.3	Mobility between E-UTRAN and cdma2000 1xRTT .....	57
10.3.2.3.1	Mobility from E-UTRAN to cdma2000 1xRTT .....	57
10.3.2.3.1.1	cdma2000 1xRTT System Information Transmission in E-UTRAN .....	57
10.3.2.3.1.2	Measuring cdma2000 1xRTT from E-UTRAN .....	58
10.3.2.3.1.2.1	Idle Mode Measurement Control.....	58
10.3.2.3.1.2.2	Active Mode Measurement Control .....	58
10.3.2.3.1.2.3	Active Mode Measurement.....	58
10.3.2.3.1.3	E-UTRAN to cdma2000 1xRTT Cell Re-selection.....	58
10.3.2.3.1.4	E-UTRAN to cdma2000 1xRTT Handover.....	58
10.3.2.3.2	Mobility from cdma2000 1xRTT to E-UTRAN .....	59
10.4	Area Restrictions .....	59
10.5	Mobility to and from CSG cells.....	59
10.5.1	Inbound mobility to CSG cells.....	59
10.5.1.1	RRC_IDLE .....	59
10.5.1.2	RRC_CONNECTED.....	59
10.5.2	Outbound mobility from CSG cells .....	60
10.5.2.1	RRC_IDLE .....	60
10.5.2.2	RRC_CONNECTED.....	60
11	Scheduling and Rate Control.....	60
11.1	Basic Scheduler Operation.....	60
11.1.1	Downlink Scheduling .....	60
11.1.2	Uplink Scheduling .....	60
11.2	Void .....	61
11.3	Measurements to Support Scheduler Operation.....	61
11.4	Rate Control of GBR, MBR, and AMBR.....	61
11.4.1	Downlink .....	61
11.4.2	Uplink .....	61
11.5	CQI reporting for Scheduling .....	62
12	DRX in RRC_CONNECTED .....	62
13	QoS.....	63
13.1	QoS concept and bearer service architecture.....	63
13.2	Resource establishment and QoS signalling.....	64
14	Security .....	64
14.1	Overview and Principles .....	64
14.2	Security termination points.....	66
14.3	State Transitions and Mobility.....	67
14.3.1	RRC_IDLE to RRC_CONNECTED .....	67
14.3.2	RRC_CONNECTED to RRC_IDLE .....	67
14.3.3	Intra E-UTRAN Mobility.....	67
14.4	AS Key Change in RRC_CONNECTED.....	67
14.5	Security Interworking .....	67

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.