

Property of Technical Reports Section
SCIENCE AND TECHNOLOGY DIVISION
Library of Congress

*for Telecommunications –
Network and Customer
Installation Interfaces –
Asymmetric Digital Subscriber
Line (ADSL) Metallic Interface*

ANSI T1.413-1995

American National Standard



American National Standards Institute

11 West 42nd Street
New York, New York

10008

ANSI®
T1.413-1995

American National Standard
for Telecommunications –
Network and Customer Installation Interfaces –
Asymmetric Digital Subscriber Line (ADSL) Metallic Interface

Secretariat

Alliance for Telecommunications Industry Solutions

Approved August 18, 1995

American National Standards Institute, Inc.

Abstract

This standard presents the electrical characteristics of the Asymmetric Digital Subscriber Line (ADSL) signals appearing at the network interface. The physical interface between the network and the customer installation is also described. The transport medium for the signals is a single twisted-wire pair that supports both Message Telecommunications Service (POTS) and full-duplex (simultaneous two-way) and simplex (from the network to the customer installation) digital services.

This interface standard provides the minimal set of requirements for satisfactory transmission between the network and the customer installation. Equipment may be implemented with additional functions and procedures.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.



NOTE – The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights.

By publication of this standard, no position is taken with respect to the validity of this claim or of any patent rights in connection therewith. The patent holder has, however, filed a statement of willingness to grant a license under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license. Details may be obtained from the publisher.

Published by

American National Standards Institute
11 West 42nd Street, New York, New York 10036

Copyright ©1995 by Alliance for Telecommunications Industry Solutions
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

APS3C1295/135

Contents

	Page
Foreword	vii
1 Scope and purpose	1
1.1 Scope	1
1.2 Purpose	1
2 Normative references	2
3 Definitions, abbreviations, acronyms and symbols.....	3
3.1 Definitions.....	3
3.2 Abbreviations, acronyms and symbols.....	3
4 Reference models	6
4.1 System reference model.....	6
4.2 ATU-C transmitter reference model.....	7
4.3 ATU-R transmitter reference model.....	8
5 Transport capacity	9
5.1 Simplex bearers.....	9
5.2 Duplex bearers	13
5.3 Combined options.....	14
5.4 ADSL system overheads and aggregate data rates.....	17
5.5 Classification by ATM options	21
6 ATU-C functional characteristics	22
6.1 ATU-C input and output V interfaces.....	22
6.2 Framing	23
6.3 Scramblers	35
6.4 Forward error correction.....	35
6.5 Tone ordering	36
6.6 Constellation encoder – with trellis coding	37
6.7 Constellation encoder – without trellis coding	45
6.8 Gain scaling.....	45
6.9 Modulation	46
6.10 Cyclic prefix	47
6.11 Transmitter dynamic range.....	48
6.12 Transmitter spectral response	48
6.13 Transmit power spectral density and aggregate power level	49
7 ATU-R functional characteristics	51
7.1 ATU-R input and output data interfaces	51
7.2 Framing	52
7.3 Scramblers	57
7.4 Forward error correction.....	57
7.5 Tone ordering	57
7.6 Constellation encoder – with trellis coding	57
7.7 Constellation encoder – without trellis coding	57
7.8 Gain scaling.....	58
7.9 Modulation	58
7.10 Cyclic prefix	59
7.11 Transmitter dynamic range.....	60
7.12 Transmitter spectral response	61
7.13 Transmit power spectral density and aggregate power level	62

	Page
8	ADSL – POTS splitter functional characteristics63
9	ATU-R to service module (T _{SM}) interface requirements64
9.1	T _A interface definitions.....64
9.2	T _B interface definitions.....65
10	Electrical characteristics67
10.1	dc characteristics67
10.2	Voice-band characteristics67
10.3	ADSL band69
10.4	ADSL noise the interference into circuit POTS.....70
11	Operations and maintenance71
11.1	Embedded operations channel (eoc) requirements.....71
11.2	In-service performance monitoring and surveillance78
11.3	Metallic testing.....84
11.4	Out-of-service testing84
11.5	Requirements to support OAM of the segment between ATU-R and SM84
12	Initialization.....87
12.1	Overview.....87
12.2	Activation and acknowledgment – ATU-C89
12.3	Activation and acknowledgment – ATU-R.....92
12.4	Transceiver training – ATU-C.....93
12.5	Transceiver training – ATU-R.....96
12.6	Channel analysis – ATU-C98
12.7	Channel analysis – ATU-R102
12.8	Exchange – ATU-C.....105
12.9	Exchange – ATU-R.....108
13	On-line adaptation and reconfiguration112
13.1	The ADSL overhead control (aoc) channel112
13.2	High-level on-line adaptation – Bit swapping.....112
13.3	Changes to data rates and reconfiguration115
14	Signaling requirements.....115
15	Loop plant, impairments, and testing.....116
15.1	Test loops.....117
15.2	Impairments and their simulation in testing119
15.3	Test procedures.....121
16	Physical characteristics127
16.1	Wiring polarity integrity127
16.2	Connector.....127
16.3	Wiring requirements for a remotely located POTS splitter/ATU-R128
16.4	Maximum distance for a remotely located unit.....128
17	Environmental conditions129
17.1	Protection129
17.2	Electromagnetic compatibility.....129

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.