

Mixed Signal Circuits and Systems

Modem Techniques - 8 -

The Modem as an example of a mixed signal system

Mixed Signal Circuits and Systems, A.J.M. van Tuijl, IC Ontwerpkunde, sheet 8.1

xDSL (xxx Digital Subscriber Line) Overview

High speed modem techniques for wired telephone connection

- High speed modems, CAP and DMT
- DMT for ADSL (Asymmetrical Digital Subscriber Line)
- Advantages of DMT over QAM and CAP
- Main functions in digital processing
- Circuit parts in the Analog Front End
- G.lite, the low cost implementation of xDSL

High speed modems, CAP and DMT


- Modems with data streams of more than 128 kbit/s do not make use of the standard 64 kbit/s channels that are used for voice and ISDN
- High speed modems are connected to dedicated modems in the Central Office that are directly linked to the digital network
- Two types of modulation are used now, CAP (Carrierless Amplitude Phase modulation) and DMT (Discrete Multi Tone modulation)
- In CAP amplitude and phase are modulated around a (suppressed) high frequency carrier with a high symbol rate. The digital data is mapped on a discrete number of amplitude and phase steps
- In DMT the digital data are distributed over a high number (typically 128 to 256) carriers. The symbol rate per carrier is low (4 kbaud) and the number of bits per symbol can be 15 in the most advanced systems.

DMT for ADSL (Asymmetrical Digital Subscriber Line)

- 255 subcarriers, spacing 4.3125 kHz, 0 to 1.104 Mhz
- Symbol rate per carrier 4 kHz, modulation between 0 and 15 bit per symbol
- Maximum bitrate per carrier is $15 * 4k = 60$ kbit/s.
- QAM modulation, maximal 8 bit resolution (256 amplitude levels) on I vector and 7 bit resolution on Q vector
- ADSL combined with POTS, first subcarrier in use on 25.875 kHz
- ADSL mostly not used in duplex, lower frequencies for upstream data, higher frequencies for downstream data (Frequency Division)
- Carrier 6 to 31 are used for upstream, carrier 16 is used for reference, carrier 32 on nyquist frequency is not used for data
- 25 carriers available for upstream, maximum theoretical bitrate of $25 * 60$ kbit = 1.5 Mbit, practical values between 64 and 640 kbit

DMT for ADSL - continued -

DMT Modulation



Mixed Signal Circuits and Systems, A.J.M. van Tuijl, IC Ontwerpkunde, sheet 8.5

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.