




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04B 1/034, 7/26, H04M 11/00	A1	(11) International Publication Number: WO 96/31009 (43) International Publication Date: 3 October 1996 (03.10.96)
(21) International Application Number: PCT/US95/03898 (22) International Filing Date: 27 March 1995 (27.03.95) (71) Applicant: CELSAT AMERICA, INC. [US/US]; Suite 220, 3460 Torrance Boulevard, Torrance, CA 90503 (US). (72) Inventor: OTTEN, David, D.; 532 South Gertruda, Redondo Beach, CA 90277 (US). (74) Agent: DRUMMOND, William, H.; Drummond & Duckworth, Suite 500, 4590 MacArthur Boulevard, Newport Beach, CA 92660 (US).	(81) Designated States: CA, CN, JP, RU, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>	

(54) Title: CELLULAR COMMUNICATIONS POWER CONTROL SYSTEM



(57) Abstract

Two-way adaptive power control and signal quality monitoring and power control responsive thereto are provided for controlling the power output levels of transmitters (210) to the minimum necessary for satisfactory communications. Each transmission includes a code representative of the transmitter output power level. Receivers (212) compare this code to the received signal strength and adjust their associated transmitter power output level accordingly. Bit error rate (218) and SNR (223) are monitored by receivers to develop a measure of signal quality (220). A signal quality code is transmitted (250) to remote units and transmission output power level is adjusted in response.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgystan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Larvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

CELLULAR COMMUNICATIONS POWER CONTROL SYSTEM

BACKGROUND

The invention relates to communication systems and in particular, to a cellular mobile communications system having integrated satellite and ground
5 nodes.

The cellular communications industry has grown at a fast pace in the United States and even faster in some other countries. It has become an important service of substantial utility and because of the growth rate, saturation of the existing service is of concern. High density regions having
10 high use rates, such as Los Angeles, New York and Chicago are of most immediate concern. Contributing to this concern is the congestion of the electromagnetic frequency spectrum which is becoming increasingly severe as the communication needs of society expand. This congestion is caused not only by cellular communications systems but also by other communications
15 systems. However, in the cellular communications industry alone, it is estimated that the number of mobile subscribers will increase on a world-wide level by an order of magnitude within the next ten years. The radio frequency spectrum is limited and in view of this increasing demand for its use, means to more efficiently use it are continually being explored.

-2-

Existing cellular radio is primarily aimed at providing mobile telephone service to automotive users in developed metropolitan areas. For remote area users, airborne users, and marine users, AIRPHONE and INMARSAT services exist but coverage is incomplete and service is relatively expensive. Mobile radio satellite systems in an advanced planning stage will probably provide improved direct-broadcast voice channels to mobile subscribers in remote areas but still at significantly higher cost in comparison to existing ground cellular service. The ground cellular and planned satellite technologies complement one another in geographical coverage in that the ground cellular communications service provides voice telephone service in relatively developed urban and suburban areas but not in sparsely populated areas, while the planned earth orbiting satellites will serve the sparsely populated areas.

Cellular communications systems divide the service areas into geographical cells, each served by a base station or node typically located at its center. The central node transmits sufficient power to cover its cell area with adequate field strength. If a mobile user moves to a new cell, the radio link is switched to the new node provided there is an available channel. Present land mobile communication systems typically use a frequency modulation (FM) approach and because of the limited interference rejection capabilities of FM modulation, each radio channel may be used only once over a wide geographical area encompassing many cells. This means that each cell can use only a small fraction of the total allocated radio frequency band, resulting in an inefficient use of the available spectrum. In some cases, the quality of

speech is poor because of the phenomena affecting FM transmission known as fading and "dead spots." The subjective effect of fading is repeated submersion of the voice signal in background noise frequently many times per second if the mobile unit is in motion. The problem is exacerbated by interference from co-channel users in distant cells and resultant crosstalk due to the limited interference rejection capability of FM. Additionally, communications privacy is relatively poor; the FM signal may be heard by others who are receiving that frequency.

In the case where one band of frequencies is preferable over others and that one band alone is to be used for mobile communications, efficient communications systems are necessary to assure that the number of users desiring to use the band can be accommodated. For example, there is presently widespread agreement on the choice of L-band as the technically preferred frequency band for the satellite-to-mobile link in mobile communications systems. In the case where this single band is chosen to contain all mobile communications users, improvements in spectral utilization in the area of interference protection and in the ability to function without imposing intolerable interference on other services will be of paramount importance in the considerations of optimal use of the scarce spectrum.

Troubling both terrestrial and satellite communication is channel fading, in which communications channel experiences fading due to numerous factors such as changes in weather conditions, signal propagation, local terrain etc..

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.