

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of

Applicants : Donald Andrew Burris  
Serial No. : 13/652,969  
Filed : October 16, 2012  
Title : COAXIAL CABLE CONNECTOR WITH INTEGRAL CONTINUITY  
CONTACTING PORTION  
Docket : HI 12-019  
Examiner : Chung Trans, Xuong My  
Art Unit : 2833  
Conf. No. : 7208

**MAIL STOP AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

AMENDMENT

This paper is being filed in response to the Office Action mailed December 19, 2014. Reconsideration of the present application is respectfully requested in light of the amendments and remarks below, which include, in order of appearance, beginning on separate sheets:

- Amendments to the Claims; and
- Remarks.

**PPC Exhibit 2007**  
Corning v. PPC  
IPR2016-01573

### Amendments to the Claims

The following listing of claims will replace all prior versions, and listings, of claims in the present application:

1. (Currently amended) A coaxial cable connector for coupling an end of a coaxial cable to a terminal, the coaxial cable comprising an inner conductor, a dielectric surrounding the inner conductor, an outer conductor surrounding the dielectric, and a jacket surrounding the outer conductor, the connector comprising:

a coupler adapted to couple the connector to a terminal, the coupler comprising a lip extending into a central passage defined by the coupler;

a body assembled with the coupler, and

a post assembled with the coupler and the body, the post comprising a flange disposed at a front end of the post, wherein the post is adapted to receive an end of a coaxial cable, and

wherein at least one of the coupler, ~~the body~~ and the post comprises an integral contacting portion disposed between the flange of the post and the lip of the coupler, the integral contacting portion extending between the coupler and post, and wherein the contacting portion is monolithic with at least a portion of the at least one of the coupler, ~~the body~~ and the post, and wherein when the connector is coupled to the terminal and a coaxial cable is received by the body, the contacting portion provides for electrical continuity from an outer conductor of the coaxial cable through the connector to the terminal regardless of the tightness of the coupling of the connector to the terminal.

2. (Original) The connector of claim 1, wherein electrical continuity from an outer conductor of the coaxial cable through the connector to the terminal is provided other than by a separate continuity component.

3. (Original) The connector of claim 1, wherein the contacting portion is constructed of a material having an elastic/plastic property allowing it to maintain electrical and mechanical contact notwithstanding any interstice between components of the connector when assembled.
4. (Original) The connector of claim 1, wherein the contacting portion is formable.
5. (Original) The connector of claim 4, wherein the contacting portion forms to a contour of at least one of the coupler and the post when the post is at least partially assembled with the coupler.
6. (Withdrawn) The connector of claim 4, wherein the contacting portion forms to a contour of at least one of the body and the post when the post is at least partially assembled with the body.
7. (Original) The connector of claim 4, wherein the contacting portion forms to at least a partially arcuate shape.
8. (Original) The connector of claim 1, wherein the electrical continuity means a DC contact resistance from the outer conductor of the coaxial cable to the equipment port through the connector of less than about 3000 milliohms.
9. (Currently Amended) A coaxial cable connector for coupling an end of a coaxial cable to a terminal, the coaxial cable comprising an inner conductor, a dielectric surrounding the inner conductor, an outer conductor surrounding the dielectric, and a jacket surrounding the outer conductor, the connector comprising:
  - a coupler having a central bore and adapted to couple the connector to a terminal; and
  - a body having a central passage assembled with the coupler, and

a post having a front end and a back end, the post assembled with the coupler and the body, wherein the post is disposed at least partially within the central passage of the body and at least partially within the central bore of the coupler, and wherein the body and the post are adapted to receive an end of a coaxial cable, and

wherein the post comprises a flange and an integral contacting portion disposed rearward of the flange, the integral contacting portion ~~that~~ provides for electrical continuity from an outer conductor of the coaxial cable received by the body and the post through the connector to the terminal coupled by the coupler regardless of the tightness of the coupling of the connector to the terminal, and wherein the contacting portion is constructed from a single piece of material with at least a portion of the post.

10. (Original) The connector of claim 9, wherein the contacting portion is constructed of a material having an elastic/plastic property allowing it to maintain electrical and mechanical contact notwithstanding any interstice between components of the connector when assembled.

11. (Original) The connector of claim 9, wherein the contacting portion is formable.

12. (Original) The connector of claim 11 wherein the contacting portion forms based on a contour of at least one of the body and the coupler when the post at least partially assembles with one of the body and the coupler.

13. (Original) The connector of claim 11, wherein the contacting portion forms to at least a partially arcuate shape.

14. (Previously presented) The connector of claim 11, wherein the contacting portion forms in response to a forming tool.

15. (Original) The connector of claim 9, wherein the contacting portion is a protrusion.
16. (Original) The connector of claim 9, wherein the contacting portion is radially projecting.
17. (Original) The connector of claim 9, wherein the contacting portion has a multi-cornered configuration.
18. (Withdrawn) The connector of claim 9, wherein the contacting portion is segmented.
19. (Currently amended) A method of providing electrical continuity in a coaxial cable connector, comprising:  
    providing components of a coaxial cable connector, wherein at least one of the components has an integral, formable contacting portion protruding away from the at least one of the components toward another component, wherein the contacting portion is monolithic with the at least one of the components; and  
    assembling the components to provide a coaxial cable connector, wherein the assembling forms the contacting portion to a contour ~~to at least one of the components of the other component,~~  
    wherein the contacting portion forms in at least a partially arcuate shape.
20. (Original) The method of claim 19, wherein the components are composed from the group consisting of a coupler, a body, and a post.
21. (Original) The method of claim 19, further comprising:  
    receiving by one of the components a coaxial cable, and  
    coupling by one of the components the coaxial cable connector to a terminal.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.