

Data-Over-Cable Interface Specifications

Radio Frequency Interface Specification

SP-RFII01-970326

**INTERIM
SPECIFICATION**

Notice

This document was prepared by Arthur D. Little, Inc., under contract to MCNS Holdings, L.P. Neither Arthur D. Little, Inc. nor MCNS Holdings, L.P. is responsible for any liability of any nature whatsoever resulting from or arising out of use or reliance upon this specification by any party. This document is furnished on an "AS IS" basis and neither Arthur D. Little, Inc. nor MCNS Holdings, L.P., provides any representation or warranty, express or implied, regarding its accuracy, completeness, or fitness for a particular purpose. Distribution of this document is restricted pursuant to the terms of separate agreements negotiated with each of the parties to whom this document has been furnished.

© Copyright 1997 MCNS Holdings, L.P.
All rights reserved.

Document Status Sheet

Document Control Number: SP-RFII01-970321

Reference: Radio Frequency Interface Specification

Revision History: D01 2/24/97 Released for MCNS/author comments
D01 3/10/97 Revisions for approval
D01 3/21/97 Released for publication
D01 3/26/97 Re-released for publication

Date: March 26, 1997

Status Code: ~~Work in~~ Draft **Interim** Released

| | | | |
|-----------------------------------|-----------------------|--------------------|--------------------------------|
| | Process | | |
| Distribution Restrictions: | Arthur D. Little-only | ADL/MCN S/ Authors | ADL/MCNS/ Vendor Public |

Key to Document Status Codes

Work in Process An incomplete document, designed to guide discussion and generate feedback, that may include several alternative requirements for consideration.

Draft A document in specification format considered largely complete, but lacking review by MCNS and vendors. Drafts are susceptible to substantial change during the review process.

Interim A document which has undergone rigorous MCNS and vendor review, suitable for use by vendors to design in conformance with, and suitable for field testing.

Released A stable document, reviewed, tested and validated, suitable to enable cross-vendor interoperability.

Contents

EXECUTIVE SUMMARY xi

1. SCOPE AND PURPOSE.....1

1.1 SCOPE1

1.2 REQUIREMENTS.....1

1.3 BACKGROUND.....1

 1.3.1 Service Goals1

 1.3.2 Reference Architecture2

 1.3.3 Server Location.....5

2. FUNCTIONAL ASSUMPTIONS.....7

2.1 BROADBAND ACCESS NETWORK7

2.2 EQUIPMENT ASSUMPTIONS7

 2.2.1 Frequency Plan.....7

 2.2.2 Compatibility with Other Services.....7

 2.2.3 Fault Isolation Impact on Other Users.....8

2.3 RF CHANNEL ASSUMPTIONS.....8

 2.3.1 Transmission Downstream8

 2.3.2 Transmission Upstream9

2.4 TRANSMISSION LEVELS.....10

2.5 FREQUENCY INVERSION10

3. COMMUNICATION PROTOCOLS.....11

| | | |
|-----------|--|-----------|
| 3.1 | PROTOCOL STACK | 11 |
| 3.1.1 | CM and CMTS as Hosts..... | 11 |
| 3.1.2 | Data Forwarding Through the CM and CMTS | 12 |
| 3.2 | THE MAC FORWARDER..... | 15 |
| 3.2.1 | Example Rules for Data-Link-Layer Forwarding | 16 |
| 3.3 | NETWORK LAYER | 16 |
| 3.4 | ABOVE THE NETWORK LAYER | 16 |
| 3.5 | DATA LINK LAYER | 17 |
| 3.5.1 | LLC Sublayer | 17 |
| 3.5.2 | Link-Layer Security Sublayer | 17 |
| 3.5.3 | MAC Sublayer..... | 17 |
| 3.6 | PHYSICAL LAYER..... | 18 |
| 3.6.1 | Downstream Transmission Convergence Sublayer | 18 |
| 3.6.2 | PMD Sublayer..... | 18 |
| 4. | PHYSICAL MEDIA DEPENDENT SUBLAYER SPECIFICATION | 21 |
| 4.1 | SCOPE | 21 |
| 4.2 | UPSTREAM..... | 21 |
| 4.2.1 | Overview | 21 |
| 4.2.2 | Modulation Formats | 22 |
| 4.2.3 | FEC Encode..... | 25 |
| 4.2.4 | Scrambler (Randomizer)..... | 25 |
| 4.2.5 | Preamble Prepend | 26 |
| 4.2.6 | Burst Profiles | 26 |
| 4.2.7 | Burst Timing Convention | 29 |
| 4.2.8 | Transmit Power Requirements..... | 30 |
| 4.2.9 | Fidelity Requirements | 31 |
| 4.2.10 | Frame Structure..... | 32 |
| 4.2.11 | Signal Processing Requirements | 34 |
| 4.2.12 | Upstream Demodulator Input Power Characteristics..... | 35 |
| 4.2.13 | Upstream Electrical Output from the CM | 36 |
| 4.3 | DOWNSTREAM | 36 |
| 4.3.1 | Downstream Protocol..... | 36 |
| 4.3.2 | Scalable Interleaving to Support Low Latency..... | 36 |
| 4.3.3 | Downstream Frequency Plan | 37 |
| 4.3.4 | CMTS Output Electrical | 37 |
| 4.3.5 | Downstream Electrical Input to CM..... | 38 |
| 4.3.6 | CM BER Performance | 38 |
| 5. | DOWNSTREAM TRANSMISSION CONVERGENCE SUBLAYER | 41 |
| 5.1 | INTRODUCTION | 41 |
| 5.2 | MPEG PACKET FORMAT | 41 |
| 5.3 | MPEG HEADER FOR MCNS DATA-OVER-CABLE..... | 42 |
| 5.4 | MPEG PAYLOAD FOR MCNS DATA-OVER-CABLE..... | 42 |
| 5.5 | INTERACTION WITH THE MAC SUBLAYER..... | 43 |
| 5.6 | INTERACTION WITH THE PHYSICAL LAYER | 44 |

| | | |
|-----------|---|-----------|
| 5.7 | MPEG HEADER SYNCHRONIZATION AND RECOVERY | 44 |
| 6. | MEDIA ACCESS CONTROL SPECIFICATION | 44 |
| 6.1 | INTRODUCTION | 44 |
| 6.1.1 | <i>Overview</i> | 44 |
| 6.1.2 | <i>Definitions</i> | 45 |
| 6.1.3 | <i>Future Use</i> | 46 |
| 6.2 | MAC FRAME FORMATS | 46 |
| 6.2.1 | <i>Generic MAC Frame Format</i> | 46 |
| 6.2.2 | <i>Packet-Based MAC Frames</i> | 50 |
| 6.2.3 | <i>ATM Cell MAC Frames</i> | 51 |
| 6.2.4 | <i>Reserved PDU MAC Frames</i> | 51 |
| 6.2.5 | <i>MAC-Specific Headers</i> | 52 |
| 6.2.6 | <i>Extended MAC Headers</i> | 56 |
| 6.2.7 | <i>Error-Handling</i> | 58 |
| 6.3 | MAC MANAGEMENT MESSAGES | 58 |
| 6.3.1 | <i>Message Format</i> | 58 |
| 6.3.2 | <i>MAC Management Messages</i> | 60 |
| 6.4 | UPSTREAM BANDWIDTH ALLOCATION | 76 |
| 6.4.1 | <i>The Allocation Map MAC Management Message</i> | 77 |
| 6.4.2 | <i>Map Transmission and Timing</i> | 80 |
| 6.4.3 | <i>Protocol Example</i> | 81 |
| 6.4.4 | <i>Contention Resolution</i> | 82 |
| 6.4.5 | <i>CM Behavior</i> | 83 |
| 6.4.6 | <i>Support for Multiple Channels</i> | 83 |
| 6.4.7 | <i>Classes of Service</i> | 84 |
| 6.5 | TIMING AND SYNCHRONIZATION | 85 |
| 6.5.1 | <i>Global Timing Reference</i> | 85 |
| 6.5.2 | <i>CM Channel Acquisition</i> | 86 |
| 6.5.3 | <i>Ranging</i> | 86 |
| 6.5.4 | <i>Timing Units and Relationships</i> | 87 |
| 6.6 | DATA LINK ENCRYPTION SUPPORT | 88 |
| 6.6.1 | <i>MAC Messages</i> | 88 |
| 6.6.2 | <i>Framing</i> | 88 |
| 7. | CABLE MODEM - CMTS INTERACTION | 91 |
| 7.1 | CMTS INITIALIZATION | 91 |
| 7.2 | CABLE MODEM INITIALIZATION | 91 |
| 7.2.1 | <i>Scanning and Synchronization to Downstream</i> | 93 |
| 7.2.2 | <i>Obtain Upstream Parameters</i> | 93 |
| 7.2.3 | <i>Message Flows During Scanning and Upstream Parameter Acquisition</i> | 95 |
| 7.2.4 | <i>Ranging and Automatic Adjustments</i> | 96 |
| 7.2.5 | <i>Establish IP Connectivity</i> | 101 |
| 7.2.6 | <i>Establish Time of Day</i> | 101 |
| 7.2.7 | <i>Establish Security Association</i> | 102 |

| | | |
|-----------|---|------------|
| 7.2.8 | <i>Transfer Operational Parameters</i> | 102 |
| 7.2.9 | <i>Registration</i> | 102 |
| 7.2.10 | <i>Service IDs During CM Initialization</i> | 103 |
| 7.2.11 | <i>Multiple-Channel Support</i> | 104 |
| 7.2.12 | <i>Remote RF Signal Level Adjustment</i> | 104 |
| 7.2.13 | <i>Changing Upstream Burst Parameters</i> | 106 |
| 7.2.14 | <i>Changing Upstream Channels</i> | 106 |
| 7.2.15 | <i>Fault Detection and Recovery</i> | 108 |
| 7.2.16 | <i>Prevention of Unauthorized Transmissions</i> | 109 |
| 8. | SUPPORTING FUTURE NEW CABLE MODEM CAPABILITIES | 111 |
| 8.1 | SETTING UP COMMUNICATIONS ON AN ENHANCED BASIS | 111 |
| 8.1.1 | <i>Upstream Enhanced / Downstream Standard</i> | 111 |
| 8.1.2 | <i>Downstream Enhanced / Upstream Enhanced or Standard</i> | 111 |
| 8.2 | DOWNLOADING CABLE MODEM OPERATING SOFTWARE | 111 |
| 9. | PROVISION FOR OTHER FUTURE CAPABILITIES | 113 |
| 9.1 | ANTICIPATED PHYSICAL-LAYER CHANGES | 113 |
| 9.1.1 | <i>Adding Upstream Channel and Burst Configuration Settings</i> | 113 |
| 9.1.2 | <i>Downstream Channel Improvements</i> | 114 |
| 9.2 | NEW NETWORK SERVICE REQUIREMENTS | 114 |
| 9.2.1 | <i>Multicast Service IDs</i> | 114 |
| 9.2.2 | <i>RSVP Support for Upstream Traffic</i> | 115 |
| 9.3 | PID FILTERING CAPABILITY | 116 |
| | APPENDIX A - WELL-KNOWN ADDRESSES | 117 |
| A.1 | MAC ADDRESSES | 117 |
| A.2 | MAC SERVICE IDS | 117 |
| A.3 | MPEG PID AND TABLE_ID | 117 |
| | APPENDIX B - PARAMETERS AND CONSTANTS | 119 |
| | APPENDIX C - CM CONFIGURATION INTERFACE SPECIFICATION | 121 |
| C.1 | DHCP FIELDS USED BY THE CM | 121 |
| C.2 | CM BINARY CONFIGURATION FILE FORMAT | 121 |
| C.3 | CONFIGURATION FILE SETTINGS | 122 |
| C.4 | CONFIGURATION FILE CREATION | 123 |
| C.5 | CM MIC CALCULATION | 124 |
| C.6 | CMTS MIC CALCULATION | 125 |
| | <i>C.6.1 Digest Calculation</i> | 125 |
| C.7 | REGISTRATION CONFIGURATION SETTINGS | 125 |
| C.8 | ENCODINGS | 126 |
| | <i>C.8.1 End-of-Data Marker</i> | 126 |
| | <i>C.8.2 Pad Configuration Setting</i> | 126 |
| | <i>C.8.3 Downstream Frequency Configuration Setting</i> | 126 |
| | <i>C.8.4 Upstream Channel ID Configuration Setting</i> | 127 |
| | <i>C.8.5 Network Access Control Object</i> | 127 |

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.