

Microsoft Press

Computer Dictionary

Third Edition

Microsoft Press

PUBLISHED BY
Microsoft Press
A Division of Microsoft Corporation
One Microsoft Way
Redmond, Washington 98052-6399

Copyright © 1997 by Microsoft Corporation

All rights reserved. No part of the contents of this book may be reproduced or transmitted in any form or by any means without the written permission of the publisher.

Library of Congress Cataloging-in-Publication Data pending.

ISBN 1-57231-743-4

Printed and bound in the United States of America.

1 2 3 4 5 6 7 8 9 QMQM 2 1 0 9 8 7

Distributed to the book trade in Canada by Macmillan of Canada, a division of Canada Publishing Corporation.

A CIP catalogue record for this book is available from the British Library.

Microsoft Press books are available through booksellers and distributors worldwide. For further information about international editions, contact your local Microsoft Corporation office. Or contact Microsoft Press International directly at fax (425) 936-7329. Visit our Web site at mspress.microsoft.com.

Macintosh, Power Macintosh, QuickTime, and TrueType fonts are registered trademarks of Apple Computer, Inc. Intel is a registered trademark of Intel Corporation. DirectInput, DirectX, Microsoft, Microsoft Press, MS-DOS, Visual Basic, Visual C++, Win32, Win32s, Windows, Windows NT, and XENIX are registered trademarks and ActiveMovie, ActiveX, and Visual J++ are trademarks of Microsoft Corporation. Java is a trademark of Sun Microsystems, Inc. Other product and company names mentioned herein may be the trademarks of their respective owners.

Acquisitions Editor: Kim Fryer

Project Editors: Maureen Williams Zimmerman, Anne Taussig

Technical Editors: Dail Magee Jr., Gary Nelson, Jean Ross, Jim Fuchs, John Conrow,
Kurt Meyer, Robert Lyon, Roslyn Lutsch

decoder

variables are declared at the beginning of sections of code. *See also* variable.

decoder \dēˈkōˈdər, də-kōˈdər\ *n.* **1.** A device or program routine that converts coded data back to its original form. This can mean changing unreadable or encrypted codes into readable text or changing one code to another, although the latter type of decoding is usually referred to as conversion. *Compare* conversion. **2.** In electronics and hardware, a type of circuit that produces one or more selected output signals based on the combination of input signals it receives.

decollate \dēˈkōˈlāt\ *vb.* To separate copies in a multipart continuous paper form.

decompiler \dēˈkəm-pīˈlər\ *n.* A program that attempts to generate high-level source code from assembly language code or machine code. This can be a difficult task, as some assembly language code has no corresponding high-level source code. *See also* disassembler. *Compare* compiler (definition 2).

decompress \dēˈkəm-pres\ *vb.* *See* uncompress.

.de.co.us \dot-D-Eˈdot-C-O-dot-U-Sˈ\ *n.* On the Internet, the major geographic domain specifying that an address is located in Denver, Colorado, United States.

decrement¹ \deˈkrə-mənt\ *n.* The amount by which a number is decreased. *Compare* increment¹.

decrement² \deˈkrə-mənt\ *vb.* To decrease a number by a given amount. *Compare* increment².

decryption \dēˈkripˈshən\ *n.* The process of restoring encrypted data to its original form. *Compare* encryption.

DECstation \dekˈstāˈshən, D-E-Cˈ\ *n.* **1.** A small computer system used primarily for word processing, introduced by Digital Equipment Corporation in 1978. **2.** One of a series of personal computers introduced by Digital Equipment Corporation in 1989. **3.** One of a series of single-user UNIX workstations introduced by Digital Equipment Corporation in 1989 and based on RISC processors. *See also* RISC.

dedicated \dedˈə-kāˈtəd\ *adj.* Of, pertaining to, or being a device, program, or procedure devoted to a single task or function.

dedicated channel \dedˈə-kāˈtəd ˈchanˈəl\ *n.* A communications link reserved for a particular use or a particular user.

default printer

dedicated line \dedˈə-kāˈtəd līnˈ\ *n.* **1.** A communications channel that permanently connects two or more locations. Dedicated lines are private or leased lines, rather than public ones. T1 lines, which are used by many organizations for Internet connectivity, are examples of dedicated lines. *Also called* leased line, private line. *Compare* switched line. **2.** A telephone line that is used for one purpose only, such as to receive or send faxes or to serve as a modem line.

deep copy \dēpˈ kɒpˈē\ *n.* A copy of the contents of a data structure, including all its substructures.

deep hack \dēp hakˈ\ *n.* A state of total concentration on and preoccupation with a programming effort. *Also called* deep hack mode.

de facto standard \dē fakˈtō stanˈdard\ *n.* A design, program, or language that has become so widely used and imitated that it has little competition, but whose status has not been officially recognized as standard by an organization such as the American National Standards Institute (ANSI) or the International Organization for Standardization (ISO). *See also* standard. *Compare* de jure standard.

default¹ \dəˈfältˈ, dəˈföltˈ, dēˈfält, dēˈfölt\ *n.* A choice made by a program when the user does not specify an alternative. Defaults are built into a program when a value or option must be assumed for the program to function.

default² \dəˈfältˈ, dəˈföltˈ, dēˈfält, dēˈfölt\ *vb.* In reference to programs, to make a choice when the user does not specify an alternative.

default button \dəˈfältˈ butˈən, dəˈföltˈ, dēˈfält, dēˈfölt\ *n.* The control that is automatically selected when a window is introduced by an application or operating system, typically activated by pressing the Enter key.

default drive \dəˈfältˈ drīvˈ, dəˈföltˈ, dēˈfält, dēˈfölt\ *n.* The disk drive that an operating system reads to and writes from when no alternative is specified.

default home page \dəˈfältˈ hōmˈ pāj, dəˈföltˈ, dēˈfält, dēˈfölt\ *n.* On a Web server, the file that is returned when a directory is referenced without a specific filename. This is specified by the Web server software and is typically the file called index.html or index.htm.

default printer \dəˈfältˈ prɪnˈtər, dəˈföltˈ, dēˈfält, dēˈfölt\ *n.* The printer to which a computer sends