PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification:	A2	(11) International Publication Number:	WO 92/21224
Not classified		(43) International Publication Date:	10 December 1992 (10.12.92)

(21) International Application Number: PCT/US92/04534

(22) International Filing Date: 28 May 1992 (28.05.92)

(30) Priority data:
706,760   29 May 1991 (29.05.91)   US

(71) Applicant: MAXOPTIX CORPORATION [US/US]; 2520 Junction Avenue, San Jose, CA 95134 (US).

(72) Inventor: JORGENSEN, Richard, A. ; 2068 Bel Air Avenue, San Jose, CA 95128 (US).

(74) Agents: McFARLAND, James, D. et al.; Blakely, Sokoloff, Taylor & Zafman, 12400 Wilshire Boulevard, 7th Floor, Los Angeles, CA 90025 (US).

(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC (European patent), MG, ML (OAPI patent), MR (OAPI patent), MW, NL, NL (European patent), NO, RO, RU, SD, SE, SE (European patent), SN (OAPI patent), TD (OAPI patent), TG (OAPI patent).

Published
Without international search report and to be republished upon receipt of that report.

(54) Title: OPTICAL DISK DRIVE ASSEMBLY HAVING SELECTABLE COMPRESSION AND EMULATION

(57) Abstract

A system is disclosed for storing data on, and receiving data from, an optical disk. The data may be provided by a host computer. A compression/decompression circuit is included, and the data may be compressed or uncompressed in this circuit, at the option of a user, who can select from compression modes including a bypass mode and a target ratio mode. A converter circuit is included for translating from the host computer's commands to the optical disk drive's commands. The user may select a specific emulation for compatibility with other disk systems, and the user may select specific setup parameters for compatibility with a variety of host computers. Process control circuitry operates the compression and decompression circuit in one of a number of modes and emulations. The system may be enclosed in a full form factor size package. A display and manual controls, accessible to a user, are provided for user interface with the system. Many user options are provided to enhance compatibility with a wide variety of disk systems. The present invention provides a large storage capability for storing large amounts of information in less physical space. The system of the present invention is suitable for "plug and play" installation by computer manufacturers. As an additional advantage, the user can easily monitor data compression with the display that shows the compression ratio, continuously updated.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FI	Finland	ML	Mali
AU	Australia	FR	France	MN	Mongolia
BB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NL	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IE	Ireland	RO	Romania
CA	Canada	IT	Italy	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		
ES	Spain	MG	Madagascar		

OPTICAL DISK DRIVE ASSEMBLY HAVING SELECTABLE COMPRESSION AND EMULATION

BACKGROUND OF THE INVENTION

FIELD OF INVENTION

The present invention relates to optical disk drives for storage of digital information. More specifically, the present invention relates to a system including an optical disk drive and associated circuitry for data compression and conversion of

5   commands, with a capability for selection of the compression mode, emulation of a number of pre-existing systems and selection of setup parameters. The system of the present invention may be enclosed in a housing with a size corresponding to the industry's 5.25" full height form factor standard, with

10   manual controls for mode, emulation, and setup selection.

DESCRIPTION OF RELATED ART

The capability for storage of digital data has expanded dramatically over the past twenty years. Digital information was first stored on reels of magnetic recording tape; however, this

15   storage method proved cumbersome, access to data was slow, and required many large reels of tape. The advent of the floppy disk ushered in a new era of speed and information density for digital

storage. Over the past few years, new products, such as the hard
disk drive (often called the Winchester drive) have evolved, so
that at present, storage capacities of 40 MB or more are common
in hard disks internal to many personal computers, and access to
5   much of the data is very quick.

Much greater storage capacities are possible in optical
disks; for example, the Maxoptix® RXT-800HS, available from
Maxoptix® Corporation of San Jose, CA, the assignee herein, can
store 786 Megabytes of information on a write once optical disk.
10   The Maxoptix® RXT-800HS drive is available in a half-height
housing. Optical drives typically allow writing only once, and are
often called "WORM" drives (for write-once, read-many). Erasable
optical drives are also available.

An optical disk is inserted into the disk drive for writing
15   or reading, and the disk can be removed for archival purposes. As
a space saving media, optical disks are attractive for many uses,
particularly when large amounts of data must be stored.
Examples of optical disks include compact disks (CDs) used for
digital music recording.   Other uses for optical disks includes
20   library storage of information such as images, databases,
spreadsheets, desk-top publishing, CAD files, programs, binary
data, and word processing. Optical disks are useful as backup
storage media for computer networks having one or more disk
drives. Massive storage capabilities are useful in medical
25   processes that produce a large amount of digital data. For
example, imaging processes, such as MRI (Magnetic Resonance

Imaging), output large quantities of data that must be stored quickly and efficiently. Later, when time is available , the data is processed to provide images useful for diagnosis and surgery.

As discussed, optical disks are useful for storage of

5   large amounts of information. However, it would be an advantage to provide an even greater storage capability than that provided by the existing optical disk systems. To increase storage capacity of other non-optical digital recording formats such as hard disks, data compression circuitry has been used. For

10   example, a data compression chip, the #9703 data compression co-processor, is available from Stac Electronics, of Carlsbad, California. However, data compression has not been used with optical disk drives in any meaningful way; one so-called data "compression" system for optical disk drives provides almost

15   negligible storage reduction (0-5%) by using simple software driven routines. For example, if this system sees a string of blanks (zeros), it simply skips the data, effectively throwing it away. To significantly and meaningfully increase storage abilities, it would be an advantage to provide a compression

20   system for an optical disk drive that can compress data two or more times. For example, with a 3:1 compression ratio, a 786 Megabyte drive can store 2.35 Gigabytes of information.

Another problem with data compression, as applied to optical disk systems, is the lack of compatibility between disks

25   recorded without compression, and disks recorded with compression. Furthermore, whether or not disks are recorded

DOCKET ALARM

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts

Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research

With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips

Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS
Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS
Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS
Sync your system to PACER to automate legal marketing.

fastcase®
Smarter legal research.