

Aldrich®

1001 West Saint Paul Avenue, Milwaukee, WI 53233 USA

TO PLACE ORDERS

Telephone: 414-273-3850

(USA/Canada) 800-558-9160

FAX: 414-273-4979

(USA/Canada) 800-962-9591

Mail: P.O. Box 2060

Milwaukee, WI

53201 USA

MasterCard, Visa, and American Express accepted.

CUSTOMER & TECHNICAL SERVICES

Customer: 800-558-9160

Ordering, pricing, and shipping information.

Technical: 800-231-8327

Product and application information.

MSDS

Requests: 800-771-MSDS

**SAF Bulk
Chemicals:** 800-336-9719

**Flavors &
Fragrances:** 800-227-4563

Custom

Synthesis: 800-336-9719

General: 800-771-6737

24-Hour Emergency Number:

414-273-3850

Internet: aldrich@sial.com

Correspondence:

P.O. Box 355

Milwaukee, WI

53201 USA

OFFICE HOURS

Monday through Friday 7:00 am - 7:00 pm

Saturdays, Sundays & Holidays 8:00 am - 12:00 noon

NO minimum order OR confirming purchase order required.

Contents

ALDRICH

About Our Cover	F2	Gases	1768
Sigma-Aldrich Material Safety Data		Lecture bottles	
Sheets	F3	Steel cylinders	
How to Find a Product	F6	Ion Pair Reagents	1769
Key to Chemical Listings	F7	Kits	1770
Aldrich Product Labels	F8	Chemical Standards	
Worldwide Addresses	F10	Solvents	1773
Exclusive Packaging Systems	F11	Anhydrous	
Sure/Seal bottles		HPLC	
Sure/Pac cylinders		Spectrophotometric	
Kilo-Lab cylinders		Specialty Inorganics	1777
Pure-Pac containers			
Specialty Catalogs and Product Lines ..	F12	TECHWARE	
Computer Products	F14	Adapters	T1
Sigma-Aldrich Chemical Directory		Adhesives	T8
Aldrich Catalog on Disk		Air-Sensitive	T9
WIMP - Structure Drawing		Bags	T16
ChIM - Chemical Inventory		Balances	T17
Management		Baths	T23
Reference Books from Aldrich	F16	Batteries	T24
The Aldrich Library of ¹³ C and ¹ H		Beakers	T25
FT-NMR Spectra		Bench Protectors	T30
The Aldrich Library of FT-IR Spectra		Blenders	T31
The Sigma-Aldrich Library of		Boiling Stones	T32
Regulatory and Safety Data		Books - Subject Guide	T33
CHEMICALS (alphabetical order)	1-1547	Books	T40
Molecular Formula Index	1547	Bottles	T97
CAS Number Cross-Reference	1701	Burettes	T110
Air-Sensitive Reagents	1761	Burners	T112
Boron Reagents		Cabinets	T114
Grignard Reagents		Calculators	T117
Organolithium Reagents		Carboys	T121
Organoaluminum Reagents		Carts	T123
ChiraSelect Reagents	1765	Chromatography	T124
Dyes & Indicators	1766	Clamps	T152
Certified Dyes		Cleaners	T157
Indicator Solutions		Computer Products	T160
		Alphabetical Index	T180
		Condensers	T181
		Conductivity	T184

Contents

AUTHOR INDEX

Containers	T186	Photochemistry	T412
Crucibles	T192	Pipettes	T413
Cryogenics	T195	Pipettors	T418
Cylinders	T201	Platinumware	T422
Desiccators	T204	Pumps	T425
Dishes	T212	Racks	T432
Dispensers	T214	Safety	T436
Dissecting	T216	Septa	T459
Distillation	T217	Spatulas	T462
Drum Equipment	T236	Spectroscopy	T464
Education/Presentation Aides ..	T243	Staining	T480
Electrical Equipment	T252	Stirrers	T482
Evaporators	T254	Stoppers	T501
Extractors	T258	Sublimation	T506
Film/Foil	T262	Supports	T507
Filtration	T264	Syringes	T514
Flash Point Testers	T280	Tapes	T534
Flash Vacuum Thermolysis	T281	Temperature	T535
Flasks	T283	Test Strips	T543
Flowmeters	T300	Timers	T545
Forceps	T304	Tongs	T548
Fume Hoods	T306	Tools	T549
Funnels	T307	Tubes	T558
Gas	T318	Tubing	T565
Glassware Kits	T333	Ultrasonic	T571
Gloves	T344	Vacuum	T575
Glove Bags/Boxes	T351	Valves and Stopcocks	T580
Greases/Lubricants	T357	Vials	T584
Heaters	T358	Water Purification	T592
Hot Plates	T370	Wipes	T593
Knives	T374	Techware Index	T594
Labels	T376	Abbreviations & Acronyms	T620
Lights	T380	Acta Article Index	T624
Measurement	T382	Tables and Charts	T629
Melting Point Apparatus	T383	Registered Trademarks and	
Meters	T385	Trademarks	T634
Molecular Models	T390	General Information	T638
Mortars and Pestles	T395		
Notebooks	T396		
pH	T399		

■ Difluoroci ■

			\$
29,035-1	<i>trans</i> -2,6-Difluorocinnamic acid, 99% [102082-89-3] F ₂ C ₆ H ₃ CH=CHCO ₂ H.....	1g	18.70
	FW 184.14 mp 124-125° FT-NMR 1(2),1053A FT-IR 1(3),1322A SI 283,B,7 Safety 2,1246B R&S 1(2),1777C IRRITANT	5g	62.65
29,037-8	<i>trans</i> -3,4-Difluorocinnamic acid, 95% [112897-97-9] F ₂ C ₆ H ₃ CH=CHCO ₂ H.....	1g	17.55
	FW 184.14 mp 194-196° FT-NMR 1(2),1054A SI 283,E,7 Safety 2,1246C R&S 1(2),1777F IRRITANT	5g	56.95
29,038-6	3,5-Difluorocinnamic acid, 99% [84315-23-1] F ₂ C ₆ H ₃ CH=CHCO ₂ H FW 184.14.....	1g	18.70
	mp 204-205° SI 283,A,8 R&S 1(2),1777G IRRITANT	5g	60.65
36,912-8	1,2-Difluoro-4,5-dimethoxybenzene, 97% F ₂ C ₆ H ₂ (OCH ₃) ₂ FW 174.15 mp 41-43°.....	1g	21.80
	d 1.226 Fp 198°F(92°C) SI 190,E,2 R&S 1(1),1241F FLAMMABLE SOLID IRRITANT	5g	75.60
38,535-2	1,4-Difluoro-2,5-dimethoxybenzene, 99% F ₂ C ₆ H ₂ (OCH ₃) ₂ FW 174.15 mp 123-125°.....	1g	20.05
	SI 190,A,3 IRRITANT	5g	66.45
D10,250-4	1,5-Difluoro-2,4-dinitrobenzene, 97% [327-92-4] F ₂ C ₆ H ₂ (NO ₂) ₂ FW 204.09 mp 72-74°..	2.5g	19.15
★	Beil. 5(1),136 FT-NMR 1(2),769C FT-IR 1(1),1379C SI 249,E,3 Safety 2,1246D R&S 1(1),1599D HIGHLY TOXIC	10g	43.65
D10,255-5	4,4'-Difluoro-2,2'-dinitrobenzyl [50618-92-3] FC ₆ H ₃ (NO ₂) ₂ CH ₂ CH ₂ C ₆ H ₃ (F)NO ₂	10g	39.95
	FW 308.24 mp 155-157° FT-NMR 1(2),778B FT-IR 1(1),1384B SI 250,D,1 R&S 1(1),1603H		
29,526-4	1,1-Difluoroethane, 98 + % [75-37-6] (HFC-152a) CH ₃ CHF ₂ FW 66.05 mp -117°.....	100g	54.30
★	bp -25° Beil. 1(3),130 FT-IR 1(3),103C SI 9,A,6 Safety 2,1247A R&S 1(1),75M RTECS# K11410000 FLAMMABLE GAS Brass regulator Z14,670-6 or Z14,671-4 is recommended. (Packaged in steel cylinders)	600g	115.75
43,904-5	Difluoroethane aerosol propellant, Gelman Chromist™ [75-37-6].....	1ea	20.00
★	(1ea = 59.5g)	5x1ea	81.50
29,527-2	1,1-Difluoroethylene, 99 + % [75-38-7] (vinylidene fluoride) H ₂ C=CF ₂ FW 64.04.....	272g	292.65
★	mp -144° bp -83° Beil. 1,186 FT-IR 1(3),137B SI 12,C,1 Safety 2,1247B R&S 1(1),101A RTECS# KW0560000 FLAMMABLE GAS MUTAGEN Brass control valve Z14,694-3 or either of brass regulators Z14,670-6 and Z14,671-4 is recommended. (Packaged in lecture bottle)		
44,120-1	1,2-Difluoro-4-iodobenzene, 98% [64248-58-4] F ₂ C ₆ H ₃ I FW 239.99 bp 177-178°.....	1g	7.00
★	n _D 1.5580 d 1.990 Fp 163°F(72°C) SI 182,A,5 IRRITANT LIGHT-SENSITIVE Stabilized with copper	10g	32.00
36,910-1	2,4-Difluoro-1-iodobenzene, 98% [2265-93-2] F ₂ C ₆ H ₃ I FW 239.99 bp 175-176°.....	5g	14.40
	n _D 1.5570 d 2.006 Fp 154°F(67°C) Beil. 5(4),694 FT-NMR 1(2),108B SI 182,B,5 R&S 1(1),1189G IRRITANT	25g	48.25
31,804-3	Difluoromethane, 99.7% [75-10-5] (HFC-32) CH ₂ F ₂ FW 52.02 mp -136° bp -51.6°.....	25g	66.00
★	d 1.100 Beil. 1,59 SI 8,D,7 FLAMMABLE GAS (Packaged in steel cylinders)	100g	107.00
29,247-8	4,5-Difluoro-2-nitroaniline, 98% [78056-39-0] F ₂ C ₆ H ₂ (NO ₂)NH ₂ FW 174.11.....	1g	22.90
	mp 107-108° FT-NMR 1(2),771C SI 249,B,5 Safety 2,1247C R&S 1(1),1599J IRRITANT		
23,322-6	2,4-Difluoronitrobenzene, 99% [446-35-5] F ₂ C ₆ H ₃ NO ₂ FW 159.09 mp 9-10°.....	25g	21.10
★	bp 203-204° n _D 1.5110 d 1.451 Fp 195°F(90°C) Beil. 5(1),129 FT-NMR 1(2),724C FT-IR 1(1),1355D SI 245,D,3 Safety 2,1247D R&S 1(1),1573K RTECS# CZ5730000 TOXIC IRRITANT	100g	57.30
19,662-2	2,5-Difluoronitrobenzene, 97% [364-74-9] F ₂ C ₆ H ₃ NO ₂ FW 159.09 mp -11.7°.....	5g	10.35
	bp 206.5° n _D 1.5090 d 1.467 Fp 194°F(90°C) Beil. 5(1),129 FT-NMR 1(2),724A FT-IR 1(3),1204C SI 245,B,3 Safety 2,1248A R&S 1(1),1573I RTECS# CZ5715000 IRRITANT	25g	33.00
38,295-7	2,6-Difluoronitrobenzene, 98% [19064-24-5] F ₂ C ₆ H ₃ NO ₂ FW 159.09 bp 91-92°/11mm..	250mg	9.90
	n _D 1.4940 d 1.503 Fp 190°F(87°C) SI 244,C,2 R&S 1(1),1567A IRRITANT	1g	27.25
28,836-5	3,4-Difluoronitrobenzene, 99% [369-34-6] F ₂ C ₆ H ₃ NO ₂ FW 159.09 bp 76-80°/11mm.....	10g	21.60
	n _D 1.5090 d 1.437 Fp 177°F(80°C) Beil. 5(3),609 FT-NMR 1(2),724B FT-IR 1(3),1204A SI 245,C,3 Safety 2,1248B R&S 1(1),1573J RTECS# CZ5710000 IRRITANT	50g	73.30
30,601-0	3,5-Difluoronitrobenzene, 99% [2265-94-3] F ₂ C ₆ H ₃ NO ₂ FW 159.09 mp 17°.....	1g	15.90
	bp 176-177° n _D 1.4990 d 1.407 Fp 165°F(73°C) Beil. 5(4),720 FT-NMR 1(2),753C FT-IR 1(3),1213D SI 247,E,8 Safety 2,1248C R&S 1(1),1589K IRRITANT	5g	53.00
34,153-3	2,3-Difluoro-6-nitrophenol, 98% [82419-26-9] F ₂ C ₆ H ₂ (NO ₂)OH FW 175.09 mp 60-62°...	1g	13.80
	FT-NMR 1(2),758A SI 248,D,3 R&S 1(1),1591L IRRITANT	5g	51.00
26,532-2	2,3-Difluorophenol, 98% [6418-38-8] F ₂ C ₆ H ₃ OH FW 130.10 mp 39-42° bp 54°/25mm...	1g	12.10
	Fp 134°F(56°C) FT-NMR 1(2),260B FT-IR 1(3),1016B SI 194,A,2 Safety 2,1248D R&S 1(1),1275E IRRITANT	5g	41.35
23,326-9	2,4-Difluorophenol, 99% [367-27-1] F ₂ C ₆ H ₃ OH FW 130.10 mp 22.4° bp 52-53°/19mm..	5g	12.35
	n _D 1.4860 d 1.362 Fp 134°F(56°C) Beil. 6(3),671 FT-NMR 1(2),271B FT-IR 1(1),1089B SI 195,A,4 Safety 2,1249A R&S 1(1),1281A IRRITANT	25g	33.80
29,039-4	2,5-Difluorophenol, 95% [2713-31-7] F ₂ C ₆ H ₃ OH FW 130.10 mp 40-42°.....	1g	9.65
	Fp 128°F(53°C) Beil. 6(4),780 FT-NMR 1(2),271C SI 195,B,4 R&S 1(1),1281B IRRITANT	5g	32.15

■ Fluorone b ■

\$

	Fluorone Black , see P3680-0, 9-Phenyl-2,3,7-trihydroxy-6-fluorone page 1175		
36,913-6	4'-Fluoro-2'-nitroacetanilide , 99% [448-39-5] CH ₃ CONHC ₆ H ₄ (F)NO ₂ FW 198.15..... mp 71-73° Beil. 12,1,355 FT-NMR 1(2),1370B SI 320,B,2 R&S 1(2),2001J IRRITANT	5g 25g	13.45 44.75
15,585-3	2-Fluoro-5-nitroaniline , 98% [369-36-8] FC ₆ H ₃ (NO ₂)NH ₂ FW 156.12 mp 99-101°..... Fp 196°F(91°C) Beil. 12(1),355 FT-NMR 1(2),742C FT-IR 1(1),1365B SI 246,E,8 Safety 2,1712D R&S 1(1),1583D FLAMMABLE SOLID	5g 25g 100g	10.20 33.90 102.80
16,255-8	4-Fluoro-2-nitroaniline , 97% [364-78-3] FC ₆ H ₃ (NO ₂)NH ₂ FW 156.12 mp 91-93°..... Fp 193°F(89°C) Beil. 12(1),355 FT-NMR 1(2),744A SI 247,E,1 Safety 2,1713A R&S 1(1),1583J FLAMMABLE SOLID IRRITANT	5g 25g 100g	18.10 60.20 143.10
15,586-1 ★	4-Fluoro-3-nitroaniline , 97% [364-76-1] FC ₆ H ₃ (NO ₂)NH ₂ FW 156.12 mp 96-98°..... Fp 196°F(91°C) Beil. 12,729 FT-NMR 1(2),743C FT-IR 1(1),1365C SI 247,D,1 Safety 2,1713B R&S 1(1),1583I RTECS# BY1700000 FLAMMABLE SOLID	5g 25g 100g	8.45 28.10 92.55
33,486-3	2-Fluoro-4-nitroanisole , 98% [455-93-6] FC ₆ H ₃ (NO ₂)OCH ₃ FW 171.13 mp 103-105°..... FT-NMR 1(2),728A SI 245,B,6 R&S 1(1),1575J IRRITANT	1g 5g	10.50 38.65
32,476-0	4-Fluoro-2-nitroanisole , 98% [445-83-0] FC ₆ H ₃ (NO ₂)OCH ₃ FW 171.13 mp 62-64°..... Beil. 6(1),121 FT-IR 1(3),1206A SI 245,C,6 R&S 1(1),1575K IRRITANT	5g 25g	14.50 53.20
F1,080-1 ★	1-Fluoro-2-nitrobenzene , 99% [1493-27-2] FC ₆ H ₄ NO ₂ FW 141.10 mp -8°..... bp 116°/22mm n _D ²⁰ 1.5317 d 1.338 Fp 202°F(94°C) Beil. 5,241 FT-NMR 1(2),680B FT-IR 1(1),1330C SI 241,E,8 Safety 2,1713C R&S 1(1),1551H	10g 50g	12.75 36.75
12,839-2	1-Fluoro-3-nitrobenzene , 97% [402-67-5] FC ₆ H ₄ NO ₂ FW 141.10 mp 1.7° bp 205°..... n _D ²⁰ 1.5250 d 1.325 Fp 170°F(76°C) Beil. 5,241 FT-NMR 1(2),688C FT-IR 1(1),1335B SI 242,D,5 Safety 2,1713D R&S 1(1),1555H	10g	16.00
F1,120-4 ★	1-Fluoro-4-nitrobenzene , 99% [350-46-9] FC ₆ H ₄ NO ₂ FW 141.10 mp 21° bp 205°..... n _D ²⁰ 1.5310 d 1.330 Fp 182°F(83°C) Beil. 5,241 FT-NMR 1(2),694C FT-IR 1(1),1339D SI 243,C,1 Safety 2,1714A R&S 1(1),1559D RTECS# DA1400000 TOXIC	5g 100g 500g	11.60 31.50 106.40
28,398-3	4-Fluoro-7-nitrobenzofurazan , 97% [29270-56-2] FW 183.10 mp 52-54°..... Fp >230°F(110°C) SI 389,D,5 Safety 2,1714B R&S 1(2),2461A IRRITANT	5mg 50mg	26.60 182.50
36,265-4	2-Fluoro-5-nitrobenzoic acid , 98% [7304-32-7] FC ₆ H ₃ (NO ₂)CO ₂ H FW 185.11..... mp 142-144° Beil. 9(1),165 FT-NMR 1(2),1126B SI 289,C,8 R&S 1(2),1811B IRRITANT	1g 5g	9.15 29.60
32,904-5	4-Fluoro-3-nitrobenzoic acid , 98% [453-71-4] FC ₆ H ₃ (NO ₂)CO ₂ H FW 185.11..... mp 123-126° Beil. 9(1),165 FT-NMR 1(2),1127B SI 290,A,1 R&S 1(2),1811E	5g 25g	19.60 74.35
36,582-3	2-Fluoro-5-nitrobenzotrifluoride , 98% [400-74-8] (5-nitro- $\alpha,\alpha,\alpha,2$ -tetrafluoro-..... toluene) FC ₆ H ₃ (NO ₂)CF ₃ FW 209.10 bp 105-110°/25mm n _D ²⁰ 1.4650 d 1.522 Fp 197°F(91°C) Beil. 5(4),853 FT-NMR 1(2),721A SI 245,C,1 R&S 1(1),1571M IRRITANT	5g 25g	19.75 65.85
21,433-7	4-Fluoro-3-nitrobenzotrifluoride , 99% [367-86-2] (3-nitro- $\alpha,\alpha,\alpha,4$ -tetrafluoro-..... toluene) FC ₆ H ₃ (NO ₂)CF ₃ FW 209.10 bp 92°/15mm n _D ²⁰ 1.4620 d 1.494 Fp 92°F(33°C) Beil. 5(4),853 FT-NMR 1(2),720C FT-IR 1(1),1357B SI 245,B,1 Safety 2,1714C R&S 1(1),1571L FLAMMABLE LIQUID IRRITANT	1g 5g	9.70 32.25
34,664-0	4-Fluoro-3-nitrobenzotrifluoride , 97% [367-86-2] (3-nitro- $\alpha,\alpha,\alpha,4$ -tetrafluoro-..... toluene) FC ₆ H ₃ (NO ₂)CF ₃	100g 500g	30.65 111.20
36,583-1	5-Fluoro-2-nitrobenzotrifluoride , 99% [393-09-9] (2-nitro- $\alpha,\alpha,\alpha,5$ -tetrafluoro-..... toluene) FC ₆ H ₃ (NO ₂)CF ₃ FW 209.10 mp 23° bp 198-199° n _D ²⁰ 1.4600 d 1.497 Fp 192°F(88°C) Beil. 5,3,744 FT-NMR 1(2),721B SI 245,D,1 R&S 1(1),1573A IRRITANT	5g	22.00
29,981-2	2-Fluoro-7-nitrofluorene , 99% [1806-25-3] FW 229.21 mp 201-204°..... FT-NMR 1(2),785C FT-IR 1(3),1220B SI 250,C,7 Safety 2,1714D R&S 1(1),1607I RTECS# LL7850000 IRRITANT	100mg	18.95
34,506-7	2-Fluoro-4-nitrophenol , 99% [403-19-0] FC ₆ H ₃ (NO ₂)OH FW 157.10 mp 120-122°..... Beil. 6(3),833 FT-NMR 1(2),733C SI 246,C,2 R&S 1(1),1579D IRRITANT	1g 5g	13.15 48.15
18,412-8	3-Fluoro-4-nitrophenol , 99% [394-41-2] FC ₆ H ₃ (NO ₂)OH FW 157.10 mp 93-95°..... Beil. 6(2),226 FT-NMR 1(2),734B FT-IR 1(3),1209A SI 246,E,2 Safety 2,1715A R&S 1(1),1579F IRRITANT	1g 5g	14.15 51.85
34,505-9	4-Fluoro-2-nitrophenol , 99% [394-33-2] FC ₆ H ₃ (NO ₂)OH FW 157.10 mp 75-77°..... Beil. 6(1),121 FT-NMR 1(2),733B SI 246,B,2 R&S 1(1),1579C IRRITANT	5g 25g	25.05 83.00
23,324-2	5-Fluoro-2-nitrophenol , 99% [446-36-6] FC ₆ H ₃ (NO ₂)OH FW 157.10 mp 35-37°..... Fp 197°F(91°C) Beil. 6(2),225 FT-NMR 1(2),734A FT-IR 1(1),1362A SI 246,D,2 Safety 2,1715B R&S 1(1),1579E IRRITANT	5g 25g 100g	11.85 39.50 128.30
25,863-6	4-Fluoro-3-nitrophenyl isocyanate , 98% [65303-82-4] FC ₆ H ₃ (NO ₂)NCO FW 182.11.... mp 27-28° n _D ²⁰ 1.5684 d 1.455 Fp >230°F(110°C) FT-IR 1(2),479B SI 341,C,6 Safety 2,1715D R&S 1(2),2169J LACHRYMATOR MOISTURE-SENSITIVE	1g 10g	12.85 64.35
F1,170-0 ★	4-Fluoro-3-nitrophenyl sulfone , 99% [312-30-1] [bis(4-fluoro-3-nitrophenyl)..... sulfone] [FC ₆ H ₃ (NO ₂) ₂ SO ₂ FW 344.25 mp 193-194° FT-NMR 1(2),1590C FT-IR 1(2),490D SI 344,B,5 R&S 1(2),2191F RTECS# WR4300000	5g	18.00

