

UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

ZTE (USA) Inc.,
HTC Corporation, and
HTC America, Inc.

Petitioners

v.

Evolved Wireless LLC,

Patent Owner

DECLARATION OF ZUO ZHISONG

Case No. IPR2016-00758

ZTE/HTC
Exhibit 1015-0001

1. My name is Zuo Zhisong. I am a Standard Engineer at ZTE Corporation. I have been employed by ZTE Corporation since 2005.

2. For more than 10 years, since February 2005, I have served as one of ZTE's delegates to the Third Generation Partnership Project ("3GPP") in a subgroup of 3GPP's Technical Specification Group - Radio Access Network ("TSG-RAN") known as Working Group 1 ("WG1").

3. During this period, I have attended dozens of WG1's meetings and subscribed to WG1's reflector list (3GPP_TSG_RAN_WG1@list.etsi.org), to which I have sent hundreds of e-mail messages and through which I have received thousands of e-mail messages. In general, before each WG1 meeting that I attended, I received e-mail messages from delegates of other companies through WG1's reflector list, providing technical documents, called contributions, for discussion at the meeting. Some of those e-mail messages provided the technical documents as e-mail attachments, while other e-mail messages provided links to the locations where the technical documents were stored on 3GPP's publicly available website <<http://www.3gpp.org>>. Regardless of how the e-mail messages provided access to the technical documents, those documents were also uploaded to and available for download at 3GPP's publicly available website.

4. As a delegate for WG1, I sent e-mail messages submitting technical documents on ZTE's behalf to WG1's reflector list hundreds of times before

meetings for which the documents were submitted for discussion. I also uploaded technical documents to 3GPP's publicly available website more than 200 times before meetings for which the technical documents were submitted for discussion.

5. In my 10 years as a delegate for WG1, I have also regularly accessed the location on 3GPP's website storing technical documents submitted to WG1. That location is available at the uniform resource identifier

<http://www.3gpp.org/ftp/tsg_ran/WG1_RL1/>, which I refer to in this declaration as "WG1's public directory." Since 2005, I have accessed WG1's public directory in several ways, such as, for example, by entering the uniform resource identifier of WG1's public directory into an Internet browser and by accessing 3GPP's homepage <<http://www.3gpp.org>> and then navigating to the uniform resource identifier of WG1's public directory. Regardless of which method I used to access WG1's public directory, I have never encountered a password requirement or any other restriction that would prevent me or a member of the general public from accessing WG1's public directory or any intermediate location. Based on my 10 years of experience as a WG1 delegate, since 2005 to the present, any member of the public could freely access WG1's public directory, browse it, and download technical documents stored to it without restriction.

6. I attended WG1 Meeting #44bis, which was held on March 27-31, 2006, in Athens, Greece. Attached as Exhibit 1 is a true and correct copy of an e-mail

message dated March 21, 2006, shortly before Meeting #44bis. I obtained this e-mail message from 3GPP's public e-mail website, which is available at <<https://list.etsi.org/>> and with which I have become familiar as a WG1 delegate. Like all other members of WG1, I received this e-mail message from Mr. Katsuhiko Hiramatsu through WG1's reflector list along with five ZIP file attachments, including a ZIP file titled "R1-060792.zip." That ZIP file contained a single Microsoft Word document, a true and correct copy of which is attached as Exhibit 2. Neither the ZIP file nor the Word document enclosed in the ZIP file had a password or anything else that would have restricted my ability to access its contents.

7. In preparing this declaration, I accessed <www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_44bis/Docs/>, the location on 3GPP's web site at which R1-060792.zip is accessible to any member of the public without restriction. Attached as Exhibit 3 is a true and correct copy of a printout from that website. Exhibit 3 lists several ZIP files, including R1-060792.zip, as shown in the following excerpt.

3/21/2006	10:41 AM	963139	R1-060789.zip
3/21/2006	10:20 AM	468156	R1-060790.zip
3/21/2006	9:04 AM	124590	R1-060792.zip
3/21/2006	9:04 AM	17727	R1-060793.zip
3/21/2006	9:04 AM	35394	R1-060794.zip

(Ex. 3 at 1.) The text “R1-060792.zip” provides a link to a ZIP file titled R1-060792.zip. I downloaded and opened this ZIP file and found that it contains a single Microsoft Word file, a true and correct copy of which is attached as Exhibit 4. I compared Exhibit 4 to Exhibit 2, the Word file in the attachment that I received from Mr. Hiramatsu on March 21, 2006, and found that those two exhibits are identical.

8. In the excerpt from the 3GPP website printout shown above, there is also a date stamp (3/21/2006) to the left of the link to R1-060792.zip. Based on my 10 years of experience as a delegate for WG1, having uploaded more than 200 ZIP files to 3GPP’s publicly available server, I understand this date stamp to mean that R1-060792.zip was uploaded to 3GPP’s publicly available website on March 21, 2006, and that any member of the public could have downloaded the ZIP file, extracted the Word document it enclosed, and viewed the contents of that Word document without restriction on March 21, 2006 and thereafter. I have no reason to believe this date stamp is inaccurate.

9. I also attended WG1 Meeting #45, which was held on May 8-12, 2006 in Shanghai, China. Attached as Exhibit 5 is a true and correct copy of an e-mail message dated May 2, 2006, shortly before Meeting #45. I obtained this e-mail message from 3GPP’s public e-mail website, which is available at <<https://list.etsi.org/>>, and with which I have become familiar as a WG1 delegate.

Like all other members of WG1, I received this e-mail message from Mr. Hiramatsu through WG1's reflector list along with two ZIP file attachments, including a ZIP file titled "R1-061114.zip." That ZIP file contained a single Microsoft Word document, a true and correct copy of which is attached as Exhibit 6. Neither the ZIP file nor the Word document enclosed in the ZIP file had a password or anything else that would have restricted my ability to access its contents.

10. In preparing this declaration, I accessed <http://www.3gpp.org/ftp/tsg_ran/WG1_RL1/TSGR1_45/Docs/>, the location on 3GPP's website in which R1-061114.zip is accessible to any member of the public without restriction. Attached as Exhibit 7 is a true and correct copy of a printout from that website. Exhibit 7 lists several ZIP files, including R1-061114.zip, as shown in the following excerpt.

5/12/2006	3:14 PM	431339	R1-061111.zip
5/2/2006	8:31 AM	174601	R1-061112.zip
5/2/2006	7:20 AM	71687	R1-061114.zip
5/2/2006	7:20 AM	93032	R1-061115.zip
5/3/2006	4:13 PM	231279	R1-061116.zip

(Ex. 7 at 1.) The text "R1-061114.zip" is a link that, when selected, initiates a download of a ZIP file titled R1-061114.zip. I downloaded and opened this ZIP file and found that it contains a single Microsoft Word file, a true and correct copy of which is attached as Exhibit 8. I compared Exhibit 8 to Exhibit 6, the Word file

in the attachment that I received from Mr. Hiramatsu on May 2, 2006, and found that those two exhibits are identical.

11. In the excerpt above, there is also a date stamp (5/2/2006) to the left of the link to R1-061114.zip. Based on my 10 years of experience as a delegate for WG1, having uploaded more than 200 ZIP files to 3GPP's publicly available server, I understand this date stamp to mean that R1-061114.zip was uploaded to 3GPP's publicly available website on May 2, 2006, and that any member of the public could have downloaded the ZIP file, extracted the Word document it enclosed, and viewed the contents of that Word document without restriction on May 2, 2006 and thereafter. I have no reason to believe this date stamp is inaccurate.

12. I declare under penalty of perjury that the statements made herein are believed to be true based upon either my personal knowledge or to the best of my knowledge, information, and belief.

Date: February 3, 2016



Zuo Zhisong

EXHIBIT 1

ZTE/HTC
Exhibit 1015-0008



3GPP_TSG_RAN_WG1 Archives

3GPP_TSG_RAN_WG1@LIST.ETSI.ORG

View: **Message:** [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
By Topic: [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
By Author: [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
Font: [Proportional Font](#)

- [LISTSERV Archives](#)
- [3GPP_TSG_RAN_WG1 Home](#)
- [3GPP_TSG_RAN_WG1 March 2006, Week 3](#)

Subject: Panasonic contribution for LTE
From: Katsuhiko HIRAMATSU <[log in to unmask](#)>
Reply-To: Katsuhiko HIRAMATSU <[log in to unmask](#)>
Date: Tue, 21 Mar 2006 15:58:26 +0900
Content-Type: multipart/mixed

Parts/Attachments: [text/plain \(23 lines\), R1-060793.zip \(23 lines\), R1-060794.zip \(23 lines\), R1-060795.zip \(23 lines\), R2-060902.zip \(23 lines\), R1-060792.zip \(23 lines\)](#)

Dear all,

Please find the attached Panasonic contributions on LTE.

Best regards,
Katsuhiko Hiramatsu

RAN1:

R1-060792 Random access burst evaluation in E-UTRA uplink
R1-060793 Indication of combination between L1/L2 control signaling and uplink data
R1-060794 Channel Coding Structure for LTE downlink
R1-060795 Feedback of UE measurement for MIMO

RAN1/2 joint:

R2-060902 Channel Coding Structure for LTE downlink
(same contents as in R1-060794)

[Top of Message](#) | [Previous Page](#) | [Permalink](#)

Search Archives

Advanced Options

- Options
- [Log In](#)
 - [Get Password](#)
 - [Search Archives](#)
 - [Subscribe or Unsubscribe](#)

- Archives
- [December 2015, Week 4](#)
 - [December 2015, Week 3](#)
 - [December 2015, Week 2](#)
 - [December 2015, Week 1](#)
 - [November 2015, Week 5](#)
 - [November 2015, Week 4](#)
 - [November 2015, Week 3](#)
 - [November 2015, Week 2](#)
 - [November 2015, Week 1](#)
 - [October 2015, Week 5](#)
 - [October 2015, Week 4](#)
 - [October 2015, Week 3](#)
 - [October 2015, Week 2](#)
 - [October 2015, Week 1](#)
 - [September 2015, Week 5](#)
 - [September 2015, Week 4](#)
 - [September 2015, Week 3](#)
 - [September 2015, Week 2](#)
 - [September 2015, Week 1](#)
 - [August 2015, Week 5](#)
 - [August 2015, Week 4](#)
 - [August 2015, Week 3](#)
 - [August 2016, Week 2](#)
 - [July 2015, Week 5](#)

July 2015, Week 4
July 2015, Week 3
July 2015, Week 2
July 2015, Week 1
June 2015, Week 5
June 2015, Week 4
June 2015, Week 3
June 2015, Week 2
June 2015, Week 1
May 2015, Week 5
May 2015, Week 4
May 2015, Week 3
May 2015, Week 2
May 2015, Week 1
April 2015, Week 5
April 2015, Week 4
April 2015, Week 3
April 2015, Week 2
April 2015, Week 1
March 2015, Week 5
March 2015, Week 4
March 2015, Week 3
March 2015, Week 2
March 2015, Week 1
February 2015, Week 4
February 2015, Week 3
February 2015, Week 2
February 2015, Week 1
January 2015, Week 5
January 2015, Week 4
January 2015, Week 3
January 2015, Week 2
January 2015, Week 1
December 2014, Week 4
December 2014, Week 3
December 2014, Week 2
December 2014, Week 1
November 2014, Week 5
November 2014, Week 4
November 2014, Week 3
November 2014, Week 2
November 2014, Week 1
October 2014, Week 5
October 2014, Week 4
October 2014, Week 3
October 2014, Week 2
October 2014, Week 1
September 2014, Week 5
September 2014, Week 4
September 2014, Week 3
September 2014, Week 2
September 2014, Week 1
August 2014, Week 5
August 2014, Week 4
August 2014, Week 3
August 2014, Week 2
August 2014, Week 1
July 2014, Week 5
July 2014, Week 4
July 2014, Week 3
July 2014, Week 2
July 2014, Week 1
June 2014, Week 5
June 2014, Week 4
June 2014, Week 3
June 2014, Week 2
June 2014, Week 1
May 2014, Week 5

May 2014, Week 4
May 2014, Week 3
May 2014, Week 2
May 2014, Week 1
April 2014, Week 5
April 2014, Week 4
April 2014, Week 3
April 2014, Week 2
April 2014, Week 1
March 2014, Week 5
March 2014, Week 4
March 2014, Week 3
March 2014, Week 2
March 2014, Week 1
February 2014, Week 4
February 2014, Week 3
February 2014, Week 2
February 2014, Week 1
January 2014, Week 5
January 2014, Week 4
January 2014, Week 3
January 2014, Week 2
January 2014, Week 1
December 2013, Week 4
December 2013, Week 3
December 2013, Week 2
December 2013, Week 1
November 2013, Week 5
November 2013, Week 4
November 2013, Week 3
November 2013, Week 2
November 2013, Week 1
October 2013, Week 5
October 2013, Week 4
October 2013, Week 3
October 2013, Week 2
October 2013, Week 1
September 2013, Week 5
September 2013, Week 4
September 2013, Week 3
September 2013, Week 2
September 2013, Week 1
August 2013, Week 5
August 2013, Week 4
August 2013, Week 3
August 2013, Week 2
August 2013, Week 1
July 2013, Week 4
July 2013, Week 3
July 2013, Week 2
July 2013, Week 1
June 2013, Week 5
June 2013, Week 4
June 2013, Week 3
June 2013, Week 2
June 2013, Week 1
May 2013, Week 5
May 2013, Week 4
May 2013, Week 3
May 2013, Week 2
May 2013, Week 1
April 2013, Week 5
April 2013, Week 4
April 2013, Week 3
April 2013, Week 2
April 2013, Week 1
March 2013, Week 5
March 2013, Week 4

March 2013, Week 3
March 2013, Week 2
March 2013, Week 1
February 2013, Week 4
February 2013, Week 3
February 2013, Week 2
February 2013, Week 1
January 2013, Week 5
January 2013, Week 4
January 2013, Week 3
January 2013, Week 2
January 2013, Week 1
December 2012, Week 4
December 2012, Week 3
December 2012, Week 1
November 2012, Week 5
November 2012, Week 4
November 2012, Week 3
November 2012, Week 2
November 2012, Week 1
October 2012, Week 5
October 2012, Week 4
October 2012, Week 3
October 2012, Week 2
October 2012, Week 1
September 2012, Week 5
September 2012, Week 4
September 2012, Week 3
September 2012, Week 2
September 2012, Week 1
August 2012, Week 5
August 2012, Week 4
August 2012, Week 3
August 2012, Week 2
August 2012, Week 1
July 2012, Week 5
July 2012, Week 4
July 2012, Week 3
July 2012, Week 2
July 2012, Week 1
June 2012, Week 5
June 2012, Week 4
June 2012, Week 3
June 2012, Week 2
June 2012, Week 1
May 2012, Week 5
May 2012, Week 4
May 2012, Week 3
May 2012, Week 2
May 2012, Week 1
April 2012, Week 5
April 2012, Week 4
April 2012, Week 3
April 2012, Week 2
April 2012, Week 1
March 2012, Week 5
March 2012, Week 4
March 2012, Week 3
March 2012, Week 2
March 2012, Week 1
February 2012, Week 5
February 2012, Week 4
February 2012, Week 3
February 2012, Week 2
February 2012, Week 1
January 2012, Week 5
January 2012, Week 4
January 2012, Week 3

January 2012, Week 2
January 2012, Week 1
December 2011, Week 5
December 2011, Week 4
December 2011, Week 3
December 2011, Week 2
December 2011, Week 1
November 2011, Week 5
November 2011, Week 4
November 2011, Week 3
November 2011, Week 2
November 2011, Week 1
October 2011, Week 5
October 2011, Week 4
October 2011, Week 3
October 2011, Week 2
October 2011, Week 1
September 2011, Week 5
September 2011, Week 4
September 2011, Week 3
September 2011, Week 2
September 2011, Week 1
August 2011, Week 5
August 2011, Week 4
August 2011, Week 3
August 2011, Week 2
August 2011, Week 1
July 2011, Week 5
July 2011, Week 4
July 2011, Week 3
July 2011, Week 2
July 2011, Week 1
June 2011, Week 5
June 2011, Week 4
June 2011, Week 3
June 2011, Week 2
June 2011, Week 1
May 2011, Week 5
May 2011, Week 4
May 2011, Week 3
May 2011, Week 2
May 2011, Week 1
April 2011, Week 5
April 2011, Week 4
April 2011, Week 3
April 2011, Week 2
April 2011, Week 1
March 2011, Week 5
March 2011, Week 4
March 2011, Week 3
March 2011, Week 2
March 2011, Week 1
February 2011, Week 4
February 2011, Week 3
February 2011, Week 2
February 2011, Week 1
January 2011, Week 5
January 2011, Week 4
January 2011, Week 3
January 2011, Week 2
January 2011, Week 1
December 2010, Week 5
December 2010, Week 4
December 2010, Week 3
December 2010, Week 2
December 2010, Week 1
November 2010, Week 5
November 2010, Week 4

November 2010, Week 3
November 2010, Week 2
November 2010, Week 1
October 2010, Week 5
October 2010, Week 4
October 2010, Week 3
October 2010, Week 2
October 2010, Week 1
September 2010, Week 5
September 2010, Week 4
September 2010, Week 3
September 2010, Week 2
September 2010, Week 1
August 2010, Week 5
August 2010, Week 4
August 2010, Week 3
August 2010, Week 2
August 2010, Week 1
July 2010, Week 4
July 2010, Week 3
July 2010, Week 2
July 2010, Week 1
June 2010, Week 5
June 2010, Week 4
June 2010, Week 3
June 2010, Week 2
June 2010, Week 1
June 2010
May 2010, Week 4
May 2010, Week 3
May 2010, Week 2
May 2010, Week 1
April 2010, Week 4
April 2010, Week 3
April 2010, Week 2
April 2010, Week 1
March 2010
February 2010, Week 4
February 2010, Week 3
February 2010, Week 2
February 2010, Week 1
January 2010, Week 4
January 2010, Week 3
January 2010, Week 2
January 2010, Week 1
December 2009
November 2009, Week 4
November 2009, Week 3
November 2009, Week 2
November 2009, Week 1
October 2009, Week 4
October 2009, Week 3
October 2009, Week 2
October 2009, Week 1
September 2009
August 2009, Week 4
August 2009, Week 3
August 2009, Week 2
August 2009, Week 1
July 2009
June 2009, Week 4
June 2009, Week 3
June 2009, Week 2
June 2009, Week 1
May 2009, Week 4
May 2009, Week 3
May 2009, Week 2
May 2009, Week 1

April 2009, Week 4
April 2009, Week 3
April 2009, Week 2
April 2009, Week 1
March 2009, Week 4
March 2009, Week 3
March 2009, Week 2
March 2009, Week 1
February 2009, Week 4
February 2009, Week 3
February 2009, Week 2
February 2009, Week 1
January 2009, Week 4
January 2009, Week 3
January 2009, Week 2
January 2009, Week 1
December 2008
November 2008, Week 4
November 2008, Week 3
November 2008, Week 2
November 2008, Week 1
October 2008
September 2008, Week 4
September 2008, Week 3
September 2008, Week 2
September 2008, Week 1
August 2008, Week 4
August 2008, Week 3
August 2008, Week 2
August 2008, Week 1
July 2008
June 2008, Week 4
June 2008, Week 3
June 2008, Week 2
June 2008, Week 1
May 2008, Week 4
May 2008, Week 3
May 2008, Week 2
May 2008, Week 1
April 2008, Week 4
April 2008, Week 3
April 2008, Week 2
April 2008, Week 1
March 2008, Week 4
March 2008, Week 3
March 2008, Week 2
March 2008, Week 1
February 2008, Week 4
February 2008, Week 3
February 2008, Week 2
February 2008, Week 1
January 2008, Week 4
January 2008, Week 3
January 2008, Week 2
January 2008, Week 1
December 2007
November 2007, Week 4
November 2007, Week 3
November 2007, Week 2
November 2007, Week 1
October 2007, Week 4
October 2007, Week 3
October 2007, Week 2
October 2007, Week 1
September 2007
August 2007, Week 4
August 2007, Week 3
August 2007, Week 2

August 2007, Week 1
July 2007
June 2007, Week 4
June 2007, Week 3
June 2007, Week 2
June 2007, Week 1
May 2007, Week 4
May 2007, Week 3
May 2007, Week 2
May 2007, Week 1
April 2007, Week 4
April 2007, Week 3
April 2007, Week 2
April 2007, Week 1
March 2007, Week 4
March 2007, Week 3
March 2007, Week 2
March 2007, Week 1
February 2007, Week 4
February 2007, Week 3
February 2007, Week 2
February 2007, Week 1
January 2007, Week 4
January 2007, Week 3
January 2007, Week 2
January 2007, Week 1
December 2006
November 2006, Week 4
November 2006, Week 3
November 2006, Week 2
November 2006, Week 1
October 2006, Week 4
October 2006, Week 3
October 2006, Week 2
October 2006, Week 1
September 2006
August 2006, Week 4
August 2006, Week 3
August 2006, Week 2
August 2006, Week 1
July 2006
June 2006
May 2006, Week 4
May 2006, Week 3
May 2006, Week 2
May 2006, Week 1
April 2006
March 2006, Week 4
March 2006, Week 3
March 2006, Week 2
March 2006, Week 1
February 2006, Week 4
February 2006, Week 3
February 2006, Week 2
February 2006, Week 1
January 2006
December 2005
November 2005
October 2005, Week 4
October 2005, Week 3
October 2005, Week 2
October 2005, Week 1
September 2005
August 2005, Week 4
August 2005, Week 3
August 2005, Week 2
August 2005, Week 1
July 2005

June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004
September 2004
August 2004
July 2004
June 2004
May 2004
April 2004
March 2004
February 2004
January 2004
December 2003
November 2003
October 2003
September 2003
August 2003
July 2003
June 2003
May 2003
April 2003
March 2003
February 2003
January 2003
December 2002
November 2002
October 2002
September 2002
August 2002
July 2002
June 2002
May 2002
April 2002
March 2002
February 2002
January 2002
December 2001
November 2001
October 2001
September 2001
August 2001
July 2001
June 2001
May 2001
April 2001
March 2001
February 2001
January 2001
December 2000
November 2000
October 2000
September 2000
August 2000
July 2000
June 2000
May 2000
April 2000
March 2000
February 2000
January 2000
December 1999
November 1999, Week 4

[November 1999, Week 3](#)
[November 1999, Week 2](#)
[November 1999, Week 1](#)
[October 1999](#)
[September 1999](#)
[August 1999](#)
[July 1999](#)
[June 1999](#)
[May 1999](#)
[April 1999](#)
[March 1999](#)
[February 1999](#)
[January 1999](#)
[December 1998](#)

[ATOM](#) [RSS1](#) [RSS2](#)

LIST.ETSI.ORG



ZTE/HTC
Exhibit 1015-0018

EXHIBIT 2

ZTE/HTC
Exhibit 1015-0019

Source: Panasonic
Title: Random access burst evaluation in E-UTRA uplink
Agenda Item: 10.2.3
Document for: Discussion

1. Introduction

Random access burst is used for the initial physical connection on initial cell access, handover and the resource allocation when the UE uplink has not been time synchronized. Several discussions on random access burst to achieve short initial physical connection setup have also been reported in [4] - [7]. Random access burst sub-frame may be composed of a preamble part and a message part. We evaluate the preamble performance. Based on the evaluation results, we discuss the inclusion of message part on random access burst.

2. Discussion

2.1. Random access burst requirements

In random access burst structure design, the following requirements have been considered [1] [3] - [10].

- Reliable acquisition of preamble
- Estimation of arrival timing
- Reduction in the whole process delay
- To minimize the usage of time-frequency resources regarding spectrum efficiency

The most important requirement of the above is reliable acquisition and estimation of arrival timing because the success rate of random access burst attempt should be high enough. The inclusion of message part on random access burst has been considered to shorten physical connection setup delay [4] - [7].

2.2. Discussion on preamble length

In TR [2], E-UTRA is required to support at least 30km cell size. Therefore, we showed the link budget and achievable number of bits per TTI (0.5ms) to estimate how many bits can be contained on random access burst in [10]. The result would be useful in the case coverage is critical although the result is still preliminarily. On the other hand, we also need the discussion in the case that interference is critical. Ref. [6] reports that approximately -13 dB and -18 dB of the average received E_s/N_0 were derived from the system level evaluation. As mentioned above, the most important random access burst functions are reliable acquisition and estimation of arrival timing. For these reasons, first, we evaluate the required preamble length that corresponds to the required average received E_s/N_0 . Next we discuss the possibility of the inclusion of message part.

In the preamble evaluation, we assume the followings:

- Random access burst TTI is a multiple of 0.5msec. Preamble, guard time and possibly message part share a random access burst TTI
- Random access burst is time/frequency multiplexed with other channels [3] [4].

Preamble structure

A preamble sequence should have a good auto-correlation and good-cross correlation. General chirp-like (GCL) sequence has been considered to satisfy these requirements [5] [8] [9] . In our preamble performance evaluation, Zadoff-Chu CAZAC sequence [13] , a special case of GCL sequence, is used. RACH preamble structure is shown in Figure 1.

We evaluated 1.25MHz and 5MHz as transmission bandwidth of the random access burst. The preamble structure consists of M-times repetition of N=73 (1.25MHz) or N=293(5MHz) CAZAC sequence. Cyclic prefix and guard time are also included within a random access burst TTI.




Figure 1 – preamble structure

Performance of preamble

The simulation parameters are shown in Table 1. As preamble performance evaluation criteria, we used false alarm and miss detection probability to the average received Es/No. The definition is as follows:

- **False alarm (Pfa)**: the probability of a particular code being detected when nothing, or different code was transmitted
- **Miss detection (Pmd)**: the probability of a particular code not being detected when the code was transmitted

Although time domain preamble detection would also possible, in our evaluation, the RACH preamble detection is performed in frequency domain, which is similar to the detection algorithm described in [8] .

1. Repeated CAZAC sequences of the received signal are combined in time domain.
2. The combined CAZAC sequence is processed by FFT.
3. A transmitted CAZAC code is detected by using coherent detection in frequency domain.
4. A delay profile response is obtained after IDFT processing.

Table 1 – Simulation parameters

Transmission Bandwidth	1.25MHz	5MHz
Transmission scheme	Localized FDMA	
RACH TTI length	0.5 ms / 1.0ms / 2.0ms	
Signature pattern	CAZAC sequence (Zadoff-Chu CAZAC[13])	
Length of CAZAC sequence (N)	73	293
Repetition factor (M) of CAZAC sequence	3 (total preamble length: 200usec)	
	7 (total preamble length: 467usec)	
	14 (total preamble length: 933usec)	
	28 (total preamble length: 1867usec)	
Number of multiplexed users	1	
Antenna configuration	1 transmit antenna, 2 receive antenna (combined non-coherently)	
Detector	Coherent detection in frequency-domain	
	Preamble detection in time-domain (after IDFT)	
Channel model	AWGN	
	Typical Urban model, 120km/h	

Figure 2 and Figure 3 illustrate the miss detection probability (Pmd) to the average received Es/No of 1.25MHz and 5MHz bandwidth to achieve the false alarm Pfa = 10⁻³ under AWGN channel and TU 120km/h, respectively.




Figure 2 Miss detection probability (Pmd) to the average received Es/No (AWGN)




Figure 3 Miss detection probability (Pmd) to the average received Es/No (TU 120km/h)

Target value of the false alarm is $\leq 10^{-3}$ and the target value of miss detection is $\leq 10^{-2}$ and 10^{-3} in WCDMA [11]. We think similar target also would be required in LTE. Therefore, if we use the same target values from the above results, we can derive the required preamble length to fulfill the average received Es/No. The required preamble length in 1.25MHz bandwidth is illustrated in Figure 4 to the average received Es/No to achieve $P_{md} \leq 10^{-3}$ and $P_{md} \leq 10^{-2}$ with false alarm $P_{fa} = 10^{-3}$. Figure 5 shows the case of 5MHz bandwidth.




Figure 4 Preamble length to Es/No of false alarm probability = 10^{-3} (1.25MHz)




Figure 5 Preamble length to Es/No of false alarm probability = 10^{-3} (5MHz)

According to [6], approximately -13 dB and -18 dB of the average received Es/No were derived from the system level evaluation for the ISD 500m and 1732m, respectively, when using open-loop TPC and 5MHz transmission bandwidth. Table 2 shows preamble length required for -13dB and -18dB of Es/No under AWGN and TU120km/h.

Table 2 Required preamble length to the average received Es/No (5MHz bandwidth)

Average received Es/No	AWGN		TU-120 km/h	
	Pmd = 10^{-2}	Pmd = 10^{-3}	Pmd = 10^{-2}	Pmd = 10^{-3}
-13 dB (ISD=500m)	1-repetition (67 usec)	2-repetition (133 usec)	5-repetition (333 usec)	7-repetition (467 usec)
-18 dB (ISD=1732m)	3-repetition (200 usec)	4-repetition (267 usec)	14-repetition (933 usec)	28-repetition (1867 usec)

In this evaluation, only one preamble is transmitted. If multiple preambles are transmitted and multiple preambles are also received at the same time, additional preamble length would be required due to multiple access interference (MAI).

2.3. Random access procedure

For non-synchronized random access procedure, we introduced the four methods in the Denver meeting [10]. We extended the discussion to following five methods. In the figure "preamble" could be randomly chosen signature sequence




Figure 6 Initial resource allocation sequence

- Method A

The random access burst contains preamble, resource request and data. The delay for data transmission could be shortest.

- Method B

The random access burst contains preamble and resource request. The resource request could tell the amount of UE buffer and/or transmitter status. We assume only one or a few bits for this. The allocated amount of UL resource could be based on this resource request. The actual data is transmitted after one round trip time (RTT).

- Method C

The random access burst contains preamble only. The allocated amount of UL resource could be based without UE buffer and/or transmitter status. Therefore, the uplink resource allocation is not so accurate and could be waste of time-frequency resource in the uplink. The actual data is transmitted after one RTT.

- Method D

The random access burst contain preamble and resource request. The allocated amount of UL resource in the first SDCH would be relatively small because only a few information bits are obtained at Node B. The next SDCH contains UL data. The actual data is transmitted after two RTT.

- Method E

The random access burst contain preamble and resource request. The allocated amount of UL resource in the first SDCH is small because only resource request is transmitted. The next SDCH contains UL data. The actual data is transmitted after two RTT. Although the delay of SDCH transmission, the benefit of this scheme would be a appropriate amount of time-frequency resource to the second SDCH is based on more detailed information of resource request in the first SDCH. Therefore, accurate resource allocation is possible.

Method A requires different design of random access burst from the others. From the discussion of the previous sections, it would be difficult to include a large number of control information bits in a random access burst. Method B, C, D and E are almost similar on the design of random access burst.

We prefer method B/D than method C/E, because to include a few bits of the control information is beneficial in order to shorten the delay. The difference of B/D and C/E is whether to have a few bits on UE resource status (buffer and/or transmission status). On the actual resource status signaling method, there are two approaches. One is short message part is included as shown in Figure 7(a). The other is preamble pattern itself is chosen from the large number of preamble set shown in Figure 7(b). The choice of preamble pattern itself indicates the signaling.




Figure 7 Inclusion of short message in random access burst

We don't see so much difference between B and D. The difference between B and D is the amount of uplink resource allocation in the first SDCH. Depending on cell level traffic situation, the scheduler could control the amount of allocation in the first SDCH. In method B, not only cell level traffic situation, but also the scheduler can control the amount of uplink resource based on the resource request from each UE. If UL resource allocation is relatively large, method B is applied. If UL resource allocation is relatively small, method D is applied. We think this handling of procedure looks useful approach because this enables trade off between delay and efficiency.

As a conclusion, we propose to take method B/D. The difference of B and D can be considered as the difference of the scheduler operation.

3. Conclusion

In this contribution, we evaluated the preamble performance. Based on the evaluation results, we discussed the inclusion of message part on RACH. Our current view is that it would be difficult to include a large message part in RACH due to the limitations imposed by the link budget and preamble performance. However, we think that the inclusion of a few number of control information bits on random access burst is still beneficial from process delay point of view. A small size of message part may be included depending on target Es/No.

References

- [1] TR 25.814 V1.0.2, "Physical layer aspects for evolved UTRA"
- [2] TR25.913 V2.0.0, "Requirements for Evolved UTRA and UTRAN"
- [3] R1-051445, Ericsson, "E-UTRA Random Access"
- [4] R1-051391, NTT DoCoMo, "Random Access Transmission for Scalable Multiple Bandwidths in Evolved UTRA Uplink"
- [5] R1-060025, Motorola, "RACH Design for EUTRA"
- [6] R1-060047, NTT DoCoMo, NEC, Sharp, "Random Access Transmission in E-UTRA Uplink"
- [7] R1-060181, Qualcomm, "Characteristics of UL Access Channel"
- [8] R1-060152, Nortel, "Consideration on UL RACH scheme for LTE"
- [9] R1-060226, Huawei, "EUTRA RACH preambles"
- [10] R1-060699, Panasonic, "Inclusion of additional data on RACH"
- [11] R1-060061, "LTE L1 related questions to RAN1"
- [12] TR25.104 V6.11.0, "Base Station (BS) radio transmission and reception (FDD) (Release 6)"
- [13] D. C. Chu, "Ployphase codes with good periodic correlation properties," IEEE Trans. Information Theory, vol.18, pp531-532, July 1972.

EXHIBIT 3

ZTE/HTC
Exhibit 1015-0027

www.3gpp.org - /ftp/tsg_ran/WG1_RL1/TSGR1_44bis/Docs/

[\[To Parent Directory\]](#)

3/15/2006	2:16 PM	8661	R1-060765.zip
3/15/2006	2:16 PM	9206	R1-060766.zip
3/20/2006	1:14 PM	151547	R1-060767.zip
3/20/2006	1:14 PM	286701	R1-060768.zip
3/15/2006	2:15 PM	86378	R1-060769.zip
3/15/2006	2:15 PM	39374	R1-060770.zip
3/20/2006	4:41 PM	188915	R1-060771.zip
3/20/2006	4:41 PM	15515	R1-060772.zip
3/21/2006	7:08 AM	382471	R1-060773.zip
3/21/2006	7:08 AM	116358	R1-060774.zip
3/21/2006	10:40 AM	70959	R1-060776.zip
3/21/2006	10:40 AM	139215	R1-060777.zip
3/21/2006	10:40 AM	49871	R1-060778.zip
3/21/2006	10:40 AM	790280	R1-060779.zip
3/21/2006	10:40 AM	115904	R1-060780.zip
3/21/2006	10:41 AM	258886	R1-060781.zip
3/21/2006	10:41 AM	26285	R1-060782.zip
3/21/2006	10:41 AM	66968	R1-060783.zip
3/21/2006	10:41 AM	106183	R1-060784.zip
3/21/2006	10:41 AM	68967	R1-060785.zip
3/21/2006	10:41 AM	39816	R1-060786.zip
3/21/2006	10:41 AM	173397	R1-060787.zip
3/21/2006	10:41 AM	15195	R1-060788.zip
3/21/2006	10:41 AM	963139	R1-060789.zip
3/21/2006	10:20 AM	468156	R1-060790.zip
3/21/2006	9:04 AM	124590	R1-060792.zip
3/21/2006	9:04 AM	17727	R1-060793.zip
3/21/2006	9:04 AM	35394	R1-060794.zip
3/21/2006	9:04 AM	14347	R1-060795.zip
3/20/2006	4:04 PM	65693	R1-060796.zip
3/20/2006	4:04 PM	99230	R1-060797.zip
3/20/2006	2:22 PM	26270	R1-060798.zip
3/21/2006	10:20 AM	99388	R1-060799.zip
3/21/2006	10:20 AM	106151	R1-060800.zip
3/21/2006	10:20 AM	15902	R1-060801.zip
3/21/2006	10:20 AM	33050	R1-060802.zip
3/21/2006	10:20 AM	112174	R1-060803.zip
3/21/2006	10:20 AM	47163	R1-060805.zip
3/21/2006	10:20 AM	45670	R1-060806.zip
3/23/2006	10:09 AM	220329	R1-060807.zip
3/21/2006	8:40 AM	128955	R1-060808.zip
3/21/2006	8:40 AM	114425	R1-060809.zip
3/21/2006	8:40 AM	34673	R1-060810.zip
3/21/2006	11:58 AM	37433	R1-060811.zip
3/21/2006	11:58 AM	53412	R1-060812.zip
3/21/2006	8:40 AM	84282	R1-060813.zip
3/21/2006	8:40 AM	69392	R1-060814.zip
3/21/2006	8:40 AM	22247	R1-060815.zip
3/21/2006	8:40 AM	22748	R1-060816.zip
3/21/2006	8:40 AM	42194	R1-060817.zip
3/21/2006	11:58 AM	77596	R1-060818.zip

3/21/2006	8:40 AM	122254	R1-060819.zip
3/21/2006	10:20 AM	151578	R1-060820.zip
3/20/2006	4:04 PM	86292	R1-060821.zip
3/20/2006	4:04 PM	62046	R1-060822.zip
3/21/2006	8:40 AM	726137	R1-060823.zip
3/21/2006	8:40 AM	110468	R1-060824.zip
3/21/2006	10:41 AM	124969	R1-060825.zip
3/21/2006	9:55 AM	15229	R1-060828.zip
3/21/2006	9:55 AM	569566	R1-060829.zip
3/21/2006	9:55 AM	166450	R1-060830.zip
3/21/2006	9:55 AM	42405	R1-060831.zip
3/20/2006	4:41 PM	72632	R1-060832.zip
3/21/2006	7:27 AM	200304	R1-060833.zip
3/21/2006	7:27 AM	178144	R1-060834.zip
3/21/2006	7:27 AM	290232	R1-060835.zip
3/21/2006	7:27 AM	41595	R1-060836.zip
3/21/2006	7:27 AM	68959	R1-060837.zip
3/21/2006	7:27 AM	13640	R1-060838.zip
3/21/2006	7:27 AM	47206	R1-060839.zip
3/21/2006	7:49 AM	457697	R1-060841.zip
3/21/2006	7:49 AM	14930	R1-060842.zip
3/21/2006	7:49 AM	75190	R1-060843.zip
3/21/2006	7:49 AM	13203	R1-060844.zip
3/21/2006	1:32 PM	229231	R1-060845.zip
3/21/2006	7:49 AM	13740	R1-060846.zip
3/21/2006	8:40 AM	45951	R1-060847.zip
3/21/2006	8:40 AM	99975	R1-060848.zip
3/21/2006	8:40 AM	23955	R1-060849.zip
3/21/2006	7:27 AM	137608	R1-060850.zip
3/21/2006	7:27 AM	370347	R1-060851.zip
3/21/2006	7:27 AM	64835	R1-060852.zip
3/21/2006	7:27 AM	165275	R1-060853.zip
3/21/2006	7:27 AM	1573655	R1-060854.zip
3/21/2006	7:49 AM	23780	R1-060855.zip
3/21/2006	7:49 AM	932396	R1-060856.zip
3/21/2006	7:49 AM	658010	R1-060857.zip
3/21/2006	7:49 AM	34882	R1-060858.zip
3/21/2006	7:49 AM	189090	R1-060859.zip
3/21/2006	7:49 AM	57923	R1-060860.zip
3/21/2006	7:49 AM	280398	R1-060861.zip
3/21/2006	7:49 AM	224934	R1-060862.zip
3/21/2006	7:49 AM	249794	R1-060863.zip
3/21/2006	7:49 AM	84335	R1-060864.zip
3/21/2006	8:11 AM	24276	R1-060865.zip
3/21/2006	8:11 AM	529450	R1-060866.zip
3/21/2006	8:11 AM	75650	R1-060867.zip
3/21/2006	11:58 AM	273669	R1-060868.zip
3/21/2006	10:41 AM	138146	R1-060869.zip
3/21/2006	10:41 AM	88155	R1-060870.zip
3/21/2006	8:11 AM	186080	R1-060871.zip
3/21/2006	9:55 AM	84885	R1-060872.zip
3/21/2006	8:11 AM	21372	R1-060873.zip
3/21/2006	9:55 AM	1072993	R1-060874.zip
3/21/2006	9:27 AM	35595	R1-060875.zip
3/21/2006	9:27 AM	104382	R1-060876.zip
3/21/2006	9:27 AM	187421	R1-060877.zip
3/21/2006	9:27 AM	36857	R1-060878.zip
3/21/2006	9:27 AM	104367	R1-060879.zip
3/21/2006	9:27 AM	16636	R1-060880.zip
3/21/2006	9:27 AM	79961	R1-060881.zip
3/21/2006	9:27 AM	282089	R1-060882.zip

3/21/2006	9:27 AM	31830	R1-060883.zip
3/21/2006	9:27 AM	134339	R1-060884.zip
3/25/2006	7:58 PM	93745	R1-060885.zip
3/25/2006	3:48 PM	9491	R1-060886.zip
3/21/2006	9:27 AM	61599	R1-060887.zip
3/21/2006	9:27 AM	26610	R1-060888.zip
3/21/2006	8:11 AM	18574	R1-060889.zip
3/21/2006	7:49 AM	34212	R1-060890.zip
3/21/2006	7:49 AM	123533	R1-060891.zip
3/20/2006	1:14 PM	10001	R1-060892.zip
3/20/2006	1:14 PM	10370	R1-060893.zip
3/20/2006	1:14 PM	351252	R1-060894.zip
3/20/2006	1:14 PM	55900	R1-060895.zip
3/21/2006	7:08 AM	166271	R1-060896.zip
3/21/2006	7:08 AM	61887	R1-060897.zip
3/21/2006	7:08 AM	45651	R1-060898.zip
3/21/2006	7:08 AM	147765	R1-060899.zip
3/21/2006	7:08 AM	187544	R1-060900.zip
3/21/2006	7:08 AM	96294	R1-060901.zip
3/21/2006	9:27 AM	119591	R1-060902.zip
3/21/2006	9:27 AM	74401	R1-060903.zip
3/21/2006	9:04 AM	59292	R1-060905.zip
3/21/2006	9:55 AM	69983	R1-060906.zip
3/21/2006	7:08 AM	62556	R1-060907.zip
3/21/2006	7:08 AM	184821	R1-060908.zip
3/21/2006	7:08 AM	24314	R1-060909.zip
3/21/2006	10:20 AM	86008	R1-060910.zip
3/21/2006	10:20 AM	147667	R1-060911.zip
3/21/2006	8:40 AM	105785	R1-060912.zip
3/21/2006	8:11 AM	507680	R1-060913.zip
3/21/2006	8:11 AM	93407	R1-060914.zip
3/21/2006	7:27 AM	7566	R1-060915.zip
3/21/2006	9:04 AM	30773	R1-060916.zip
3/21/2006	9:04 AM	26316	R1-060917.zip
3/21/2006	9:04 AM	27220	R1-060918.zip
3/21/2006	9:04 AM	79590	R1-060919.zip
3/21/2006	9:04 AM	28889	R1-060920.zip
3/21/2006	9:04 AM	110236	R1-060921.zip
3/21/2006	9:05 AM	20794	R1-060922.zip
3/21/2006	9:05 AM	25715	R1-060923.zip
3/21/2006	8:11 AM	66862	R1-060924.zip
3/21/2006	8:11 AM	1142278	R1-060925.zip
3/21/2006	8:11 AM	53443	R1-060926.zip
3/20/2006	4:04 PM	139644	R1-060929.zip
3/21/2006	9:05 AM	639416	R1-060930.zip
3/21/2006	9:05 AM	15221	R1-060931.zip
3/21/2006	9:05 AM	480789	R1-060932.zip
3/21/2006	9:05 AM	47321	R1-060933.zip
3/21/2006	9:05 AM	71760	R1-060934.zip
3/21/2006	9:05 AM	152648	R1-060935.zip
3/21/2006	9:55 AM	79248	R1-060936.zip
3/21/2006	9:55 AM	49181	R1-060937.zip
3/21/2006	9:55 AM	749897	R1-060938.zip
3/21/2006	9:55 AM	13552	R1-060939.zip
3/21/2006	9:55 AM	98469	R1-060940.zip
3/21/2006	9:27 AM	606920	R1-060941.zip
3/21/2006	9:27 AM	15244	R1-060942.zip
3/21/2006	9:27 AM	99061	R1-060943.zip
3/21/2006	9:27 AM	37583	R1-060944.zip
3/21/2006	9:27 AM	143856	R1-060945.zip
3/21/2006	9:27 AM	34593	R1-060946.zip

3/21/2006	9:55 AM	391015	R1-060947.zip
3/21/2006	11:58 AM	17301	R1-060948.zip
3/30/2006	5:11 AM	221542	R1-060949.zip
3/21/2006	11:58 AM	71526	R1-060950.zip
3/21/2006	9:55 AM	115858	R1-060951.zip
3/21/2006	11:58 AM	126782	R1-060952.zip
3/21/2006	9:55 AM	30480	R1-060953.zip
3/21/2006	9:55 AM	102052	R1-060954.zip
3/21/2006	9:55 AM	32167	R1-060955.zip
3/21/2006	10:20 AM	1033822	R1-060956.zip
3/21/2006	11:58 AM	67037	R1-060957.zip
3/21/2006	11:58 AM	71458	R1-060958.zip
3/21/2006	10:20 AM	29200	R1-060959.zip
3/21/2006	10:20 AM	27337	R1-060960.zip
3/21/2006	10:20 AM	135119	R1-060961.zip
3/21/2006	11:58 AM	224238	R1-060962.zip
3/21/2006	11:58 AM	13621	R1-060963.zip
3/21/2006	11:58 AM	305314	R1-060964.zip
3/20/2006	5:29 PM	47310	R1-060965.zip
3/21/2006	11:58 AM	65734	R1-060966.zip
3/21/2006	8:11 AM	204700	R1-060967.zip
3/21/2006	8:11 AM	409038	R1-060968.zip
3/21/2006	9:55 AM	106856	R1-060969.zip
3/21/2006	8:11 AM	172906	R1-060970.zip
3/21/2006	9:27 AM	615303	R1-060971.zip
3/20/2006	3:23 PM	239942	R1-060972.zip
3/21/2006	9:05 AM	49017	R1-060973.zip
3/21/2006	9:05 AM	15521	R1-060974.zip
3/21/2006	9:05 AM	68112	R1-060975.zip
3/21/2006	8:11 AM	414492	R1-060976.zip
3/21/2006	8:11 AM	27806	R1-060977.zip
3/21/2006	8:11 AM	51679	R1-060978.zip
3/21/2006	8:11 AM	154521	R1-060979.zip
3/21/2006	8:11 AM	16943	R1-060981.zip
3/21/2006	8:11 AM	68704	R1-060982.zip
3/21/2006	8:11 AM	28479	R1-060983.zip
3/21/2006	8:11 AM	48475	R1-060985.zip
3/21/2006	8:11 AM	59684	R1-060986.zip
3/21/2006	10:20 AM	54690	R1-060987.zip
3/21/2006	10:20 AM	21625	R1-060988.zip
3/21/2006	10:20 AM	11426	R1-060990.zip
3/21/2006	10:20 AM	53450	R1-060991.zip
3/21/2006	10:20 AM	117906	R1-060992.zip
3/21/2006	10:20 AM	39455	R1-060993.zip
3/25/2006	3:48 PM	9257	R1-060994.zip
3/25/2006	3:48 PM	11349	R1-060995.zip
3/25/2006	3:48 PM	13209	R1-060996.zip
3/25/2006	3:48 PM	39149	R1-060997.zip
3/21/2006	10:41 AM	141965	R1-060998.zip
3/21/2006	10:41 AM	15388	R1-060999.zip
3/21/2006	10:41 AM	31374	R1-061000.zip
3/21/2006	11:58 AM	100112	R1-061001.zip
3/21/2006	11:58 AM	36186	R1-061002.zip
3/21/2006	11:58 AM	11869	R1-061003.zip
3/21/2006	11:58 AM	5796	R1-061004.zip
3/21/2006	7:08 AM	228704	R1-061005.zip
3/21/2006	7:08 AM	56313	R1-061006.zip
3/21/2006	7:08 AM	81353	R1-061007.zip
3/21/2006	7:08 AM	30137	R1-061008.zip
3/21/2006	7:08 AM	219561	R1-061009.zip
3/21/2006	7:08 AM	18698	R1-061010.zip

3/21/2006	11:58 AM	9260	R1-061011.zip
3/21/2006	7:08 AM	28397	R1-061012.zip
3/21/2006	11:58 AM	15046	R1-061013.zip
3/21/2006	8:40 AM	17816	R1-061014.zip
3/21/2006	8:40 AM	330749	R1-061015.zip
3/21/2006	8:40 AM	143488	R1-061016.zip
3/21/2006	8:40 AM	55024	R1-061017.zip
3/21/2006	8:40 AM	16816	R1-061018.zip
3/21/2006	8:40 AM	490512	R1-061019.zip
3/25/2006	3:48 PM	105395	R1-061020.zip
3/21/2006	9:55 AM	286444	R1-061021.zip
3/21/2006	9:55 AM	191480	R1-061022.zip
3/21/2006	9:55 AM	120289	R1-061023.zip
3/21/2006	9:55 AM	23767	R1-061024.zip
3/21/2006	9:55 AM	17948	R1-061025.zip
3/21/2006	10:41 AM	84240	R1-061027.zip
3/21/2006	7:27 AM	178574	R1-061028.zip
3/21/2006	7:27 AM	7495	R1-061029.zip
3/21/2006	7:27 AM	13589	R1-061030.zip
3/21/2006	7:27 AM	403531	R1-061031.zip
3/21/2006	7:08 AM	90584	R1-061032.zip
3/23/2006	8:09 AM	46754	R1-061033.zip
3/21/2006	10:41 AM	149407	R1-061034.zip
3/21/2006	10:41 AM	16773	R1-061035.zip
3/21/2006	1:32 PM	10144	R1-061036.zip
3/21/2006	1:32 PM	200238	R1-061037.zip
3/21/2006	9:55 AM	28225	R1-061038.zip
3/21/2006	10:20 AM	103694	R1-061039.zip
3/21/2006	9:55 AM	68633	R1-061041.zip
3/21/2006	8:11 AM	24025	R1-061042.zip
3/21/2006	8:11 AM	31994	R1-061043.zip
3/21/2006	8:11 AM	28964	R1-061044.zip
3/21/2006	7:27 AM	11771	R1-061045.zip
3/21/2006	7:27 AM	18844	R1-061046.zip
3/21/2006	7:27 AM	18848	R1-061047.zip
3/21/2006	11:58 AM	64380	R1-061049.zip
3/21/2006	9:27 AM	514491	R1-061050.zip
3/21/2006	9:27 AM	18664	R1-061051.zip
3/21/2006	7:08 AM	36526	R1-061053.zip
3/21/2006	7:08 AM	79704	R1-061054.zip
3/21/2006	7:08 AM	19440	R1-061056.zip
3/23/2006	10:09 AM	14732	R1-061057.zip
3/21/2006	7:08 AM	29747	R1-061058.zip
3/21/2006	7:08 AM	30767	R1-061059.zip
3/21/2006	9:39 AM	18199	R1-061061.zip
3/21/2006	9:39 AM	18348	R1-061062.zip
3/21/2006	2:14 PM	12495	R1-061063.zip
3/30/2006	5:12 AM	20637	R1-061064.zip
3/30/2006	5:12 AM	49251	R1-061065.zip
3/25/2006	3:48 PM	12404	R1-061066.zip
3/30/2006	5:11 AM	183093	R1-061067.zip
3/30/2006	5:11 AM	100612	R1-061068.zip
3/31/2006	5:57 AM	6321	R1-061069.zip
3/31/2006	5:57 AM	98319	R1-061070.zip
3/31/2006	5:57 AM	18305	R1-061071.zip
3/31/2006	5:57 AM	18350	R1-061072.zip
3/30/2006	5:11 AM	27915	R1-061073.zip
3/31/2006	5:57 AM	37384	R1-061074.zip
3/31/2006	5:57 AM	14722	R1-061075.zip
4/1/2006	8:32 PM	701649	R1-061076.zip
3/31/2006	5:57 AM	6258	R1-061077.zip

3/30/2006	5:11 AM	756650	R1-061078.zip
4/1/2006	8:33 PM	272533	R1-061079.zip
3/31/2006	5:57 AM	86774	R1-061080.zip
4/1/2006	8:33 PM	25947	R1-061081.zip
3/30/2006	5:12 AM	164724	R1-061082.zip
4/1/2006	8:33 PM	92617	R1-061083.zip
4/1/2006	8:33 PM	105792	R1-061084.zip
3/31/2006	5:57 AM	22674	R1-061085.zip
3/30/2006	5:12 AM	48996	R1-061086.zip
3/31/2006	5:57 AM	82759	R1-061087.zip
4/1/2006	8:33 PM	60438	R1-061088.zip
3/31/2006	5:57 AM	15005	R1-061089.zip
4/1/2006	8:33 PM	12150	R1-061090.zip
4/1/2006	8:33 PM	22909	R1-061091.zip
4/1/2006	8:33 PM	60922	R1-061092.zip
4/1/2006	8:33 PM	60930	R1-061093.zip
4/1/2006	8:33 PM	61693	R1-061094.zip
4/1/2006	8:33 PM	13451	R1-061095.zip
4/20/2006	11:10 AM	20871	R1-061096.zip
4/1/2006	8:34 PM	283453	R1-061097.zip
4/26/2006	7:55 AM	2860879	R1-061098.zip
4/1/2006	9:16 PM	286793	R1-061099.zip
4/13/2006	12:01 PM	37521	R1-061100.zip
4/26/2006	7:55 AM	2862682	R1-061101.zip
4/26/2006	7:55 AM	2861263	R1-061102.zip
5/3/2006	9:19 AM	17592	R1-061103.zip
5/3/2006	9:21 AM	29312	Tdoclist RAN1#44bis(March 2006).zip

EXHIBIT 4

ZTE/HTC
Exhibit 1015-0034

Source: Panasonic
Title: Random access burst evaluation in E-UTRA uplink
Agenda Item: 10.2.3
Document for: Discussion

1. Introduction

Random access burst is used for the initial physical connection on initial cell access, handover and the resource allocation when the UE uplink has not been time synchronized. Several discussions on random access burst to achieve short initial physical connection setup have also been reported in [4] - [7]. Random access burst sub-frame may be composed of a preamble part and a message part. We evaluate the preamble performance. Based on the evaluation results, we discuss the inclusion of message part on random access burst.

2. Discussion

2.1. Random access burst requirements

In random access burst structure design, the following requirements have been considered [1] [3] - [10].

- Reliable acquisition of preamble
- Estimation of arrival timing
- Reduction in the whole process delay
- To minimize the usage of time-frequency resources regarding spectrum efficiency

The most important requirement of the above is reliable acquisition and estimation of arrival timing because the success rate of random access burst attempt should be high enough. The inclusion of message part on random access burst has been considered to shorten physical connection setup delay [4] - [7].

2.2. Discussion on preamble length

In TR [2], E-UTRA is required to support at least 30km cell size. Therefore, we showed the link budget and achievable number of bits per TTI (0.5ms) to estimate how many bits can be contained on random access burst in [10]. The result would be useful in the case coverage is critical although the result is still preliminarily. On the other hand, we also need the discussion in the case that interference is critical. Ref. [6] reports that approximately -13 dB and -18 dB of the average received E_s/N_0 were derived from the system level evaluation. As mentioned above, the most important random access burst functions are reliable acquisition and estimation of arrival timing. For these reasons, first, we evaluate the required preamble length that corresponds to the required average received E_s/N_0 . Next we discuss the possibility of the inclusion of message part.

In the preamble evaluation, we assume the followings:

- Random access burst TTI is a multiple of 0.5msec. Preamble, guard time and possibly message part share a random access burst TTI
- Random access burst is time/frequency multiplexed with other channels [3] [4].

Preamble structure

A preamble sequence should have a good auto-correlation and good-cross correlation. General chirp-like (GCL) sequence has been considered to satisfy these requirements [5] [8] [9] . In our preamble performance evaluation, Zadoff-Chu CAZAC sequence [13] , a special case of GCL sequence, is used. RACH preamble structure is shown in Figure 1.

We evaluated 1.25MHz and 5MHz as transmission bandwidth of the random access burst. The preamble structure consists of M-times repetition of N=73 (1.25MHz) or N=293(5MHz) CAZAC sequence. Cyclic prefix and guard time are also included within a random access burst TTI.




Figure 1 – preamble structure

Performance of preamble

The simulation parameters are shown in Table 1. As preamble performance evaluation criteria, we used false alarm and miss detection probability to the average received Es/No. The definition is as follows:

- **False alarm (Pfa):** the probability of a particular code being detected when nothing, or different code was transmitted
- **Miss detection (Pmd):** the probability of a particular code not being detected when the code was transmitted

Although time domain preamble detection would also possible, in our evaluation, the RACH preamble detection is performed in frequency domain, which is similar to the detection algorithm described in [8] .

1. Repeated CAZAC sequences of the received signal are combined in time domain.
2. The combined CAZAC sequence is processed by FFT.
3. A transmitted CAZAC code is detected by using coherent detection in frequency domain.
4. A delay profile response is obtained after IDFT processing.

Table 1 – Simulation parameters

Transmission Bandwidth	1.25MHz	5MHz
Transmission scheme	Localized FDMA	
RACH TTI length	0.5 ms / 1.0ms / 2.0ms	
Signature pattern	CAZAC sequence (Zadoff-Chu CAZAC[13])	
Length of CAZAC sequence (N)	73	293
Repetition factor (M) of CAZAC sequence	3 (total preamble length: 200usec)	
	7 (total preamble length: 467usec)	
	14 (total preamble length: 933usec)	
	28 (total preamble length: 1867usec)	
Number of multiplexed users	1	
Antenna configuration	1 transmit antenna, 2 receive antenna (combined non-coherently)	
Detector	Coherent detection in frequency-domain	
	Preamble detection in time-domain (after IDFT)	
Channel model	AWGN	
	Typical Urban model, 120km/h	

Figure 2 and Figure 3 illustrate the miss detection probability (Pmd) to the average received Es/No of 1.25MHz and 5MHz bandwidth to achieve the false alarm Pfa = 10⁻³ under AWGN channel and TU 120km/h, respectively.




Figure 2 Miss detection probability (Pmd) to the average received Es/No (AWGN)




Figure 3 Miss detection probability (Pmd) to the average received Es/No (TU 120km/h)

Target value of the false alarm is $\leq 10^{-3}$ and the target value of miss detection is $\leq 10^{-2}$ and 10^{-3} in WCDMA [11]. We think similar target also would be required in LTE. Therefore, if we use the same target values from the above results, we can derive the required preamble length to fulfill the average received Es/No. The required preamble length in 1.25MHz bandwidth is illustrated in Figure 4 to the average received Es/No to achieve $P_{md} \leq 10^{-3}$ and $P_{md} \leq 10^{-2}$ with false alarm $P_{fa} = 10^{-3}$. Figure 5 shows the case of 5MHz bandwidth.




Figure 4 Preamble length to Es/No of false alarm probability = 10^{-3} (1.25MHz)




Figure 5 Preamble length to Es/No of false alarm probability = 10^{-3} (5MHz)

According to [6], approximately -13 dB and -18 dB of the average received Es/No were derived from the system level evaluation for the ISD 500m and 1732m, respectively, when using open-loop TPC and 5MHz transmission bandwidth. Table 2 shows preamble length required for -13dB and -18dB of Es/No under AWGN and TU120km/h.

Table 2 Required preamble length to the average received Es/No (5MHz bandwidth)

Average received Es/No	AWGN		TU-120 km/h	
	Pmd = 10^{-2}	Pmd = 10^{-3}	Pmd = 10^{-2}	Pmd = 10^{-3}
-13 dB (ISD=500m)	1-repetition (67 usec)	2-repetition (133 usec)	5-repetition (333 usec)	7-repetition (467 usec)
-18 dB (ISD=1732m)	3-repetition (200 usec)	4-repetition (267 usec)	14-repetition (933 usec)	28-repetition (1867 usec)

In this evaluation, only one preamble is transmitted. If multiple preambles are transmitted and multiple preambles are also received at the same time, additional preamble length would be required due to multiple access interference (MAI).

2.3. Random access procedure

For non-synchronized random access procedure, we introduced the four methods in the Denver meeting [10]. We extended the discussion to following five methods. In the figure "preamble" could be randomly chosen signature sequence




Figure 6 Initial resource allocation sequence

- Method A

The random access burst contains preamble, resource request and data. The delay for data transmission could be shortest.

- Method B

The random access burst contains preamble and resource request. The resource request could tell the amount of UE buffer and/or transmitter status. We assume only one or a few bits for this. The allocated amount of UL resource could be based on this resource request. The actual data is transmitted after one round trip time (RTT).

- Method C

The random access burst contains preamble only. The allocated amount of UL resource could be based without UE buffer and/or transmitter status. Therefore, the uplink resource allocation is not so accurate and could be waste of time-frequency resource in the uplink. The actual data is transmitted after one RTT.

- Method D

The random access burst contain preamble and resource request. The allocated amount of UL resource in the first SDCH would be relatively small because only a few information bits are obtained at Node B. The next SDCH contains UL data. The actual data is transmitted after two RTT.

- Method E

The random access burst contain preamble and resource request. The allocated amount of UL resource in the first SDCH is small because only resource request is transmitted. The next SDCH contains UL data. The actual data is transmitted after two RTT. Although the delay of SDCH transmission, the benefit of this scheme would be a appropriate amount of time-frequency resource to the second SDCH is based on more detailed information of resource request in the first SDCH. Therefore, accurate resource allocation is possible.

Method A requires different design of random access burst from the others. From the discussion of the previous sections, it would be difficult to include a large number of control information bits in a random access burst. Method B, C, D and E are almost similar on the design of random access burst.

We prefer method B/D than method C/E, because to include a few bits of the control information is beneficial in order to shorten the delay. The difference of B/D and C/E is whether to have a few bits on UE resource status (buffer and/or transmission status). On the actual resource status signaling method, there are two approaches. One is short message part is included as shown in Figure 7(a). The other is preamble pattern itself is chosen from the large number of preamble set shown in Figure 7(b). The choice of preamble pattern itself indicates the signaling.




Figure 7 Inclusion of short message in random access burst

We don't see so much difference between B and D. The difference between B and D is the amount of uplink resource allocation in the first SDCH. Depending on cell level traffic situation, the scheduler could control the amount of allocation in the first SDCH. In method B, not only cell level traffic situation, but also the scheduler can control the amount of uplink resource based on the resource request from each UE. If UL resource allocation is relatively large, method B is applied. If UL resource allocation is relatively small, method D is applied. We think this handling of procedure looks useful approach because this enables trade off between delay and efficiency.

As a conclusion, we propose to take method B/D. The difference of B and D can be considered as the difference of the scheduler operation.

3. Conclusion

In this contribution, we evaluated the preamble performance. Based on the evaluation results, we discussed the inclusion of message part on RACH. Our current view is that it would be difficult to include a large message part in RACH due to the limitations imposed by the link budget and preamble performance. However, we think that the inclusion of a few number of control information bits on random access burst is still beneficial from process delay point of view. A small size of message part may be included depending on target Es/No.

References

- [1] TR 25.814 V1.0.2, "Physical layer aspects for evolved UTRA"
- [2] TR25.913 V2.0.0, "Requirements for Evolved UTRA and UTRAN"
- [3] R1-051445, Ericsson, "E-UTRA Random Access"
- [4] R1-051391, NTT DoCoMo, "Random Access Transmission for Scalable Multiple Bandwidths in Evolved UTRA Uplink"
- [5] R1-060025, Motorola, "RACH Design for EUTRA"
- [6] R1-060047, NTT DoCoMo, NEC, Sharp, "Random Access Transmission in E-UTRA Uplink"
- [7] R1-060181, Qualcomm, "Characteristics of UL Access Channel"
- [8] R1-060152, Nortel, "Consideration on UL RACH scheme for LTE"
- [9] R1-060226, Huawei, "EUTRA RACH preambles"
- [10] R1-060699, Panasonic, "Inclusion of additional data on RACH"
- [11] R1-060061, "LTE L1 related questions to RAN1"
- [12] TR25.104 V6.11.0, "Base Station (BS) radio transmission and reception (FDD) (Release 6)"
- [13] D. C. Chu, "Ployphase codes with good periodic correlation properties," IEEE Trans. Information Theory, vol.18, pp531-532, July 1972.

EXHIBIT 5

ZTE/HTC
Exhibit 1015-0042



3GPP_TSG_RAN_WG1 Archives

3GPP_TSG_RAN_WG1@LIST.ETSI.ORG

View: **Message:** [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
By Topic: [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
By Author: [[First](#) | [Previous](#) | [Next](#) | [Last](#)]
Font: [Proportional Font](#)



[LISTSERV Archives](#)



[3GPP_TSG_RAN_WG1 Home](#)



[3GPP_TSG_RAN_WG1 May 2006, Week 1](#)

Subject: [Panasonic LTE Contributions for RAN1#45](#)
From: Katsuhiko HIRAMATSU <[log in to unmask](#)>
Reply-To: Katsuhiko HIRAMATSU <[log in to unmask](#)>
Date: Tue, 2 May 2006 14:56:03 +0900
Content-Type: multipart/mixed

Parts/Attachments: [text/plain](#) (22 lines), [R1-061114.zip](#) (22 lines), [R1-061115.zip](#) (22 lines)

Dear Yoshi and all,

Please find the attached Panasonic contributions on LTE.

R1-061114 Random access design for E-UTRA uplink 11.1.2

R1-060115 System level simulation result no SC-FDMA 11.6.2

Yoshi, if it is acceptable for you, I'd like to revise the title on R1-061114?

----Original title----
Random access preamble design for E-UTRA uplink

---- New title ----
Random access design for E-UTRA uplink

Best regards,
Katsuhiko Hiramatsu

[Top of Message](#) | [Previous Page](#) | [Permalink](#)

Search Archives

Advanced Options

Options



[Log In](#)



[Get Password](#)



[Search Archives](#)



[Subscribe or Unsubscribe](#)

Archives

- [December 2015, Week 4](#)
- [December 2015, Week 3](#)
- [December 2015, Week 2](#)
- [December 2015, Week 1](#)
- [November 2015, Week 5](#)
- [November 2015, Week 4](#)
- [November 2015, Week 3](#)
- [November 2015, Week 2](#)
- [November 2015, Week 1](#)
- [October 2015, Week 5](#)
- [October 2015, Week 4](#)
- [October 2015, Week 3](#)
- [October 2015, Week 2](#)
- [October 2015, Week 1](#)
- [September 2015, Week 5](#)
- [September 2015, Week 4](#)
- [September 2015, Week 3](#)
- [September 2015, Week 2](#)
- [September 2015, Week 1](#)
- [August 2015, Week 5](#)
- [August 2015, Week 4](#)
- [August 2015, Week 3](#)
- [August 2015, Week 2](#)

July 2015, Week 5
July 2015, Week 4
July 2015, Week 3
July 2015, Week 2
July 2015, Week 1
June 2015, Week 5
June 2015, Week 4
June 2015, Week 3
June 2015, Week 2
June 2015, Week 1
May 2015, Week 5
May 2015, Week 4
May 2015, Week 3
May 2015, Week 2
May 2015, Week 1
April 2015, Week 5
April 2015, Week 4
April 2015, Week 3
April 2015, Week 2
April 2015, Week 1
March 2015, Week 5
March 2015, Week 4
March 2015, Week 3
March 2015, Week 2
March 2015, Week 1
February 2015, Week 4
February 2015, Week 3
February 2015, Week 2
February 2015, Week 1
January 2015, Week 5
January 2015, Week 4
January 2015, Week 3
January 2015, Week 2
January 2015, Week 1
December 2014, Week 4
December 2014, Week 3
December 2014, Week 2
December 2014, Week 1
November 2014, Week 5
November 2014, Week 4
November 2014, Week 3
November 2014, Week 2
November 2014, Week 1
October 2014, Week 5
October 2014, Week 4
October 2014, Week 3
October 2014, Week 2
October 2014, Week 1
September 2014, Week 5
September 2014, Week 4
September 2014, Week 3
September 2014, Week 2
September 2014, Week 1
August 2014, Week 5
August 2014, Week 4
August 2014, Week 3
August 2014, Week 2
August 2014, Week 1
July 2014, Week 5
July 2014, Week 4
July 2014, Week 3
July 2014, Week 2
July 2014, Week 1
June 2014, Week 5
June 2014, Week 4
June 2014, Week 3
June 2014, Week 2

June 2014, Week 1
May 2014, Week 5
May 2014, Week 4
May 2014, Week 3
May 2014, Week 2
May 2014, Week 1
April 2014, Week 5
April 2014, Week 4
April 2014, Week 3
April 2014, Week 2
April 2014, Week 1
March 2014, Week 5
March 2014, Week 4
March 2014, Week 3
March 2014, Week 2
March 2014, Week 1
February 2014, Week 4
February 2014, Week 3
February 2014, Week 2
February 2014, Week 1
January 2014, Week 5
January 2014, Week 4
January 2014, Week 3
January 2014, Week 2
January 2014, Week 1
December 2013, Week 4
December 2013, Week 3
December 2013, Week 2
December 2013, Week 1
November 2013, Week 5
November 2013, Week 4
November 2013, Week 3
November 2013, Week 2
November 2013, Week 1
October 2013, Week 5
October 2013, Week 4
October 2013, Week 3
October 2013, Week 2
October 2013, Week 1
September 2013, Week 5
September 2013, Week 4
September 2013, Week 3
September 2013, Week 2
September 2013, Week 1
August 2013, Week 5
August 2013, Week 4
August 2013, Week 3
August 2013, Week 2
August 2013, Week 1
July 2013, Week 4
July 2013, Week 3
July 2013, Week 2
July 2013, Week 1
June 2013, Week 5
June 2013, Week 4
June 2013, Week 3
June 2013, Week 2
June 2013, Week 1
May 2013, Week 5
May 2013, Week 4
May 2013, Week 3
May 2013, Week 2
May 2013, Week 1
April 2013, Week 5
April 2013, Week 4
April 2013, Week 3
April 2013, Week 2

April 2013, Week 1
March 2013, Week 5
March 2013, Week 4
March 2013, Week 3
March 2013, Week 2
March 2013, Week 1
February 2013, Week 4
February 2013, Week 3
February 2013, Week 2
February 2013, Week 1
January 2013, Week 5
January 2013, Week 4
January 2013, Week 3
January 2013, Week 2
January 2013, Week 1
December 2012, Week 4
December 2012, Week 3
December 2012, Week 1
November 2012, Week 5
November 2012, Week 4
November 2012, Week 3
November 2012, Week 2
November 2012, Week 1
October 2012, Week 5
October 2012, Week 4
October 2012, Week 3
October 2012, Week 2
October 2012, Week 1
September 2012, Week 5
September 2012, Week 4
September 2012, Week 3
September 2012, Week 2
September 2012, Week 1
August 2012, Week 5
August 2012, Week 4
August 2012, Week 3
August 2012, Week 2
August 2012, Week 1
July 2012, Week 5
July 2012, Week 4
July 2012, Week 3
July 2012, Week 2
July 2012, Week 1
June 2012, Week 5
June 2012, Week 4
June 2012, Week 3
June 2012, Week 2
June 2012, Week 1
May 2012, Week 5
May 2012, Week 4
May 2012, Week 3
May 2012, Week 2
May 2012, Week 1
April 2012, Week 5
April 2012, Week 4
April 2012, Week 3
April 2012, Week 2
April 2012, Week 1
March 2012, Week 5
March 2012, Week 4
March 2012, Week 3
March 2012, Week 2
March 2012, Week 1
February 2012, Week 5
February 2012, Week 4
February 2012, Week 3
February 2012, Week 2

February 2012, Week 1
January 2012, Week 5
January 2012, Week 4
January 2012, Week 3
January 2012, Week 2
January 2012, Week 1
December 2011, Week 5
December 2011, Week 4
December 2011, Week 3
December 2011, Week 2
December 2011, Week 1
November 2011, Week 5
November 2011, Week 4
November 2011, Week 3
November 2011, Week 2
November 2011, Week 1
October 2011, Week 5
October 2011, Week 4
October 2011, Week 3
October 2011, Week 2
October 2011, Week 1
September 2011, Week 5
September 2011, Week 4
September 2011, Week 3
September 2011, Week 2
September 2011, Week 1
August 2011, Week 5
August 2011, Week 4
August 2011, Week 3
August 2011, Week 2
August 2011, Week 1
July 2011, Week 5
July 2011, Week 4
July 2011, Week 3
July 2011, Week 2
July 2011, Week 1
June 2011, Week 5
June 2011, Week 4
June 2011, Week 3
June 2011, Week 2
June 2011, Week 1
May 2011, Week 5
May 2011, Week 4
May 2011, Week 3
May 2011, Week 2
May 2011, Week 1
April 2011, Week 5
April 2011, Week 4
April 2011, Week 3
April 2011, Week 2
April 2011, Week 1
March 2011, Week 5
March 2011, Week 4
March 2011, Week 3
March 2011, Week 2
March 2011, Week 1
February 2011, Week 4
February 2011, Week 3
February 2011, Week 2
February 2011, Week 1
January 2011, Week 5
January 2011, Week 4
January 2011, Week 3
January 2011, Week 2
January 2011, Week 1
December 2010, Week 5
December 2010, Week 4

December 2010, Week 3
December 2010, Week 2
December 2010, Week 1
November 2010, Week 5
November 2010, Week 4
November 2010, Week 3
November 2010, Week 2
November 2010, Week 1
October 2010, Week 5
October 2010, Week 4
October 2010, Week 3
October 2010, Week 2
October 2010, Week 1
September 2010, Week 5
September 2010, Week 4
September 2010, Week 3
September 2010, Week 2
September 2010, Week 1
August 2010, Week 5
August 2010, Week 4
August 2010, Week 3
August 2010, Week 2
August 2010, Week 1
July 2010, Week 4
July 2010, Week 3
July 2010, Week 2
July 2010, Week 1
June 2010, Week 5
June 2010, Week 4
June 2010, Week 3
June 2010, Week 2
June 2010, Week 1
June 2010
May 2010, Week 4
May 2010, Week 3
May 2010, Week 2
May 2010, Week 1
April 2010, Week 4
April 2010, Week 3
April 2010, Week 2
April 2010, Week 1
March 2010
February 2010, Week 4
February 2010, Week 3
February 2010, Week 2
February 2010, Week 1
January 2010, Week 4
January 2010, Week 3
January 2010, Week 2
January 2010, Week 1
December 2009
November 2009, Week 4
November 2009, Week 3
November 2009, Week 2
November 2009, Week 1
October 2009, Week 4
October 2009, Week 3
October 2009, Week 2
October 2009, Week 1
September 2009
August 2009, Week 4
August 2009, Week 3
August 2009, Week 2
August 2009, Week 1
July 2009
June 2009, Week 4
June 2009, Week 3

June 2009, Week 2
June 2009, Week 1
May 2009, Week 4
May 2009, Week 3
May 2009, Week 2
May 2009, Week 1
April 2009, Week 4
April 2009, Week 3
April 2009, Week 2
April 2009, Week 1
March 2009, Week 4
March 2009, Week 3
March 2009, Week 2
March 2009, Week 1
February 2009, Week 4
February 2009, Week 3
February 2009, Week 2
February 2009, Week 1
January 2009, Week 4
January 2009, Week 3
January 2009, Week 2
January 2009, Week 1
December 2008
November 2008, Week 4
November 2008, Week 3
November 2008, Week 2
November 2008, Week 1
October 2008
September 2008, Week 4
September 2008, Week 3
September 2008, Week 2
September 2008, Week 1
August 2008, Week 4
August 2008, Week 3
August 2008, Week 2
August 2008, Week 1
July 2008
June 2008, Week 4
June 2008, Week 3
June 2008, Week 2
June 2008, Week 1
May 2008, Week 4
May 2008, Week 3
May 2008, Week 2
May 2008, Week 1
April 2008, Week 4
April 2008, Week 3
April 2008, Week 2
April 2008, Week 1
March 2008, Week 4
March 2008, Week 3
March 2008, Week 2
March 2008, Week 1
February 2008, Week 4
February 2008, Week 3
February 2008, Week 2
February 2008, Week 1
January 2008, Week 4
January 2008, Week 3
January 2008, Week 2
January 2008, Week 1
December 2007
November 2007, Week 4
November 2007, Week 3
November 2007, Week 2
November 2007, Week 1
October 2007, Week 4

October 2007, Week 3
October 2007, Week 2
October 2007, Week 1
September 2007
August 2007, Week 4
August 2007, Week 3
August 2007, Week 2
August 2007, Week 1
July 2007
June 2007, Week 4
June 2007, Week 3
June 2007, Week 2
June 2007, Week 1
May 2007, Week 4
May 2007, Week 3
May 2007, Week 2
May 2007, Week 1
April 2007, Week 4
April 2007, Week 3
April 2007, Week 2
April 2007, Week 1
March 2007, Week 4
March 2007, Week 3
March 2007, Week 2
March 2007, Week 1
February 2007, Week 4
February 2007, Week 3
February 2007, Week 2
February 2007, Week 1
January 2007, Week 4
January 2007, Week 3
January 2007, Week 2
January 2007, Week 1
December 2006
November 2006, Week 4
November 2006, Week 3
November 2006, Week 2
November 2006, Week 1
October 2006, Week 4
October 2006, Week 3
October 2006, Week 2
October 2006, Week 1
September 2006
August 2006, Week 4
August 2006, Week 3
August 2006, Week 2
August 2006, Week 1
July 2006
June 2006
May 2006, Week 4
May 2006, Week 3
May 2006, Week 2
May 2006, Week 1
April 2006
March 2006, Week 4
March 2006, Week 3
March 2006, Week 2
March 2006, Week 1
February 2006, Week 4
February 2006, Week 3
February 2006, Week 2
February 2006, Week 1
January 2006
December 2005
November 2005
October 2005, Week 4
October 2005, Week 3

October 2005, Week 2
October 2005, Week 1
September 2005
August 2005, Week 4
August 2005, Week 3
August 2005, Week 2
August 2005, Week 1
July 2005
June 2005
May 2005
April 2005
March 2005
February 2005
January 2005
December 2004
November 2004
October 2004
September 2004
August 2004
July 2004
June 2004
May 2004
April 2004
March 2004
February 2004
January 2004
December 2003
November 2003
October 2003
September 2003
August 2003
July 2003
June 2003
May 2003
April 2003
March 2003
February 2003
January 2003
December 2002
November 2002
October 2002
September 2002
August 2002
July 2002
June 2002
May 2002
April 2002
March 2002
February 2002
January 2002
December 2001
November 2001
October 2001
September 2001
August 2001
July 2001
June 2001
May 2001
April 2001
March 2001
February 2001
January 2001
December 2000
November 2000
October 2000
September 2000
August 2000

[July 2000](#)
[June 2000](#)
[May 2000](#)
[April 2000](#)
[March 2000](#)
[February 2000](#)
[January 2000](#)
[December 1999](#)
[November 1999, Week 4](#)
[November 1999, Week 3](#)
[November 1999, Week 2](#)
[November 1999, Week 1](#)
[October 1999](#)
[September 1999](#)
[August 1999](#)
[July 1999](#)
[June 1999](#)
[May 1999](#)
[April 1999](#)
[March 1999](#)
[February 1999](#)
[January 1999](#)
[December 1998](#)

[ATOM](#) [RSS1](#) [RSS2](#)

LIST.ETSI.ORG



ZTE/HTC
Exhibit 1015-0052

EXHIBIT 6

ZTE/HTC
Exhibit 1015-0053

Source: Panasonic
 Title: Random access design for E-UTRA uplink
 Agenda Item: 11.1.2
 Document for: Discussion and Decision

1. Introduction

In this document, we discuss the random access structure as follows. This document only discusses non-synchronized random access structure.

- The preamble sequence
- The minimum preamble length
- The minimum bandwidth
- The sequence composition in preamble
- The control information over the preamble part
- The necessity of message part

2. Random access structure design

2.1. Preamble sequence

Random access is a contention based transmission. Therefore, multiple random access bursts from multiple UEs could be transmitted simultaneously. It is also good, if multiple random accesses are detected simultaneously at E-NodeB. To reduce the collisions among the random access, a common approach is UE randomly chooses one out of plural different preambles/signatures. To distinguish random accesses from different UEs at NodeB, a sequence with good auto-correlation and good cross-correlation property is required. For these reasons, we compare the miss detection probability vs. the average E_p/N_0 among the different type of sequences (i.e. W-CDMA preamble sequences, different CAZAC sequences and cyclic-shifted CAZAC sequences).

Performance of different preamble sequences

The simulation parameters are shown in Table 1. Preamble performance evaluation criteria used are false alarm and miss detection probability to the average E_p/N_0 . The definition is as follows:

- **False alarm (Pfa):** the probability of a particular code being detected when nothing, or different code is transmitted
- **Miss detection (Pmd):** the probability of a particular code not being detected when the code is transmitted

Table 1 Simulation parameters

Parameter	Value
Transmission Bandwidth	1.25MHz (Allocated bandwidth: 1.024MHz)
Preamble length	Approximately 400 usec
Guard time	Approximately 100 usec
Signature Pattern	- W-CDMA (truncated) - CAZAC sequence (Zadoff-Chu CAZAC[20])
Length of CAZAC sequence (N)	- W-CDMA (400 symbols: 16 signature * 25 repetition) - CAZAC (401 symbols) - Cyclic-shifted CAZAC (401symbols, shift duration: 50usec)
Number of multiplexed preambles	1, 2, 4, 8, 12, 16
Antenna configuration	1 Tx antenna, 2 Rx antennas (power profiles are combined)
Detector	Matched filtering in time domain. See Appendix.
Number of detector	16
Channel model	6-path Typical Urban 120km/h

Figure 1 shows the miss detection probability (Pmd) against the average E_p/N_0 of each preamble sequence to achieve the false alarm $Pfa = 10^{-3}$ under TU 120km/h. The miss detection probability against the E_p/N_0 is always satisfied in $Pfa = 10^{-3}$. The result reflects that the false alarm probability is fluctuated due to mutual interference between preambles when plural preambles are transmitted.

From the evaluation, both CAZAC sequence and cyclic-shifted CAZAC sequence show better detection performance compared with the truncated WCDMA preamble sequence. Eight cyclic-shifted CAZAC sequences mixed have similar performance with only one CAZAC sequence. Moreover, the performance in 8 cyclic-shifted a CAZAC sequences and 4 cyclic-shifted other CAZAC sequences mixed have similar to 4 different CAZAC sequences mixed. Therefore, cyclic-shifted CAZAC sequence has superior performance among compared sequences. This aspect is also discussed in [14].

As the results, we propose to choose cyclic-shifted Zadoff-Chu CAZAC as preamble sequence mainly. In addition, to have more signatures, we also propose to use different Zadoff-Chu CAZAC sequence.




Figure 1 Miss detection probability (Pmd) to the average Ep/No (TU 120km/h)

2.2. Preamble length

Approximately 300 usec preamble length is required for ISD=500m and approximately 900 usec is required for ISD=1732m to achieve $P_{md} = 10^{-3}$ on CDF = 5% under TU 120km/h from the preamble detection performance in [13]. In the document, power control scheme assumed is relatively simple one. If more sophisticated one is assumed, the averaged received SINR at CDF = 5% would be further improved. In addition, more sophisticated preamble detectors in [15] [16] improves the preamble detection performance. These two aspects would allow reducing the required preamble length. Therefore, we propose to have two preamble lengths, around 400 usec and around 800 usec.

2.3. Minimum bandwidth

We propose the minimum bandwidth (BW) of random access burst is 1.25MHz. More than 1MHz BW would be required in order to obtain 1 usec time resolution for the uplink time alignment [19]. If only rough resolution is obtained in random access procedure, timing alignment control after random access procedure would get complicated.

In addition, sufficient number of symbols of the CAZAC sequence is required to eliminate mutual interference among preamble signatures. Therefore, we propose 1.25MHz as the minimum bandwidth.

2.4. Sequence composition in preamble

In the previous sections, we discussed the preamble sequence, the preamble length and the minimum bandwidth. Next topic is how to fulfill the possible preamble field using preamble sequence. Two approaches have been proposed. One is composed of multiple short CAZAC sequences [15] [16]. The other is one long CAZAC sequence [19]. For the decision among two, following aspects should be considered.

- Mutual interference among preambles
- Reuse factor of CAZAC sequence
- The possibility to transmit control information
- Decoder complexity

Mutual interference among preambles

Multiple short CAZAC sequence approach suffers more mutual interference among preambles. In addition, as we saw the evaluation in section 2.1, cyclic-shifted CAZAC sequence has superior performance. But cyclic-shifted CAZAC sequence requires relatively long sequence. Therefore, long CAZAC sequence is better than multiple short CAZAC sequence on this aspect.

Reuse factor of CAZAC sequence

The longer CAZAC sequence has a benefit to have bigger reuse factor of sequence management with less inter-cell interference when cell planning aspect is considered [19]. Therefore, long CAZAC sequence is better than multiple short CAZAC sequence on this aspect.

The possibility to transmit control information

To have a few number of control information bits on random access burst allows of an more efficient uplink and downlink resource utilization after random access attempt. In the case control information is mapped on the preamble part, control information including random ID is mapped to different signatures one by one. This means the more control bits are contained, if the larger number of signatures is used in one cell. Therefore, the required length of CAZAC sequence increases when more number of control bits is used. In addition, the length of CAZAC sequence further increases when bigger reuse factor are used. The number of different CAZAC sequences used by one cell is shown in Table 2. The number in () shows the case four cyclic-shifted sequence are generated for each CAZAC sequence.

Table 2 the number of CAZAC sequences used in one cell

Number of control information bits (including random ID)	3 cell reuse	4 cell reuse	7 cell reuse
5 bits	96 (24)	128 (32)	224 (56)
6 bits	192 (48)	256 (64)	448 (112)
7 bits	384 (96)	512 (128)	896 (224)
8 bits	768 (192)	1024 (256)	1792 (448)
9 bits	1536 (284)	2048 (512)	3584 (896)

Discussion

From above discussion, long CAZAC sequence is preferred option. From the previous sections, we proposed 400 usec as the minimum preamble length and 1.125MHz (90% of 1.25MHz) as the minimum preamble bandwidth. Therefore, the maximum number of symbols contained in the preamble part is around 450 symbols.




Figure 2 proposed the non-synchronized random access structure

We propose the N=449 (prime number) cyclic-shifted CAZAC sequences with also use different CAZAC sequences for the preambles. For supporting larger cell size, repeating this sequence twice (i.e. 800 usec) can be used.

According to this design, up to 8 control information bits including random ID can be transmitted on the preamble part with 7 cell reuse. A fewer usage of code sequence alleviate the decoder complexity. With also taking into account complexity aspect, we propose the number of control information bits contained in the preamble is around 6 bits.

2.5. Control information over the preamble part

We propose the followings control information is transmitted in non-synchronized random access preamble part.

- Random ID: To avoid collisions and to distinguish random access attempt from different UEs.
- Access type and buffer status: To allocate appropriate first uplink resource corresponding to the access reasons. One example is to distinguish among initial access/TA-update, handover, recovery of the synchronization in LTE_ACTIVE with bigger buffer size and recovery of the synchronization in LTE_ACTIVE with smaller buffer size
- UE Tx power head room or Downlink CQI: To perform link adaptation and/or power control for allocated uplink/downlink resource.

Example of possible mapping usage of 6 bits is shown in table 3. Similar way of mapping is also proposed in [15].

Table 3 Example of propose control information mapping to signatures

Tx power head room	Cause/Access type	Signature ID (=Random ID) (case of 64 signatures)
Large Tx power head room	Initial access/TA-update	1-3
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	4-6
	LTE_ACTIVE(large buffer size)	7-9
Middle Tx power head room	Initial access/TA-update	10-13
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	14-17
	LTE_ACTIVE(large buffer size)	18-21
Small Tx power head room	Initial access/TA-update	22-26
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	27-31
	LTE_ACTIVE(large buffer size)	32-36
No Tx power head room	Initial access/TA-update	37-45
	Handover	46-54
	LTE_ACTIVE(small buffer size)	44-64
	LTE_ACTIVE(large buffer size)	no allocation

2.6. Necessity of message part

If more than 6-8 control bits are required to be transmitted on random access burst, the message part has to be associated with the preamble part. However, in that case, the preamble part and message part should support the following properties.

- Channel estimation for coherent detection by the preamble part
- Message part should have similar BLER with miss detection probability of the preamble part.
- Message part should have similar collision avoidance performance with that of preamble part.

In order to achieve the above requirements, the longer associated message part might be required [17]. This consumes more uplink radio resources. Therefore, the trade-off between the merit of associating message part and the demerit of radio resource expense should be carefully considered.

3. Conclusion

We propose the following random access burst.

- Zadoff-Chu CAZAC sequence for the preamble sequence
- Both of cyclic-shifted CAZAC and different CAZAC sequence is used.
- Preamble lengths is around 400 usec and around 800 usec
- 1.25MHz is the minimum bandwidth
- One large CAZAC sequence for example N=449 is used to compose preamble sequence.
- The following control information is mapped on the CAZAC preamble signatures.
 - UE Tx power head room or downlink CQI
 - Access type and buffer status
 - Random ID

References

- [1] TR25.814 V1.2.2, "Physical layer aspects for evolved UTRA"
- [2] TR25.913 V2.0.0, "Requirements for Evolved UTRA and UTRAN"
- [3] TR25.104 V6.11.0, "Base Station (BS) radio transmission and reception (FDD) (Release 6)"
- [4] R1-051058, Texas Instruments, "RACH Preamble Design"
- [5] R1-060047, NTT DoCoMo, NEC, Sharp, "Random Access Transmission in E-UTRA Uplink"
- [6] R1-060152, Nortel, "Consideration on UL RACH scheme for LTE"
- [7] R1-060161, Panasonic, "Inclusion of additional data on RACH"
- [8] R1-060181, Qualcomm, "Characteristics of UL Access Channel"
- [9] R1-060226, Huawei, "EUTRA RACH preambles"
- [10] R1-060376, Texas Instruments, "RACH preamble design for E-UTRA"
- [11] R1-060387, Motorola, "RACH Design for EUTRA"
- [12] R1-060541, Huawei, "Some Considerations for Random Access Frame Design"
- [13] R1-060792, Panasonic, "Random access burst evaluation in E-UTRA uplink"
- [14] R1-060797, Huawei, "RACH design for E-UTRA"
- [15] R1-060786, NTT DoCoMo, "Random Access Channel Structure for E-UTRA uplink"
- [16] R1-060908, Nortel Networks, "On the performance of LTE RACH"
- [17] R1-060909, Nortel Networks, "Consideration on the issues of LTE RACH"
- [18] R1-060992, NTT DoCoMo, "Investigations on Rardom Access Channel Structure for E-UTRA Uplink"
- [19] R1-060998, Ericsson, "E-UTRA Random Access Preamble Design"
- [20] D. C. Chu, "Ployphase codes with good periodic correlation properties," IEEE Trans. Information Theory, vol.18, pp531-532, July 1972.

Appendix: Preamble detection algorithm

Two receiver antenna diversity reception is used. The 16 different power delay profiles are measured by the 16 matched filters corresponding to preamble sequences in each branch and then combined. Figure A illustrates the preamble detection method. The window size of the peak detection of the delay profile is set to 100usec for WCDMA preamble and CAZAC preamble. The window size for Cyclic-shifted CAZAC preamble is 50 usec to evaluate the detection performance up to 8 cyclic-shifted CAZAC sequences. Noise level is measured from the delay profile but the samples larger than Threshold A are not used for noise level calculation. Threshold B is the preamble detection threshold from the calculated noise level plus an offset value. The offset value is adjusted to achieve 0.1% false alarm probability. The maximum peak power is compared to Threshold B.




Figure A Output signal of matched filter and preamble detection algorithm

EXHIBIT 7

ZTE/HTC
Exhibit 1015-0059

www.3gpp.org - /ftp/tsg_ran/WG1_RL1/TSGR1_45/Docs/

[\[To Parent Directory\]](#)

4/24/2006	8:04 AM	11001	R1-061105.zip
5/2/2006	4:18 PM	232973	R1-061106.zip
4/13/2006	5:01 PM	9258	R1-061107.zip
5/2/2006	7:03 AM	136220	R1-061108.zip
4/25/2006	4:39 PM	14452	R1-061109.zip
5/2/2006	6:23 AM	1262233	R1-061110.zip
5/12/2006	3:14 PM	431339	R1-061111.zip
5/2/2006	8:31 AM	174601	R1-061112.zip
5/2/2006	7:20 AM	71687	R1-061114.zip
5/2/2006	7:20 AM	93032	R1-061115.zip
5/3/2006	4:13 PM	231279	R1-061116.zip
5/2/2006	9:54 AM	694808	R1-061117.zip
4/27/2006	12:11 PM	9463	R1-061118.zip
5/1/2006	8:40 PM	19376	R1-061119.zip
5/1/2006	8:40 PM	16628	R1-061120.zip
5/1/2006	3:23 PM	65148	R1-061122.zip
5/1/2006	3:24 PM	287918	R1-061123.zip
5/2/2006	7:03 AM	105340	R1-061124.zip
5/2/2006	7:03 AM	81338	R1-061125.zip
5/2/2006	8:31 AM	122400	R1-061126.zip
5/2/2006	8:31 AM	149381	R1-061127.zip
5/5/2006	9:00 AM	234815	R1-061128.zip
5/5/2006	9:00 AM	76620	R1-061129.zip
5/1/2006	8:40 PM	174762	R1-061130.zip
5/1/2006	8:40 PM	451163	R1-061131.zip
5/1/2006	8:40 PM	39667	R1-061132.zip
5/1/2006	8:40 PM	24854	R1-061133.zip
5/1/2006	8:41 PM	65411	R1-061134.zip
4/28/2006	2:25 PM	281272	R1-061135.zip
4/28/2006	2:25 PM	343838	R1-061136.zip
5/2/2006	4:02 PM	10207	R1-061137.zip
5/2/2006	4:02 PM	12566	R1-061138.zip
5/2/2006	4:02 PM	13391	R1-061139.zip
5/1/2006	8:41 PM	225850	R1-061140.zip
5/1/2006	8:41 PM	21761	R1-061141.zip
5/1/2006	8:41 PM	152889	R1-061142.zip
5/2/2006	9:29 AM	8646	R1-061143.zip
5/2/2006	6:23 AM	166604	R1-061144.zip
5/2/2006	6:23 AM	16276	R1-061145.zip
5/2/2006	6:23 AM	59318	R1-061146.zip
5/2/2006	6:23 AM	274834	R1-061147.zip
5/2/2006	10:51 AM	17941	R1-061148.zip
5/2/2006	7:03 AM	27389	R1-061149.zip
5/1/2006	8:41 PM	15348	R1-061150.zip
4/28/2006	10:24 PM	13266	R1-061151.zip
5/2/2006	11:23 AM	229492	R1-061152.zip
5/1/2006	3:26 PM	57870	R1-061153.zip
5/2/2006	9:54 AM	31541	R1-061154.zip
5/2/2006	11:08 AM	106332	R1-061155.zip
5/2/2006	11:08 AM	136573	R1-061156.zip
5/4/2006	11:12 AM	32420	R1-061157.zip

5/4/2006	11:12 AM	18148	R1-061158.zip
5/4/2006	8:28 AM	22406	R1-061159.zip
5/4/2006	8:28 AM	218675	R1-061160.zip
5/2/2006	11:08 AM	26921	R1-061161.zip
5/3/2006	8:50 AM	111383	R1-061162.zip
5/2/2006	7:20 AM	59956	R1-061163.zip
5/2/2006	7:20 AM	39133	R1-061164.zip
5/12/2006	3:15 PM	70458	R1-061165.zip
5/2/2006	7:20 AM	49790	R1-061166.zip
5/2/2006	7:20 AM	103201	R1-061167.zip
5/2/2006	7:20 AM	71931	R1-061168.zip
5/5/2006	9:00 AM	424208	R1-061169.zip
5/5/2006	9:00 AM	456789	R1-061170.zip
5/2/2006	7:20 AM	79728	R1-061171.zip
5/2/2006	7:20 AM	281570	R1-061172.zip
5/2/2006	7:20 AM	35586	R1-061173.zip
5/2/2006	7:20 AM	13956	R1-061174.zip
5/2/2006	7:20 AM	58041	R1-061175.zip
5/2/2006	7:20 AM	66687	R1-061176.zip
5/4/2006	6:40 PM	15930	R1-061177.zip
5/2/2006	4:02 PM	309778	R1-061178.zip
5/4/2006	11:12 AM	69018	R1-061179.zip
5/2/2006	11:08 AM	156747	R1-061180.zip
5/2/2006	11:08 AM	140823	R1-061181.zip
5/2/2006	11:08 AM	139227	R1-061182.zip
5/2/2006	11:08 AM	107530	R1-061183.zip
5/2/2006	11:08 AM	98340	R1-061184.zip
5/7/2006	6:39 PM	15345	R1-061185.zip
5/2/2006	11:08 AM	153427	R1-061186.zip
5/2/2006	11:08 AM	364424	R1-061187.zip
5/2/2006	11:08 AM	154229	R1-061188.zip
5/2/2006	11:23 AM	213585	R1-061189.zip
5/2/2006	11:23 AM	20191	R1-061190.zip
5/2/2006	11:23 AM	22588	R1-061191.zip
5/2/2006	11:23 AM	49816	R1-061192.zip
5/2/2006	11:23 AM	112141	R1-061193.zip
5/2/2006	11:23 AM	963257	R1-061194.zip
5/2/2006	11:23 AM	88750	R1-061195.zip
5/2/2006	11:23 AM	21907	R1-061196.zip
5/2/2006	11:23 AM	15238	R1-061197.zip
5/2/2006	11:23 AM	113050	R1-061198.zip
5/2/2006	11:23 AM	559104	R1-061199.zip
5/2/2006	11:23 AM	29985	R1-061200.zip
5/2/2006	11:23 AM	606397	R1-061201.zip
5/2/2006	11:23 AM	11036	R1-061202.zip
5/2/2006	11:23 AM	180387	R1-061203.zip
5/2/2006	11:23 AM	41722	R1-061204.zip
5/2/2006	10:51 AM	43981	R1-061205.zip
5/2/2006	10:51 AM	89486	R1-061206.zip
5/2/2006	10:51 AM	30514	R1-061207.zip
5/5/2006	9:00 AM	37430	R1-061208.zip
5/2/2006	9:54 AM	40774	R1-061209.zip
5/2/2006	9:54 AM	45280	R1-061210.zip
5/2/2006	9:54 AM	43337	R1-061211.zip
5/2/2006	10:51 AM	24158	R1-061212.zip
5/5/2006	9:00 AM	40182	R1-061213.zip
5/5/2006	8:30 PM	50681	R1-061215.zip
5/2/2006	7:03 AM	136570	R1-061216.zip
5/2/2006	10:51 AM	16587	R1-061218.zip
5/2/2006	10:51 AM	16957	R1-061219.zip
5/2/2006	10:51 AM	31630	R1-061220.zip

5/2/2006	10:51 AM	10343	R1-061221.zip
5/2/2006	10:51 AM	10668	R1-061222.zip
5/2/2006	10:51 AM	156329	R1-061223.zip
5/2/2006	10:51 AM	24894	R1-061224.zip
5/1/2006	3:23 PM	840417	R1-061227.zip
5/1/2006	3:23 PM	102845	R1-061228.zip
5/5/2006	8:14 AM	222969	R1-061229.zip
5/5/2006	8:14 AM	17299	R1-061230.zip
5/5/2006	8:14 AM	168265	R1-061231.zip
5/5/2006	8:14 AM	14798	R1-061232.zip
5/2/2006	6:23 AM	210065	R1-061233.zip
5/2/2006	6:23 AM	131559	R1-061234.zip
5/2/2006	6:23 AM	712679	R1-061235.zip
5/2/2006	9:29 AM	15648	R1-061236.zip
5/2/2006	9:29 AM	29232	R1-061237.zip
5/5/2006	9:00 AM	23628	R1-061238.zip
5/2/2006	9:29 AM	33039	R1-061239.zip
5/2/2006	4:02 PM	66384	R1-061240.zip
5/2/2006	9:29 AM	13960	R1-061242.zip
5/5/2006	9:00 AM	72073	R1-061243.zip
5/2/2006	9:29 AM	16961	R1-061244.zip
5/2/2006	9:29 AM	318607	R1-061245.zip
5/2/2006	8:07 AM	70338	R1-061246.zip
5/2/2006	8:07 AM	65797	R1-061247.zip
5/2/2006	8:07 AM	44352	R1-061248.zip
5/2/2006	8:07 AM	105267	R1-061249.zip
5/2/2006	8:07 AM	86891	R1-061250.zip
5/2/2006	8:07 AM	15500	R1-061251.zip
5/2/2006	8:07 AM	24298	R1-061252.zip
5/2/2006	8:07 AM	14757	R1-061253.zip
5/2/2006	7:03 AM	6291	R1-061254.zip
5/2/2006	7:03 AM	25331	R1-061255.zip
5/2/2006	7:03 AM	25329	R1-061256.zip
5/4/2006	8:26 AM	16764	R1-061257.zip
5/4/2006	8:26 AM	13664	R1-061258.zip
5/2/2006	7:03 AM	20045	R1-061259.zip
5/2/2006	7:03 AM	54750	R1-061260.zip
5/2/2006	7:03 AM	35915	R1-061261.zip
5/2/2006	7:03 AM	10780	R1-061262.zip
5/2/2006	11:28 AM	3769885	R1-061263.zip
5/2/2006	10:51 AM	305487	R1-061264.zip
5/2/2006	7:03 AM	231939	R1-061265.zip
5/2/2006	7:03 AM	56842	R1-061266.zip
5/2/2006	7:03 AM	10853	R1-061267.zip
5/2/2006	11:08 AM	484433	R1-061268.zip
5/2/2006	11:08 AM	378623	R1-061269.zip
5/2/2006	11:08 AM	186793	R1-061270.zip
5/2/2006	11:08 AM	152719	R1-061271.zip
5/2/2006	11:08 AM	47278	R1-061272.zip
5/2/2006	11:08 AM	15448	R1-061273.zip
5/2/2006	11:08 AM	69973	R1-061274.zip
5/2/2006	11:08 AM	21786	R1-061275.zip
5/2/2006	11:08 AM	15804	R1-061276.zip
5/5/2006	9:00 AM	31259	R1-061277.zip
5/2/2006	11:23 AM	24920	R1-061278.zip
5/5/2006	10:07 AM	99341	R1-061279.zip
5/5/2006	10:07 AM	27434	R1-061280.zip
5/5/2006	10:07 AM	102620	R1-061281.zip
5/5/2006	10:07 AM	719840	R1-061282.zip
5/2/2006	7:20 AM	47489	R1-061283.zip
5/2/2006	7:20 AM	66419	R1-061284.zip

5/2/2006	7:20 AM	12644	R1-061285.zip
5/2/2006	9:54 AM	47267	R1-061286.zip
5/2/2006	9:54 AM	203773	R1-061287.zip
5/2/2006	9:54 AM	16504	R1-061288.zip
5/2/2006	9:54 AM	175898	R1-061289.zip
5/2/2006	9:54 AM	80440	R1-061290.zip
5/2/2006	9:54 AM	13830	R1-061291.zip
5/4/2006	3:23 PM	24860	R1-061292.zip
5/2/2006	9:54 AM	16394	R1-061293.zip
5/2/2006	9:54 AM	16319	R1-061294.zip
5/2/2006	9:54 AM	21911	R1-061295.zip
5/2/2006	9:54 AM	22020	R1-061296.zip
5/2/2006	9:54 AM	402281	R1-061297.zip
5/2/2006	9:54 AM	110599	R1-061298.zip
5/2/2006	9:54 AM	70300	R1-061299.zip
5/2/2006	9:54 AM	70030	R1-061300.zip
5/2/2006	10:51 AM	11987	R1-061301.zip
5/2/2006	9:54 AM	279975	R1-061302.zip
5/2/2006	9:54 AM	7569	R1-061303.zip
5/2/2006	9:54 AM	78172	R1-061304.zip
5/2/2006	9:54 AM	77834	R1-061305.zip
5/2/2006	9:54 AM	12632	R1-061306.zip
5/2/2006	9:54 AM	569956	R1-061307.zip
5/2/2006	9:54 AM	165639	R1-061308.zip
5/2/2006	10:51 AM	9572	R1-061309.zip
5/2/2006	9:54 AM	149522	R1-061310.zip
5/2/2006	9:54 AM	42402	R1-061311.zip
5/2/2006	9:54 AM	15659	R1-061312.zip
5/2/2006	8:07 AM	47050	R1-061313.zip
5/2/2006	8:07 AM	312585	R1-061314.zip
5/2/2006	8:07 AM	85846	R1-061315.zip
5/2/2006	10:51 AM	63275	R1-061316.zip
5/2/2006	10:51 AM	72694	R1-061317.zip
5/2/2006	10:51 AM	22254	R1-061318.zip
5/2/2006	8:07 AM	67610	R1-061319.zip
5/2/2006	8:07 AM	27934	R1-061320.zip
5/2/2006	8:07 AM	27417	R1-061321.zip
5/2/2006	8:07 AM	25842	R1-061322.zip
5/2/2006	8:07 AM	167344	R1-061323.zip
5/2/2006	8:07 AM	105936	R1-061324.zip
5/7/2006	6:39 PM	16688	R1-061325.zip
5/2/2006	10:51 AM	63018	R1-061326.zip
5/2/2006	8:07 AM	24121	R1-061327.zip
5/2/2006	8:07 AM	84468	R1-061328.zip
5/2/2006	8:07 AM	22594	R1-061329.zip
5/2/2006	8:07 AM	41180	R1-061330.zip
5/2/2006	8:07 AM	21278	R1-061331.zip
5/2/2006	8:07 AM	71683	R1-061332.zip
5/2/2006	10:51 AM	91317	R1-061333.zip
5/2/2006	11:08 AM	80584	R1-061334.zip
5/2/2006	11:08 AM	87682	R1-061335.zip
5/2/2006	10:51 AM	27230	R1-061336.zip
5/2/2006	8:07 AM	59583	R1-061337.zip
5/2/2006	8:07 AM	93197	R1-061338.zip
5/5/2006	10:07 AM	42125	R1-061340.zip
5/5/2006	9:00 AM	62483	R1-061341.zip
5/5/2006	10:07 AM	80124	R1-061342.zip
5/2/2006	7:03 AM	13773	R1-061343.zip
5/2/2006	7:03 AM	18707	R1-061344.zip
5/2/2006	9:29 AM	13092	R1-061345.zip
5/2/2006	9:29 AM	86990	R1-061346.zip

5/2/2006	9:29 AM	10396	R1-061347.zip
5/2/2006	9:29 AM	75696	R1-061348.zip
5/2/2006	9:29 AM	406900	R1-061349.zip
5/2/2006	9:29 AM	17072	R1-061350.zip
5/2/2006	10:51 AM	11711	R1-061351.zip
5/2/2006	10:51 AM	217012	R1-061352.zip
5/2/2006	10:51 AM	20167	R1-061353.zip
5/2/2006	10:51 AM	600874	R1-061354.zip
5/2/2006	10:51 AM	58378	R1-061355.zip
5/2/2006	10:51 AM	292923	R1-061356.zip
5/2/2006	10:51 AM	82712	R1-061358.zip
5/2/2006	10:51 AM	46810	R1-061359.zip
5/2/2006	10:51 AM	117751	R1-061360.zip
5/2/2006	9:29 AM	7494	R1-061363.zip
5/7/2006	6:39 PM	42382	R1-061364.zip
5/7/2006	6:39 PM	157041	R1-061365.zip
5/7/2006	6:40 PM	7043	R1-061366.zip
5/2/2006	9:29 AM	57103	R1-061367.zip
5/2/2006	9:29 AM	1961357	R1-061368.zip
5/2/2006	9:29 AM	41508	R1-061369.zip
5/2/2006	9:29 AM	54945	R1-061370.zip
5/2/2006	9:54 AM	10711	R1-061371.zip
5/2/2006	9:54 AM	8789	R1-061372.zip
5/2/2006	9:29 AM	65136	R1-061374.zip
5/2/2006	9:29 AM	61600	R1-061375.zip
5/2/2006	9:29 AM	33690	R1-061378.zip
5/2/2006	9:29 AM	5668	R1-061379.zip
5/2/2006	9:29 AM	8830	R1-061380.zip
5/4/2006	6:40 PM	119493	R1-061381.zip
5/4/2006	6:40 PM	93900	R1-061382.zip
5/4/2006	6:40 PM	14502	R1-061383.zip
5/2/2006	9:54 AM	109165	R1-061386.zip
5/2/2006	9:54 AM	13571	R1-061387.zip
5/2/2006	9:54 AM	103017	R1-061388.zip
4/28/2006	4:22 PM	28406	R1-061389.zip
4/28/2006	4:22 PM	41210	R1-061390.zip
4/28/2006	4:22 PM	67778	R1-061391.zip
5/2/2006	7:03 AM	682979	R1-061392.zip
5/2/2006	7:03 AM	241637	R1-061393.zip
5/2/2006	9:54 AM	77255	R1-061395.zip
5/2/2006	6:23 AM	47995	R1-061396.zip
5/2/2006	6:23 AM	33691	R1-061397.zip
5/2/2006	6:23 AM	104953	R1-061398.zip
5/2/2006	6:23 AM	22315	R1-061399.zip
5/2/2006	6:23 AM	25705	R1-061400.zip
5/2/2006	6:23 AM	138697	R1-061401.zip
5/2/2006	6:23 AM	171064	R1-061402.zip
5/2/2006	6:23 AM	30020	R1-061403.zip
5/2/2006	6:23 AM	23743	R1-061404.zip
5/2/2006	6:23 AM	15814	R1-061405.zip
5/2/2006	6:23 AM	96679	R1-061406.zip
5/2/2006	6:23 AM	71379	R1-061408.zip
5/2/2006	7:03 AM	30515	R1-061410.zip
5/2/2006	9:29 AM	97416	R1-061411.zip
4/28/2006	10:24 PM	143333	R1-061412.zip
4/28/2006	10:25 PM	169969	R1-061413.zip
4/28/2006	10:25 PM	190119	R1-061414.zip
4/28/2006	10:26 PM	916707	R1-061415.zip
4/28/2006	10:26 PM	292479	R1-061417.zip
4/28/2006	10:26 PM	346448	R1-061418.zip
4/28/2006	10:26 PM	106980	R1-061419.zip

4/28/2006	10:27	PM	674285	R1-061420.zip
4/28/2006	10:27	PM	10576	R1-061421.zip
4/28/2006	10:27	PM	190406	R1-061422.zip
4/28/2006	10:28	PM	953561	R1-061423.zip
4/28/2006	10:29	PM	666546	R1-061424.zip
4/28/2006	10:29	PM	279722	R1-061425.zip
4/28/2006	10:30	PM	343901	R1-061426.zip
4/28/2006	10:30	PM	107558	R1-061427.zip
5/2/2006	4:02	PM	37877	R1-061428.zip
5/1/2006	8:41	PM	27737	R1-061429.zip
5/2/2006	7:03	AM	24214	R1-061430.zip
5/2/2006	7:03	AM	355592	R1-061432.zip
5/2/2006	7:03	AM	73046	R1-061433.zip
5/2/2006	7:03	AM	42778	R1-061434.zip
5/2/2006	7:03	AM	227158	R1-061435.zip
5/2/2006	7:03	AM	217689	R1-061436.zip
5/2/2006	7:03	AM	149102	R1-061437.zip
5/2/2006	7:03	AM	952704	R1-061438.zip
5/2/2006	6:23	AM	30742	R1-061439.zip
5/2/2006	6:23	AM	25331	R1-061440.zip
5/2/2006	6:23	AM	123408	R1-061441.zip
5/2/2006	6:23	AM	24500	R1-061442.zip
5/5/2006	9:00	AM	26155	R1-061443.zip
5/5/2006	8:14	AM	799645	R1-061444.zip
5/5/2006	8:14	AM	173222	R1-061445.zip
5/2/2006	9:29	AM	100186	R1-061446.zip
5/2/2006	9:29	AM	16383	R1-061447.zip
5/2/2006	9:29	AM	15685	R1-061448.zip
5/4/2006	3:23	PM	127863	R1-061451.zip
5/2/2006	9:29	AM	850391	R1-061452.zip
5/2/2006	9:29	AM	14677	R1-061453.zip
5/2/2006	9:29	AM	68254	R1-061454.zip
5/5/2006	8:14	AM	59245	R1-061455.zip
5/2/2006	6:23	AM	384453	R1-061457.zip
5/2/2006	10:51	AM	478830	R1-061460.zip
5/2/2006	10:51	AM	93520	R1-061461.zip
5/2/2006	7:20	AM	20902	R1-061462.zip
5/5/2006	9:00	AM	62675	R1-061463.zip
5/5/2006	9:00	AM	90850	R1-061465.zip
5/2/2006	7:20	AM	83662	R1-061466.zip
5/3/2006	12:35	PM	53092	R1-061468.zip
5/3/2006	12:35	PM	25424	R1-061469.zip
5/3/2006	12:35	PM	14611	R1-061470.zip
5/3/2006	12:35	PM	10794	R1-061471.zip
5/5/2006	9:00	AM	114868	R1-061472.zip
5/2/2006	7:20	AM	69950	R1-061473.zip
5/2/2006	8:31	AM	120339	R1-061474.zip
5/2/2006	8:31	AM	23934	R1-061475.zip
5/2/2006	8:31	AM	299637	R1-061476.zip
5/2/2006	8:31	AM	18070	R1-061478.zip
5/2/2006	6:23	AM	95589	R1-061479.zip
5/2/2006	6:23	AM	21751	R1-061480.zip
5/5/2006	8:14	AM	191059	R1-061481.zip
5/5/2006	8:14	AM	22424	R1-061482.zip
5/2/2006	10:51	AM	29175	R1-061483.zip
4/28/2006	10:30	PM	75151	R1-061484.zip
4/28/2006	10:30	PM	13778	R1-061485.zip
5/2/2006	7:03	AM	171334	R1-061486.zip
5/2/2006	7:03	AM	44579	R1-061487.zip
5/2/2006	9:29	AM	16088	R1-061488.zip
5/2/2006	8:31	AM	148915	R1-061489.zip

5/2/2006	9:29 AM	51827	R1-061490.zip
5/2/2006	4:08 PM	56787	R1-061491.zip
5/2/2006	9:29 AM	15355	R1-061492.zip
5/3/2006	8:50 AM	19677	R1-061493.zip
5/3/2006	8:50 AM	14373	R1-061494.zip
5/2/2006	8:31 AM	143827	R1-061495.zip
5/2/2006	8:31 AM	47588	R1-061496.zip
5/2/2006	8:31 AM	25959	R1-061497.zip
5/2/2006	8:31 AM	225907	R1-061498.zip
5/2/2006	8:31 AM	57041	R1-061499.zip
5/2/2006	8:31 AM	51984	R1-061500.zip
5/5/2006	8:14 AM	21437	R1-061501.zip
5/5/2006	8:14 AM	21314	R1-061502.zip
5/5/2006	8:14 AM	48054	R1-061503.zip
5/5/2006	8:14 AM	100777	R1-061504.zip
5/5/2006	8:14 AM	32085	R1-061505.zip
5/5/2006	8:14 AM	29525	R1-061506.zip
5/5/2006	8:14 AM	29832	R1-061507.zip
5/2/2006	8:31 AM	34150	R1-061508.zip
5/5/2006	8:14 AM	25226	R1-061509.zip
5/5/2006	8:14 AM	8721	R1-061510.zip
5/5/2006	8:14 AM	9637	R1-061511.zip
5/5/2006	8:14 AM	234055	R1-061512.zip
5/5/2006	8:14 AM	101208	R1-061513.zip
5/2/2006	8:31 AM	60633	R1-061514.zip
5/2/2006	8:31 AM	51143	R1-061515.zip
5/2/2006	8:31 AM	18504	R1-061516.zip
5/5/2006	8:14 AM	555821	R1-061517.zip
5/5/2006	8:14 AM	375875	R1-061518.zip
5/5/2006	8:14 AM	327207	R1-061519.zip
5/5/2006	8:14 AM	432462	R1-061520.zip
5/5/2006	8:14 AM	715116	R1-061521.zip
5/5/2006	8:14 AM	112206	R1-061522.zip
5/5/2006	8:14 AM	751920	R1-061523.zip
5/5/2006	8:14 AM	256701	R1-061524.zip
5/5/2006	8:14 AM	206386	R1-061525.zip
5/5/2006	8:14 AM	22569	R1-061526.zip
5/5/2006	8:14 AM	42123	R1-061527.zip
5/5/2006	8:14 AM	23452	R1-061528.zip
5/5/2006	8:14 AM	22511	R1-061529.zip
5/5/2006	8:14 AM	763339	R1-061530.zip
5/5/2006	8:14 AM	785430	R1-061531.zip
5/5/2006	8:14 AM	63215	R1-061532.zip
5/5/2006	8:14 AM	20323	R1-061533.zip
5/2/2006	7:03 AM	12325	R1-061534.zip
5/2/2006	4:02 PM	8395	R1-061535.zip
5/2/2006	7:03 AM	34069	R1-061536.zip
5/2/2006	11:08 AM	16861	R1-061537.zip
5/12/2006	3:17 PM	22781	R1-061538.zip
5/4/2006	9:56 AM	7398	R1-061539.zip
5/4/2006	9:56 AM	22918	R1-061540.zip
5/5/2006	9:00 AM	18225	R1-061541.zip
5/5/2006	9:00 AM	65858	R1-061542.zip
5/7/2006	6:40 PM	310546	R1-061543.zip
5/5/2006	3:08 PM	215462	R1-061544.zip
5/12/2006	3:17 PM	283420	R1-061545.zip
5/12/2006	3:17 PM	18269	R1-061546.zip
5/12/2006	3:17 PM	43731	R1-061547.zip
5/12/2006	3:18 PM	13189	R1-061548.zip
5/12/2006	3:18 PM	63846	R1-061549.zip
5/12/2006	3:18 PM	424242	R1-061550.zip

5/12/2006	3:18	PM	112212	R1-061551.zip
5/12/2006	3:18	PM	10913	R1-061552.zip
5/12/2006	3:19	PM	406390	R1-061553.zip
5/12/2006	3:20	PM	448728	R1-061554.zip
5/12/2006	3:20	PM	14911	R1-061555.zip
5/12/2006	3:20	PM	7118	R1-061556.zip
5/12/2006	3:20	PM	7683	R1-061557.zip
5/12/2006	3:20	PM	12867	R1-061559.zip
5/12/2006	3:20	PM	5734	R1-061560.zip
5/12/2006	3:20	PM	9042	R1-061561.zip
5/12/2006	3:20	PM	140573	R1-061562.zip
5/12/2006	3:22	PM	919881	R1-061563.zip
5/12/2006	3:22	PM	301109	R1-061564.zip
5/12/2006	3:23	PM	347032	R1-061565.zip
5/12/2006	3:23	PM	107543	R1-061566.zip
5/12/2006	3:23	PM	191481	R1-061567.zip
5/12/2006	3:23	PM	12155	R1-061568.zip
5/12/2006	3:23	PM	7460	R1-061569.zip
5/12/2006	3:24	PM	514122	R1-061571.zip
5/12/2006	3:24	PM	15769	R1-061572.zip
5/12/2006	3:24	PM	33809	R1-061573.zip
5/12/2006	3:24	PM	14874	R1-061574.zip
5/12/2006	3:24	PM	16256	R1-061575.zip
5/12/2006	3:25	PM	23475	R1-061576.zip
5/12/2006	3:25	PM	25761	R1-061577.zip
5/12/2006	3:25	PM	19795	R1-061578.zip
5/12/2006	3:25	PM	10789	R1-061579.zip
5/12/2006	3:25	PM	7851	R1-061580.zip
5/12/2006	3:25	PM	27588	R1-061581.zip
5/12/2006	3:27	PM	1253996	R1-061582.zip
5/12/2006	3:27	PM	215633	R1-061583.zip
5/12/2006	3:27	PM	7666	R1-061584.zip
5/12/2006	3:27	PM	135513	R1-061585.zip
5/12/2006	3:27	PM	9719	R1-061586.zip
5/12/2006	3:27	PM	81365	R1-061587.zip
5/12/2006	3:28	PM	9761	R1-061588.zip
5/12/2006	3:28	PM	8425	R1-061589.zip
5/12/2006	3:28	PM	9645	R1-061590.zip
5/12/2006	3:28	PM	8521	R1-061591.zip
5/12/2006	3:28	PM	18093	R1-061592.zip
5/12/2006	3:28	PM	44359	R1-061593.zip
5/12/2006	3:28	PM	8871	R1-061594.zip
5/12/2006	3:28	PM	70114	R1-061595.zip
5/12/2006	3:28	PM	8675	R1-061596.zip
5/12/2006	3:28	PM	20894	R1-061597.zip
5/12/2006	3:28	PM	10420	R1-061598.zip
5/12/2006	3:28	PM	7841	R1-061599.zip
5/12/2006	3:28	PM	8324	R1-061600.zip
5/12/2006	3:29	PM	82924	R1-061601.zip
5/12/2006	3:29	PM	12198	R1-061602.zip
5/12/2006	3:29	PM	8629	R1-061603.zip
5/12/2006	3:29	PM	16902	R1-061604.zip
5/12/2006	3:29	PM	15257	R1-061605.zip
5/12/2006	3:29	PM	23265	R1-061606.zip
5/12/2006	3:29	PM	101585	R1-061607.zip
5/12/2006	3:29	PM	8888	R1-061608.zip
5/12/2006	3:29	PM	81648	R1-061609.zip
5/12/2006	3:29	PM	9772	R1-061610.zip
5/12/2006	3:29	PM	15915	R1-061611.zip
5/12/2006	3:29	PM	9857	R1-061612.zip
5/12/2006	3:30	PM	27950	R1-061614.zip

5/12/2006	3:30 PM	32125	R1-061615.zip
5/12/2006	3:30 PM	20255	R1-061616.zip
5/12/2006	3:30 PM	9255	R1-061617.zip
5/12/2006	3:30 PM	22026	R1-061618.zip
5/12/2006	3:30 PM	14750	R1-061619.zip
5/12/2006	3:30 PM	13960	R1-061620.zip
5/12/2006	3:30 PM	11750	R1-061621.zip
5/12/2006	3:30 PM	10779	R1-061622.zip
5/12/2006	3:30 PM	191211	R1-061623.zip
5/12/2006	3:31 PM	38509	R1-061624.zip
5/12/2006	3:31 PM	16871	R1-061625.zip
5/12/2006	3:31 PM	443067	R1-061626.zip
5/12/2006	3:31 PM	48640	R1-061627.doc
5/12/2006	3:31 PM	10394	R1-061627.zip
5/12/2006	3:31 PM	11951	R1-061628.zip
5/12/2006	3:32 PM	72003	R1-061629.zip
5/12/2006	3:32 PM	71923	R1-061630.zip
5/12/2006	3:32 PM	72309	R1-061631.zip
5/12/2006	3:32 PM	7235	R1-061632.zip
5/12/2006	3:32 PM	7470	R1-061633.zip
5/12/2006	3:32 PM	7824	R1-061634.zip
5/15/2006	3:04 PM	38883	R1-061635.zip
5/12/2006	3:32 PM	11912	R1-061636.zip
5/12/2006	3:32 PM	32461	R1-061637.zip
5/15/2006	10:28 AM	3591142	R1-061638.zip
5/15/2006	10:28 AM	9128	R1-061639.zip
5/17/2006	3:26 PM	175010	R1-061640.zip
5/15/2006	10:28 AM	233018	R1-061641.zip
5/15/2006	10:28 AM	136075	R1-061642.zip
5/23/2006	6:38 AM	3581513	R1-061643.zip
5/23/2006	6:38 AM	3539006	R1-061644.zip
5/22/2006	5:46 PM	1521064	R1-061645.zip
5/23/2006	1:42 PM	66695	R1-061646.zip
5/22/2006	5:46 PM	1527382	R1-061647.zip
5/24/2006	11:54 AM	10938	R1-061648.zip
5/24/2006	11:54 AM	165721	R1-061649.zip
5/26/2006	1:07 PM	1509624	R1-061650.zip
5/26/2006	1:09 PM	1506242	R1-061651.zip
5/29/2006	9:39 AM	38804	Tdoclist RAN1#45(May 2006).zip

EXHIBIT 8

ZTE/HTC
Exhibit 1015-0069

Source: Panasonic
 Title: Random access design for E-UTRA uplink
 Agenda Item: 11.1.2
 Document for: Discussion and Decision

1. Introduction

In this document, we discuss the random access structure as follows. This document only discusses non-synchronized random access structure.

- The preamble sequence
- The minimum preamble length
- The minimum bandwidth
- The sequence composition in preamble
- The control information over the preamble part
- The necessity of message part

2. Random access structure design

2.1. Preamble sequence

Random access is a contention based transmission. Therefore, multiple random access bursts from multiple UEs could be transmitted simultaneously. It is also good, if multiple random accesses are detected simultaneously at E-NodeB. To reduce the collisions among the random access, a common approach is UE randomly chooses one out of plural different preambles/signatures. To distinguish random accesses from different UEs at NodeB, a sequence with good auto-correlation and good cross-correlation property is required. For these reasons, we compare the miss detection probability vs. the average E_p/N_0 among the different type of sequences (i.e. W-CDMA preamble sequences, different CAZAC sequences and cyclic-shifted CAZAC sequences).

Performance of different preamble sequences

The simulation parameters are shown in Table 1. Preamble performance evaluation criteria used are false alarm and miss detection probability to the average E_p/N_0 . The definition is as follows:

- **False alarm (Pfa):** the probability of a particular code being detected when nothing, or different code is transmitted
- **Miss detection (Pmd):** the probability of a particular code not being detected when the code is transmitted

Table 1 Simulation parameters

Parameter	Value
Transmission Bandwidth	1.25MHz (Allocated bandwidth: 1.024MHz)
Preamble length	Approximately 400 usec
Guard time	Approximately 100 usec
Signature Pattern	- W-CDMA (truncated) - CAZAC sequence (Zadoff-Chu CAZAC[20])
Length of CAZAC sequence (N)	- W-CDMA (400 symbols: 16 signature * 25 repetition) - CAZAC (401 symbols) - Cyclic-shifted CAZAC (401symbols, shift duration: 50usec)
Number of multiplexed preambles	1, 2, 4, 8, 12, 16
Antenna configuration	1 Tx antenna, 2 Rx antennas (power profiles are combined)
Detector	Matched filtering in time domain. See Appendix.
Number of detector	16
Channel model	6-path Typical Urban 120km/h

Figure 1 shows the miss detection probability (Pmd) against the average E_p/N_0 of each preamble sequence to achieve the false alarm $P_{fa} = 10^{-3}$ under TU 120km/h. The miss detection probability against the E_p/N_0 is always satisfied in $P_{fa} = 10^{-3}$. The result reflects that the false alarm probability is fluctuated due to mutual interference between preambles when plural preambles are transmitted.

From the evaluation, both CAZAC sequence and cyclic-shifted CAZAC sequence show better detection performance compared with the truncated WCDMA preamble sequence. Eight cyclic-shifted CAZAC sequences mixed have similar performance with only one CAZAC sequence. Moreover, the performance in 8 cyclic-shifted a CAZAC sequences and 4 cyclic-shifted other CAZAC sequences mixed have similar to 4 different CAZAC sequences mixed. Therefore, cyclic-shifted CAZAC sequence has superior performance among compared sequences. This aspect is also discussed in [14].

As the results, we propose to choose cyclic-shifted Zadoff-Chu CAZAC as preamble sequence mainly. In addition, to have more signatures, we also propose to use different Zadoff-Chu CAZAC sequence.




Figure 1 Miss detection probability (Pmd) to the average Ep/No (TU 120km/h)

2.2. Preamble length

Approximately 300 usec preamble length is required for ISD=500m and approximately 900 usec is required for ISD=1732m to achieve $P_{md} = 10^{-3}$ on CDF = 5% under TU 120km/h from the preamble detection performance in [13]. In the document, power control scheme assumed is relatively simple one. If more sophisticated one is assumed, the averaged received SINR at CDF = 5% would be further improved. In addition, more sophisticated preamble detectors in [15] [16] improves the preamble detection performance. These two aspects would allow reducing the required preamble length. Therefore, we propose to have two preamble lengths, around 400 usec and around 800 usec.

2.3. Minimum bandwidth

We propose the minimum bandwidth (BW) of random access burst is 1.25MHz. More than 1MHz BW would be required in order to obtain 1 usec time resolution for the uplink time alignment [19]. If only rough resolution is obtained in random access procedure, timing alignment control after random access procedure would get complicated.

In addition, sufficient number of symbols of the CAZAC sequence is required to eliminate mutual interference among preamble signatures. Therefore, we propose 1.25MHz as the minimum bandwidth.

2.4. Sequence composition in preamble

In the previous sections, we discussed the preamble sequence, the preamble length and the minimum bandwidth. Next topic is how to fulfill the possible preamble field using preamble sequence. Two approaches have been proposed. One is composed of multiple short CAZAC sequences [15] [16]. The other is one long CAZAC sequence [19]. For the decision among two, following aspects should be considered.

- Mutual interference among preambles
- Reuse factor of CAZAC sequence
- The possibility to transmit control information
- Decoder complexity

Mutual interference among preambles

Multiple short CAZAC sequence approach suffers more mutual interference among preambles. In addition, as we saw the evaluation in section 2.1, cyclic-shifted CAZAC sequence has superior performance. But cyclic-shifted CAZAC sequence requires relatively long sequence. Therefore, long CAZAC sequence is better than multiple short CAZAC sequence on this aspect.

Reuse factor of CAZAC sequence

The longer CAZAC sequence has a benefit to have bigger reuse factor of sequence management with less inter-cell interference when cell planning aspect is considered [19]. Therefore, long CAZAC sequence is better than multiple short CAZAC sequence on this aspect.

The possibility to transmit control information

To have a few number of control information bits on random access burst allows of an more efficient uplink and downlink resource utilization after random access attempt. In the case control information is mapped on the preamble part, control information including random ID is mapped to different signatures one by one. This means the more control bits are contained, if the larger number of signatures is used in one cell. Therefore, the required length of CAZAC sequence increases when more number of control bits is used. In addition, the length of CAZAC sequence further increases when bigger reuse factor are used. The number of different CAZAC sequences used by one cell is shown in Table 2. The number in () shows the case four cyclic-shifted sequence are generated for each CAZAC sequence.

Table 2 the number of CAZAC sequences used in one cell

Number of control information bits (including random ID)	3 cell reuse	4 cell reuse	7 cell reuse
5 bits	96 (24)	128 (32)	224 (56)
6 bits	192 (48)	256 (64)	448 (112)
7 bits	384 (96)	512 (128)	896 (224)
8 bits	768 (192)	1024 (256)	1792 (448)
9 bits	1536 (284)	2048 (512)	3584 (896)

Discussion

From above discussion, long CAZAC sequence is preferred option. From the previous sections, we proposed 400 usec as the minimum preamble length and 1.125MHz (90% of 1.25MHz) as the minimum preamble bandwidth. Therefore, the maximum number of symbols contained in the preamble part is around 450 symbols.




Figure 2 proposed the non-synchronized random access structure

We propose the N=449 (prime number) cyclic-shifted CAZAC sequences with also use different CAZAC sequences for the preambles. For supporting larger cell size, repeating this sequence twice (i.e. 800 usec) can be used.

According to this design, up to 8 control information bits including random ID can be transmitted on the preamble part with 7 cell reuse. A fewer usage of code sequence alleviate the decoder complexity. With also taking into account complexity aspect, we propose the number of control information bits contained in the preamble is around 6 bits.

2.5. Control information over the preamble part

We propose the followings control information is transmitted in non-synchronized random access preamble part.

- Random ID: To avoid collisions and to distinguish random access attempt from different UEs.
- Access type and buffer status: To allocate appropriate first uplink resource corresponding to the access reasons. One example is to distinguish among initial access/TA-update, handover, recovery of the synchronization in LTE_ACTIVE with bigger buffer size and recovery of the synchronization in LTE_ACTIVE with smaller buffer size
- UE Tx power head room or Downlink CQI: To perform link adaptation and/or power control for allocated uplink/downlink resource.

Example of possible mapping usage of 6 bits is shown in table 3. Similar way of mapping is also proposed in [15].

Table 3 Example of propose control information mapping to signatures

Tx power head room	Cause/Access type	Signature ID (=Random ID) (case of 64 signatures)
Large Tx power head room	Initial access/TA-update	1-3
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	4-6
	LTE_ACTIVE(large buffer size)	7-9
Middle Tx power head room	Initial access/TA-update	10-13
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	14-17
	LTE_ACTIVE(large buffer size)	18-21
Small Tx power head room	Initial access/TA-update	22-26
	Handover	no allocation
	LTE_ACTIVE(small buffer size)	27-31
	LTE_ACTIVE(large buffer size)	32-36
No Tx power head room	Initial access/TA-update	37-45
	Handover	46-54
	LTE_ACTIVE(small buffer size)	44-64
	LTE_ACTIVE(large buffer size)	no allocation

2.6. Necessity of message part

If more than 6-8 control bits are required to be transmitted on random access burst, the message part has to be associated with the preamble part. However, in that case, the preamble part and message part should support the following properties.

- Channel estimation for coherent detection by the preamble part
- Message part should have similar BLER with miss detection probability of the preamble part.
- Message part should have similar collision avoidance performance with that of preamble part.

In order to achieve the above requirements, the longer associated message part might be required [17]. This consumes more uplink radio resources. Therefore, the trade-off between the merit of associating message part and the demerit of radio resource expense should be carefully considered.

3. Conclusion

We propose the following random access burst.

- Zadoff-Chu CAZAC sequence for the preamble sequence
- Both of cyclic-shifted CAZAC and different CAZAC sequence is used.
- Preamble lengths is around 400 usec and around 800 usec
- 1.25MHz is the minimum bandwidth
- One large CAZAC sequence for example N=449 is used to compose preamble sequence.
- The following control information is mapped on the CAZAC preamble signatures.
 - UE Tx power head room or downlink CQI
 - Access type and buffer status
 - Random ID

References

- [1] TR25.814 V1.2.2, "Physical layer aspects for evolved UTRA"
- [2] TR25.913 V2.0.0, "Requirements for Evolved UTRA and UTRAN"
- [3] TR25.104 V6.11.0, "Base Station (BS) radio transmission and reception (FDD) (Release 6)"
- [4] R1-051058, Texas Instruments, "RACH Preamble Design"
- [5] R1-060047, NTT DoCoMo, NEC, Sharp, "Random Access Transmission in E-UTRA Uplink"
- [6] R1-060152, Nortel, "Consideration on UL RACH scheme for LTE"
- [7] R1-060161, Panasonic, "Inclusion of additional data on RACH"
- [8] R1-060181, Qualcomm, "Characteristics of UL Access Channel"
- [9] R1-060226, Huawei, "EUTRA RACH preambles"
- [10] R1-060376, Texas Instruments, "RACH preamble design for E-UTRA"
- [11] R1-060387, Motorola, "RACH Design for EUTRA"
- [12] R1-060541, Huawei, "Some Considerations for Random Access Frame Design"
- [13] R1-060792, Panasonic, "Random access burst evaluation in E-UTRA uplink"
- [14] R1-060797, Huawei, "RACH design for E-UTRA"
- [15] R1-060786, NTT DoCoMo, "Random Access Channel Structure for E-UTRA uplink"
- [16] R1-060908, Nortel Networks, "On the performance of LTE RACH"
- [17] R1-060909, Nortel Networks, "Consideration on the issues of LTE RACH"
- [18] R1-060992, NTT DoCoMo, "Investigations on Rardom Access Channel Structure for E-UTRA Uplink"
- [19] R1-060998, Ericsson, "E-UTRA Random Access Preamble Design"
- [20] D. C. Chu, "Ployphase codes with good periodic correlation properties," IEEE Trans. Information Theory, vol.18, pp531-532, July 1972.

Appendix: Preamble detection algorithm

Two receiver antenna diversity reception is used. The 16 different power delay profiles are measured by the 16 matched filters corresponding to preamble sequences in each branch and then combined. Figure A illustrates the preamble detection method. The window size of the peak detection of the delay profile is set to 100usec for WCDMA preamble and CAZAC preamble. The window size for Cyclic-shifted CAZAC preamble is 50 usec to evaluate the detection performance up to 8 cyclic-shifted CAZAC sequences. Noise level is measured from the delay profile but the samples larger than Threshold A are not used for noise level calculation. Threshold B is the preamble detection threshold from the calculated noise level plus an offset value. The offset value is adjusted to achieve 0.1% false alarm probability. The maximum peak power is compared to Threshold B.




Figure A Output signal of matched filter and preamble detection algorithm