Case 2:16-cv-00777-JRG Document 2 Filed 07/15/16 Page 1 of 1 PageID #: 153

AO 120 (Rev. 08/10)

Mail Stop 8 TO: Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450			REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK			
In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court Eastern District of Texas, Marshall Division on the following Trademarks or Patents. (the patent action involves 35 U.S.C. § 292.):						
DOCKET NO. 2:16-ov-777	DATE FILED 7/15/2016	U.S. DI	STRICT COURT			
PLAINTIFF	7/15/2010		DEFENDANT			
UNILOC USA, INC., and UNILOC LUXEMBOURG, S.A.			AVAYA INC.,			
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDER OF PATENT OR TRADEMARK			
1 7,535,890	5/19/2009	UNIL	LOC LUXEMBOURG, S.A.			
2 8,995,433	3/31/2015	UNIL	_OC LUXEMBOURG, S.A.			
3 8,724,622	5/13/2014	UNIL	_OC LUXEMBOURG, S.A.			
4 8,243,723	8/14/2012	UNILOC LUXEMBOURG, S.A.				
5 8,199,747	6/12/2012		_OC LUXEMBOURG, S.A.			
5 8,199,747	6/12/2012		LOG LUXEMBOURG, S.A.			

In the above—entitled case, the following patent(s)/ trademark(s) have been included:

DATE INCLUDED	INCLUDED BY				
		dment	Answer	Cross Bill	Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDE	R OF PATENT OR	FRADEMARK
1					
2					
3					
4					
5					

In the above-entitled case, the following decision has been rendered or judgement issued:

DECISION/JUDGEMENT

CLERK	(BY) DEPUTY CLERK	DATE

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

Apple 1024 U.S. Pat. 8,243,723

Case 2:16-cv-00779-JRG Document 2 Filed 07/15/16 Page 1 of 1 PageID #: 131

AO 120 (Rev. 08/10)

	ria, VA 22313-1450	REPORT ON THE FILING OR DETERMINATION OF AN ACTION REGARDING A PATENT OR TRADEMARK				
In Compliance with 35 U.S.C. § 290 and/or 15 U.S.C. § 1116 you are hereby advised that a court action has been filed in the U.S. District Court Eastern District of Texas, Marshall Division on the followin Trademarks or Patents. (the patent action involves 35 U.S.C. § 292.):						
DOCKET NO. D 2:16-cv-779	DATE FILED 7/15/2016	U.S. DI	STRICT COURT Eastern District of Texas. Marshall Division			
PLAINTIFF UNILOC USA, INC., and UNILOC LUXEMBOURG, S.A.			SHORETEL, INC.			
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDER OF PATENT OR TRADEMARK			
1 7,535,890	5/19/2009	UNII	LOC LUXEMBOURG, S.A.			
2 8,995,433	3/31/2015	UNII	LOC LUXEMBOURG, S.A.			
3 8,724,622	5/13/2014	UNILOC LUXEMBOURG, S.A.				
4 8,243,723	8/14/2012	UNILOC LUXEMBOURG, S.A.				
5						

In the above—entitled case, the following patent(s)/ trademark(s) have been included:

DATE INCLUDED	INCLUDED BY				
		dment	Answer	Cross Bill	Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK		HOLDE	R OF PATENT OR	FRADEMARK
1					
2					
3					
4					
5					

In the above—entitled case, the following decision has been rendered or judgement issued:

DECISION/JUDGEMENT

CLERK	(BY) DEPUTY CLERK	DATE

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

UNITED ST	ates Patent and Tradema	RK OFFICE UNITED STA United States	TES DEPARTMENT OF COMMERCE Patent and Trademark Office
A LONG OF CHART		Address: COMMI PO, Box Alexandri www.uspb	SSIONER FOR PATENTS 1450 a, Vinginia 22313-1450 o.gov
APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
10/740,030	12/18/2003	Michael J. Rojas	EMP0021-US
			CONFIRMATION NO. 1731
67050		POA ACC	EPTANCE LETTER
KASHA LAW LLC 14532 Dufief Mill Road North Potomac, MD 20878	3		OC000000063664372*

Date Mailed: 09/10/2013

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 08/27/2013.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/sharris/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

UNITED ST	ates Patent and Tradema	RK OFFICE UNITED STA United State: Address: COMMI Address: COMMI Advention www.uspt	TES DEPARTMENT OF COMMERCE s Patent and Trademark Office SSIONER FOR PATENTS 1450 a, Virginia 22313-1450 Ogov
APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
10/740,030	12/18/2003	Michael J. Rojas	17188
23389 SCULLY SCOTT MURPH 400 GARDEN CITY PLAZ SUITE 300 GARDEN CITY, NY 1153	IY & PRESSER, PC ZA 0		

Date Mailed: 09/10/2013

NOTICE REGARDING CHANGE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 08/27/2013.

• The Power of Attorney to you in this application has been revoked by the assignee who has intervened as provided by 37 CFR 3.71. Future correspondence will be mailed to the new address of record(37 CFR 1.33).

/sharris/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

page 1 of 1

CONTRACTOR AND A TYPE DATE OF		entermation united it stepliers a valid OME control
E CORRECT COL MANAGEMENT	Application Number	10740000
OR	Print Usis	2003-12-18 Michael I Balac
REVOCATION OF POWER OF ATTORNI	TY THE	System and Method for Instant Vois ² Me
WITH A NEW POWER OF ATTORNEY	Art Unit	2814
ANU Names de conservations asses	e e e e Examiner Name	Creighton H. Smith
MANGE OF CORRESPONDENCE ADDR.	Altomey Docket Numb	W EMPOC21-US
hereby revoke all previous powers of attorney g	iven in the above-identified	application
A Power of Attomay is submitted herewith.		
OR Theraby appoint Practitioner(s) associated with the fo	Nowing Customer	87050
Aurober as my/our attorney(s) or agent(s) to proceed.	te the application	
and Trademark Office connected therewith:		
OR 	sur attornevia) or agentice) to pros	ecute the equivation identified above, and
¹ to braneast all bosiness in the United States Petent a	nd Trademark Office connected th	18(194613)
Practitioner(s) Name		Registration Number
fease recognize or change the correspondence X The address selectated with the above-mentioned C	addrees for the above-ide ustomer Number	tified application to:
Alease recognize or change the correspondence The address associated with the above-mentioned C OR The address associated with Customer Number: OR OR Film or	addrees for the above-ide ustomer Number	ntified application to:
The address associated with the above-mentioned C OR The address associated with Customer Number. OR OR Prim or Individual Name vidress	addrees for the above-ider ustamer Number	ntified application to:
The address associated with the above-mentioned C OR The address associated with Customer Number: OR Firm or Individual Name Moress	addrees for the above-ide	ntified application to:
The address secolated with the above-mentioned C OR The address associated with Customer Number. OR Firm or Individual Name Vidress	addrees for the above-ide ustomer Number Glata	ntified application to:
Ne soldress sesociated with the above-mentioned C OR OR Frim or Individual Name Individual Name Iddress	addrees for the above-ider ustomer Number Stata	ntified application to:
The address ssecciated with the above-mentioned C OR The address associated with Customer Number: OR Film or Individual Name My Scales	addrees for the above-ide ustomer Number Stats Email	ntified application to:
The address associated with the above-mentioned C OR The address associated with Customer Number OR Firm or Individual Name Iddress Idv Sephone am the: Applications	addrees for the above-ide ustomer Number Glata	ntified application to:
The address ssecciated with the above-mentioned C OR The address associated with Customer Number. OR Prim or Instructual Name Vidual Name	addrees for the above-ider ustomer Number 81ata	ntified application to:
The address seconated with the above-mentioned C OR The address seconated with the above-mentioned C OR The address associated with Customer Number. OR Film or Individual Name ddress address and the: Applicant/Inventor. OR OR OR Applicant/Inventor. OR Applicant/Inventor.	addrees for the above-ide ustomer Number Glats Email	ntified application to:
The address secolated with the above-mentioned C OR The address associated with Customer Number. OR Frim cr Individual Name iddress iddress Stephone am the: OR Applicant/Inventor. OR Statement under 37 CFR 3.73(b) (Form PTOCSB496)	addrees for the above-ider valamer Number Stata Email Email S.71. sabmitted horewith or filed on	ntified application to:
The address associated with the above-mentioned C OR The address associated with the above-mentioned C OR Firm or Individual Name Iddress Xy Sountry Sightone Applicant/inventor OR Assignes of record of the entire interast. See 37 CFR Statement under 37 CFR 3.73(b) (Form PTO/SB/96) StanATURE o StanATURE o	addrees for the above-ider coloner Number Slats Email Email Slats Email Applicant or Assignee of Rec	Titled application to: Image:
The address associated with the above-mentioned C OR The address associated with the above-mentioned C OR The address associated with Customer Number OR Film or Individual Name Vidress Vidr	addrees for the above-ider ustomer Number Glats Email Email Stats Email Applicant or Assignee of Rec 1	ntified application to:
The address secolated with the above-mentioned C OR The address associated with Customer Number. OR Frim or Individual Name Iddress Iddress Applicant/inventor. OR Applicant/inventor. OR Applicant/inventor. OR Individual Name Individual Name Iddress Applicant/inventor. OR Statement under 37 CFR 3 73(b) (Form PTO/SBP6) SkianATURE of and Mit/Vite and Company Principal, Empire IP LLC	addrees for the above-ide ustomer Number Glata ST1 ubmitted horewith or filed on Applicant or Assignee of Nec	1000 application to:
The address associated with the above-mentioned C OR The address associated with Customer Number. OR Film or Individual Name Iddress Statement and resonance OR Prim or Individual Name Iddress Statement ander 37 CFR 3.73(b) (Form PTO/SB/96) Statement ander 37 CF	addrees for the above-ider colonier Number Stats Email S71. colonited horewith or filed on f Applicant or Assignee of Nec 1 andre interest or their representation(in	ntified application to:

Acuding gathering, preserving, and submitting the completed application from to the USPTO. There will vary depending open the individual case. Any comments on the amunit of time you require to complete this form and/or suggestions for reducing the bursley, smaller be send to the Chart information Officer. U.S. Period and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. GO NOT SEND FEES OR COMPLETED IF Officer To THIS ACORESIS, SEND TO: Commissioner for Patients, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need excisitance in completing the form, call 1-800-PTO-9199 and select cation 2.

	Under B	e Paparaeri Pacherin A	t of 1995, co parama ara mo	U.S. F	Approved for use through 07/31/2012, CMS 085 Patent and Trademark Office, U.S. DEPARTMENT OF COMM edion of Information unless it displays a veila CMS control in
			STATEMENT UM	IDER 37 CER 3.7	(2(b)
Applicant/P	atent Owr	_{ier:} Empire IP LLC			
Application	No./Pater	# No.: 7.535,890		Filed/isaue (Date: 2009-05-19
Tited: S Empire IP	ystem ar	d Method for Insta	nt VolP Messaging	poration	
(Nerrie of Asis;	3:196)		(iii)	Non of Alla Burne of C. co	rporation, partnerence, university, povernment againcy, etc.
states that i	ë is:				
1. 🛛	the essign an assign (The exte	use of the entire right as of leas than the si nt (by percentage) of	tille, and interest in: the right, little, and inte to ownership interest i	rest in s%); (87
a. 🗍	the assign	we of an undivided in	iterest in the entirety of	(a complete assign	ment from one of the joint inventors was made)
the patent :	spolication	/patent identified abc	we, by virtue of either:		
A. []	An assign the United copy then	ment from the invent I States Petent and 1 afore is attached.	or(s) of the patient appl rademark Office at Re-	calion/patent identi »	fied above. The assignment was recorded in, Frame, or for which a
s 🕅	A chain of 1. From:	little from the invento Rojas, Michael J	r(s), of the patent appli	cation/palant identii To: Å)	fied above, to the current assignee as follows: yalogic, inc.
		The document was i Real 014827	ecorded in the United 8	States Patent and Ti 19	rademark Office at or for which a copy thereof is attached.
	2. From:	Ayalogic, inc.		Ta Đ	mpire IP LLC
		The document was r Real 030922	scarded in the United S	itales Palent and T 15,	rademark Office at or for which a copy thereof is attached.
	3, From:				
		The document was i	ecorded in the United S	States Patent and T	rademark Office at
		Resi	Forme		or for which a copy thereof is attached.
	Addition: equired by	il documents in the c 37 CFR 3.73(b)(1)(hain of tille are listed or (), the documentary evi	t a supplemental sh dence of the chain :	reat(s). of title from the original owner to the assignee w
(NO) acco	YE: A sep rdance wi	arate copy (i.e., a tru th 37 CFR Part 3, to	e copy of the original a record the assignment	asignment docume in the records of the	nt(s)) must be submitted to Assignment Divisio • USPTO, <u>See</u> MPEP 302.08]
The unders	igned (wh	ase title is supplied to	elow) is authorized to a	ci on behalf of the i	asaignee. <u>8~23-2013</u> Date
Daniel Mitr	¥	2.00			Principal
	ued or Ty	sed Name			Tiste

This collection of information is nequired by 37 CFR 3.73(b). The information is required to obtain or retent a benefit by the public which is to file (and by the USPTO to provide an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, protecting, and extending the complete, including the USPTO. These will vary descending user the individual case. Any comments on the ansated of the provide the test of the protection for require to complete, including the test of the protection for a set in the instant of the ansated of the protection for the protection form to the USPTO. These will vary descending user the individual case. Any comments on the ansated of the protection for requires to complete for the protection for requires to complete the test of the protection for requires to complete the test of the protection for requires to complete the test of the protection form to the USPTO. These will vary descending user the individual case. Any comments on the ansated of the protection for requires to complete the test of the protection for requires the reducing the testion, should be send to the Charl Information Office. U.S. Patient and Trademark Office. U.S. Descendent of Commence. P.O. Box 1460. Alexandria, VA 22213-1480, DO NOT SEND FEES OR COMPLETED FORME TO THIS ADDRESS. SEND TO: Commence for Patients, P.O. Box 1486, Alexandria, VA 22313-1486, DO NOT SEND FEES OR COMPLETED FORME TO THIS ADDRESS. SEND TO: Commence for Patients, P.O. Box 1486, Alexandria, VA 22313-1486, DO NOT SEND FEES OR COMPLETED FORME TO THIS ADDRESS. SEND TO: Commence for Patients, P.O. Box 1486, Alexandria, VA 22313-1486, DO NOT SEND FEES OR COMPLETED FORME TO THIS ADDRESS.

If you need association in comparising the form, call 1-000-PTO-9799 and palling spation 2.

Electronic Acl	Electronic Acknowledgement Receipt				
EFS ID:	16696004				
Application Number:	10740030				
International Application Number:					
Confirmation Number:	1731				
Title of Invention:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING				
First Named Inventor/Applicant Name:	Michael J. Rojas				
Customer Number:	23389				
Filer:	John Kasha				
Filer Authorized By:					
Attorney Docket Number:	17188				
Receipt Date:	27-AUG-2013				
Filing Date:	18-DEC-2003				
Time Stamp:	13:36:56				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment			no				
File Listin	g:						
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)	
1	Power of Attorney	EMI	MP0021-US poa signed1.pdf	384208	no	2	
			····	cf7dc5435967b29f44f0fde86261e8559f5c6 868		_	
Warnings:							
Information:							

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	ISSUE DATE	PATENT NO.	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/740,030	05/19/2009	7535890	17188	1731
23389 75	04/29/2009			

SCULLY SCOTT MURPHY & PRESSER, PC 400 GARDEN CITY PLAZA SUITE 300 GARDEN CITY, NY 11530

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment is 799 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Michael J. Rojas, North Canton, OH;

	'ED STATES PATEN	t and Trademark Office	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22: www.aspto.gov	TMENT OF COMMERCE Trademark Office OR PATENTS 813-1450	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/740,030	12/18/2003	Michael J. Rojas	17188	1731	
23389 SCULLY SCO	7590 04/22/200 TT MURPHY & PRES	9 SER. PC	EXAMINER		
400 GARDEN	CITY PLAZA		SMITH, CRI	EIGHTON H	
GARDEN CIT	Y, NY 11530		ART UNIT	PAPER NUMBER	
			2614		
			MAIL DATE	DELIVERY MODE	
			04/22/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/740.030	ROJAS, MICHAEL J.					
Notice of Allowability	Examiner	Art Unit					
	CREIGHTON SMITH	2614					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiativ of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.							
1. 🔀 This communication is responsive to <i>ids filed on 02.27.09</i>).						
2. 🔀 The allowed claim(s) is/are <u>1-5,7-20,22-35,37-45,47-57,5</u>	2. 🔀 The allowed claim(s) is/are <u>1-5,7-20,22-35,37-45,47-57,59-69 and 71-76</u> .						
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the 							
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:							
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	" of this communication to file a MENT of this application.	reply complying with the requirements					
4. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAM ves reason(s) why the oath or d	INER'S AMENDMENT or NOTICE OF eclaration is deficient.					
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted. rson's Patent Drawing Review (PTO-948) attached					
1) Thereto or 2) T to Paper No./Mail Date							
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	- 's Amendment / Comment or ir	n the Office action of					
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the the header according to 37 CFR	drawings in the front (not the back) of 1.121(d).					
 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 							
Attachment(s) 1. Notice of References Cited (PTO-892)	5. 🗌 Notice of Info	rmal Patent Application					
2. LI Notice of Draftperson's Patent Drawing Review (PTO-948)	e 6. ∐ Interview Sun Paper No./M	nmary (PTO-413), ail Date					
3. ⊠ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>02.27.09</u>	7. 🗌 Examiner's A	mendment/Comment					
4. LI Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 📋 Examiner's Si	tatement of Reasons for Allowance					
CREICHTON SMITH							
Primary Examiner, Art Unit 2614	IS APK US						
U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06)	lotice of Allowability	Part of Paper No./Mail Date 20090415					

0011

Sheet 1 of 1

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (REV, 7-80) PATENT AND TRADEMARK OFFICE			Atty. Docket No. (Optional)		Application Number					
INFORM	INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		17188			10/740,030				
			Applicant(s) Michael Rojas							
					Filin De	ng Date cember 18, 2003		Group Art U 2614	nit	
			U	.S. PA	TEN	T DOCUMENTS				
EXAMINER INITIAL*		DOCUMENT NUMB	ER	DATE		NAME	CLASS	SUBCLASS	FILING (if appr	G DATE opriate)
	AA									
	AB									
	AC									
- 			FOR	EIGN	PAT	ENT DOCUMENT	S			
	REF	DOCUMENT	DAT	E	COUNTRY CL		CLASS	SUBCLASS	TRANSI	LATION
		NUMBER							YES	NO
			,							
			0	THER	DO	CUMENTS (Including	z Author, Title,	Date, Pertinent	Pages, Etc.)	
		http://www.cisco. Cisco CallManage	com/war er Versio	p/publ n 3.3"	lic/co ', No	c/pd/nemnsw/callm vember 22, 2002.	n/prodlit/cn	n33_ds.htm;	"Data Sh	leet
		http://www.cisco. a00800a3c3d.htm	com/en/l]; "Data :	US/pro Sheet	oduc Cisc	ts/hw/switches/ps19 o MGX 8000 Series	925/product s" (date unk	s data shee mown).	t <u>09186</u>	
		http://www.hstelia	nn.com/	'englis	h/?z	one=3100-V21P; "	Feliphone 3	100-V21P",	2003.	
		http://www.linuxo phone", May 15, 2	levices.c 2002.	om/art	ticle	s/AT5199947519.ht	<u>ml;</u> "Devi	ce Profile:	snom 10	0 Voll
http://www.pingtel.com/pr xpressa.jsp; "No limits with the advanced industry standard SIP phone; December 8, 2003.										
		AudioCoded Enal copyright 2003.	oling Tec	chnolo	gy P	roducts, TPM-1100	VoP Medi	a Gateway N	/Iodules,	
EXAMINER	/Creiç	ghton Smith/			DA'	TE CONSIDERED	04/15/2009			
* EXAMINER	: Initial	if reference considered, wi	ether or not	t citation	is in c	conformance with MPEP 60	9; draw line thre	ough citation if no	ot in conform	ance and

J:\Work\1732\17188\Misc\supplmental1449.doc

	'ED STATES PATEN	T AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22: www.aspto.gov	TMENT OF COMMERCE Trademark Office OR PATENTS 813-1450	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/740,030	12/18/2003	Michael J. Rojas	17188	1731	
23389 SCULLY SCO	7590 04/16/200 TT MURPHY & PRES	9 SER. PC	EXAMINER SMITH, CREIGHTON H		
400 GARDEN	CITY PLAZA				
GARDEN CIT	Y, NY 11530		ART UNIT	PAPER NUMBER	
			2614		
			MAIL DATE	DELIVERY MODE	
			04/16/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
supplemental	10/740.030	ROJAS, MICHAEL J.				
Notice of Allowability	Examiner	Art Unit				
		2614				
		2014				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due cou NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.						
1. X This communication is responsive to <i>ids filed on 27 FEB '</i>	<u>09</u> .					
2. 🔀 The allowed claim(s) is/are <u>1-5,7-20,22-35,37-45,47-57,59</u>	9-69 and 71-76.					
 3. □ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) □ All b) □ Some* c) □ None of the: 						
1. 🗌 Certified copies of the priority documents have	e been received.					
2. Certified copies of the priority documents have	e been received in Application No.					
3. Copies of the certified copies of the priority do	ocuments have been received in thi	s national stage application from the				
International Bureau (PCT Rule 17.2(a)).						
* Certified copies not received:						
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE .					
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.						
5. CORRECTED DRAWINGS (as "replacement sheets") mu	st be submitted.					
(a) ☐ including changes required by the Notice of Draftspers	son's Patent Drawing Review(PT0	D-948) attached				
1) L hereto or 2) L to Paper No./Mail Date	- -					
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or in the	Office action of				
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in	l.84(c)) should be written on the drav the header according to 37 CFR 1.12	vings in the front (not the back) of 1(d).				
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGI	. must be submitted. Note the CAL MATERIAL.				
Attachment(s) 1. □ Notice of References Cited (PTO-892)	5. 🗌 Notice of Informal	Patent Application				
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Summan Paper No /Mail D	ry (PTO-413),				
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No /Mail Date 02 27 09	7. Examiner's Amen	dment/Comment				
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗌 Examiner's Stater	nent of Reasons for Allowance				
	9. 🔟 Other					
/CREIGHTON SMITH/	15 APR '09					
Primary Examiner, Art Unit 2614						
U.S. Patent and Trademark Office						
PTOL-37 (Rev. 08-06)	otice of Allowability	Part of Paper No./Mail Date 20090406				

0014

Part of Paper No./Mail Date 20090406

Sheet 1 of 1

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (REV, 7-80) PATENT AND TRADEMARK OFFICE			Atty. Docket No. (Optional) Application Number						
INFORMATION DISCLOSURE CITATION		17188			10/740,030				
(Use several sheets if necessarv)									
, ,									
				Michael	(s) Rojas				
				Filing Dat	ie 10.0000		Group Art U	nit	Marren (1997)
			U.S. PA	Decemb	Der 18, 2003		2014		
EXAMINER		DOCUMENT NUMBE	R DATE		NAME	CLASS	SUBCLASS	FILING	DATE
INITIAL*								(if appr	opriate)
	AA								~~~~
	AB								
	AC								
		<u> </u>	FOREIGN	PATENI	DOCUMEN	rs	-1t		
F	EF	DOCUMENT	DATE		COUNTRY	CLASS	SUBCLASS	TRANS	LATION
		NUMBER						YES	NO
			OTHER	DOCUM	IENTS (Includin	ng Author, Title,	Date, Pertinent l	Pages, Etc.)	
		http://www.cisco.c Cisco CallManage	om/warp/publ r Version 3.3"	lic/cc/pd/ ', Novem	nemnsw/callm ber 22, 2002.	nn/prodlit/cn	133_ds.htm;	"Data Sh	leet
		http://www.cisco.c	om/en/US/pro	oducts/hw	/switches/ps1	925/product	s data sheet	09186	
		a00800a3c3d.html	; "Data Sheet	Cisco M	GX 8000 Serie	es" (date unk	mown).		
		http://www.hstelia	nn.com/englis	h/?zone=	<u>3100-V21P;</u> "	Teliphone 3	100-V21P",	2003.	
		http://www.linuxd phone", May 15, 2	evices.com/ar 002.	ticles/AT	5199947519 <u>.</u> 1	<u>ntml;</u> "Devi	ce Profile:	snom 10	00 VoIP
		http://www.pingte	l.com/pr xpres ber 8, 2003.	<u>ssa.jsp;</u> "1	limits with	the advance	d industry st	andard	
AudioCoded Enabling Technology Pr copyright 2003.					cts, TPM-110	0 VoP Medi	a Gateway M	Iodules,	
EXAMINER				DATE CO	NSIDERED	03/04	1/2009		
* EXAMINER:	/Cre Initial i	eighton Smith/ if reference considered, who	ether or not citation	is in conform	nance with MPEP 6	09; draw line thre	ough citation if no	t in conform	ance and
not considered.	Include	copy of this form with nex	t communication to	applicant.					
		1.7 *		A 1 1/2					

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /C.S./

	PART	B - FEE(S) TRA	NSMITTAL		
Complete and send this form, toge	ther with applicab	le fee(s), to: <u>Mail</u> or <u>Fax</u>	Mail Stop ISSUE Commissioner fo P.O. Box 1450 Alexandria, Virg (571)-273-2885	FEE r Patents inia 22313-1450	
INSTRUCTIONS: This form should be used appropriate. All further correspondence includ indicated unless corrected below or directed o maintenance fee notifications.	for transmitting the ISS ling the Patent, advance therwise in Block 1, by	SUE FEE and PUBLI orders and notificatior (a) specifying a new o	CATION FEE (if required in the second	ired). Blocks I through 5 s will be mailed to the current ; and/or (b) indicating a sepa	hould be completed where correspondence address as irate "FEE ADDRESS" for
CURRENT CORRESPONDENCE ADDRESS (Note: Use	Block 1 for any change of address	»)	Note: A certificate of Fee(s) Transmittal. The papers. Each additionation and the papers.	mailing can only be used fo is certificate cannot be used f il paper, such as an assignme	r domestic mailings of the or any other accompanying nt or formal drawing, must
23389 7590 12/0 SCULLV SCOTT MUDDHV &	DESSED DC		have its own certificat	e of mailing or transmission. tificate of Mailing or Trans	mission
400 GARDEN CITY PLAZA SUITE 300	rresser, fC		I hereby certify that it States Postal Service addressed to the Mai transmitted to the USF	ns Fee(s) Transmittal is being with sufficient postage for fir I Stop ISSUE FEE address TO (571) 273-2885, or the d	a deposited with the United a class mail in an envelope above, or being facsimile ate indicated below.
GARDEN CITY, NY 11530					(Depositor's name)
					(Signature)
			L		(Date)
APPLICATION NO. FILING DAT	E	FIRST NAMED INVE	NTOR	ATTORNEY DOCKET NO.	CONFERMATION NO.
10/740,030 12/18/2003		Michael J. Roja	s	17188	1731
	T		[
APPLN TYPE SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE	DUE PREV. PAID ISSU	E FEE TOTAL FEE(S) DUE	DATE DUE
	\$755	\$300		\$1055	03/05/2009
EXAMINER	ART UNIT	CLASS-SUBCLAS	s		
SMITH, CREIGHTON H	2614	370-352000			
1. Change of correspondence address or indicati CFR 1.363).	on of "Fee Address" (37	2. For printing on (1) the names of	the patent front page, h up to 3 registered pater	st at attorneys 1 Scully	Scott, Murphy
Change of correspondence address (or Ch Address form PTO/SB/122) attached.	ange of Correspondence	or agents OR, alto	matively," single firm (having as :	membera 2 & Pre	sser, P.C.
"Fee Address" indication (or "Fee Addres PTO/SB/47; Rev 03-02 or more recent) attac Number is required.	s" Indication form hed. Use of a Customer	2 registered attorne 2 legistered paten listed, no name w	y or agent) and the nam t attorneys or agents. If ill be printed.	no name is 3	
3. ASSIGNEE NAME AND RESIDENCE DAT	A TO BE PRINTED ON	THE PATENT (print	or type)		
PLEASE NOTE: Unless an assignee is iden recordation as set forth in 37 CFR 3.11. Com	tified below, no assigne apletion of this form is N	c data will appear on OT a substitute for film	the patent. If an assign ig an assignment.	ice is identified below, the d	ocument has been filed for
(A) NAME OF ASSIGNEE		(B) RESIDENCE: (CITY and STATE OR (COUNTRY)	
Ayalogic, Inc.		Akron, Ohio			
Please check the appropriate assignce category o	r categories (will not be j	printed on the patent) :	Individual 🖾 C	orporation or other private gro	oup entity Government
4a. The following fcc(s) are submitted:		4b. Payment of Fee(s):	(Please first reapply a scd.	ny previously paid issue fee	shown above)
Publication Fee (No small entity discount	permitted)	Payment by cred	it card. Form PTO-203	is attached.	
Advance Order - # of Copies		The Director is h overpayment, to	ereby authorized to cha Deposit Account Numb	rge the required fee(s), any de er (enclose a	ficiency, or credit any n extra copy of this form).
5. Change in Entity Status (from status indicate a. Applicant claims SMALL ENTITY stat	ed above) us. See 37 CFR 1.27.	b. Applicant is n	o longer claiming SMA	LL ENTITY status. See 37 C	FR 1.27(g)(2).
NOTE: The Issue Fee and Publication Fee (if rec interest as shown by the records of the United St	uired) will not be accept ates Patent and Trademan	ed from anyone other t k Office.	han the applicant; a reg	istered attorney or agent; or t	te assignce or other party in
Authorized Signature			Date	arch 5,2009	
Typed or printed name Paul J.	Esatto, Jr.	anna an an an an an a	Registration I	No. 30,749	
This collection of information is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450. Under the Panerwork Reduction Act of 1995 no persons an promited to respond to a collection of information when it dividual case is disclosed as which OMP exceeded and the panerwork Reduction Act of 1995.					

i.

.....

Electronic Patent Application Fee Transmittal					
Application Number:	10	740030			
Filing Date:	18	-Dec-2003			
Title of Invention:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING				
First Named Inventor/Applicant Name:	Mi	chael J. Rojas			
Filer:	Paul J. Esatto/Roseann Gallo				
Attorney Docket Number:	umber: 17188				
Filed as Small Entity					
Utility under 35 USC 111(a) Filing Fees					
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:					
Pages:					
Claims:					
Miscellaneous-Filing:					
Petition:					
Patent-Appeals-and-Interference:					
Post-Allowance-and-Post-Issuance:					
Utility Appl issue fee		2501	1	755	755
Publ. Fee- early, voluntary, or normal		1504	1	300	300

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
	Tot	al in USD) (\$)	1055

Electronic Acknowledgement Receipt		
EFS ID:	4910739	
Application Number:	10740030	
International Application Number:		
Confirmation Number:	1731	
Title of Invention:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING	
First Named Inventor/Applicant Name:	Michael J. Rojas	
Customer Number:	23389	
Filer:	Paul J. Esatto/Roseann Gallo	
Filer Authorized By:	Paul J. Esatto	
Attorney Docket Number:	17188	
Receipt Date:	05-MAR-2009	
Filing Date:	18-DEC-2003	
Time Stamp:	14:46:57	
Application Type:	Utility under 35 USC 111(a)	

Payment information:

Submitted with Payment	yes			
Payment Type	Deposit Account			
Payment was successfully received in RAM	\$1055			
RAM confirmation Number	210			
Deposit Account	191013			
Authorized User				
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:				
Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees)				
Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)				

File Listin	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Iccus Ess Payment (PTO-85P)		110917	no	
	issue ree rayment (rio-65b)	171881330LFLL.put	e29ffedc3b5caca2f2525898457f5155a55a1 b48	110	I
Warnings:	·	·	· · · · · ·		
Information		1	11		
2	Fee Worksheet (PTO-06)	fee-info ndf	31539	no	2
2		lee-into.put	54cde0d55e656e647b7e751ab3273ed08b 297f6b		
Warnings:	·	·	· · · · ·		
Information			1		
		Total Files Size (in bytes)	14	12456	
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. National Stage of an International Application under 35 U.S.C. 371 If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/D0/E0/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. New International Application Filed with the USPTO as a Receiving Office If a new international application is being filed and the international application includes the necessary components for an international filing Date (Form PCT/R0/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.					

TRANSMITTAL OF FORMAL DRAWINGS			Docket No. 17188			
In Re Application Of: Michael J. Rojas						
Application No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.	
10/740,030	December 18, 2003	Creighton H. Smith	23389	2614	1731	
Invention: SYST	EM AND METHOD	FOR INSTANT VOIP MESSA	AGING			
		Address to: Commissioner for Pate P.O. Box 1450 Alexandria, VA 22313-1	ents 1450			
Transmitted herew	vith are:					
9 she	eets of formal drawin	g(s) for this application.				
Each sheet	of drawing indicates	the identifying indicia sugges	ted in 37 CFR S	ection 1.84(c).		
A . A	10 []	2 /				
Sth	hlemtet	Ø	Dated: Mare	ch 4, 2009		
	Signature					
Seth Weinfeld						
Registration P Scully, Scott. 1	40.: 50,929 Murphy & Presser. P	.C.	I hereby certif	y that this cor	respondence is being,	
400 Garden C	ity Plaza - Suite 300		deposited with	the United State	es Postal Service with mail in an envelope	
Garden City, 1 (516) 742-434	New York 11530 3		addressed to "	Commissioner for F	Patents, P.O. Box 1450,	
	-					
			(Date	9)		
			Signat	we of Person Mailing	Correspondence	
			Avned or Prin	ted Name of Person N	Mailing Correspondence	

Electronic Acknowledgement Receipt			
EFS ID:	4905745		
Application Number:	10740030		
International Application Number:			
Confirmation Number:	1731		
Title of Invention:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING		
First Named Inventor/Applicant Name:	Michael J. Rojas		
Customer Number:	23389		
Filer:	Seth Weinfeld/Roseann Gallo		
Filer Authorized By:	Seth Weinfeld		
Attorney Docket Number:	17188		
Receipt Date:	04-MAR-2009		
Filing Date:	18-DEC-2003		
Time Stamp:	18:20:16		
Application Type:	Utility under 35 USC 111(a)		

Payment information:

Submitted with Payment		no				
File Listing:						
Document Number	Document Description		File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Drawings-only black and white line		17188formaldrawings.pdf	529689	no	9
·	drawings			3e39aeaac05cc87f5d8c9b440a417396ccc6 3d8d		-
Warnings:						
Information:						

2	Miscellaneous Incoming Letter	17188Transmittal.pdf	38729 15edf4f36260aee585dd293d42104f24aceb b790	no	1
Warnings:	I				
Information					
		Total Files Size (in bytes):	: 50	68418	
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.					
<u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.					
New International Application Filed with the USPTO as a Receiving Office If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number					

and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



FIG. 1 (PRIOR ART)























IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Michael J. Rojas	Examiner:	Creighton H. Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	February 27, 2009

Confirmation No. 1731

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

SUBMISSION

Sir:

Applicant respectfully submits a supplemental Information Disclosure Statement herewith. An Information Disclosure Statement was filed on August 19, 2004 in the aboveidentified application. The Information Disclosure Statement was filed with 6 references. Applicant submitted copies of the references with the Information Disclosure Statement along with PTO Form 1449. On September 18, 2007, Examiner Smith attached an initialized PTO

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this document is being electronically filed in the United States Patent and Trademark Office on the date shown below.

Dated: February 27, 2009

Seth Weinfe

J:\Work\1732\17188\Amend\17188.submission.doc

Form 1449 to the First Office Action on the Merits indicating that all of the references were considered. The First Office Action did not include any of the references submitted in the Information Disclosure Statement in any of the rejections of the claims.

Subsequently, Examiner Smith attached the same PTO Form 1449 to the Notice of Allowability, however, the PTO Form 1449 had all of the references crossed off, indicating that the references were not considered. Applicant's representative conducted a series of Examiner interviews with both Examiner Smith and Examiner Fsang (Examiner Smith's Supervisor). The Examiners notified Applicant's representative that the PTO Form 1449 did not include a date for each of the references identified.

Applicant maintains that the Information Disclosure Statement should be considered, since the Examiner did in fact consider the Information Disclosure Statement during the prosecution of the application, and, therefore, the references should be listed on the face of the patent.

However, to expedite the issuance of the patent, Applicant is submitting the supplemental Information Disclosure Statement which includes the best available dates for the references, if known, with a replacement PTO Form 1449.

An archive website indicates that Reference 1 was posted on November 22, 2002. Attached herewith is a copy of a document printed from an archive web site evidencing the post date.

An archive website indicates that Reference 3 was copyrighted in 2003. Attached herewith is a copy of a document printed from an archive website indicating a copyright date.

Reference 4 bears a date of May 15, 2002 on the reference.

2

Reference 5 was archived by a website on December 8, 2003. Attached herewith is a

copy of a document printed from an archive website indicating the archive date for Reference 5.

Reference 6 bears a copyright date of 2003.

Applicant respectfully requests consideration of the Supplemental Information Disclosure Statement pursuant to the Examiner interview with Examiner Fsang.

The Director is hereby authorized to charge Deposit Account No. 19-1013/SSMP any additional fees if required.

Respectfully submitted,

Seth Weinfeld/ Registration No. 50,929

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343

SW:reg Enclosures

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Michael J. Rojas	Examiner:	Creighton H. Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	February 27, 2009

Confirmation No. 1731

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. §§ 1.97 and 1.98, it is requested that the following

references, which are also listed on the attached replacement Form PTO-1449, be made of record

in the above-identified case.

1. http://www.cisco.com/warp/public/cc/pd/nemnsw/callmn/prodlit/ cm33 ds.htm; "Data Sheet Cisco CallManager Version 3.3", November 22, 2002;

2. <u>http://www.cisco.com/en/US/products/hw/switches/ps1925/products data</u> <u>sheet 09186_a00800a3c3d.html;</u> "Data Sheet Cisco MGX 8000 Series" (Date unknown).

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this document is being electronically filed in the United States Patent and Trademark Office on the date shown below.

Dated: February 27, 2009

K Weslell Seth Weinfield
3. <u>http://www.hsteliann.com/english/?zone=3100-V21P;</u> "Teliphone 3100-V21P", 2003;

4. <u>http://www.linuxdevices.com/articles/AT5199947519.html;</u> "Device Profile: snom 100 VoIP phone", (May 15, 2002);

5. <u>http://www.pingtel.com/pr xpressa.jsp;</u> "No limits with the advanced industry

standard SIP phone, December 8, 2003; and

6. AudioCoded Enabling Technology Products, TPM-1100 VoP Media Gateway

Modules; 2003.

The above-identified references were previously submitted in an

Information Disclosure Statement dated August 19, 2004. Therefore, Applicant is not submitting copies of the references. This Supplemental Information Disclosure Statement includes the best available dates for the references, if known.

Respectfully submitted, Seth Weinfeld Registration No. 50,929

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343

SW:reg

Sheet 1 of 1

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (REV, 7-80) PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION				Atty. Docket No. (Optional)	Application Number			
			17188	10/740,030				
(U_{i})	se seve	eral sheets if neces	sary)					
				Applicant(s) Michael Rojas	<u></u>	1		
				Filing Date December 18, 2003		Group Art U 2614	nit	Ma n ternet
			U.S. PA	TENT DOCUMENTS				
EXAMINER INITIAL*		DOCUMENT NUMB	ER DATE	NAME	CLASS	SUBCLASS	FILING (if appre	DATE opriate)
	AA							
	AB							
	AC	······································				-		
			FOREIGN	PATENT DOCUMENT	rs			
	REF DOCUMENT DATE		COUNTRY	CLASS	SUBCLASS	TRANSI	LATION	
		NUMBER					YES	NO
I			OTHER	R DOCUMENTS (Includin	g Author, Title,	Date, Pertinent	Pages, Etc.)	
		http://www.cisco. Cisco CallManage	com/warp/pub er Version 3.3	lic/cc/pd/nemnsw/callm ', November 22, 2002.	m/prodlit/cn	n33_ds.htm;	"Data Sh	eet
		http://www.cisco. a00800a3c3d.htm	com/en/US/pro l; "Data Sheet	oducts/hw/switches/ps1 Cisco MGX 8000 Serie	925/product es" (date unk	s data sheet mown).	09186	
		http://www.hstelia	ann.com/englis	h/?zone=3100-V21P; "	Teliphone 3	100-V21P",	2003.	
		http://www.linuxc phone", May 15, 2	levices.com/ar 2002.	ticles/AT5199947519.h	<u>ttml;</u> "Devi	ce Profile:	snom 10)0 VoII
		http://www.pingte SIP phone; Decen	el.com/pr xpres	ssa.jsp; "No limits with	the advance	d industry st	andard	
		AudioCoded Enal copyright 2003.	oling Technolo	gy Products, TPM-110	0 VoP Medi	a Gateway N	Iodules,	
EXAMINER			*****	DATE CONSIDERED				

J:\Work\1732\17188\Misc\supplmental1449.doc

Electronic Acknowledgement Receipt				
EFS ID:	4876766			
Application Number:	10740030			
International Application Number:				
Confirmation Number:	1731			
Title of Invention:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING			
First Named Inventor/Applicant Name:	Michael J. Rojas			
Customer Number:	23389			
Filer:	Seth Weinfeld/Roseann Gallo			
Filer Authorized By:	Seth Weinfeld			
Attorney Docket Number:	17188			
Receipt Date:	27-FEB-2009			
Filing Date:	18-DEC-2003			
Time Stamp:	16:28:44			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted wi	th Payment	no						
File Listing:								
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)			
1	Miscellaneous Incoming Letter	17188submission odf	1067171	no	20			
	Wiscendrieous meonning Letter	i, reesabilission.par	aa63f7b4e93171cf0812aaa48dd799474ab2 8431					
Warnings:								
Information:								

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

23389759012/05/2008SCULLY SCOTT MURPHY & PRESSER, PC400 GARDEN CITY PLAZASUITE 300GARDEN CITY, NY 11530

EXAMINER					
SMITH, CREIGHTON H					
ART UNIT PAPER NUMBER					
2614					

DATE MAILED: 12/05/2008

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.			
10/740,030	12/18/2003	Michael J. Rojas	17188	1731			
THE OF INTENETION, OVERTIMAN AND METHIOD FOR DISTURBANCE VOID MEDICA CINIC							

TITLE OF INVENTION: SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	YES	\$755	\$300	\$0	\$1055	03/05/2009

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. <u>PROSECUTION ON THE MERITS IS CLOSED</u>. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN <u>THREE MONTHS</u> FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. <u>THIS STATUTORY PERIOD CANNOT BE EXTENDED</u>. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:	If the SMALL ENTITY is shown as NO:
A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.	A. Pay TOTAL FEE(S) DUE shown above, or
B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or	B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PTOL-85 (Rev. 08/07) Approved for use through 08/31/2010.

Page 1 of 3

PART B - FEE(S) TRANSMITTAL

Complete and send	l this form, togetl	her with applicabl	e fee(s), to: <u>Mail</u> or <u>Fax</u>	Ma Cor P.O Ale (57)	il Stop ISSUE nmissioner for 0. Box 1450 xandria, Virgi 1)-273-2885	FEE ⁻ Pate nia 22	nts 2313-1450	
INSTRUCTIONS: This for appropriate. All further co- indicated unless corrected maintenance fee notificatio	orm should be used f rrespondence includir below or directed oth ns.	or transmitting the ISS of the Patent, advance erwise in Block 1, by	UE FEE and PUBLIC orders and notification (a) specifying a new c	OATI of m orres	ON FEE (if requi naintenance fees w pondence address;	red). B ill be r and/or	locks 1 through 5 sh nailed to the current of (b) indicating a separ	ould be completed where correspondence address as ate "FEE ADDRESS" for
CURRENT CORRESPONDENC	CE ADDRESS (Note: Use Bl	ock 1 for any change of address)	Note Fee(pape have	: A certificate of s) Transmittal. Thi rs. Each additional its own certificate	mailing s certifi paper, of mail	can only be used for cate cannot be used fo such as an assignmen ing or transmission.	domestic mailings of the or any other accompanying t or formal drawing, must
23389 7590 12/05/2008 SCULLY SCOTT MURPHY & PRESSER, PC 400 GARDEN CITY PLAZA SUITE 300 CARDEN CITY, NY 11530				Certificate of Mailing or Transmission I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.				
GARDEN CITY, I	NY 11530							(Depositor's name)
								(Signature)
								(Date)
APPLICATION NO.	FILING DATE		FIRST NAMED INVEN	TOR		ATTOF	NEY DOCKET NO.	CONFIRMATION NO.
10/740,030	12/18/2003	I	Michael J. Rojas				17188	1731
TITLE OF INVENTION: S	YSTEM AND METH	OD FOR INSTANT VO	DIP MESSAGING					
APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE D	DUE	PREV. PAID ISSUE	E FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	YES	\$755	\$300		\$0	•	\$1055	03/05/2009
EXAMIN	ER	ART UNIT	CLASS-SUBCLASS	;				
SMITH, CREIC	GHTON H	2614	370-352000					
 1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363). Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached. "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer 			2. For printing on (1) the names of u or agents OR, alter (2) the name of a sregistered attorney 2 registered patent listed, no name wi	the pa p to rnativ single y or a attor ll be	ttent front page, lis 3 registered paten ely, c firm (having as a gent) and the name neys or agents. If por- rinted.	t attorne membe s of up no name	eys 1 era 2 o to s is 3	
3. ASSIGNEE NAME ANI PLEASE NOTE: Unless recordation as set forth i (A) NAME OF ASSIGN	D RESIDENCE DATA s an assignee is identi n 37 CFR 3.11. Comp TEE	A TO BE PRINTED ON ified below, no assigne oletion of this form is NO	THE PATENT (print c e data will appear on t DT a substitute for filing (B) RESIDENCE: (C	or typ he pa g an a CITY	e) tent. If an assign tssignment. and STATE OR C	ee is id OUNT	entified below, the do RY)	cument has been filed for
Please check the appropriate	e assignee category or	categories (will not be I	printed on the patent):		Individual 🖵 Co	rporatio	on or other private grou	up entity 🖵 Government
 4a. The following fee(s) are □ Issue Fee □ Publication Fee (No : □ Advance Order - # o 	submitted: small entity discount p f Copies	2 permitted)	 4b. Payment of Fee(s): (A check is enclos Payment by credition The Director is here overpayment, to I 	(Plea s sed. it card ereby Depos	se first reapply an I. Form PTO-2038 authorized to char sit Account Numbe	is attac ge the r	iously paid issue fee st ched. equired fee(s), any def (enclose an	hown above) iciency, or credit any extra copy of this form).
5. Change in Entity Status	s (from status indicated	1 above)						
a. Applicant claims S NOTE: The Issue Fee and F	SMALL ENTITY statu Publication Fee (if requ	us. See 37 CFR 1.27. uired) will not be accept	ed from anyone other th	o long han th	er claiming SMAI	L ENT	TTY status. See 37 CF. ttorney or agent; or the	R 1.27(g)(2). e assignee or other party in
interest as shown by the rec	ords of the United Sta	tes Patent and Trademar	k Office.					
Authorized Signature					Date			
Typed or printed name _					Registration N	o		
This collection of informati an application. Confidential submitting the completed a this form and/or suggestion Box 1450, Alexandria, Virg Alexandria, Virginia 22313 Under the Paperwork Reduc	on is required by 37 C lity is governed by 35 pplication form to the s for reducing this bu ginia 22313-1450. DC -1450. ction Act of 1995, no J	FR 1.311. The informat U.S.C. 122 and 37 CFF USPTO. Time will var den, should be sent to t NOT SEND FEES OR persons are required to r	ion is required to obtain 1.14. This collection i y depending upon the i he Chief Information C COMPLETED FORM espond to a collection o	n or re is esti indivi Office IS TC	etain a benefit by t mated to take 12 r idual case. Any co r, U.S. Patent and 'THIS ADDRESS ormation unless it c	ne publi ninutes mments Tradem . SEND lisplays	c which is to file (and to complete, including on the amount of tim ark Office, U.S. Depau D TO: Commissioner fo a valid OMB control 1	by the USPTO to process) s gathering, preparing, and te you require to complete rtment of Commerce, P.O. or Patents, P.O. Box 1450, number.

	ITED STATES PATE	NT AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 223 www.usplo.gov	TMENT OF COMMERCE Trademark Office OR PATENTS 813-1450		
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/740,030	12/18/2003	Michael J. Rojas	17188	1731		
23389 75	i90 12/05/2008		EXAN	IINER		
SCULLY SCOT	Г MURPHY & PRES	SSER, PC	SMITH, CREIGHTON H			
400 GARDEN CIT	TY PLAZA		ART UNIT	PAPER NUMBER		
SUITE 300 GARDEN CITY, N	NY 11530	2614 DATE MAILED: 12/05/200	8			

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 848 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 848 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

	Application No.	Applicant(s)					
	10/740.030	ROJAS. MICHAEL J.					
Notice of Allowability	Examiner	Art Unit					
	CREIGHTON SMITH	2614					
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.						
1. X This communication is responsive to <u>remarks filed on 06 NOV '08</u> .							
2. X The allowed claim(s) is/are <u>1-5,7-20,22-35,37-45,47-57,55</u>	9-69 and 71-76.						
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 							
International Bureau (PCT Rule 17.2(a)).							
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.						
4. A SUBSTITUTE OATH OR DECLARATION must be subn INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EXA res reason(s) why the oath or	MINER'S AMENDMENT or NOTICE OF declaration is deficient.					
5. CORRECTED DRAWINGS (as "replacement sheets") mu	st be submitted.						
(a) including changes required by the Notice of Draftsper	son's Patent Drawing Review	(PTO-948) attached					
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date	-						
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or	in the Office action of					
Identifying indicia such as the application number (see 37 CFR ⁴ each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on th the header according to 37 CF	e drawings in the front (not the back) of R 1.121(d).					
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	Disit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIC	RIAL must be submitted. Note the LOGICAL MATERIAL.					
Attachment(s) 1. X Notice of References Cited (PTO-892)	5. Notice of Inf	ormal Patent Application					
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Su	mmary (PTO-413),					
3.	Paper No./I 7.	Mail Date Amendment/Comment					
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	Statement of Reasons for Allowance					
	9. 🗌 Other	·					

Application/Control Number: 10/740,030 Art Unit: 2614

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art fails to teach/disclose applicant's instant voice messaging system having a server that temporarily stores an instant voice message if a recipient is unavailable and delivers the stored instant voice message when the recipient becomes available. No obvious combination of references found would have taught one of ordinary skill in the art to use applicant's system and method as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CREIGHTON SMITH whose telephone number is (571)272-7546. The examiner can normally be reached on 5-4-9.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, fan tsang can be reached on 27548. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/740,030 Art Unit: 2614

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

02 DEC '08

/ creighton smith/ for Primary, Examiner of Art Unit 2614

Notice of References Cited	Application/Control No. 10/740,030	Applicant(s)/Patent Under Reexamination ROJAS, MICHAEL J.			
	Examiner	Art Unit			
	CREIGHTON SMITH	2614	Page 1 of 1		
U.S. PATENT DOCUMENTS					

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	А	US-6,763,226	07-2004	McZeal, Jr., Alfred	455/90.2
*	в	US-2004/0252679	12-2004	Williams et al.	370/356
*	С	US-2004/0122906	06-2004	Goodman et al.	709/206
*	D	US-2005/0053230	03-2005	Gierachf, Karl	379/406.06
*	Е	US-2005/0105697	05-2005	Hollowell et al.	379/088.13
*	н	US-2003/0087632	05-2003	Sagi et al.	455/414
*	G	US-2006/0268750	11-2006	Weiner, Moshe	370/260
*	Н	US-2004/0030046	02-2004	Schultes et al.	525/71
*	Ι	US-2007/0112925	05-2007	Malik, Dale W.	709/206
	L	US-			
	к	US-			
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	Т					

	NON-PATENT DOCUMENTS								
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)							
	J								
	V								
	≥								
	x								

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Notice of References Cited

Image: Second constraints Examiner CREIGHTON SMITH Art Unit 2614 Image: Second constraints Image: Second constraints A Appeal O Objected Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints Image: Second constraints <td< th=""></td<>
Arr Unit \checkmark Rejected \cdot CancelledNNon-ElectedAAppeal \circ Allowed \cdot RestrictedIInterferenceOObjected \circ Claims renumbered in the same order as presented by applicant \circ CPA \top T.D.R.1.47CLAIMDATEFinalOriginal08/05/200811/17/2008 $ -$ 122 \checkmark $=$ $ -$ 33 \checkmark $=$ $ -$ 33 \checkmark $=$ $ -$ 6 \checkmark $ -$ 6 \checkmark $ -$ 78 \checkmark $=$ $ -$ 910 \checkmark $=$ $ -$ 1011 \checkmark $=$ $ -$ 1112 \checkmark $=$ $ -$ 1314 \checkmark $=$ $ -$ 1617 \checkmark $=$ $ -$ 1819 \checkmark $=$ $ -$ 1920 \checkmark $=$ $ -$ 1112 $ -$ 1920 \checkmark
Image: CREIGHTON SMITH 2614 Image: CREIGHTON SMITH CREIGHTON SMITH 2614 Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH A Appeal Image: CREIGHTON SMITH Image: CREIGHTON SMITHON Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITH Image: CREIGHTON SMITHON Image: CREIGHTON SMITHON Image: CREIGHTON SMITHON Image: CREIGHTON SMITHON Image: CREIGHTON SMITHON
\checkmark Rejected = \cdot Cancelled \div NNon-Elected IAAppeal O \circ Allowed \cdot RestrictedIInterference \circ OObjected \circ Claims renumbered in the same order as presented by applicant \circ CPA \circ T.D.R1.47CLAIM \circ \circ \circ \circ \circ \circ 11 \checkmark $=$ \circ \circ \circ 22 \checkmark $=$ \circ \circ \circ 33 \checkmark $=$ \circ \circ \circ 44 \checkmark $=$ \circ \circ \circ 55 \checkmark $=$ \circ \circ \circ 6 \checkmark \circ \circ \circ \circ \circ 78 \checkmark $=$ \circ \circ \circ 89 \checkmark $=$ \circ \circ \circ 910 \checkmark $=$ \circ \circ \circ 1112 \checkmark $=$ \circ \circ \circ 1314 \checkmark $=$ \circ \circ \circ 1516 \checkmark $=$ \circ \circ \circ 1617 \checkmark $=$ \circ \circ \circ 1819 \checkmark $=$ \circ \circ \circ 1920 \checkmark $=$ \circ \circ \circ 21 22 \checkmark $=$ \circ \circ \circ 22 22 \checkmark $=$ \circ \circ
= Allowed ÷ Restricted I Interference O Objected □ Claims renumbered in the same order as presented by applicant □ CPA □ T.D. □ R.1.47 CLAIM DATE DATE Final Original 08/05/2008 11/17/2008 □ <
Claims renumbered in the same order as presented by applicant CPA T.D. R1.47 CLAIM DATE Final Original 08/05/2008 11/17/2008 Image: colspan="2">Image: colspan="2" Final Original 08/05/2008 11/17/2008 Image: colspan="2" Image: colspan="2"<
CLAIM DATE Final Original 08/05/2008 11/17/2008 Image: Constraint of the second se
Final Original 08/05/2008 11/17/2008 Image: constraint of the second se
1 1 \checkmark =
2 2 \checkmark =
3 3 \checkmark =
4 4 \checkmark =
5 5 \checkmark =
6 \checkmark - -
6 7 \checkmark $=$ \sim \sim \sim \sim 7 8 \checkmark $=$ \sim \sim \sim \sim 8 9 \checkmark $=$ \sim \sim \sim \sim 9 10 \checkmark $=$ \sim \sim \sim \sim 10 11 \checkmark $=$ \sim \sim \sim \sim 11 12 \checkmark $=$ \sim \sim \sim \sim 12 13 \checkmark $=$ \sim \sim \sim \sim \sim 13 14 \checkmark $=$ \sim \sim \sim \sim \sim \sim 14 15 \checkmark $=$ \sim
7 8 \checkmark =
8 9 \checkmark =
9 10 \checkmark =
10 11 \checkmark =
11 12 1
12 10 1
14 15 \checkmark $=$ \checkmark $=$ \checkmark \checkmark $=$ 15 16 \checkmark $=$ \checkmark
15 16 \checkmark =
16 17 \checkmark =
17 18 \checkmark =
18 19 \checkmark = 19 20 \checkmark =
19 20 \checkmark = 21 \checkmark - 20 22 \checkmark = 21 23 \checkmark =
$\begin{array}{c c c c c c c c c c c c c c c c c c c $
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
21 23 🗸 =
22 24 🗸 =
23 25 🗸 =
24 26 🗸 =
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c c c c c c c c c c c c c c c c c c c $
$\begin{array}{c c c c c c c c c c c c c c c c c c c $

U.S. Patent and Trademark Office

Part of Paper No.: 20081117

		o. :		A	Application/Control No.						Applicant(s)/Patent Under Reexamination					
	Index of	Clain	1S 	1	0740030					ROJAS, MICHAEL J.						
				E	xaminer					Art Unit						
				С	CREIGHTON SMITH											
✓	Rejected	Са	ncelled		N	Non-Elected				Α	Appeal					
= Allowed ÷				Re	stricted		Ι	Interf	ere	ence		0	Obje	cted		
🗌 Clai	ims renumbere	d in the s	ame o	order as p	resented by a	applica	ant			СРА	C] T.C). 🗆	R.1.47		
(CLAIM							DATE								
Final	l Original	08/05/2	2008 1	11/17/200	8											
34	37	✓		=												
35	38	√		=												
36	39	~		=												
37	40	~		=												
38	41	~		=												
39	42	√		=												
40	43	~		=												
41	44	~		=												
42	45	✓		=												
	46	✓		-												
43	47	×		=												
44	48	V		=												
45	49	×		=												
46	50	×		=												
47	51	• •														
40	52	• •														
50	5/															
51	55															
52	56	· ·														
53	57	· ·		=												
	58	· ·		_												
54	59			=												
55	60	✓		=												
56	61	✓		=												
57	62	✓		=												
58	63	✓		=												
59	64	✓		=												
60	65	×		=												
61	66	✓		=												
62	67	~		=												
63	68	~		=					İ							
64	69	~		=												
	70	✓		-												
65	71	√		=												
66	72	√		=												

U.S. Patent and Trademark Office

Part of Paper No.: 20081117

Index of Claims					Application/6 10740030 Examiner CREIGHTON	Applic Reexa ROJAS Art Un 2614	Applicant(s)/Patent Under Reexamination ROJAS, MICHAEL J. Art Unit 2614							
✓ Rejected			-	С	ancelled		Ν	Non-E	on-Elected		Α	Ар	peal	
=	А	llowed		÷	R	estricted		I	Interfe	erence		ο	Obj∉	ected
	Claims r	enumbered	ame	order as	s presented by a	ant		СРА	CPA 🗌 T.D. 🗌 R.1.47					
CLAIM									DATE					
Fi	inal	Original	08/05/2	800	11/17/20	800								
67		73	~		=									
68 74		√		=										
<u>69</u> 75 ✓		=												
70 76		✓		=										

	Application/Control No.	Applicant(s)/Patent Under Reexamination
ssue Classification	10740030	ROJAS, MICHAEL J.
	Examiner	Art Unit
	CREIGHTON SMITH	2614

		ORIGI	NAL			INTERNATIONAL CLASSIFICATION									
	CLASS			SUBCLASS		CLAIMED						NON-CLAIMED			
370			352			н	0	4	L	12 / 66 (2006.01.01)					
CROSS REFERENCE(S)															
CLASS	SUB	CLASS (ONE	E SUBCLAS	S PER BLO	CK)										
709	206														

	Claims renumbered in the same order as presented by applicant								СР	A [] T.D.	[] R.1.4	47	
Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
1	1	16	17	31	33	45	49	60	65						
2	2	17	18	32	34	46	50	61	66						
3	3	18	19	33	35	47	51	62	67						
4	4	19	20		36	48	52	63	68						
5	5		21	34	37	49	53	64	69						
	6	20	22	35	38	50	54		70						
6	7	21	23	36	39	51	55	65	71						
7	8	22	24	37	40	52	56	66	72						
8	9	23	25	38	41	53	57	67	73						
9	10	24	26	39	42		58	68	74						
10	11	25	27	40	43	54	59	69	75						
11	12	26	28	41	44	55	60	70	76						
12	13	27	29	42	45	56	61								
13	14	28	30		46	57	62								
14	15	29	31	43	47	58	63								
15	16	30	32	44	48	59	64								

NONE	Total Claims Allowed:				
(Assistant Examiner)	(Date)	70			
/CREIGHTON SMITH/ Primary Examiner.Art Unit 2614	11.17.08	O.G. Print Claim(s)	O.G. Print Figure		
(Primary Examiner)	(Date)	1	1		

U.S. Patent and Trademark Office

Part of Paper No. 20081202

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	10740030	ROJAS, MICHAEL J.
	Examiner	Art Unit
	Creighton H Smith	2614

		SEARCHED		
Class		Subclass	Date	Examiner
370	352		17 NOV '08	

SEARCH NOTES		
Search Notes	Date	Examiner
EAST Search	05 AUG '08	chs
EAST	17 NOV '08	chs

	INTERFERENCE SEARCH		
Class	Subclass	Date	Examiner
EAST		17 NOV '08	chs
interfernces			
earch			

Γ

٦

OIPE AUG 2 3 2004	S THE UNITED STATES PATENT A	AND TRADEMAR	K OFFICE
Applicant(s)): Michael J. Rojas	Examiner:	Unassigned
Serial No:	10/740,030	Art Unit:	2661
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	August 19, 2004

Confirmation No. 1731

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Ł

In accordance with 37 C.F.R. §§ 1.97 and 1.98, it is requested that the following

references, which are also listed on the attached Form PTO-1449, be made of record in the

above-identified case.

1. http://www.cisco.com/warp/public/cc/pd/nemnsw/callmn/prodlit/ cm33_ds.htm; "Data Sheet Cisco CallManager Version 3.3".

2. <u>http://www.cisco.com/en/US/products/hw/switches/ps1925/products_data</u> <u>sheet 09186_a00800a3c3d.html;</u> "Data Sheet Cisco MGX 8000 Series".

3. <u>http://www.hsteliann.com/english/?zone=3100-V21P;</u> "Teliphone 3100-

V21P".

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner of Patents, P. O. Box 1450, Alexandria, VA_A22313-1450 on August 19, 2004.

Dated: August 19, 2004

Esatto, Jr.

4. <u>http://www.linuxdevices.com/articles/AT5199947519.html;</u> "Device Profile: snom 100 VoIP phone".

5. <u>http://www.pingtel.com/pr xpressa.jsp;</u> "No limits with the advanced industry standard SIP phone.

6. AudioCoded Enabling Technology Products, TPM-1100 VoP Media Gateway

Modules.

~

Applicant is submitting a copy of the above-cited references.

Inasmuch as this Information Disclosure Statement is being submitted in

accordance with the schedule set out in 37 C.F.R. § 1.97(b), no statement or fee is required.

Respectfully submitted,

Paul J. Esatto, Jr. Registration No. 30,749

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343

PJE:ae

Sheet 1 of 1

REV. 7-80) PATEN	U.S. T AND TR	DEPARTMENT OF COMMERCE ADEMARK OFFICE		Atty. Docket No. (Optional)		Application N	umber	
INFORMATION DISCLOSURE CITATION		17188		10/740,030				
(U	se sev	eral sheets if necess	ary)					
(0	IF E SCID		Applicant(s) Michael Rojas				
Ba	AUG	2 3 2004 H		Filing Date		Group Art U	nit	
1	<u>.</u>			December 18, 2003		2661		
	* RA	DEMARKS	U.S. FA					
EXAMINER INITIAL*		DOCUMENT NUMBE	R DATE	NAME	CLASS	SUBCLASS	FILING (if appro	DATE priate)
	AA							
	AB					1		
			FOREIGN	PATENT DOCUMENT	S			
I	REF D	OCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
							YES	NO
								-
						ļ		
			OTHER	DOCUMENTS (Including	g Author, Title,	Date, Pertinent I	Pages, Etc.)	
		http://www.cisco.ce	om/warp/publ	ic/cc/pd/nemnsw/callmr	n/prodlit/cm	133 ds.htm;	"Data She	et
		Cisco CallManager	Version 3.3"	1				
		8						
			<u></u> .					
		http://www.cisco.co	om/en/US/pro	ducts/hw/switches/ps19	25/product	s_data_sheet	_09186	
		http://www.cisco.co a00800a3c3d.html;	om/en/US/pro	ducts/hw/switches/ps19	25/product	s_data_sheet	_09186	
		http://www.cisco.co a00800a3c3d.html;	om/en/US/prc "Data Sheet	ducts/hw/switches/ps19 Cisco MGX 8000 Series	25/products	s_data_sheet	<u>09186</u>	
		http://www.cisco.co a00800a3c3d.html; http://www.hsteliar	om/en/US/pro "Data Sheet m.com/onglia	ducts/hw/switches/ps19 Cisco MGX 8000 Series h/?zone=3100 V21P; "T	25/products	s_data_sheet 100 V21P"	<u>09186</u>	000000000000000000000000000000000000000
		http://www.cisco.co a00800a3c3d.html; http://www.hsteliar	om/en/US/pro Data Sheet <u>m.com/onglis</u>	ducts/hw/switches/ps19 Cisco MGX 8000 Series <u>h/?zone=3100 V21P;</u> "T	25/products	s_data_sheet 100 V21P"	<u>09186</u>	
		http://www.cisco.co a00800a3c3d.html; http://www.hsteliar	om/en/US/pro "Data Sheet <u>m.eom/onglia</u> vices.com/art	h/?zono=3100 V21P; "T	25/product: S Feliphone 3 ml: "Devic	s_data_sheet	<u>09186</u>	
		http://www.cisco.co a00800a3c3d.html; http://www.hsteliar http://www.linuxde phone"	om/en/US/pro Data Sheet <u>m.com/onglis</u> wices.com/art	<u>ducts/hw/switches/ps19</u> C1sco MGX 8000 Series <u>h/?zone=3100 V21P;</u> "T <u>icles/AT5199947519 ht</u>	25/products S Feliphone 3 <u>ml;</u> "Devic	s_data_sheet 100 V21P" e Profile:	<u>09186</u> snom 10	0. ValP
		http://www.cisco.co a00800a3c3d.html; http://www.hsteliar http://www.linuxde phone"	om/en/US/prc "Data Sheet m.com/onglis wices.com/art	h/?zone=3100 V21P; "T	25/product S Feliphone 3 ml; "Devic	s_data_sheet	_09186 	
		http://www.cisco.co a00800a3c3d.html; http://www.hstelian http://www.linuxde phone" http://www.pingtel	om/en/US/pro Data Sheet <u>m.com/onglis</u> wices.com/art	hducts/hw/switches/ps19 C1sco MGX 8000 Series h/?zone=3100 V21P; "T icles/AT5199947519 ht sa.jsp: "No limits with t	25/products Feliphone 3 ml: "Devic he advance	s_data_sheet 100 V21P" e Profile: d industry sta	_09186 snom_10	<u></u>
		http://www.cisco.cc a00800a3c3d.html; http://www.hsteliar http://www.hsteliar http://www.linuxde phone" http://www.pingtel SIP phone AudioCoded Epsel	om/en/US/prc "Data Sheet" <u>m.com/onglis</u> <u>wices.com/art</u> <u>com/pr.xpres</u>	h/?zone=3100 V21P; "7 icles/AT5199947519 ht sa.jsp: "No limits with t	25/products Feliphone 3 ml: "Devic he advance	s_data_sheet	_09186 snom_10 andard	
		http://www.cisco.co a00800a3c3d.html; http://www.hstelian http://www.hstelian http://www.linuxde phone" http://www.pingtel SIP phone AudioCoded Enabl	om/en/US/prc Data Sneet <u>m.com/onglis</u> wices com/art com/nr xpres ing Technolo	hducts/hw/switches/ps19 C1sco MGX 8000 Series h/?zone=3100 V21P; "T icles/AT5199947519 ht sa.jsp: "No limits with t gy Products, TPM-1100	25/product: S Feliphone 3 ml: "Devic he advance	s_data_sheet 100 V21P" e Profile: d industry sta	_09186 snom_10 andard lodules	<u>Ω VoIP</u>

•~

. . .





UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)	: Michael J. Rojas	Examiner:	Creighton H. Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	November 6, 2008

Confirmation No. 1731

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

RESPONSE UNDER 37 C.F.R. § 1.111

Sir:

Applicant submits this Response in reply to the Official Action dated

August 11, 2008. Applicant respectfully requests reconsideration of the application in

view of the following remarks.

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being deposited with the United States Patent & Trademark Office via Electronic Filing through the United States Patent and Trademark Office e-business website, on November 6, 2008.

Dated: November 6, 2008

Seth-Weinfeld

H:\work\1732\17188\Amend\17188.am3.doc

1

REMARKS

Applicant has filed the present Response in reply to the outstanding Official Action of August 11, 2008. Applicant believes the Response is fully responsive to the Official Action for at least the reasons set forth herein.

At the onset, Applicant would like to thank the Examiner for taking the time to have a telephone interview with Applicant's representative on October 31, 2008.

During the interview, Bernstein, Williams and Gierachf references were discussed.

With respect to the Bernstein reference, Applicant noted that the reference fails to teach (i) any consideration of **availability/unavailability**; (ii) **temporarily** storing the instant voice message; and (iii) **delivering** the stored instant voice message to the selected recipient once the selected recipient becomes **available**. The Examiner agreed to take another look at Bernstein and update the search using additional search terms.

With respect to Williams, Applicant noted that the reference fails to teach that the client requests a list of recipients associated with the client from the server and the server transmits the list of recipients to the client for selection of the one or more recipients. Williams only teaches transmitting the list of recipients if a voice command is not recognized.

With respect to Gierachf, Applicant noted that the reference is not prior art and referred the Examiner to the inventor declaration under 37 C.F.R. § 1.131.

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65 and 66 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal (previously cited) and

2

Bernstein, U.S. Patent Publication No. 2004/00128356. Claims 4, 19, 20, and 44 stand rejected under 35 U.S.C. § 103(a) in view of McZeal, Bernstein and Williams. Claims 7, 22 and 47 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein, and Sagi. Claims 8, 23 and 48 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein and Goodman. Claims 9, 24 and 49 stand rejected under 35 U.S.C § 103(a) as being unpatentable in view of McZeal, Bernstein and Gierachf, U.S. Patent Publication No. 2005/0053230. Claims 10, 25 and 50 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein and Creamer et al., U.S. Pat. Pub 2003/0126207.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69 and 75 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein and Monroe, U.S. Patent No. 6,970,183. Claims 42 and 76 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein, Monroe and Boukobza. Claims 34, 56 and 68 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view McZeal, Bernstein, Williams and Monroe. Claims 37, 59 and 71 were rejected under 35 U.S.C. § 103(a) as being unpatentable in view McZeal, Bernstein, Sagi and Monroe.

Claims 38, 60 and 72 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein, Goodman and Monroe. Claims 39, 61 and 73 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein, Gierachf and Monroe. Claims 40, 62 and 74 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Bernstein, Creamer and Monroe.

3

Applicant respectfully disagrees with the rejection and traverses with at least the following remarks.

Applicant submits that all of the cited references, whether taken alone or in any combination thereof, fail to teach, suggest or render obvious the limitation of the server temporarily stores the instant voice message if a selected recipient is unavailable and delivers the stored instant voice message to the selected recipient once the selected recipient becomes available, as recited in each of the independent claims.

The Official Action asserts that Bernstein teaches this feature. Applicant respectfully disagrees. As noted above, the reference fails to teach (i) any consideration of **availability/unavailability**; (ii) **temporarily** storing the instant voice message; and (iii) **delivering** the stored instant voice message to the selected recipient once the selected recipient becomes **available**.

(I) <u>Storing only when unavailable</u>

At best, Bernstein teaches storing all of the IM messages in a remote server, i.e., communication history or database. Bernstein teaches that the IM messages are stored for an IM session. The IM session implies that two parties are already available and IMing, i.e., a session is a flow of instant messages between at least two users.

Bernstein states that the server program system performs a step of maintained a database referencing a history of the instant messaging session with the universally unique identifier for the audience collection. *See* paragraphs 0086 and 0088. The audience collection is a list of users that **accepted** an invitation to the session. When and if a recipient responds to the instant messaging invitation email message, it becomes a

H:\work\1732\17188\Amend\17188.am3.doc

4

member of the audience collection 138. The first user sends an email invitation for the IM session and at least one other user replies to the invitation. *See* Paragraphs 0078-81.

At paragraph 0090, the reference states a step of sending the processed communication from the first member as content in the areas associated with the first member to the history of the instant message session with the universally unique identifier. The database receives the transferred communication from the first member to create a history-received communication from the first member.

In embodiments when there is a database 150, it includes a history 154 of the instant messaging session 130. History 154 includes the universally unique identifier 132 of instant messaging session 130. History 154 also includes an audience list 162 based upon audience collection 138 and a communication history 166, which further references communications records 168, each of which may be based upon at least one of the received communication 142, processed communication 144, and transferred communication 146. Additionally, in an embodiment, the server 100 may retain the complete transcript 166 of the Instant Messaging session.

In other words, when the store feature is active, every message is stored, without a determination of whether the recipient is available. In fact, since a session is active, the recipient must be available and online (emphasis added).

In stark contrast, in the claimed invention the IVM is only stored in the server if the recipient (IVM client) is not currently connected to the local IVM server. In fact, the reference only suggests that the IM is not stored if confidentiality cannot be maintained. *See* paragraph 0094.

5

(II) Temporarily storing the instant voice message if a selected recipient is unavailable

Bernstein fails to teach that the IVM is temporarily stored.

Bernstein states that the *user whenever looking at that email at any time in the future*, will trigger the server 100 to attempt fetching all the Instant Messaging messages 168 has stored for that email. *See* paragraph 0100. At any time in the future implies that the messages are stored permanently.

(III) Pushing IMV to recipient when available.

Additionally, the reference does not teach that the stored IVM is delivered to the client when the client connects to the IVM (after not being initiately connected).

Bernstein states that the *user whenever looking at that email at any time in the future*, will trigger the server 100 to attempt fetching all the Instant Messaging messages 168 has stored for that email. *See* paragraph 0100. In Bernstein, the user initiates the fetching process by sending a request, i.e., pulling the message data. In stark contrast, in the claimed invention, the server pushes or delivers the message when the recipient is determined to be available.

The other cited references fail to cure these deficiencies.

Therefore, the cited references fail to teach, suggest or render obvious each and every limitation of the claims; the claims are patentable over the cited combination.

Applicant further submits that claims 9, 24, 39, 49, 61, and 73 are patentable over the cited references based at least upon the following additional analysis. The Official Action cites Gierachf in the rejection of these claims. Applicant submits the Gierachf is

not prior art. Notably, in Applicant's declaration pursuant to 1.131, Applicant at paragraph 3 stated that the Applicant conceived the claimed invention prior to August 15 2003. *See* Declaration Pursuant to §1.131 ¶ 3. Gierachf has a filing date of September 6, 2003. Therefore, Applicant completed the invention claimed in the instant application prior to the filing date of the reference.

Applicant further submits that claims 4, 19, 34, 44, 56 and 68 are patentable over the cited references based at least upon the following additional analysis. Each of these claims recites, *inter alia*, a limitation directed to requesting a list of recipients associated with the server from the server. Applicant submits that the cited references fail to teach this limitation. At best, Williams (cited as a teaching of this limitation) teaches that the server sends a list of potential recipients **after a voice command is not recognized**. Notably, Williams describes an embodiment, where if a first word of the voice message does not satisfy a predetermined condition, the message is saved and a list of recipients is transmitted to the local client. *See* paragraph 0055. Clearly, the client is not requesting the list; rather the server determines that a command is not understood and that all available options should be transmitted to the user. The client makes no request.

Additionally, Applicant notes that this function is not in the context of an instant voice message.

None of the other cited references cure the above-identified deficiency.

Therefore, claims 4, 19, 34, 44, 56 and 68 are patentable over the cited references, whether taken alone or in any combination thereof.

7

Applicant further submits that claims 7, 22, 37, 47, 59 and 71 are patentable over the cited references based at least upon the following additional analysis.

Applicant submits that the references, whether taken alone or in any combination thereof teach or suggest recording an instant voice message in an audio file, at the client, where the audio file is a instant voice message, as recited in each of these claims. At best, Sagi teaches that an audio file can be transmitted to a server. Sagi teaches that an instant text message is converted into an instant voice message and then transmitted (Steps 420 and 425). The server relays the voice message to a cellular telephone. Sagi then describes that at step 435, user b sends an instant message in a voice message format to user via the gateway. The voice message is converted into a text message. Notably, Sagi does not teach that the voice message from user B to user A is recorded on the user device. None of the other cited references cure the above-identified deficiency.

Therefore, claims 7, 22, 37, 47, 59 and 71 are patentable over the cited references, whether taken alone or in any combination thereof.

Based upon the foregoing, Applicant respectfully requests that the Examiner withdraw all of the pending rejections pursuant to 35 U.S.C. § 103(a).

In conclusion, the Applicant believes that the above-identified application is in condition for allowance and henceforth respectfully solicits the Examiner to allow the application. If the Examiner believes a telephone conference might expedite the

8

allowance of this application, the Applicant respectfully requests that the Examiner call the undersigned, Applicant's attorney, at the following telephone number: (516) 742-4343.

Respectfully submitted,

Seth Weinfeld

Registration No: 50,929

Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza, Suite 300 Garden City, New York 11530 516-742-4343

SW:reg

	TRANSMII (General - H	Do 1	cket No. 17188				
In Re Application	In Re Application Of: Michael J. Rojas						
Application No.	Filing Date	Examiner	Customer No.	Group Art Unit	Confirmation No.		
10/740,030	December 18, 2003	Creighton H. Smith	23389	2614	1731		
Title: SYSTEM	Title: SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING						
		COMMISSIONER FOR PATI	ENTS:				
Transmitted herew	rith is:						
RESPONSE UNI	DER 37 C.F.R. § 1.11	1					
in the above ident	ified application.						
No addition	al fee is required.						
A check in t	the amount of	is attached.					
I The Directo	r is hereby authorize	d to charge and credit Deposit	Account No.	19-1013/SSMP			
as describe	d below.						
	arge the amount of						
	any overpayment	An required					
□ Payment by	credit card Form PT	C-2038 is attached					
WARNING:	Information on this	form may become public. Cr	edit card info	rmation should	not be		
included or	n this form. Provide	credit card information and a	authorization	on PTO-2038.			
Ω							
leth hh	, la la		Dated: Nove	mber 6, 2008			
	Signature						
Seth Weinfeld							
Registration No: 50	,929						
Scully, Scott, Murph	iy & Presser, P.C.		I hereby certify	that this corres	spondence is being		
Garden City, New Y	ork 11530		sufficient posta	ge as first class	mail in an envelope		
516-742-4343			addressed to the 1450, Alexandria	ne "Commissioner I. VA 22313-1450" [for Patents, P.O. Box 37 CFR 1.8(a)] on		
SW:reg							
			(Date)				
			Signatur	e of Person Mailing (Correspondence		
cc:			Typed or Print	d Name of Person M	ailing Correspondence		

0067

Electronic Acknowledgement Receipt				
EFS ID:	4244655			
Application Number:	10740030			
International Application Number:				
Confirmation Number:	1731			
Title of Invention:	System and method for instant VoIP messaging			
First Named Inventor/Applicant Name:	Michael J. Rojas			
Customer Number:	23389			
Filer:	Paul J. Esatto/Roseann Gallo			
Filer Authorized By:	Paul J. Esatto			
Attorney Docket Number:	17188			
Receipt Date:	06-NOV-2008			
Filing Date:	18-DEC-2003			
Time Stamp:	15:20:12			
Application Type:	Utility under 35 USC 111(a)			

Payment information:

Submitted with Payment no					
File Listin	g:				
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		17188AM3.pdf	422767 c5cce47930f25917cf0d3096e12360a11e80 3ab8	yes	10

	Multipart Description/PDF files in .zip description				
	Document Description	Start	End		
	Amendment/Req. Reconsideration-After Non-Final Reject	1	1		
	Applicant Arguments/Remarks Made in an Amendment	2	9		
	Miscellaneous Incoming Letter	10	10		
Warnings:	·	•	•		
Information	:				
	Total Files Size (in bytes)): 4	22767		

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

	ed States Paten	T AND TRADEMARK OFFICE	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22. www.uspto.gov	TMENT OF COMMERCE Trademark Office OR PATENTS 813-1450	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/740,030	12/18/2003	Michael J. Rojas	17188	1731	
23389 SCULLY SCO	7590 08/11/200 TT MURPHY & PRES	8 SFR. PC	EXAMINER		
400 GARDEN	CITY PLAZA		SMITH, CREIGHTON H		
GARDEN CIT	Y, NY 11530		ART UNIT	PAPER NUMBER	
			2614		
			MAIL DATE	DELIVERY MODE	
			08/11/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
	10/740,030	ROJAS, MICHAEL J.					
Office Action Summary	Examiner	Art Unit					
	Creighton H. Smith	2614					
The MAILING DATE of this communication ap	pears on the cover sheet w	vith the correspondence address					
Period for Reply							
 A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). 							
Status							
1) Responsive to communication(s) filed on 07 .	<u>IUL '08</u> .						
2a)∏ This action is FINAL . 2b)⊠ Thi	s action is non-final.						
3) Since this application is in condition for allowa	ance except for formal mat	tters, prosecution as to the merits is					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.I	D. 11, 453 O.G. 213.					
Disposition of Claims							
4) Claim(s) <u>1-76</u> is/are pending in the application	٦.						
4a) Of the above claim(s) is/are withdra	awn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-76</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/	or election requirement.						
Application Papers							
9) The specification is objected to by the Examin	er						
10) The drawing(s) filed on is/are: a)	cepted or b) objected to	by the Examiner.					
Applicant may not request that any objection to the	e drawing(s) be held in abeya	ince. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct	ction is required if the drawing	g(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the E	xaminer. Note the attache	ed Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign	n priority under 35 LLS C	8119(a)-(d) or (f)					
a A b $Some * c$ $None of$		3 110(d) (d) 01 (l).					
$1 \square$ Certified copies of the priority documen	ts have been received						
2. Certified copies of the priority document	its have been received in <i>i</i>	Application No.					
3. Copies of the certified copies of the prior	prity documents have beer	n received in this National Stage					
application from the International Burea	au (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a lis	t of the certified copies no	t received.					
1) X Notice of References Cited (PTO 802)		Summary (PTO_413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) D Notice of	Informal Patent Application					
Paper No(s)/Mail Date	6) 🛄 Other:	·					
U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Office A	Action Summary	Part of Paper No./Mail Date 20080804					

Application/Control Number: 10/740,030 Art Unit: 2614

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65, 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal, Jr. '226 in view of Bernstein et al, U.S. Pat. App. Pub. #2004/00128356.

McZeal discloses in col. 4, lines 18 et seq. that until his invention there was no device which could take full advantage of the Internet and IM for voice quality purposes, and which uses computer data networks for voice. In col. 28, lines 5 et seq. McZeal discloses that his invention provides customers with instant IM which uses VoIP. In col. 16, lines 39 et seq. McZeal discloses that his invention can use both the Internet and the PSTN. Bernstein et al disclose in P.0050 that each IM session has a universally unique identifier, which the server computer uses to identify and store individual Instant Messages. To have provided Bernstein et al teaching of storing IM in a server in McZeal's communication system would have been obvious to a person having ordinary skill in the art, because the skilled practitioner in this communication art will realize the need to store messages if the called party lacked the present ability to receive the IM.

For claims 2 & 3, McZeal discloses in cols. 1 & 16, lines 42-43 & 25-30 that his invention can be used in local or wide area networks - LAN/WAN.

Regarding claim 11, see McZeal @ col. 16, lines 42 & 59-60. Pertaining to claim 20, with McZeal's disclosure that his device that his device can be used in either a WAN

Page 2
(Internet) or LAN (local area network). If the voice message is to be routed out beyond a LAN, then an external serving system will have to be employed until the message reaches the recipient inside of the LAN, whereupon the LAN and its associated server will route the message to the intended recipient.

Claims 4, 19, 20, 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim 1 above, and further in view of Williams et al.

Williams et al disclose in P.0055 that a messaging server (105) will save a voice message and send a list of recipients to the user from an address book. To have provided Williams teaching of a server providing a user a calling list of recipients in McZeal's Instant Voice Messaging server system would have been obvious to a person having ordinary skill in the art because the skilled practitioner in the communications and server arts will readily realize that there are an unlimited amount of commands and information that a server can hold which can be communicated to anyone throughout the world that has proper equipment.

Claims 7, 22, 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim 1 above, and further in view of Sagi et al.

Sagi et al disclose in claim 24 where a server will receive an audio file from a subscriber, and then in claim 29 Sagi et al disclose that the transmission is sent to a 2nd subscriber. To have similarly used Sagi et al disclosure of transmitting an audio file to a server in McZeal's device would have been obvious to a person having ordinary skill in

the art, because the skilled practitioner in communications art will realize that the sending party can either directly record a voice message or send an audio file. Either way, a called party will receive the voice message.

Claims 8, 23, 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim 1 above, and further in view of Goodman et al.

Goodman et al disclose in P.0033 that an audio message can be transformed from any of encrypted, decrypted, compressed, or decompressed format. To have similarly provided Goodman's teaching of encrypting, decrypting, compressing, and decompressing audio into McZeal's device would have been obvious to a person having ordinary sill in the art, because by compressing the audio will take up less memory in the server.

Claims 9, 24, 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim 1 above, and further in view of Gierachf.

Gierachf discloses in P.0044 in Step- 266 that the audio data or voice message is sent to audio buffer 19B'. To have similarly used Gierachf's method of buffering the audio data in McZeal's apparatus would have been obvious to a person having ordinary skill in the art.

Claims 10, 25, 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim 1 above, and further in view of Creamer et al, U.S. Pat. App. Pub. #2003/0126207.

Creamer et al disclose in P.0006 that IM chat systems can also support the exchange of attachments. Attachments are electronic files such as images, documents, or binary objects which can be <u>attached to an IM</u> and transmitted therewith. To have used creamer et al teaching of attaching an electronic file to an IM in McZeal's instant voice messaging system would have been obvious to a person having ordinary skill in this art because the skilled practitioner will realize the efficiency of alerting a multitude of persons located throughout the world that an email/document from the sender is being sent to the recipients, such as the minutes of an important meeting.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69, 75 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al as applied to claim1 above, and further in view of Monroe.

Monroe discloses in col. 20, lines 28 et seq. and in Fig. 9 a local server (460) connected to a LAN, which provides a gateway to a WAN like the Internet. In col. 32, lines 11 et seq. Monroe discloses that pre-recorded voice messages can be delivered to a modem and then delivered throughout the network. To have used Monroe's teaching of connecting a local server to an Internet server in McZeal's device would have been obvious to a person having ordinary skill in the art because a local server will only reach a few, select individuals in close proximity to each other, whereas the Internet will have global reach, thus insuring connectivity to clients worldwide.

Claims 42 & 76 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al and Monroe as applied to claim 30 above, and further in view of Boukobza, U.S. Pat. App. Pub. #2006/0167883.

Boukobza's method as disclosed in P.0020 is for load balancing databases within a network having a plurality of servers. To have provided Boukobza's method of load balancing servers in Monroe as applied to McZeal would have been obvious to a person having ordinary skill in the art, because the skilled practitioner would realize that as one server becomes filled with IM, or as one server is being inundated with high volume traffic, it would become necessary to route some of those IM to another server for storing.

Claims 34, 56, 68 are4 rejected under 35 U.S.C. 103(a) as being unpatentable over Mczeal in view of Bernstein et al and Monroeas applied to claim 30 above, and further in view of Williams et al.

Claims 37, 59, 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al and Monroe as applied to claim 30 above, and further in view of Sagi et al.

Claims 38, 60, 72 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al and Monroe as applied to claim 30 above, and further in view of Goodman et al.

Claims 39, 61, 73 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al and Monroe as applied to claim 30 above, and further in view of Gierachf.

Claims 40, 62, 74 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Bernstein et al and Monroe as applied to claim 30 above, and further in view of Creamer et al.

Any inquiry concerning this communication should be directed to Creighton H.

Smith at telephone number 571/272-7546.

04 AUG '08

/Creighton H Smith/ Primary Examiner, Art Unit 2614

Examiner Art Unit Rage 1 of 1	Notice of References Cited	Application/Control No. 10/740,030	Applicant(s)/Pater Reexamination ROJAS, MICHAE	nt Under L J.
		Examiner	Art Unit	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	А	US-2004/0128356	07-2004	Bernstein et al.	709/206
*	в	US-2003/0126207	07-2003	Creamer et al.	709/204
	С	US-			
	D	US-			
	Е	US-			
	F	US-			
	G	US-			
	н	US-			
	I	US-			
	J	US-			
	к	US-			
	L	US-			
	м	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					
	R					
	s					
	Т					

	NON-PATENT DOCUMENTS									
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)								
	U									
	V									
	w									
	x									

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20080804

				A	pplication	/Cont	trol N	lo.		Applicant(s)/Patent Under Reexamination				
/	ndex of C	Claim	IS	1	0740030					ROJAS, MICHAEL J.				
				E	xaminer					Art Ur	nit			
				C	Creighton H Smith					2614				
✓ Rejected -			Ca	Cancelled N Non-Elec			Elec	cted		Α	Ар	peal		
= Allowed ÷			Re	stricted		I	Interf	ere	nce		0	Obje	ected	
Clair	ms renumbered	in the s	ame o	rder as p	resented by a	applica	ant			СРА] T.C	o. □	R.1.47
C	LAIM							DATE						
Final	Original	08/05/2	8008											
	1	~												
	2	~												
	3	~												
	4	~												
	5	✓												
	6	✓			_									
	/	×												
	8	v v												
	10	· · ·												
	11	√												
	12	√												
	13	~												
	14	✓												
	15	~												
	16	√												
	17	√												
	18	~			1									
	19	~												
	20	✓												
	21	✓ /												
	22	× .1												
	23	× 												
	24	• ✓			+									
<u> </u>	26													
	27	√												
	28	✓												
	29	~												
	30	✓												
	31	✓												
	32	~												
	33	~												
	34	~												
	35	~												
	36	 ✓ 												

U.S. Patent and Trademark Office

Part of Paper No.: 20080804

			N		4	Application/Control No.				l	Applicant(s)/Patent Under Reexamination				
	Ind		laim	IS IIIIII	· ·	10740030					ROJAS, MICHAEL J.				
						Examiner				4	Art Un	nit			
						Creighton H Smith					2614				
✓ Rejected-			Ca	Cancelled N Non-Ele			Elec	ected A Appeal			beal				
= Allowed ÷			Re	stricted		I	Interf	erer	nce		0	Obje	ected		
	aims re	enumbered	in the s	ame o	rder as	presented by	applica	ant			CPA] т.с). 🗆	R.1.47
	CLA	IM							DATE						
Fina	al	Original	08/05/2	800											
		37	~												
		38	~												
		39	~												
		40	✓												
		41	√												
		42	√												
		43	✓												
		44	✓												
		45	✓												
		46	✓												
		47	√												
		48	√												
		49	√												
		50	√												
		51	√												
		52	~												
		53	~												
		54	✓			_									
		55	✓			_									
		56	√												
<u> </u>		57	✓ ,												
		58	✓ /												
		59	× /												
		61	× ./												
		62	× 	—											
		63	× √												
		64	× ✓												-
		65	· ·												
<u> </u>		66		-+											
<u> </u>		67													
<u> </u>		68	· ·	-+											
<u> </u>		69	· ·												
<u> </u>		70	✓			-									
		71	✓												
<u> </u>		72	~				1								

U.S. Patent and Trademark Office

Part of Paper No.: 20080804

Index of Claims						Application/Control No. 10740030 Examiner Creighton H Smith				Applic Reexa ROJAS Art Un 2614	Applicant(s)/Patent Under Reexamination ROJAS, MICHAEL J. Art Unit 2614				
✓ Rejected -			(Cancelled		N Non-Elected				Α	Арр	peal			
=	= Allowed			÷	F	Restricted		I	Interf		0	Obje	ected		
	Claims r	enumbered	in the s	ame o	order a	as presented b	y applic	ant		СРА	Ľ] т.с). 🗆	R.1.47	
	CLA	M							DATE						
Fi	inal	Original	08/05/2	2008											
		73	✓	✓											
74		74	✓												
75		√													
76		~													

	Application/Control No.	Applicant(s)/Patent Under Reexamination
Search Notes	10740030	ROJAS, MICHAEL J.
	Examiner	Art Unit
	Creighton H Smith	2614

SEARCHED								
Class	Subclass	Date	Examiner					

SEARCH NOTES		
Search Notes	Date	Examiner
EAST Search	05 AUG '08	chs

INTERFERENCE SEARCH								
Class	Subclass	Date	Examiner					

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	207	(@ad<="20021218") and (stor\$3 with (im or instant adj messag\$3) with server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 13:09
L2	411	(@ad<="20021218") and ((attach\$3 or fasten\$3 or affix \$3 or connect\$3 or join\$3 or add\$3) with email with (audio or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 14:43
L3	3411	(@ad<="20021218") and ((attach\$3 or fasten\$3 or affix \$3 or connect\$3 or join\$3 or add\$3) with (file\$1 or email) with (audio or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 14:44
L4	17	(@ad<="20021218") and ((attach\$3 or fasten\$3 or affix \$3 or connect\$3 or join\$3 or add\$3) with email with (im or instant adj mesag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 14:48
L5	44	(@ad<="20021218") and ((attach\$3 or fasten\$3 or affix \$3 or connect\$3 or join\$3 or add\$3) with (email or file\$1) with (im or instant adj mesag \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 15:08

8/4/2008 3:48:57 PM

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Michael J. Rojas	Examiner:	Creighton H. Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	July 7, 2008

Confirmation No. 1731

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

RESPONSE UNDER 37 C.F.R. § 1.111

Sir:

Applicant submits this Response in reply to the Official Action dated March 6,

2008. Applicant respectfully requests reconsideration of the application in view of the following

remarks.

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being deposited with the United States Patent & Trademark Office via Electronic Filing through the United States Patent and Trademark Office e-business website, on July 7, 2008.

Dated: July 7, 2008

Seth Weinfeld

H:\work\1732\17188\Amend\17188.am2.doc

REMARKS

Applicant has filed the present Response in reply to the outstanding Official Action of March 6, 2008, and the Applicant believes the Response to be fully responsive to the Official Action for at least the reasons set forth herein.

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65 and 66 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal (previously cited) and Barry, U.S. Patent Publication No. 2007/0174403. Claims 4, 19, 20, and 44 stand rejected under 35 U.S.C. § 103(a) in view of McZeal, Barry and Williams. Claims 7, 22 and 47 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry, and Sagi. Claims 8, 23 and 48 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry and Goodman. Claims 9, 24 and 49 stand rejected under 35 U.S.C § 103(a) as being unpatentable in view of McZeal, Barry and Gierachf, U.S. Pat.ent Publication No. 2005/0053230. Claims 10, 25 and 50 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry and Hollowell et al., U.S. Pat. Pub 2005/0105697.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69 and 75 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry and Monroe, U.S. Patent No. 6,970,183. Claims 42 and 46 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry, Monroe and Boukobza. Claims 34, 56 and 68 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view McZeal, Barry, Williams and Monroe. Claims 37, 59 and 71 were rejected under 35 U.S.C. § 103(a) as being unpatentable in view McZeal, Barry, Sagi and Monroe.

Claims 38, 60 and 72 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry, Goodman and Monroe. Claims 39, 61 and 73 stand rejected under 35

U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry, Gierachf and Monroe. Claims 40, 62 and 74 stand rejected under 35 U.S.C. § 103(a) as being unpatentable in view of McZeal, Barry, Hollowell and Monroe.

Applicant respectfully disagrees with the rejection and traverses with at least the following remarks and comments. Applicant submits that Barry and Hollowell are not prior art. Annexed hereto is a declaration pursuant to 37 C.F.R. § 1.131 attesting to Applicant's prior conception of the claimed invention. As asserted in paragraphs 2 and 3, Applicant completed the invention claimed in the instant application prior to the filing dates of both references. Applicant worked diligently with two different patent attorneys to file a patent application.

Based upon the foregoing, Applicant respectfully requests that the Examiner withdraw all of the pending rejections pursuant to 35 U.S.C. § 103(a).

In conclusion, the Applicant believes that the above-identified application is in condition for allowance and henceforth respectfully solicits the Examiner to allow the application. If the Examiner believes a telephone conference might expedite the allowance of this application, the Applicant respectfully requests that the Examiner call the undersigned, Applicant's attorney, at the following telephone number: (516) 742-4343.

Respectfully submitted,

Seth-Weinfeld Registration No: 50,929

Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza, Suite 300 Garden City, New York 11530 516-742-4343

SW:reg

COMBINED	ocket No. 7188					
In Re Application Of: Michael J. Rojas						
Application No.	Group Art Unit	Confirmation No.				
10/740,030	December 18, 2003	Creighton H. Smith	23389	2614	1731	
Invention: SYS	Invention: SYSTEM AND METHOD FOR INSTANT VoIP MESSAGIN					
		COMMISSIONER FOR P/	TENTS:			
This is a combine response to the C	ed amendment and perfice Action of \underline{N}	tition under the provisions of <u>1arch 6, 2008</u> in the above <i>Date</i>	37 CFR 1.136(a identified appl	a) to extend the p cation.	eriod for filing a	
The requested ex	ttension is as follows (check time period desired):				
🖾 One mo	onth 🔲 Two m	onths Three month	ns 🗆 Four	months	Five months	
from:	June 6, 2008	until:	July 6,	2008 (Sunday)		
Applicant claims	mendment and extens	sion of time has been calcula	ted as shown b	elow:		
			ED			
				RATE	FEE	
TOTAL CLAIMS	70 -	76 =	0	x \$25.00	\$0.00	
INDEP. CLAIMS	14 -	14 =	0	x \$105.00	\$0.00	
	FEE FOR AMENDMENT \$0.00					
FEE FOR EXTENSION OF TIME \$60.0					\$60.00	
	ΤΟΤΑ	L FEE FOR AMENDMENT	AND EXTENSIO		\$60.00	

COMBINED AMENDMENT & PETITION FOR EXTENSION O	F
TIME UNDER 37 CFR 1.136(a) (Small Entity)	

The fee for the amendment and extension of time is to be paid as follows:

- □ A check in the amount of for the amendment and extension of time is enclosed.
- Please charge Deposit Account No. 19-1013/SSMP in the amount of \$60.00
- The Director is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No.
 - Any additional filing fees required under 37 C.F.R. 1.16.
 - Any patent application processing fees under 37 CFR 1.17.
- If an additional extension of time is required, please consider this a petition therefor and charge any additional fees which may be required to Deposit Account No. 19-1013/SSMP
- D Payment by credit card. Form PTO-2038 is attached.

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Signature

Seth Weinfeld Registration No. 50,929 Scully, Scott, Murphy & Presser, P. C. 400 Garden City Plaza - Suite 300 Garden City, New York 11530 (516) 742-4343

cc:

Dated:	July 7, 2008
l hereby deposited sufficient addresse 1450, Ale	certify that this correspondence is being I with the United States Postal Service with postage as first class mail in an envelope d to the "Commissioner for Patents, P.O. Box xandria, VA 22313-1450" [37 CFR 1.8(a)] on
Signature of Person Mailing Correspondence Twied or Printed Name of Person Mailing Correspon	

P28SMALL/REV06

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Michael J. Rojas	Examiner:	Creighton H. Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING		

Confirmation No. 1731

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

DECLARATION PURSUANT TO 37 C.F.R. § 1.131

Sir:

I. MICHAEL ROJAS, hereby declare that:

- I am the Applicant of United States Patent Application No. 10/740,030, filed on December 18, 2003.
- I completed the invention disclosed and claimed in United States Patent Application No. 10/740,030, prior to November 14, 2003, which is the filing date of United States Publication No. 2005/0105697 A1, cited as a reference under 35 U.S.C. § 103, against the present application by the Examiner.
- I completed the invention disclosed and claimed in United States Patent Application No. 10/740,030, prior to August 15, 2003, which is the filing date of United States Publication No. 2007/0174403 A1, cited as a reference under 35 U.S.C. § 103, against the present application by the Examiner.
- 4. The completion of the present invention consisted of the timely preparation of an invention disclosure outlining the subject matter of the invention. As evidence thereof

C:\Users\Owner\AppData\Local\Microsoft\Windows\Temporary Internet Piles\Content.Outlook\KFDFT.EOCA1_131.doc

annexed hereto and made a part of this Declaration is Exhibit A, which is a redacted copy of the invention entitled "Instant Voice Communication" and comprising nineteen (19) pages of description.

- All of the salient features of Applicant's United States Patent Application No. 10/740,030 are fully described in the annexed Exhibit A.
- 6. The material, as set forth in Exhibit A, fully and comprehensively describes the subject matter of the claims of the United States Patent Application No. 10/740.030, setting forth the features of the claimed invention.
- The invention disclosure was timely submitted to outside counsel, Bradley C.
 Corsello (hereinafter "Corsello"), to prepare and file a provisional patent application.
- A first draft of the provisional patent application was received from Corsello, prior to August 15, 2003.
- 9. On August 11, 2003, Corsello and Applicant had a teleconference regarding drafting the application and visit by Corsello to Applicant's office scheduled for August 19, 2003. Annexed herein as Exhibit B is a redacted email evidencing the teleconference.
- On August 28, 2003, Corsello responded to a series of questions from Applicant regarding information needed to draft the application. Annexed herein as Exhibit C is a redacted email from Corsello.
- 11. On September 8, 2003, a representative of the assignee, Ayalogic, Neil Adams (hereinafter "Adams") inquired about the status of the application. Corsello informed Applicant that he was working on the revised draft. Annexed herein as Exhibit D is a redacted email regarding the inquiry and response.

2

- 12. On September 17, 2003, Adams emailed Applicant inquiring about information and material needed for the draft of the provisional application. Annexed herein as Exhibit E is a redacted email regarding the inquiry.
- On September 22, 2003, Adams emailed Corsello information and material for the provisional application. The material is appended to the email as an attachment.
 Annexed herein as Exhibit F is a redacted email regarding the submission of material.
- 14. On October 3, 2003, assignee, Ayalogic (hereinafter "Ayalogic") decided to look for another law firm to file a patent application regarding the subject matter described in the invention disclosure.
- Between October 3, 2003-October 27, 2003, Ayalogic searched for a law firm to preparing the patent application.
- On October 28, 2003, Ayalogic engaging the firm Scully, Scott, Murphy and Presser,
 P.C., (hereinafter "Scully Scott") to preparing a patent application.
- On October 30, 2003. Adams forwarded the latest draft of the provisional application to Scully Scott. Annexed herein as Exhibit G is a redacted email forwarding the document.
- On November 4, 2003, Adams and Scully Scott conducted a teleconference regarding drafting of the application. Annexed herein as Exhibit H is a redacted email reflecting the teleconference.
- On November 6, 2003, Adams emailed Applicant a revised draft and forwarded draft to Scully Scott. Annexed herein as Exhibit I is a redacted email evidencing the submission of the draft to Scully Scott.

- 20. Between November 6, 2003 and December 1, 2003, Adams inquired about the status of the application no less than three times.
- 21. Scully Scott prepared a draft of the application in timely manner. A first draft of the application was sent from Scully Scott to Applicant on December 2, 2003. Annexed herein as Exhibit J is a redacted email enclosing the draft. A series of revisions to the application were emailed to Applicant between December 3 and 4, after a teleconference with Applicant.
- 22. Applicant diligently reviewed the drafts of the application and provided comments thereto on December 9, 2003. Annexed herein as Exhibit K is a redacted email reflecting the comments.
- 23. A final draft of the application was sent to Applicant on December 16, 2003.
- 24. The United States Patent Application No. 10/740,030 was filed on December 18, 2003, after a timely and expedient review by the Applicant.
- 25. I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

<u>7-3-2008</u> Dated:

Α

s



Instant Voice Communications

REDACTED

۰.

Michael Rojas Executive Vice President

REDACTED

Ayalogic, Inc. 530 South Main Street, Suite 1732 Akron, Ohio 44311-1010

voice 330.253.2700 fax 330.253.3055

www.ayalogic.com

Instant Voice Communications

Abstract

This paper outlines the next step for communications systems – *instant voice communication* over internet protocol. With Ayalogic's TM new offering, QuickTalkTM business professionals will have the option to speak instantly with one another, revolutionizing the concept of telephone, voice mail and instant messaging. The IP technology behind QuickTalk will allow companies with this system to save dramatically on time, equipment and maintenance costs.

Instant Voice Messaging

QuickTalkTM offers instant connectedness – like an intercom that reaches everyone in the company, or a walkie talkie that spans the world. Touch a button and you can talk immediately with anyone anywhere the internet touches. The closest comparable technology is instant messaging – wildly popular, even with the significant handicap of using text instead of the clear, quality voice over IP that QuickTalkTM offers.

Instant messaging technology has been around in its most familiar form since 1996 and in recent years has become a common feature on PCs and cellular phones. It works like this: you create a "buddy list" of various people you may want to contact. When you want to communicate with a list member you simply type a message and it is instantly delivered to that person's desktop (usually in a pop-up window). How popular is instant messaging? CNET.COM, a prominent downloads site, reported the number of ICQ instant messaging software downloads just in a single week at over 500,000.

Anticka south control of a first of the south control of the south contr	Leon Creiss, sone Creiss, herry-cashorodil M. Sees	an a	I COOLUS-Konnis-Frite Scenars (Padra in) In Downloads In Downloads	≂ selfennen Davided ⊋_sul, set	266,332,183 Downloads!	
ChET > Downloads > Search resu Search results Respiration of the search result (CO Pro 2003a beta build 3000 pro protocol with form in themet and communicate with form in real ins. 105: Workers 53:599/Me/2000/P File Size: 37:948 Licenter, file	lts Date altded 11/27/2002	User fating ZZZ 3 1,200 votes	1. Doverstore da Tode i Len zente 228.332.193	25 of 2743	CNET.COM Website captured on March 27, 2003	
Kazaa Media Desktop 2.1 pop South dowiesd, and interact with a varing of lice with the P2P flo-tandle apploation. 05: Wendows SS/SB/NT/2000/AP Fie Size: 1500 License: Fies Mannheus 2.0_000	02/13/2003	242 3 2548 votes 372 4	202,040,785	EF Download new		

The substitution of voice for text makes QuickTalkTM infinitely more attractive. Nothing to type, just push a button and speak. Leave a voice mail message without dialing and check your own messages without lengthy punch pad scroll through. Ease of use and the comfort of voice communications set QuickTalkTM apart.

Innovation

No instant messaging vendor is concentrating on voice. We believe that by combining the best features of instant messaging with Voice over IP technology, we can provide a new form of communication – *instant voice*.

Messages are recorded, digitized, encrypted, and transmitted instantly to anywhere in the world. Since the digitization occurs at the time of recording, the voice quality will not suffer degradation as the message moves through the Internet. The voice quality will be superb every time – regardless of congestion on the global network.

New Levels of Privacy and Connectedness

QuickTalkTM promises to replace voice mail as we now know it with unprecedented levels of both connectedness and privacy. To leave a message with another user, simply push a button and speak. As for receiving messages, you may now choose *in advance* who can reach you instantly and which messages are sent automatically to voice mail – without screening. Change your preferences whenever you like, based on your schedule or specific project needs. Screen all your messages if you like, or send all messages to be stored for later pick up.

When you wish to reach others, a QuickTalk[™] display on your PC screen – or a display on certain types of phones – will tell you weather they are "in" or "out," again according to their preferences. This offers all of the connection of instant messaging with none of the productivity shattering intrusiveness.

Wherever You Go, There you Are

QuickTalkTM can reach you wherever you go, at whatever device you designate. Cellular phones, laptops, palm pilots – all can be used by the QuickTalkTM system whenever you designate that you wish to be reached somewhere other than at your desk. Using Ayalogic'sTM proprietary gateway and software, you can now be reached (at whatever level of privacy you choose) instantly everywhere.

Voice over Internet Protocol (VoIP)

Telephone technology has changed very little since its inception. It is still primarily an analog modulated electrical voltage running on copper wires to each home – exactly how Alexander Graham Bell designed it. Now the Internet has is forcing a change in this 100-year-old technology. That change is called Voice over IP.

Voice over IP (or IP telephony) is a method of voice transmission in which analog speech is converted to digital information and transported across a computer network. This technology enables the transmission of speech to anywhere in the world that the Internet touches. When the digital voice information arrives, it is converted back into its analog form using technology built directly into the phone or receiving device.



Cisco 7960 VolP Phone

The introduction of this technology, primarily by Cisco Systems, alarmed many traditional phone manufacturers. At first, they resisted the technology, citing that it was unreliable and of poor voice quality. However, as the technology's adoption rate grew, they began to incorporate it into their core products. Today, every vendor has some form of IP telephony offering.

Some manufacturers started from scratch creating new communication systems completely based on software, called *softswitches*. The philosophy was that once the voice was converted into digital packets, it could most easily be manipulated using computers and software. The goal was to speed the introduction of new phone services without having to upgrade expensive hardware. Cisco's CallManager product is an example of a softswitch.



Since Cisco had already cornered the Voice over IP *enterprise market*, the other softswitch vendors charged into the *service provider market*. Their customers were traditional phone companies, such as Verizon, and

competitive local exchange carriers known as CLECs. However, when the telecommunication sector slumped, the service providers cut drastically back in capital expenditures, all but evaporating the Voice over IP market for service providers.

In reaction to this, every softswitch vendor did an about-face, and introduced an enterprise-version of their carrier-class products. This means that the enterprise market has over 50 softswitch vendors vying for position in a market dominated by Cisco. To compete, prices on this technology are dropping precipitously.

New Phones

Accelerating this price pressure is the weekly announcement of new devices that can leverage this technology. Companies such as Alcatel, Teliann, Lucent, Nortel, NEC, Cisco, Snom, Polycom, and Pingtel all offer VoIP phones. Up to now, the major growth inhibitor has been the cost the end device. In a normal communication system, the phones account for over 70% of the cost of the system.

Here is a sampling of the available phones as of March 27, 2003:











Vendor:PingTelModel:expressaPrice:\$599Description:The PingTel phone is intelligent, has a built-injava processor and uses industry standardSession Initiation Protocol (SIP).

CISCO SYSTEMS



voi⊭pnonei r: Snom

venaor:	2101
Model:	100b
Price:	\$240

Description:

Entry level VoIP Phone, supporting multiple standards such as SIP and H.323/H.450.



Vendor: Teliann Model: HS Teliann IP Phone Price: \$120 Description: Korean-built, lowest cost VoIP phone on the market today – supports industry standard H.323 – SIP is planned.

The Teliann IP Phone was introduced at the Voice over Network conference (VON2002) in winter of 2002. Retailing at \$120, the phone has the potential of finally removing the price barrier to the market.

Phone-Speak

Every one of these devices requires a signaling protocol to make them function properly. This protocol is a series of commands and response messages that control every aspect of the phone. Call Hold, Call Forward, Answer, Hang-Up, and other basic features are handled by this protocol. Until recently, another large inhibitor of the market was the lack of agreement as to a standard for this signaling.

Here is a brief list of the competing signal standards:

- **H.323** This is actually an umbrella standard that covers a number of other standards. This collection originated in the International Telecommunication Union (ITU) and like most telecommunication standards, is large and complex.
- MGCP (Media Gateway Control Protocol) This standard was introduced by the Internet Engineering Task Force to control endpoint conversion devices, called gateways.
- MEGACO (MEdia GAteway COontrol Protocol) Similar to MGCP, this protocol attempts to provide additional functionality in controlling endpoint gateways.
- SIP (Session Initiation Protocol) A simple text-based protocol which has its roots in HTTP (Hypertext Transport Protocol), the protocol that drives every web page of the Internet today.
- SCCP (Skinny Client Control Protocol) This is a proprietary protocol that every Cisco phone uses to provide advanced services beyond the standard protocols. Only the Cisco CallManager product supports this protocol.

For the past few years, the industry wrestled with each standard, slowing the adoption of the technology. Many products were introduced that could not communicate with each other because of these different standards.

As of this writing, the standards war is ending, with SIP becoming the winner. Microsoft, Cisco, Alcatel, Lucent, Nortel, and other vendors have all introduced SIPbased products. SIP is favored because of the simple and extensible nature of the protocol. With the adoption of SIP as a standard across all products, the Voice over IP market has removed one more inhibitor.

However, the most important standard that Voice over IP introduces is not the signaling standard, but the *network technology* for the phone itself – Ethernet and TCP/IP.

The Real Voice over IP Standard - Ethernet

Every one of these devices shares a common characteristic. They all use TCP/IP protocol over Ethernet as the network standard to connect to the computer network.

This provides some very important benefits:

- Flexibility Because Ethernet and TCP/IP are so prevalent, the devices can be deployed in many networking environments. They can be part of Wireless Local Area Networks (WLAN) such as 802.11b and connect over broadband connections such as cable modem, and DSL.
- Cost Since Ethernet is widely available, the equipment to support such a network can enjoy the benefits of economies of scale. Networking gear is inexpensive, easy to obtain and install, allowing a wide audience to be reached.
- Mobility All Ethernet devices have a unique number called the Media Access Control address (MAC). This number represents a unique piece of hardware and is never duplicated. This means that no matter where the phone connects to the network, that particular phone can be located and has the *same* identity.
- Interoperability All the devices that deploy Ethernet inherently have the ability to communicate with one another. The devices may disagree on the *format* of the messages, but with additional software acting as a translator, these devices can communicate.

Flexibility

Ethernet provides for a wide variety of deployment possibilities. The networking standard can operate over twisted pair cabling, coax, and even wireless. Hundreds of network equipment manufacturers provide equipment for routing, switching, transporting, and configuring Ethernet-based systems.



This allows the customer to choose best solutions for their particular business goals – while maintaining compatibility and interoperability.

Cost

With so many vendors offering compatible equipment, Voice over IP using Ethernet provides for significant cost savings. For example, a proprietary, 16-port station line card for a typical phone system costs \$1200. This allows the system to be expanded by 16 endpoints. In contrast, to add an additional 16 endpoints to a Voice over IP system, an Ethernet switch could be installed which retails for \$97.



Mobility

In a traditional phone network, the typical business phone is a proprietary device using proprietary electrical signaling to connect to a central switching system. Even though the device may be located far from this system, its proprietary signaling limits where the device can be hooked up. It must be *directly connected*. This means that in order to move the device to a new location, the physical wiring must be changed.



However, when the device employs Ethernet, the customer has complete flexibility in the location of the endpoint. All jacks can be provisioned identically regardless of which physical device will ultimately be connected.



This is possible because each endpoint maintains its identity using the MAC address burned into the device. The *intelligence* in the system has been moved from a large

central device (PBX) into the endpoints itself. This give a Voice over IP system seamless *mobility* in relocating telephony equipment with a significant savings in administration costs.

Interoperability

Since the proprietary electrical signaling has been eliminated, it is possible to mix multiple vendor devices into the same network. This protects the customer's infrastructure investment and provides flexibility in determining the correct endpoint for a particular solution. Multiple systems can be combined into a single larger system regardless of whether the equipment is from the same vendor.



In the same way mainframes and *dumb* terminals gave way to personal computers and local area networks, the telecommunications industry can now move from cumbersome and costly switches and homogenious equipment to greater independence for end users and economical, as-needed equipment purchasing. All of this makes it possible to build a highly distributed and largely dispersed communication system that provides connectivity opportunities in ways that were not previously envisioned. We believe that this technology has paved the way to provide a new form of always-on, always-accessible, instant voice communications.

All that is required to connect one VoIP endpoint to another – instantly - is the software to control it.

Why the PC is not a Phone

Most proponents of Voice over IP technology always arrive at the conclusion that the PC should be used as a *replacement* for the phone. After all, a personal computer has a processor, network card, and a sound card, so all you need is software and - voila! - you have an IP phone. In the VoIP industry, this type of software is known as a *softphone*.

Softphones have been slow to catch on because of several reasons:

- **Reliability** PCs are not always ready to receive calls, because of system reboots, lock-ups, and crashes. If the softphone software is not running at the time the call comes in, the call is lost.
- Latency Not all users are running the latest Windows OS with the latest processor speeds, making it hard to predict whether the system will be able to support real-time two-way audio. In addition, most PCs are used for other daily activities. In some cases, even running Microsoft Word could deprive the softphone of the necessary resources to provide quality audio streaming.
- Performance most audio needs real-time compression in order to be transmitted across the Internet. This compression can consume as much as 25% of most Pentium III processor cycles.
- Ergonomics A personal computer is somewhat uncomfortable to use as a phone. You will need to use a microphone and speakers at a minimum, making it impossible to have a private conversation. If you use a headset, you have a feeling of being tethered to the workstation.
- Interface Most softphones require dialing to be performed using the mouse or keyboard. This is an awkward situation at best. Even if you use the numeric keypad on the keyboard, the numbers are arranged upside-down of those on a telephone.
- Financial Some implementations require the addition of cards into the PC. Many IT departments balk at the task of opening every PC just to deploy a phone system, making this logistically and financially difficult.

According to a recent IDC report, 94% of all users prefer to talk using an actual phone rather than their PC. Any new communication technology must be able to interoperate with new and existing telephony devices.

However, let's look at another growing communication technology - instant messaging.

Instant Messaging (IM) for the Business Market

While the consumer market is quite comfortable with instant messaging, the business market has viewed the technology with distrust, as problematic to manage and secure. Many corporations see the technology as *decreasing* productivity rather than enhancing it. However, whether individual IT groups sanction the use of the technology or not, instant messaging has invaded the workplace. The use of the technology can be broken down into several areas:

• **Personal** – While most companies have put into place strict phone abuse controls, instant messaging has effectively circumvented everything their IT groups have adopted. While most companies allow a reasonable amount of time for "calls to

home", IM can quickly lead to abuse. If a corporation thinks IM decreases productivity, this is the most common reason provided.

- **Co-Worker** Usually a very legitimate use, leading to greater productivity if deployed properly. A classic example is the use of the technology in customer service centers. The caller can be kept on the line talking with the service agent, while the agent chats with the problem specialist (co-worker) using instant messaging. This enables the customer to be served without a transfer or being put on-hold.
- **Customer** Highly productive, convenient, low-cost way to serve your customer. Usually the biggest hurdle is getting the customer to use it.
- Vendor Also productive. Easier to convince vendors to use the technology, since they have a sales motivation.

Since the invasion of IM technology into the enterprise, many large and small companies have rushed into the market. Almost all are focusing on security, manageability, and control in order to satisfy the business environment.

Vendors	Products
All Instant, Inc.	LiveGate, LiveStudio/Live Manager, Live Tracker, Live Archive 2.0
America Online, Inc.	AOE Instant Messenger (AIM) 4.7 ICQ
Bantu, Inc.	Bantu Instant Messaging & Presence Platform 1.5
Flýpaper Inc	Open Web Services Platform: 3.0
IBM	Lotus Sametime Server 2.5
Ikimbo	Omniprise 1.3
Jabber, Inc.	Jabber Communications Platform 1.1
Microsoft Corp.	Microsoft MSN Messenger
Netscape Communications	Netscape Navigator Chat
Openwave Systems, Inc.	Openwave IM
PeopleLink	OnLine Community Solutions-Msg. Boards, Chat, Instant Messaging
Rockliffe, Inc.	MailSite DataCenter 415

Current Instant Messaging Vendors

20		Sonork Instant Messaging Client 1.6
C 7	Sonork S.R.L.	Sonork Instant Messaging Server 1.6
		e/pop - Real-time Communication Software for
	Wiredred Software	Corporations 3.0
Survey -	(ahoo!, Inc.	Yahoo! Instant Messenger
- S -	'	

The big players are, of course, AOL and Microsoft. IBM has the most aggressive growth because they integrated their instant messaging platform into Lotus Notes.

However, even though these companies say they support VoIP conferencing (usually via Microsoft NetMeeting), they are primarily a text-based messaging system. If they do support voice, the only option is full, real-time communications – the same communication method as a phone, but with a noticeable reduction in voice quality. In Fact, they require the user to use the PC as a replacement for the phone. This approach has had very limited success, and *recently Microsoft has announced they are dropping support for voice in their instant messaging product (MSN Messenger).*



No instant messaging vendor is concentrating on voice. We believe that by combining the best features of instant messaging with Voice over IP technology, we can provide a new form of communication – *instant voice*. This technology allows the user to send and receive voice messages with a *push-to-talk* feel.

Messages are recorded, digitized, encrypted, and transmitted instantly to anywhere in the world. Since the digitization occurs at the time of recording, the voice quality will not suffer degradation as the message moves through the Internet. The voice quality will be superb every time – regardless of the currently congestion on the global network.



The user still has the option of controlling the *realtime-ness* of the communication – allowing instant messages, instant voice mails, paging, or full, two-way connections to be used.

Our Technology

Our product philosophy involves three key elements:

- Simplicity in use Above everything else, the product will be easy for ordinary people to use everyday. The product can be received with very little training. It must be obvious to the casual user how the product can be put to use.
- **Powerful in function** Through the creation of business enhancing features, the product will provide immediate, real-world productivity on a daily basis.
- Business class software The software is designed from the ground up by business people for business.

Our flagship product, the QuickTalk Communication Platformtm, is an enterprise class instant voice communication system designed to meet these goals. This system provides businesses with secure, manageable, and scalable instant voice communications. The product works with practically any existing phone system as an adjunct server providing advanced business-to-business collaborative communications.

Leveraging the latest software technologies, the server software is .NET managed code running on a Windows .NET Server platform with a Microsoft SQL Server database.



QuickTalk Clients with optional phones

The entire software platform is installed on a rack-mountable industrial-grade server.

This server features a front panel LCD which can control everything from assigning the network address, to rebooting the system.

Multiple servers may be deployed for system redundancy and load balancing.



Instant Voice Communications

When using this form of communication, the end user simply designates a recipient, speaks the desired message and the audio is digitized, compressed, encrypted and immediately delivered using voice over IP technology. It is fast, easy and convenient. You can think of this as voice mail in reverse. No more waiting for the beep – just leave your message and go.

To see the benefit of using instant voice communication, look how an old-style voice mail message is delivered today:



After dialing, connecting, transferring, ringing, and listening to the voice mail greeting, the caller has wasted over 1-2 minutes. This is the businessperson's typical waiting time *before* a voice message can begin. In addition to this waiting time, the caller must also spend time providing identification information in the voice mail message itself, further increasing the time of the entire effort.



With instant voice communication, the caller simply presses a **push-to-talk** button on her PC keyboard or her phone and speaks her message. The message is delivered *instantly* via her telephone (which can be set directly on speaker or with a special ring signal).



If the receiving party of the message wishes to reply, they can do so *instantly* by replying hands-free to the incoming message. The reply is delivered immediately to the sender.



All of this occurred without dialing, transferring, connecting, or most importantly – waiting. The productivity gains are enormous. Let's look at a hypothetical ball bearing company.



Many companies spend hundreds of thousands of dollars on voice mail technologies so that they don't miss important messages. QuickTalk provides all the benefits of traditional voice messaging without the wait. The key to this technology is the patent-



pending technology in the QuickTalk client software. This runs on Windows 95/98, 2000, NT, and XP and provides an easy-to-use interface to the product.

To use the technology, the user simply highlights the intended recipient, presses the space bar, and speaks the desired message. When the key is released, the message is instantly delivered to the intended contact.
If the user wishes to give or receive a more private conversation, the user may speak her message into a telephone instead of a PC microphone – handoff is seamless between the client software and the physical telephony device.



User has a choice of using the phone, PC microphone or headset for sending and receiving messages.

The client software provides a high-level view of all contacts using instant voice communications.



The client software can also be deployed on any system that utilitizes the Microsoft .NET framework. This provides the flexibility to deploy the client onto a number of different computing devices: Pocket PCs, Laptops, Tablet PCs, and desktop computers.



When a wireless LAN card is added to the device, the client software can be configured for *cordless* instant voice communications providing mobility to the user.



Another important aspect of the client software is interoperability with the actual telephone infrastructure. When the client software is configured to utilize an actual phone, complete control of the software can be handled through the device itself.



QuickTalk can support Voice over IP telephony hardware such as Cisco, Snom, Polycom, Teliann, and Pingtel, as well as legacy, circuit-based telephone infrastructure. This allows the product to provide instant voice communications on the customer's existing telephone system. QuickTalk supports the following vendors:

- Avaya[™] DEFINITY® ECS and MERLIN MAGIX®
- Nortel Meridian® and Norstar®
- NEC NEAX, Electra Elite and i-Series
- Toshiba Strata DK
- Ericsson MD110
- Alcate! 4200 and 4400
- Iwatsu ADIX APS
- Panasonic DBS 576 and 576HD

IOSHIBA AGIX® AVAYA NETWORKS NEC Empowered by Innovation ERICSSON \$ ERICSSON \$ ERICSSON \$

Here the allowable configuration modes of the client:

Stand-Alone (PC Only)



In this mode, communication is provided through the PC's speakers and microphone. The user can utilize an optional headset for a private conversation.

Stand-Alone with locally controlled VolP phone



The user is free to use the phone and/or PC for instant voice communications. To transfer communication to the phone the user simply picks up the handset of the phone.

Remotely controlled VolP phone



In this mode, the phone is remotely controlled from a virtual client on the *QuickTalk Communication Platform*. This allows the phone to be used independently from a PC.

Non-VoIP phone controlled by QuickTalk Server



In this mode, the phone is remotely controlled by the *QuickTalk Communication Platform*. Control is accomplished by using integration technology to connect to the existing telephone system. This configuration allows existing infrastructure to be used for instant voice communications.

Wireless LAN IP devices



In this mode, the devices are remotely controlled by the *QuickTalk Communication Platform* via a wireless access point. This allows roaming clients to send and receive instant voice communications over a wireless network.

A Different Voice

QuickTalk[™] offers a product unlike any other. No other company offers voice over IP technology in such a clear and convenient form. None works so completely with different machines (phones, PCs, Pocket PCs) and brands with such flexibility and mobility. Instant messaging is intrusive and voice mail as we know it can be cumbersome. QuickTalk[™] with its patent pending *instant voice* technology promises to be the most convenient and cost-effective messaging solution for business people on the move.

19 â

Contrada.

0113

В

REDACTED

From: Brad Corsello Sent: Monday, August 11, 2003 11:45 AM To: Michael J. Rojas Subject: Meeting on Tuesday, August 19

Mike, following up on our phone conversation today, I've booked a flight for Tuesday, August 19 arriving at 11:35 at Akron-Canton. I'll just drive up from the airport and arrive at about 12:00-12:15 (or at a later time if that is more convenient for you).

REDACTED

REDACTED

This email is a confidential and privileged attorney-client communication.

REDAGTED

This email is a confidential and privileged attorney-client communication.

0114

Ż

С

* REDACTED -

REDACTED

----- Original Message ---From: "Brad Corsello" < To: "Neil Adams" <nadams@ayalogic.com> Sent: Thursday, August 28, 2003 12:08 PM Subject: Re: CD with IMvox software

> Neil, '

>

.....

* REDACTED

REDACTED

REDACTED

But I think we will wrap things

> up next week.

Ż

> `

2

> On Wed, 2003-08-27 at 16:26, neil adams wrote:

- > > Brad,
- >>

>> >>,

· REDACTED

> >

>

" REDACTED 💒

0116

>> REDACTED _____>> Do you have examples of prior patent submittals that answer these type
>> of questions?
>> Neil
>> Neil
>>

> ---

> This email is a confidential and privileged attorney-client communication.

>

D

REDACTED

-----Original Message-----From: neil adams [mailto:nadams@ayalogic.com] Sent: Monday, September 08, 2003 3:37 PM To: mrojas@ayalogic.com Subject: Patents - status, Brad

FYI

Neil

----- Original Message -----From: "Brad Corsello" <bcorsello@corsellolaw.com> To: "Neil Adams" <nadams@ayalogic.com> Sent: Monday, September 08, 2003 3:21 PM Subject: Re: CD with IMvox software

> Neil, I am working on it now and will have it to you tonight or tomorrow > morning.

>

> On Mon, 2003-09-08 at 10:04, neil adams wrote:

> > Brad,

>>

> > What's the status on changes to the patent app'n?

>>

> > Neil

>> ----- Original Message -----

>> From: "Brad Corsello" <bcorsello@corsellolaw.com>

>> To: "Neil Adams" <nadams@ayalogic.com>

> > Sent: Thursday, August 28, 2003 12:08 PM

> > Subject: Re: CD with IMvox software

>> >>

2

: |

REDACTED

>>>

REDACTED

>> ·

REDACTED

0119

...

· REDACTED

>>> i >>> REDACTED

REDACTED

>>>

Carlos A

>>> On Wed, 2003-08-27 at 16:26, neil adams wrote: >>>> Brad, >>>>

REDACTED

. . >>>> >> >>>. >> REDACTED >>> .. >>>> >>>> >> REDACTED >>>> >>>> >>>>Neil >>>-->>> >>> >>> . SSS. & REDACTED » >>>! >>> >>>-->>> This email is a confidential and privileged attorney-client communication. >>> > ---> * 2 > ', REDACTED ... 2 > > > ---> This email is a confidential and privileged attorney-client communication. >

Е 0121

÷

REDACTED 🏆

From: neil adams [mailto:nadams@ayalogic.com] Sent: Wednesday, September 17, 2003 11:08 AM To: mrojas@ayalogic.com; misha@ayalogic.com Subject: CD for patents - questions

Mike,

Street and

Here's some additional information I need to add to the CD for Brad.

· · · REDACTED

Questions

, REDACTED

REDACTED

REDACTED .

REDACTED

REDACTED

,

. ..

REDACTED -

Neil

. .

.

e di seconda
01277A

0124

REDACTED

From: neil adams [mailto:nadams@ayalogic.com] Sent: Monday, September 22, 2003 12:29 PM To: bcorsello@corsellolaw.com Cc: mrojas@ayalogic.com Subject: CD folders/files

.

.

Brad,

Ľ

Attached is a compressed copy of the IMvox software and a Readme document that gives a brief overview of the software and hardware requirements.

REDACTED

REDACTED ...

Neil



. .

0126

* REDACTED

REDACTED

From: neil adams [mailto:nadams@ayalogic.com] Sent: Thursday, October 30, 2003 1:03 PM To: mrojas@ayalogic.com; Herbert Breger (E-mail); jbreger@ayalogic.com; bdiehl@ayalogic.com; misha@ayalogic.com Subject: Prov patent forwarded to Paul Esatto at Scully et al.

The Provisional patent document was sent at 12:00 noon today.

REDACTED

Neil

.

.

.

d

· · · · ·

М

0128

REDACTED -

From: neil adams [mailto:nadams@ayalogic.com] Sent: Tuesday, November 04, 2003 1:50 PM To: mrojas@ayalogic.com; Herbert Breger (E-mail) Subject: Scully contact/discussions

I talked with the person at Scully who will be responsible for supporting our patent application. He is Alex Vodovozov. 7 REDACTED

Basically we went through a variety of questions about the patent draft _____

REDACTED

REDACTED

T REDACTED

17.9⁰⁰⁰

Neil

.

- - - ----

From: neil adams [mailto:nadams@ayalogic.com] Sent: Thursday, November 06, 2003 2:28 PM To: mrojas@ayalogic.com Subject: Status - Patent Draft

Mike,

REDACTED

- REDACTED -

REDACTED

I am sending this version to Alex at Scully.

If you came up with a newer version please send it to me at nadams@sssnet.com.

I'll be back on Sunday and can review the changes prior to our 10:30 teleconference with Alex and Paul on Monday.

Neil

J

REDACTED

----Original Message-----From: Alex Vodovozov [mailto:avodovozov@ssmp.com] Sent: Tuesday, December 02, 2003 5:09 PM To: mrojas@ayalogic.com Cc: Nadams@sssnet.com Subject: IVM appl.

Dear Mike and Neil:

Please see a draft of the application.



Thank you for your assistance.

Regards,

Alexander G. Vodovozov, Esq. Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343 (telephone) (516) 742-4366 (facsimile) avodovozov@ssmp.com (email)

THIS ELECTRONIC MESSAGE AND ATTACHMENTS, IF ANY, ARE INTENDED ONLY FOR THE INDIVIDUAL OR ENTITY NAMED ABOVE (OR THOSE PROPERLY ENTITLED TO ACCESS THE INFORMATION) AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL, ATTORNEY-WORK PRODUCT OR OTHERWISE EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS TRANSMISSION IS NOT THE INTENDED OR AN AUTHORIZED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY UNAUTHORIZED DISTRIBUTION, DISSEMINATION, OR COPYING OF THIS TRANSMISSION, IS PROHIBITED.

IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE CONTACT THE SENDER IMMEDIATELY AND DELETE AND DESTROY ALL COPIES OF THIS TRANSMISSION

:

REDACTED

From: neil adams [mailto:nadams@ayalogic.com] Sent: Tuesday, December 09, 2003 4:30 PM To: 'Herbert Breger'; mrojas@ayalogic.com Subject: Latest draft mods sent to Alex for review.

REDACTED

· • · · · ·

,

REDACTED

Neil

Electronic Patent Application Fee Transmittal								
Application Number:	10	10740030						
Filing Date:	18-Dec-2003							
Title of Invention:	System and method for instant VoIP messaging							
First Named Inventor/Applicant Name:	Mi	chael J. Rojas						
Filer:	Pa	aul J. Esatto/Rosea	ann Gallo					
Attorney Docket Number:	17	188						
Filed as Small Entity								
Utility Filing Fees								
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)			
Basic Filing:								
Pages:								
Claims:								
Miscellaneous-Filing:								
Petition:								
Patent-Appeals-and-Interference:								
Post-Allowance-and-Post-Issuance:								
Extension-of-Time:								
Extension - 1 month with \$0 paid		2251	1	60	60			

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
	Tota	al in USI	D (\$)	60

Electronic Acknowledgement Receipt					
EFS ID:	3574061				
Application Number:	10740030				
International Application Number:					
Confirmation Number:	1731				
Title of Invention:	System and method for instant VoIP messaging				
First Named Inventor/Applicant Name:	Michael J. Rojas				
Customer Number:	23389				
Filer:	Paul J. Esatto/Roseann Gallo				
Filer Authorized By:	Paul J. Esatto				
Attorney Docket Number:	17188				
Receipt Date:	07-JUL-2008				
Filing Date:	18-DEC-2003				
Time Stamp:	15:59:25				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	yes				
Payment Type	Deposit Account				
Payment was successfully received in RAM	\$60				
RAM confirmation Number	1347				
Deposit Account	191013				
Authorized User					
The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:					
Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees)					
Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)					

File Listir	File Listing:							
Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)			
			272137		5			
1		AMEND2EOT.pdf	559af11695555820ed564ec18a03c5e9 b91852a6	yes				
	Multipa	rt Description/PDF files in	.zip description					
	Document De	scription	Start	E	nd			
	Amendment - After No	n-Final Rejection	1	1				
	Applicant Arguments/Remarks	Made in an Amendment	2	3				
	Extension o	f Time	4		5			
Warnings:								
Information	:							
2	Bule 130, 131 or 132 Affidavits	1131EXHIBIT pdf	2419512	no	47			
-			343cb6c54645324fe787bcf9ad0412dc2 dcd7dec					
Warnings:								
Information	:	I						
3	Fee Worksheet (PTO-06)	fee-info.pdf	8143	no	2			
			1290891803c33abbdad5ae675d70fc0d 01936076					
Warnings:								
Information			1					
		Total Files Size (in bytes)	: 26	99792				
This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503. New Applications Under 35 U.S.C. 111 If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application. National Stage of an International Application under 35 U.S.C. 371								
of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course. <u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary								
components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.								

PTO/SB/06 (07-06)

Approved for use through 1/31/2007. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

_	Under the Pa	perwork Reduction	1 Act of 19	95, no persons are	required to respor	nd to	a collection of	of information unle	ess it dis	splays a valid	OMB control number.
PATENT APPLICATION FEE DETERMINATION RECORD Substitute for Form PTO-875				4	Application or 10/74	Docket Number	Fil 12/	ing Date 18/2003	To be Mailed		
	APPLICATION AS FILED – PART I OTHER THAN							HER THAN			
		-	(Column 1	I) ((Column 2)		SMALL	ENTITY 🛛	OR	SMA	ALL ENTITY
	FOR	N	UMBER FIL	ED NUM	VBER EXTRA		RATE (\$)	FEE (\$)		RATE (\$)	FEE (\$)
	BASIC FEE (37 CFR 1.16(a), (b),	or (c))	N/A		N/A		N/A			N/A	
	SEARCH FEE (37 CFR 1.16(k), (i), (or (m))	N/A		N/A		N/A			N/A	
	EXAMINATION FE (37 CFR 1.16(o), (p),	E or (q))	N/A		N/A		N/A			N/A	
TO (37	TAL CLAIMS CFR 1.16(i))		mir	ius 20 = *			X \$ =		OR	X \$ =	
IND (37	EPENDENT CLAIM CFR 1.16(h))	IS	m	inus 3 = *			X \$ =			X\$ =	
	APPLICATION SIZE (37 CFR 1.16(s))	FEE Is \$2 addit 35 U	specifica ts of pape 50 (\$125 ional 50 s .S.C. 41(ation and drawing er, the application for small entity) sheets or fraction a)(1)(G) and 37 (gs exceed 100 n size fee due for each n thereof. See CFR 1.16(s).						
┡╝	MULTIPLE DEPEN	IDENT CLAIM PR	ESENT (3	7 CFR 1.16(j))							
* If i	the difference in colu	umn 1 is less than	zero, ente	r "0" in column 2.			TOTAL		J	TOTAL	
	APPI	(Column 1)	AMEND)ED – PART II (Column 2)	(Column 3)	-	SMAL	L ENTITY	OR	OTHE SM4	ER THAN ALL ENTITY
ΤNΤ	07/07/2008	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE (\$)	Additional Fee (\$)		RATE (\$)	ADDITIONAL FEE (\$)
ЩЩ I	Total (37 CFR 1.16(i))	* 70	Minus	** 76	= 0		X \$25 =	0	OR	X \$ =	
Ľ.	Independent (37 CFR 1.16(h))	* 14	Minus	***14	= 0	1	X \$105 =	0	OR	X \$ =	
Ř	Application Si	ize Fee (37 CFR 1	.16(s))								
⊲		NTATION OF MULTIF	PLE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				OR		
Γ							total Add'l Fee	0	OR	TOTAL ADD'L FEE	
		(Column 1)		(Column 2)	(Column 3)						
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE (\$)	ADDITIONAL FEE (\$)		RATE (\$)	ADDITIONAL FEE (\$)
Z I	Total (37 CFR 1.16(i))	*	Minus	**	=		X \$ =		OR	X \$ =	
No.	Independent (37 CFR 1.16(h))	*	Minus	***	=		X\$ =		OR	X\$ =	
ГЦ I	Application Si	ize Fee (37 CFR 1	.16(s))			1					
AM	FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))							OR			
							TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
* lf ** lf *** The	the entry in column the "Highest Numbe f the "Highest Number "Highest Number F	1 is less than the e er Previously Paid per Previously Paid Previously Paid Fo	entry in col For" IN T⊦ d For" IN T r" (Total or	umn 2, write "0" in IIS SPACE is less HIS SPACE is less Independent) is th	column 3. than 20, enter "20" s than 3, enter "3". e highest number :	". foun	Legal Ir /NICHE	nstrument Ex LE PETERSC	amin)N/ mn 1.	er:	

The highest Number Freeworks and For (Fold of Independent) is highest number round in the appropriate board counter. This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS

ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/740,030	12/18/2003	Michael J. Rojas	17188	1731
23389 Scully Sco	7590 03/06/2008 TT MURPHY & PRESSE	R PC	EXAM	INER
400 GARDEN	CITY PLAZA		SMITH, CRE	IGHTON H
SUITE 300 GARDEN CIT	Y. NY 11530		ART UNIT	PAPER NUMBER
	,		2614	
		· ·	MAU DATE	DELIVERY MODE
			02/06/2008	DELIVERT MODE

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · · · · · · · · · · · · · · · · · ·	Application No.	Applicant(s)			
	10/740,030	ROJAS, MICHAEL J.			
Office Action Summary	Examiner	Art Unit			
	Creighton H. Smith	2614			
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wi	th the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	Y IS SET TO EXPIRE 3 M ATE OF THIS COMMUNIC 136(a). In no event, however, may a r will apply and will expire SIX (6) MON e, cause the application to become AB g date of this communication, even if	ONTH(S) OR THIRTY (30) DAYS, CATION. eply be timely filed THS from the mailing date of this communication. MNDONED (35 U.S.C. § 133). timely filed, may reduce any			
Status					
1) Responsive to communication(s) filed on					
2a) This action is FINAL . 2b)⊠ This	s action is non-final.				
3) Since this application is in condition for allowa	ince except for formal matt	ers, prosecution as to the merits is			
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D	. 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) 1-5 7-20 22-35 37-45 47-57 59-69 a	nd 71-76 is/are pending in t	the application			
4a) Of the above claim(s) ,6, 21, 36, 46, 58, 70) is/are withdrawn from cor	nsideration.			
5) Claim(s) is/are allowed.	-				
6) Claim(s) <u>1-5, 7-20, 22-35, 37-45, 47-57, 59-6</u>	9, 71-76 is/are rejected.				
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/o	or election requirement.				
Application Papers					
9) The specification is objected to by the Examin	er.				
10) The drawing(s) filed on is/are: a)	cepted or b) objected to	by the Examiner.			
Applicant may not request that any objection to the	drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correct	tion is required if the drawing	(s) is objected to. See 37 CFR 1.121(d).			
11) The oath or declaration is objected to by the E	xaminer. Note the attached	d Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. 8	(119(a)-(d) or (f)			
a) All b) Some * c) None of					
1 Certified copies of the priority documen	ts have been received				
2. Certified copies of the priority documen	ts have been received in A	oplication No.			
3. Copies of the certified copies of the pric	prity documents have been	received in this National Stage			
application from the International Burea	u (PCT Rule 17.2(a)).	Ũ			
* See the attached detailed Office action for a list of the certified copies not received.					
· · ·					
Attachment(s)					
1) X Notice of References Cited (PTO-892)	4) 🔲 Interview S	Summary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s	s)/Mail Date.			
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) 🛄 Notice of Ir 6) 🔲 Other:				
L U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06) Office A	ction Summary	Part of Paper No./Mail Date 20080303			

.

Application/Control Number: 10/740,030 Art Unit: 2614

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65, 66 rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/0174403.

McZeal discloses in col. 4, lines 18 et seq. that until his invention there was no device which would take full advantage of the Internet and instant messaging for voice quality purposes, and which uses computer data networks for voice.

In col. 28, lines 5 et seq., McZeal discloses that his invention provides customers with instant voice messaging which uses Voice over Internet Protocol (VoIP). In col. 16, lines 39 et seq., McZeal discloses that his invention can use both the Internet and the PSTN. Barry discloses in [0031] that instant messages/IM are stored in server 150. To have provided Barry's teaching of an IM server, that will store the IM until a user is ready to retrieve them, in McZeal's communication system would have been obvious to a person having ordinary skill in the art, because the skilled practitioner in this communications art would realize the need to store messages if the called party lacked the present ability to receive the IM .

For claims 2 & 3, McZeal discloses in cols. 1 & 16, lines 42-43 & 25-30 that his invention can be used in local or wide area networks, i.e., LAN/WAN.

Regarding claim 11, see McZeal @ col. 16, lines 42 & 59-60.

Application/Control Number: 10/740,030 Art Unit: 2614

Pertaining to claim 30, with McZeal's disclosure that his device can be used in either a WAN (internet) or LAN (local area network). If the voice message is to be routed out beyond a LAN, then an external serving system will be employed until the message reaches the recipient inside of the LAN, whereupon the LAN and its associated server will route the message to the intended recipient.

Claims 4, 19, 20, 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/0174403 and Williams et al.

Williams et al disclose in ¶-0055 that a messaging server (105) will save a voice message and send a list of recipients to the user from an address book. To have provided Williams teaching of a server providing a user a calling list of recipients in McZeal's Instant Voice Messaging server system would have been obvious to a person having ordinary skill in the art, because the skilled practitioner in the communications and server arts will readily realize that there are an unlimited amount of commands and information that a server can hold which can be communicated to anyone throughout the world that has the proper equipment.

Claims 7, 22, 47, are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/0174403 and to Sagi et al.

Sagi et al disclose in claim 24 where a server will receive an audio file from a subscriber, and then in claim 29 Sagi et al disclose that the transmission is sent to a second subscriber. To have similarly used Sagi et al disclosure of transmitting an audio file to a server in McZeal's device would have been obvious to a person having ordinary skill in the art, because the skilled practitioner in the communications art will realize that

Page 3
Application/Control Number: 10/740,030 Art Unit: 2614

the sending party can either directly record a voice message or send an audio file. Either way, a called party will receive the voice message.

Claims 8, 23, 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/0174403 and Goodman et al.

Goodman et al disclose in ¶-0033 that an audio message can be transformed from any of encrypted, decrypted, compressed, or decompressed format. To have similarly provided Goodman's teaching of encrypting, decrypting, compressing, and decompressing audio into McZeal's device would have been obvious to a person having ordinary sill in the art, because by compressing the audio will take up less memory in the server.

Claims 9, 24, 49, are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/01774403 and Gierachf.

Gierachf discloses in ¶-0044 in Step 266 that the audio data, or voice message, is sent to an audio buffer 19B'. To have similarly used Gierachf method of buffering the audio data in McZeal's device would have been obvious to a person having ordinary skill in the art.

Claims 10, 25, 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. #2007/0174403 and Hollowell et al.

Hollowell et al teach in ¶-0031 attaching an email message to an audio message. To have provided this teaching in McZeal would have been obvious to a person having ordinary skill in the art because the skilled practitioner in this communications art will realize the efficiency of alerting a multitude of persons located throughout the world that

Page 4

Application/Control Number: 10/740,030 Art Unit: 2614

Ē

an email from the sender is being sent to the recipients, such as the minutes of an important meeting.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69, 75 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry, U.S. Pat. App. Pub. 32007/0174403 and Monroe.

Monroe discloses in col. 20, lines 28 et seq. and in Fig. 9 a local server (460) connected to a LAN, which provides a gateway to a wide area network like the Internet. In col. 32, lines 11 et seq. Monroe discloses that pre-recorded voice messages can be delivered to a modem and then delivered throughout the Network. To have used Monroe's teaching of connecting a local server to an Internet server into McZeal's device would have been obvious to a person having ordinary skill in the art because a local server will only reach a few, select individuals in close proximity to each other, whereas the Internet will have global reach, thus insuring connectivity to clients worldwide.

Claims 42 and 76 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry and Monroe as applied to claim 30 above, and further in view of Boukobza, U.S. Pat. App. Pub. #2006/0167883.

Boukobza's method as disclosed in [0020] and claim 14 is for load balancing databases within a network having a plurality of servers. To have provided Boukobza's method of load balancing servers in Monroe as applied to McZeal would have been obvious to a person having ordinary skill in the art, because the skilled practitioner would realize that as one server becomes filled with IM, or as one server is being

Page 5

Application/Control Number: 10/740,030 Art Unit: 2614

inundated with high traffic volume, it would be necessary to route some of those IM to another server for storing.

Claims 34, 56, 68 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry and Monroe as applied to claim 30 above, and further in view of Williams et al.

Claims 37, 59, 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry and Monroe as applied to claim 30 above, and further in view of Sagi et al.

Claims 38, 60, 72 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Barry and Monroe as applied to claim 30 above, and further in view of Goodman et al.

Claims 39, 61, 73 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal, Jr. in view of Barry and Monroe as applied to claim 30 above, and further in view of Gierachf.

Claims 40, 62, 74 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal, jr. in view of Barry and Monroe as applied to claim 30 above, and further in view of Hollowell et al.

Any inquiry concerning this communication should be directed to Creighton H. Smith at telephone number 571/272-7546.

ug lon Amith

02 MAR '08

Creighton H Smith Primary Examiner Art Unit 2614

	Application/Control No.	Applicant(s)/Patent Under					
Notice of References Cited	10/740,030	Reexamination ROJAS, MICHAEL J.					
	Examiner	Art Unit					
	Creighton H. Smith	2614	Page 1 of 1				

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY·	Name	Classification
*	A	US-2007/0174403	07-2007	Barry, Mona Elisabeth	709/207
*	в	US-2006/0167883	07-2006	Boukobza, Eric	707/010
	с	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	н	US-			
	I	US-			
	J	US-			
	к	US-			
	L	US-			· · · · · · · · · · · · · · · · · · ·
	м	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0				· · ·	
	Р					
	Q					
	R					
	s					
	т					· · · · ·

	NON-PATENT DOCUMENTS									
*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)								
	U									
	V									
	w									
	x									

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

.

I	In	dex of (Clain	ns						Ap	plic	ati	or	n/Co	ntrol	No.			Ap Re	plic exa	ant	t(s) nati	/Pat ion	ent u	under	<u> </u>
										10	/74	0,0	30	D					RC)JA	S,	MI	CHA	EL	J	
										Ex	ami	nei	r						Ar	Un	it					
										Cr	eigł	nto	n	<u>H. S</u>	mith				26	14						
		Rejected		_	(TI	hrou Ca	gh n Ince	un	nera 1	ral) Non-Elected			A	Appeal												
=	=	Allowed		÷		Re	stric	te	d			I		Inte	rfere	nce		0	(Obj	ecte	ed				
Claim		Date	Э		ן ר	Cla	im				Da	te				CI	aim	Γ			Dat	e				
Final	5					Final	Driginal	3 A)							Finat	Original									
	\downarrow			. 	-		51	1	\vdash	-+	+-	╉╌	╀		i		101			+	+			+		
2	Ħ			\square			52	Ľ				1	t				102	\square		1-	1					
	\mathbb{H}				-		53 54	\mid		+	+	╀	+	_	$\left - \right $		103	\vdash	+		+			+		
	ł						55	H	H				╈				105									
							56			\square			Γ		\square		106									
	A			┝──┼╸			57	-		_	_	+	+	+	\square		107				+	-				
9	H						59	v				1	\dagger				109									
10	Π				$\exists \mid$		60	1					T				110							_		
	₽		- -	\vdash			61	$\left \right $		-+	_	+	╀	+	\square		111		_					-		
13	╟	<u> </u>					63				+	+	\dagger			+ ·	113				+					
14							64	\Box									114									
15	╢		- -	$\left \right $	_		65			_					\vdash		115			_	-	<u> </u>				
10	╢			\vdash	\neg		67			+			+				117	-	+	+	+					
18	1				_		68						-		\square		118								1	
19	ļ				_		69	1	[+	+	_			119			+	-	1		_		
-21-	f			┝╌┼			71	F-					╈		$\left \cdot \right $		120			+		┢				
22 1	Ż						72	٦									122									
23	_						73			_			+	_	\square	<u> </u>	123									
24	+		┠┠	$\left - \right $			75	\square	\square	-+	+	+	╀	_	$\left - \right $		124									
26	H				-1 1		76	~	1		+	+	╈	-			126					\mathbf{t}		1		
27	Į						77	<u> </u>					1		\square		127									
28	$\ $			╞┼┤	-		78	⊢	\square	\neg	-	+	+	+	┠		128	\vdash	-+	+	+	┞	$\left \right $	+		
30	\parallel			┢┼	-		80		┝┤	+		+	╉		H	 	130	\square		+	+	\vdash	$\left \right $	+		
31	t						81						1		\square		131								1	
32	₽			\square	_		82	<u> </u>	\square	-			+		\square	<u> </u>	132								l	
33	╢		$\left \cdot \right $	┞┼	-		84		$\left - \right $			+-	╋	+	H	-	133	\square		+-	+-	\vdash	┝┼╴			
35 4	打						85						1		\square		135								1	
-36	Т						86		\Box			1	T		\square		136									
	A		$\left \right $	┞╌╿	-	<u> </u>	87	-	\vdash	+	_	+	+		┣┨		137	$\left \right $		+	+	\vdash	$\left \right $	+		
39	╉			\vdash	-	<u> </u>	89	\vdash		-+	-+-	+	╋	+	H		139	$\left \right $		+	+	\vdash	\vdash			
40	Ħ						90					T	1				140]	
41	₽	-+-+-	$\left \right $	ļļ	_		91	ļ	\square	-		+		+	H		141	\square		+	+			+		
42	╢		├├	┢─┼		<u> </u>	92	┝	\vdash			+	╀		+		142	\vdash	-+	+			┢╼┼	+		
44	t						94					1	\uparrow		⊟		144			1	1					
45	4						95		\square	ŀ		T	T	1	\square		145			1	Γ					
	J		$\left \right $	┢╌╢	_		96 07	\vdash				+	╀		├		146	$\left - \right $		+	+	\vdash	\vdash	+		
48	Ħ	┼┼┼╴		┝┼	-		98	-		\dashv		+	+		H		148	┢		+		+	\vdash			
49	ţ						99						1		\square		149						\square		1	
50 1	И			L			100								Ш	\square	150					1			J	

U.S. Patent and Trademark Office

Part of Paper No. 20080303

Search Notes				Application/Control No.	Applic Reexa	Applicant(s)/Patent under Reexamination					
				10/740,030	ROJA	S, MICHAE	L J.				
				Examiner	Art Ur	nit					
				Creighton H. Smith	2614						
	SEARC	HED		SE (INCLUDINC	ARCH NOT	TES STRATEGY)				
Class	Subclass	Date	Examiner			DATE	EXM				
					•						
				EAST search -see printou	Jt	3/3/2008	СНЗ				
							:				
			· ·								
		<u> </u>									
					•						
		,					ļ				
INT	TERFERENC	E SEARC	HED								
Class	Subclass	Date	Examiner								
	-										
<u> </u>											

U.S. Patent and Trademark Office

Part of Paper No. 20080303

, 注:注:1-31-38-39

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1127	((plural\$3 or multipl\$5) with servers with load near3 balanc\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 09:46
L2	1032	((plural\$3 or multipl\$5) with servers with (load adj balanc\$3)) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 09:46
Ľ	0	((plural\$3 or multipl\$5) with servers with (load adj balanc\$3)) same (global with IM) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 09:51
L4	935	((plural\$3 or multipl\$5) near5 servers with (load adj balanc\$3)) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 09:57

·

• ~ ~ ~ ~

UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):	Michael J. Rojas	Examiner:	Creighton Smith
Serial No:	10/740,030	Art Unit:	2614
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated: Febru	ary 19, 2008

Confirmation No. 1731

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE UNDER 37 C.F.R. § 1.111

Sir:

Applicant submits this Amendment and Response in reply to the Official

Action dated September 18, 2007. Applicant respectfully requests reconsideration of the

application in view of the following amendments and remarks.

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being deposited with the United States Patent & Trademark Office via Electronic Filing through the United States Patent and Trademark Office e-business website, on February 19, 2008.

Dated: February 19, 2008

Seth Weinfeld

IN THE CLAIMS

This version of the claims replaces and supercedes all prior versions of the claims.

1. (Currently Amended) An instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising:

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the network; and

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

2. (Original) The instant voice messaging system according to Claim 1, wherein the packet-switched network is a local network.

3. (Original) The instant voice messaging system according to Claim 1, wherein the packet-switched network is the Internet.

4. (Original) The instant voice messaging system according to Claim 1, wherein the client requests a list of recipients associated with the client from the server

2

and the server transmits the list of recipients to the client for selection of the one or more recipients.

5. (Original) The instant voice messaging system according to Claim 1, wherein the server delivers the instant voice message to the selected recipients that are available.

6. Cancelled

7. (Original) The instant voice messaging system according to Claim 1, wherein the client records the instant voice message in an audio file, transmits the audio file to the server, and the server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

8. (Original) The instant voice messaging system according to Claim 7, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients being enabled to decrypt and decompress the audio file before audibly playing the audio file.

9. (Original) The instant voice messaging system according to Claim 1, wherein the client buffers each of a plurality of successive portions of the instant voice message as the instant message is recorded, and the client transmits each successive

buffered portion to the server for delivery to the to the selected recipients, the selected recipients being enabled to audibly playing each successive portion as it is delivered.

10. (Original) The instant voice messaging system according to Claim 1, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

11. (Original) The instant voice messaging system according to Claim 1, the system further comprising a public switched telephone network (PSTN) telephone connected to the network to provide input audio of the instant voice message to the client.

12. (Original) The instant voice messaging system according to Claim 1, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the network to provide input audio of the instant voice message to the client.

13. (Currently Amended) An instant voice messaging system for delivering instant messages over a packet-switched network enabling public switched telephone network (PSTN) support, the system comprising:

a PSTN telephone connected to the network for providing input audio;

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the PSTN telephone, and transmitting the selected recipients and the instant voice message therefor over the network;

4

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

14. (Currently Amended) An instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising:

a voice-over-internet-protocol (VoIP) telephone connected to the network for providing input audio;

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the network;

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

15. (Currently Amended) An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

a client connected to a local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network; and

a server connected to the external network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

16. (Original) The instant voice messaging system according to Claim 15, the client further selects one or more local recipients connected to the local network and transmits the selected local recipients and the instant voice message therefor over the local network, wherein the system further comprises:

a local server connected to the local network, the local server receiving the selected local recipients and the instant message therefor from the client, and delivering the instant voice message to the selected local recipients over the local network, the selected local recipients being enabled to audibly play the instant voice message.

H:\work\1732\17188\Amend\17188.am1.doc

17. (Original) The instant voice messaging system according to Claim 15, wherein the local network is a network within an enterprise.

18. (Original) The instant voice messaging system according to Claim 15, wherein the external network is the Internet.

19. (Original) The instant voice messaging system according to Claim 15, wherein the client requests a list of recipients associated with the client from the server and the server transmits the list of recipients to the client for selection of the one or more recipients.

20. (Original) The instant voice messaging system according to Claim 15, wherein the server delivers the instant voice message to the selected recipients that are available.

21. Cancelled

22. (Original) The instant voice messaging system according to Claim 15, wherein the client records the instant voice message in an audio file, transmits the audio file to the server, and the server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

23. (Original) The instant voice messaging system according to Claim 22, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients are enabled to decrypt and decompress the audio file before audibly playing the audio file.

24. (Original) The instant voice messaging system according to Claim 15, wherein the client buffers each of a plurality of successive portions of the instant voice message as the instant message is recorded, and the client transmits each successive portion to the server for delivery to the selected recipients, the selected recipients being enabled to audibly playing each successive portion as it is delivered.

25. (Original) The instant voice messaging system according to Claim 15, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

26. (Original) The instant voice messaging system according to Claim 15, the system further comprising a public switched telephone network (PSTN) telephone connected to the local network to provide input audio of the instant voice message to the client.

27. (Original) The instant voice messaging system according to Claim 15, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the local network to provide input audio of the instant voice message to the client.

H:\work\1732\17188\Amend\17188.am1.doc

8

28. (Currently Amended) An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks enabling public switched telephone network (PSTN) support, the system comprising:

a PSTN telephone connected to a local network for providing input audio; a client connected to the local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the PSTN telephone, and transmitting the selected recipients and the instant voice message therefor over the

local network and the external network;

a server connected to the external network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

29. (Currently Amended) An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

a voice-over-internet-protocol (VoIP) telephone connected to a local network for providing input audio;

9

a client connected to the local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

an server connected to the external network, the external server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message, and the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

30. (Currently Amended) An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

a client connected to an external network, the client selecting one or more recipients connected to a local network, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the external network; and

a external server system connected to the external network, the external server system receiving the selected recipients and the instant voice message, and routing

H:\work\1732\17188\Amend\17188.am1.doc

the selected recipients and the instant voice message over the external network and the local network;

a local server connected to the local network, the local server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the local network, the selected recipients being enabled to audibly play the instant voice message, and the local server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

31. (Original) The instant voice messaging system according to Claim 30, the client further selects one or more external recipients connected to the external and transmits the selected external recipients over the external network to the external server, and the external server receives the selected external recipients and delivers the instant voice message to the selected external recipients over the external network, the selected external recipients being enabled to audibly play the instant voice message.

32. (Original) The instant voice messaging system according to Claim 30, wherein the local network is a network within an enterprise.

33. (Original) The instant voice messaging system according to Claim 30, wherein the external network is the Internet.

34. (Original) The instant voice messaging system according to Claim 30, wherein the client requests a list of recipients associated with the client from the external server system and the external server system transmits the list of recipients to the client for selection of the one or more recipients.

35. (Original) The instant voice messaging system according to Claim 30, wherein the local server delivers the instant voice message to the selected recipients that are available.

36. Cancelled

37. (Original) The instant voice messaging system according to Claim 30, wherein the client records the instant voice message in an audio file, transmits the audio file to the external server, the external server system routes the audio file to the local server, and the local server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

38. (Original) The instant voice messaging system according to Claim 37, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients are enabled to decrypt and decompress the audio file before audibly playing the audio file.

12

39. (Original) The instant voice messaging system according to Claim 30, wherein the client buffers each of a plurality of successive portions of the instant voice message as the instant message is recorded, and the client transmits each successive buffered portion to the external server system, the external server system routes each successive portion to the local server, and the local server delivers each successive portion to the selected recipients, the selected recipients being enabled to audibly play each successive portion as it is delivered.

40. (Original) The instant voice messaging system according to Claim 30, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

41. (Original) The instant voice messaging system according to Claim 30, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the client via a local network, the client providing input audio of the instant voice message to the client via the local network.

42. (Original) The instant voice messaging system according to Claim 30, wherein the external server system comprises:

a transport server mesh including a plurality of transport servers for routing instant voice messages;

a directory server for maintaining the transport server mesh and facilitating load-balancing of the instant voice messages within the transport server mesh.

H:\work\1732\17188\Amend\17188.am1.doc

43. (Currently Amended) A method for instant voice messaging over a packet-switched network, the method comprising:

selecting one or more recipients for instant voice messaging at a client; generating an instant voice message for the selected recipients at the

client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected recipients over the network;

temporarily storing at the server the instant voice message if a selected recipient is unavailable;

delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available; and

audibly playing the instant voice message at the selected recipients.

44. (Original) The method for instant voice messaging according to Claim

43, wherein the method further comprises:

requesting from the client a list of recipients associated with the client from the server; and

transmitting from the server the list of recipients to the client for selection of the one or more recipients.

H:\

H;\work\1732\17188\Amend\17188.am1.doc

.

45. (Original) The method for instant voice messaging according to Claim43, wherein the method further comprises:

delivering the instant voice message from the server to the selected recipients that are available.

46. Cancelled.

47. (Original) The method for instant voice messaging according to Claim43, wherein the method further comprises:

recording the instant voice message at the client in an audio file; transmitting the audio file to the server;

delivering the audio file from the server to the selected recipients; and audibly playing the audio file at the least one of the selected recipients.

48. (Original) The method for instant voice messaging according to Claim 47, wherein the method further comprises:

> signal processing, compressing and encrypting the audio file at the client; decrypting and decompressing the audio file at the at least one selected

recipient; and

audibly playing the decrypted and decompressed audio file at the least one of the selected recipients.

49. (Original) The method for instant voice messaging according to Claim43, further comprising:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive buffered portion to the server; delivering each successive portion from the server to the selected recipients, the selected recipients audibly playing each successive portion as it is delivered.

50. (Original) The method for instant voice messaging according to Claim43, wherein the method further comprises:

attaching one or more files to the instant voice message at the client; storing or displaying the one or more attached files at the selected recipients.

51. (Original) The method for instant voice messaging according to Claim43, wherein the method further comprises:

providing input audio of the instant voice message to the client from a public switched telephone network (PSTN) telephone connected to the network.

52. (Original) The method for instant voice messaging according to Claim 43, wherein the method further comprises:

H:\work\1732\17188\Amend\17188.am1.doc

providing input audio of the instant voice message to the client from a voice-over-internet-protocol (VoIP) telephone connected to the network.

53. (Currently Amended) A method for instant voice messaging over a packet-switched network enabling public switched telephone network (PSTN) support, the method comprising:

providing input audio via a PSTN telephone connected over the network; selecting one or more recipients for instant voice messaging at a client; generating an instant voice message using the input audio from the PSTN telephone for the selected recipients at the client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected recipients over the network;

temporarily storing at the server the instant voice message if a selected recipient is unavailable;

delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available; and

audibly playing the instant voice message at selected recipients.

54. (Currently Amended) A method for instant voice messaging over a packet-switched network, the method comprising:

providing input audio via a voice-over-internet-protocol (VoIP) telephone connected over the network;

selecting one or more recipients for instant voice messaging at a client;

generating an instant voice message using the input audio from the VoIP telephone for the selected recipients at the client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected recipients over the network;

temporarily storing at the server the instant voice message if a selected recipient is unavailable;

delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available; and

audibly playing the instant voice message at the selected recipients.

55. (Currently Amended) A method for instant voice messaging over a plurality of packet-switched networks, the method comprising:

selecting one or more external recipients for instant voice messaging at a client connected to a local network, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the selected external recipients at the client;

transmitting the selected external recipients and the instant voice message therefor over the local network and the external network;

receiving the selected external recipients and the instant voice message therefor at an external server connected to the external network;

delivering the instant voice message to the selected external recipients over the external network;

temporarily storing the instant voice message at the external server if a selected recipient is unavailable;

delivering the stored instant voice message to the selected recipient once the selected recipient becomes available; and

audibly playing the instant voice message at the selected external recipients.

56. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises:

requesting from the external server a list of external recipients associated with the client; and

transmitting the list of external recipients from the external server to the client for selection of the one or more external recipients.

57. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises:

delivering the instant voice message from the external server to the selected recipients that are available.

58. Cancelled.

59. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises:

recording the instant voice message in an audio file at the client;

transmitting the audio file to the external server;

delivering the audio file to the selected recipients from the external server;

and

audibly playing the audio file at the selected recipients.

60. (Original) The method for instant voice messaging according to Claim 59, wherein the method further comprises:

signal processing, compressing and encrypting the audio file at the client;

and

decrypting and decompressing the audio file at the selected recipients; and

H:\work\1732\17188\Amend\17188.am1.doc

audibly playing the decrypted and decompressed audio file at the selected recipients.

61. (Original) The method for instant voice messaging according to Claim55, wherein the method further comprises:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive portion to the external server; delivering each successive portion from the external server to the selected external recipients,

audibly playing each successive portion at the selected external recipients as it is delivered.

62. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises:

attaching one or more files to the instant voice message;

storing or displaying the one or more attached files at the selected external recipients.

63. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises providing input audio of the instant voice message to the client from a public switched telephone network (PSTN) telephone over the local network.

H:\work\1732\17188\Amend\17188.am1.doc

64. (Original) The method for instant voice messaging according to Claim 55, wherein the method further comprises providing input audio of the instant voice message to the client from a voice-over-internet-protocol (VoIP) telephone over the local network.

65. (Currently Amended) A method for instant voice messaging system over a plurality of packet-switched networks enabling public switched telephone network (PSTN) support, the method comprising:

providing input audio via a PSTN telephone connected to a local network; selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the one or more external recipients using the input audio provided by the PSTN telephone;

transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

receiving the selected recipients and the instant voice message therefor at a server connected to the external network;

delivering the instant voice message to the selected recipients from the server over the external network;

temporarily storing at the server the instant voice message if a selected recipient is unavailable;

22

delivering from the server the stored instant voice message to the selected

recipient once the selected recipient becomes available; and

audibly playing the instant voice message at the selected recipients.

66. (Currently Amended) A method for instant voice messaging system over a plurality of packet-switched networks, the method comprising:

providing input audio via a voice-over-internet-protocol (VoIP) telephone connected to a local network;

selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the one or more external recipients using the input audio provided by the VoIP telephone;

transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

receiving the selected recipients and the instant voice message therefor at a server connected to the external network;

delivering the instant voice message to the selected recipients from the server over the external network;

temporarily storing at the server the instant voice message if a selected recipient is unavailable;

delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available; and

H:\work\1732\17188\Amend\17188.am1.doc

23

audibly playing the instant voice message at the selected recipients.

67. (Currently Amended) A method for instant voice messaging over a plurality of a plurality of packet-switched networks, the method comprising:

selecting one or more recipients connected to a local network at a client connected to an external network;

client;

generating an instant voice message for the selected recipients at the

transmitting the selected recipients and the instant voice message therefor over the external network from the client to an external server system;

receiving the selected recipients and the instant voice message at the external server system;

routing the selected recipients and the instant voice message over the external network and the local network;

receiving the selected recipients and the instant voice message therefor at a local server connected to the local network;

delivering the instant voice message to the selected recipients over the local network;

temporarily storing the instant voice message at the local server if a selected recipient is unavailable;

delivering the stored instant voice message to the selected recipient once the selected recipient becomes available; and

H:\work\1732\17188\Amend\17188.am1.doc

audibly playing the instant voice message at the selected recipients.

68. (Original) The method for instant voice messaging according to Claim 67, wherein the method further comprises:

requesting a list of recipients associated with the client from the external server system; and

transmitting the list of recipients from the external server system to the client for selection of the one or more recipients.

69. (Original) The method for instant voice messaging according to Claim 67, wherein the method further comprises:

delivering the instant voice message from the local server to the selected recipients that are available.

70. Cancelled

71. (Original) The method for instant voice messaging according to Claim67, wherein the method further comprises:

recording the instant voice message in an audio file at the client; transmitting the audio file from the client to the external server system; routing the audio file from the external server system to the local server;

and

delivering the audio file from the local server to the selected recipients;

audibly playing the audio file at the selected recipients.

and

72. (Original) The method for instant voice messaging according to Claim71, wherein the method further comprises:

signal processing, compressing and encrypting the audio file at the client; decrypting and decompressing the audio file at the selected recipients; audibly playing the decrypted and decompressed audio file at the selected recipients.

73. (Original) The method for instant voice messaging according to Claim67, wherein the method further comprises:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive portion to the external server system;

routing each successive portion from the external server system to the local server;

delivering each successive portion from local server to the selected external recipients; and

audibly playing each successive portion at the selected recipients as it is delivered.

26

74. (Original) The method for instant voice messaging according to Claim67, wherein the method further comprises:

attaching one or more files to the instant voice message at the client; storing or displaying the one or more attached files at the selected recipients.

75. (Original) The method for instant voice messaging according to Claim67, wherein the method further comprises:

providing input audio of the instant voice message from a voice-overinternet-protocol (VoIP) telephone to the client via a local network connecting the VoIP telephone to the client.

76. (Original) The method for instant voice messaging according to Claim67, wherein the method further comprises:

maintaining a transport server mesh including a plurality of transport servers for routing instant voice messages; and

load-balancing the instant voice messages within the transport server mesh.

REMARKS

Applicant has filed the present Amendment and Response in reply to the outstanding Official Action of September 18, 2007, and the Applicant believes the Amendment and Response to be fully responsive to the Official Action for at least the reasons set forth herein.

Applicant would like to thank the Examiner for indicating that claims 6, 21, 36, 42, 58, 70 and 76 have allowable subject matter and would be allowed if rewritten in independent form including all of the limitations of the base claim and all intervening claims. Accordingly, independent claims 1, 15, 30, 43, 55 and 67 have been rewritten incorporating the subject matter of allowable claims 6, 21, 36, 46, 58 and 70, respectively. Applicant submits that the independent claims should be allowed in view of the aforementioned amendments.

Additionally, Applicant notes that independent claims 13, 14, 28, 29, 53, 54, 65 and 66 have been amended. Each of the above-identified independent claims have been amended to recite similar limitations as the allowable claims, e.g., the server temporarily storing the instant voice message if a selected recipient is unavailable and delivering the stored instant voice message to the selected recipient once the selected recipient becomes available or temporarily storing at the server the instant voice message if a selected recipient is unavailable and delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available. Claims 6, 21, 36, 46, 58 and 70 have been cancelled. No new matter has been added to the application by way of the aforementioned amendments. Applicant submits that all of the pending claims should be allowable in view of the aforementioned amendments.

28

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65, and 66 were rejected under 35 U.S.C. § 102(e) as being anticipated by McZeal Jr., U.S. Patent No. 6,763,226. Claims 4, 19, 20, and 44 were rejected under § 103(a) as being unpatentable over McZeal, U.S. Patent No. 6,763,226 in view of Williams et al., U.S. Pat. Pub 2004/0252679 (Williams). Claims 7, 22 and 47 were rejected under 35 U.S.C § 103(a) as being unpatentable over McZeal in view of Sagi et al., U.S. Pat. Pub. 2003/0087632. Claims 8, 23, and 48 were rejected under 35 U.S.C § 103(a) as being unpatentable over McZeal in view of Goodman et al., U.S. Pat. Pub 2004/0122906. Claims 9, 24 and 49 were rejected under 35 U.S.C § 103(a) as being unpatentable over McZeal in view of Goodman et al., U.S. Pat. Pub 2004/0122906. Claims 9, 24 and 49 were rejected under 35 U.S.C § 103(a) as being unpatentable over McZeal in view of Gierachf, U.S. Pat. Pub 2005/0053230. Claims 10, 25 and 50 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal in view of Hollowell et al., U.S. Pat. Pub 2005/0105697.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69 and 75 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal in view of Monroe, U.S. Patent No. 6,970,183. Claims 34, 56 and 68 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal, Williams and Monroe. Claims 37, 59 and 71 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal, Sagi in view of Monroe.

Claims 38, 60 and 72 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal, Goodman and Monroe. Claims 39, 61 and 73 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal, Gierachf and Monroe. Claims 40, 62 and 74 were rejected under 35 U.S.C. § 103(a) as being unpatentable over McZeal, Hollowell in view of Monroe.

Applicant submits that the rejections set forth in the outstanding Official Action and listed above are rendered moot by the aforementioned amendments.
Based upon the foregoing, Applicant respectfully requests that the Examiner withdraw all of the pending rejections pursuant to either 35 U.S.C. § 102(e) or § 103(a).

In conclusion, the Applicant believes that the above-identified application is in condition for allowance and henceforth respectfully solicits the Examiner to allow the application. If the Examiner believes a telephone conference might expedite the allowance of this application, the Applicant respectfully requests that the Examiner call the undersigned, Applicant's attorney, at the following telephone number: (516) 742-4343.

Respectfully submitted,

Seth Weinfeld Registration No: 50,929

Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza, Suite 300 Garden City, New York 11530 516-742-4343

SW:reg

COMBINED TI	AMENDMENT & ME UNDER 37 CF	Docket No. 17188			
In Re Application) Of: Michael J. Roja	S			
Application No.	Filing Date	Examiner Customer No. Gr		Group Art Unit	Confirmation No.
10/740,030	December 18, 2003	Creighton Smith	23389	2614	1731
Invention: SYS	1EM AND METHOD	FOR INSTANT VOIP MESS	AGING		
This is a combine	ed amendment and pe	COMMISSIONER FOR P	ATENTS: f 37 CFR 1.136(a) to extend the p	eriod for filing a
response to the C	Drice Action of	Date	e-identified appir		
The requested ex	tension is as follows ((check time period desired):		mantha 🗍	Eivo monthe
	onth 🖾 I worr		ins u Four		Five monuts
from:	December 18, 2 Date	2007 until:	Febru	ary 18, 2007 Date	
The fee for the a	mendment and exten	sion of time has been calcul	ated as shown be	elow:	
		CLAIMS AS AMEN	DED		
	CLAIMS REMAINING	HIGHEST # NI		RATE	ADDITIONAL
TOTAL CLAIMS	70 -	76 =	0 ;	x \$25.00	\$0.00
INDEP. CLAIMS	14 -	14 =	0 2	x \$105.00	\$0.00
	L		FEE FOR AM	IENDMENT	\$0.00
	ON OF TIME	\$230.00			
	тоти	AL FEE FOR AMENDMENT	AND EXTENSIO	ON OF TIME	\$230.00

COMBINED AMENDMENT & PETITION FOR F	XTENSION OF	Docket No.							
TIME UNDER 37 CFR 1.136(a) (Small E	ntity)	17188							
The fee for the amendment and extension of time is to be pa	id as follows:								
A check in the amount of for the amo	endment and extension o	f time is enclosed.							
Please charge Deposit Account No. 19-1013/SSMP	in the amount of \$230.0	00							
The Director is hereby authorized to charge payment of communication or credit any overpayment to Deposit Action	the following fees assoc count No. 19-1013/SS	iated with this MP							
Any additional filing fees required under 37 C.F.R.Any patent application processing fees under 37 C	 Any additional filing fees required under 37 C.F.R. 1.16. Any patent application processing fees under 37 CFR 1.17. 								
If an additional extension of time is required, please cor fees which may be required to Deposit Account No.	sider this a petition there	efor and charge any additional							
D Payment by credit card. Form PTO-2038 is attached.									
WARNING: Information on this form may become point included on this form. Provide credit card information	ublic. Credit card inform on and authorization o	nation should not be n PTO-2038.							
Seth Weinfeld	Dated: Febru	ary 19, 2008 that this correspondence is being							
Registration No.: 50,929 Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza - Suite 300 Garden City, New York 11530	deposited with t sufficient postag addressed to the 1450, Alexandria,	he United States Postal Service with e as first class mail in an envelope e "Commissioner for Patents, P.O. Box VA 22313-1450" (37 CFR 1.8(a)] on							
(516) 742-4343	(Date) Signature	of Person Mailing Correspondence							
cc:	Typed or Printed	Name of Person Mailing Correspondence							

Electronic Patent Application Fee Transmittal									
Application Number:	10740030								
Filing Date:	18	-Dec-2003							
Title of Invention:	System and method for instant VoIP messaging								
First Named Inventor/Applicant Name:	Мі	chael J. Rojas							
Filer:		Paul J. Esatto/Roseann Gallo							
Attorney Docket Number:		17188							
Filed as Small Entity									
Utility Filing Fees									
Description		Fee Code	Quantity	Amount	Sub-Total in USD(\$)				
Basic Filing:									
Pages:									
Claims:									
Miscellaneous-Filing:									
Petition:									
Patent-Appeals-and-Interference:									
Post-Allowance-and-Post-Issuance:									
Extension-of-Time:									
Extension - 2 months with \$0 paid		2252	1	230	230				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
	Total in USD (\$)			230

Electronic Acknowledgement Receipt					
EFS ID:	2881556				
Application Number:	10740030				
International Application Number:					
Confirmation Number:	1731				
Title of Invention:	System and method for instant VoIP messaging				
First Named Inventor/Applicant Name:	Michael J. Rojas				
Customer Number:	23389				
Filer:	Paul J. Esatto/Roseann Gallo				
Filer Authorized By:	Paul J. Esatto				
Attorney Docket Number:	17188				
Receipt Date:	19-FEB-2008				
Filing Date:	18-DEC-2003				
Time Stamp:	18:43:01				
Application Type:	Utility under 35 USC 111(a)				

Payment information:

Submitted with Payment	yes				
Payment Type	Deposit Account				
Payment was successfully received in RAM	\$230				
RAM confirmation Number	4208				
Deposit Account	191013				
Authorized User					
The Director of the USPTO is hereby authorized to ch	narge indicated fees and credit any overpayment as follows:				
Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees)					
Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)					

Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)				
4			1389410						
I		AMENDTEOT.par	23f5737b15542285efd889fd6d95doda5 78688a6	yes	32				
_	Multipart Description/PDF files in .zip description								
_	Document De	scription	Start	End					
	Amendment - After No	n-Final Rejection	1		1				
_	Claims	S	2	2	27				
_	Applicant Arguments/Remarks	Applicant Arguments/Remarks Made in an Amendment							
	Extension o	31	:	32					
Warnings:									
Information:		1							
2	Fee Worksheet (PTO-06)	fee-info ndf	8139	no	2				
-			3954251d31c19a5b8804651233797ab1b 1789be7	no					
Warnings:									
Information:			1						
		Total Files Size (in bytes)	13	97549					
This Acknow characterize similar to a F <u>New Applica</u> If a new appl 37 CFR 1.530 shown on th	vledgement Receipt evidences re d by the applicant, and including Post Card, as described in MPEP <u>tions Under 35 U.S.C. 111</u> lication is being filed and the app (b)-(d) and MPEP 506), a Filing Re is Acknowledgement Receipt wil	ceipt on the noted date by age counts, where applic 503. dication includes the neces eceipt (37 CFR 1.54) will be I establish the filing date of	the USPTO of the in able. It serves as en sary components fo issued in due cours the application.	dicated do vidence of or a filing d se and the o	cuments, receipt late (see date				
National Sta If a timely su of 35 U.S.C. application a in due cours <u>New Internal</u> If a new inter	ge of an International Application Ibmission to enter the national st 371 and other applicable requirer as a national stage submission un- te. <u>tional Application Filed with the L</u> rnational application is being file	n under 35 U.S.C. 371 rage of an international app ments a Form PCT/DO/EO/9 nder 35 U.S.C. 371 will be is <u>JSPTO as a Receiving Offic</u> d and the international app	lication is complian 03 indicating accep ssued in addition to <u>e</u> lication includes the	t with the c tance of th the Filing e necessar	condition le Receipt, y				
components International course, subj Receipt will	for an international filing date (s Application Number and of the l ect to prescriptions concerning r establish the international filing o	ee PCT Article 11 and MPE nternational Filing Date (Fo national security, and the da date of the application.	P 1810), a Notificatio orm PCT/RO/105) wil ate shown on this A	on of the II be issued cknowledg	d in due gement				

PTO/SB/06 (07-06)

Approved for use through 1/31/2007. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

	Under the Par	perwork Reduction) Act of 19	95, no persons are	required to respor	nd to	a collection of	of information unle	ess it dis	splays a valid	OMB control number.
PATENT APPLICATION FEE DETERMINATION RECORD Substitute for Form PTO-875					A	pplication or 10/74	Docket Number	Fil 12/	ing Date 18/2003	To be Mailed	
	Al	PPLICATION /	AS FILE	D – PART I						OT	HER THAN
	(Column 1) (Column 2)					SMALL	ENTITY 🛛	OR	SM/	ALL ENTITY	
	FOR	N	UMBER FII	LED NUM	VIBER EXTRA	Π	RATE (\$)	FEE (\$)		RATE (\$)	FEE (\$)
	BASIC FEE (37 CFR 1.16(a), (b),	or (c))	N/A		N/A		N/A			N/A	
	SEARCH FEE (37 CFR 1.16(k), (i),	or (m))	N/A		N/A		N/A			N/A	
	EXAMINATION FE (37 CFR 1.16(o), (p),	E or (q))	N/A		N/A		N/A			N/A	
TO (37	TAL CLAIMS CFR 1.16(i))		mir	1us 20 = *			X\$ =		OR	X \$ =	
IND (37	EPENDENT CLAIM	IS	m	inus 3 = *			X\$ =			X\$ =	
	[37 CFR 1.16(n)] If the specification and drawings excee sheets of paper, the application size fee is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s))				gs exceed 100 n size fee due for each ∩ thereof. See CFR 1.16(s).						
┝└┙	MULTIPLE DEPEN	IDENT CLAIM PR	ESENT (37	7 CFR 1.16(j))		ļ					
* If I	the difference in colu	umn 1 is less than	zero, ente	r "0" in column 2.			TOTAL		J	TOTAL	
L		(Column 1)	AMENU)ED – PART II (Column 2)	(Column 3)		SMAL	L ENTITY	OR	OTHE SM/	ER THAN ALL ENTITY
INT L	02/19/2008	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE (\$)	ADDITIONAL FEE (\$)		RATE (\$)	ADDITIONAL FEE (\$)
ЩЩ I	Total (37 CFR 1.16(i))	* 70	Minus	** 76	= 0		X \$25 =	0	OR	X \$ =	
Ľ.	Independent (37 CFR 1.16(h))	* 14	Minus	***14	= 0		X \$105 =	0	OR	X \$ =	
Ŋ	Application S	ize Fee (37 CFR 1	.16(s))			1					
∢		NTATION OF MULTIF	LE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				OR		
Γ						•	TOTAL ADD'L FEE	0	OR	TOTAL ADD'L FEE	
L		(Column 1)		(Column 2)	(Column 3)						
		CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		RATE (\$)	Additional Fee (\$)		RATE (\$)	ADDITIONAL FEE (\$)
Ľ.	Total (37 CFR 1.16(i))	*	Minus	**	=		X \$ =		OR	X\$ =	
Ň	Independent (37 CFR 1.16(h))	*	Minus	***	=		X\$ =		OR	X\$ =	
lä '	Application S	ize Fee (37 CFR 1	.16(s))			1					
AM			LE DEPEN	DENT CLAIM (37 CFF	R 1.16(j))				OR		
Γ						•	TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
* f ** f ***	the entry in column the "Highest Number of the "Highest Number"	1 is less than the e er Previously Paid per Previously Paid Proviously Paid Eq.	entry in colu For" IN TH d For" IN T	umn 2, write "0" in a HS SPACE is less HIS SPACE is less	column 3. than 20, enter "20" s than 3, enter "3".	". foun	Legal Ir /TRINA	nstrument Ex L. RIDDICK/	amin	er:	

The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.

L This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

₿r. 		ed States Paten	<u>t and Trademark Office</u>	UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 22: www.uspto.gov	TMENT OF COMMERCE Trademark Office OR PATENTS 313-1450	
ſ	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
•	10/740,030	12/18/2003	Michael J. Rojas	17188	1731	
	23389 SCULLY SCO	7590 09/18/200 TT MURPHY & PRES	7 SSER, PC	EXAMINER		
	400 GARDEN	CITY PLAZA	· · · · · · · · · · · · · · · · · · ·	SMITH, CREIGHTON H		
	GARDEN CIT	Y. NY 11530		ART UNIT	PAPER NUMBER	
		· · · · · · · · · · · · · ·		2614		
				MAIL DATE	DELIVERY MODE	
				09/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/740,030	ROJAS, MICHAEL J.
Office Action Summary	Examiner	Art Unit
	Creighton H. Smith	2614
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	Y IS SET TO EXPIRE <u>3</u> MONTH ATE OF THIS COMMUNICATIO (36(a). In no event, however, may a reply be ti will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONI g date of this communication, even if timely file	(S) OR THIRTY (30) DAYS, N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133). d, may reduce any
Status		
1) Responsive to communication(s) filed on		•
2a) This action is FINAL . 2b)⊠ This	s action is non-final.	
3) Since this application is in condition for allowa	nce except for formal matters, pr	osecution as to the merits is
closed in accordance with the practice under t	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.
Disposition of Claims		
4) Claim(s) is/are pending in the application	on.	
4a) Of the above claim(s) is/are withdra	wn from consideration.	
5) Claim(s) is/are allowed.		
6) Claim(s) <u>1-5,7-20,22-35,37-41,43-45,47-57,5</u> 9	9- <u>69 and 71-75</u> is/are rejected.	
7) Claim(s) <u>6,21,36,42,46,58,70 and 76</u> is/are ob	jected to.	
8) Claim(s) are subject to restriction and/c	or election requirement.	
Application Papers	· · · ·	
0 The encodification is objected to by the Evening	-	
10) The drawing(s) filed on is/are: a)	(a, b) objected to by the	Evaminer
Applicant may not request that any objection to the	drawing(s) be held in abevance. Se	27 CER 1 85(2)
Poplacement drawing short(s) including the corres	tion is required if the drawing(s) is of	= 57 CFR(1.00(a))
11) The acth or declaration is objected to by the Ev	and is required if the drawing(s) is of	Action of form PTO 152
	kaminer. Note the attached Office	
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreigr	n priority under 35 U.S.C. § 119(a	a)-(d) or (f).
$1 \square$ Certified copies of the priority document	ts have been received	
2 Certified copies of the priority document	ts have been received in Applicat	tion No
$3 \square$ Conjes of the certified conjes of the prior	rity documents have been received	ved in this National Stage
application from the International Burea	(PCT Rule 17.2(a))	
* See the attached detailed Office action for a list	of the certified copies not receiv	ed
		·
Attachment(s)		
1) X Notice of References Cited (PTO-892)	4) 🗌 Interview Summar	v (PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	Date
3) Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal	Patent Application
U.S. Patent and Trademark Office		
U.S. Patent and Trademark Office PTOI -326 (Rev. 08-06) Office A	ction Summary P	art of Paper No /Mail Date 20070911

.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-3, 5, 11-18, 26-29, 43, 45, 51-54, 65, 66 are rejected under 35

U.S.C. 102(E) as being anticipated by McZeal, Jr., U.S. Patent #6,763,226.

McZeal discloses in col. 4, lines 18 et seq. that until his invention there was no

device which would take full advantage of the Internet and instant messaging for voice

quality purposes, and which uses computer data networks for voice.

In col. 28, lines 5 et seq., McZeal discloses that his invention provides

customers with instant voice messaging which uses Voice over Internet Protocol (VoIP).

In col. 16, lines 39 et seq., McZeal discloses that his invention can use both the Internet

and the PSTN.

For claims 2 & 3, McZeal discloses in cols. 1 & 16, lines 42-43 & 25-30 that

his invention can be used in local or wide area networks, i.e., LAN/WAN.

Regarding claim 11, see McZeal @ col. 16, lines 42 & 59-60.

Pertaining to claim 30, with McZeal's disclosure that his device can be used in either a WAN (internet) or LAN (local area network). If the voice message is to be routed out beyond a LAN, then an external serving system will be employed until the

message reaches the recipient inside of the LAN, whereupon the LAN and its

associated server will route the message to the intended recipient.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 4, 19, 20, 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Williams et al, U.S. Patent Publication #2004/0252679.

Williams et al disclose in ¶-0055 that a messaging server (105) will save a voice message and send a list of recipients to the user from an address book. To have provided Williams teaching of a server providing a user a calling list of recipients in McZeal's Instant Voice Messaging server system would have been obvious to a person having ordinary skill in the art, because the skilled practitioner in the communications and server arts will readily realize that there are an unlimited amount of commands and information that a server can hold which can be communicated to anyone throughout the world that has the proper equipment.

Claims 7, 22, 47, are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Sagi et al, U.S. Patent Publication #2003/0087632. Sagi et al disclose in claim 24 where a server will receive an audio file from a a subscriber, and then in claim 29 Sagi et al disclose that the transmission is sent to a second subscriber. To have similarly used Sagi et al disclosure of transmitting an audio file to a server in McZeal's device would have been obvious to a person having ordinary

skill in the art, because the skilled practitioner in the communications art will realize that the sending party can either directly record a voice message or send an audio file. Either way, a called party will receive the voice message.

Claims 8, 23,48 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Goodman et al, U.S. Patent Publication #2004/0122906.

Goodman et al disclose in ¶-0033 that an audio message can be transformed from any of encrypted, decrypted, compressed, or decompressed format. To have similarly provided Goodman's teaching of encrypting, decrypting, compressing, and decompressing audio into McZeal's device would have been obvious to a person having ordinary sill in the art, because by compressing the audio will take up less memory in the server.

Claims 9, 24, 49, are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Gierachf, U.S. Patent Publication #2005/0053230.

Gierachf discloses in ¶-0044 in Step 266 that the audio data, or voice message, is sent to an audio buffer 19B'. To have similarly used Gierachf method of buffering the audio data in McZeal's device would have been obvious to a person having ordinary skill in the art.

Claims 10, 25, 50, are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Hollowell et al, U.S. Patent Publication #2005/0105697.

Hollowell et al teach in ¶-0031 attaching an email message to an audio message. To have provided this teaching in McZeal would have been obvious to a person having ordinary skill in the art because the skilled practitioner in this communications art will

Page 4

realize the efficiency of alerting a multitude of persons located throughout the world that an email from the sender is being sent to the recipients, such as the minutes of an important meeting.

Claims 30-33, 35, 41, 55, 57, 63, 64, 67, 69, 75 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Monroe, U.S. Patent #6970183.

Monroe discloses in col. 20, lines 28 et seq. and in Fig. 9 a local server (460) connected to a LAN, which provides a gateway to a wide area network like the Internet. In col. 32, lines 11 et seq. Monroe discloses that pre-recorded voice messages can be delivered to a modem and then delivered throughout the Network. To have used Monroe's teaching of connecting a local server to an Internet server into McZeal's device would have been obvious to a person having ordinary skill in the art because a local server will only reach a few, select individuals in close proximity to each other, whereas the Internet will have global reach, thus insuring connectivity to clients worldwide.

Claims 34, 56, 68 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Monroe as applied to claim 30 above, and further in view of Williams et al.

Claims 37, 59, 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Monroe as applied to claim30 above, and further in view of Sagi et al.

Claims 38, 60, 72 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal in view of Monroe as applied to claim 30 above, and further in view of Goodman et al.

Claims 39, 61, 73 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal, Jr. in view of Monroe as applied to claim30 above, and further in view of Gierachf.

Claims 40, 62, 74 are rejected under 35 U.S.C. 103(a) as being unpatentable over McZeal, jr. in view of Monroe as applied to claim30 above, and further in view of Hollowell et al.

Claims 6, 21, 36, 42, 46, 58, 70, 76 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Malik, Grabelsky et al, Weiner

Any inquiry concerning this communication should be directed to Creighton H.

Smith at telephone number 571/272-7546.

11 SEP '07

Creighton H Smith Primary Examiner Art Unit 2614

Sheet 1 of 1

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (REV. 7-80) PATENT AND TRADEMARK OFFICE			Atty. Docket No. (Optional) Application Number			lumber		
INFORMATION DISCLOSURE CITATION			17188	10/740,030				
a	Use se	veral sheets if neces	sary)					
·	0	IPE						
	(510		Applicant(s) Michael Rojas		·		
	AUG	2 3 2904.		Filing Date		Group Art U	nit	
	R.		U.S. PA	TENT DOCUMENTS		2001	·	
EXAMINER		DOCUMENT NUMB	ER DATE	NAME	CLASS	SUBCLASS	FILING	DATE
INITIAL*		-					(if appr	opriate)
		·						
			FOREIGN	PATENT DOCUMENT	ſS			
· ·	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI	LATION
							YES	NO
			•					<u>,</u>
I	1_		OTHER	R DOCUMENTS (Includin	g Author, Title,	Date, Pertinent	Pages, Etc.)	
				······				
14		http://www.cisco.	com/warp/pub	lic/cc/pd/nemnsw/callm	n/prodlit/cn	n33_ds.htm;	"Data Sh	eet
		CISCO Canivianago						
Phin		http://www.cisco	com/en/US/nro	nducts/hw/switches/ns1	925/product	s data sheet	09186	
(B)		a00800a3c3d.htm	l; "Data Sheet	Cisco MGX 8000 Serie	s"			
				 				· · · · · · · · · · · · · · · · ·
(AS		http://www.hstelia	ann.com/englis	<u>sh/?zone=3100-V21P;</u> "	Teliphone 3	100-V21P"		
				<u> </u>				
1A		http://www.linuxo	levices.com/ar	ticles/AT5199947519.h	<u>tml;</u> "Devid	ce Profile:	snom 10	00 VoIP
65-		phone"						
al		http://www.pingte	el.com/pr xpres	ssa.jsp; "No limits with	the advance	d industry st	andard	
(IT)		SIP phone		Des June (TD) (110	0 V - D > 4 - 1'	- Cata >	(
(H)				bgy Products, TPM-110	U VOP Medi /	a Gateway N	loaules	
EXAMINER	7	ANTA		DATE CONSIDERED	9/07			
* EXAMINE	R: Initial	l if reference considered, wi	nether or not citation	is in conformance with MPEP 6	09; thraw line thr	ough citation if no	t in conform	ance and

۲

•

Notice of References Cited	Application/Control No. 10/740,030	Applicant(s)/F Reexaminatio ROJAS, MICH	Applicant(s)/Patent Under Reexamination ROJAS, MICHAEL J.		
	Examiner	Art Unit			
	Creighton H. Smith	2614	Page 1 of 1		

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	Α	US-6,763,226	07-2004	McZeal, Jr., Alfred	455/90.2
*	в	US-2004/0252679	12-2004	Williams et al.	370/356
*	с	US-2004/0122906	06-2004	Goodman et al.	709/206
*	D	US-2005/0053230	03-2005	Gierachf, Karl	379/406.06
*	Ε	US-2005/0105697	05-2005	Hollowell et al.	379/088.13
*	F	US-2003/0087632	05-2003	Sagi et al.	455/414
*	G	US-2006/0268750	11-2006	Weiner, Moshe	370/260
*	н	US-2004/0030046	02-2004	Schultes et al.	525/71
*	1	US-2007/0112925	05-2007	Malik, Dale W.	709/206
	J	US-			
	к	US-			
	L	US-			
	м	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
_	Q					
	R					
	s					
	т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)								
	U									
	~									
	w									
	x									

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

U.S. Patent and Trademark Office PTO-892 (Rev. 01-2001)

Notice of References Cited

Part of Paper No. 20070911

Bib Data Sheet	<u>ted States Patent and</u>	Tradem	iark Office		UNITED S United Sta Address: COM P.O. E Alexa www.	TATES DEP Ness Patent (MISSIONER Jox 1430 notria, Virginia 2 uspto.gov	ARTME and Tra FOR PA1 2313-1450	NT OF COMMERCE demark Office TENTS
SERIAL NUMB 10/740,030	ER FILING OR 371(c) DATE 12/18/2003 RULE	C	370	GRO	ROUP ART UNIT 2614			ATTORNEY OCKET NO. 17188
APPLICANTS Michael J. ** CONTINUING ** FOREIGN APF IF REQUIRED, F ** 03/30/2004 Foreign Priority claime 35 USC 119 (a-d) con met Verified and Acknowledged ADDRESS 23389	Rojas, North Canton, OH; DATA PLICATIONS OREIGN FILING LICENSE ed yes no ditions yes no Met af Allowance Met af	ter itials	ED ** SMALL E STATE OR COUNTRY OH	SHE	** ETS WING 9	TOT/ CLAII 76	AL MS	INDEPENDENT CLAIMS 14
TITLE System and meth	od for instant VoIP messagi	ng						
FILING FEE RECEIVED 1362	FEES: Authority has been g No to charge/cr No for following	iven in Pa edit DEP :	aper OSIT ACCOU	All Fees All Fees 1.16 Fees (Filing) 1.17 Fees (Processing Ext. of time) 1.18 Fees (Issue) Other Credit				

19

ř

http://neo:8000/PrexServlet/PrexAction

Image: Instrument of the		Index of Claims							Application/Control No.						Applicant(s)/Patent under Reexamination																			
Examiner At Unit Zeighton H. Smith 2614 Image: Smith in the image: Smith in t			i initi													10	/74	0,	030)						RC)JA	S,	MiC	СНА	٩EL	J.		
Image: Deleter of the second of the																Ex	ami	ine	er							Art	Un	it						
$ \begin{array}{ c c c c c } \hline \hline \\ $									Creighton H. Smith						26	14																		
a Allowed • Restricted I Interference O Objected Image: State in the st				√	Rej	ejected – (Through numera Cancelled			al)		1	N	Noi	n-Ele	eci	ted		A		Ap	pea	a)												
Claim Date \overline{B} <				=	Ali	owe	əd		÷			Re	stri	cte	d				1	Inte	erfer	en	nce		0	(Obje	ecto	ed					
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		Cla	im .				Date	;			Г	Cla	im	Γ			Da	te				1	Cla	im				Date	e			1		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		Final	riginal	9							ſ	Final	riginal	27									Final	riginal										
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			0					_					0			\downarrow			\perp					0				ļ			_			
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			2	17		_		-	_	+	┝		51 52	Ϋ́			-	+	+	_	+		·	101		_								
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			3	Ħ									53											103										
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			4	H	\vdash	_					-		54	$\left \right $		_	_	-		_	-			104			_	-						
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			6	0			+		-	+			56	┼╋				+	+	+	++			105		-	+							
8			7	4									57	12							П			107										
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			8			_	$\left \right $			+	⊢		58	Ģ		_	_	+			+-			108	÷						—			
11 11 111 12 13 111 13 14 15 16 65 61 16 65 113 17 65 111 18 66 111 19 66 111 20 77 68 21 70 120 21 70 120 22 71 72 12 73 122 22 73 74 25 76 124 26 77 76 27 78 128 29 80 131 31 66 132 33 80 81 34 84 133 35 86 135 36 99 99 44 91 141 44 93 144 45 99 99 46 99 141 44 94			10			+-					┢		60	K			+	╈			+			110			+					· ·		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			11	Π.									61											111										
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			12	1						+	-		62	┼┼				+	+	_			<u> </u>	112								ł		
16 66 115 115 116 16 67 68 116 117 18 67 68 116 117 19 69 70 120 115 116 21 70 71 121 120 121 22 72 73 74 122 123 122 23 74 74 122 123 124 124 124 124 124 124 124 124 124 124 124 124 124 125 126 127 126 126 127 126 126 127 126 127 126 126 127 126 126 127 127 126 127 127 127 126 127 127 126 126 130 133 133 134 134 134 134 134 134 134 134 134 134 135 135 136 136 136 136 136 136 136 13			14	┼╋	\vdash	+					F		64	\mathbf{H}				╈	-	+-	+{			114	$\left \right $		+	+				1		
16			15										65											115										
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			16	₩.	\vdash	_			+		┝		66	╢			_	_		_	+			116			_	-						
19			17	H	$\left - \right $		+		+	+	┝		68	┼┠╴		-+		-			+			118	$\left \right $							1		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			19	Ш							E		69	V										119								1		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			20	1		_	\vdash	_			F		70	Ø				_	_		+			120	$\left - \right $		_	-				ł		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			21		╞┼╴┝		+		-	+	⊦		72	11			-	╉	+		+			122			+	-	\vdash	-+				
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			23	ľ							E		73											123	-							·		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			24	₽					_	\square	Ŀ	•	74	╢					_		+			124			+	+	\square			4		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			25	╢	$\left \right $					+	┝		75	K				+		_				125		_	+-	-	\vdash			ł		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			27	11-						+	F		77	Ψ	<u> </u>			╈	-+	+	1.1			127								1		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			28	Π									78			_		T						128]		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1		29	₩.	\vdash		+			+	┝		79	+	\vdash			+	+	+	╀┥			129	$\left \right $	-+	+	┢	\vdash	\vdash		ł		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		├ ──	30	\mathbb{H}	$\left - \right $	+	+				┢		81	+	· .			╉	+		+			131		-	+	-						
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			32	Ħ									82											132								1		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			33	H		_			_		⊢		83	-			_	+			+			133		_		-		-				
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		<u> </u>	34	L)	+	+	+		+		┢		84					+	+	_	+			134							-	1		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			36	Ó							E		86											136										
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			37	4	1								87					_						137										
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			38	+		_	+		-		⊦		88	-			_ -	_		-+	+			138	$\left \right $	+	+		\vdash			-		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $		<u> </u>	40	┼╂	++		+			+	┢		90	+			+	+	╉	+	+			140	$\left - \right $	+	+	+	$\left - \right $	\vdash		1	•	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			41	1			\Box				Ē		91								П			141								1		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1	<u> </u>	42	0	\vdash					+	L		92					+		_ _	+			142	$\left - \right $		+		\square	$\left - \right $	_	-		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	1	\vdash	43	ł¥	\vdash	+	+			+	ŀ		93	+	$\left - \right $	\vdash	-	╉	+		+			143	┝╌┨	+		+		┝──╂		1		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			45	d		1					F		95					╈						145								1		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$			46	6									96											146										
49 99 140 50 100 150		<u> </u>	47	4	\vdash	+	+	-		+	⊢		97	+			_	+			+ +		\vdash	147	$\left \right $		+			\vdash		{		
		\vdash	49	╞┼┤	+	+	+	\vdash	+	+	ŀ		99	+		\vdash	+	+	+		+			149	┼─┤			+		┝╼┼		ĺ		
			50	1 d							Ľ		100											150]		

U.S. Patent and Trademark Office

L

Part of Paper No. 20070911

.

.



Application/Control No.	Applicant(s)/Patent under Reexamination
10/740,030	ROJAS, MICHAEL J.
Examiner	Art Unit
Creighton H. Smith	2614

SEARCHED									
Class	Subclass	Date	Examiner						
370	354	9/11/2007	СНЅ						

гиі	INTERFERENCE SEARCHED										
Class	Subclass	Date	Examiner								
	<u> </u>										
	•										
]								

SEARCH NOTES (INCLUDING SEARCH STRATEGY)										
	DATE	EXMR								
		з.								
EAST Search - see printout	9/11/2007	снѕ								
	а. -									
	·									

U.S. Patent and Trademark Office

Part of Paper No. 20070911

	Туре	Hits	Search Text	DBs
1	BRS	7	instant adj voice adj messag\$3 with (internet or packet- switch\$3 or packet adj switch\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	1	server with stor\$3 with temporar\$3 with unavailabl\$3 and (voice adj messag\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	128	((audio or voice) with compress\$3 with encrypt\$3 with decrypt\$3 with decompress\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	7	server and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
5	BRS	38	<pre>(voice near4 messag\$3) with ((list near7 recipients) or (calling near4 list)) and (@ad<="20031218")</pre>	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	38	((voice near4 messag\$3) with ((list near7 recipients) or (calling near4 list))) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	4	(lan or local adj network or local adj area adj network) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
8	BRS	0	recipient adj list and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	1	recipient\$1 near4 list and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
10	BRS	2	server with stor\$3 with temporar\$3 with message with unavailabl\$3 and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	124	(attach\$4 or add\$3 or suppl\$3) with file\$1 with (voice adj messag\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	15	(server with stor\$3 with temporar\$3 with unavailabl\$3) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	165	(buffer\$3 with (voice adj messag\$3)) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

9/11/2007, EAST Version: 2.1.0.14

	Туре	Hits	Search Text	DBs
14	BRS	1	(buffer\$3 with (instant adj voice adj messag\$3)) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
15	BRS	98	((voice adj messag\$3) with (audio adj file)) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
16	BRS	24	((voice adj messag\$3) with (audio adj file) with server) and (@ad<="20031218")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

9/11/2007, EAST Version: 2.1.0.14

OIPE AUG 2 3 2004	S W THE UNITED STATES PATENT	AND TRADEMAR	K OFFICE
Applicant(s)	: Michael J. Rojas	Examiner:	Unassigned
Serial No:	10/740,030	Art Unit:	2661
Filed:	December 18, 2003	Docket:	17188
For:	SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	Dated:	August 19, 2004

Confirmation No. 1731

Mail Stop Amendment Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

Ł

In accordance with 37 C.F.R. §§ 1.97 and 1.98, it is requested that the following

references, which are also listed on the attached Form PTO-1449, be made of record in the

above-identified case.

1. http://www.cisco.com/warp/public/cc/pd/nemnsw/callmn/prodlit/ cm33_ds.htm; "Data Sheet Cisco CallManager Version 3.3".

2. <u>http://www.cisco.com/en/US/products/hw/switches/ps1925/products_data</u> <u>sheet 09186_a00800a3c3d.html;</u> "Data Sheet Cisco MGX 8000 Series".

3. <u>http://www.hsteliann.com/english/?zone=3100-V21P;</u> "Teliphone 3100-

V21P".

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner of Patents, P. O. Box 1450, Alexandria, VA₂22313-1450 on August 19, 2004.

Dated: August 19, 2004

Esatto, Jr.

4. <u>http://www.linuxdevices.com/articles/AT5199947519.html;</u> "Device Profile: snom 100 VoIP phone".

5. <u>http://www.pingtel.com/pr xpressa.jsp;</u> "No limits with the advanced industry standard SIP phone.

6. AudioCoded Enabling Technology Products, TPM-1100 VoP Media Gateway

Modules.

~

Applicant is submitting a copy of the above-cited references.

Inasmuch as this Information Disclosure Statement is being submitted in

accordance with the schedule set out in 37 C.F.R. § 1.97(b), no statement or fee is required.

Respectfully submitted,

Paul J. Esatto, Jr. Registration No. 30,749

Scully, Scott, Murphy & Presser 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343

PJE:ae

Sheet 1 of 1

Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (REV. 7-80) PATENT AND TRADEMARK OFFICE			Atty. Docket No. (Optional)			Application Number			
INFORMA	TIO	ON DISCLOSURE	CITATION	17188			10/740,030)	
(Us	se sev	veral sheets if neces	sary)						
/	/0	IFE		Applicar	nt(s)				
L (A110	105		Micha	el Rojas				
	AUG	2 3 2004. uj		Filing Da	ate her 18-2003		Group Art U	nit	
8			U.S. PA	TENT I	OCUMENTS		2001		
EXAMINER		DOCUMENT NUMB	ER DATE		NAME	CLASS	SUBCLASS	FILING	DATE
INITIAL*								(if appr	opriate)
	AB				v				
	AC								
			FOREIGN	PATEN	T DOCUMENI	ſS			
R	EF 1	DOCUMENT NUMBER	DATE	COUNTRY		CLASS	SUBCLASS	TRANSLATION	
								YES	NO
									-
			OTHER	R DOCUI	MENTS (Including	g Author, Title,	Date, Pertinent	Pages, Etc.)	
		http://www.cisco. Cisco CallManage	com/warp/publ r Version 3.3"	lic/cc/pd	/nemnsw/callm	n/prodlit/cm	133_ds.htm;	"Data Sh	eet
		http://www.cisco.c	com/en/US/pro ; "Data Sheet	oducts/hy Cisco M	w/switches/ps19 GX 8000 Serie	925/products s"	s_data_sheet	09186	
	http://www.hsteliann.com/english/?zone=3100-V21P; "Teliphone 3100-V21P"								
	http://www.linuxdevices.com/articles/AT5199947519.html; "Device Profile: snom 100 Vorphone"							00 VoIP	
		http://www.pingte	l.com/pr xpres	sa.jsp; "	No limits with	the advance	d industry st	andard	
		SIP phone	-					<u> </u>	
		AudioCoded Enab	ling Technolo	gy Prodi	icts, TPM-1100) VoP Media	a Gateway N	Iodules	
EXAMINER	I			DATE C	ONSIDERED				
* EXAMINER:	Initial	if reference considered. wh	ether or not citation	is in confor	mance with MPEP 60	9: draw line thro	ugh citation if no	t in conform	ance and
not considered.	Include	e copy of this form with nex	t communication to	applicant.		,	-		

•





Ş

- 5

ਡੂ UTIL	ITY PATENT APPLICATION TRANSMITTAL	Docket No. 17188		
69	(Small Entity)	Total Pages in this Submission		
	ly for new nonprovisional applications under 37 CFR 1.53(b))	4		
РТО	TO THE COMMISSIONER FOR PATENTS Mail Stop Patent Application P.O. Box 1450 Alexandria, VA 22313-1450			
Transmitted he	erewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new	utility patent application for an		
SYSTEM A	ND METHOD FOR INSTANT VoIP MESSAGING	U.S. PTO 0030		
and invented t	уу:	74		
MICHAEI	J. ROJAS	2238 10,		
If a CONTINU	ATION APPLICATION. check appropriate box and supply the requisite	information:		
Continu	ation Divisional Continuation-in-part (CIP) of prior app	blication No.:		
Which is a:				
🛛 C ntinu	ation 🔲 Divisional 🔲 Continuation-in-part (CIP) of prior app	blication No.:		
Which is a:				
🛛 Continu	ation 🔲 Divisional 🖾 Continuation-in-part (CIP) of prior app	blication No.:		
Enclosed are	Application Elements			
1. 🛛 Fi	ing fee as calculated and transmitted as described below			
2. 🔀 S	pecification having75 pages and including the	following:		
a. 🛛	Descriptive Title of the Invention			
b. 🗔	Cross References to Related Applications (if applicable)			
c. 🗆	Statement Regarding Federally-sponsored Research/Development (if applicable)		
d. 🗀	Reference to Sequence Listing, a Table, or a Computer Program Lis	ting Appendix		
e. 🛛	Background of the Invention			
f. 🛛	Brief Summary of the Invention			
g. 🛛	Brief Description of the Drawings (if filed)			
h. 🛛	Detailed Description			
i. 🕱	Claim(s) as Classified Below			

Page 1 of 4

P01USML/REV06

	UT		Docket No. 17188		
	((Small Entity) Only for new nonprovisional applications under 37 CFR 1.53(b))	Total Pages in this Submission 4		
		Application Elements (Continued)			
3.	X	Drawing(s) (when necessary as prescribed by 35 USC 113)			
	a.	Sector Sheets 9			
	b.	Informal Number of Sheets			
4.	X	Oath or Declaration			
	a.	Newly executed (original or copy)			
	b.	Copy from a prior application (37 CFR 1.63(d)) (for continuation/division	nal application only)		
	С.	With Power of Attorney Without Power of Attorney			
	d.	 DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior ap see 37 C.F.R. 1.63(d)(2) and 1.33(b). 	plication,		
5.		Incorporation By Reference <i>(usable if Box 4b is checked)</i> The entire disclosure of the prior application, from which a copy of the oat Box 4b, is considered as being part of the disclosure of the accompa- incorporated by reference therein.	h or declaration is supplied under anying application and is hereby		
6.		CD ROM or CD-R in duplicate, large table or Computer Program (Append	ix)		
7. 8.		Application Data Sheet (See 37 CFR 1.76) Nucleotide and/or Amino Acid Sequence Submission (<i>if applicable, all mu</i>	st be included)		
	a.	Computer Readable Form (CFR)			
	b.	Specification Sequence Listing on:			
		i. CD-ROM or CD-R (2 copies); or			
		ii. 🗋 Paper			
	С.	Statement(s) Verifying Identical Paper and Computer Readable Copy	1		
		Accompanying Application Parts			
9.	X	Assignment Papers (cover sheet & document(s))			
10.		37 CFR 3.73(B) Statement (when there is an assignee)			
11.		English Translation Document (if applicable)			
12.		Information Disclosure Statement/PTO-1449	ons		
13.		Preliminary Amendment			
14.	X	Return Receipt Postcard (MPEP 503) (Should be specifically itemized)			
15.		Certified Copy of Priority Document(s) (if foreign priority is claimed)			
16.	X	Certificate of Mailing			
		□ First Class ⊠ Express Mail (Specify Label No.): EV-244-125-04	4-US		

•

`

UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

Docket No. 17188

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Total Pages in this Submission

Accompanying Application Parts (Continu d)

17. 🛛 Applicant claims small entity status. See 37 CFR 1.27.

(Optional) Small Entity Statement(s) - Specify Number of Statements Submitted:

18. 🛛 Additional Enclosures (please identify below):

Assignee: Ayalogic, Inc. Akron, Ohio 44311

đ

Request That Application Not Be Published Pursuant To 35 U.S.C. 122(b)(2)

19. Deursuant to 35 U.S.C. 122(b)(2), Applicant hereby requests that this patent application not be published pursuant to 35 U.S.C. 122(b)(1). Applicant hereby certifies that the invention disclosed in this application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication of applications 18 months after filing of the application.

Warning

An applicant who makes a request not to publish, but who subsequently files in a foreign country or under a multilateral international agreement specified in 35 U.S.C. 122(b)(2)(B)(i), must notify the Director of such filing not later than 45 days after the date of the filing of such foreign or international application. A failure of the applicant to provide such notice within the prescribed period shall result in the application being regarded as abandoned, unless it is shown to the satisfaction of the Director that the delay in submitting the notice was unintentional.

UTIL		PLICATION	TRANS	ΜΙΤΤΑ	L	Dock 1'	ket No. 7188	
(Small Entity) (Only for new nonprovisional applications under 37 CFR 1.53(b))								
	Corre Custo	spondence Ado mer No. 23389	dress:					
		Fee Calcula	tion and Tra	ansmitta	1			
For	#Filed	CLAIMS A	S FILED		Rate		Fee	
Total Claims	76	- 20 =	56	x	\$9.00		\$504.00	
Ind p. Claims	14	- 3 =	11	x	\$43.00		\$473.00	
Multiple Depe	ndent Claims (check if	applicable)]				\$0.00	
						BASIC FEE	\$385.00	
OTHER FEE	(specify purpose)						\$0.00	
					ΤΟΤΑΙ	. FILING FEE	\$1,362.00	
 □ A check in ⊠ The Direction as describing ⊠ C ⊠ C ⊠ C ⊠ C ∑ C 	the amount of tor is hereby authorized bed below. harge the amount of redit any overpayment. harge any additional filin harge the issue fee set i ursuant to 37 C.F.R. 1.3 nber 18, 2003	to co to charge and cro \$1,362.00 a: g fees required u n 37 C.F.R. 1.18 11(b).	over the filin edit Deposit s filing fee. under 37 C.F at the mailin	g fee is e Account I.R. 1.16 ng of the	nclosed. No. and 1.17. Notice of A	19-1013 SSM Illowance,	Р	
cc:			P: R	aul J. Esa egistratio	tto, Jr. n No. 30,74	9		
	<u> </u>		Page 4 of 4			· · · · · · · · · · · · · · · · · · ·	P01LISML/PEV/06	

CERTIFICATE OF	MAILING BY "EXPRESS L J. ROJAS	MAIL" (37 CFR 1.10)	Docket No. 17188
Serial No. unassigned	Examiner unassigned	Group Art Unit unassigned	
vention: SYSTEM AND METHO	D FOR INSTANT VoIP MESSA	GING	
I hereby certify that this	S NEW PATENT APPLICATIO	ON (Identify type of correspondence)	
is being deposited with	n the United States Postal Servi	ce "Express Mail Post Office t	o Addressee" service under
37 CFR 1.10 in an env	elope addressed to: Director of	the United States Patent and 1	rademark Office, P.O. Box
1450, Alexandria, VA	22313-1450 on D	ecember 18, 2003 (Date)	
		Paul J. Esat	to, Jr.
		(Typed or Printed Name of Person i	Mailing Correspondence)
		(Signature of Person Mailing	g Correspondence)
		EV-244-125-0)44-US
		("Express Mail" Mailing	Ladei Numder)
	Note: Each naper must ha	ve its own certificate of mailing.	

.

Ş

•

	Docket No. 17188
(Small Entity) (Only for new nonprovisional applications under 37 CFR 1.53(b))	Total Pages in this Submission 4
TO THE COMMISSIONER FOR PATENTS Mail Stop Patent Application P.O. Box 1450 Alexandria, VA 22313-1450	
Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new invention entitled:	utility patent application for an
SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING	1.5. PTO 0030
and invented by:	7
MICHAEL J. ROJAS	2238 10,
If a CONTINUATION APPLICATION, check appropriate box and supply the requisite	information:
Continuation Divisional Continuation-in-part (CIP) of prior applied	blication No.:
Which is a:	
C ntinuation Divisional Continuation-in-part (CIP) of prior application	blication No.:
Which is a:	plication No :
Enclosed are: Application Elements	
1 M Filing fee as calculated and transmitted as described below	
2. Specification having 75 pages and including the	following:
a. 🛛 Descriptive Title of the Invention	
b. Cross References to Related Applications (<i>if applicable</i>)	
c. Statement Regarding Federally-sponsored Research/Development (if applicable)
d. Reference to Sequence Listing, a Table, or a Computer Program Lis	ting Appendix
e. 🛛 Background of the Invention	• • • •
f. 🛛 Brief Summary of the Invention	
g. 🛛 Brief Description of the Drawings <i>(if filed)</i>	
h. 🛛 Detailed Description	
i. 🛛 Claim(s) as Classified Below	
j. 🛛 Abstract of the Disclosure	

	UT		Docket No. 17188		
	((Small Entity) Only for new nonprovisional applications under 37 CFR 1.53(b))	Total Pages in this Submission 4		
		Application Elements (Continued)			
3.	X	Drawing(s) (when necessary as prescribed by 35 USC 113)			
	a.	Sector Sheets 9			
	b.	Informal Number of Sheets			
4.	X	Oath or Declaration			
	a.	Newly executed (original or copy)			
	b.	Copy from a prior application (37 CFR 1.63(d)) (for continuation/division	nal application only)		
	С.	With Power of Attorney Without Power of Attorney			
	d.	 DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior ap see 37 C.F.R. 1.63(d)(2) and 1.33(b). 	plication,		
5.		Incorporation By Reference <i>(usable if Box 4b is checked)</i> The entire disclosure of the prior application, from which a copy of the oat Box 4b, is considered as being part of the disclosure of the accompa- incorporated by reference therein.	h or declaration is supplied under anying application and is hereby		
6.		CD ROM or CD-R in duplicate, large table or Computer Program (Append	ix)		
7. 8.		Application Data Sheet (See 37 CFR 1.76) Nucleotide and/or Amino Acid Sequence Submission (<i>if applicable, all mu</i>	st be included)		
	a.	Computer Readable Form (CFR)			
	b.	Specification Sequence Listing on:			
		i. CD-ROM or CD-R (2 copies); or			
		ii. 🗋 Paper			
	С.	Statement(s) Verifying Identical Paper and Computer Readable Copy	1		
		Accompanying Application Parts			
9.	X	Assignment Papers (cover sheet & document(s))			
10.		37 CFR 3.73(B) Statement (when there is an assignee)			
11.		English Translation Document (if applicable)			
12.		Information Disclosure Statement/PTO-1449	ons		
13.		Preliminary Amendment			
14.	X	Return Receipt Postcard (MPEP 503) (Should be specifically itemized)			
15.		Certified Copy of Priority Document(s) (if foreign priority is claimed)			
16.	X	Certificate of Mailing			
		□ First Class ⊠ Express Mail (Specify Label No.): EV-244-125-04	4-US		

•

`

UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

Docket No. 17188

Total Pages in this Submission

4

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Accompanying Application Parts (Continu d)

17. 🛛 Applicant claims small entity status. See 37 CFR 1.27.

(Optional) Small Entity Statement(s) - Specify Number of Statements Submitted:

18. 🛛 Additional Enclosures (please identify below):

Assignee: Ayalogic, Inc. Akron, Ohio 44311

đ

Request That Application Not Be Published Pursuant To 35 U.S.C. 122(b)(2)

19. Deursuant to 35 U.S.C. 122(b)(2), Applicant hereby requests that this patent application not be published pursuant to 35 U.S.C. 122(b)(1). Applicant hereby certifies that the invention disclosed in this application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication of applications 18 months after filing of the application.

Warning

An applicant who makes a request not to publish, but who subsequently files in a foreign country or under a multilateral international agreement specified in 35 U.S.C. 122(b)(2)(B)(i), must notify the Director of such filing not later than 45 days after the date of the filing of such foreign or international application. A failure of the applicant to provide such notice within the prescribed period shall result in the application being regarded as abandoned, unless it is shown to the satisfaction of the Director that the delay in submitting the notice was unintentional.

UTIL	ITY PA			TRANS	ΜΙΤΤΑ	L	Dock 11	ket No. 7188
(Only for new nonprovisional applications under 37 CFR 1.53(b))								this Submission
		Corr Cust	respondence Ad omer No. 23389	dress:				
			Fee Calcula	tion and Tra	ansmitta	1		
For		#Filed	CLAIMS A	AS FILED		Rate		Fee
Fotal Claims		76	- 20 =	56	x	\$9.00		\$504.00
nd p. Claims	5		- 3 =	11	x	\$43.00		\$473.00
Aultiple Dep	endent Cla	ims (check	if applicable) [I			\$0.00
							BASIC FEE	\$385.00
OTHER FEE	(specify p	ourpose)						\$0.00
						ΤΟΤΑΙ	L FILING FEE	\$1,362.00
 □ A check i ⊠ The Direction as descrited ⊠ C ⊠ C ⊠ C □ C <	n the amou ctor is here bed below. Charge the Credit any o Charge any Charge any Charge the bursuant to mber 18, 20	nt of by authorized amount of verpayment additional fil issue fee se 37 C.F.R. 1. 03	to c d to charge and cr \$1,362.00 a ing fees required u t in 37 C.F.R. 1.18 311(b).	over the filing edit Deposit s filing fee. under 37 C.F at the mailir	g fee is e Account R. 1.16 ng of the	and 1.17. Notice of A	19-1013 SSM	P
ж:				Pa Re	ul J. Esa egistratio	itto, Jr. n No. 30,74	19	
			· · · · · · · · · · · · · · · · · · ·	Page 4 of 4	<u> </u>			
CERTIFICATE OF I	MAILING BY "EXPRESS L J. ROJAS	MAIL" (37 CFR 1.10)	Docket No. 17188					
------------------------------	-------------------------------------	---	------------------------------					
Serial No. unassigned	Filing Date herewith	Examiner unassigned	Group Art Unit unassigned					
vention: SYSTEM AND METHO	D FOR INSTANT VoIP MESSA	GING						
I hereby certify that this	S NEW PATENT APPLICATIO	ON (Identify type of correspondence)						
is being deposited with	n the United States Postal Servi	ce "Express Mail Post Office t	o Addressee" service under					
37 CFR 1.10 in an env	elope addressed to: Director of	the United States Patent and 1	rademark Office, P.O. Box					
1450, Alexandria, VA	22313-1450 on D	ecember 18, 2003 (Date)						
		Paul J. Esat	to, Jr.					
		(Typed or Printed Name of Person i	Mailing Correspondence)					
		(Signature of Person Mailing	g Correspondence)					
		EV-244-125-0)44-US					
		("Express Mail" Mailing	Ladei Numder)					
	Note: Each naper must ha	ve its own certificate of mailing.						

.

SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING

BACKGROUND OF THE INVENTION

5

Technical Field of the Invention

The present invention generally relates to Internet telephony (IP telephony). More particularly, the present invention is directed to a system and method

10 for enabling local and global instant VoIP messaging over an IP network, such as the Internet, with PSTN support.

Description of the Prior Art

15 Traditional telephony is based on a public switched telephone network (i.e., "PSTN"). In the PSTN, a telephone terminal is electrically connected to a conventional or legacy switch. The telephone terminal and the legacy switch communicate via a proprietary protocol, which may be different depending on the vendor of the legacy switch. Circuit switching provides a communication path (i.e., dedicated

20 circuit) for a telephone call from the telephone terminal to another device over the PSTN, including another telephone terminal. During the telephone call, voice communication takes place over that communication path.

An alternative to the PSTN is Voice over Internet Protocol (i.e., "VoIP"),

also known as IP telephony or Internet telephony. In the IP telephony, a VoIP terminal device is connected to a packet-switched network (e.g., Internet) and voice

H:\work\1732\17188\Spec\17188new1.spc.doc

0218

-1-

communication from the VoIP terminal device is digitized, packetized and transmitted over the packet-switched network to a destination VoIP terminal device, which reconstructs the packets and audibly plays, stores or otherwise processes the transmission. The VoIP terminal device may be a VoIP telephone or a general-purpose

5 personal computer (PC) enabled for IP telephony. More specifically, the PC is programmed with the software and equipped with audio input/output devices (e.g., a combination of microphone and speaker or a headset) to serve as a VoIP terminal device. The PC so enabled and equipped will herein be referred to as a VoIP terminal device or a VoIP softphone.

10

15

20

Figure 1 is an illustrative example of a prior art IP telephony system 100. The IP telephony system 100 comprises a packet-switched IP network 102, such as the Internet, which transmits VoIP traffic from and to a plurality of terminal devices 104, 106 and 110. Terminal device 104 is a VoIP softphone that is enabled for IP telephony over the network 102. Terminal device 106 is a VoIP telephone, which is connected to the network 102 via a softswitch 108. The VoIP softswitch 108 is disposed on the packetswitched network (e.g., Internet) 102 between an origination terminal device (such as VoIP softphone 104) and a destination terminal device (such as VoIP telephone 106), and routes packets over the packet-switched IP network 102. The softswitch 108 may also manage and perform administrative functions for the terminal device or devices (e.g.,

VoIP telephone 106) to which it is connected. Whether the terminal device is a VoIP softphone 104 or a VoIP telephone 106, the terminal device is connected to the IP network 102 via a networking standard such as Ethernet, Bluetooth, IEEE 1394 (also

-2-

H:\work\1732\17188\Spec\17188new1.spc.doc

known as "Firewire"), IEEE 802.11 (also known as "WiFi"), or networking over serial communication channels such as the Universal Serial Bus (i.e., "USB"). Data communication over the network then takes place using a connection protocol, e.g., transfer control protocol/Internet protocol (i.e., "TCP/IP").

5

Further regarding Fig. 1, terminal device 110 is a legacy telephone that is connected to a legacy switch 112 for (circuit-switched) voice communications over the PSTN 116 with other terminal devices. A media gateway 114 may be provided between the legacy switch 112 and the packet-switched network 102 to enable IP telephony

between the legacy telephone 110 and a VoIP terminal device, such as a VoIP softphone 104 or VoIP telephone 106. More specifically, the media gateway 114 converts the audio signal carried over PSTN to packets carried over the packet-switched IP network 102. In addition, a media gateway 118 may be disposed over the PSTN 116 and connected to a softswitch 120 to convert the audio signal from the legacy telephone 110 to packets

routed over the IP network 102 via the softswitch 120.

Voice messaging in both the VoIP and PSTN is known. More specifically, the foregoing systems may be provided with a facility to allow users to leave voice messages for recipients, which is a feature that is familiar to anyone who uses a

20 telephone. Conventionally, leaving a voice message involves dialing the recipient's telephone number (often without knowing whether the recipient will answer), waiting for the connection to be established, speaking to an operator or navigating through a menu of options, listening to a greeting message, and recording the message for later pickup by

-3-

H:\work\1732\17188\Spec\17188new1.spc.doc

the recipient. In that message, the user must typically identify himself or herself in order for the recipient to return the call.

Instant text messaging is likewise known. More specifically, a user is provided with a client terminal, which is typically a general-purpose PC programmed with instant text messaging software and in data communication over an IP network with an instant text-messaging server. The instant text-messaging server presents the user, via the client terminal, with a list of persons who are currently "online" and ready to receive text messages on their own client terminals. The user then uses the client terminal to

select one or more persons to whom the message will be sent and types in a text message. The text message is sent immediately via the text-messaging server to the selected one or more persons and is displayed on their respective client terminals.

However, notwithstanding the foregoing advances in the VoIP/PSTN

voice communication and voice/text messaging, there is still a need in the art for providing a system and method for providing instant VoIP messaging over an IP network. More particularly, there is a need in the art for providing local and global instant voice messaging over VoIP with PSTN support.

20

SUMMARY OF THE INVENTION

The present invention is directed to a system and method for enabling local and global instant VoIP messaging over an IP network, such as the Internet.

H:\work\1732\17188\Spec\17188new1.spc.doc

-4-

According to an embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising: a client connected to the network, the client selecting

one or more recipients, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the network; and a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

According to another embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a packet-switched network enabling public switched telephone network (PSTN) support,

- 15 the system comprising: a PSTN telephone connected to the network for providing input audio; a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the PSTN telephone, and transmitting the selected recipients and the instant voice message therefor over the network; a server connected to the network, the server receiving the selected
- 20 recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

-5-

According to a further embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising: a voice-over-internet-protocol (VoIP) telephone connected to the network for providing input audio; a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the network; a server

5

connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected
recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

According to still another embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a 15 plurality of packet-switched networks, the system comprising: a client connected to a local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network; and a server connected to the external network,

20 the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.

H:\work\1732\17188\Spec\17188new1.spc.doc

-6-

According to yet another embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a plurality of packet-switched networks enabling public switched telephone network (PSTN) support, the system comprising: a PSTN telephone connected to a local network

- for providing input audio; a client connected to the local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the PSTN telephone, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network; a server connected to the external
- network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.
- 15 According to yet a further embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising: a voice-over-internetprotocol (VoIP) telephone connected to a local network for providing input audio; a client connected to the local network, the client selecting one or more external recipients
- 20 connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network; an server connected to the external network, the external server

-7-

H:\work\1732\17188\Spec\17188new1.spc.doc

receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.

5 According to still a further embodiment of the present invention, there is provided an instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising: a client connected to an external network, the client selecting one or more recipients connected to a local network, generating an instant voice message therefor, and transmitting the selected recipients and 10 the instant voice message therefor over the external network; an external server system connected to the external network, the external server system receiving the selected recipients and the instant voice message, and routing the selected recipients and the instant voice message over the external network and the local network; a local server connected to the local network, the local server receiving the selected recipients and the

15 instant voice message therefor, and delivering the instant voice message to the selected recipients over the local network, the selected recipients being enabled to audibly play the instant voice message.

According to an embodiment of the present invention, there is provided a 20 method for instant voice messaging over a packet-switched network, the method comprising: selecting one or more recipients for instant voice messaging at a client; generating an instant voice message for the selected recipients at the client; transmitting the selected recipients and the instant voice message therefor over the network from the

H:\work\1732\17188\Spec\17188new1.spc.doc

-8-

client to a server; receiving the selected recipients and the instant voice message therefor at the server; delivering the instant voice message from the server to the selected recipients over the network; and audibly playing the instant voice message at the selected recipients.

5

10

15

According to another embodiment of the present invention, there is provided a method for instant voice messaging over a packet-switched network enabling public switched telephone network (PSTN) support, the method comprising: providing input audio via a PSTN telephone connected over the network; selecting one or more recipients for instant voice messaging at a client; generating an instant voice message using the input audio from the PSTN telephone for the selected recipients at the client; transmitting the selected recipients and the instant voice message therefor over the network from the client to a server; receiving the selected recipients and the instant voice message therefor at the server; delivering the instant voice message from the server to the selected recipients over the network; and audibly playing the instant voice message at the selected recipients.

According to a further embodiment of the present invention, there is provided a method for instant voice messaging over a packet-switched network, the

20 method comprising: providing input audio via a voice-over-internet-protocol (VoIP) telephone connected over the network; selecting one or more recipients for instant voice messaging at a client; generating an instant voice message using the input audio from the VoIP telephone for the selected recipients at the client; transmitting the selected

-9-

H:\work\1732\17188\Spec\17188new1.spc.doc

recipients and the instant voice message therefor over the network from the client to a server; receiving the selected recipients and the instant voice message therefor at the server; delivering the instant voice message from the server to the selected recipients over the network; and audibly playing the instant voice message at the selected recipients.

5

10

According to still another embodiment of the present invention, there is provided a method for instant voice messaging over a plurality of packet-switched networks, the method comprising: selecting one or more external recipients for instant voice messaging at a client connected to a local network, the one or more external recipients connected to an external network outside the local network; generating an instant voice message for the selected external recipients at the client; transmitting the selected external recipients and the instant voice message therefor over the local network and the external network; receiving the selected external recipients and the instant voice message therefor at an external server connected to the external network; delivering the

15 instant voice message to the selected external recipients over the external network; and audibly playing the instant voice message at the selected external recipients.

According to yet another embodiment of the present invention, there is provided a method for instant voice messaging system over a plurality of packet-switched

20 networks enabling public switched telephone network (PSTN) support, the method comprising: providing input audio via a PSTN telephone connected to a local network; selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network;

H:\work\1732\17188\Spec\17188new1.spc.doc

-10-

generating an instant voice message for the one or more external recipients using the input audio provided by the PSTN telephone; transmitting the selected recipients and the instant voice message therefor over the local network and the external network; receiving the selected recipients and the instant voice message therefor at a server connected to the external network; delivering the instant voice message to the selected recipients from the server over the external network; and audibly playing the instant voice message at the

selected recipients.

5

According to still a further embodiment of the present invention, there is provided a method for instant voice messaging system over a plurality of packet-switched networks, the method comprising: providing input audio via a voice-over-internetprotocol (VoIP) telephone connected to a local network; selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network; generating an instant voice

- 15 message for the one or more external recipients using the input audio provided by the VoIP telephone; transmitting the selected recipients and the instant voice message therefor over the local network and the external network; receiving the selected recipients and the instant voice message therefor at a server connected to the external network; delivering the instant voice message to the selected recipients from the server over the
- 20 external network; and audibly playing the instant voice message at the selected recipients.

According to yet a further embodiment of the present invention, there is provided a method for instant voice messaging over a plurality of a plurality of packet-

H:\work\1732\17188\Spec\17188new1.spc.doc

0228

-11-

switched networks, the method comprising: selecting one or more recipients connected to a local network at a client connected to an external network; generating an instant voice message for the selected recipients at the client; transmitting the selected recipients and the instant voice message therefor over the external network from the client to an external

- 5 server system; receiving the selected recipients and the instant voice message at the external server system; routing the selected recipients and the instant voice message over the external network and the local network; receiving the selected recipients and the instant voice message therefor at a local server connected to the local network; delivering the instant voice message to the selected recipients over the local network; audibly
- 10 playing the instant voice message at the selected recipients.

BRIEF DESCRIPTION OF THE DRAWINGS

The objects, features and advantages of the present invention will become

15 apparent to one skilled in the art, in view of the following detailed description taken in combination with the attached drawings, in which:

Figure 1 illustrates an example of a prior art IP telephony system;

Figure 2 illustrates an exemplary local IVM system for enabling instant

voice messaging according to the present invention;

20 Figure 3 illustrates an exemplary IVM client of Figure 2 for enabling instant voice messaging according to the present invention;

Figure 4 illustrates an exemplary IVM server of Figure 2 for enabling instant voice messaging according to the present invention;

-12-

Figure 5 illustrates an exemplary global IVM system comprising a local

IVM system and global IVM clients, according to the present invention;

Fig. 6 illustrates an exemplary global IVM server system depicted in Fig. 5, according to the present invention;

5

Fig. 7 illustrates an exemplary transport server depicted in Fig. 6,

according to the present invention;

Fig. 8 illustrates an exemplary directory server depicted in Fig. 6, according to the present invention; and

Fig. 9 illustrates an exemplary global IVM system comprising a plurality of local IVM systems and global IVM clients, according to the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT OF THE INVENTION

15 The present invention is directed to a system and method for enabling local and global instant VoIP messaging over an IP network with PSTN support.

Figure 2 is an exemplary illustration of a local instant voice messaging

(IVM) system 200 according to the present invention. The instant voice messaging

- 20 system 200 comprises a local IVM server 202 that provides the core functionality for enabling instant voice messaging with PSTN support according to the present invention. The architecture of the local IVM server 202 will be described in detail hereinbelow with reference to Fig. 4. According to the exemplary IVM system 200, the local IVM server 202 is enabled to provide instant voice messaging to one or more IVM clients 206 and
- 25 208, as well support instant voice messaging for PSTN legacy telephones 110. It is noted

-13-

H:\work\1732\17188\Spec\17188new1.spc.doc

that although Fig. 2 depicts one of each IVM client 206, 208 and legacy telephone 110 for clarity and brevity, the local IVM server 202 is enabled to support a plurality of each of the foregoing IVM clients 206, 208 and legacy telephone 110. The local packet-switched IP network 204 interconnects the IVM clients 206, 208 and the legacy telephone

- 5 110 to the local IVM server 202 as well as interconnecting the local IVM server 202 to the local IP network 204. The network 204 may be a local area network (LAN), a wide area network (WAN), or the like, which supports both wired and wireless devices. The exemplary IVM client 208 is a VoIP softphone, the architecture of which will be described in detail hereinbelow with reference to Fig. 3. A microphone 212 is connected
- to the IVM client 208 and enables the recording of an instant voice message according to the present invention into an audio file 210 for transmission to the local IVM server 202 over the network 204. An input device 218 (e.g., a keyboard) is connected to the IVM client 208 to select one or more recipients that are to receive the recorded instant voice message. Although not depicted in Fig. 2, the input device 218 may include a trackball,
- digitizing pad or mouse, or the like. A display device 216 is connected to the IVM client 208 to display instant voice messages recorded and/or received by a user of the IVM client 208. An audio device 214, such as external speaker, is connected to the IVM client 208 to play received instant voice messages. It is noted that the microphone 212, audio device 214, display device 216 and input device 218 may form integral parts of the IVM
- 20 client 208.

Further with reference to Fig. 2, IVM client 206 is interconnected via the network 204 to the local IVM server 202. An exemplary IVM client 206 is a VoIP

-14-

H:\work\1732\17188\Spec\17188new1.spc.doc

telephone, which comprises a screen display (not shown) capable of displaying instant voice messages recorded and/or received by a user of the IVM client 206 according to the present invention. The VoIP telephone 206 further comprises a handset and/or speakerphone for recording instant voice messages and listening to instant voice

- 5 messages received at the VoIP telephone 206 according to the present invention. The VoIP telephones which may be implemented to provide instant voice messaging functionality according to the present invention are commercially available from many vendors, including AlcatelTM, LucentTM, NECTM and CiscoTM, to name just a few. In addition to the foregoing IVM clients 206, 208, the IVM system 200 supports a legacy
- telephone 110 for instant voice messaging according to the present invention. The legacy telephone 110 is connected to a legacy switch 112. The legacy switch 112 is further connected to a media gateway 114. Both the legacy switch 112 and the media gateway 114 interconnect the legacy telephone 110 via the network 204 to the local IVM server 202, thereby facilitating instant voice messaging according to the present invention. The
- 15 media gateway 114 may be a gateway that supports trunk pack network control (i.e., "TPNCP") protocol, media gateway control protocol (i.e., "MGCP"), or a media gateway control H.428 protocol (i.e., "MEGACO"). As previously mentioned, the media gateway 114 converts the audio signal carried over PSTN to packets to be transmitted over a packet-switched IP network, such as the local network 204.

20

The implementation of the instant voice messaging for IVM client 208 will be described first and will be followed by the implementations for IVM client 206 and legacy telephone 110, with reference to the local IVM system 200 depicted in Fig. 2.

-15-

H:\work\1732\17188\Spec\17188new1.spc.doc

These implementations implement a "record mode" of the instant voice messaging according to the present invention. There will further be described an "intercom mode" of the instant voice messaging according to the present invention. Therefore, in operation of the IVM client 208 according to Fig. 2, the IVM client (IVM softphone) 208 is

- 5 connected over the network 204 to the IVM server 202, which as aforementioned enables instant voice messaging functionality over the network 204. The IVM client 208 displays a list of one or more IVM recipients on its display 216, provided and stored by the local IVM server 202, as will be particularly described hereinbelow with reference to Fig. 4. The user operates the IVM client 208 by using the input device 218 to indicate a selection
- 10 of one or more IVM recipients from the list. The user selection is transmitted to the IVM server 202. The user selection also generates a start signal to the IVM client 208 that the user is ready to begin instant voice messaging according to the present invention. In response to the start signal, the IVM client (softphone) 208 listens to the input audio device 212 and records the user's speech into a digitized audio file 210 (i.e., instant voice
- 15 message) stored on the IVM client 208. The audio file 210 at the IVM client 208 is finalized via a stop signal, which is generated by the user via the input device 218 or a preset time period without speech input via the input audio device 212 on the IVM client 208. Once the recording of the user's speech is finalized, IVM client 208 generates a send signal indicating that the digitized audio file 210 (instant voice message) is ready to
- 20 be sent to the selected recipients. The user generates the send signal when the user operates the IVM client 208 via the input device 218, e.g., pressing a key on a keyboard or clicking a button on a mouse. The IVM client 208 transmits the digitized audio file 210 and the send signal to the local IVM server 202. In response to the send signal

-16-

H:\work\1732\17188\Spec\17188new1.spc.doc

indicating that the instant voice message is ready to be sent, the IVM client 208 sends the recorded audio file 210 destined for the selected one or more recipients via local IVM server 202. After receiving the audio file 210, the IVM server 202 thereafter delivers the transmitted instant voice message to the selected one or more recipients via the local IP

5 network 204. The one or more recipients are enabled to display an indication that the instant voice message has been received and audibly play the instant voice message to an associated user. It should be understood that only the available IVM recipients, currently connected to the IVM server 202, will receive the instant voice message. It is noted that if a recipient IVM client is not currently connected to the local IVM server 202 (i.e., is

10 unavailable), the IVM server temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the local IVM server 202 (i.e., is available).

There are several embodiments for the operation of the IVM client (VoIP telephone) 206 within the IVM system 200, according to the present invention. In the

- 15 first embodiment, the VoIP telephone 206 is a standalone IVM client 206 enabled for instant voice messaging according to the present invention. In the second embodiment, the VoIP telephone 206 operates synchronously either with the IVM client 208 or IVM server 202 to enable instant voice messaging according to the present invention. Thus, in operation according to the first embodiment in Fig. 2, the IVM client (VoIP telephone)
- 20 206 is connected over the network 204 to the IVM server 202, which as aforementioned enables instant voice messaging functionality over the local network 204. The IVM client 206 displays a list of one or more IVM recipients on its associated display provided and stored by the local IVM server 202, as will be particularly described hereinbelow

-17-

H:\work\1732\17188\Spec\17188new1.spc.doc

with reference to Fig. 4. The user operates the IVM client 206 by using a keypad on the VoIP telephone 206 to indicate a selection of one or more IVM recipients from the list. The VoIP telephone 206 transmits the selection to the IVM server 202. The user selection also generates a start signal to the IVM client 206 indicating the user is ready to

- 5 begin instant voice messaging according to the present invention. The user speaks into the handset of the IVM client 206 or a speakerphone on the IVM client 206. Although not shown in Fig. 2, the VoIP telephone 206 may provide a dedicated storage device, which in response to the start signal records an audio file, similar to the audio file 210 in the IVM client 208. The audio file is finalized via a stop signal. The stop signal is
- 10 generated when the user presses a button on the keypad, a preset time period without speech input to the VoIP telephone 206, or when the user returns the handset to the cradle of the VoIP telephone 206. Once the recording of the user's speech is complete, a send signal is generated indicating that the instant voice message is ready to be sent to the selected recipients. The user generates the send signal when the user presses a button on
- 15 the keypad or returns the handset of the VoIP telephone 206 to it cradle (on-hook). In response to the send signal, the IVM client 206 sends the recorded audio to the local IVM server 202 via the network 204. The IVM server 202 thereafter delivers the instant voice message to the selected one or more recipients via the IP network 204. As before, the one or more recipients are enabled to display an indication that the instant voice message
- has been received and audibly play the instant voice message. As aforementioned, if a recipient IVM client is not currently connected to the local IVM server 202, the IVM server 202 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the local IVM server 202.

-18-

H:\work\1732\17188\Spec\17188new1.spc.doc

In the second embodiment of the IVM client 206 according to Fig. 2, the VoIP telephone 206 operates synchronously either with the IVM client 208 or the IVM server 202 to enable instant voice messaging according to the present invention. Thus, in

- operation according to the second embodiment, the IVM client (VoIP telephone) 206 is still connected over the network 204 to the IVM server 202, which as aforementioned enables instant voice messaging functionality over the local network 204. However, VoIP telephone 206 cooperates with the IVM client 208 or IVM server 202 to record and send an instant voice message. More specifically, the VoIP telephone 206 is only used as
- 10 a recording/listening device for recording or listing to instant voice messages, while the IVM client 208 is used for displaying and selecting instant voice message recipients as described hereinabove. In operation, the IVM client 208 displays a list of IVM recipients on the display device 216 provided and stored by the local IVM server 202. The user operates the IVM client 208 by using the input device 218 on the IVM client 208 to
- 15 indicate a selection of one or more IVM recipients from the list. The user selection is transmitted to the IVM server 202. The user selection generates a start signal to the IVM server 202 indicating that the user is ready to begin instant voice messaging according to the present invention. In response to receiving the start signal, the IVM server 202 transmits a ring signal to the VoIP telephone 206, thereby indicating to the user the IVM
- 20 system 200 is ready to record an instant voice message. The IVM server 202 also signals the IVM client 208 to generate audio file 210 to record the instant voice message. As the user picks up the handset of the VoIP telephone 206 (off-hook), a connection is established via the network 204 between the local IVM server 202 and the VoIP

-19-

H:\work\1732\17188\Spec\17188new1.spc.doc

telephone 206. Thereafter, the IVM server 202 forwards the user's speech transmitted from VoIP telephone 206 to the IVM client 208 for storage into digitized audio file 210 on the IVM client 208. The audio file 210 is finalized by returning the handset its cradle (on-hook) or by pressing a designated button on the keypad VoIP telephone 206, which

- 5 transmits the stop signal to the IVM server 202 and further from the IVM server 202 to the IVM client 208. Returning the handset to its cradle preferably generates a send signal to the IVM server 202, which transmits the signal to the IVM client 208. The IVM client thereafter transmits the recorded audio file 210 (instant voice message) to IVM server 202 for delivery to the selected one or more IVM recipients. Alternatively, the user may
- press a key on the keyboard 218 to initiate the send signal. In response to the send signal, the IVM client 206 sends the recorded audio to the local IVM server 202 via the network 204. The IVM server 202 thereafter delivers the instant voice message to the selected one or more recipients via the IP network 204. The one or more recipients are enabled to display an indication that the instant voice message has been received and audibly play
- the instant voice message. If a recipient IVM client is not currently connected to the local IVM server 202, the IVM server 202 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the local IVM server 202.
- In operation of the legacy telephone 110 according to Fig. 2, the legacy telephone 110 is connected to the local IVM server 202 via media gateway 114 and legacy switch 112. The legacy telephone 110 cooperates with the IVM client 208 to record and send an instant voice message. More specifically, the legacy telephone 110 is

-20-

 $H:\work\1732\17188\Spec\17188new1.spc.doc$

used as a recording/listening device for recording or listing to instant voice messages, while the IVM client 208 is used for displaying and selecting instant voice message recipients as described hereinabove. Thus, in operation the IVM client 208 displays a list of IVM recipients on the display device 216 provided and stored by the local IVM server

- 5 202. The user operates the IVM client 208 by using the input device 218 on the IVM client 208 to indicate a selection of one or more IVM recipients from the list. The user selection is transmitted to the IVM server 202. The user selection generates a start signal to the IVM server 202 indicating that the user is ready to begin instant voice messaging according to the present invention. In response to receiving the start signal, the IVM
- server 202 transmits an emulation code to the legacy telephone 110 to ring, thereby
 indicating to the user the IVM system 200 is ready to record an instant voice message.
 As the user picks up the handset of the legacy telephone 110 (off-hook), a connection is
 established via the network 204 between the legacy telephone 110 and the IVM server
 202. Thereafter, the IVM server forwards the user's speech transmitted from the legacy
- 15 telephone 110 to the IVM client 208 for storage into the digitized audio file 210 (i.e., instant voice message). The audio file on the IVM client 208 is finalized by returning the handset of the legacy telephone 110 to its cradle (on-hook) or by pressing a designated button on the keypad of the legacy telephone 110, which transmits a stop signal to the IVM server 202 and further to the IVM client 208. Returning the handset to its cradle
- 20 also generates a send signal to the IVM server to transmit the recorded audio file (instant voice message) to the selected one or more IVM recipients. The IVM server 202 thereafter delivers the instant voice message to the selected one or more recipients via the IP network 204. The one or more recipients are enabled to display an indication that the

-21-

H:\work\1732\17188\Spec\17188new1.spc.doc

received instant voice message has been received and audibly play the instant voice message. If a recipient IVM client is not currently connected to the local IVM server 202, the IVM server 202 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the local IVM server 202.

5

10

Regarding the operational embodiments described with reference to Fig. 2 for recoding and transmitting an instant voice message according to the present invention, the digitized audio file is preferably compressed by applying a compression algorithm before sending the audio file to the one or more selected recipients. The audio file is preferably compressed within the IVM clients 206, 208 before forwarding the audio file to the IVM server 202 for subsequent delivery to the one or more selected recipients. Alternatively, the compression may be implemented within the IVM server 202 before the audio file is transmitted to the one or more selected recipients. A Lempel-Ziv compression algorithm is preferably used to compress the audio file according to the

15 present invention. It is noted that many suitable compression algorithms are known to persons of skill in the art, including Huffman encoding, audio compression standards promulgated by the Moving Pictures Experts Group ("MPEG"), G.722 wideband speech encoding standard, fractal compression, and wavelet compression. Any of the foregoing compression algorithms may be implemented within the scope of the present invention.

20

Further regarding the operational embodiments described with reference to Fig. 2 for recoding and transmitting an instant voice message according to the present invention, the digitized audio file (which may or may not be compressed as described

-22-

H:\work\1732\17188\Spec\17188new1.spc.doc

above) is further preferably encrypted via an encryption algorithm before transmitting the audio file to the one or more selected recipients. The encryption is preferably implemented within the IVM clients 206, 208 before forwarding the audio file to the IVM server 202 for subsequent delivery to the one or more selected recipients.

- 5 Alternatively, the encryption may be implemented within the IVM server 202 before the audio file is transmitted to the one or more selected recipients. An AES (Rijndael) encryption algorithm is preferably used to encrypt the audio file according to the present invention. It is noted that many suitable encryption algorithms are known to persons skilled in the art, including DES, Triple DES, Blowfish, Twofish, Serpent, and the like.
- 10 Any of the foregoing encryption algorithms may be implemented within the scope of the present invention.

Lastly with reference to Fig. 2, in addition to the "record mode" of instant voice messaging, the instant voice messaging system 200 also supports an "intercom mode" of voice messaging. The "intercom mode" represents real-time instant voice messaging. In the "intercom mode," instead of creating an audio file 210, one or more buffers (not shown) of a predetermined size are generated in the IVM client 206, 208 or local IVM server 202. The one or more buffers are used to automatically write successive portions of the instant voice message. Once a first buffer is full, i.e., input audio of the predetermined size is written to the buffer, the content of the first buffer is

automatically transmitted to the IVM server 202 for transmission to the one or more IVM recipients. A second buffer is meanwhile written with the next successive portion of input audio. Once, the second buffer is full, i.e., input audio of the predetermined size is

-23-

H:\work\1732\17188\Spec\17188new1.spc.doc

written to the buffer, the content of the second buffer is transmitted to the IVM server 202 for transmission to the one or more IVM recipients. If the entire instant voice message or a successive portion thereof (such as a last successive portion in the instant voice message) written to either buffer is smaller the predetermined size, then the

- 5 buffered content of less than the predetermined size is automatically transmitted to the IVM server 202. The foregoing buffering using the first and second buffers is repeated until the entire instant voice message has been transmitted to the IVM server 202 for transmission to the one or more IVM recipients. It is noted that the invention is not limited to a particular number of buffers. The foregoing buffering and transmission
- allows a "real-time" instant voice message to be transmitted to the one or more IVM recipients. The "intercom mode" may be designated as a default mode when an IVM recipient is on-line, while the "record mode" may be designated as a default if the IVM recipient is unavailable, i.e., not on-line. The user may easily change the "intercom mode" to the "record mode" on the respective IVM client 206, 208. Finally, the audio
- 15 contents of the buffers may be signal processed (for clarity), encrypted and compressed before transmission, as will be described in more detail hereinbelow with reference to Fig. 3.
- Fig 3. an exemplary illustration of the architecture in the IVM client 208 for enabling instant voice messaging according to the present invention. More specifically, the IVM client 208 comprises a client platform 302 for generating an instant voice message and a messaging system 320 for messaging between the IVM client 208 and the IVM server 202 for enabling instant voice messaging according to the present

-24-

H:\work\1732\17188\Spec\17188new1.spc.doc

invention. The IVM client 208 is a general-purpose programmable computer equipped with a network interface (not shown), such as an Ethernet card, to provide connectivity to the network 204. It is noted that any suitable networking protocol, not only Ethernet, could be used to connect the IVM client to a network 204 and thus is considered within

- 5 the scope of the present invention. The client platform 302 comprises a client engine 304, which controls other components, namely the document handler 306, file manager 308, audio file creation 312, signal processing 314, encryption/decryption 316, and compression/decompression 318. The messaging system 320 and the client engine 304 communicate via standard inter-process communication. The messaging system 320 and
- client engine 304 also communicate with the IVM server 202 over the network interface via the network 204. The document handler 306 oversees the retrieving, sending, receiving and storing of one or more documents (or files) attached to instant voice messages from/to the one or more selected IVM recipients that may be communicating with the IVM client 208. More specifically, when an instant voice message is to be
- 15 transmitted to the one or more IVM recipients, one or more documents may be attached to the instant voice message to be, stored or displayed by the one or more selected IVM recipients. The file manager accesses a message database 310, in which both the received and recorded instant voice messages are represented as database records, each record comprising a message identifier and the instant voice message. The file manager 308
- 20 services requests from the user to record, delete or retrieve messages to/from the message database 310. Audio file creation 312 creates an instant voice message as audio file 210, and is responsible for receiving input speech for the instant voice message from audio input device 212 or via network 204 and storing the input speech into audio file 210.

-25-

H:\work\1732\17188\Spec\17188new1.spc.doc

Signal processing 314 performs noise removal and signal optimization in the audio file 210. Encryption/decryption 316 provides for respectively encrypting/decrypting of outgoing/incoming audio files (i.e., instant voice messages), and compression/decompression 318 respectively compresses/decompresses the

5 outgoing/incoming audio files.

Further with reference to Fig. 3, the reception of an instant voice message is described as follows. It is assumed that the local IVM server 202 has determined that the IVM client 208 is available to receive an instant voice message by checking the IVM

- client's 208 current status, i.e., whether the IVM client 208 is "on-line." The local IVM server 202 maintains the current status of the IVM clients connected to the local IVM server 202, i.e., IVM clients 206, 208. It is further assumed that an IVM client has transmitted an instant voice message to the IVM client 208. The local IVM server 202 receives the instant voice message over the local IP network 204 and forwards the instant
- voice message to the IVM client 208. Upon receipt at the IVM client 208, the instant voice message is decrypted at 316, decompressed at 318, and stored in the message database 310 using the file manager 308. Any files attached to the instant voice message are also stored in the message database 310 using the file manager 308. A visual and/or sound effect is initiated to notify a user of the IVM client 208 that a new instant voice
- 20 message has been received at the IVM client 208. At this point in time, the instant voice message and any file attachments are available to the user. The user can select the instant voice message from a listing of available instant voice messages displayed on the IVM client 208 and play the newly received instant voice message. The user may also open

-26-

H:\work\1732\17188\Spec\17188new1.spc.doc

any file attachments and move or save the files to a separate location on the client using a drag-and-drop process.

Still further with reference to Fig. 3, the generation and transmission of an instant voice message is described as follows. The user selects the available one or more IVM recipients and initiates the creation of an instant voice message as described above with reference to Fig. 2. The client engine 304 detects the start signal and invokes audio file creation 312 of the audio file 210. The audio file 210 is initialized and captures the audio voice message input by the user. Once the client engine 304 detects a stop signal,

the instant voice message is finalized in the audio file 210 via audio file creation 312. The audio file 210 is adjusted for gain, and noise is removed via signal processing 314. The audio file 210 is further compressed at 318 and encrypted at 316. The completion of these processes causes the client engine 304 to inform the user via display 216 that the instant voice message is available to be sent. After the client engine 304 detects the send

- 15 signal from the user, the instant voice message (audio file 210) is transferred to the local IVM server 202. Before the transmission of the instant voice message (i.e., before the send signal), the user has the option to review the instant voice message, re-record the instant voice message, delete the instant voice, as well as attach one or more files (i.e., documents). The attachment of one or more files is enabled conventionally via a
- 20 methodology such as "drag-and-drop" and the like, which invokes the document handler 306 to make the appropriate linkages to the one or more files and flags the messaging system 320 that the instant voice message also has the attached one or more files.

-27-

Fig 4. an exemplary illustration of the local IVM server 202 for enabling instant voice messaging according to the present invention. The IVM server 202 is a general-purpose programmable computer equipped with a network interface, such as an Ethernet card, to provide connectivity to a network 204. It is noted that any suitable networking protocol may be implemented to connect the IVM server 202 to a network 204. The IVM server 202 comprises a server communication platform 402, a messaging system 436 and a database 414, thereby enabling instant voice messaging according to the present invention. The server communication platform 402 comprises a server engine 404, client manager 406, station manager 408, gateway manager 410, database manager

5

- 10 412 that accesses database 414, supplemental servers 416 (including particular server subsystems 418-424), as well as a control layer 426 (including non-proprietary server subsystems 428, 430 and proprietary server subsystems 432, 434). The messaging system 436 and the server engine 304 communicate via standard inter-process communication. The messaging system 436 and the server engine are also able to
- 15 communicate with the IVM clients 206, 208 over the network interface via the network 204. The database 414 stores users (e.g., IVM clients as well as legacy telephone clients) that are known to the IVM server 202 via the database manager 412. The users are represented in the database as records, each record comprising a user name, a password, and a contact list (a list of other users with whom the user wishes to exchange instant
- 20 voice messages), and other data relating to the user. The database manager 412 services requests to add, update, delete, or retrieve database records to/from the database 414. The password may be stored in the database 414 as plaintext, in encrypted form, or as a

-28-

hash (e.g., MD5 hash). The messaging system 436 communicates to the server engine 404 via message objects.

A message object comprises an action field, an ID field, a source field, a destination field, and an object field. The content of the action field is selected from a list of permitted actions, which among other actions includes: connect, disconnect, subscribe, unsubscribe, and post message. In addition, the actions include: determining if an IVM client is awake (i.e., pinging), disconnecting from the IVM client, processing an IVM client message, and notifying IVM clients if the IVM server 202 goes down. The

5

10 send message, set status message, send a phone command message, and send control parameters message. The content of the ID field represents a unique identifier for the message object. The content of the source field is a globally unique identifier ("GUID") that uniquely identifies the sender of the message. This unique identifier can be generated by any known way, including the Globally Unique ID function call available in

client messages include sending an instant voice message portions, checkin message,

- 15 the Microsoft Windows and Microsoft .NET environments. In some circumstances, the source field is set to a special value to indicate that the sender of the message object is entitled to special privileges. The senders with special privileges are in fact IVM servers. This allows the IVM servers to broadcast messages to one another, subscribe to special events, and directly send messages to specific IVM servers. These privileges can depend
- 20 upon whether the IVM servers are local servers or global servers. As an example, there can exist more than one local IVM server, each of these local IVM servers automatically has privileges to communicate to other local IVM server. On a global server system, a directory server can communicate with one or more transport servers. The content of the

-29-

H:\work\1732\17188\Spec\17188new1.spc.doc

destination field is a GUID of an intended IVM recipient of the instant voice message. The content of the object field is a block of data being carried by the message object, which may be, for example, a digitized instant voice message. Depending on the circumstances in which the message object is sent, some of the message object fields may

5 be left blank or ignored. For example, the message object may merely require an action to be performed based upon the GUID supplied. In this case, the action does not necessarily require any data to be sent or received and some of the message object's fields may be left blank or ignored.

Connection objects maintain the logical connections between the IVM server 202 and IVM clients 206, 208 connected to the IVM server 202. More specifically, a connection object comprises data representing the state of the connection and code (one or more methods) for establishing and maintaining the logical connections between the IVM server 202 and the IVM clients 206, 208 within the IVM system 200 of Fig. 2. The connection object can contain both data and/or commands, including

information that describes the socket, the size of the data to be transferred, and the priority of the transfer (e.g., high, normal, low, unknown). On start up the local IVM server 202 generates and maintains a list for each IVM client 206, 208. The local IVM server 202 then waits to receive connection objects from the IVM clients 206, 208 that are stored in the respective lists, decodes the received connection objects to obtain

20 specific requests, and then services the specific requests from the IVM clients 206, 208.

Further with reference to Fig. 4, the server engine 404 controls all other subsystems in the server communication platform 402, and it is responsible for startup

-30-

٢.

H:\work\1732\17188\Spec\17188new1.spc.doc

and shutdown of the IVM server 202 and the IVM system 200. The client manager 406 controls the IVM clients 206, 208, providing contact presence (connection) information and message scheduling and delivery. The station manager 408 controls the individual legacy telephone 110 and coordinates its activity to work synchronously with the IVM

- client 208 and server 202. The gateway manager 410 enables the IVM server 202 to communicate with the legacy telephones, such as legacy telephone 110. The control layer 426 comprises a plurality of server subsystems 428-434, each of which provides translation services to different proprietary and non-proprietary gateways 114, such as TPNCP, MGCP, and MEGACO gateways. The proprietary server subsystems 428, 430
 and non-proprietary server subsystems 432, 434 are connected to respective gateways 114 via the local IP network 204. The supplemental server subsystems 416 provide a number of required services such as display manager subsystem 418, dynamic host configuration protocol (i.e., "DHCP") subsystem 420, trivial file transfer protocol (i.e., "TFTP"). Each of
- the supplemental servers 418-424 in the subsystem 416 is used during the initial set-up of the IVM system 200. The boot-up process and allocation of IP addresses to IVM clients 206, 208 are performed through an LCD panel (not shown) associated with the local IVM server 202. The LCD manager 418 supports this boot-up process. The DHCP server 420 is used to allocate IP addresses as required and allows the advanced configuration of
- 20 network settings in the instant voice messaging system. The TFTP server 422 provides a TCP/IP file transfer capability. Lastly, the HTTP server 424 provides services for a web server.

H:\work\1732\17188\Spec\17188new1.spc.doc

-31-

Figure 5 is an exemplary illustration of a global instant voice messaging (IVM) system 500, according to the present invention. In the global IVM system 500, the local IVM system 200 is depicted as a local IVM system 510, which is connected to a packet-switched network 102 (i.e., Internet). The global IVM system 500 comprises the local IVM system 510, global IVM server system 502, and global IVM clients 506 and

508 that are optionally connected via local IP network 504. The global IVM server system 502 is connected to the IP network (i.e., Internet) 102 for enabling the local IVM clients 206, 208 and legacy telephone 110 in the local IVM system 510 to generate and send instant voice messages to the global IVM clients 506, 508, as well as the local IVM

5

- clients 206, 208 to receive instant voice messages from the global IVM clients 506, 508. The implementation of the global instant voice messaging for the IVM client 208 will be described first and will be followed by the implementations for IVM client 206 and legacy telephone 110, with reference to the global IVM system 500 depicted in Fig. 5. Thereafter, instant voice messaging for global clients 506 and 508 will be described
- 15 according to the present invention. These implementations implement a "record mode" of the instant voice messaging according to the present invention. Thereafter, there will lastly be described an "intercom mode" of the instant voice messaging according to the present invention.
- 20 Therefore, in operation of the IVM client 208 according to Fig. 5, the IVM client 208 is connected via the networks 204, 102 to the global IVM server system 502, which enables the global instant voice messaging functionality outside the local IVM system 510 over the network (i.e., Internet) 102. More specifically, the IVM client 208

-32-

H:\work\1732\17188\Spec\17188new1.spc.doc

requests from the global IVM server system 502 a global contact list (not shown) of global one or more IVM recipients with which the IVM client 208 may exchange instant voice messages. For the purposes of illustration, it is assumed that global IVM clients 506, 508 are in the contact list. The global IVM server system 502 stores and maintains

- 5 this contact list. Thus, the global IVM server system 502 responds by transmitting the contact list to the IVM client 208. The IVM client 208 displays the contact list on its display 216. Alternatively, the global contact list may be replicated to the local IVM server 202 within the local IVM system 510, in which case the local IVM client 208 obtains the global contact list from the local IVM server 202. The user operates the IVM
- client 208 by using the input device 218 to indicate a selection of one or more IVM recipients from the global contact list. Here, for the purposes of illustration it is again assumed that IVM client 208 selected global IVM clients 506, 508. The user selection is transmitted to the IVM server 202. The user selection also generates a start signal to the IVM client 208 that the user is ready to begin instant voice messaging. In response to the
- 15 start signal, the IVM client 208 listens to the input audio device 212 and records the user's speech into a digitized audio file 210 (i.e., instant voice message) stored on the IVM client 208. The audio file 210 is finalized via a stop signal, which is generated by the user via the input device 218 or a preset time period without speech input via the input audio device 212. Once the recording is finalized, the IVM client 208 generates a
- 20 send signal indicating that the digitized audio file 210 (instant voice message) is ready to be sent to the selected one or more IVM recipients. The user generates the send signal when the user operates the IVM client 208 via the input device 218. The IVM client 208 transmits the digitized audio file 210 and the send signal to the global IVM server system

-33-

H:\work\1732\17188\Spec\17188new1.spc.doc

502 via the local IP network 204 and the global IP network 102. After receiving the audio file 210, the global IVM server system 502 delivers the transmitted instant voice message to the selected one or more recipients (e.g., IVM clients 506 and 508) via the IP network 102. The one or more recipients are enabled to display an indication that the

5 instant voice message has been received and audibly play the instant voice message to an associated user. It is noted that if a recipient IVM client 506, 508 is not currently connected to the global IVM server system 502, the global IVM server system 502 temporarily saves the instant voice message and delivers it to the global IVM client 506, 508 when the IVM client connects to the global IVM server system 502.

10

15

There are several embodiments for the operation of the IVM client (VoIP telephone) 206 within the global IVM system 500 of Fig. 5, according to the present invention. In the first embodiment, the VoIP telephone 206 is a standalone IVM client 206 enabled for instant voice messaging according to the present invention. In the second embodiment, the VoIP telephone 206 operates synchronously with the IVM client 208 to enable instant voice messaging according to the present invention. Thus, in operation according to the first embodiment in Fig. 5, the IVM client 206 is connected via the networks 204, 102 to the global IVM server system 502, which enables instant voice messaging functionality over the IP network (Internet) 102. As mentioned

20 previously, the IVM client 206 is also connected to the local IVM server 202. The IVM client 208 requests from the global IVM server system 502 a global contact list (not shown) of the global one or more IVM recipients with which the IVM client 206 may exchange instant voice messages. For the purposes of illustration, it is assumed that the

-34-

H:\work\1732\17188\Spec\17188new1.spc.doc

global IVM clients 506, 508 are in the contact list. The global IVM server system 502 stores and maintains this contact list. Thus, the global IVM server system 502 responds by transmitting the global contact list to the IVM client 206. Alternatively, the global contact list may be replicated to the local IVM server 202 within the local IVM system

- 5 510, in which case the local IVM client 206 obtains the global contact list from the local IVM server 202. The IVM client 206 displays a list of the one or more IVM recipients on its associated display. The user operates the IVM client 206 by using a keypad on the VoIP telephone 206 to indicate a selection of one or more IVM recipients from the list. The VoIP telephone 206 transmits the selection to the global IVM server system 502.
- The user selection also generates a start signal to the IVM client 206 indicating the user is ready to begin instant voice messaging according to the present invention. The user speaks into the handset of the IVM client 206 or a speakerphone on the IVM client 206. Although not shown in Fig. 5, the VoIP telephone 206 may provide a dedicated storage device, which in response to the start signal records an audio file, similar to the audio file
- 15 210 in the IVM client 208. The audio file is finalized via a stop signal. The stop signal is generated when the user presses a button on the keypad, a preset time period without speech input to the VoIP telephone 206, or when the user returns the handset to the cradle of the VoIP telephone 206. Once the recording of the user's speech is complete, a send signal is generated indicating that the instant voice message is ready to be sent to the
- 20 selected recipients. The user generates the send signal when the user presses a button on the keypad or returns the handset of the VoIP telephone 206 to it cradle. In response to the send signal, the IVM client 206 sends the recorded audio file (instant voice message) to the global IVM server system 502 via the networks 204, 102 for delivery to the

-35-

H:\work\1732\17188\Spec\17188new1.spc.doc
selected one or more IVM recipients. The global IVM server 502 thereafter delivers the instant voice message to the selected one or more recipients (e.g., IVM clients 506 and 508) via the IP network 102. As before, the one or more recipients are enabled to display an indication that the instant voice message has been received and audibly play the

- 5 instant voice message. If a recipient IVM client is not currently connected to the global IVM server system 502, the global IVM server system 502 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the global IVM server system 502.
- In the second embodiment of the IVM client 206 according to Fig. 5, the VoIP telephone 206 operates synchronously with the IVM client 208 to enable global instant voice messaging according to the present invention. Thus, in operation according to the second embodiment in Fig. 5, the VoIP telephone 206 is connected over the network 204 to the IVM client 208 and the IVM client 208 is connected via the networks 204, 102 to the global IVM server system 502, which enables instant voice messaging
- functionality over the IP network (Internet) 102. The VoIP telephone 206 cooperates with the IVM client 208 to record and send a global instant voice message outside the local IVM system 510. The IVM client 208 displays a global contact list of IVM recipients (not shown) on the display device 216 provided by the global IVM server
- 20 system 502, as described hereinabove. Alternatively, the global contact list may be replicated to the local IVM server 202 within the local IVM system 510, in which case the IVM client 208 obtains the global contact list from the local IVM server 202. The user operates the IVM client 208 by using the input device 218 to indicate a selection of

H:\work\1732\17188\Spec\17188new1.spc.doc

-36-

one or more IVM recipients from the contact list. The user selection generates a start signal in the IVM client 208 indicating that the user is ready to begin instant voice messaging according to the present invention. In response to the start signal, the IVM client 208 generates audio file 210 to record an instant voice message and transmits a ring

- 5 signal to the VoIP telephone 206. As the user picks up the handset of the VoIP telephone 206 (off-hook), a connection is established via the network 204 between the local IVM client 208 and the VoIP telephone 206. Thereafter, the VoIP telephone 206 forwards the user's speech to the IVM client 208 for storage into the audio file 210. The audio file 210 is finalized by returning the handset its cradle (on-hook) or by pressing a designated
- button on the keypad VoIP telephone 206, which transmits the stop signal to the IVM client 208. Returning the handset to its cradle preferably generates a send signal to the IVM client 208. The IVM client thereafter transmits the recorded audio file 210 (instant voice message) to the global IVM server system 502 via networks 204, 102 for delivery to the selected one or more IVM recipients. Alternatively, the user may press a key on
- the keyboard 218 to initiate the send signal. In response to the send signal, the IVM client 208 sends the recorded audio file to the global IVM server system 502 for delivery to the selected one or more IVM recipients. The global IVM server system 502 thereafter delivers the instant voice message to the selected one or more recipients (e.g., IVM clients 506 and 508) via the IP network 102. As before, the one or more IVM recipients
- are enabled to display an indication that the instant voice message has been received and audibly play the instant voice message. If a recipient IVM client is not currently connected to the global IVM server system 502, the global IVM server system 502

-37-

temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the global IVM server system 502.

In operation of the legacy telephone 110 according to Fig. 5, the legacy 5 telephone 110 is connected to the local IVM client 208 via media gateway 114, legacy 5 switch 112 and network 204. The legacy telephone 110 cooperates with the IVM client 208 to record and send an instant voice message outside the local IVM system 510. More 5 specifically, the legacy telephone 110 is used as a recording/listening device for 5 recording or listing to instant voice messages, while the IVM client 208 is used for

- displaying and selecting instant voice message recipients as described hereinabove. Thus, in operation the IVM client 208 requests from the global IVM server system 502 a global contact list of global one or more IVM recipients with which the IVM client 208 may exchange instant voice messages. Alternatively, the global contact list may be replicated to the local IVM server 202 within the local IVM system 510, in which case
- 15 the IVM client 208 obtains the global contact list from the local IVM server 202. The IVM client 208 displays the global list of IVM recipients, as described hereinabove. The user operates the IVM client 208 to indicate a selection of one or more IVM recipients from the global contact list. The IVM client 208 transmits the user selection to the global IVM server system 502. The user selection generates a start signal in the IVM client 208
- 20 indicating that the user is ready to begin instant voice messaging according to the present invention. In response to the start signal, the IVM client 208 transmits an emulation code to the legacy telephone 110 to ring, thereby indicating to the user the global IVM system 500 is ready to record an instant voice message. As the user picks up the handset of the

-38-

H:\work\1732\17188\Spec\17188new1.spc.doc

legacy telephone 110 (off-hook), a connection is established via the network 204 between the legacy telephone 110 and the IVM client 208. Thereafter, the user's speech is transmitted from the legacy telephone 110 to the IVM client 208 for storage into the digitized audio file 210 (i.e., instant voice message). The audio file 210 is finalized by

- 5 returning the handset of the legacy telephone 110 to its cradle (on-hook) or by pressing a designated button on the keypad of the legacy telephone 110, which transmits a stop signal to the IVM client 208. Returning the handset to its cradle may also generate a send signal to the IVM client 208 to transmit the recorded audio file (instant voice message) to the global IVM server system 502 for delivery to the selected one or more IVM
- recipients. Alternatively, the send signal is preferably generated from the IVM client 208 as described hereinabove. The global IVM server system 502 thereafter delivers the instant voice message to the selected one or more IVM recipients via the IP network (Internet) 102. The one or more recipients are enabled to display an indication that the instant voice message has been received and audibly play the instant voice message. If a
- 15 recipient IVM client is not currently connected to the global IVM server system 502, the global IVM server system 502 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the global IVM server 502.

Further with reference to Fig. 5, the instant voice messaging for global clients 506 and 508 will be described according to the present invention. In a first embodiment, each of the global IVM clients 506, 508 is enabled to independently send an instant voice message. The IVM clients 506, 508 have like peripheral devices and functionality described respectively with reference to local IVM clients 206, 208 in Fig.

-39-

H:\work\1732\17188\Spec\17188new1.spc.doc

2. In second embodiment described below, the VoIP telephone 506 operates in conjunction with the IVM client 508 to send an instant voice message. Therefore, in operation of the global IVM clients 506 and 508 according the first embodiment in Fig. 5, the IVM clients 506, 508 are connected via the networks 204, 102 to the global IVM

- 5 server system 502, which enables the global instant voice messaging functionality outside the local IVM system 510 over the network (i.e., Internet) 102. Each of the global IVM clients 506, 508 is enabled to request from the global IVM server system 502 a contact list (not shown) of global one or more IVM recipients with which each of the global IVM client 506, 508 may exchange instant voice messages. For the purposes of this
- illustration, it is assumed that the IVM clients 206 and 208 within the local IVM system 510 are in the contact list for each global IVM client 506, 508. The global IVM server system 502 stores and maintains the foregoing contact list for each global IVM client 506, 508. Upon request, the global IVM server system 502 responds by transmitting the contact list to each of the IVM clients 506, 508. Each of the IVM clients 506, 508
- displays the contact list on its display. The user operates the IVM client 506, 508 to indicate a selection of one or more IVM recipients from the contact list. Each of the global IVM clients 506, 508 transmits the user selection to the global IVM server system 502. The user selection also generates a start signal to the IVM clients 506, 508 that the user is ready to begin instant voice messaging. In response to the start signal, the IVM
- 20 clients 506, 508 record the user's speech into a digitized audio file (i.e., instant voice message) stored on the global IVM clients 506, 508. The audio file is finalized via a stop signal, which is generated by the user by operating the global IVM client 506, 508. Once the recording is finalized, the IVM client 506, 508 generates a send signal indicating that

-40-

H:\work\1732\17188\Spec\17188new1.spc.doc

the digitized audio file (instant voice message) is ready to be sent to the selected one or more recipients. The user generates the send signal when the user operates the global IVM client 506, 508. The IVM client 208 transmits the digitized audio file and the send signal to the global IVM server system 502. After receiving the audio file, the global

- 5 IVM server system 502 delivers the transmitted instant voice message to the local IVM server 202 in the local IVM system 510 for delivery to the selected one or more recipients (e.g., local IVM clients 206 and 208) via the local IP network 204. The one or more recipients IVM 206, 208 are enabled to display an indication that the instant voice message has been received and audibly play the instant voice message to an associated
- 10 user. It is noted that if a recipient IVM client 206, 208 is not currently connected to the local IVM server 202, the IVM server 202 temporarily saves the instant voice message and delivers it to the local IVM client 206, 208 when the IVM client connects to the local IVM server 202.
- In the second embodiment of the IVM client 506 according to Fig. 5, the VoIP telephone 506 operates synchronously with the IVM client 508 to enable global instant voice messaging according to the present invention. In this embodiment, the VoIP telephone 506 and the IVM client 508 may be located in a user's residence and be connected to a local IP network 504. This local IP network 504 can be a WiFi network or a local area network (i.e., LAN), which is also within the user's residence. The local IP network 504 may be connected to the IP network (Internet) 102 via a digital subscriber line (i.e., DSL) connection, cable connection, dialup connection, or the like. As noted above, the IVM clients 506, 508 have like peripheral devices and functionality described

-41-

H:\work\1732\17188\Spec\17188new1.spc.doc

respectively with reference to local IVM clients 206, 208 in Fig. 2. Thus, in operation according to this embodiment in Fig. 5, the global IVM client 508 requests from the global IVM server system 502 a contact list of global one or more IVM recipients with which each of the global IVM client 508 may exchange instant voice messages. For the

- 5 purposes of this illustration, it is assumed that the IVM clients 206 and 208 within the local IVM system 510 are in the contact list for the global IVM client 508. The global IVM server system 502 stores and maintains the foregoing contact list for the global IVM client 508. The IVM client 508 displays a contact list of IVM recipients on the associated display device provided by the global IVM server system 502, as described
- 10 hereinabove. The user operates the IVM client 508 by using the associated input device to indicate a selection of one or more IVM recipients from the contact list. The user selection generates a start signal in the IVM client 508 indicating that the user is ready to begin instant voice messaging according to the present invention. In response to the start signal, the IVM client 508 generates audio file to record an instant voice message and
- transmits a ring signal to the VoIP telephone 506 via local IP network 504. As the user picks up the handset of the VoIP telephone 206 (off-hook), a connection is established via the local network 504 between the local IVM client 508 and the VoIP telephone 506. Thereafter, the VoIP telephone 506 forwards the user's speech to the IVM client 508 for storage into the audio file at the IVM client 508. The audio file is finalized by returning
- 20 the handset its cradle (on-hook) or by pressing a designated button on the keypad associated with the VoIP telephone 506, which transmits the stop signal to the IVM client 508. Returning the handset to its cradle preferably generates a send signal to the IVM client 508. The IVM client thereafter transmits the recorded audio file (instant voice

-42-

H:\work\1732\17188\Spec\17188new1.spc.doc

message) to the global IVM server system 502 for delivery to the selected one or more IVM recipients. Alternatively, the user may press a key on the input device associated with the IVM client 508 to initiate the send signal. In response to the send signal, the IVM client 508 sends the recorded audio file to the global IVM server system 502 for

- 5 delivery to the selected one or more IVM recipients. The global IVM server system 502 thereafter transmits the instant voice message to the local IVM server 202 for delivery selected one or more recipients (e.g., local IVM clients 206 and 208) via the local IP network 204. As before, the one or more recipients are enabled to display an indication that the instant voice message has been received and audibly play the instant voice
- 10 message. If a recipient IVM client is not currently connected to the local IVM server 202, the local IVM server 202 temporarily saves the instant voice message and delivers it to the IVM client when the IVM client connects to the local IVM server 202.
- Lastly with reference to Fig. 5, in addition to the "record mode" of instant voice messaging as described above, the instant voice messaging system 500 also supports an "intercom mode" of the instant voice messaging. The "intercom mode" represents real-time instant voice messaging. In the "intercom mode," instead of creating an audio file as described hereinabove, one or more buffers (not shown) of a predetermined size are generated. The buffers may be generated in any one of the IVM
- 20 clients 206, 208, 506 and 508, depending on how the global IVM system 500 is defined. The one or more buffers are used to automatically write successive portions of the instant voice message. Once a first buffer is full, i.e., input audio of the predetermined size is written to the buffer, the content of the first buffer is automatically transmitted. If the

-43-

H:\work\1732\17188\Spec\17188new1.spc.doc

transmission is generated at a local IVM client 206, 208 and destined for one or more local IVM recipients, the content of the first buffer is transmitted to the local IVM server 202 for delivery to the local one or more recipients. If the transmission is generated at a local IVM client 206, 208 and destined for one or more global IVM recipients 506, 508,

- 5 the content of the first buffer is transmitted to the global IVM server system 502 for delivery to the one or more global recipients. In addition, if the transmission is generated at a global IVM client 506, 508 and destined for the other global IVM clients, the content of the first buffer is transmitted to the global IVM server system 502, such as for example clients 506, 508. Lastly, if the transmission is generated at a global IVM client 506, 508
- and destined for the local IVM clients 206, 208, the content of the first buffer is transmitted to the global IVM server system 502 and further transmitted by the global IVM server 502 to the local IVM server 202 for delivery to clients 206, 208 within the local IVM system 510. A second buffer is meanwhile written with the next successive portion of input audio. Once, the second buffer is full, i.e., input audio of the
- 15 predetermined size is written to the buffer, the content of the second buffer is transmitted in similar fashion to the first buffer. If the entire instant voice message or a successive portion thereof (such as a last successive portion in the instant voice message) written to either buffer is smaller the predetermined size, then the buffered content of less than the predetermined size is automatically transmitted to the IVM server 202. The foregoing
- 20 buffering using the first and second buffers is repeated until the entire instant voice message has been transmitted as described above. It is noted that the invention is not limited to a particular number of buffers. The foregoing buffering and transmission allows a "real-time" instant voice message to be transmitted to the one or more local, as

-44-

H:\work\1732\17188\Spec\17188new1.spc.doc

well as global, IVM recipients. The "intercom mode" may be designated as a default mode when an IVM recipient is on-line, while the "record mode" may be designated as a default if the IVM recipient is unavailable, i.e., not on-line. The user may easily change the "intercom mode" to the "record mode" on the respective IVM client 206, 208, 506,

5 508. Finally, the audio contents of the buffers may be signal processed (for clarity), encrypted and compressed before transmission, as was described previously.

Fig. 6 is an exemplary detailed illustration 600 of the global IVM server
system 502 depicted in Fig. 5, according to the present invention. More specifically, the
local IVM system 510 described in Fig. 5 is connected via the IP network (Internet) 102
to the global IVM server system 502. The global IVM server system 502 comprises an
IVM transport server mesh 602 and an IVM directory server 608. The IVM transport
server mesh 602 comprises a plurality of interconnected IVM transport servers 604, 606.
Although the mesh 602 is depicted as having two IVM transport servers 604, 606, it is to

15 be understood that as many IVM transport servers as are desired or required for redundancy and load balancing may be interconnected in a mesh. The IVM transport servers 604, 606 may be centrally located and configured to communicate (i.e., forward and receive messages) with local IVM clients 206, 208, local IVM server 202 and global IVM client 506, 508 (not depicted in Fig. 6). The plurality of IVM transport servers 604,

20 606 in the IVM transport server mesh 602 permits load balancing and redundancy in the global IVM system 500. The directory server 608 maintains a transport server list of all the IVM transport servers 604, 606 currently connecting to the mesh 602. Each of the IVM transport servers 604, 606 first connects to the directory server 608. The directory

-45-

H:\work\1732\17188\Spec\17188new1.spc.doc

server 608 informs each of the connecting IVM transport servers 604, 606 of all the other IVM transport servers currently in the mesh 602 based on an active list (not shown) of transport servers 604, 606 in the mesh 602. The connecting IVM transport server then connects to each of the IVM transport servers in the transport server list, resulting in an interconnected mesh 602 of IVM transport servers 604, 606. The IVM transport servers

604, 606 and the IVM directory server 608 communicate via messages.

5

Further with reference to Fig. 6, the IVM transport servers 604, 606 connected in the mesh 602 share a database (not shown) of IVM clients, so that each

IVM transport server 604, 606 refers to the same client database. It is preferable that each IVM transport server 604, 606 maintains its own copy of the client database, which is mirrored and replicated conventionally amongst the IVM transport servers 604, 606 in the mesh 602. The client database may further be replicated to the local IVM server 202. Alternatively, the client database is stored on a separate file server (not shown) in data

15 communication with the IVM transport servers 604, 606 over a network (not shown).

Fig. 7 is an exemplary detailed illustration of a transport server 604, 606 depicted in Fig. 6, according to the present invention. The IVM transport server 604, 606 is a general-purpose programmable computer comprising a network interface (not shown)

20 connected to IP network (Internet) 102, a communication platform 702, a message database 712, and a messaging system 714. The communication platform 702 comprises a server engine 704, which controls a user manager 706, a local server manager 708, and a storage manager 710. The messaging system 714 and the server engine 704

-46-

H:\work\1732\17188\Spec\17188new1.spc.doc

communicate via standard inter-process communication. The storage manager 710 handles retrieving, sending, and storing of messages, including instant voice messages and attachments thereto, to/from the message database 712. The user manager 706 is responsible for creating/maintaining IVM clients 206, 208, 506, 508, identifying them

- and relaying their status to the server engine 704. When an IVM client communicates an instant voice message within the global IVM system 500, the user manager 706 notifies the server engine 704 whether the one or more recipients are unavailable, and thereby the instant voice message is saved in the message database 712. When the one or more IVM recipients become available, the user manager 706 notifies the server engine 704, which
- instructs the storage manager 710 to retrieve any undelivered instant voice messages for the one or more recipients and delivers the instant voice messages to the designated one or more IVM recipients. The local server manager 708 is responsible for creating/maintaining and providing the status of available local IVM servers, such as IVM server 202 in Fig. 2. The availability status of the local IVM servers is checked
 periodically and updated.

Fig. 8 is an exemplary detailed illustration of a directory server 608 depicted in Fig. 6, according to the present invention. The directory server 608 is a general-purpose programmable computer equipped with a network interface (not shown)

20 connected to IP network (Internet) 102, a messaging system 812, and a communication platform 802. The communication platform 802 comprises a server engine 804, which controls a local server manager 806, a user manager 808, and a transport manager 810. The messaging system 812 and the server engine 804 communicate via standard inter-

-47-

H:\work\1732\17188\Spec\17188new1.spc.doc

process communication. The transport manager 810 maintains the status of the IVM transport servers 604, 606 in the IVM transport server mesh 602 within the global IVM system 500 and using a load-balancing mechanism distributes instant voice messages to available transport server 604, 606 for routing to the one or more IVM recipients. The

user manager 808 is responsible for creating/maintaining IVM clients 206, 208, 506, 508, 5 identifying and relaying their status via the server engine 804 to the IVM transport server 604, 606 to be used. The local server manager 806 is responsible for creating/maintaining and providing the status of available local IVM servers, such as IVM server 202 in Fig. 2. The availability status of the local IVM servers is checked periodically and updated. 10

Fig. 9 illustrates an exemplary a global instant voice messaging (IVM) system 900, which comprises a plurality of local IVM systems and a plurality of global IVM clients, according to the present invention. In the global IVM system 900, there are depicted a plurality of local IVM systems 902, 910 connected to the global IP network 15 102. The internal representation and functionality of each local IVM system 902, 904 is identical to the local IVM system 510 described with reference to Fig. 5. In global IVM system 900 of Fig. 9, there are also depicted a plurality of global IVM clients 918-928 and a global IVM server system 502 connected to the global IP network (i.e., Internet)

20 102. The internal representations of the global IVM client 918-928 and the global IVM server system 502 are identical to the respective IVM client 508 (and/or IVM client or 506) and the global IVM server system 502 described with reference to Fig. 5. In the local IVM system 902, each local IVM client 206, 208 is enabled to request local IVM

-48-

H:\work\1732\17188\Spec\17188new1.spc.doc

recipients from the local IVM server 202 and global IVM recipients from either the global IVM server system 502 or the local IVM server 202. For example, the local IVM client 1A 208 displays a list 904 to a user, comprising both local and global IVM recipients. More specifically, the list 904 enables IVM client 1A to send instant voice

- 5 messages according to the present invention to local IVM clients 1B 208 and 1C 206, global IVM client C 922 and global IVM client 2A 208 in the local IVM system 910. Similar lists 906-916 are displayed to the users of the respective IVM clients 1B-1C in local IVM system 902, and 2A-2C in local IVM system 910. In addition, the global clients A-F 918-928 are enabled to request IVM recipients from the global IVM server
- system 502 and display the respective lists of IVM recipients 930-940 on the respective IVM clients 918-928.

While the invention has been particularly shown and described with regard to preferred embodiments thereof, it will be understood by those skilled in the art that the foregoing and other changes in form and details may be made therein without departing from the spirit and scope of the invention.

15

-49-

CLAIMS:

Having thus described our invention, what we claim as new, and desire to secure by Letters Patent is:

1. An instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising:

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the network; and

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients enabled to audibly play the instant voice message.

2. The instant voice messaging system according to Claim 1, wherein the packet-switched network is a local network.

3. The instant voice messaging system according to Claim 1, wherein the packet-switched network is the Internet.

4. The instant voice messaging system according to Claim 1, wherein the client requests a list of recipients associated with the client from the server and the server transmits the list of recipients to the client for selection of the one or more recipients.

H:\work\1732\17188\Spec\17188new1.spc.doc

0267

-50-

5. The instant voice messaging system according to Claim 1, wherein the server delivers the instant voice message to the selected recipients that are available.

6. The instant voice messaging system according to Claim 1, wherein the server temporarily stores the instant voice message if a selected recipient is unavailable and delivers the stored instant voice message to the selected recipient once the selected recipient becomes available.

7. The instant voice messaging system according to Claim 1, wherein the client records the instant voice message in an audio file, transmits the audio file to the server, and the server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

8. The instant voice messaging system according to Claim 7, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients being enabled to decrypt and decompress the audio file before audibly playing the audio file.

9. The instant voice messaging system according to Claim 1, wherein the client buffers each of a plurality of successive portions of the instant voice message as the instant message is recorded, and the client transmits each successive buffered portion to the server for delivery to the to the selected recipients, the selected recipients being enabled to audibly playing each successive portion as it is delivered.

-51-

H:\work\1732\17188\Spec\17188new1.spc.doc

10. The instant voice messaging system according to Claim 1, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

11. The instant voice messaging system according to Claim 1, the system further comprising a public switched telephone network (PSTN) telephone connected to the network to provide input audio of the instant voice message to the client.

12. The instant voice messaging system according to Claim 1, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the network to provide input audio of the instant voice message to the client.

13. An instant voice messaging system for delivering instant messages over a packet-switched network enabling public switched telephone network (PSTN) support, the system comprising:

a PSTN telephone connected to the network for providing input audio;

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the PSTN telephone, and transmitting the selected recipients and the instant voice message therefor over the network;

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice

-52-

message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

14. An instant voice messaging system for delivering instant messages over a packet-switched network, the system comprising:

a voice-over-internet-protocol (VoIP) telephone connected to the network for providing input audio;

a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the network;

a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

15. An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

a client connected to a local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network; and

-53-

a server connected to the external network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.

16. The instant voice messaging system according to Claim 15, the client further selects one or more local recipients connected to the local network and transmits the selected local recipients and the instant voice message therefor over the local network, wherein the system further comprises:

a local server connected to the local network, the local server receiving the selected local recipients and the instant message therefor from the client, and delivering the instant voice message to the selected local recipients over the local network, the selected local recipients being enabled to audibly play the instant voice message.

17. The instant voice messaging system according to Claim 15, wherein the local network is a network within an enterprise.

18. The instant voice messaging system according to Claim 15, wherein the external network is the Internet.

19. The instant voice messaging system according to Claim 15, wherein the client requests a list of recipients associated with the client from the server and the

-54-

server transmits the list of recipients to the client for selection of the one or more recipients.

20. The instant voice messaging system according to Claim 15, wherein the server delivers the instant voice message to the selected recipients that are available.

21. The instant voice messaging system according to Claim 15, wherein the server temporarily stores the instant voice message if a selected recipient is unavailable and delivers the stored instant voice message to the selected recipient once the selected recipient becomes available.

22. The instant voice messaging system according to Claim 15, wherein the client records the instant voice message in an audio file, transmits the audio file to the server, and the server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

23. The instant voice messaging system according to Claim 22, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients are enabled to decrypt and decompress the audio file before audibly playing the audio file.

24. The instant voice messaging system according to Claim 15, wherein the client buffers each of a plurality of successive portions of the instant voice message as

-55-

H:\work\1732\17188\Spec\17188new1.spc.doc

the instant message is recorded, and the client transmits each successive portion to the server for delivery to the selected recipients, the selected recipients being enabled to audibly playing each successive portion as it is delivered.

25. The instant voice messaging system according to Claim 15, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

26. The instant voice messaging system according to Claim 15, the system further comprising a public switched telephone network (PSTN) telephone connected to the local network to provide input audio of the instant voice message to the client.

27. The instant voice messaging system according to Claim 15, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the local network to provide input audio of the instant voice message to the client.

28. An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks enabling public switched telephone network (PSTN) support, the system comprising:

a PSTN telephone connected to a local network for providing input audio;

a client connected to the local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the PSTN telephone,

-56-

and transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

a server connected to the external network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.

29. An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

a voice-over-internet-protocol (VoIP) telephone connected to a local network for providing input audio;

a client connected to the local network, the client selecting one or more external recipients connected to an external network outside the local network, generating an instant voice message therefor using the input audio provided by the VoIP telephone, and transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

an server connected to the external network, the external server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the external network, the selected recipients being enabled to audibly play the instant voice message.

30. An instant voice messaging system for delivering instant messages over a plurality of packet-switched networks, the system comprising:

-57-

a client connected to an external network, the client selecting one or more recipients connected to a local network, generating an instant voice message therefor, and transmitting the selected recipients and the instant voice message therefor over the external network; and

a external server system connected to the external network, the external server system receiving the selected recipients and the instant voice message, and routing the selected recipients and the instant voice message over the external network and the local network;

a local server connected to the local network, the local server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the local network, the selected recipients being enabled to audibly play the instant voice message.

31. The instant voice messaging system according to Claim 30, the client further selects one or more external recipients connected to the external and transmits the selected external recipients over the external network to the external server, and the external server receives the selected external recipients and delivers the instant voice message to the selected external recipients over the external network, the selected external recipients being enabled to audibly play the instant voice message.

32. The instant voice messaging system according to Claim 30, wherein the local network is a network within an enterprise.

0275

-58-

33. The instant voice messaging system according to Claim 30, wherein the external network is the Internet.

34. The instant voice messaging system according to Claim 30, wherein the client requests a list of recipients associated with the client from the external server system and the external server system transmits the list of recipients to the client for selection of the one or more recipients.

35. The instant voice messaging system according to Claim 30, wherein the local server delivers the instant voice message to the selected recipients that are available.

36. The instant voice messaging system according to Claim 30, wherein the local server temporarily stores the instant voice message if a selected recipient is unavailable and delivers the stored instant voice message to the selected recipient once the selected recipient becomes available.

37. The instant voice messaging system according to Claim 30, wherein the client records the instant voice message in an audio file, transmits the audio file to the external server, the external server system routes the audio file to the local server, and the local server delivers the audio file to the selected recipients, the selected recipients being enabled to audibly play the audio file.

v

38. The instant voice messaging system according to Claim 37, wherein the client signal processes, compresses and encrypts the audio file, and the selected recipients are enabled to decrypt and decompress the audio file before audibly playing the audio file.

39. The instant voice messaging system according to Claim 30, wherein the client buffers each of a plurality of successive portions of the instant voice message as the instant message is recorded, and the client transmits each successive buffered portion to the external server system, the external server system routes each successive portion to the local server, and the local server delivers each successive portion to the to the selected recipients, the selected recipients being enabled to audibly play each successive portion as it is delivered.

40. The instant voice messaging system according to Claim 30, wherein the client is enabled to attach one or more files to the instant voice message and the selected recipients are enabled to store or display the one or more attached files.

41. The instant voice messaging system according to Claim 30, the system further comprising a voice-over-internet-protocol (VoIP) telephone connected to the client via a local network, the client providing input audio of the instant voice message to the client via the local network.

-60-

42. The instant voice messaging system according to Claim 30, wherein the external server system comprises:

a transport server mesh including a plurality of transport servers for routing instant voice messages;

a directory server for maintaining the transport server mesh and facilitating load-balancing of the instant voice messages within the transport server mesh.

43. A method for instant voice messaging over a packet-switched network, the method comprising:

selecting one or more recipients for instant voice messaging at a client; generating an instant voice message for the selected recipients at the

client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected

recipients over the network; and

audibly playing the instant voice message at the selected recipients.

44. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

H:\work\1732\17188\Spec\17188new1.spc.doc

0278

-61-

requesting from the client a list of recipients associated with the client from the server; and

transmitting from the server the list of recipients to the client for selection of the one or more recipients.

45. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

delivering the instant voice message from the server to the selected recipients that are available.

46. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

temporarily storing at the server the instant voice message if a selected recipient is unavailable; and

delivering from the server the stored instant voice message to the selected recipient once the selected recipient becomes available.

47. The method for instant voice messaging according to Claim 43,

wherein the method further comprises:

recording the instant voice message at the client in an audio file;

transmitting the audio file to the server;

delivering the audio file from the server to the selected recipients; and audibly playing the audio file at the least one of the selected recipients.

-62-

48. The method for instant voice messaging according to Claim 47, wherein the method further comprises:

signal processing, compressing and encrypting the audio file at the client; decrypting and decompressing the audio file at the at least one selected recipient; and

audibly playing the decrypted and decompressed audio file at the least one of the selected recipients.

49. The method for instant voice messaging according to Claim 43, further comprising:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive buffered portion to the server; delivering each successive portion from the server to the selected recipients, the selected recipients audibly playing each successive portion as it is delivered.

50. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

attaching one or more files to the instant voice message at the client; storing or displaying the one or more attached files at the selected recipients.

-63-

51. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

providing input audio of the instant voice message to the client from a public switched telephone network (PSTN) telephone connected to the network.

52. The method for instant voice messaging according to Claim 43, wherein the method further comprises:

providing input audio of the instant voice message to the client from a voice-over-internet-protocol (VoIP) telephone connected to the network.

53. A method for instant voice messaging over a packet-switched network enabling public switched telephone network (PSTN) support, the method comprising:

providing input audio via a PSTN telephone connected over the network; selecting one or more recipients for instant voice messaging at a client; generating an instant voice message using the input audio from the PSTN telephone for the selected recipients at the client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected recipients over the network; and

H:\work\1732\17188\Spec\17188new1.spc.doc

-64-

audibly playing the instant voice message at selected recipients.

54. A method for instant voice messaging over a packet-switched network, the method comprising:

providing input audio via a voice-over-internet-protocol (VoIP) telephone connected over the network;

selecting one or more recipients for instant voice messaging at a client; generating an instant voice message using the input audio from the VoIP telephone for the selected recipients at the client;

transmitting the selected recipients and the instant voice message therefor over the network from the client to a server;

receiving the selected recipients and the instant voice message therefor at the server;

delivering the instant voice message from the server to the selected recipients over the network; and

audibly playing the instant voice message at the selected recipients.

55. A method for instant voice messaging over a plurality of packet-

switched networks, the method comprising:

selecting one or more external recipients for instant voice messaging at a client connected to a local network, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the selected external recipients at the client;

transmitting the selected external recipients and the instant voice message therefor over the local network and the external network;

receiving the selected external recipients and the instant voice message therefor at an external server connected to the external network;

delivering the instant voice message to the selected external recipients over the external network; and

audibly playing the instant voice message at the selected external recipients.

56. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

requesting from the external server a list of external recipients associated with the client; and

transmitting the list of external recipients from the external server to the client for selection of the one or more external recipients.

57. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

delivering the instant voice message from the external server to the selected recipients that are available.

58. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

temporarily storing the instant voice message at the external server if a selected recipient is unavailable;

delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

59. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

recording the instant voice message in an audio file at the client;

transmitting the audio file to the external server;

delivering the audio file to the selected recipients from the external server;

and

audibly playing the audio file at the selected recipients.

60. The method for instant voice messaging according to Claim 59,

wherein the method further comprises:

signal processing, compressing and encrypting the audio file at the client;

and

decrypting and decompressing the audio file at the selected recipients; and audibly playing the decrypted and decompressed audio file at the selected recipients.

-67-

61. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive portion to the external server; delivering each successive portion from the external server to the selected external recipients,

audibly playing each successive portion at the selected external recipients as it is delivered.

62. The method for instant voice messaging according to Claim 55, wherein the method further comprises:

attaching one or more files to the instant voice message;

storing or displaying the one or more attached files at the selected external recipients.

63. The method for instant voice messaging according to Claim 55,

wherein the method further comprises providing input audio of the instant voice message to the client from a public switched telephone network (PSTN) telephone over the local network.

-68-

64. The method for instant voice messaging according to Claim 55, wherein the method further comprises providing input audio of the instant voice message to the client from a voice-over-internet-protocol (VoIP) telephone over the local network.

65. A method for instant voice messaging system over a plurality of packet-switched networks enabling public switched telephone network (PSTN) support, the method comprising:

providing input audio via a PSTN telephone connected to a local network; selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the one or more external recipients using the input audio provided by the PSTN telephone;

transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

receiving the selected recipients and the instant voice message therefor at a server connected to the external network;

delivering the instant voice message to the selected recipients from the server over the external network; and

audibly playing the instant voice message at the selected recipients.

66. A method for instant voice messaging system over a plurality of packet-switched networks, the method comprising:

```
H:\work\1732\17188\Spec\17188new1.spc.doc
```

-69-

providing input audio via a voice-over-internet-protocol (VoIP) telephone connected to a local network;

selecting one or more external recipients for instant voice messaging at a client, the one or more external recipients connected to an external network outside the local network;

generating an instant voice message for the one or more external recipients using the input audio provided by the VoIP telephone;

transmitting the selected recipients and the instant voice message therefor over the local network and the external network;

receiving the selected recipients and the instant voice message therefor at a server connected to the external network;

delivering the instant voice message to the selected recipients from the

server over the external network; and

audibly playing the instant voice message at the selected recipients.

67. A method for instant voice messaging over a plurality of a plurality of packet-switched networks, the method comprising:

selecting one or more recipients connected to a local network at a client connected to an external network;

generating an instant voice message for the selected recipients at the client;

transmitting the selected recipients and the instant voice message therefor over the external network from the client to an external server system;

-70-

 $H:\work\1732\17188\Spec\17188\new1.spc.doc$

receiving the selected recipients and the instant voice message at the external server system;

routing the selected recipients and the instant voice message over the external network and the local network;

receiving the selected recipients and the instant voice message therefor at a local server connected to the local network;

delivering the instant voice message to the selected recipients over the local network;

audibly playing the instant voice message at the selected recipients.

68. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

requesting a list of recipients associated with the client from the external server system; and

transmitting the list of recipients from the external server system to the client for selection of the one or more recipients.

69. The method for instant voice messaging according to Claim 67,

wherein the method further comprises:

delivering the instant voice message from the local server to the selected recipients that are available.
70. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

temporarily storing the instant voice message at the local server if a selected recipient is unavailable; and

delivering the stored instant voice message to the selected recipient once the selected recipient becomes available.

71. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

recording the instant voice message in an audio file at the client; transmitting the audio file from the client to the external server system; routing the audio file from the external server system to the local server;

and

delivering the audio file from the local server to the selected recipients;

and

audibly playing the audio file at the selected recipients.

72. The method for instant voice messaging according to Claim 71,

wherein the method further comprises:

signal processing, compressing and encrypting the audio file at the client; decrypting and decompressing the audio file at the selected recipients; audibly playing the decrypted and decompressed audio file at the selected recipients.

-72-

H:\work\1732\17188\Spec\17188new1.spc.doc

73. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

buffering each of a plurality of successive portions of the instant voice message at the client as the instant message is recorded;

transmitting from the client each successive portion to the external server system;

routing each successive portion from the external server system to the local server;

delivering each successive portion from local server to the selected external recipients; and

audibly playing each successive portion at the selected recipients as it is delivered.

74. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

attaching one or more files to the instant voice message at the client;

storing or displaying the one or more attached files at the selected recipients.

75. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

-73-

providing input audio of the instant voice message from a voice-overinternet-protocol (VoIP) telephone to the client via a local network connecting the VoIP telephone to the client.

76. The method for instant voice messaging according to Claim 67, wherein the method further comprises:

maintaining a transport server mesh including a plurality of transport servers for routing instant voice messages; and

load-balancing the instant voice messages within the transport server mesh.

H:\work\1732\17188\Spec\17188new1.spc.doc

-74-

SYSTEM AND METHOD FOR INSTANT VoIP MESSAGING

ABSTRACT OF THE DISCLOSURE

5

There is provided an instant voice messaging system (and method) for delivering instant messages over a packet-switched network, the system comprising: a client connected to the network, the client selecting one or more recipients, generating an instant voice message therefor, and transmitting the selected recipients and the instant

voice message therefor over the network; and a server connected to the network, the server receiving the selected recipients and the instant voice message therefor, and delivering the instant voice message to the selected recipients over the network, the selected recipients being enabled to audibly play the instant voice message.

-75-

0292





с...



.

FIG. 3 Client Software Architecture



FIG. \not{H} Local Server (IVM) Architecture





١.,

Fie Ga



FIG. 7 TRANSPORT SERVER ARCHITECTURE



| • :

FIG. & Directory Server Architecture



Express Mail Label No.

P:2/6

Docket No.
 17188

D clarati n and Power of Attorn y For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

SYSTEM AND METHOD FOR INSTANT VOIP MESSAGING

the specification of which

(check one)

S is attached hereto.

was filed on ______ as United States Application No. or PCT International
Application Number

and was amended on

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or (f), or 365(b) of any foreign application(s) for patent, or plant breeder's rights certificate(s), or 365(a) of any PCT International application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent, inventor's or plant breeder's rights certificate(s), or any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application	on(s)		Priority Not Claimed
	<u> </u>		0
(Number)	(Country)	(Day/Month/Year Filed)	Π
(Number)	(Country)	(Day/Month/Year Filed)	
(Number)	(Country)	(Day/Month/Year Filed)	
PTQ-88-01 (9-85) (Modified)		PO2/REV02 Patent and Trademark	Stab-U.S. DEPARTMENT OF COMME

¥ 2

)

Page 2 of					
provisional					

(Application Serial No.) (Filing Date) (Application Serial No.) (Filing Date) I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application (Section 365(c) of any PCT International application designating the United States, listed below insofar as the subject matter of each of the claims of this application is not disclosed in the United States or PCT International application in the manner provided by the first paragraph U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trade Office all information known to me to be material to patentability as defined in Title 37, C. Section 1.56 which became available between the filing date of the prior application and the na or PCT International filing date of this application: (Application Serial No.) (Filing Date) (Status) (patented, pending, abandor (Status) (patented, pending, abandor (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (patented, pending, abandor (Status) (patented, pending, abandor (Status) (patented, pending, abandor (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (patented, pending, abandor (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (status) (patented, pending, abandor (status) (patented, pending, abandor (status) (patented, pending, abandor (status) (sta	(Application Serial No.)	(Filing Date)	
(Application Sertal No.) (Filing Date) I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(Section 365(c) of any PCT International application designating the United States, listed below insofar as the subject matter of each of the claims of this application is not disclosed in the United States or PCT International application in the manner provided by the first paragraph U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trade Office all information known to me to be material to patentability as defined in Title 37, C. Section 1.56 which became available between the filing date of the prior application and the nator PCT International filing date of this application: (Application Serial No.) (Filing Date) (Statue) (patented, pending, abandon (patented,	(Application Serial No.)	(Filing Date)	
I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application Section 365(c) of any PCT International application designating the United States, listed below Insofar as the subject matter of each of the claims of this application is not disclosed in the United States or PCT International application in the manner provided by the first paragraph U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trade Office all information known to me to be material to patentability as defined in Title 37, C. Section 1.56 which became available between the filing date of the prior application and the na or PCT International filing date of this application: (Application Serial No.) (Filing Date) (Status) (patented, pending, abandor (Application Serial No.) (Status) (Status) (Status) (Status) (Status) (Stat	(Application Serial No.)	(Filing Date)	
(Application Serial No.) (Filing Date) (Status) (patented, pending, abandon (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (patented, pending, abandon (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (patented, pending, abandon (Status) (patented, pending, abandon (Status) I hereby declare that all statements made herein of my own knowledge are true and th statements made on information and belief are believed to be true; and further that these state were made with the knowledge that willful false statements and the like so made are punisha fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may isopardize the validity of the application or any patent issued thereout	.C. Section 112, I acknowledge th ce all information known to me to tion 1.56 which became available CT International filing date of this a	ne duty to disclose to the o be material to patental between the filing date of application:	United States Patent and Trademar ollity as defined in Title 37, C. F. R the prior application and the national
(Application Serial No.) (Filing Date) (Status) (patented, pending, abandon (Application Serial No.) (Application Serial No.) (Filing Date) (Status) (patented, pending, abandon (patented, pending, abandon (patente	(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
(Application Sertal No.) (Filing Date) (Status) (patented, pending, abando I hereby declare that all statements made herein of my own knowledge are true and the statements made on information and belief are believed to be true; and further that these states were made with the knowledge that willful false statements and the like so made are punishan fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and the willful false statements may jeopardize the validity of the application or any patent issued thereof	(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
I hereby declare that all statements made herein of my own knowledge are true and the statements made on information and belief are believed to be true; and further that these state were made with the knowledge that willful false statements and the like so made are punishad fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and the willful false statements may isopardize the validity of the application or any patent issued thereof.	(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
	v rr		wn knowledge are true and that a

Form PTO-88-01 (6-95) (Modified)

ì. ď

-1

T0:15167424366 P:4/6

	Pag	0	3	of	3
--	-----	---	---	----	---

connected therewith (list	name and registration number)	
Frank S. DiGiglio; Reg. No. 3	1,346	
Leopold Presser; Reg. No. 19,	827	
William C. Roch; Reg. No. 24, Edward W. Groly: Ber No. 31	972 : 105	
Paul J. Esatto, Jr.; Reg. No. 30	,749	
John S. Senary; Reg. No. 28,75	7	
Mark J. Cohen; Reg. No. 32,23 Steven Fischman: Reg. No. 34,	11 49a	
Peter I. Bernstein; Reg. No. 43	,497	
Thomas Spinelli, Reg. No. 39,5	33	
	Paul J. Ésatto, Jr.	
Send Correspondence ID.	SCULLY, SCOTT, MURPHY & PRESSER	
	400 Gardon City Piaza	
	Garden City, New York 11530	
Direct Telephone Calls to:	(name and telephone number)	
Michael J. Rojas Sole or first inventor's signature	1 ~~~	Date
Michael J. Rojas Sole or first investor's cigrature	12-18-	Date 2003
Michael J. Rojas Sole or first investor's standing Residence 2828 Barciay Circle, Nas	h Canton Starte County, Ohio 44720	Data 2003
Michael J. Rojas Sole or first investor's staratura Residence 2828 Barciay Circle, New CitizensNp	h Canton Starte County, Ohio 44720	Data 2003
Michael J. Rojas Sole or first investor's startura Residence 2828 Barciay Circle, Nate Citizenshp U.S.A. Post Office Address	h Canton Stark County, Ohio 44720	Data 2003
Michael J. Rojas Sole or first investor's staratura Residence 2828 Barclay Circle, Nov Citizenshp U.S.A. Post Office Address Same as above	h Canton Stark County, Ohio 44720	Data 2003
Michael J. Rojas Sole or fissi investor's signature Residence 2828 Barciay Circle, New CitizensNp U.S.A. Post Office Address Same as above	h Canton Stark County, Ohio 44720	Data 2003
Michael J. Rojas Sole or first investor's starture Residence 2828 Barciay Circle, Nast CitizensNp U.S.A. Post Office Address Same as above	Id-18- h Canton Stark County, Ohio 44720	Data 2003
Full name of second inventor, if	h Canton Starle County, Ohio 44720	Data 2003
Full name of second inventor, if Second inventor's signature	h Canton_StarteCounty, Ohio 44720	Date
Full name of sole or first internet Michael J. Rojas Sole or first internet Residence 2828 Barciay Circle, New Citizenship U.S.A. Post Office Address Same as above Full name of second inventor, if Second Inventor's signature Residence	Id-18- h Canton Starle County, Ohio 44720	Data 2003 Data
Full name of sole or first internet Michael J. Rojas Sole or first internet Residence 2828 Barciay Circle, New Citizenship U.S.A. Post Office Address Same as above Full name of second inventor, if Second Inventor's signature Residence Citizenship	Id-18- h Canton Starle County, Ohio 44720	Data 2003 Data
Full name of sole or first internet Michael J. Rojas Sole or first internet Residence 2828 Barciay Circle, New Citizenship U.S.A. Post Office Address Same as above Pull name of second inventor, if Second Inventor's signature Residence Citizenship Post Office Address	Id-18- h Canton Starle County, Ohio 44720	Data 2003 Data
Full name of sole or first internet Michael J. Rojas Sole or first internet Residence 2828 Barclay Circle, New Citizenship U.S.A. Post Office Address Same as above Pull name of second inventor, if it Second Inventor's signature Residence Citizenship Post Office Address Same as dowe	<u>ід-18-</u> h Cantron_Starle County, Ohio 44720	Date

•

PATENT APPLICATION SERIAL NO.

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE FEE RECORD SHEET

12/24/2003 MMEKONEN 00000010 191013 10740030

01	FC:2001	385.00	DA
02	FC:2201	473.00	DA
03	FC:2202	504.00	DA

PTO-1556 (5/87)

*U.S. Government Printing Office: 2002 -- 489-267/69033

	Application or Docket Number								ber			
	PATENT APPLICATION FEE DETERMINATION RECORD Effective October 1, 2003											
CLAIMS AS FILED - PART I (Column 1) (Column 2)						SMAL TYPE			OR	OTHER SMALL E	THAN ENTITY	
ТС	TAL CLAIMS	IMS 76 RATE FEE RATE F					FEE					
FC			NUMBER	FILED	NUMB	ER EXTRA	BASIC	FEE	385.00	OR	BASIC FEE	770.00
то	TAL CHARGEA	BLE CLAIMS	76 mir	ius 20=	* _	56	XS)=		OR	X\$18=	504
IND	EPENDENT CL	AIMS	JŲ mi	nus 3 =	*	//	X43	=	OB X86= 47			473
МU	ILTIPLE DEPEN	IDENT CLAIM PF	RESENT				+145= OR +290=					
* if	the difference	in column 1 is l	less than ze	ero, enter	"0" in c	olumn 2	ТОТ	۹L		OR	TOTAL	13 62
	С	LAIMS AS A	MENDED) - PAR	тп			I		8	OTHER	THAN
		(Column 1)		(Colur	nn 2)	(Column 3)	SMA		ENTITY	OR	SMALLE	NTITY
ENTA		CLAIMS REMAINING AFTER AMENDMENT		HIGH NUMI PREVIC PAID	EST BER DUSLY FOR	PRESENT EXTRA	RAT	E	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
NDM	Total	*	Minus	**		=	XS S	=		OR	X\$18=	
MEN	Independent	*	Minus	***		=	X43	=		OR	X86=	
Ĺ	FIRST PRESE	NTATION OF MU	JLTIPLE DEF	PENDENT	CLAIM		+145	i=		OR	+290=	
								TAL		OR	TOTAL ADDIT. FEE	
		(Column 1)		(Colur	nn 2)	(Column 3)					_	
ENT B		CLAIMS REMAINING AFTER AMENDMENT		HIGH NUM PREVIC PAID	EST BER DUSLY FOR	PRESENT EXTRA	RAT	E	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
MON	Total	*	Minus	**	:	=	X\$ 9)=		OR	X\$18=	
ME	Independent	*	Minus	***		=	X43	=		OR	X86=	
	FIRST PRESE	NTATION OF MU	JLTIPLE DEF	PENDENI	CLAIM		+145	5=		OR	+290=	
										OR	TOTAL	
		(Column 1)		(Colu	mn 2)	(Column 3)				-		
ENT C	~	CLAIMS REMAINING AFTER AMENDMENT		HIGH NUM PREVIO PAID	IEST BER OUSLY FOR	PRESENT EXTRA	RAT	E	ADDI- TIONAL FEE		RATE	ADDI- TIONAL FEE
MOZ	Total	*	Minus	**		=	X\$ 9)=		OR	X\$18=	
AME	Independent	*	Minus	***		_ =	X43	=		OR	X86=	
۱Ľ	FIRST PRESE	NTATION OF MI	JLTIPLE DE	PENDEN			. 1 45				+290-	
	If the entry in colu	mn 1 is less than th	ne entry in colu	umn 2, write	e "0" in co	lumn 3.	+ 145 TO	TAL		OR	TOTAL	
	If the "Highest Nu If the "Highest Nu	mber Previously Pa mber Previously Pa	aid For [*] IN TH aid For* IN TH	IS SPACE	is less tha is less tha	an 20, enter "20." an 3, enter "3."	ADDIT.	FEE		UH	ADDIT. FEE	
	The "Highest Nun	nber Previously Pai	id For" (Total c	r Independ	lent) is the	e highest numbe	r found in th	ie apj	propriate bo	x in co	alumn 1.	
FORM	A PTO-875 (Rev 1)	0/03)					Patent and	rader	nark Office, Ų	S. DE	PARTMENT O	FCOMMERCE

,