

Under the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 CFR 1.53(b))	Attorney Docket No.	9653-7TSCT
	First Named Inventor	Steven Francis LeBoeuf
	Title	Wearable Light-Guiding Bands and Patches for...
	Express Mail Label No.	

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450
---	---

1. Fee Transmittal Form (PTO/SB/17 or equivalent)
2. Applicant asserts small entity status. See 37 CFR 1.27
3. Applicant certifies micro entity status. See 37 CFR 1.29. Applicant must attach form PTO/SB/15A or B or equivalent.
4. Specification [Total Pages 54]
Both the claims and abstract must start on a new page. (See MPEP § 608.01(a) for information on the preferred arrangement)
5. Drawing(s) (35 U.S.C. 113) [Total Sheets 21]
6. Inventor's Oath or Declaration [Total Pages _____]
(including substitute statements under 37 CFR 1.64 and assignments serving as an oath or declaration under 37 CFR 1.63(e))
 - a. Newly executed (original or copy)
 - b. A copy from a prior application (37 CFR 1.63(d))
7. Application Data Sheet * See note below. See 37 CFR 1.76 (PTO/AIA/14 or equivalent)
8. CD-ROM or CD-R
In duplicate, large table, or Computer Program (Appendix)
 - Landscape Table on CD
9. Nucleotide and/or Amino Acid Sequence Submission (if applicable, items a. - c. are required)
 - a. Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. CD-ROM or CD-R (2 copies); or
 - ii. Paper
 - c. Statements verifying identity of above copies

ACCOMPANYING APPLICATION PAPERS

10. Assignment Papers (cover sheet & document(s))
Name of Assignee _____
11. 37 CFR 3.73(c) Statement (when there is an assignee) Power of Attorney
12. English Translation Document (if applicable)
13. Information Disclosure Statement (PTO/SB/08 or PTO-1449)
 - Copies of citations attached
14. Preliminary Amendment
15. Return Receipt Postcard (MPEP § 503) (Should be specifically itemized)
16. Certified Copy of Priority Document(s) (if foreign priority is claimed)
17. Nonpublication Request
Under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or equivalent.
18. Other: _____

*Note: (1) Benefit claims under 37 CFR 1.78 and foreign priority claims under 1.55 must be included in an Application Data Sheet (ADS).
 (2) For applications filed under 35 U.S.C. 111, the application must contain an ADS specifying the applicant if the applicant is an assignee, person to whom the inventor is under an obligation to assign, or person who otherwise shows sufficient proprietary interest in the matter. See 37 CFR 1.46(b).

19. CORRESPONDENCE ADDRESS

The address associated with Customer Number: 20792 OR Correspondence address below

Name		Address	
City	State	Zip Code	
Country	Telephone	Email	

Signature	<i>N J Boddie II</i>	Date	February 19, 2014
Name (Print/Type)	Needham J. Boddie, II	Registration No. (Attorney/Agent)	40,519

This collection of information is required by 37 CFR 1.53(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	9653-7TSCT
		Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING		
<p>The application data sheet is part of the provisional or nonprovisional application for which it is being submitted. The following form contains the bibliographic data arranged in a format specified by the United States Patent and Trademark Office as outlined in 37 CFR 1.76. This document may be completed electronically and submitted to the Office in electronic format using the Electronic Filing System (EFS) or the document may be printed and included in a paper filed application.</p>			

Secrecy Order 37 CFR 5.2

<input type="checkbox"/> Portions or all of the application associated with this Application Data Sheet may fall under a Secrecy Order pursuant to 37 CFR 5.2 (Paper filers only. Applications that fall under Secrecy Order may not be filed electronically.)
--

Inventor Information:

Inventor 1 Remove				
Legal Name				
Prefix	Given Name	Middle Name	Family Name	Suffix
	Steven	Francis	LeBoeuf	
Residence Information (Select One) <input checked="" type="radio"/> US Residency <input type="radio"/> Non US Residency <input type="radio"/> Active US Military Service				
City	Raleigh	State/Province	NC	Country of Residence
				US
Mailing Address of Inventor:				
Address 1	824 Historian Street			
Address 2				
City	Raleigh	State/Province	NC	
Postal Code	27603	Country i	US	
Inventor 2 Remove				
Legal Name				
Prefix	Given Name	Middle Name	Family Name	Suffix
	Jesse	Berkley	Tucker	
Residence Information (Select One) <input checked="" type="radio"/> US Residency <input type="radio"/> Non US Residency <input type="radio"/> Active US Military Service				
City	Knightdale	State/Province	NC	Country of Residence
				US
Mailing Address of Inventor:				
Address 1	3701 Ramsey Creek Drive			
Address 2				
City	Knightdale	State/Province	NC	
Postal Code	27545	Country i	US	
Inventor 3 Remove				
Legal Name				
Prefix	Given Name	Middle Name	Family Name	Suffix
	Michael	Edward	Aumer	
Residence Information (Select One) <input checked="" type="radio"/> US Residency <input type="radio"/> Non US Residency <input type="radio"/> Active US Military Service				

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	9653-7TSCT		
		Application Number			
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING				
City	Raleigh	State/Province	NC	Country of Residence	US
Mailing Address of Inventor:					
Address 1	2218 The Circle				
Address 2					
City	Raleigh	State/Province	NC		
Postal Code	27608	Country	US		
All Inventors Must Be Listed - Additional Inventor Information blocks may be generated within this form by selecting the Add button.				<input type="button" value="Add"/>	

Correspondence Information:

Enter either Customer Number or complete the Correspondence Information section below. For further information see 37 CFR 1.33(a).	
<input type="checkbox"/> An Address is being provided for the correspondence information of this application.	
Customer Number	20792
Email Address	<input type="button" value="Add Email"/> <input type="button" value="Remove Email"/>

Application Information:

Title of the Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING		
Attorney Docket Number	9653-7TSCT	Small Entity Status Claimed	<input type="checkbox"/>
Application Type	Nonprovisional		
Subject Matter	Utility		
Total Number of Drawing Sheets (if any)		Suggested Figure for Publication (if any)	

Filing By Reference :

Only complete this section when filing an application by reference under 35 U.S.C. 111(c) and 37 CFR 1.57(a). Do not complete this section if application papers including a specification and any drawings are being filed. Any domestic benefit or foreign priority information must be provided in the appropriate section(s) below (i.e., "Domestic Benefit/National Stage Information" and "Foreign Priority Information").

For the purposes of a filing date under 37 CFR 1.53(b), the description and any drawings of the present application are replaced by this reference to the previously filed application, subject to conditions and requirements of 37 CFR 1.57(a).

Application number of the previously filed application	Filing date (YYYY-MM-DD)	Intellectual Property Authority or Country

Publication Information:

<input type="checkbox"/> Request Early Publication (Fee required at time of Request 37 CFR 1.219)
<input type="checkbox"/> Request Not to Publish. I hereby request that the attached application not be published under 35 U.S.C. 122(b) and certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76		Attorney Docket Number	9653-7TSCT
		Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING		

Representative Information:

Representative information should be provided for all practitioners having a power of attorney in the application. Providing this information in the Application Data Sheet does not constitute a power of attorney in the application (see 37 CFR 1.32). Either enter Customer Number or complete the Representative Name section below. If both sections are completed the customer Number will be used for the Representative Information during processing.

Please Select One:	<input checked="" type="radio"/> Customer Number	<input type="radio"/> US Patent Practitioner	<input type="radio"/> Limited Recognition (37 CFR 11.9)
Customer Number	20792		

Domestic Benefit/National Stage Information:

This section allows for the applicant to either claim benefit under 35 U.S.C. 119(e), 120, 121, or 365(c) or indicate National Stage entry from a PCT application. Providing this information in the application data sheet constitutes the specific reference required by 35 U.S.C. 119(e) or 120, and 37 CFR 1.78.
 When referring to the current application, please leave the application number blank.

Prior Application Status	Pending	Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
	Continuation of	12691388	2010-01-21
Prior Application Status	Expired	Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
12691388	Claims benefit of provisional	61208567	2009-02-25
Prior Application Status	Expired	Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
12691388	Claims benefit of provisional	61208574	2009-02-25
Prior Application Status	Expired	Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
12691388	Claims benefit of provisional	61212444	2009-04-13
Prior Application Status	Expired	Remove	
Application Number	Continuity Type	Prior Application Number	Filing Date (YYYY-MM-DD)
12691388	Claims benefit of provisional	61274191	2009-08-14
Additional Domestic Benefit/National Stage Data may be generated within this form by selecting the Add button.			

Foreign Priority Information:

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	9653-7TSCT
	Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING	

This section allows for the applicant to claim priority to a foreign application. Providing this information in the application data sheet constitutes the claim for priority as required by 35 U.S.C. 119(b) and 37 CFR 1.55(d). When priority is claimed to a foreign application that is eligible for retrieval under the priority document exchange program (PDX)ⁱ the information will be used by the Office to automatically attempt retrieval pursuant to 37 CFR 1.55(h)(1) and (2). Under the PDX program, applicant bears the ultimate responsibility for ensuring that a copy of the foreign application is received by the Office from the participating foreign intellectual property office, or a certified copy of the foreign priority application is filed, within the time period specified in 37 CFR 1.55(g)(1).

<input type="button" value="Remove"/>			
Application Number	Country ⁱ	Filing Date (YYYY-MM-DD)	Access Code ⁱ (if applicable)
Additional Foreign Priority Data may be generated within this form by selecting the Add button.			

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications

<input type="checkbox"/>	This application (1) claims priority to or the benefit of an application filed before March 16, 2013 and (2) also contains, or contained at any time, a claim to a claimed invention that has an effective filing date on or after March 16, 2013. NOTE: By providing this statement under 37 CFR 1.55 or 1.78, this application, with a filing date on or after March 16, 2013, will be examined under the first inventor to file provisions of the AIA.
--------------------------	--

Authorization to Permit Access:

<input checked="" type="checkbox"/>	Authorization to Permit Access to the Instant Application by the Participating Offices
-------------------------------------	--

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	9653-7TSCT
	Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING	

If checked, the undersigned hereby grants the USPTO authority to provide the European Patent Office (EPO), the Japan Patent Office (JPO), the Korean Intellectual Property Office (KIPO), the World Intellectual Property Office (WIPO), and any other intellectual property offices in which a foreign application claiming priority to the instant patent application is filed access to the instant patent application. See 37 CFR 1.14(c) and (h). This box should not be checked if the applicant does not wish the EPO, JPO, KIPO, WIPO, or other intellectual property office in which a foreign application claiming priority to the instant patent application is filed to have access to the instant patent application.

In accordance with 37 CFR 1.14(h)(3), access will be provided to a copy of the instant patent application with respect to: 1) the instant patent application-as-filed; 2) any foreign application to which the instant patent application claims priority under 35 U.S.C. 119(a)-(d) if a copy of the foreign application that satisfies the certified copy requirement of 37 CFR 1.55 has been filed in the instant patent application; and 3) any U.S. application-as-filed from which benefit is sought in the instant patent application.

In accordance with 37 CFR 1.14(c), access may be provided to information concerning the date of filing this Authorization.

Applicant Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

Applicant 1

If the applicant is the inventor (or the remaining joint inventor or inventors under 37 CFR 1.45), this section should not be completed. The information to be provided in this section is the name and address of the legal representative who is the applicant under 37 CFR 1.43; or the name and address of the assignee, person to whom the inventor is under an obligation to assign the invention, or person who otherwise shows sufficient proprietary interest in the matter who is the applicant under 37 CFR 1.46. If the applicant is an applicant under 37 CFR 1.46 (assignee, person to whom the inventor is obligated to assign, or person who otherwise shows sufficient proprietary interest) together with one or more joint inventors, then the joint inventor or inventors who are also the applicant should be identified in this section.

Clear

- | | | |
|---|--|--------------------------------------|
| <input checked="" type="radio"/> Assignee | <input type="radio"/> Legal Representative under 35 U.S.C. 117 | <input type="radio"/> Joint Inventor |
| <input type="radio"/> Person to whom the inventor is obligated to assign. | <input type="radio"/> Person who shows sufficient proprietary interest | |

If applicant is the legal representative, indicate the authority to file the patent application, the inventor is:

Name of the Deceased or Legally Incapacitated Inventor :

If the Applicant is an Organization check here.

Organization Name Valencell, Inc.

Mailing Address Information For Applicant:

Address 1	2800-154 Sumner Blvd.		
Address 2			
City	Raleigh	State/Province	NC
Country	US	Postal Code	27616
Phone Number		Fax Number	

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	9653-7TSCT
	Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING	

Email Address	
---------------	--

Additional Applicant Data may be generated within this form by selecting the Add button.

Assignee Information including Non-Applicant Assignee Information:

Providing assignment information in this section does not substitute for compliance with any requirement of part 3 of Title 37 of CFR to have an assignment recorded by the Office.

Assignee 1

Complete this section if assignee information, including non-applicant assignee information, is desired to be included on the patent application publication. An assignee-applicant identified in the "Applicant Information" section will appear on the patent application publication as an applicant. For an assignee-applicant, complete this section only if identification as an assignee is also desired on the patent application publication.

If the Assignee or Non-Applicant Assignee is an Organization check here.

Prefix	Given Name	Middle Name	Family Name	Suffix


Mailing Address Information For Assignee including Non-Applicant Assignee:

Address 1				
Address 2				
City		State/Province		
Country ⁱ	Postal Code			
Phone Number		Fax Number		
Email Address				

Additional Assignee or Non-Applicant Assignee Data may be generated within this form by selecting the Add button.

Signature:

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications.

Signature		Date (YYYY-MM-DD)	2014-02-19
First Name	Needham J.	Last Name	Boddie, II
		Registration Number	40519

Additional Signature may be generated within this form by selecting the Add button.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Application Data Sheet 37 CFR 1.76	Attorney Docket Number	9653-7TSCT
	Application Number	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING	

This collection of information is required by 37 CFR 1.76. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 23 minutes to complete, including gathering, preparing, and submitting the completed application data sheet form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

RELATED APPLICATIONS

This application is a continuation application of pending U.S. Patent Application Serial No. 12/691,388, filed January 21, 2010, which claims the benefit of and priority to U.S. Provisional Patent Application No. 61/208,567 filed
5 02/25/2009, U.S. Provisional Patent Application No. 61/208,574 filed 02/25/2009, U.S. Provisional Patent Application No. 61/212,444 filed 4/13/2009, and U.S. Provisional Patent Application No. 61/274,191 filed 8/14/2009, the disclosures of which are incorporated herein by reference as if set forth in their entireties.

10 FIELD OF THE INVENTION

The present invention relates generally to headsets and, more particularly, to headset earbuds.

BACKGROUND OF THE INVENTION

15 There is growing market demand for personal health and environmental monitors, for example, for gauging overall health and metabolism during exercise, athletic training, dieting, daily life activities, sickness, and physical therapy. However, traditional health monitors and environmental monitors may be bulky, rigid, and uncomfortable – generally not suitable for use
20 during daily physical activity. There is also growing interest in generating and comparing health and environmental exposure statistics of the general public and particular demographic groups. For example, collective statistics may enable the healthcare industry and medical community to direct healthcare resources to where they are most highly valued. However, methods of collecting these
25 statistics may be expensive and laborious, often utilizing human-based recording/analysis steps at multiple sites.

As such, improved ways of collecting, storing and analyzing physiological information are needed. In addition, improved ways of seamlessly extracting physiological information from a person during everyday life activities, especially during high activity levels, may be important for enhancing fitness training and healthcare quality, promoting and facilitating prevention, and reducing healthcare costs.

SUMMARY

It should be appreciated that this Summary is provided to introduce a selection of concepts in a simplified form, the concepts being further described below in the Detailed Description. This Summary is not intended to identify key features or essential features of this disclosure, nor is it intended to limit the scope of the invention.

According to some embodiments of the present invention, a headset configured to be attached to the ear of a person includes a base, an earbud housing extending outwardly from the base that is configured to be positioned within an ear of a subject, and a cover surrounding the earbud housing. The base includes a speaker, an optical emitter, and an optical detector. The cover includes light transmissive material that is in optical communication with the optical emitter and the optical detector and serves as a light guide to deliver light from the optical emitter into the ear canal of the subject wearing the headset at one or more predetermined locations and to collect light external to the earbud housing and deliver the collected light to the optical detector. The optical emitter, via the light-guiding cover, directs optical energy towards a particular region of ear and the optical detector detects secondary optical energy emanating from the ear region. In some embodiments, the optical detector may include an optical filter configured to pass secondary optical energy at selective wavelengths. In some embodiments, the light transmissive material of the cover may be configured, for example via the use of cladding and/or light reflective material, such that the cover serves as a light guide that is coupled in parallel to the optical emitter and detector. In some embodiments, the light transmissive material of the cover may be configured, for example via the use of cladding and/or light reflective material, such that the cover serves as a light guide that is coupled perpendicular to the optical emitter and detector.

In some embodiments, the headset may include various electronic components secured to the base. For example, the headset may include one or more environmental sensors configured to detect and/or measure environmental conditions in a vicinity of the headset. The headset may include a signal processor configured to receive and process signals produced by the optical detector. For example, in some embodiments, a signal processor may be configured to extract secondary optical energy and remove optical noise or environmental noise. The headset may include a signal processor configured to receive and process signals produced by the one or more environmental sensors. In addition, the headset may include a transmitter configured to transmit signals processed by the signal processor to a remote device in real time. Headsets according to embodiments of the present invention may utilize, for example, Bluetooth®, Wi-Fi, ZigBee, or other wireless transmitters.

In some embodiments, a housing is secured to and overlies the base so as to enclose and protect the speaker, optical emitter and optical detector, as well as other electronic components secured to the base (e.g., sensors, processor, transmitter etc.).

The earbud housing is in acoustical communication with the speaker and has at least one aperture through which sound from the speaker can pass. The light-guiding cover surrounding the earbud housing also includes at least one aperture through which sound from the speaker can pass. The cover may be formed from a soft, resilient material, such as silicone which deforms when inserted within an ear canal of a subject. In some embodiments, the cover includes an alignment member that facilitates alignment of the earbud housing within an ear canal of a subject.

Light directed into the ear of a subject from a light emitter and the subsequent collection of light at a light detector, according to embodiments of the present invention, may be utilized for detecting and/or measuring, among other things, body temperature, skin temperature, blood gas levels, muscle tension, heart rate, blood flow, cardiopulmonary functions, etc.

In some embodiments of the present invention, the light-guiding cover may include a lens that is in optical communication with the optical emitter and/or optical detector. The lens may be configured to focus light emitted by the optical emitter and/or to focus collected light toward the optical detector. In some

embodiments, multiple lenses may be incorporated into a light-guiding cover.

In some embodiments, the light-guiding cover may include a light diffusion region in optical communication with the light transmissive material that diffuses light emitted by the optical detector.

5 In some embodiments, the light-guiding cover may include a luminescence-generating region, such as a phosphor-containing region, that is in optical communication with the light transmissive material. The luminescence-generating region may be embedded within the light-guiding cover and/or on a surface of the light-guiding cover. The luminescence-generating region is
10 configured to receive light emitted by the optical emitter and convert at least a portion of the received light to light having a different wavelength from that of the received light.

In some embodiments, the light-guiding cover includes one or more grooves formed therein. Each groove is configured to direct external light to the
15 optical detector.

In some embodiments, the light transmissive material of the light-guiding cover is configured to direct light from the optical emitter to a plurality of locations at an outer surface of the cover for delivery into an ear canal of a subject.

20 In some embodiments, the light transmissive material of the light-guiding cover is a translucent material or includes translucent material in selected locations.

In some embodiments, a light reflective material is on at least a portion of one or both of the inner and outer surfaces of the light-guiding cover.

25 According to some embodiments of the present invention, a light-guiding earbud for a headset includes light transmissive material that is in optical communication with an optical emitter and optical detector associated with the headset. The light transmissive material is configured to deliver light from the optical emitter into the ear canal of a subject at one or more predetermined
30 locations and to collect light external to the earbud housing and deliver the collected light to the optical detector. In some embodiments, the light emitter and light detector may be integral with the earbud. For example, in some embodiments, a flexible optical emitter is incorporated within the earbud and is in optical communication with the light transmissive material.

In some embodiments, an earbud includes at least one lens in optical communication with the light transmissive material. Each lens may be configured to focus light from the optical emitter onto one or more predetermined locations in the ear of a subject and/or to focus collected external light onto the optical detector

In some embodiments of the present invention, an earbud may include luminescent material. Luminescent light is generated from optical excitation of the luminescent material by an optical emitter.

In some embodiments of the present invention, an earbud may integrate a sensor module containing a plurality of sensor elements for measuring physiological information and at least one noise source for measuring noise information. A "noise source", as used herein, refers to a sensor, such as an optical sensor, inertial sensor, electrically conductive sensor, capacitive sensor, inductive sensor, etc., and derives its name from the fact that it is a source of input to a filter, such as an adaptive filter described below.

The physiological sensors of the sensor module may generate a signal that includes physiological information plus noise information. The noise may be removed by combining the physiological information and noise information from the sensor module with noise information from the noise source of the sensor module via an electronic filtering method, such as a signal processing technique. Specific examples of such signal processing techniques include FIR (Finite Impulse Response), IIR (Infinite Impulse Response), informatics, machine learning, and adaptive filter methods. The output of the adaptive filter may be a physiological signal that is wholly or partially free of noise. In some embodiments, motion-related noise from a subject activity such as running may be removed from the physiological plus noise signal generated by a photoplethysmography (PPG) sensor for measuring blood constituent levels or blood flow properties, such as blood oxygen level, VO_2 , or heart rate.

In some embodiments of the present invention, the noise source input of an adaptive filter may include a "blocked channel" of optical energy, an inertial sensor, or environmental energy. In some embodiments, the environmental energy may be unwanted ambient optical noise.

In some embodiments of the present invention, a processor/multiplexor processes physiological signals and noise signals into a

data string. This data string may contain information relating to physiological information and motion-related information. The processing method may include signal processing techniques such as pre-adaptive signal conditioning, adaptive filtering, and parameter extraction.

5 In some embodiments, an earbud includes one or more sensor modules that includes one or more sensors for sensing physiological information and environmental information, such as noise, for example. As such, the earbud may function as a physiological monitor as well as an environmental monitor. In some embodiments, the earbud may include a microprocessor that is in
10 electrical communication with the sensor module(s). For example, a microprocessor incorporated into an earbud may be configured to execute an adaptive filter algorithm to remove noise from at least one signal generated by a sensor module in the earbud. A microprocessor may also be configured to process information from the one or more sensors to generate a digital output
15 string, wherein the digital output string includes a plurality of physiological and motion-related information.

 Physiological sensors that may be incorporated into headsets and/or earbuds, according to some embodiments of the present invention, may be configured to detect and/or measure one or more of the following types of
20 physiological information: heart rate, pulse rate, breathing rate, blood flow, VO_2 , VO_2 max, heartbeat signatures, cardio-pulmonary health, organ health, metabolism, electrolyte type and/or concentration, physical activity, caloric intake, caloric metabolism, blood metabolite levels or ratios, blood pH level, physical and/or psychological stress levels and/or stress level indicators, drug
25 dosage and/or dosimetry, physiological drug reactions, drug chemistry, biochemistry, position and/or balance, body strain, neurological functioning, brain activity, brain waves, blood pressure, cranial pressure, hydration level, auscultatory information, auscultatory signals associated with pregnancy, physiological response to infection, skin and/or core body temperature, eye
30 muscle movement, blood volume, inhaled and/or exhaled breath volume, physical exertion, exhaled breath physical and/or chemical composition, the presence and/or identity and/or concentration of viruses and/or bacteria, foreign matter in the body, internal toxins, heavy metals in the body, anxiety, fertility, ovulation, sex hormones, psychological mood, sleep patterns, hunger and/or

thirst, hormone type and/or concentration, cholesterol, lipids, blood panel, bone density, organ and/or body weight, reflex response, sexual arousal, mental and/or physical alertness, sleepiness, auscultatory information, response to external stimuli, swallowing volume, swallowing rate, sickness, voice characteristics, voice tone, voice pitch, voice volume, vital signs, head tilt, allergic reactions, inflammation response, auto-immune response, mutagenic response, DNA, proteins, protein levels in the blood, water content of the blood, pheromones, internal body sounds, digestive system functioning, cellular regeneration response, healing response, stem cell regeneration response, etc.

Environmental sensors that may be incorporated into headsets and/or earbuds, according to some embodiments of the present invention, may be configured to detect and/or measure one or more of the following types of environmental information: climate, humidity, temperature, pressure, barometric pressure, soot density, airborne particle density, airborne particle size, airborne particle shape, airborne particle identity, volatile organic chemicals (VOCs), hydrocarbons, polycyclic aromatic hydrocarbons (PAHs), carcinogens, toxins, electromagnetic energy, optical radiation, X-rays, gamma rays, microwave radiation, terahertz radiation, ultraviolet radiation, infrared radiation, radio waves, atomic energy alpha particles, atomic energy beta-particles, gravity, light intensity, light frequency, light flicker, light phase, ozone, carbon monoxide, carbon dioxide, nitrous oxide, sulfides, airborne pollution, foreign material in the air, viruses, bacteria, signatures from chemical weapons, wind, air turbulence, sound and/or acoustical energy, ultrasonic energy, noise pollution, human voices, animal sounds, diseases expelled from others, exhaled breath and/or breath constituents of others, toxins from others, pheromones from others, industrial and/or transportation sounds, allergens, animal hair, pollen, exhaust from engines, vapors and/or fumes, fuel, signatures for mineral deposits and/or oil deposits, snow, rain, thermal energy, hot surfaces, hot gases, solar energy, hail, ice, vibrations, traffic, the number of people in a vicinity of the person, coughing and/or sneezing sounds from people in the vicinity of the person, loudness and/or pitch from those speaking in the vicinity of the person.

According to some embodiments of the present invention, earbuds for headsets may include a chipset having at least one sensor element, noise source element, signal processor, input/output line, digital control, and power

regulator.

Light-guiding earbuds according to the various embodiments of the present invention may be utilized with mono headsets (i.e., headsets having one earbud) as well as stereo headsets (i.e., headsets having two earbuds).

5 Additionally, the light-guiding region of earbuds, according to embodiments of the present invention, may be integrated not only into an earbud cover and earbud housing, but also into each or all components of an earbud. Moreover, light-guiding earbuds according to the various embodiments of the present invention may be utilized with hearing aids, body jewelry, or any other
10 attachment that can be placed near the head region, such as eye glasses or shades, a headband, a cap, helmet, visor, or the like.

According to some embodiments of the present invention, a monitoring device includes a circular band capable of encircling a finger of a subject, and a base having an optical emitter and an optical detector attached to
15 the circular band. The circular band includes light transmissive material in optical communication with the optical emitter and optical detector that is configured to deliver light from the optical emitter to one or more portions of the finger of the subject and to collect light from one or more portions of the finger of the subject and deliver the collected light to the optical detector. In some embodiments, the
20 circular band includes first and second concentric body portions.

In some embodiments, the circular band includes a lens region in optical communication with the optical emitter that focuses light emitted by the optical emitter and/or that collects light reflected from a finger. In some
25 embodiments the circular band includes a phosphor-containing region in optical communication with the light transmissive material, wherein the phosphor-containing region receives light emitted by the optical emitter and converts at least a portion of the received light to light having a different wavelength from the received light.

In some embodiments, the light transmissive material of the
30 circular band has an outer surface and an inner surface, and a cladding material, such as light reflective material, is on (or near) at least a portion of one or both of the inner and outer surfaces.

In some embodiments, the base includes one or more of the following: a signal processor configured to receive and process signals produced

by the optical detector, a transmitter configured to transmit signals processed by the signal processor to a remote device.

According to some embodiments of the present invention, a monitoring device configured to be attached to the body of a subject includes a base having an optical emitter and an optical detector, and light transmissive material attached to the base. The light transmissive material is in optical communication with the optical emitter and optical detector and is configured to deliver light from the optical emitter to one or more portions of the body of the subject and to collect light from one or more portions of the body of the subject and deliver the collected light to the optical detector. The light transmissive material may include adhesive material in one or more locations that is configured to adhesively secure the device to the body of the subject.

In some embodiments, an outer body portion is attached to the base and to the light transmissive material. The outer body portion may include adhesive material in one or more locations that is configured to adhesively secure the device to the body of the subject.

In some embodiments, the light transmissive material includes a lens region that is in optical communication with the optical emitter and that focuses light emitted by the optical emitter and/or that collects light reflected from a finger. In some embodiments, the light transmissive material includes a phosphor-containing region that receives light emitted by the optical emitter and converts at least a portion of the received light to light having a different wavelength from the received light. In some embodiments, the light transmissive material has an outer surface and an inner surface, and a light reflective material is disposed on or near at least a portion of one or both of the inner and outer surfaces.

In some embodiments, the base includes one or more of the following: a signal processor configured to receive and process signals produced by the optical detector, a transmitter configured to transmit signals processed by the signal processor to a remote device.

It is noted that aspects of the invention described with respect to one embodiment may be incorporated in a different embodiment although not specifically described relative thereto. That is, all embodiments and/or features of any embodiment can be combined in any way and/or combination. Applicant

reserves the right to change any originally filed claim or file any new claim accordingly, including the right to be able to amend any originally filed claim to depend from and/or incorporate any feature of any other claim although not originally claimed in that manner. These and other objects and/or aspects of the present invention are explained in detail below.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which form a part of the specification, illustrate various embodiments of the present invention. The drawings and description together serve to fully explain embodiments of the present invention.

Fig. 1 is an exploded perspective view of a headset with a light-guiding earbud, according to some embodiments of the present invention.

Fig. 2 is a perspective view of a stereo headset incorporating light-guiding earbuds, according to some embodiments of the present invention.

Fig. 3 is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Figs. 4A-4D are side section views of light-guiding earbuds for a headset, according to some embodiments of the present invention.

Fig. 5 is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 6 is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention..

Fig. 7A is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 7B is a perspective view of a flexible optical emitter utilized in the earbud of Fig. 7A, according to some embodiments of the present invention.

Fig. 8A is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 8B is a cross-sectional view of the earbud of Fig. 8A taken along lines 8B-8B.

Fig. 8C is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 8D is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 9A is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

Fig. 9B is a cross-sectional view of the earbud of Fig. 9A taken along lines 9B-9B.

5 Fig. 9C illustrates luminescent particles within the earbud cover of Figs. 9A-9B, according to some embodiments of the present invention.

Fig. 9D is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

10 Fig. 9E is a cross-sectional view of the earbud of Fig. 9D taken along lines 9E-9E.

Fig. 10 illustrates various anatomy of a human ear.

Fig. 11A is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention.

15 Fig. 11B is a cross-sectional view of the earbud of Fig. 11A taken along lines 11B-11B.

Figs. 12A-12B illustrate respective opposite sides of a sensor module that may be located near the periphery of an earbud, according to some embodiments of the present invention.

20 Fig. 13 illustrates an adaptive filter and noise source for removing noise from a noisy physiological signal, according to some embodiments of the present invention.

Figs. 14A-14D are respective graphs of time-dependent data collected from a light-guiding earbud worn by a person, according to some embodiments of the present invention.

25 Fig. 15 is a graph of processed physiological signal data from a headset having one or more light-guiding earbuds, according to some embodiments of the present invention.

30 Fig. 16 is a flow chart of operations for extracting physiological information from headset sensor signals, according to some embodiments of the present invention.

Fig. 17 is a block diagram that illustrates sensor signals being processed into a digital data string including activity data and physiological data, according to some embodiments of the present invention.

Fig. 18 illustrates a digital data string, according to some

embodiments of the present invention.

Fig. 19 illustrates the optical interaction between the sensor module of Figs. 12A-12B and the skin of a subject.

5 Fig. 20 illustrates a chipset for use in a headset, according to some embodiments of the present invention.

Fig. 21 illustrates a chipset for use in a stereo headset, according to some embodiments of the present invention.

10 Fig. 22A is a top plan view of a monitoring device configured to be attached to finger of a subject, according to some embodiments of the present invention.

Fig. 22B is a cross-sectional view of the monitoring device of Fig. 22A taken along lines 22B-22B.

15 Fig. 23 is a side view of a monitoring device configured to be attached to the body of a subject, according to some embodiments of the present invention.

DETAILED DESCRIPTION

20 The present invention will now be described more fully hereinafter with reference to the accompanying figures, in which embodiments of the invention are shown. This invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein. Like numbers refer to like elements throughout. In the figures, certain layers, components or features may be exaggerated for clarity, and broken lines illustrate optional features or operations unless specified otherwise.

25 In addition, the sequence of operations (or steps) is not limited to the order presented in the figures and/or claims unless specifically indicated otherwise. Features described with respect to one figure or embodiment can be associated with another embodiment or figure although not specifically described or shown as such.

30 It will be understood that when a feature or element is referred to as being "on" another feature or element, it can be directly on the other feature or element or intervening features and/or elements may also be present. In contrast, when a feature or element is referred to as being "directly on" another feature or element, there are no intervening features or elements present. It will

also be understood that, when a feature or element is referred to as being "connected", "attached" or "coupled" to another feature or element, it can be directly connected, attached or coupled to the other feature or element or intervening features or elements may be present. In contrast, when a feature or element is referred to as being "directly connected", "directly attached" or "directly coupled" to another feature or element, there are no intervening features or elements present. Although described or shown with respect to one embodiment, the features and elements so described or shown can apply to other embodiments. It will also be appreciated by those of skill in the art that references to a structure or feature that is disposed "adjacent" another feature may have portions that overlap or underlie the adjacent feature.

The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting of the invention. As used herein, the singular forms "a", "an" and "the" are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will be further understood that the terms "comprises" and/or "comprising," when used in this specification, specify the presence of stated features, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, steps, operations, elements, components, and/or groups thereof. As used herein, the term "and/or" includes any and all combinations of one or more of the associated listed items.

Spatially relative terms, such as "under", "below", "lower", "over", "upper" and the like, may be used herein for ease of description to describe one element or feature's relationship to another element(s) or feature(s) as illustrated in the figures. It will be understood that the spatially relative terms are intended to encompass different orientations of the device in use or operation in addition to the orientation depicted in the figures. For example, if a device in the figures is inverted, elements described as "under" or "beneath" other elements or features would then be oriented "over" the other elements or features. Thus, the exemplary term "under" can encompass both an orientation of over and under. The device may be otherwise oriented (rotated 90 degrees or at other orientations) and the spatially relative descriptors used herein interpreted accordingly. Similarly, the terms "upwardly", "downwardly", "vertical", "horizontal" and the like are used herein for the purpose of explanation only unless

specifically indicated otherwise.

It will be understood that although the terms first and second are used herein to describe various features/elements, these features/elements should not be limited by these terms. These terms are only used to distinguish one feature/element from another feature/element. Thus, a first feature/element discussed below could be termed a second feature/element, and similarly, a second feature/element discussed below could be termed a first feature/element without departing from the teachings of the present invention. Like numbers refer to like elements throughout.

Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the specification and relevant art and should not be interpreted in an idealized or overly formal sense unless expressly so defined herein. Well-known functions or constructions may not be described in detail for brevity and/or clarity.

The term "headset" includes any type of device or earpiece that may be attached to or near the ear (or ears) of a user and may have various configurations, without limitation. Headsets incorporating light-guiding earbuds as described herein may include mono headsets (one earbud) and stereo headsets (two earbuds), earbuds, hearing aids, ear jewelry, face masks, headbands, and the like.

The term "real-time" is used to describe a process of sensing, processing, or transmitting information in a time frame which is equal to or shorter than the minimum timescale at which the information is needed. For example, the real-time monitoring of pulse rate may result in a single average pulse-rate measurement every minute, averaged over 30 seconds, because an instantaneous pulse rate is often useless to the end user. Typically, averaged physiological and environmental information is more relevant than instantaneous changes. Thus, in the context of the present invention, signals may sometimes be processed over several seconds, or even minutes, in order to generate a "real-time" response.

The term "monitoring" refers to the act of measuring, quantifying, qualifying, estimating, sensing, calculating, interpolating, extrapolating, inferring, deducing, or any combination of these actions. More generally, "monitoring" refers to a way of getting information via one or more sensing elements. For
5 example, "blood health monitoring" includes monitoring blood gas levels, blood hydration, and metabolite/electrolyte levels.

The term "physiological" refers to matter or energy of or from the body of a creature (*e.g.*, humans, animals, etc.). In embodiments of the present invention, the term "physiological" is intended to be used broadly, covering both
10 physical and psychological matter and energy of or from the body of a creature. However, in some cases, the term "psychological" is called-out separately to emphasize aspects of physiology that are more closely tied to conscious or subconscious brain activity rather than the activity of other organs, tissues, or cells.

The term "body" refers to the body of a subject (human or animal)
15 that may wear a headset incorporating one or more light-guiding earbuds, according to embodiments of the present invention.

In the following figures, various headsets and light-guiding earbuds for use with headsets will be illustrated and described for attachment to the ear
20 of the human body. However, it is to be understood that embodiments of the present invention are not limited to those worn by humans.

The ear is an ideal location for wearable health and environmental monitors. The ear is a relatively immobile platform that does not obstruct a person's movement or vision. Headsets located at an ear have, for example,
25 access to the inner-ear canal and tympanic membrane (for measuring core body temperature), muscle tissue (for monitoring muscle tension), the pinna and earlobe (for monitoring blood gas levels), the region behind the ear (for measuring skin temperature and galvanic skin response), and the internal carotid artery (for measuring cardiopulmonary functioning), etc. The ear is also at or
30 near the point of exposure to: environmental breathable toxicants of interest (volatile organic compounds, pollution, etc.; noise pollution experienced by the ear; and lighting conditions for the eye. Furthermore, as the ear canal is naturally designed for transmitting acoustical energy, the ear provides a good location for monitoring internal sounds, such as heartbeat, breathing rate, and mouth motion.

Wireless, Bluetooth®-enabled, and/or other personal communication headsets may be configured to incorporate physiological and/or environmental sensors, according to some embodiments of the present invention. As a specific example, Bluetooth® headsets are typically lightweight, unobtrusive devices that have become widely accepted socially. Moreover, Bluetooth® headsets are cost effective, easy to use, and are often worn by users for most of their waking hours while attending or waiting for cell phone calls. Bluetooth® headsets configured according to embodiments of the present invention are advantageous because they provide a function for the user beyond health monitoring, such as personal communication and multimedia applications, thereby encouraging user compliance. Exemplary physiological and environmental sensors that may be incorporated into a Bluetooth® or other type of headsets include, but are not limited to accelerometers, auscultatory sensors, pressure sensors, humidity sensors, color sensors, light intensity sensors, pressure sensors, etc.

Headsets, both mono (single earbud) and stereo (dual earbuds), incorporating low-profile sensors and other electronics, according to embodiments of the present invention, offer a platform for performing near-real-time personal health and environmental monitoring in wearable, socially acceptable devices. The capability to unobtrusively monitor an individual's physiology and/or environment, combined with improved user compliance, is expected to have significant impact on future planned health and environmental exposure studies. This is especially true for those that seek to link environmental stressors with personal stress level indicators. The large scale commercial availability of this low-cost device can enable cost-effective large scale studies. The combination of monitored data with user location via GPS data can make on-going geographic studies possible, including the tracking of infection over large geographic areas. The commercial application of the proposed platform encourages individual-driven health maintenance and promotes a healthier lifestyle through proper caloric intake and exercise.

Accordingly, some embodiments of the present invention combine a personal communications headset device with one or more physiological and/or environmental sensors. Other embodiments may combine physiological and/or environmental sensors into a headset device.

Optical coupling into the blood vessels of the ear may vary between individuals. As used herein, the term “coupling” refers to the interaction or communication between excitation light entering a region and the region itself. For example, one form of optical coupling may be the interaction between
5 excitation light generated from within a light-guiding earbud and the blood vessels of the ear. In one embodiment, this interaction may involve excitation light entering the ear region and scattering from a blood vessel in the ear such that the intensity of scattered light is proportional to blood flow within the blood vessel. Another form of optical coupling may be the interaction between
10 excitation light generated by an optical emitter within an earbud and the light-guiding region of the earbud. Thus, an earbud with integrated light-guiding capabilities, wherein light can be guided to multiple and/or select regions along the earbud, can assure that each individual wearing the earbud will generate an optical signal related to blood flow through the blood vessels. Optical coupling of
15 light to a particular ear region of one person may not yield photoplethysmographic signals for each person. Therefore, coupling light to multiple regions may assure that at least one blood-vessel-rich region will be interrogated for each person wearing the light-guiding earbud. Coupling multiple regions of the ear to light may also be accomplished by diffusing light from a light
20 source within the earbud.

Embodiments of the present invention are not limited to headsets that communicate wirelessly. In some embodiments of the present invention, headsets configured to monitor an individual's physiology and/or environment may be wired to a device that stores and/or processes data. In some
25 embodiments, this information may be stored on the headset itself. Furthermore, embodiments of the present invention are not limited to earbuds. In some embodiments, the light-guiding structure may be molded around another part of the body, such as a digit, finger, toe, limb, around the nose or earlobe, or the like. In other embodiments, the light-guiding structure may be integrated into a
30 patch, such as a bandage that sticks on a person's body.

Referring to Fig. 1, a headset 10 according to some embodiments of the present invention is illustrated. The illustrated headset 10 includes a base 12, a headset housing 14, an earbud housing 16, and a cover 18 that surrounds the earbud housing 16. The base 12 includes a main circuit board 20 that

supports and/or is connected to various electronic components. In the illustrated embodiment, a speaker 22, optical emitter 24, optical detectors 26, and thermopile 28 (described below) are mounted onto a secondary circuit board 32 which is secured to the main circuit board 20. The earbud housing surrounds the speaker 22, optical emitter 24, optical detectors 26, and thermopile 28. Collectively, the earbud housing 16, cover 18, and various electronic components (e.g., speaker 22, optical emitter 24, optical detectors 26, thermopile 28) located within the earbud housing 16 of the illustrated headset 10 may be referred to as an earbud 30. The headset housing 14 is secured to the base 12 and is configured to enclose and protect the various electronic components mounted to the base (e.g., main circuit board 20 and components secured thereto, etc.) from ambient interference (air, humidity, particulates, electromagnetic interference, etc).

Each optical detector 26 may be a photodiode, photodetector, phototransistor, thyristor, solid state device, optical chipset, or the like. The optical emitter 24 may be a light-emitting diode (LED), laser diode (LD), compact incandescent bulb, micro-plasma emitter, IR blackbody source, or the like. The speaker 22 may be a compact speaker, such as an inductive speaker, piezoelectric speaker, electrostatic speaker, or the like. One or more microphones, such as electrets, MEMS, acoustic transducers, or the like, may also be located within the headset housing or earbud housing to pick up speech, physiological sounds, and/or environmental sounds.

The main circuit board 20 and secondary circuit board 32 may also support one or more sensor modules (not shown) that contain various physiological and/or environmental sensors. For example, a sensor module, such as sensor module 70 illustrated in Figs. 12A-12B, may be attached to the circuit boards 20, 32. The circuit boards 20, 32 also may include at least one signal processor (not shown), at least one wireless module (not shown) for communicating with a remote device, and/or at least one memory storage device (not shown). An exemplary wireless module may include a wireless chip, antenna, or RFID tag. In some embodiments, the wireless module may include a low-range wireless chip or chipset, such as a Bluetooth® or ZigBee chip. These electronic components may be located on the main circuit board 20, or on another circuit board, such as the secondary circuit board 32, attached to the

main circuit board.

Secondary circuit board 32 may also include a temperature sensor, such as a thermopile 28 mounted thereto. The thermopile 28 is oriented so as to point towards the tympanic membrane within the ear of a subject wearing the headset 10 through the acoustic orifices 34a, 34b in the earbud housing 16 and cover 18, respectively. The secondary circuit board 32 may be in electrical contact with the main circuit board 20 via soldering, connectors, wiring, or the like. A battery 36, such as a lithium polymer battery or other portable battery, may be mounted to the main circuit board 20 and may be charged via a USB charge port 38. Although not shown in Fig. 1, an ear hook may be attached to the base 12 or housing 14 to help stabilize the earbud 30 and headset 10 worn by a subject and such that the earbud 30 is consistently placed at the same location within the ear canal of a subject.

In the illustrated embodiment, the earbud housing 16 is in acoustical communication with the speaker 22 and includes an aperture 34a through which sound from the speaker 22 can pass. However, additional apertures may also be utilized. The cover 18 also includes at least one aperture 34b through which sound from the speaker 22 can pass. The thermopile 28 is used as a heat sensor and measures thermal radiation from the ear of a subject via the acoustic apertures 34a, 34b. Additional or other sensors may be in the location of the thermopile 28, aligned towards the tympanic membrane, to sense other forms of energy, such as acoustic, mechanical, chemical, optical, or nuclear energy from the tympanic membrane region. For example, a photodetector may replace the thermopile 28 to measure light scattering off the tympanic membrane.

The cover 18 includes light transmissive material in a portion 19 thereof that is referred to as a light-guiding region. The light transmissive material in light-guiding region 19 is in optical communication with the optical emitter 24 and detectors 26. The light transmissive material in light-guiding region 19 is configured to deliver light from the optical emitter 24 into an ear canal of the subject at one or more predetermined locations and to collect light external to the earbud 30 and deliver the collected light to the optical detectors 26. As such, the earbud 30 of the illustrated headset 10 is referred to as a "light-guiding" earbud 30.

In some embodiments, the light transmissive material in the light-guiding region 19 may include a lens (e.g., lens 18L illustrated in Fig. 6). The lens 18L is in optical communication with the optical emitter 24 and/or with the optical detectors 26. For example, a lens 18L may be configured to focus light emitted by the optical emitter 24 onto one or more portions of an ear and/or to focus collected light on the light detectors 26. Lenses are described below with respect to Figs. 5-6.

In some embodiments, the earbud cover 18 may integrate a transparent light-guiding layer, wherein air is utilized as a cladding layer. For example, the earbud cover 18 may include an optically transparent silicone molded layer, and the earbud housing 16 may be removed such that a cladding layer is air. In some embodiments, the earbud housing 16 may be closed, and the light-guiding region 19 may be integrated within the cover 18 or between the housing 16 and cover 18.

The illustrated cover 18 of Fig. 1 includes an alignment member 40 (also referred to as a stabilization arm) that facilitates alignment of the earbud 30 within an ear canal of a subject. The alignment member 40 may facilitate stable measurements of optical scattered light from the ear region, which can be important for PPG measurements and tympanic temperature measurements.

In some embodiments, a light-guiding cover 18 is formed from a soft, resilient material, such as silicone, which deforms when inserted within an ear canal of a subject. However, various materials may be utilized for light-guiding covers 18 and for serving as light guides depending on the type of earbud desired for a particular use case, according to embodiments of the present invention. For example, in some embodiments, a light-guiding cover 18 may be formed from a substantially rigid material such that the light-guiding earbud 30 is substantially rigid. For example, for a running use case, the runner may wish to have firm but soft earbuds, such that the earbud may deform to some extent when inserted into the ear. In such case, the light-guiding region may be silicone or other soft material and the outer cladding may be air, a polymer, plastic, or a soft material having a lower index of refraction than silicone.

Fig. 2 illustrates a stereo headset 100 that utilizes two light-guiding earbuds 130, according to some embodiments of the present invention. The

headset 100 also includes various sensor elements 132 located at several regions in the stereo headset 100. A benefit of the stereo headset 100 may be that the total number of sensors measuring the ear region may be doubled; alternatively, the sensors in each earbud may be halved. Another benefit of the stereo headset is that it may enable stereo music during daily activities. Another benefit of the stereo headset is that asymmetric physiological differences can be detected in the user by measuring each side of the user in real-time. For example, differences in blood flow between right and left sides of a user may be detected, indicating changes in right/left brain activity, the onset of a stroke, localized inflammation, or the like.

Light-guiding earbuds according to various embodiments of the present invention will now be described with respect to Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B. Referring initially to Figs. 3-4, a light-guiding earbud 30 includes a base 50, an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear E of a subject, and a cover 18 that surrounds the earbud housing 16. The earbud housing 16 is in acoustical communication with a speaker 22 and includes at least one aperture 34a through which sound from the speaker 22 can pass. The cover 18 includes at least one aperture 34b through which sound from the speaker 22 can pass, and includes light transmissive material in optical communication with an optical emitter 24 and detector 26.

The cover 18 includes cladding material 21 on an inner surface 18b thereof and on an outer surface 18a thereof, as illustrated. An end portion 18f of the cover outer surface 18a does not have cladding material. As such, the cover 18 serves as a light guide that delivers light from the optical emitter 24 through the end portion 18f and into the ear canal C of a subject at one or more predetermined locations and that collects light external to the earbud housing 16 and delivers the collected light to the optical detector 26. In the various embodiments described herein, the terms light guide and cover are intended to be interchangeable. However, it should be noted that, in other embodiments, the earbud housing 16 may also serve as a light guide without the need for cover 18.

The base 50 in all of the earbud embodiments (Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B) described herein may include any combination of a printed circuit board, electrical connectors, and housing

component for a headset. For example, the base 50 in Figs. 3-6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B, may include, for example, the base 12 of the headset 10 of Fig. 1, the main circuit board 20 of the headset 10 of Fig. 1, the housing 14 of the headset 10 of Fig. 1, or may be a combination of the base 12, main circuit board
5 20, and/or housing 14 of the headset 10 of Fig. 1.

The optical emitter 24 generates inspection light 111 and the light-guiding region 19 of the light guide 18 directs the inspection light 111 towards an ear region. This light is called inspection light because it interrogates the surface of the ear, penetrates the skin of the ear, and generates a scattered light
10 response 110 which may effectively inspect blood vessels within the ear region. The optical detector 26 detects scattered light 110 from an ear region and the light-guiding region 19 of the light guide 18 guides the light to the optical detector 26 through the light-guiding region 19, as illustrated.

In the embodiment of Fig. 3, the light-guiding earbud 30 is
15 configured for optical coupling that is parallel to the light guide (i.e., cover 18). The optical detector 26 and optical emitter 24 are configured to detect and generate light substantially parallel to the light-guiding region 19 of the light guide 18. For example, the light guide 18 defines an axial direction A_1 . The optical emitter 24 and optical detector 26 are each oriented such that their
20 respective primary emitting and detecting planes P_1 , P_2 are each facing a respective direction A_3 , A_2 that is substantially parallel with direction A_1 .

The light guiding region 19 of the light guide 18 in the illustrated embodiment of Fig. 3 is defined by cladding material 21 that helps confine light within the light guiding region 19. The cladding material 21 may be reflective
25 material in some embodiments. In other embodiments, the cladding material may be optically transparent or mostly transparent with a lower index of refraction than the light transmissive material of the cover 18. The cladding 21 may be a layer of material applied to one or more portions of the inner and/or outer surfaces 18a, 18b of the light guide 18. In some embodiments, the outer surface
30 16a of the earbud housing 16 may serve as cladding that confines light within the light-guiding region 19. In some embodiments, the light transmissive material of the light guide 18 may be composed of a material having a higher index of refraction than the cladding material 21. In some embodiments, air may serve as a cladding layer.

In the embodiment of Fig. 4A, the light-guiding earbud 30 is configured for optical coupling that is substantially perpendicular to the light guide (i.e., cover 18). The optical detector 26 and optical emitter 24 are configured to detect and generate light substantially perpendicular to the light-guiding region 19 of the light guide 18. For example, the light guide 18 defines an axial direction A_1 . The optical emitter 24 and optical detector 26 are each oriented such that their respective primary emitting and detecting planes P_1 , P_2 are each facing a respective direction A_3 , A_2 that is substantially perpendicular to direction A_1 . The orientation of the optical emitter 24 and optical detector 26 in Fig. 4A may be convenient for manufacturing purposes, where side-emitting LEDs and side-detecting photodetectors can couple directly to the light-guiding region 19 for generating light 111 and detecting light 110. This may relax size constraints for an earbud 30 because the dimensions of the light-guiding region 19 may be independent of the optical emitter 24 and optical detector 26.

Fig. 4B illustrates the light-guiding earbud 30 of Fig. 4A modified such that the earbud cover 18 and cladding material 21 are elongated to reach deeper within the ear canal C of a subject, and closer to the tympanic membrane, for example. In the illustrated embodiment of Fig. 4B, there are no apertures in the housing 16 or cover 18. Acoustic energy 44 from/to the speaker/microphone passes through the material of the cover 18 and housing 16. The illustrated elongated configuration serves as both an optical light-guiding region and an acoustic wave-guiding region.

Fig. 4C illustrates the light-guiding earbud 30 of Fig. 4A modified such that the earbud cover 18 and cladding material 21 are elongated to reach deeper within the ear canal C of a subject, and closer to the tympanic membrane, for example. In the illustrated embodiment of Fig. 4C, apertures 34a, 34b in the housing 16 and cover 18 are provided. As such, the optical light-guiding region 19 and the acoustic wave-guiding region 54 are isolated from each other. The light-guiding region 19 may be a light transmissive material, such as a dielectric material, and the acoustic wave-guiding region 54 may be air or another material, and the separation between these regions may be defined by at least part of the cladding material 21. Embodiments of the present invention may include multiple openings 34a, 34b in the housing 16 and cover 18. The separation between the light-guiding region 19 and the acoustic wave-

guiding region 54 may be defined by other structures composed of a variety of possible materials. Specific examples of these materials include plastic molding, metals, polymeric structures, composite structures, or the like.

5 Fig. 4D illustrates the light-guiding earbud 30 of Fig. 4A modified such that the earbud cover 18 and cladding material 21 are elongated to reach deeper within the ear canal C of a subject, and closer to the tympanic membrane, for example. In the illustrated embodiment of Fig. 4D, the area within the housing 16 may be air, silicone, plastic, or any material capable of passing sound. As such, at opening 34b, an interface exists between the material of the
10 light-guiding region 19 and the material within the housing 16. In some embodiments, the light-guiding region 19 and the region within the housing 16 may both be air. In other embodiments, the light-guiding region 19 and the region within the housing 16 may be formed from the same or different materials. In some embodiments, the region within the housing 16 may be formed from an
15 optical wave guiding material identical or similar to the material in the light-guiding region 19.

In the embodiments of Figs. 4B-4D, the optical energy 110 coming from the ear may include optical wavelengths, such as IR wavelengths, emitting from the tympanic membrane due to black body radiation. If the optical detector
20 26 is configured to measure this black body radiation, then the earbud can be used to measure tympanic temperature, blood analyte levels, neurological, electrical activity, or metabolic activity of the earbud wearer.

Referring to Fig. 5, a light-guiding earbud 30 is configured for optical coupling that is parallel to the light guide (i.e., cover 18) as in the
25 embodiment of Fig. 3. However, the embodiment of Fig. 5 does not include a separate earbud housing. Instead, the light guide 18 serves the function of the earbud housing. In addition, the light guide 18 includes multiple windows 18w formed in the cladding material 21 on the outer surface 18a of the cover and through which light 111 emitted by the light emitter 24 passes and multiple
30 windows 18w through which scattered light 110 passes into the light guide 18 to be directed to the light detector 26. These openings 18w may extend circumferentially around the light guide 18 or may partially extend circumferentially around portions of the light guide 18. In some embodiments of this invention, the earbud housing and light guide 18 may be separated, as

shown in other figures.

In addition, the illustrated light guide 18 of Fig. 5 is surrounded by a layer 29 of light transmissive material. One or more lenses 29L are formed in this layer 29 and are in optical communication with respective windows 18w in the light guide 18. In the illustrated embodiment, a lens 29L is in optical communication with a respective window 18w through which emitted light 111 passes, and a respective window 18w through which scattered light 110 passes. Lenses 29L are configured to focus inspection light 111 onto a particular region of the ear. Lenses 29L are configured to help collect scattered light 110 and direct the scattered light 110 into the light guiding region 19. In some embodiments, these lenses 29L may be a molded part of the light guide 18. The illustrated location of lenses 29L in Fig. 5 is non-limiting, and the lenses 29L may be located wherever optical coupling between the earbud and ear is desired. Though convex lens embodiments are shown in Fig. 5, this is not meant to limit embodiments of the present invention. Depending on the desired optical coupling and configuration of the earbud against the ear, a variety of lens types and shapes may be useful, such as convex, positive or negative meniscus, planoconvex, planoconcave, biconvex, biconcave, converging, diverging, and the like.

Referring now to Fig. 6, a light guiding earbud 30, according to some embodiments of the present invention, includes a base 50, an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear E of a subject, and a cover 18 of light transmissive material surrounding the earbud housing 16 that forms a light-guiding region 19. The earbud housing 16 is in acoustical communication with a speaker 22 and includes at least one aperture 34a through which sound from the speaker 22 can pass. The earbud housing 16 encloses the speaker 22, an optical emitter 24 and an optical detector 26 as illustrated. An additional light detector 26 is located on the base 50 but is not surrounded by the earbud housing 16.

The earbud housing 16 is formed of a cladding material. The cladding material may be reflective material in some embodiments. In other embodiments, the cladding material may be optically transparent or mostly transparent with a lower index of refraction than the light transmissive material of the cover 18. In some embodiments, the earbud housing 16 may be replaced by

air, such that the cladding region is air. Air may have a smaller index of refraction than that of the cover 18, supporting light transmission along the cover 18. In other embodiments, a cladding region exists between the earbud housing 16 and the light-guiding region 19. In another embodiment, a cladding region exists
5 covering the outside of light-guiding region 19, with the exception of regions surrounding the lens regions 18L.

A plurality of windows 16w are formed in the earbud housing 16 at selected locations to permit light emitted by the light emitter 24 to pass therethrough. In some embodiments, the earbud housing 16 may have
10 translucent or transparent material that serves the function of one or more windows 16w. The cover 18 includes a plurality of lenses 18L that are in optical communication with respective windows 16w in the earbud housing 16. These lenses 18L are configured to focus light 111 passing through a respective window 16w towards a particular region of the ear of a subject, and to help
15 collect scattered light 110 and direct the scattered light 110 into the earbud housing 16 towards the light detector 26.

The earbud 30 of Fig. 6, via the locations of windows 16w, produces isotropic optical coupling, such that the light generated by the optical emitter 24 is roughly identical in all directions with respect to the earbud housing
20 16. The inspection light 111 generated by the optical emitter 24 passes isotropically into the light guiding region 19 through the windows 16w.

A benefit of light guiding earbud 30 of Fig. 6 is that manufacturing may not require alignment of the light-guiding region 19 with respect to the optical emitter 24 and detector 26. This may be in part because the optical
25 energy density generated/detected by the optical emitter/detector may be the same, or relatively uniform, within the earbud housing 16 regardless of alignment of the light guide 18 with respect to the earbud housing 16 or regardless of alignment between the optical emitters/detectors and the earbud housing 16. This effect may be similar to that observed in "integrating spheres" commonly
30 used for quantifying the lumen output of an optical source. Namely, because the light from the optical emitter 24 may be substantially isotropic and not focused, there is less restriction on the alignment of the earbud housing and earbud cover with respect to the optical emitter 24 or optical detector 26.

Referring now to Figs. 7A-7B, a light guiding earbud 30, according

to some embodiments of the present invention, includes a base 50, and an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear E of a subject. The earbud housing 16 is formed from translucent material such that light can pass therethrough and forms a light-guiding region 19. The earbud housing 16 is in acoustical communication with a speaker 22 and includes at least one aperture 34a through which sound from the speaker 22 can pass. A pair of optical detectors 26 are secured to the base 50 but are not surrounded by the earbud housing 16, as illustrated.

The earbud housing 16 includes a flexible optical emitter 24 integrally formed within the housing 16, as illustrated. The optical emitter 24 is flexible such that it may be positioned around the earbud in an earbud form-factor. The flexible optical emitter 24 is configured to be conformable to an earbud shape and configuration. The flexible optical emitter 24 may be in, near, or part of the earbud housing 16, cladding material 21, or housing 16. In some embodiments, the flexible optical emitter 24 may be part of a flexible optical circuit inserted into an earbud 30.

The optical detectors 26 positioned outside the earbud housing 16 of the earbud 30 of Figs. 7A-7B collect scattered light from an ear originating from inspection light 111 generated by the flexible optical emitter 24. The flexible optical emitter 24 may be mounted to the earbud base 50 through one or more electrical connectors 24a. In some embodiments, these may be soldered, wired, or detachable connectors. In some embodiments, the flexible optical emitter 24 may include a flexible optical detector. In some embodiments, the flexible optical emitter 24 may be part of a flexible optical circuit comprising the form-factor of 24 shown in Figs. 7A-7B, where the flexible optical circuit may include one or more optical emitters and detectors as well as amplifiers, microprocessors, wireless circuitry, and signal conditioning electronics. In some embodiments, the flexible optical circuit may include a complete chipset for physiological and environmental detection and for wired/wireless transfer of data to a remote location. For example, these flexible devices may include an organic LED (OLED) and an organic optical detector circuit. This embodiment may be useful for generating a diffuse light beam towards the ear region and for detecting a diffuse optical scatter response from the ear region. In some embodiments, the emitter and detector on the flexible optical emitter 24 may be a traditional light-

emitting diode (LED) and photodetector (PD) integrated onto a flexible printed circuit board. In other embodiments, transparent solid state optical emitters, detectors, or switches may be used. For example, an electrically controlled liquid crystal matrix may be embedded within an earbud, covering the flexible optical emitter 24. This may allow localized control of light flow to selected areas from/to the earbud going towards/away-from the ear. Additionally, this may allow localized control of light wavelength to selected areas.

Referring now to Figs. 8A-8B, a light guiding earbud 30, according to some embodiments of the present invention, includes a base 50, an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear of a subject, and a cover 18 that surrounds the earbud housing 16. The earbud housing 16 is in acoustical communication with a speaker 22 and includes at least one aperture 34a through which sound from the speaker 22 can pass. The cover 18 includes at least one aperture 34b through which sound from the speaker 22 can pass. The cover 18 includes a cladding material 21 on the outer surface 18a thereof, except at end portion 18f, as illustrated. In the illustrated embodiment, there is no cladding material on the cover inner surface 18b. The housing 16 is in contact with the cover inner surface 18b and serves as a cladding layer to define the light guiding region 19. The cover 18 with the illustrated cladding material 18c serves as a light guide that delivers light from the optical emitters 24 into an ear canal of a subject through cover end portion 18f. The cover 18 also collects light through end portion 18f and delivers the collected light to the optical detectors 26. Various configurations and arrangements of optical emitters and detectors may be utilized in accordance with embodiments of the present invention.

In the illustrated embodiment of Figs. 8A-8B, to reduce the risk of the inspection light 111 interrogating and saturating the optical detectors 26, a bottom portion 16a of the earbud housing 16 includes a light blocking region that blocks light from passing therethrough. This light blocking region 16a may be a black-painted region, an optically opaque region, or a material or structure that blocks light transmission. The illustrated configuration of the earbud housing 16 and bottom portion 16a may help confine inspection light 111 generated by the optical emitters 24 within the light-guiding layer (i.e., 19), guiding this light towards the ear region through the end portion 18f of the earbud 30.

In some embodiments, as illustrated in Fig. 8C, the earbud housing 16 may be at least partially reflective to scatter light within the cavity defined by the earbud housing 16. In such case, the optical energy 111 may exit the earbud 30 through apertures 34a, 34b in the housing 16 and cover 18. An advantage of this configuration is that light 111 can be focused on a particular region of the ear where a particular physiological activity may be located. Also, this configuration may reduce unwanted optical signals from regions that may not be relevant to the physiological activity of interest. Although Fig. 8C shows the apertures 34a, 34b positioned toward the tympanic membrane, the apertures 34a, 34b may be located at one or more other locations about the earbud 30. For example, an aperture may be formed in the housing 16 and cover 18 at the location where the earbud 30 contacts the antitragus of an ear to allow optical energy 111 to interrogate the antitragus region of the ear.

In some embodiments, as illustrated in Fig. 8D, the earbud housing 16 may contain a material that reflects one or more wavelengths of light and transmits one or more wavelengths of light. For example, the earbud housing 16 may be comprised of a polymer, plastic, glass, composite material, or resin that reflects visible wavelengths and transmits IR wavelengths. Exemplary materials include color absorbing materials, such as organic dyes, found in photographic film. Alternatively, the earbud housing 16 may include an optical filter region, such as a Bragg filter or other optical filter layer deposited on one or more sides of the housing region. If an optical detector 26' is configured to measure visible wavelengths only, then the optical energy detected by optical detector 26' may consist primarily of optical energy scattered from the earbud housing 16, and the optical energy detected by the optical detectors 26 may consist of optical energy scattered from the ear region. This configuration may be useful because the signal from the optical detector 26' may represent motion noise which may be removed from the signal derived from the optical detectors 26, which may contain physiological information and motion noise.

Referring now to Figs. 9A-9B, a light guiding earbud 30, according to some embodiments of the present invention, includes a base 50, an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear of a subject, and a cover 18 surrounding the earbud housing 16. The earbud housing 16 is in acoustical communication with a

speaker 22 and includes at least one aperture 34a through which sound from the speaker 22 can pass. The cover 18 includes at least one aperture 34b through which sound from the speaker 22 can pass. A pair of optical emitters 24 are secured to the base 50 and are surrounded by the earbud housing 16, as
5 illustrated. An optical detector 26 is secured to the base 50 and is not surrounded by the earbud housing 16, as illustrated. The cover 18 serves as a light guide that delivers light from the optical emitters 24 into an ear canal of a subject.

The light-guiding region 19 of the cover 18 is designed to diffuse
10 light and/or to generate luminescence. In this embodiment, the light-guiding region 19 includes at least one optical scatter or luminescence region. The optical scatter or luminescence region may be located anywhere within the earbud in the optical path of the optical emitters 24, but preferably within or about the cladding layer itself. When inspection light 111 generated by the
15 optical emitters 24 is scattered or by an optical scatter region, this light may form a more diffuse optical beam 111a that is more uniform across the earbud 30 than the inspection light 111 generated by the optical emitters 24. This diffused beam, having an intensity distribution being less sensitive to motion of the ear, may be useful in alleviating motion artifacts in the scattered light coming from the ear,
20 such that the scattered light coming from the ear, measured by the optical detector 26, is more indicative of blood flow changes within blood vessels and less indicative of mouth movements and body motion. The optical scatter region within the light-guiding region 19 may be at least partially comprised of impurities or morphological differences within the light-guiding region. An example of such
25 impurities may include point defects, volume defects, native defects, metallics, polymers, microspheres, phosphors, luminescent particles, air pockets, particles, particulate matter, and the like. An example of morphological differences may include density variations, roughness, air pockets, stoichiometry variations, and the like. As a specific example, the light-guiding region 19 may comprise a
30 transparent material, such as glass, a polymer, or silicone, and a luminescent impurity, such as a phosphor or luminescent polymer or molecule, may be integrated within the light-guiding region. This configuration may generate luminescence within the light-guiding region 19 in response to optical excitation from the optical emitters 24. In other embodiments, nanoscale fluctuations or

impurities may be used to diffuse or manipulate light through the earbud. Examples of nanoscale fluctuations or impurities may include quantum dots, rods, wires, doughnuts, or the like.

5 Fig. 9C illustrates an exemplary homogeneous distribution of luminescent particles 44, such as phosphors, embedded within the earbud cover 18, according to some embodiments of the present invention. Figs. 9D-9E illustrate an exemplary distribution of luminescent particles 44, such as phosphors, where the particles are distributed near one or more surfaces of the earbud cover 18, according to some embodiments of the present invention.

10 In another embodiment, an optical scatter or luminescent region may be at least partially located in a separate region from the light-guiding region 19, such as a coating, that may be in physical contact with the light-guiding region 19.

15 In another embodiment, the optical scatter region or luminescent region may include multiple layers of light-guiding material having at least one dissimilar optical property, such as a dissimilar index of refraction, transparency, reflectivity, or the like. In another embodiment, the optical scatter region may include one or more patterned regions having at least one dissimilar optical property.

20 In another embodiment, the optical scatter or luminescent region may be distributed at select locations throughout the earbud.

25 Fig. 10 illustrates relevant anatomy of a human ear E. Blood vessels are located across the ear, but it has been discovered that photoplethysmography (PPG) signals are the strongest near the antitragus, tragus, lobule, and portions of the acoustic meatus, and the ear canal. The antitragus is a particularly attractive location for photoplethysmography because a strong PPG signal can be derived with minimal motion artifacts associated with running and mouth motion.

30 Referring now to Figs. 11A-11B, a light guiding earbud 30, according to some embodiments of the present invention, includes a base 50, an earbud housing 16 extending outwardly from the base 50 that is configured to be positioned within an ear of a subject, and a cover 18 surrounding the earbud housing 16. The earbud housing 16 is in acoustical communication with a speaker 22 and includes at least one aperture 34a through which sound from the

speaker 22 can pass. The cover 18 includes at least one aperture 34b through which sound from the speaker 22 can pass. The cover 18 serves as a light guide for directing light into an ear of a subject and defines a light-guiding region 19.

The illustrated earbud 30 is configured to focus light towards the antitragus of the ear of a human. In the illustrated embodiment, there is no cladding material on the outer surface 18a or inner surface 18b of the cover 18. Air serves as a cladding layer at the outer surface 18a and the housing 16 serves as a cladding layer at the inner surface 18b. Air may serve as a sufficient cladding layer due to the index of refraction difference between air and the light guiding layer. Namely, the index of refraction of the light-guiding layer 19 may be more than that of air.

A sensor module 70 is located near the earbud periphery, as illustrated. This sensor module 70 is shown in more detail in Figs. 12a-12B, and is described below. Three benefits of locating the sensor module 70 near the periphery of the light-guiding earbud 30 are: 1) PPG signals near the antitragus are less corrupted by motion artifacts than are PPG signals in other blood-vessel-rich regions of the ear; 2) the sensor module 70 may be designed somewhat independently of the earbud 30, liberating earbud comfort maximization from PPG signal maximization; and 3) because design constraints may be liberated, sensors need not be located in the acoustic cavity (i.e., within the earbud housing 16), allowing sound to pass through the acoustic orifices 34a, 34b with minimal interference. In this embodiment, it may be beneficial to incorporate lenses within the cover 18, similar to the lenses 18L of Fig. 6. It may be beneficial to extend the light-guiding region 19 of the cover 18 near the location where the earbud 30 rests near the antitragus. This light-guide extension 19a serves as an additional light-coupling region and may improve optical coupling from the light-guiding region 19 to an ear region and/or improve optical coupling from an ear region to the light-guiding region 19, including the antitragus and portions of the acoustic meatus. This is because this extended light-guiding region 19a may provide skin contact between the light guiding layer 19 and the skin, providing better optomechanical stability and optical coupling. In this embodiment, light may couple into the extended light-guiding region 19a, from an optical emitter 24, and into the ear region. Similarly, light may couple from the ear region, into the extended light-guiding region 19a, and to the optical detector 26. This extended light-guiding region 19a may appear as a bulb or lens

near the bottom of the earbud cover 18.

Figs. 12A-12B illustrate respective opposite sides of a sensor module 70 that may be located near the periphery of an earbud 30, for example as illustrated in Figs. 11A-11B, according to some embodiments of the present invention. Sensor module 70 may include a number of electronic components capable of converting various forms of energy into an electrical signal and digitizing the signal. For example, the sensor module 70 may include light-emitting diodes, optical sensors, accelerometers, capacitive sensors, inertial sensors, mechanical sensors, electromagnetic sensors, thermal sensors, nuclear radiation sensors, biological sensors, and the like. In some embodiments, the optical emitters of this invention may be a combination of side-emitting, edge-emitting, or surface-emitting light-emitting diodes (LEDs) or laser diodes (LDs).

In the illustrated embodiment of Figs. 12A-12B, the sensor module 70 includes two sets of optical emitters 24a, 24b. The first set of optical emitters 24a may be side-emitters (or edge-emitters) that are located at the top of the module 70 and direct light towards the earbud tip (e.g., cover end portion 18f, Fig. 8A) and towards the acoustic meatus and/or ear canal of the ear. The second set of optical emitters 24b may be located near the middle of the module 70 and may direct light in a beam that is largely perpendicular to that of the side-emitters 24a. In this particular embodiment, a single optical emitter 24b is shown mounted on a circuit board 70c such that this optical emitter 24b directs light towards the antitragus, which is located largely perpendicular to the acoustic meatus.

The optical energy generated by these optical emitters 24a, 24b may be scattered by blood vessels in the ear. This scattered light may be at least partially captured by the optical detectors 26. This light may be digitized by an optical detector 26 itself or with other circuitry on the sensor module circuit board 70c. The light-guiding design of the aforementioned light-guiding earbuds 30 may direct light towards each of these detectors 26. For example, this may be accomplished via the light-guiding earbud 30, wherein a lens (e.g., 18L, Fig. 6) facilitates inspection light coupling from the optical emitters 24 into the ear region and facilitates scattered light coupling to the optical detectors 26 from the ear region. Additional sensor components 27a, 27b may be used to measure an orthogonal energy component, facilitate sensor analysis, and thus help generate

physiological assessments. For example, sensor components 27a, 27b may be thermal sensors for measuring the temperature of the inner ear (using the thermal sensors 27a facing the ear region) with respect to the outer ear (using the thermal sensor 27b facing away from the ear region). By subtracting the two measured digitized temperatures from these two sensors 27a, 27b, an indication of heat flow from the ear can be generated. This temperature differential may be mathematically related to metabolic rate. For example, this temperature differential may be directly proportional metabolic rate. These temperature sensors may include thermistors, thermopiles, thermocouples, solid state sensors, or the like. They may be designed to measure thermal conduction, convection, radiation, or a combination of these temperature components.

The earbud-facing side (Fig. 12B) of the sensor module 70 may include sensors that do not need to be located on the antitragus-facing side of the sensor module. For example, one or more inertial sensors 27c may be located on the earbud-facing side (Fig. 12B) of the sensor module 70. In a particular embodiment, the inertial sensor 27c may be a 3-axis accelerometer, and because this sensor does not need to optically couple with the ear region, a better use of sensor real estate may be to locate this sensor on the earbud-facing side of the sensor module 70. Additional optical emitters 24a, 24b may be located on the earbud-facing side to facilitate an optical noise reference. Namely, as the person wearing the earbud module 30 moves around, the interrogation light generated by the optical emitters 24a, 24b may be scattered off the earbud and be detected by optical detectors 27d. This scattered light intensity, phase, and/or frequency due to body motion may be proportional to the motion-related component of the scattered light intensity from the ear region. The motion-related component is the component due to the physical motion of the ear and not the component related to blood flow. Thus, the optical scatter signal collected by the detectors 27d may provide a suitable noise reference for an adaptive filter to remove motion artifacts from the scattered light from the ear region, generating an output signal that is primarily related to blood flow (which may be the desired signal). In the same token, the scattered light reaching the optical detectors 27d may be used to generate a measure of activity. The intensity, phase, and frequency of this scattered light may be related to physical activity. Sinusoidal variations of the heart rate waveform may be counted digitally, by

identifying and counting crests and peaks in the waveform, to generate an effective step count. Embodiments of the present invention, however, are not limited to the illustrated location of components in the sensor module 70. Various types and orientations of components may be utilized without limitation.

5 Fig. 19 illustrates the optical interaction between the sensor module 70 of Figs. 12A-12B and the skin of a subject. The sensor module 70 is shown in a reflective pulse oximetry setup 80 where reflected wavelengths 110 are measured, as opposed to measuring transmitted wavelengths. The optical emitter and optical detector wavelengths for pulse oximetry and
10 photoplethysmography may include ultraviolet, visible, and infrared wavelengths. In the illustrated embodiment, an optical source-detector assembly 71 is integrated into sensor module 70 to generate optical wavelengths 111 and monitor the resulting scattered optical energy 110. The optical source-detector assembly 71 contains one or more optical sources emitting one or more optical
15 wavelengths, as well as one or more optical detectors detecting one or more optical wavelengths.

 The epidermis 90, dermis 91, and subcutaneous 92 layers of skin tissue are shown in Fig. 19 for reference. The scattered optical energy 110 may be modulated in intensity by changes in blood flow in the blood vessels, changes
20 in physical motion of the body, respiration, heart rate, and other physiological changes. In some cases, the scattered optical energy may be luminescent energy from the skin, blood, blood analytes, drugs, or other materials in the body.

 As previously described, the optical scatter signal collected by the
25 detectors 27d may provide a suitable noise reference for an adaptive filter to remove motion artifacts from the scattered light from the ear region, generating an output signal that is primarily related to blood flow (which may be the desired signal). This is because light detected by these detectors would come from light that has not been scattered by a physiological region but rather light that has
30 been scattered from a region of the associated earpiece that may move along with the ear. Thus, the scattered light reaching the optical detectors 27d may be used to generate a measure of activity.

 Fig. 13 illustrates the basic configuration of an adaptive noise cancellation scheme 200 for extracting a physiological signal from noise. The

two types of sensor inputs are represented by the terms "Channel A" and "Channel B". Channel A refers to inputs from sensors that collect physiological information plus noise information, and Channel B refers to inputs from sensors that collect primarily (or substantially) noise information. Channel B information is passed through an electronic filter 203 whose properties are updated adaptively and dynamically. The filter 203 properties are updated to minimize the difference between Channel A and the post-processed Channel B, denoted as B^{\wedge} . In this way, noise is removed from Channel A and Channel C contains predominantly physiological information from which parameters such as blood flow, heart rate, blood analyte levels, breathing rate or volume, blood oxygen levels, and the like may be calculated. It is important to note that the Channel A information can still be useful despite the presence of noise, and the noise information may still be utilized for the computation of relevant parameters. For instance, the residual noise information in Channel A may be extracted by a parameter estimator 201 and the output in Channel D may be one or more activity assessments or the like. Similarly, the raw noise channel, Channel B, may be post-processed by a parameter estimator 205 to extract activity assessments for Channel E. Activity assessments may include exertion, activity level, distance traveled, speed, step count, pace, limb motion, poise, performance of an activity, mastication rate, intensity, or volume, and the like. The noise cancellation scheme 200 may be integrated into the firmware of a microprocessor or the like.

Although the embodiment of Fig. 13 for cancelling motion noise has been presented for an earbud configuration, this does not limit the invention to earbuds. An element of the adaptive noise cancellation scheme 200 for cancelling motion noise with an optical noise source may be that the optical detectors (such as 27d) are configured such that they do not receive scattered light from a physiological region while the detectors are simultaneously receiving scattered light from a region that is moving in synchronization with the physiological region. Even the slightest physiological signal existing in the optical noise reference of Channel B may prevent the adaptive filter from working properly such that the physiological signal may inadvertently be removed altogether by the filter 203. Furthermore, although the noise source Channel B is described as an optical noise source, other forms of energy may be used in this invention. Namely, any inertial sensor input may constitute the input for Channel

B. More specifically, a sensor for measuring changes in capacitance along the earbud with respect to the ear may provide an inertial noise reference without also measuring physiological information. Similarly, an accelerometer may provide an inertial noise reference without also measuring physiological
5 information. An inductive sensor may also provide an inertial noise reference without also measuring physiological information. For each noise source, a defining element may be that the noise source may be configured to measure physical motion only (or mostly) and not physiological information (such as blood flow, blood oxygen, blood pressure, and the like). The utility of an optical noise
10 source is that because the optical signal Channel A and the optical noise Channel B have the same linearity response, the adaptive filter scheme 200 may be more effective than the case where the signal and noise channels operate via different forms of sensed energy. For example, the response linearity characteristics of an accelerometer sensor in response to inertial changes may
15 not be the same as the response linearity characteristics of an optical sensor.

The adaptive noise cancellation scheme 200 for cancelling motion noise with an optical source (specifically an infrared LED) has been demonstrated in the laboratory, with a human wearing a light-guiding earbud while resting, jogging, and running over a treadmill, and various data summaries
20 300a-300d are presented in Figs. 14A-14D. The data was recorded by a chip and memory card embedded in an earbud 30, having electrical connectivity with the sensor module 70 within the earbud 30. The raw signal in low motion 300a and raw signal in high motion 300c may be equated with the signal of Channel A of Fig. 13. Similarly, the "blocked channel" in low motion 300b and "blocked
25 channel" in high motion 300d may be equated with Channel B of Fig. 13. In this experiment, the "block channel" consisted of an optical noise source, wherein the optical noise source included an optical emitter-detector module such as 70 of Figs. 12A-12B. However, instead of being exposed to the ear, the optical emitter-detector module was covered with a layer of clear silicone that was then
30 covered by black tape to prevent light from the emitter (such as 24a and 24b) from reaching the ear. Thus, scatter from the black tape was scattered back to the emitter-detector module through the silicone and sensed as motion noise by the detectors (such as 26 and 27d). In a sense, for this configuration, the optical channel to the human ear is "blocked", hence the term "blocked channel". The

purpose of the clear silicone below the black tape was to: 1) provide an unobstructed, transparent optical scatter path for the IR light and 2) provide motion sensitivity similar to that of human skin, as silicone has a vibration response that may be similar to that of human skin.

5 Figs. 14A-14D show that the raw signal in low motion 300a indicates blood flow pulses which can be translated as heart rate. This is because each blood flow pulse represents one heart beat. However, the raw signal in high motion 300c indicates measured mostly physical activity. This is evident by the fact that the high motion signal 300c matches the corresponding
10 blocked channel signal 300d, and the blocked channel in high motion 300d was found to have a substantially identical beat profile with the measured steps/second of the runner.

 Fig. 15 is a graph of processed physiological signal data from a headset having one or more light-guiding earbuds 30, according to some
15 embodiments of the present invention. Specifically, Fig. 15 shows the analysis results 400 of the data summaries 300a-300d presented in Figs. 14A-14D of blood flow (y-axis) versus time (x-axis) following two data processing sequences to extract heart rate. One sequence incorporated the adaptive filtering process 200 of Fig. 13 as well as a beat finder processing step. The second sequence
20 incorporated the beat finder processing step without the adaptive filtering process 200 of Fig. 13. The beat finder process counts each heart beat by monitoring the peaks and valleys of each pulse, such as the peaks and valleys shown in the graph 300a of Fig. 14A. As shown in Fig. 15, the beat finder was effective at measuring heart rate during resting and jogging. However, the beat
25 finder alone was not sufficient for monitoring heart rate during running. This is because at high motion, the signal 300d (Fig. 14D) associated with footsteps is strong enough to overwhelm the smaller signal associated with heart rate, and so the motion-related contribution dominated the overall signal 300d. Thus, the beat finder cannot distinguish heart beats from footsteps. By employing the
30 adaptive filtering process 200 (Fig. 13) before the beat finder process, the footstep motion artifacts during running were effectively removed from the sensor signal (Channel A of Fig. 13) such that the output signal (Channel C of Fig. 13) contained blood flow information with minimal motion artifacts. Thus, this output signal contained blood flow pulse signals that could then be "counted" by

the beat finder to generate an accurate heart rate assessment.

In the specific analysis results 400 of Fig. 15, a beat finder was employed, following the adaptive filter process 200 of Fig. 13, to count heart beats. A more general method 500 for extracting physiological information from sensor signals in the midst of noise is illustrated in Fig. 16. The first block (block 510) represents the pre-adaptive signal conditioning stage. This process may utilize a combination of filters to remove frequency bands outside the range of interest. For example, a combination of band-pass, low-pass, and/or high-pass filters (such as digital filters) may be used. The second block (block 520) represents an adaptive filtering process such as the process 200 described in Fig. 13. This process may utilize the pre-conditioned signals from block 510 as inputs into an adaptive filter that reduces motion or environmental artifacts and noise in the primary data channel. The third block (block 530) represents the parameter extraction stage. This process may utilize a combination of signal conditioning filters in addition to peak finding (such as beat finding) algorithms to calculate properties of interest (e.g. heart rate, blood flow, heart rate variability, respiration rate, blood gas/analyte level, and the like). The method 500 of Fig. 16 may be encoded in the firmware of a microprocessor (or similar electronics) to facilitate real-time processing of physiological information.

Fig. 17 is a block diagram that illustrates sensor signals being processed into a digital data string including activity data and physiological data using the method 500 of Fig. 16, according to some embodiments of the present invention. Optical detectors 26 and optical emitters 24 may include digitizing circuitry such that they may be connected serially to a digital bus 600. Data from the detectors 26 may be processed by a processor/multiplexer 602 to generate multiple data outputs 604 in a serial format at the output 606 of the processor 602. In some embodiments, the processing methods may involve one or more of the methods described in Figs. 13, 14A-14D, 15 and 16. The multiple data outputs 604 may be generated by the processor/multiplexer 602 by time division multiplexing or the like. The processor 602 may execute one or more serial processing methods, wherein the outputs of a plurality of processing steps may provide information that is fed into the multiplexed data outputs 604.

The multiplexed data outputs 604 may be a serial data string of activity and physiological information 700 (Fig. 18) parsed out specifically such

that an application-specific interface (API) can utilize the data as required for a particular application. The applications may use this data to generate high-level assessments, such as overall fitness or overall health. Furthermore, the individual data elements of the data string can be used to facilitate better
5 assessments of other individual data elements of the data string. As a specific example, the Blood Flow data string may contain information on the first and second derivatives of each blood pulse. This information may be processed from a PPG signal by running the adaptively filtered heart rate signal through a slope-finder algorithm (such as a differentiator circuit). In another example, the filtered
10 PPG signal may be run through an integration circuit to estimate blood volume over each blood pulse. This information may then be used to assess blood pressure and blood oxygen levels more accurately than a direct measurement of blood pressure or blood oxygen levels.

In some embodiments of the invention, new methods of generating
15 physiological assessment algorithms are enabled. These new methods may be achieved by measuring each data output of the data output string 604 in real time while an earbud user is also wearing one or more benchmark sensors. Principal component analysis, multiple linear regression, or other statistical or machine learning techniques can then be used to generate statistical
20 relationships between the data outputs 604 and high level assessments measured simultaneously by the benchmark sensors. These benchmark sensors may measure aerobic fitness level, VO_2 max, blood pressure, blood analyte levels, and the like. The relationships between the earbud sensor and benchmark sensor readings may be translated as algorithms embedded in the
25 earbud, wherein each algorithm generates at least one assessment for the earbud user. In some cases, Bland-Altman plots of the earbud-derived assessment value versus the benchmark value may be used to judge the effectiveness of the algorithm, and this information may then feedback into improving the said earbud-derived assessment algorithm. Examples of these
30 assessments may include aerobic fitness level, VO_2 max, blood pressure, blood analyte levels (such as blood glucose, oxygen, carbon monoxide, etc.), and the like.

In some cases, it may be important to remove the effects of ambient optical noise from the physiological signal of a light-guiding earbud 30.

In such cases, one or more optical detectors 26 may be configured to measure outdoor or ambient lighting, and this information may be fed back into the processor 602 (Fig. 17) to extract external optical noise from the physiological signal. For example, some optical detectors may be configured to measure light from the ear, whereas others may be configured to measure light from the ambient environment, such as sunlight, room light, headlights, or the like. This may be achieved by directing the optical detectors towards and away from the ear, respectively. In a specific example, the ambient light reaching the optical detectors 26 may generate an undesirable sinusoidal response on an optical detector that is configured to measure light from the ear. This undesirable sinusoidal noise response may be generated as an earbud user moves their head from side to side while running. Thus, Channel A of the adaptive filter 200 (Fig. 13) may include physiological information plus undesired ambient optical noise information. To remove this noise from the final output Channel C, the output of the optical detector configured to measure ambient optical noise may be an input (Channel B of Fig. 13) into the adaptive filter 200. In this way, ambient noise from Channel A may be removed to generate a mostly physiological signal in Channel C.

The optical detectors 26 and emitters 24 may be of multiple wavelengths, with the goal of providing specialized physiological information for each wavelength. Referring to Fig. 19, for example, violet or UV light may be used to measure motion-related aspects of the ear, as violet and UV light may not penetrate greatly through the skin of the ear. Green, red, and IR wavelengths may have deeper penetration and provide information on the blood vessels and blood analyte levels. Blue wavelengths may be particularly useful for gauging changes in the size of the blood vessels.

Embodiments of the present invention may be more generally applied to non-optical or mix-optical configurations. For example, one or more of the detectors 26 and emitters 24 may be mechanical, acoustical, electrical, gravimetric, or nuclear detectors and emitters, all providing physiological information to the processor 602 (Fig. 17). For example, an accelerometer or capacitor may be used as a detector 26 for the noise reference (Channel B) input of an adaptive filter running in real-time on the processor 602.

Referring to Fig. 20, a chipset 800 for use in light-guiding earbuds

30, according to some embodiments of the present invention, may include optical emitters, optical detectors, mechanical, acoustical, electrical, gravimetric, nuclear detectors, additional sensors, signal processing, power regulation, digital control, and input/output lines. The chipset 800 may include firmware for signal
5 extraction and for generating physiological assessments from information derived from the sensors and noise sources. One benefit of the chipset configuration is that the chipset 800 may be fully or partially integrated and hence compact and scalable to a wide range of products. To be integrated with a light-guiding earbud 30, the chipset 800 may be aligned such that the sensor
10 region has an exposed window to a subject's ear. For example, the chipset 800 may be attached to the earbud base 50 or an earbud sensor module 70 and aligned line-of-sight through an acoustic orifice of an earbud and/or through a transparent end portion of an earbud 30 (e.g., through end portion 18f of the earbud 30 of Figs. 8A-8B or 18w of Figs. 4 & 5).

15 A specific embodiment of a chipset 800 for a stereo headset, according to some embodiments of the present invention, is illustrated in Fig. 21. This stereo chipset 800 may be integrated into an electronic module that may be attached to a printed circuit board. In another configuration, this stereo chipset 800 may be integrated into 3 modules, wherein the right and left earbud sensors
20 comprise two separate modules, embedded in right and left earbuds respectively, and wherein the remaining circuit elements comprise the main module.

According to other embodiments of the present invention, monitoring devices with light-guiding regions may be configured to be attached
25 to earlobes, fingers, toes, other digits, etc. For example, Figs. 22A-22B illustrate a monitoring device 70 that is configured to fit over a finger F, for example, as a finger ring, according to some embodiments of the present invention. The illustrated monitoring device 70 includes a generally circular band capable of encircling a finger F of a subject, with a cylindrical outer body portion 72 and a
30 generally cylindrical inner body portion 74 secured together in concentric relationship. The outer body portion may be formed from virtually any type of material and may have an ornamental configuration. In some embodiments, the outer body portion 72 may include a flex circuit containing various electronic components, such as a microprocessor, D/A converter, power source, power

regulator, and the like. However, in some embodiments, the outer body portion 72 may not be required and the circular band of the monitoring device 70 includes only the inner body portion 74 secured to the base 50 (described below).

5 A base 50 is secured to the inner and outer body portions 74, 72 of the illustrated embodiment and may be similar to the base 50 described above with respect to Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B. The base 50 provides support for one or more sensors. In the illustrated embodiment, the base 50 supports an optical emitter 24, an optical detector 26, and an optical
10 noise detector 26'.

 The inner body portion 74 includes light transmissive material similar to that of the cover 18 described above with respect to Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B. In some embodiments, the inner body portion 74 is formed from a soft, resilient material, such as silicone, which
15 deforms when a finger of a subject is inserted therethrough. However, various types of light transmissive materials may be utilized, without limitation.

 A layer of cladding material 21 is applied to (or near) the outer surface 74a of the inner body portion 74 and a layer of cladding material 21 is applied to (or near) the inner surface 74b of the inner body portion 74, as
20 illustrated, to define a light-guiding region 19. As such, the inner body portion 74 serves as a light guide that delivers light from the optical emitter 24 to the finger F of a subject at one or more predetermined locations and that collects light from the finger F and delivers the collected light to the optical detectors 26, 26'. In some embodiments, the cladding material 21 may be embedded within the inner
25 body portion 74 adjacent to the outer surface 74a and inner surface 74b. In some embodiments, the outer body portion 72 may serve as a cladding layer adjacent to the inner body portion outer surface 74a.

 In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the finger F. There
30 may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of a finger F and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows 74w may include optical

filters to selectively pass one or more optical wavelengths and reflect and/or absorb other optical wavelengths.

In the illustrated embodiment, the light-guiding region 19 includes light blocking members 80 that isolate light emitter 24 and light detector 26 from each other. In some embodiments, only a single light blocking member 80 may be utilized. For example, a single light blocking member 80 may be positioned between the light emitter 24 and light detector 26. By adding an additional blocking member 80, as illustrated, the only light reaching the optical detector 26 may be light passing through at least one portion of the finger.

In some embodiments, multiple light emitters 24 may be utilized. For example, light emitters of different wavelengths may be utilized. In some embodiments, multiple light detectors may be utilized that are configured to measure light at different wavelengths (e.g., light detectors 26 and 26' may be configured to measure light at different wavelengths). In this way, either optical detector may be configured to measure light mostly due to motion (such as finger motion) or to measure light mostly due to physiological processes and motion. For example, if the windows 74w incorporate IR-pass filters, visible light will not pass through the windows 74w and the light will be scattered to the photodetectors 26 and 26'. Or, if the two illustrated blocking regions 80 are in place, and if photodetector 26' is configured to measure only visible light and photodetector 26 is configured to measure only IR light, then only the photodetector 26' will detect scattered visible light. As this visible scattered light cannot reach the finger, the scatter intensity measured by optical detector 26' may be indicative of motion and not physiological activity.

Referring now to Fig. 23, a monitoring device 70', according to some embodiments of the present invention, may be configured to be attached to a body of a subject as a bandage or "band-aid". The illustrated monitoring device 70' includes an outer layer or body portion 72 and an inner layer or body portion 74 secured together, as illustrated. The outer body portion may be formed from virtually any type of material and may have an ornamental configuration. In some embodiments, the outer body portion 72 may include a flex circuit containing various electronic components, such as a microprocessor, D/A converter, power source, power regulator, and the like. However, in some embodiments, the outer body portion 72 may not be required and the monitoring

device 70' includes only the inner body portion 74 secured to the base 50 (described below).

A base 50 is secured to the inner and outer body portions 74, 72 and may be similar to the base 50 described above with respect to Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B. The base 50 provides support for one or more sensors. In the illustrated embodiment, the base 50 supports an optical emitter 24, an optical detector 26, and an optical noise detector 26'.

The inner body portion 74 is formed of light transmissive material similar to that of the cover 18 described above with respect to Figs. 3, 4A-4D, 5, 6, 7A-7B, 8A-8D, 9A-9B, and 11A-11B. In some embodiments, the inner body portion 74 is formed from a soft, resilient material, such as silicone, which deforms when the device is attached to the body of a subject. However, various types of light transmissive materials may be utilized, without limitation.

A layer of cladding material 21 is applied to (or near) the outer surface 74a of the inner body portion 74 and a layer of cladding material 21 is applied to (or near) the inner surface 74b of the inner body portion 74, as illustrated, to define a light-guiding region 19. As such, the inner body portion 74 serves as a light guide that delivers light from the optical emitter 24 to the body of a subject at one or more predetermined locations and that collects light from the body and delivers the collected light to the optical detectors 26, 26'. In some embodiments, the cladding material 21 may be embedded within the inner body portion 74 adjacent to the outer surface 74a and inner surface 74b. In some embodiments, the outer body portion 72 may serve as a cladding layer adjacent to the inner body portion outer surface 74a.

In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the body of a subject. There may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of the body of a subject and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows 74w may include optical filters to selectively pass one or more optical wavelengths and reflect and/or absorb other optical wavelengths.

In the illustrated embodiment, the light-guiding region 19 includes a

light blocking member 80 that isolates light emitter 24 and light detector 26 from each other. In some embodiments, multiple light emitters 24 may be utilized. For example, light emitters of different wavelengths may be utilized. In some
5 embodiments, multiple light detectors may be utilized that are configured to measure light at different wavelengths (e.g., light detectors 26 and 26' may be configured to measure light at different wavelengths).

The illustrated monitoring device 70' may be removably attached to the body of a subject via adhesive on one or more portions of the device 70'. In some embodiments, adhesive may be on the inner body portion 74. In
10 embodiments where the outer body portion is utilized, the adhesive may be on the outer body portion 74. In some embodiments, the illustrated device 70' may be removably attached to the body of a subject via tape or other known devices.

The foregoing is illustrative of the present invention and is not to be construed as limiting thereof. Although a few exemplary embodiments of this
15 invention have been described, those skilled in the art will readily appreciate that many modifications are possible in the exemplary embodiments without materially departing from the teachings and advantages of this invention. Accordingly, all such modifications are intended to be included within the scope of this invention as defined in the claims. The invention is defined by the
20 following claims, with equivalents of the claims to be included therein.

THAT WHICH IS CLAIMED IS:

1. A monitoring device, comprising:
a band capable of encircling a portion of the body of a subject; and
5 an optical emitter and an optical detector attached to the band;
wherein the band comprises light transmissive material in optical
communication with the optical emitter and optical detector that is configured to
deliver light from the optical emitter to one or more locations of the body of the
subject and to collect light from one or more locations of the body of the subject
10 and deliver the collected light to the optical detector.

2. The monitoring device of Claim 1, wherein the portion of the
body comprises a limb, a nose, an earlobe, and/or a digit.

3. The monitoring device of Claim 1, wherein the band
15 comprises first and second concentric body portions.

4. The monitoring device of Claim 1, wherein the band
comprises a lens region in optical communication with the optical emitter that
20 focuses light emitted by the optical emitter and/or that collects light reflected from
the body.

5. The monitoring device of Claim 1, wherein the band
comprises a phosphor-containing region in optical communication with the light
25 transmissive material, wherein the phosphor-containing region receives light
emitted by the optical emitter and converts at least a portion of the received light
to light having a different wavelength from the received light.

6. The monitoring device of Claim 1, wherein the band has an
30 outer surface and an inner surface, and further comprising a light reflective
material on at least a portion of one or both of the inner and outer surfaces.

7. The monitoring device of Claim 6, further comprising a
signal processor, and wherein at least a portion of light reflected by the light

reflection material and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector.

5 8. The monitoring device of Claim 1, further comprising a signal processor configured to receive and process signals produced by the optical detector.

10 9. The monitoring device of Claim 1, further comprising a transmitter configured to transmit signals processed by the signal processor to a remote device.

15 10. The monitoring device of Claim 1, further comprising light blocking material positioned between the optical emitter and detector such that the optical emitter and detector are not in direct optical communication with each other.

20 11. The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength.

25 12. The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

30 13. The monitoring device of Claim 12, further comprising a signal processor, and wherein at least a portion of light blocked by the optical filter and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector.

14. The monitoring device of Claim 1, further comprising one or more of the following: an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear

radiation sensor, a biological sensor.

15 15. The monitoring device of Claim 1, further comprising at least
one accelerometer and at least one signal processor, wherein the at least one
5 signal processor is configured to process signals from the at least one
accelerometer and optical detector to attenuate motion noise from optical signals
produced by the optical detector.

10 16. The monitoring device of Claim 1, further comprising at least
one accelerometer and at least one signal processor, wherein the at least one
signal processor is configured to process signals from the at least one
accelerometer and optical detector to measure or detect physiological
information.

15 17. The monitoring device of Claim 16, wherein the
physiological information comprises at least one of the following: heart rate,
pulse rate, breathing rate, blood flow, VO_2 , VO_{2max} , heartbeat signatures, cardio-
pulmonary health, organ health, metabolism, electrolyte type and/or
concentration, physical activity, caloric intake, caloric metabolism, blood
20 metabolite levels or ratios, blood pH level, physical and/or psychological stress
levels and/or stress level indicators, drug dosage and/or dosimetry, physiological
drug reactions, drug chemistry, biochemistry, position and/or balance, body
strain, neurological functioning, brain activity, brain waves, blood pressure,
cranial pressure, hydration level, auscultatory information, auscultatory signals
25 associated with pregnancy, physiological response to infection, skin and/or core
body temperature, eye muscle movement, blood volume, inhaled and/or exhaled
breath volume, physical exertion, exhaled breath physical and/or chemical
composition, the presence and/or identity and/or concentration of viruses and/or
bacteria, foreign matter in the body, internal toxins, heavy metals in the body,
30 anxiety, fertility, ovulation, sex hormones, psychological mood, sleep patterns,
hunger and/or thirst, hormone type and/or concentration, cholesterol, lipids,
blood panel, bone density, organ and/or body weight, reflex response, sexual
arousal, mental and/or physical alertness, sleepiness, auscultatory information,
response to external stimuli, swallowing volume, swallowing rate, sickness, voice

characteristics, voice tone, voice pitch, voice volume, vital signs, head tilt, allergic reactions, inflammation response, auto-immune response, mutagenic response, DNA, proteins, protein levels in the blood, water content of the blood, pheromones, internal body sounds, digestive system functioning, cellular
5 regeneration response, healing response, and stem cell regeneration response.

18. A monitoring device configured to be attached to the body of a subject, comprising:

10 a base comprising an optical emitter and an optical detector; and
light transmissive material attached to the base, wherein the light transmissive material is in optical communication with the optical emitter and optical detector, and configured to deliver light from the optical emitter to one or more portions of the body of the subject and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical
15 detector, and wherein at least one portion of the monitoring device comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

19. The monitoring device of Claim 18, further comprising an
20 outer body portion attached to the base and to the light transmissive material, wherein the outer body portion comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

20. The monitoring device of Claim 18, wherein the light
25 transmissive material comprises a lens region in optical communication with the optical emitter that focuses light emitted by the optical emitter and/or that collects light reflected from the body.

21. The monitoring device of Claim 18, wherein the light
30 transmissive material comprises a phosphor-containing region that receives light emitted by the optical emitter and converts at least a portion of the received light to light having at least one different wavelength from the received light.

22. The monitoring device of Claim 18, wherein the light

transmissive material has an outer surface and an inner surface, and further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces.

5 23. The monitoring device of Claim 18, wherein at least a portion of the reflected light detected by at least one optical detector is processed as a motion noise reference for attenuating motion noise from the optical detector signal.

10 24. The monitoring device of Claim 18, wherein the monitoring device further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

15 25. The monitoring device of Claim 24, wherein at least a portion of the light not passed by the optical filter detected by at least one optical detector is processed as a motion noise reference for attenuating motion noise from the optical detector signal.

20 26. The monitoring device of Claim 18, wherein the base comprises a signal processor configured to receive and process signals produced by the optical detector.

25 27. The monitoring device of Claim 18, wherein the base comprises a transmitter configured to transmit signals processed by the signal processor to a remote device.

30 28. The monitoring device of Claim 18, further comprising light blocking material positioned between the optical emitter and detector such that the optical emitter and detector are not in direct optical communication with each other.

29. The monitoring device of Claim 18, further comprising one or more of the following: an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a

nuclear radiation sensor, a biological sensor.

30. The monitoring device of Claim 18, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to attenuate motion noise from optical signals produced by the optical detector.

31. The monitoring device of Claim 18, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to measure or detect physiological information.

32. The monitoring device of Claim 31, wherein the physiological information comprises at least one of the following: heart rate, pulse rate, breathing rate, blood flow, VO_2 , VO_{2max} , heartbeat signatures, cardio-pulmonary health, organ health, metabolism, electrolyte type and/or concentration, physical activity, caloric intake, caloric metabolism, blood metabolite levels or ratios, blood pH level, physical and/or psychological stress levels and/or stress level indicators, drug dosage and/or dosimetry, physiological drug reactions, drug chemistry, biochemistry, position and/or balance, body strain, neurological functioning, brain activity, brain waves, blood pressure, cranial pressure, hydration level, auscultatory information, auscultatory signals associated with pregnancy, physiological response to infection, skin and/or core body temperature, eye muscle movement, blood volume, inhaled and/or exhaled breath volume, physical exertion, exhaled breath physical and/or chemical composition, the presence and/or identity and/or concentration of viruses and/or bacteria, foreign matter in the body, internal toxins, heavy metals in the body, anxiety, fertility, ovulation, sex hormones, psychological mood, sleep patterns, hunger and/or thirst, hormone type and/or concentration, cholesterol, lipids, blood panel, bone density, organ and/or body weight, reflex response, sexual arousal, mental and/or physical alertness, sleepiness, auscultatory information, response to external stimuli, swallowing volume, swallowing rate, sickness, voice

characteristics, voice tone, voice pitch, voice volume, vital signs, head tilt,
allergic reactions, inflammation response, auto-immune response, mutagenic
response, DNA, proteins, protein levels in the blood, water content of the blood,
pheromones, internal body sounds, digestive system functioning, cellular
5 regeneration response, healing response, and stem cell regeneration response.

ABSTRACT OF THE DISCLOSURE

A monitoring device includes a band capable of encircling a portion of the body of a subject, and an optical emitter and detector attached to the band. The band includes comprises light transmissive material in optical communication with the optical emitter and optical detector and is configured to deliver light from the optical emitter to one or more locations of the body of the subject and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical detector. The monitoring device may include a signal processor configured to receive and process signals produced by the optical detector, a transmitter configured to transmit signals processed by the signal processor to a remote device, and/or an optical filter.

1471498




FIG. 1




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 4D

6/21




FIG. 5




FIG. 6




FIG. 7A




FIG. 7B




FIG. 8A




FIG. 8B




FIG. 8C

9/21




FIG. 8D




FIG. 9A




FIG. 9B




FIG. 10




FIG. 9C




FIG. 9E






FIG. 9D






FIG. 13




FIG. 14A




FIG. 14B




FIG. 14C




FIG. 14D




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

800

20/21




FIG. 22A




FIG. 22B




FIG. 23

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.
Serial No.: To Be Assigned
Filed: Concurrently Herewith
For: **WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING**

Date: February 19, 2014

Commissioner for Patents
Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT COVER LETTER

Sir:

Attached is an Information Disclosure Statement listing of documents previously of record in parent Application No. 12/691,388, filed January 21, 2010. As the benefit of this application is claimed under 35 U.S.C. § 120, no copies need to be furnished in accordance with 37 C.F.R. § 1.98(d); however, copies will be furnished on request.

- In accordance with **37 CFR 1.97(b)**, the information disclosure statement is being filed:
- (1) within three months of the filing date of a national application other than a continued prosecution application under §1.53(d);
 - (2) within three months of the date of entry of the national stage as set forth in §1.491 in an international application;
 - (3) before the mailing of a first Office Action on the merits; or
 - (4) before the mailing of a first Office Action after the filing of a request for continued examination under §1.114.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b) above, but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by one of the following:

- (1) The statement specified under **37 CFR 1.97(e)**, as follows:
- Each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; or
 - No item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; or

- (2) The fee set forth in §1.17(p);

In accordance with **37 CFR 1.97(d)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(c) above, but on or before payment of the issue fee, and is accompanied by both of the following:

(1) The statement specified under **37 CFR 1.97(e)**, as follows:

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; or

That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; and

(2) The fee set forth in §1.17(p);

In accordance with **37 CFR 1.97(g)**, the information disclosure statement shall not be construed as a representation that a search has been made.

In accordance with **37 CFR 1.97(h)**, the information disclosure statement shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in §1.56(b).

The Director is hereby authorized to charge the fee specified in 37 C.F.R. § 1.17(p), and any fee deficiency or credit any overpayment, to Deposit Account No. 50-0220; or

No fee is believed due. However, the Director is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-0220.

Respectfully submitted,




Needham J. Boddie, II
Registration No. 40,519
Attorney for Applicant

Customer Number 20792

Myers Bigel Sibley & Sajovec, P.A.
P.O. Box 37428, Raleigh, NC 27627
919-854-1400
919-854-1401 (Fax)

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4) to the U.S. Patent and Trademark Office on **February 19, 2014**.


Name: Gwen R. Bailey

INFORMATION DISCLOSURE STATEMENT BY APPLICANT				<i>Complete if Known</i>	
				Application Number	To Be Assigned
				Filing Date	Concurrently Herewith
				First Named Inventor	Steven Francis LeBeouf
				Art Unit	
				Examiner Name	
(use as many sheets as necessary)				Attorney Docket Number	9653-7TSCT
Sheet	A1	of	A2		

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)			
	1.	US- 2013/0131519	05-2013	LeBoeuf et al.	
	2.	US- 2012/0197093	08-2012	LeBoeuf et al.	
	3.	US- 2011/0105869 A1	05-2011	Wilson et al.	
	4.	US- 2009/0287067 A1	11-2009	Dorogusker et al.	
	5.	US- 2009/0270698 A1	10-2009	Shioi et al.	
	6.	US- 2009/0105556 A1	04-2009	Fricke et al.	
	7.	US- 2009/0054752 A1	02-2009	Jonnalagadda et al.	
	8.	US- 2009/0030350 A1	01-29-2009	Yang et al.	
	9.	US- 2008/0177162 A1	07-2008	Bae et al.	
	10.	US- 2008/0165017 A1	07-2008	Schwartz	
	11.	US- 2008/0096726 A1	04-2008	Riley et al.	
	12.	US- 2008/0076972 A1	03-2008	Dorogusker et al.	
	13.	US- 2006/0009685	01-12-2006	Finarov et al.	
	14.	US- 2005/0228299	10-13-2005	Banet	
	15.	US- 2005/0209516	09-22-2005	Fraden	
	16.	US- 2005/0177034 A1	08-2005	Beaumont	
	17.	US- 8,512,242 B2	08-2013	LeBoeuf et al.	
	18.	US- 8,251,903 B2	08-2012	LeBoeuf et al.	
	19.	US- 8,055,319 B2	11-2011	Oh et al.	
	20.	US- 7,209,775 B2	04-2007	Bae et al.	
	21.	US- 6,859,658 B1	02-2005	Krug	
	22.	US- 6,808,473 B2	10-2004	Hisano et al.	
	23.	US- 6,371,925 B1	04-2002	Imai et al.	
	24.	US- 6,783,501 B2	08-31-2001	Takahashi et al.	
	25.	US- 6,080,110 A	06-2000	Thorgersen	
	26.	US- 6,078,829 A	06-2000	Uchida et al.	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)				
	27	WO 2013/038296 A1	03-21-2013	KONINKLIJKE PHILIPS ELECTRONICS N.V.		
	28	JP 2007-185348	07-26-2007	OLYMPUS CORP		
	29	JP 2001-025462	01-30-2001	DENSO CORP		

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet **A2** of **A2** Attorney Docket Number 9653-7TSCT

Complete if Known

Application Number	To Be Assigned
Filing Date	Concurrently Herewith
First Named Inventor	Steven Francis LeBeouf
Art Unit	
Examiner Name	

30	JP 2000-116611	04-25-2000	KOWA SPINNING CO LTD; KOWA CO		
31	JP 9-299342	11-25-1997	IKYO KK		
32	JP 9-253062	09-30-1997	IKYO KK		
33	JP 7-241279	09-19-1995	NIPPON KODEN CORP		

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
	34	FITRAINER "The Only Trainer You Need"; http://itami.com ; Downloaded 2/26/2010; ©2008 FITrainer™; 2 pages	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FOR POWER OF ATTORNEY TO ONE OR MORE REGISTERED PRACTITIONERS

NOTE: This form is to be submitted with the Power of Attorney by Applicant form (PTO/AIA/82B) to identify the application to which the Power of Attorney is directed, in accordance with 37 CFR 1.5, unless the application number and filing date are identified in the Power of Attorney by Applicant form. If neither form PTO/AIA/82A nor form PTO/AIA82B identifies the application to which the Power of Attorney is directed, the Power of Attorney will not be recognized in the application.

Application Number	To Be Assigned
Filing Date	Concurrently Herewith
First Named Inventor	Steven Francis LeBoeuf
Title	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
Art Unit	
Examiner Name	
Attorney Docket Number	9653-7TSCT

SIGNATURE of Applicant or Patent Practitioner

Signature		Date (Optional)	February 19, 2014
Name	Needham J. Boddie, II	Registration Number	40,519
Title (if Applicant is a juristic entity)	Attorney		
Applicant Name (if Applicant is a juristic entity)			

NOTE: This form must be signed in accordance with 37 CFR 1.33. See 37 CFR 1.4(d) for signature requirements and certifications. If more than one applicant, use multiple forms.

*Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

POWER OF ATTORNEY BY APPLICANT

I hereby revoke all previous powers of attorney given in the application identified in either the attached transmittal letter or the boxes below.

Application Number	Filing Date

(Note: The boxes above may be left blank if information is provided on form PTO/AIA/82A.)

- I hereby appoint the Patent Practitioner(s) associated with the following Customer Number as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above: 20792
- OR
- I hereby appoint Practitioner(s) named in the attached list (form PTO/AIA/82C) as my/our attorney(s) or agent(s), and to transact all business in the United States Patent and Trademark Office connected therewith for the patent application referenced in the attached transmittal letter (form PTO/AIA/82A) or identified above. (Note: Complete form PTO/AIA/82C.)

Please recognize or change the correspondence address for the application identified in the attached transmittal letter or the boxes above to:

- The address associated with the above-mentioned Customer Number
- OR
- The address associated with Customer Number:
- OR

Firm or Individual Name					
Address					
City		State		Zip	
Country					
Telephone		Email			


I am the Applicant (if the Applicant is a juristic entity, list the Applicant name in the box):

Valencell, Inc.

- Inventor or Joint Inventor (title not required below)
- Legal Representative of a Deceased or Legally Incapacitated Inventor (title not required below)
- Assignee or Person to Whom the Inventor is Under an Obligation to Assign (provide signer's title if applicant is a juristic entity)
- Person Who Otherwise Shows Sufficient Proprietary Interest (e.g., a petition under 37 CFR 1.46(b)(2) was granted in the application or is concurrently being filed with this document) (provide signer's title if applicant is a juristic entity)

SIGNATURE of Applicant for Patent

The undersigned (whose title is supplied below) is authorized to act on behalf of the applicant (e.g., where the applicant is a juristic entity).

Signature		Date (Optional)	January 24, 2014
Name	Todd Ackman		
Title	Vice President of Finance, Valencell, Inc.		

NOTE: Signature - This form must be signed by the applicant in accordance with 37 CFR 1.33. See 37 CFR 1.4 for signature requirements and certifications. If more than one applicant, use multiple forms.

Total of 1 forms are submitted.

This collection of information is required by 37 CFR 1.131, 1.32, and 1.33. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Electronic Patent Application Fee Transmittal

Application Number:				
Filing Date:				
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING			
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf			
Filer:	Needham J. Boddie/Gwen Bailey			
Attorney Docket Number:	9653-7TSCT			
Filed as Large Entity				
Utility under 35 USC 111(a) Filing Fees				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
Utility application filing	1011	1	280	280
Utility Search Fee	1111	1	600	600
Utility Examination Fee	1311	1	720	720
Pages:				
Claims:				
Claims in Excess of 20	1202	12	80	960
Miscellaneous-Filing:				
Petition:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				
Miscellaneous:				
Total in USD (\$)				2560

Electronic Acknowledgement Receipt

EFS ID:	18245028
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	19-FEB-2014
Filing Date:	
Time Stamp:	17:27:15
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$2560
RAM confirmation Number	4205
Deposit Account	500220
Authorized User	

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

Charge any Additional Fees required under 37 C.F.R. Section 1.16 (National application filing, search, and examination fees)

Charge any Additional Fees required under 37 C.F.R. Section 1.17 (Patent application and reexamination processing fees)

File Listing:					
Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Transmittal of New Application	9653-7TSCT_ApplicationTransmittal.pdf	143976 86efa7c18c14708c7048c5f97f89931a4c09c5a4	no	1
Warnings:					
Information:					
2	Application Data Sheet	9653-7TSCT_ADS.pdf	833009 52bb40c1f4943bdcf0aab108e2176ac8206ce29	no	7
Warnings:					
Information:					
This is not an USPTO supplied ADS fillable form					
3		9653-7TSCT_Application.pdf	6958099 028ec086253530fb8f81dcfde4e376891e3dce10	yes	54
	Multipart Description/PDF files in .zip description				
	Document Description		Start	End	
	Specification		1	46	
	Claims		47	53	
Abstract		54	54		
Warnings:					
Information:					
4	Drawings-only black and white line drawings	9653-7TSCT_Drawings.pdf	1310589 d53a7be2b6a30c2f23ee6c3911d47ddb2d42d1d	no	21
Warnings:					
Information:					
5		9653-7TSCT_IDS.pdf	420471 20e62ca2f9bccda596398646df390912b44a7667	yes	4
	Multipart Description/PDF files in .zip description				
	Document Description		Start	End	
	Transmittal Letter		1	2	
Information Disclosure Statement (IDS) Form (SB08)		3	4		
Warnings:					
Information:					

6	Power of Attorney	9653-7TSCT_POA.pdf	331403 637f516a7327841b86a40e857bf2fe3ea809602	no	2
Warnings:					
Information:					
7	Fee Worksheet (SB06)	fee-info.pdf	37033 66ac910122f3daca8cf8fb9b13bbd141a040966	no	2
Warnings:					
Information:					
Total Files Size (in bytes):				10034580	
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

Document code: WFEE

United States Patent and Trademark Office
Sales Receipt for Accounting Date: 03/07/2014

VVAN11 SALE #00000026 Mailroom Dt: 02/19/2014 500220 14184364
01 FC : 1051 140.00 DA

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf, *et al.*
Serial No.: 14/184,364
Filed: February 19, 2014

For: WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL
MONITORING

Date: February 21, 2014

Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PRELIMINARY AMENDMENT

Please enter the following Preliminary Amendment before examining the present application. Applicants provide the present Amendment pursuant to the rules stated in revised 37 C.F.R. 1.121 that became effective on July 30, 2003.

In the Specification:

On page 1, please replace the paragraph beginning at line 10 with the following:

-- FIELD OF THE INVENTION

The present invention relates generally to ~~headsets~~ physiological monitoring and, more particularly, to ~~headset earbuds~~ physiological monitoring devices. --

In the Claims:

1. (Original) A monitoring device, comprising:
a band capable of encircling a portion of the body of a subject; and
an optical emitter and an optical detector attached to the band;
wherein the band comprises light transmissive material in optical communication with the optical emitter and optical detector that is configured to deliver light from the optical emitter to one or more locations of the body of the subject and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical detector.
2. (Original) The monitoring device of Claim 1, wherein the portion of the body comprises a limb, a nose, an earlobe, and/or a digit.
3. (Original) The monitoring device of Claim 1, wherein the band comprises first and second concentric body portions.
4. (Original) The monitoring device of Claim 1, wherein the band comprises a lens region in optical communication with the optical emitter that focuses light emitted by the optical emitter and/or that collects light reflected from the body.
5. (Original) The monitoring device of Claim 1, wherein the band comprises a phosphor-containing region in optical communication with the light transmissive material, wherein the phosphor-containing region receives light emitted by the optical emitter and converts at least a portion of the received light to light having a different wavelength from the received light.
6. (Original) The monitoring device of Claim 1, wherein the band has an outer surface and an inner surface, and further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces.

7. (Original) The monitoring device of Claim 6, further comprising a signal processor, and wherein at least a portion of light reflected by the light reflection material and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector.

8. (Original) The monitoring device of Claim 1, further comprising a signal processor configured to receive and process signals produced by the optical detector.

9. (Original) The monitoring device of Claim 1, further comprising a transmitter configured to transmit signals processed by the signal processor to a remote device.

10. (Original) The monitoring device of Claim 1, further comprising light blocking material positioned between the optical emitter and detector such that the optical emitter and detector are not in direct optical communication with each other.

11. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength.

12. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

13. (Original) The monitoring device of Claim 12, further comprising a signal processor, and wherein at least a portion of light blocked by the optical filter and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector.

14. (Original) The monitoring device of Claim 1, further comprising one or more of the following: an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor.

15. (Original) The monitoring device of Claim 1, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to attenuate motion noise from optical signals produced by the optical detector.

16. (Original) The monitoring device of Claim 1, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to measure or detect physiological information.

17. (Original) The monitoring device of Claim 16, wherein the physiological information comprises at least one of the following: heart rate, pulse rate, breathing rate, blood flow, VO_2 , VO_{2max} , heartbeat signatures, cardio-pulmonary health, organ health, metabolism, electrolyte type and/or concentration, physical activity, caloric intake, caloric metabolism, blood metabolite levels or ratios, blood pH level, physical and/or psychological stress levels and/or stress level indicators, drug dosage and/or dosimetry, physiological drug reactions, drug chemistry, biochemistry, position and/or balance, body strain, neurological functioning, brain activity, brain waves, blood pressure, cranial pressure, hydration level, auscultatory information, auscultatory signals associated with pregnancy, physiological response to infection, skin and/or core body temperature, eye muscle movement, blood volume, inhaled and/or exhaled breath volume, physical exertion, exhaled breath physical and/or chemical composition, the presence and/or identity and/or concentration of viruses and/or bacteria, foreign matter in the body, internal toxins, heavy metals in the body, anxiety, fertility, ovulation, sex hormones, psychological mood, sleep patterns, hunger and/or thirst, hormone type and/or concentration, cholesterol, lipids, blood panel, bone density, organ and/or body weight, reflex response, sexual arousal, mental and/or physical alertness, sleepiness, auscultatory information, response to external stimuli, swallowing volume, swallowing rate, sickness, voice characteristics, voice tone, voice pitch, voice volume, vital signs, head tilt, allergic reactions, inflammation response, auto-immune response, mutagenic response, DNA, proteins, protein levels in the blood, water content of the blood, pheromones,

internal body sounds, digestive system functioning, cellular regeneration response, healing response, and stem cell regeneration response.

18. (Original) A monitoring device configured to be attached to the body of a subject, comprising:

a base comprising an optical emitter and an optical detector; and

light transmissive material attached to the base, wherein the light transmissive material is in optical communication with the optical emitter and optical detector, and configured to deliver light from the optical emitter to one or more portions of the body of the subject and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical detector, and wherein at least one portion of the monitoring device comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

19. (Original) The monitoring device of Claim 18, further comprising an outer body portion attached to the base and to the light transmissive material, wherein the outer body portion comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

20. (Original) The monitoring device of Claim 18, wherein the light transmissive material comprises a lens region in optical communication with the optical emitter that focuses light emitted by the optical emitter and/or that collects light reflected from the body.

21. (Original) The monitoring device of Claim 18, wherein the light transmissive material comprises a phosphor-containing region that receives light emitted by the optical emitter and converts at least a portion of the received light to light having at least one different wavelength from the received light.

22. (Original) The monitoring device of Claim 18, wherein the light transmissive material has an outer surface and an inner surface, and further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces.

23. (Original) The monitoring device of Claim 18, wherein at least a portion of the reflected light detected by at least one optical detector is processed as a motion noise reference for attenuating motion noise from the optical detector signal.

24. (Original) The monitoring device of Claim 18, wherein the monitoring device further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

25. (Original) The monitoring device of Claim 24, wherein at least a portion of the light not passed by the optical filter detected by at least one optical detector is processed as a motion noise reference for attenuating motion noise from the optical detector signal.

26. (Original) The monitoring device of Claim 18, wherein the base comprises a signal processor configured to receive and process signals produced by the optical detector.

27. (Original) The monitoring device of Claim 18, wherein the base comprises a transmitter configured to transmit signals processed by the signal processor to a remote device.

28. (Original) The monitoring device of Claim 18, further comprising light blocking material positioned between the optical emitter and detector such that the optical emitter and detector are not in direct optical communication with each other.

29. (Original) The monitoring device of Claim 18, further comprising one or more of the following: an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor.

30. (Original) The monitoring device of Claim 18, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to attenuate motion noise from optical signals produced by the optical detector.


31. (Original) The monitoring device of Claim 18, further comprising at least one accelerometer and at least one signal processor, wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to measure or detect physiological information.

32. (Original) The monitoring device of Claim 31, wherein the physiological information comprises at least one of the following: heart rate, pulse rate, breathing rate, blood flow, VO_2 , VO_{2max} , heartbeat signatures, cardio-pulmonary health, organ health, metabolism, electrolyte type and/or concentration, physical activity, caloric intake, caloric metabolism, blood metabolite levels or ratios, blood pH level, physical and/or psychological stress levels and/or stress level indicators, drug dosage and/or dosimetry, physiological drug reactions, drug chemistry, biochemistry, position and/or balance, body strain, neurological functioning, brain activity, brain waves, blood pressure, cranial pressure, hydration level, auscultatory information, auscultatory signals associated with pregnancy, physiological response to infection, skin and/or core body temperature, eye muscle movement, blood volume, inhaled and/or exhaled breath volume, physical exertion, exhaled breath physical and/or chemical composition, the presence and/or identity and/or concentration of viruses and/or bacteria, foreign matter in the body, internal toxins, heavy metals in the body, anxiety, fertility, ovulation, sex hormones, psychological mood, sleep patterns, hunger and/or thirst, hormone type and/or concentration, cholesterol, lipids, blood panel, bone density, organ and/or body weight, reflex response, sexual arousal, mental and/or physical alertness, sleepiness, auscultatory information, response to external stimuli, swallowing volume, swallowing rate, sickness, voice characteristics, voice tone, voice pitch, voice volume, vital signs, head tilt, allergic reactions, inflammation response, auto-immune response, mutagenic response, DNA, proteins, protein levels in the blood, water content of the blood, pheromones, internal body sounds, digestive system functioning, cellular regeneration response, healing response, and stem cell regeneration response.

REMARKS

Applicants have amended the Field of the Invention section of the application, as indicated above, to more accurately describe the field of the claimed invention. Entry of this Preliminary Amendment, examination of the application, and allowance of the application, including Claims 1-32 are respectfully requested.

Respectfully submitted,




Needham J. Boddie, II
Attorney for Applicants
Registration No. 40,519

USPTO Customer No. 20792
Myers Bigel Sibley & Sajovec, P.A.
Post Office Box 37428
Raleigh, North Carolina 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401
Doc. No. 1473300

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with 37 C.F.R. § 1.6(a)(4) to the U.S. Patent and Trademark Office on **February 21, 2014**.


Gwen R. Bailey

Electronic Acknowledgement Receipt

EFS ID:	18267696
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	21-FEB-2014
Filing Date:	
Time Stamp:	15:18:49
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		9653-7TSCT_PreliminaryAmendment.pdf	745627 a80e0b03f6300d5487348578dd9ab0e0f42a2802	yes	9

Multipart Description/PDF files in .zip description		
Document Description	Start	End
Preliminary Amendment	1	1
Specification	2	2
Claims	3	9
Warnings:		
Information:		
Total Files Size (in bytes):		745627
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>		

PATENT APPLICATION FEE DETERMINATION RECORD
Substitute for Form PTO-875

Application or Docket Number
14/184,364

APPLICATION AS FILED - PART I

(Column 1)		(Column 2)	SMALL ENTITY		OR	OTHER THAN SMALL ENTITY	
FOR	NUMBER FILED	NUMBER EXTRA	RATE(\$)	FEE(\$)		RATE(\$)	FEE(\$)
BASIC FEE (37 CFR 1.16(a), (b), or (c))	N/A	N/A	N/A			N/A	280
SEARCH FEE (37 CFR 1.16(k), (i), or (m))	N/A	N/A	N/A			N/A	600
EXAMINATION FEE (37 CFR 1.16(o), (p), or (q))	N/A	N/A	N/A			N/A	720
TOTAL CLAIMS (37 CFR 1.16(i))	32 minus 20 = *	12			OR	x 80 =	960
INDEPENDENT CLAIMS (37 CFR 1.16(h))	2 minus 3 = *				OR	x 420 =	0.00
APPLICATION SIZE FEE (37 CFR 1.16(s))	If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).						0.00
MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))							0.00
* If the difference in column 1 is less than zero, enter "0" in column 2.			TOTAL			TOTAL	2560

APPLICATION AS AMENDED - PART II

(Column 1)		(Column 2)	(Column 3)	SMALL ENTITY		OR	OTHER THAN SMALL ENTITY	
AMENDMENT A	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE(\$)	ADDITIONAL FEE(\$)		RATE(\$)	ADDITIONAL FEE(\$)
Total (37 CFR 1.16(i))	*	Minus **	=	x =		OR	x =	
Independent (37 CFR 1.16(h))	*	Minus ***	=	x =		OR	x =	
Application Size Fee (37 CFR 1.16(s))						OR		
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))						OR		
				TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	
(Column 1)		(Column 2)	(Column 3)	SMALL ENTITY		OR	OTHER THAN SMALL ENTITY	
AMENDMENT B	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE(\$)	ADDITIONAL FEE(\$)		RATE(\$)	ADDITIONAL FEE(\$)
Total (37 CFR 1.16(i))	*	Minus **	=	x =		OR	x =	
Independent (37 CFR 1.16(h))	*	Minus ***	=	x =		OR	x =	
Application Size Fee (37 CFR 1.16(s))						OR		
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))						OR		
				TOTAL ADD'L FEE		OR	TOTAL ADD'L FEE	

* If the entry in column 1 is less than the entry in column 2, write "0" in column 3.
 ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".
 *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".
 The "Highest Number Previously Paid For" (Total or Independent) is the highest found in the appropriate box in column 1.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 7 columns: APPLICATION NUMBER, FILING or 371(c) DATE, GRP ART UNIT, FIL FEE REC'D, ATTY DOCKET NO, TOT CLAIMS, IND CLAIMS. Row 1: 14/184,364, 02/19/2014, 2878, 2700, 9653-7TSCT, 32, 2

CONFIRMATION NO. 1023

20792
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

FILING RECEIPT



Date Mailed: 03/07/2014

Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Inventor(s)

Steven Francis LeBoeuf, Raleigh, NC;
Jesse Berkley Tucker, Knightdale, NC;
Michael Edward Aumer, Raleigh, NC;

Applicant(s)

Valencell, Inc., Raleigh, NC

Assignment For Published Patent Application

Valencell, Inc., Raleigh, NC

Power of Attorney: The patent practitioners associated with Customer Number 20792

Domestic Priority data as claimed by applicant

This application is a CON of 12/691,388 01/21/2010
which claims benefit of 61/208,567 02/25/2009
and claims benefit of 61/208,574 02/25/2009
and claims benefit of 61/212,444 04/13/2009
and claims benefit of 61/274,191 08/14/2009

Foreign Applications for which priority is claimed (You may be eligible to benefit from the Patent Prosecution Highway program at the USPTO. Please see http://www.uspto.gov for more information.) - None.

Foreign application information must be provided in an Application Data Sheet in order to constitute a claim to foreign priority. See 37 CFR 1.55 and 1.76.

Permission to Access - A proper Authorization to Permit Access to Application by Participating Offices (PTO/SB/39 or its equivalent) has been received by the USPTO.

If Required, Foreign Filing License Granted: 03/07/2014

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 14/184,364**

Projected Publication Date: 06/19/2014

Non-Publication Request: No

Early Publication Request: No
Title

WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

Preliminary Class

250

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at <http://www.uspto.gov/web/offices/pac/doc/general/index.html>.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, <http://www.stopfakes.gov>. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit <http://www.SelectUSA.gov> or call +1-202-482-6800.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 4 columns: APPLICATION NUMBER (14/184,364), FILING OR 371(C) DATE (02/19/2014), FIRST NAMED APPLICANT (Steven Francis LeBoeuf), ATTY. DOCKET NO./TITLE (9653-7T SCT)

CONFIRMATION NO. 1023

20792
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

NOTICE



Date Mailed: 03/07/2014

INFORMATIONAL NOTICE TO APPLICANT

Applicant is notified that the above-identified application contains the deficiencies noted below. No period for reply is set forth in this notice for correction of these deficiencies. However, if a deficiency relates to the inventor's oath or declaration, the applicant must file an oath or declaration in compliance with 37 CFR 1.63, or a substitute statement in compliance with 37 CFR 1.64, executed by or with respect to each actual inventor no later than the expiration of the time period set in the "Notice of Allowability" to avoid abandonment. See 37 CFR 1.53(f).

The item(s) indicated below are also required and should be submitted with any reply to this notice to avoid further processing delays.

- A properly executed inventor's oath or declaration has not been received for the following inventor(s):
Steven Francis LeBoeuf
Jesse Berkley Tucker
Michael Edward Aumer



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371(C) DATE	FIRST NAMED APPLICANT	ATTY. DOCKET NO./TITLE
14/184,364	02/19/2014	Steven Francis LeBoeuf	9653-7T SCT

CONFIRMATION NO. 1023

20792
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

POA ACCEPTANCE LETTER



Date Mailed: 03/07/2014

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 02/19/2014.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

/dnguyen/

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete if Known	
				Application Number	14/184,364
				Filing Date	February 19, 2014
				First Named Inventor	Steven Francis LeBoeuf
				Art Unit	2878
				Examiner Name	
Sheet	B1	of	B1	Attorney Docket Number	9653-7TSCT

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Document Number		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)				
	1.	US-	2010/0217103 A1	08-26-2010	Abdul-Hafiz et al.	
	2.	US-	2004/0054291 A1	03-18-2004	Schultz et al.	
	3.	US-	2004/0034293 A1	02-19-2004	Kimball	

FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.	Foreign Patent Document		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)					

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
	4.	Notification of Transmittal of The International Search Report and The Written Opinion of the International Searching Authority, or the Declaration corresponding to International Application No. PCT/US2013/070271; Date of Mailing: February 26, 2014; International Search Report; Written Opinion of the International Searching Authority; 13 pages	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PATENT COOPERATION TREATY

03-04-14 14:03 RCVD

From the INTERNATIONAL SEARCHING AUTHORITY

PCT COPY

To:
MYERS BIGEL SIBLEY & SAJOVEC, P.A.

P.O. BOX 37428 RALEIGH NC 27627 USA

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT AND
THE WRITTEN OPINION OF THE INTERNATIONAL
SEARCHING AUTHORITY, OR THE DECLARATION

(PCT Rule 44.1)

Date of mailing
(day/month/year) 26 February 2014 (26.02.2014)

Applicant's or agent's file reference
9653-7IP-WO

FOR FURTHER ACTION See paragraphs 1 and 4 below

International application No.
PCT/US2013/070271

International filing date
(day/month/year) 15 November 2013 (15.11.2013)

Applicant
VALENCELL, INC.

1. The applicant is hereby notified that the international search report and the written opinion of the International Searching Authority have been established and are transmitted herewith.

Filing of amendments and statement under Article 19:

The applicant is entitled, if he so wishes, to amend the claims of the international application (see Rule 46):

When? The time limit for filing such amendments is normally two months from the date of transmittal of the international search report.

Where? Directly to the International Bureau of WIPO, 34 chemin des Colombettes
1211 Geneva 20, Switzerland, Facsimile No.: +41 22 338 82 70

For more detailed instructions, see *PCT Applicant's Guide*, International Phase, paragraphs 9.004 - 9.011.

2. The applicant is hereby notified that no international search report will be established and that the declaration under Article 17(2)(a) to that effect and the written opinion of the International Searching Authority are transmitted herewith.

3. **With regard to any protest** against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that
 the protest together with the decision thereon has been transmitted to the International Bureau together with any request to forward the texts of both the protest and the decision thereon to the designated Offices.

no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. Reminders

The applicant may submit comments on an informal basis on the written opinion of the International Searching Authority to the International Bureau. The International Bureau will send a copy of such comments to all designated Offices unless an international preliminary examination report has been or is to be established. Following the expiration of 30 months from the priority date, these comments will also be made available to the public.

Shortly after the expiration of **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau before the completion of the technical preparations for international publication (Rules 90bis.1 and 90bis.3).

Within **19 months** from the priority date, but only in respect of some designated Offices, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase **until 30 months** from the priority date (in some Offices even later); otherwise, the applicant must, **within 20 months** from the priority date, perform the prescribed acts for entry into the national phase before those designated Offices.

In respect of other designated Offices, the time limit of **30 months** (or later) will apply even if no demand is filed within 19 months.

For details about the applicable time limits, Office by Office, see www.wipo.int/pct/en/texts/time_limits.html and the PCT Applicant's Guide, National Chapters.


DOCKETED	
By	SD
Date	3/4
ROUTE TO:	
	NJB <input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>
	<input type="checkbox"/>

Name and mailing address of the ISA/KR
International Application Division
Korean Intellectual Property Office
189 Cheongsu-ro, Seo-gu, Daejeon Metropolitan City, 302-701,
Republic of Korea
Facsimile No. 82-42-472-7140

Authorized officer

COMMISSIONER

Telephone No. 82-42-481-8754



* Attention

Copies of the documents cited in the international search report can be searched in the following Korean Intellectual Property Office English website for six months(expire date : **2014.08.27**) from the date of mailing of the international search report.

<http://www.kipo.go.kr/en/> => PCT Services => PCT Services

ID : PCT international application number

PW : **UPLA5Y5H**

Inquiries related to PCT International Search Report or Written Opinion prepared by KIPO as an International Searching Authority can be answered not only by KIPO but also through IPKC (Intellectual Property Korea Center), located in Vienna, VA, which functions as a PCT Help Desk for PCT applicants.

Homepage: <http://www.ipkcenter.com>

Email: ipkc@ipkcenter.com

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 9653-7IP-WO	FOR FURTHER ACTION see Form PCT/ISA/220 as well as, where applicable, item 5 below.	
International application No. PCT/US2013/070271	International filing date (<i>day/month/year</i>) 15 November 2013 (15.11.2013)	(Earliest) Priority Date (<i>day/month/year</i>) 14 December 2012 (14.12.2012)
Applicant VALENCELL, INC.		

This International search report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This international search report consists of a total of 3 sheets.

It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

a. With regard to the **language**, the international search was carried out on the basis of:

- the international application in the language in which it was filed
 a translation of the international application into _____, which is the language of a translation furnished for the purposes of international search (Rules 12.3(a) and 23.1(b))

- b. This international search report has been established taking into account the **rectification of an obvious mistake** authorized by or notified to this Authority under Rule 91 (Rule 43.6bis(a)).
c. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, see Box No. I.

2. **Certain claims were found unsearchable** (See Box No. II)

3. **Unity of invention is lacking** (See Box No. III)

4. With regard to the **title**,

- the text is approved as submitted by the applicant.
 the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,



- the text is approved as submitted by the applicant.
 the text has been established, according to Rule 38.2, by this Authority as it appears in Box No. IV. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. With regard to the **drawings**,

- a. the figure of the **drawings** to be published with the abstract is Figure No. 24A
 as suggested by the applicant.
 as selected by this Authority, because the applicant failed to suggest a figure.
 as selected by this Authority, because this figure better characterizes the invention.
b. none of the figures is to be published with the abstract.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2013/070271

A. CLASSIFICATION OF SUBJECT MATTER H04R 1/10(2006.01)i		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) H04R 1/10; A61B 5/1455; A61B 5/00		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Korean utility models and applications for utility models Japanese utility models and applications for utility models		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) eKOMPASS(KIPO internal) & Keywords: PPG. emitter, detector, skin, ear, light guide.		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2005-0209516 A1 (JACOB FRADEN) 22 September 2005 See paragraphs [0056]-[0061]; and figures 7, 10.	1-19, 21-32
Y		20
Y	US 6078829 A (SHINJI UCHIDA et al.) 20 June 2000 See column 5, lines 29-42; and figure 2.	20
A	US 2010-0217103 A1 (YASSIR ABDUL-HAFIZ et al.) 26 August 2010 See claims 1-2; paragraphs [0056]-[0064]; and figures 9A-9B, 16.	1-32
A	US 2004-0034293 A1 (VICTOR E. KIMBALL) 19 February 2004 See claims 1-7; paragraphs [0047]-[0049]; and figures 5B, 8.	1-32
A	US 2004-0054291 A1 (CHRISTIAN SCHULZ et al.) 18 March 2004 See paragraphs [0036]-[0043]; and figures 4-9.	1-32
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "J" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 25 February 2014 (25.02.2014)		Date of mailing of the international search report 26 February 2014 (26.02.2014)
Name and mailing address of the ISA/KR  International Application Division Korean Intellectual Property Office 189 Cheongsa-ro, Seo-gu, Daejeon Metropolitan City, 302-701, Republic of Korea Facsimile No. +82-42-472-7140		Authorized officer KIM, Sung Gon Telephone No. +82-42-481-8746 

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/US2013/070271

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2005-0209516 A1	22/09/2005	None	
US 6078829 A	20/06/2000	None	
US 2010-0217103 A1	26/08/2010	US 8588880 B2 WO 2011-102846 A2	19/11/2013 25/08/2011
US 2004-0034293 A1	19/02/2004	AU 2003-262620 A1 EP 1545308 A1 JP 2005-535408 A US 6879850 B2 WO 2004-016170 A1	03/03/2004 29/06/2005 24/11/2005 12/04/2005 26/02/2004
US 2004-0054291 A1	18/03/2004	US 7341559 B2	11/03/2008

PATENT COOPERATION TREATY

From the
INTERNATIONAL SEARCHING AUTHORITY

To:
MYERS BIGEL SIBLEY & SAJOVEC, P.A.
P.O. BOX 37428 RALEIGH NC 27627 USA

PCT

WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY

(PCT Rule 43bis.1)

Date of mailing
(day/month/year) 26 February 2014 (26.02.2014)

Applicant's or agent's file reference
9653-7IP-WO

FOR FURTHER ACTION

See paragraph 2 below

International application No.

PCT/US2013/070271

International filing date (day/month/year)

15 November 2013 (15.11.2013)

Priority date(day/month/year)

14 December 2012 (14.12.2012)

International Patent Classification (IPC) or both national classification and IPC

H04R 1/10(2006.01);

Applicant

VALENCELL, INC.

1. This opinion contains indications relating to the following items:

- Box No. I Basis of the opinion
- Box No. II Priority
- Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- Box No. IV Lack of unity of invention
- Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step and industrial applicability; citations and explanations supporting such statement
- Box No. VI Certain documents cited
- Box No. VII Certain defects in the international application
- Box No. VIII Certain observations on the international application

2. FURTHER ACTION

If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1 bis(b) that written opinions of this International Searching Authority will not be so considered.

If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later.

For further options, see Form PCT/ISA/220.

Name and mailing address of the ISA/KR
International Application Division
Korean Intellectual Property Office
189 Cheongsa-ro, Seo-gu, Daejeon
Metropolitan City, 302-701, Republic of Korea
Facsimile No. +82-42-472-7140

Date of completion of this opinion

25 February 2014 (25.02.2014)

Authorized officer

KIM, Sung Gon

Telephone No. +82-42-481-8746



WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY

International application No.
PCT/US2013/070271

Box No. I Basis of this opinion

1. With regard to the **language**, this opinion has been established on the basis of:
 - the international application in the language in which it was filed
 - a translation of the international application into _____ which is the language of a translation furnished for the purposes of international search (Rules 12.3(a) and 23.1(b))
2. This opinion has been established taking into account the **rectification of an obvious mistake** authorized by or notified to this Authority under Rule 91 (Rule 43*bis*.1(a))
3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, this opinion has been established on the basis of a sequence listing filed or furnished:
 - a. (means)
 - on paper
 - in electronic form
 - b. (time)
 - in the international application as filed,
 - together with the international application in electronic form.
 - subsequently to this Authority for the purposes of search.
4. In addition, in the case that more than one version or copy of a sequence listing has been filed or furnished, the required statements that the information in the subsequent or additional copies is identical to that in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.
5. Additional comments:

**WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY**

International application No.
PCT/US2013/070271

Box No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims	1-32	YES
	Claims	NONE	NO
Inventive step (IS)	Claims	NONE	YES
	Claims	1-32	NO
Industrial applicability (IA)	Claims	1-32	YES
	Claims	NONE	NO

2. Citations and explanations :

Reference is made to the following documents:

D1: US 2005-0209516 A1 (JACOB FRADEN) 22 September 2005

D2: US 6078829 A (SHINJI UCHIDA et al.) 20 June 2000

1. Novelty and Inventive Step

1.1 Claims [1-15]

1.1.1 Independent Claim [1]

D1, which is considered to be the closest prior art to the subject matter of claim [1], discloses a device for detecting photo-plethysmographic signals from a patient ear canal comprising: an ear plug (64) inserted into an ear canal (4) of ears (60) (see paragraph [0056] and figure 10); and a first LED (71) and light detector (73) (see paragraphs [0057], [0061] and figures 7, 10). Claim [1] differs from D1 in that the at least one light guide is in optical communication with the optical emitter or optical detector, and that the at least one light guide is configured to deliver light from the optical emitter into an ear region of the subject via the distal end or collect light from an ear region of the subject via the distal end and deliver collected light to the optical detector. However, such an additional feature is virtually suggested by the feature of D1 considering that the entire sensing assembly works as follows: a first LED (71) emits light that in the form of a first beam (87) travels through the body of an illuminator (65) which comes in physical contact (120) with the opening of the ear canal and this contact allows light (in the form of a second beam 88) to continue traveling into the biological tissue and be modulated by the oxyhemoglobin and pulsatile blood volume (see paragraph [0061] and figure 10). Accordingly, claim [1] would have been obvious over D1. Therefore, claim [1] lacks an inventive step under PCT Article 33(3).

Continued on Supplemental Box

WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY

International application No.

PCT/US2013/070271

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of: Box No. V

1.1.2 Dependent Claims [2-15]

The additional feature of claim [2] dependent on claim 1 is identical to the feature of D1 in that an ear plug (64) is inserted into an ear canal (4) of ears (60) (see paragraph [0056] and figure 10).

The additional features of claims [3, 5-6] dependent on claim 1 relate to the material of the at least one light guide. However, such additional features are merely matters of design option when the general knowledge in the relevant field of the art is used.

The additional feature of claim [4] is considered to be a minor difference over the disclosure of D1 that falls under the general knowledge of a person skilled in the art.

The additional feature of claim [7] dependent on claim 1 is identical to the feature of D1 in that shield 66 may be fabricated of any material that is opaque for the used light (see paragraph [0056]).

The additional feature of claim [8] dependent on claim 1 is identical to the feature of D1 in that after installation of a light transmission assembly (63) onto a holder (76), both LEDs can send light through an illuminator (65) (see paragraph [0058]).

The additional feature of claim [9] dependent on claim 1 is identical to the feature of D1 in that a light transmitting assembly (63) may be plugged into a holder (76) so that a butt (85), which is part of an ear plug (64), comes in proximity with an end (74) of a light coupler (72) (see paragraph [0058]).

The additional feature of claim [10] dependent on claim 1 is virtually suggested by the feature of D1 considering that the shield (66) may be fabricated of any material that is opaque for the used light (see paragraph [0056]).

The additional feature of claim [11] dependent on claim 1 is identical to the feature of D1 in a variant of an ear plug (64) with protruding ribs (84) that are pliable, flexible and resilient (see paragraph [0059] and figure 7).

Continued on The Next Page

WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY

International application No.
PCT/US2013/070271

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of: Previous Page

The additional feature of claim [12] dependent on claim 1 is identical to the feature of D1 in that first and second LEDs (71 and 77) are coupled to a first section (108), while a detector (73) is coupled to a second section (110) by means of the intermediate light conducting rod (106) (see paragraph [0060]).

The additional feature of claim [13] dependent on claim 1 is merely a variation of the feature of D1 in that the modulated light in the form of a receiving light beam (111) passes toward a detector (73) (see paragraph [0060]), and a person skilled in the art would arrive at the claimed invention by general experimentation alone without exercising any ingenuity.

The additional feature of claim [14] dependent on claim 1 is virtually suggested by the feature of D1 considering that it detects the photo-plethysmographic waves of the pulsatile blood at two wavelengths and passes them to a module 27 for the signal processing (see paragraph [0051]).

The additional feature of claim [15] dependent on claim 1 is identical to the feature of D1 in that the light emitting devices (for example, light emitting diodes-LED) are positioned inside a probe (62) (see paragraph [0056] and figure 6).

Accordingly, claims [2-15] would have been obvious over D1. Therefore, claims [2-15] lack an inventive step under PCT Article 33(3).

1.2 Claims [16-22]

1.2.1. Independent Claim [16]

D1, which is considered to be the closest prior art to the subject matter of claim [16], discloses a device for detecting photo-plethysmographic signals from a patient ear canal, comprising: an ear plug (64) inserted into an ear canal (4) of ears (60) (see paragraph [0056] and figure 10); and a first LED (71), a second LED (77) and a light detector (73) (see paragraphs [0057], [0061] and figures 7, 10).

Claim [16] differs from D1 in that the first light guide is in optical communication with the optical emitter and is configured to deliver light from the optical emitter into an ear region of the subject via the first light guide distal end, and that the second light guide is in optical

Continued on The Next Page

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of : Previous Page

communication with the optical detector and is configured to collect light from an ear region of the subject via the second light guide distal end and deliver collected light to the optical detector. However, such additional features are virtually suggested by the feature of D1 considering that the entire sensing assembly works as follows: a first LED (71) emits light that in the form of a first beam (87) travels through the body of an illuminator (65) which comes in physical contact (120) with the opening of the ear canal and this contact allows light (in the form of a second beam 88) to continue traveling into the biological tissue and be modulated by the oxyhemoglobin and pulsatile blood volume (see paragraph [0061] and figure 10). Accordingly, claim [16] would have been obvious over D1. Therefore, claim [16] lacks an inventive step under PCT Article 33(3).

1.2.2 Dependent Claims [17-19, 21-22]

The technical features of claims [17-19, 21-22] are substantially the same as those of claims 2-4, 14-15 respectively. Accordingly, the same reasoning as in claims 2-4, 14-15 applies respectively to claims [17-19, 21-22], and claims [17-19, 21-22] would have been obvious over D1. Therefore, claims [17-19, 21-22] lack an inventive step under PCT Article 33(3).

1.2.3 Dependent Claim [20]

D1 does not disclose that a speaker is disposed within the housing, and that the housing comprises at least one aperture through which sound from the speaker can pass. But D2 discloses that the measuring apparatus for biological information is provided with a speaker (8) as an acoustic oscillator on the side facing the external auditory meatus (see column 5, lines 29-42 and figure 2). Accordingly, claim [20] would have been obvious over D1 in view of D2. Therefore, claim [20] lacks an inventive step under PCT Article 33(3).

1.3 Claims [23-26]

1.3.1 Independent Claim [23]

D1, which is considered to be the closest prior art to the subject matter of claim [23], discloses a device for detecting photo-plethysmographic signals from a patient ear canal,

Continued on The Next Page

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of: Previous Page

comprising: an ear plug (64) inserted into an ear canal (4) of ears (60) (see paragraph [0056] and figure 10); and a first LED (71) and a light detector (73) (see paragraphs [0057], [0061] and figures 7, 10).

Claim [23] differs from D1 in that the light guide is in optical communication with the optical emitter and is configured to deliver light from the optical emitter into an ear region of the subject via the light guide distal end, and that the light guide is in optical communication with the optical detector and is configured to collect light from an ear region of the subject via the light guide distal end and deliver collected light to the optical detector. However, such the features are virtually suggested by the feature of D1 considering that the entire sensing assembly works as follows: a first LED (71) emits light that in form of a first beam (87) travels through the body of an illuminator (65) which comes in physical contact (120) with the opening of the ear canal and this contact allows light (in form of a second beam 88) to continue traveling into the biological tissue and be modulated by the oxyhemoglobin and pulsatile blood volume (see paragraph [0061] and figure 10). Accordingly, claim [23] would have been obvious over D1. Therefore, claim [23] lacks an inventive step under PCT Article 33(3).

1.3.2 Dependent Claims [24-26]

The technical features of claims [24-26] are substantially the same as those of claims 15, 2-3 respectively. Accordingly, the same reasoning as in claims 15, 2-3 applies respectively to claims [24-26], and claims [24-26] would have been obvious over D1. Therefore, claims [24-26] lack an inventive step under PCT Article 33(3).

1.4 Claims [27-32]

1.4.1 Independent Claim [27]

The independent claim [27] relates to a wearable sensor module, but it has the same technical features as those of claim 1 except for the type of invention. Thus, the same reasoning as in claim 1 could be applied to claim [27]. Therefore, claim [27] lacks an inventive step under PCT Article 33(3).

Continued on The Next Page

WRITTEN OPINION OF THE
INTERNATIONAL SEARCHING AUTHORITY

International application No.

PCT/US2013/070271

Supplemental Box

In case the space in any of the preceding boxes is not sufficient.
Continuation of: Previous Page

1.4.2 Dependent Claims [28-32]

The technical features of claims [28-32] are substantially the same as those of claims 2-3, 7, 10, 15 respectively. Accordingly, the same reasoning as in claims 2-3, 7, 10, 15 applies respectively to claims [28-32], and claims [28-32] would have been obvious over D1. Therefore, claims [28-32] lack an inventive step under PCT Article 33(3).

2. Industrial Applicability

Claims [1-32] are industrially applicable under PCT Article 33(4).

Electronic Acknowledgement Receipt

EFS ID:	18506615
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	18-MAR-2014
Filing Date:	19-FEB-2014
Time Stamp:	13:14:55
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		9653-7TSCT_IDS.pdf	288717 2c8db3d983eb9a7fed18c96e59c920c1dff7 cb5f	yes	3

Multipart Description/PDF files in .zip description					
Document Description			Start	End	
Transmittal Letter			1	2	
Information Disclosure Statement (IDS) Form (SB08)			3	3	
Warnings:					
Information:					
2	Non Patent Literature	ISR_Feb_26_2014.pdf	1217310	no	13
			a401bcbcb0d6212d5458c84004a9ffd91d7d2677		
Warnings:					
Information:					
Total Files Size (in bytes):			1506027		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.
Serial No.: 14/184,364
Filed: February 19, 2014
For: **WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING**

Confirmation No.: 1023
Group Art Unit: 2878

Date: March 18, 2014

Commissioner for Patents
Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT COVER LETTER

Sir:

Attached is an Information Disclosure Statement listing of documents, together with a copy of any listed foreign patent document and/or non-patent literature. A copy of any listed U.S. patent and/or U.S. patent application publication is not provided herewith in accordance with 37 C.F.R. § 1.98(a)(2)(ii).

In accordance with **37 CFR 1.97(b)**, the information disclosure statement is being filed:

- (1) within three months of the filing date of a national application other than a continued prosecution application under §1.53(d);
- (2) within three months of the date of entry of the national stage as set forth in §1.491 in an international application;
- (3) before the mailing of a first Office Action on the merits; or
- (4) before the mailing of a first Office Action after the filing of a request for continued examination under §1.114.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b) above, but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by one of the following:

(1) The statement specified under **37 CFR 1.97(e)**, as follows:

Each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; or

No item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; or

(2) The fee set forth in §1.17(p);

In accordance with **37 CFR 1.97(d)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(c) above, but on or before payment of the issue fee, and is accompanied by both of the following:

(1) The statement specified under **37 CFR 1.97(e)**, as follows:

In re: LeBoeuf et al.
Application No.: 14/184,364
Filing Date: February 19, 2014
Page 2 of 2

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; or

That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; and

(2) The fee set forth in §1.17(p);

In accordance with **37 CFR 1.97(g)**, the information disclosure statement shall not be construed as a representation that a search has been made.

In accordance with **37 CFR 1.97(h)**, the information disclosure statement shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in §1.56(b).

The Director is hereby authorized to charge the fee specified in 37 C.F.R. § 1.17(p), and any fee deficiency or credit any overpayment, to Deposit Account No. 50-0220; or

No fee is believed due. However, the Director is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-0220.

Respectfully submitted,





Needham J. Boddie, II
Registration No. 40,519
Attorney for Applicant



Customer Number 20792
Myers Bigel Sibley & Sajovec, P.A.
P.O. Box 37428, Raleigh, NC 27627
919-854-1400
919-854-1401 (Fax)

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4) to the U.S. Patent and Trademark Office on **March 18, 2014**.


Name: Gwen R. Bailey

DECLARATION (37 CFR 1.63) FOR UTILITY OR DESIGN APPLICATION USING AN APPLICATION DATA SHEET (37 CFR 1.76)	
Title of Invention	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
As a below named inventor, I hereby declare that:	
This declaration is directed to: <input type="checkbox"/> The attached application, or <input checked="" type="checkbox"/> United States application or PCT international application number <u>14/184,364</u> filed on <u>February 19, 2014</u> , <input type="checkbox"/> As amended on _____ (if applicable).	
The above-identified application was made or authorized to be made by me.	
I believe that I am the original inventor or an original joint inventor of a claimed invention in the application.	
I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.	
I am aware of the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56, including for continuation-in-part applications, material information that became available between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.	
I hereby acknowledge that any willful false statement made in this declaration is punishable under 18 U.S.C. 1001 by fine or imprisonment of not more than five (5) years, or both.	
LEGAL NAME OF INVENTOR 1	
Signature: 	Date: <u>3/18/2014</u>
Legal Name: Steven Francis LeBoeuf	

LEGAL NAME OF INVENTOR 2	
Signature: <u></u>	Date: <u>3/17/2014</u>
Legal Name: Jesse Berkley Tucker	
LEGAL NAME OF INVENTOR 3	
Signature: <u></u>	Date: <u>3/18/14</u>
Legal Name: Michael Edward Aumer	

Electronic Acknowledgement Receipt

EFS ID:	18555784
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	23-MAR-2014
Filing Date:	19-FEB-2014
Time Stamp:	14:43:19
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Oath or Declaration filed	9653-7TSCT_Declaration.pdf	157902 4555500bc9a096b98940549e19e511aafa7dc810	no	2

Warnings:

Information:

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

14/184,364 02/19/2014 Steven Francis LeBoeuf 9653-7TSCT 1023

20792 7590 04/02/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

EXAMINER

FULLER, RODNEY EVAN

ART UNIT	PAPER NUMBER
----------	--------------

2852

MAIL DATE	DELIVERY MODE
-----------	---------------

04/02/2014 PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 14/184,364	Applicant(s) LEBOEUF ET AL.	
	Examiner RODNEY FULLER	Art Unit 2852	AIA (First Inventor to File) Status No

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on February 19, 2014.
 A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.
- 4) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

- 5) Claim(s) 1-32 is/are pending in the application.
5a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 6) Claim(s) _____ is/are allowed.
- 7) Claim(s) 1-32 is/are rejected.
- 8) Claim(s) _____ is/are objected to.
- 9) Claim(s) _____ are subject to restriction and/or election requirement.

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to PPHfeedback@uspto.gov.

Application Papers

- 10) The specification is objected to by the Examiner.
- 11) The drawing(s) filed on February 19, 2014 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

- a) All b) Some** c) None of the:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b)
Paper No(s)/Mail Date 2/19/2014, 3/18/2014.
- 3) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 4) Other: _____.

DETAILED ACTION

1. The present application is being examined under the pre-AIA first to invent provisions.

Specification

2. The disclosure is objected to because of the following item(s):

The first paragraph of the Specification (Related Applications) should include the status of the parent application No. 12/691,388, i.e., now U.S. Patent No. 8,700,111.

Appropriate correction is required.

Drawings

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the following item(s) must be shown or the feature(s) canceled from the claim(s):

(Note: The embodiments of the claims correspond to Figures 22A, 22B and 23.

- a. (Claim 4): "a lens region"
- b. (Claim 5): "a phosphor-containing region"
- c. (Claim 11): "at least one optical filter"
- d. (Claim 12): "at least one optical filter"
- e. (Claim 14): "an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor"
- f. (Claim 15): "at least one accelerometer"

Art Unit: 2852

- g. (Claim 16): "at least one accelerometer"
- h. (Claim 19): "adhesive in one or more locations"
- i. (Claim 20): "a lens region"
- j. (Claim 21): "a phosphor-containing region"
- k. (Claim 24): "at least one optical filter"
- l. (Claim 25): "the optical filter"
- m. (Claim 29): "an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor."
- n. (Claim 30): "at least one accelerometer"
- o. (Claim 31): "at least one accelerometer"

No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112(a):

(a) IN GENERAL.—The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor or joint inventor of carrying out the invention.

The following is a quotation of the first paragraph of pre-AIA 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 17 and 32 are rejected under 35 U.S.C. 112(a) or 35 U.S.C. 112 (pre-AIA), first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 17 depends from claim 16. Claim 32 depends from claim 31.

Claims 16 and 32 sets forth "wherein the at least one signal processor is configured to process signals from the at least one accelerometer and optical detector to measure or detect physiological information". There is no description

to enable a signals from an accelerometer and an optical detector to determine the physiological information listed in claims 17 and 32, i.e., brain waves, hunger and/or thirst, voice tone, head tilt, pheromones, stem cell regeneration response, etc.

Claim Rejections - 35 USC § 102

6. In the event the determination of the status of the application as subject to AIA 35 U.S.C. 102 and 103 (or as subject to pre-AIA 35 U.S.C. 102 and 103) is incorrect, any correction of the statutory basis for the rejection will not be considered a new ground of rejection if the prior art relied upon, and the rationale supporting the rejection, would be the same under either status.

7. The following is a quotation of the appropriate paragraphs of pre-AIA 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

8. Claims 1-4, 6-10, 14-20, 22, 23 and 26-32 are rejected under pre-AIA 35 U.S.C. 102(b) as being anticipated by Diab, et al. (US 2005/0043600).

Regarding claim 1, Diab discloses “a band (Fig. 29A, ref.# 2005) capable of encircling a portion of the body of a subject (Fig. 29B: finger); and an optical emitter (Fig. 28, ref.# 1074) and an optical detector (Fig. 1074) attached to the band; wherein the band comprises light transmissive material (Fig. 1, ref.# 1076, 1078, 1092, 1094)) in optical communication with the optical emitter (Fig. 29A, ref.# 1074) and optical detector

(Fig. 28, ref.# 1090) that is configured to deliver light from the optical emitter to one or more locations of the body of the subject (Fig. 28, ref.# 2000) and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical detector (Fig. 28, ref.# 1090).”

Regarding claim 2, Diab discloses "wherein the portion of the body comprises a limb, a nose, an earlobe, and/or a digit." (paragraph 0004, lines 8-9)

Regarding claim 3, Diab discloses "wherein the band comprises first and second concentric body portions." (Fig. 28, ref.# 1072: top and bottom, 1084: top and bottom; Fig. 29B, ref.# 2015: shows thickness of band)

Regarding claims 4 and 20, Diab discloses "wherein the band comprises a lens region (Fig. 28, ref.# 1076) in optical communication with the optical emitter (Fig. 28, ref.# 1074) that focuses light emitted by the optical emitter and/or that collects light reflected from the body.”

Regarding claims 6 and 22, Diab discloses "wherein the band has an outer surface and an inner surface, and further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces." (paragraph 0162, lines 2-4)

Regarding claims 7 and 23, Diab discloses "a signal processor (Fig. 24, ref.# 620), and wherein at least a portion of light reflected by the light reflection material and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector." (paragraph 0144: motion artifacts)

Regarding claims 8 and 26, Diab discloses “further comprising a signal processor (Fig. 24, ref.# 620) configured to receive and process signals produced by the optical detector (Fig. 24, ref.# 426).”

Regarding claims 9 and 27, Diab discloses “further comprising a transmitter configured to transmit signals processed by the signal processor to a remote device (Fig. 24, ref.# 630).”

Regarding claims 10 and 28, Diab discloses “light blocking material (Fig. 21, material between ref.# 726 and 730) positioned between the optical emitter (Fig. 21, ref.# 730) and detector (Fig. 21, ref.# 726) such that the optical emitter and detector are not in direct optical communication with each other.”

Regarding claims 14-17 and 29-32, the Specification and Drawings do not provide support for the limitations of claims. The embodiments of the current application (and independent claims) correspond to Figures 22A, 22B and 23. The limitations of claims 14-17 and 29-32 are not given any patentable weight.

Regarding claim 18, Diab discloses “a base (Fig. 28, ref.# 1072, 1084) comprising an optical emitter (Fig. 28, ref.# 1074) and an optical detector (Fig. 28, ref.# 1090); and light transmissive material (Fig. 28, ref.# 1076, 1078, 1092, 1094) attached to the base, wherein the light transmissive material is in optical communication with the optical emitter and optical detector (See Fig. 28), and configured to deliver light from the optical emitter to one or more portions of the body (Fig. 28, ref.# 2000) of the subject and to collect light from one or more locations of the body of the subject and deliver the collected light to the optical detector (Fig. 28, ref.# 1090), and wherein at least one

portion of the monitoring device comprises adhesive (abstract: adhesive) in one or more locations that is configured to adhesively secure the device to the body of the subject.”

Regarding claim 19, Diab discloses “an outer body portion attached to the base and to the light transmissive material, wherein the outer body portion comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.” (abstract: adhesive; Fig. 29A, ref.# 2005)

Claim Rejections - 35 USC § 103

9. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 5 and 21 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Diab, et al. (US 2005/0043600) in view of Jonnalagadda, et al. (US 2009/0054752)

Regarding claims 5 and 21, Diab does not disclose “wherein the band comprises a phosphor-containing region in optical communication with the light transmissive material, wherein the phosphor-containing region receives light emitted by the optical emitter and converts at least a portion of the received light to light having a different wavelength from the received light.” However, the use of a luminescent material (phosphor or polymeric material) as part of the illumination system of a device

used in measuring physiologic information was well known in the art at the time the invention was made as evident from the teaching of Jonnalagadda (See Abstract, paragraphs 0030, 0032, 0034, 0036). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Diab by including the structure of claims 5 and 21 (i.e., phosphor containing region) in order to accurately determine a user's pulse rate and blood oxygen levels as taught by Jonnalagadda.

11. Claims 11-13, 24 and 25 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Diab, et al. (US 2005/0043600) in view of Rosenthal, et al. (US 5,086,229).

Diab discloses a red and an infrared light source with an electronic band pass filter / sync demodulator to separate out the red and infrared detected signals. However, Diab does not specifically set forth the use of an "optical filter" (i.e., IR filter). Thus, Diab does not teach (Claims 11, 12, and 24) "wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength" or (Claims 13 and 25) "a signal processor, and wherein at least a portion of light blocked by the optical filter and detected by the optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the optical detector." However, the use of optical bandpass filter with a light emitting diode to provide specific wavelength selection was well known in the art at the time the invention was made as evident from the teaching of Rosenthal (See column 5, lines 45-64). Thus, it would have been obvious to one of ordinary skill in the art at the time the

Art Unit: 2852

invention was made to utilize an optical (IR) filter to avoid "laborious characterization and sorting" of LEDs in order to provide a specific wavelength selection as taught by Rosenthal.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- a. McCombie; Devin et al. US 20100298653 A1
- b. Shaltis; Phillip Andrew et al. US 20100168531 A1
- c. Finarov; Alexander et al. US 20060009685 A1
- d. Chance; Britton US 5596987 A

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RODNEY FULLER whose telephone number is (571)272-2118. The examiner can normally be reached on 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Clayton Laballe can be reached on 571-272-1594. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/RODNEY FULLER/
Primary Examiner, Art Unit 2852

March 31, 2014

Notice of References Cited	Application/Control No. 14/184,364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.	
	Examiner RODNEY FULLER	Art Unit 2852	Page 1 of 1

U.S. PATENT DOCUMENTS

*	Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A US-2009/0054752	02-2009	Jonnalagadda et al.	600/324
*	B US-2005/0043600	02-2005	Diab et al.	600/344
*	C US-5,086,229	02-1992	Rosenthal et al.	250/339.12
*	D US-2006/0009685	01-2006	Finarov et al.	600/310
*	E US-2010/0298653	11-2010	McCombie et al.	600/301
*	F US-2010/0168531	07-2010	Shaltis et al.	600/301
*	G US-5,596,987	01-1997	Chance, Britton	600/310
*	H US-			
*	I US-			
*	J US-			
*	K US-			
*	L US-			
*	M US-			

FOREIGN PATENT DOCUMENTS

*	Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
*	N				
*	O				
*	P				
*	Q				
*	R				
*	S				
*	T				

NON-PATENT DOCUMENTS

*	Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
*	Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)				
*	U				
*	V				
*	W				
*	X				

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 1023

SERIAL NUMBER	FILING or 371(c) DATE	CLASS	GROUP ART UNIT	ATTORNEY DOCKET NO.
14/184,364	02/19/2014	600	2852	9653-7TSCT
	RULE			

APPLICANTS

Valencell, Inc., Raleigh, NC, Assignee (with 37 CFR 1.172 Interest);

INVENTORS

Steven Francis LeBoeuf, Raleigh, NC;
 Jesse Berkley Tucker, Knightdale, NC;
 Michael Edward Aumer, Raleigh, NC;

**** CONTINUING DATA *******

This application is a CON of 12/691,388 01/21/2010 PAT 8700111
 which claims benefit of 61/208,567 02/25/2009
 and claims benefit of 61/208,574 02/25/2009
 and claims benefit of 61/212,444 04/13/2009
 and claims benefit of 61/274,191 08/14/2009

**** FOREIGN APPLICATIONS *******

**** IF REQUIRED, FOREIGN FILING LICENSE GRANTED ****

03/07/2014

Foreign Priority claimed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Met after Allowance	STATE OR COUNTRY	SHEETS DRAWINGS	TOTAL CLAIMS	INDEPENDENT CLAIMS
35 USC 119(a-d) conditions met <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
Verified and /RODNEY EVAN FULLER/	Initials	NC	21	32	2
Acknowledged	Examiner's Signature				

ADDRESS

MYERS BIGEL SIBLEY & SAJOVEC
 PO BOX 37428
 RALEIGH, NC 27627
 UNITED STATES

TITLE

WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

FILING FEE RECEIVED 2700	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees
		<input type="checkbox"/> 1.16 Fees (Filing)
		<input type="checkbox"/> 1.17 Fees (Processing Ext. of time)
		<input type="checkbox"/> 1.18 Fees (Issue)
		<input type="checkbox"/> Other _____
		<input type="checkbox"/> Credit

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				<i>Complete if Known</i>	
				Application Number	To Be Assigned
				Filing Date	Concurrently Herewith
				First Named Inventor	Steven Francis LeBeouf
				Art Unit	
Sheet	A1	of	A2	Examiner Name	
				Attorney Docket Number	9653-7TSCT

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)			
	1.	US- 2013/0131519	05-2013	LeBoeuf et al.	
	2.	US- 2012/0197093	08-2012	LeBoeuf et al.	
	3.	US- 2011/0105869 A1	05-2011	Wilson et al.	
	4.	US- 2009/0287067 A1	11-2009	Dorogusker et al.	
	5.	US- 2009/0270698 A1	10-2009	Shioi et al.	
	6.	US- 2009/0105556 A1	04-2009	Fricke et al.	
	7.	US- 2009/0054752 A1	02-2009	Jonnalagadda et al.	
	8.	US- 2009/0030350 A1	01-29-2009	Yang et al.	
	9.	US- 2008/0177162 A1	07-2008	Bae et al.	
	10.	US- 2008/0165017 A1	07-2008	Schwartz	
	11.	US- 2008/0096726 A1	04-2008	Riley et al.	
	12.	US- 2008/0076972 A1	03-2008	Dorogusker et al.	
	13.	US- 2006/0009685	01-12-2006	Finarov et al.	
	14.	US- 2005/0228299	10-13-2005	Banet	
	15.	US- 2005/0209516	09-22-2005	Fraden	
	16.	US- 2005/0177034 A1	08-2005	Beaumont	
	17.	US- 8,512,242 B2	08-2013	LeBoeuf et al.	
	18.	US- 8,251,903 B2	08-2012	LeBoeuf et al.	
	19.	US- 8,055,319 B2	11-2011	Oh et al.	
	20.	US- 7,209,775 B2	04-2007	Bae et al.	
	21.	US- 6,859,658 B1	02-2005	Krug	
	22.	US- 6,808,473 B2	10-2004	Hisano et al.	
	23.	US- 6,371,925 B1	04-2002	Imai et al.	
	24.	US- 6,783,501 B2	08-31-2001	Takahashi et al.	
	25.	US- 6,080,110 A	06-2000	Thorgersen	
	26.	US- 6,078,829 A	06-2000	Uchida et al.	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)				
	27	WO 2013/038296 A1	03-21-2013	KONINKLIJKE PHILIPS ELECTRONICS N.V.		
	28	JP 2007-185348	07-26-2007	OLYMPUS CORP		
	29	JP 2001-025462	01-30-2001	DENSO CORP		

Examiner Signature	/Rodney Fuller/	Date Considered	03/26/2014
--------------------	-----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /RF/

Receipt date: 02/19/2014

14184364 - GAU: 2852

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				<i>Complete if Known</i>	
				Application Number	To Be Assigned
				Filing Date	Concurrently Herewith
				First Named Inventor	Steven Francis LeBeouf
				Art Unit	
Examiner Name					
Sheet A2	of	A2	Attorney Docket Number	9653-7TSCT	

	30	JP 2000-116611	04-25-2000	KOWA SPINNING CO LTD; KOWA CO		
	31	JP 9-299342	11-25-1997	IKYO KK		
	32	JP 9-253062	09-30-1997	IKYO KK		
	33	JP 7-241279	09-19-1995	NIPPON KODEN CORP		

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
	34	FITRAINER "The Only Trainer You Need"; http://itami.com ; Downloaded 2/26/2010; ©2008 FITrainer™; 2 pages	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /RF/

Examiner Signature	/Rodney Fuller/	Date Considered	03/26/2014
--------------------	-----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20050043600").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/31 08:57
L2	1	1 and reflective	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 08:59
L3	1	1 and "2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 09:26
L4	1	1 and noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 09:32
L5	1	1 and (ir or infrared)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 09:36
L6	1	1 and (transmitter or remote)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 09:47
L7	1	1 and filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 09:50
L8	0	1 and accelerometer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2014/03/31 10:00

			DERWENT; IBM_TDB			
L9	1	1 and sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 10:01
L10	1	1 and adhesive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 10:06
L11	1	("20090054752").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/31 10:14
L12	55	(("20120197093" or ("20060009685" or ("20040034293" or ("20140088385" or ("20130317329" or ("20130310667" or ("20130281801" or ("20130237772" or ("20130197328" or ("20130165757" or ("20130079609" or ("20130060098" or ("20130046159" or ("20130030259" or ("20120238834" or ("20120179011" or ("20110275915" or ("20100324389" or ("20100298653" or ("20100191080" or ("20100168531" or ("20100081900" or ("20080281174" or ("20070027376" or ("8417309" or ("8326392" or ("7483730" or ("7313425" or ("6253097" or ("5800349" or ("5782757" or ("5638818" or ("5339810" or ("5159929" or ("5596987" or ("5402778" or ("5779631" or ("20130102863" or ("20050043600" or ("20040199063" or ("20040122302" or ("8670814" or ("8229533" or ("7096052" or ("6792300" or ("8452364" or ("8060171" or ("4805623" or ("4830014" or ("5086229" or ("6684091" or ("5055671" or ("20040260161" or ("20090054752" or ("20110105869")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/31 10:23
L13	0	12 and (ir adj filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 10:23
L14	2	12 and (infrared with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/31 10:23
L15	1	("8452364").PN.	US-PGPUB;	OR	OFF	2014/03/31

			USPAT; USOCR			11:31
L16	4	((("20060009685") or ("20100298653") or ("20100168531") or ("5596987")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/31 11:37
S1	66	"8700111"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 08:36
S2	0	("8700111").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 08:36
S3	1	("20100217102").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 08:37
S4	1	S3 and adhesive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 08:37
S5	0	S3 and "ph adj level"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 08:43
S6	1	S3 and lipids	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 08:43
S7	3	("20040034293" "20040054291" "20100217103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:08
S8	26	("20050228299" "6371925" "7209775" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "20050177034" "6783501" "8251903" "20050209516" "20080076972" "20080096726" "20080177162" "6078829" "6808473" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090270698" "8512242" "20090287067" "6080110" "20090030350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:09
S9	26	("20050228299" "6371925" "7209775" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "20050177034" "6783501" "8251903" "20050209516" "20080076972" "20080096726"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:09

		"20080177162" "6078829" "6808473" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090270698" "8512242" "20090287067" "6080110" "20090030350").PN.				
S10	25	("20050228299" "20090131761" "20080154105" "20090088611" "20100217102" "8328420" "20040054291" "5995858" "20110028810" "20060009685" "20050187448" "20050209516" "20080146890" "20080154098" "20120030547" "20080200774" "20070165872" "20070213020" "5143078" "7376451" "20050148883" "20090030350" "20100228315" "20090005662" "20110028813").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:09
S11	28	("20050228299" "7209775" "20080076972" "20120197093" "6371925" "8251903" "20080096726" "20090054752" "6078829" "20100217103" "20060009685" "20050177034" "20090287067" "20130131519" "8055319" "6859658" "20050209516" "20090270698" "8512242" "20040034293" "20080165017" "6080110" "20040054291" "20090030350" "20080177162" "20090105556" "20110105869" "6808473").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:10
S12	49	S7 or S8 or S9 or S10 or S11	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:10
S13	3	("20040034293" "20040054291" "20100217103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:11
S14	26	((("20130131519") or ("20120197093") or ("20110105869") or ("20090287067") or ("20090270698") or ("20090105556") or ("20090054752") or ("20090030350") or ("20080177162") or ("20080165017") or ("20080096726") or ("20080076972") or ("20060009685") or ("20050028299") or ("20050209516") or ("20050177034") or ("8512242") or ("8251903") or ("8055319") or ("7209775") or ("6859658") or ("6808473") or ("6371925") or ("6753501") or ("6080110") or ("6078829")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 10:13
S15	51	S12 or S13 or S14	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 10:14
S16	7361	((600/301) or (600/302) or (600/310) or (600/322) or (600/323) or (600/324)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 10:33
S17	3225	S16 and finger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2014/03/27 10:33

			DERWENT; IBM_TDB			
S18	1889	S17 and oximeter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 10:33
S19	693	S18 and (oximeter with finger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 10:33
S20	46	S19 and lens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 10:57
S21	2	S20 and concentric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 10:59
S22	57	S19 and concentric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 10:59
S23	19	S19 and (light adj (guide or guiding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:01
S24	162	("3461856" "3638640" "3994585" "3998550" "4086915" "4138727" "4167331" "4223680" "4281645" "4321930" "4380240" "4510938" "4714341" "4800495" "4800885" "4824242" "4846183" "4908762" "4972331" "5119815" "5187672").PN. OR ("5402778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:03
S25	15	oximeter and ring and concentric and (light adj (guide or guiding))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:06
S26	37	oximeter and ring and concentric and lens and filter	US-PGPUB; USPAT;	OR	ON	2014/03/27 11:08

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S27	41	oximeter and finger and concentric and lens and filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:09
S28	76	oximeter and (light adj (guide or guiding)) and lens and filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:10
S29	44	oximeter and (light adj (guide or guiding)) and lens and filter and finger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:15
S30	39	S29 AND ((A61B5/14552 OR A61B5/6826 OR A61B5/6838 OR A61B5/7207 OR A61B5/6833 OR A61B5/0059 OR A61B5/14546 OR A61B5/14551 OR A61B5/0084 OR A61B5/0071 OR A61B5/0075 OR A61B5/0086 OR A61B5/1455 OR A61B5/411 OR A61B5/413 OR A61B5/4842 OR A61B5/6825 OR A61B2562/0233 OR A61B2562/043 OR A61B5/14532 OR A61B5/14553 OR A61B5/7475 OR A61B8/06 OR A61B8/4227 OR A61B2562/0242 OR A61B5/0066 OR A61B5/01 OR A61B5/02416 OR A61B5/0402 OR A61B5/0404 OR A61B5/0537 OR A61B5/14558 OR A61B5/412 OR A61B5/6887 OR A61B5/6896 OR A61B2560/0223 OR A61B5/00 OR A61B5/0006 OR A61B5/0008 OR A61B5/0017 OR A61B5/02 OR A61B5/0205 OR A61B5/022 OR A61B5/02433 OR A61B5/02438 OR A61B5/053 OR A61B5/083 OR A61B5/1464 OR A61B5/4519 OR A61B5/6843 OR A61B5/6886 OR A61B5/6897 OR A61B5/7203 OR A61B5/7214 OR A61B5/7257).CPC.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:17
S31	38	(("20120197093") or ("20060009685") or ("20040034293") or ("20140088385") or ("20130317329") or ("20130310667") or ("20130281801") or ("20130237772") or ("20130197328") or ("20130165757") or ("20130079609") or ("20130060098") or ("20130046159") or ("20130030259") or ("20120238834") or ("20120179011") or ("20110275915") or ("20100324389") or ("20100298653") or ("20100191080") or	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 11:19

		("20100168531") or ("20100081900") or ("20080281174") or ("20070027376") or ("8417309") or ("8326392") or ("7483730") or ("7313425") or ("6253097") or ("5800349") or ("5782757") or ("5638818") or ("5339810") or ("5159929") or ("5596987") or ("5402778") or ("5779631") or ("20130102863").PN.				
S32	20	("6132380" "4653498" "5285782" "5692503" "8050728" "20070093701" "20070203406" "5355880" "6393310" "7899510" "20020086432" "4770179" "7029628" "7957780" "4167331" "6397093" "4621643" "5412100" "5435309" "4700798").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:20
S33	17	("20030171662" "20030181799" "20040087845" "20040116787" "20060106294" "20070032710" "20070078317" "20070123756" "20080208023" "20100210924" "5209230" "5237994" "5452717" "6149481" "6546267" "6745061" "6763256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:20
S34	89	("6221012" "6440067" "6454708" "7113932" "7657849" "8033996" "8239784" "20110055132" "20120253485" "8028905" "20130030711" "8157731" "20060017692" "20060197753" "20120226639" "4394317" "7653883" "7844914" "8006002" "8398546" "8126735" "20100277003" "20020109600" "20110068935" "5971941" "7502643" "5564429" "6038315" "6323846" "8157731" "8352211" "8369936" "8381135" "20100234695" "7959567" "20030121033" "20060026536" "20060033724" "5057151" "6570557" "7663607" "7957762" "8204786" "8328718" "8389617" "8390463" "20060066449" "20060098772" "20070174633" "5348008" "20080012701" "20130175732" "3715334" "3814730" "5348008" "7502643" "8044363" "20100141042" "20030023467" "20120184876" "20050113650" "6440067" "6454708" "8033996" "8126729" "8369936" "20050190059" "3813364" "7614008" "8479122" "20120149996" "20020015024" "20060030891" "20090023428" "20090182208" "20090255122" "20120225719" "6221012" "7633076" "8279180" "8378811" "20070149862" "20030143113" "20090112247" "6200289" "5564429" "6416471" "6893396" "8328718" "8378811" "8398546" "20120170521" "3127363" "3775452" "6416471" "6677932" "6893396" "7959567" "8126729"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:20

		"7720855" "20090119760").PN.				
S35	18	("20010049470" "20020019586" "20020099277" "20030166998" "20050165323" "20050240087" "20050261559" "20090131759" "4949551" "5458124" "5564429" "5749365" "5999845" "6443890" "6454708" "6551252" "6602201" "6757392").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:21
S36	1	("20060211930").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:21
S37	4	("20090024011" "5413100" "6501974" "6104938").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:22
S38	10	("20090018409" "20090105556" "5054488" "5273036" "5458124" "6372951" "6385473" "6701170" "7079880" "7343187").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:22
S39	9	("20090076343" "5054488" "5273036" "5458124" "6372951" "6385473" "6701170" "7079880" "7343187").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:23
S40	7	("20020169381" "20050085704" "20070055163" "6608562" "6701618" "6801798" "6983178").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:24
S41	86	("4653498" "5218962" "5398680" "5694930" "5807247" "5820550" "5987343" "6263222" "6537225" "4834532" "4867557" "5279295" "5782756" "5934277" "6215295" "6226540" "6230035" "6356774" "6600940" "6673596" "6741876" "20010005773" "3799672" "4714080" "5111817" "5377674" "5758644" "6181959" "6206830" "6253097" "20020082488" "3998550" "4603700" "4770179" "5216598" "5448991" "5921921" "6163715" "6501974" "7124048" "20020161287" "4796636" "5246002" "5267562" "5503148" "5564417" "5685299" "5692505" "5842981" "6628975" "20010029326" "20010037059" "3638640" "4700708" "4824242" "4942877" "5278627" "5368224" "5823950" "5830137" "5995858" "6011986" "6667803" "20010020123" "4621643" "4913150" "5190038" "5259381" "5645059" "5841536" "6018673" "6036642" "6041247" "6081735" "6115621" "6889153" "4869253" "5058588" "5421329" "5490505" "5632272" "5779630" "5827182" "6044283" "6272363" "6611320").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:25
S42	8	("20020156354" "7272426" "6343223" "20040204635" "5776059" "20030181798" "4685464" "5810724").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:25
S43	22	("20040054290" "5817010" "6537225" "5425360" "6400972" "5782757" "5974337" "6222189" "5057695"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:26

EAST Search History

		"20020077535" "6213952" "6285894" "20030036690" "20020173709" "5069214" "4685464" "6115621" "6801798" "6018673" "4825872" "5152296" "6461305").PN.				
S44	13	("4704126" "4503696" "4521332" "5830291" "5277048" "5673473" "3630334" "5658321" "20010049044" "3839893" "4061508" "6301943" "5114607").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:26
S45	955	("20010005773" "20010020122" "20010021803" "20010039376" "20010044700" "20010051767" "20020026109" "20020028990" "20020035318" "20020038078" "20020038079" "20020042558" "20020049389" "20020062071" "20020068859" "20020111748" "20020128544" "20020133067" "20020133068" "20020156354" "20020161287" "20020161290" "20020165439" "20020173706" "20020173709" "20020190863" "20020198442" "20020198443" "20030018243" "20030023140" "20030036690" "20030045785" "20030055324" "20030060693" "20030073889" "20030073890" "20030100840" "20030132495" "20030135099" "20030139687" "20030144584" "20030162414" "20030171662" "20030176776" "20030181799" "20030187337" "20030195402" "20030197679" "20030212316" "20030220548" "20030220576" "20030225323" "20030225337" "20030236452" "20030236647" "20040006261" "20040010188" "20040024297" "20040024326" "20040034293" "20040039272" "20040039273" "20040054269" "20040054270" "20040054291" "20040059209" "20040059210" "20040064020" "20040068164" "20040087846" "20040092805" "20040097797" "20040098009" "20040107065" "20040116788" "20040116789" "20040117891" "20040122300" "20040122302" "20040127779" "20040133087" "20040133088" "20040138538" "20040138540" "20040143172" "20040147821" "20040147822" "20040147823" "20040147824" "20040152965" "20040158134" "20040158135" "20040162472").PN. OR ("20040171920" "20040171948" "20040176670" "20040176671" "20040181133" "20040181134" "20040186358" "20040199063" "20040204636" "20040204637" "20040204638" "20040204639" "20040204865" "20040210146" "20040215069"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:26

"20040230106"	"20040230107"
"20040230108"	"20040236196"
"20040242980"	"20040249252"
"20040257557"	"20040260161"
"20040267103"	"20040267104"
"20040267140"	"20050004479"
"20050010092"	"20050020887"
"20050020894"	"20050033128"
"20050033129"	"20050043599"
"20050043600"	"20050049470"
"20050049471"	"20050075550"
"20050080323"	"20050101850"
"20050113651"	"20050113656"
"20050168722"	"20050177034"
"20050192488"	"20050197548"
"20050203357"	"20050228248"
"20050267346"	"20050277819"
"20050283059"	"20060009688"
"20060015021"	"20060020181"
"20060030763"	"20060052680"
"20060058594"	"20060058683"
"20060064024"	"20060069319"
"20060079794"	"20060084852"
"20060089547"	"20060106294"
"20060195028"	"20060224058"
"20060247501"	"20060253010"
"20060258921"	"20070027376"
"20070032710"	"20070032712"
"20070032715"	"20070073116"
"20070073126"	"20070106132"
"20070244377"	"20070287898"
"20080009691"	"20080058622"
"20080076980"	"20080076981"
"20080076994"	"20080076995"
"20080076996"	"20080119700"
"20080221413"	"3638640" "3721813"
"4586513"	"4603700" "4621643"
"4653498"	"4685464" "4694833"
"4697593"	"4700708").PN. OR
("4714080"	"4714341" "4759369"
"4770179"	"4773422" "4776339"
"4781195"	"4796636" "4800495"
"4800885"	"4802486" "4805623"
"4807630"	"4807631" "4819646"
"4819752"	"4824242" "4825872"
"4825879"	"4830014" "4832484"
"4846183"	"4848901" "4854699"
"4859056"	"4859057" "4863265"
"4865038"	"4867557" "4869253"
"4869254"	"4880304" "4883055"
"4883353"	"4890619" "4892101"
"4901238"	"4903507" "4908762"
"4911167"	"4913150" "4926867"
"4927264"	"4928692" "4934372"
"4936679"	"4938218" "4942877"
"4948248"	"4955379" "4960126"
"4964408"	"4971062" "4972331"
"4974591"	"4991234" "5007423"
"5025791"	"5028787" "5040039"
"5054488"	"5055671" "5058588"
"5065749"	"5066859" "5069213"
"5078136"	"5084327" "5088493"
"5090410"	"5094239" "5094240"
"5099841"	"5099842" "5104623"

"5109849"	"5111817"	"5113861"
"5119815"	"5122974"	"5125403"
"5127406"	"5131391"	"5140989"
"5152296"	"5154175"	"5158082"
"5167230"	"5170786"	"5188108"
"5190038"	"5193542"	"5193543"
"5203329"	"5209230"	"5213099"
"5216598"	"5217012"	"5217013"
"5218962"	"5224478"	"5226417"
"5228440"	"5237994"	"5239185"
"5239842"	"5246002"	"5246003"
"5247931"	"5247932"	"5249576"
"5253645"	"5253646"	"5259381"
"5259761"	"5263244"	"5267562"
"5267563"	"5273036"	"5275159"
"5279295"	"5285783"	"5285784"
"5287853"	"5291884")	.PN. OR
("5297548"	"5299120"	"5299570"
"5309908"	"5311865"	"5313940"
"5323776"	"5329922"	"5337744"
"5339810"	"5343818"	"5343869"
"5348003"	"5348004"	"5349519"
"5349952"	"5349953"	"5351685"
"5353799"	"5355880"	"5355882"
"5361758"	"5365066"	"5368025"
"5368026"	"5368224"	"5372136"
"5377675"	"5385143"	"5387122"
"5390670"	"5392777"	"5398680"
"5402777"	"5411023"	"5411024"
"5412956"	"5413099"	"5413100"
"5413101"	"5413102"	"5413553"
"5417207"	"5421329"	"5425360"
"5425362"	"5427093"	"5429128"
"5429129"	"5431159"	"5431170"
"5437275"	"5438986"	"5448991"
"5452717"	"5465714"	"5469845"
"5482034"	"5482036"	"5483646"
"5485847"	"5490505"	"5490523"
"5491299"	"5494032"	"5497771"
"5499627"	"5503148"	"5505199"
"5507286"	"5517988"	"5520177"
"5521851"	"5522388"	"5524617"
"5529064"	"5533507"	"5551423"
"5551424"	"5553614"	"5553615"
"5555882"	"5558096"	"5560355"
"5564417"	"5575284"	"5575285"
"5577500"	"5582169"	"5584296"
"5588425"	"5588427"	"5590652"
"5595176"	"5596986"	"5611337"
"5617852"	"5619992"	"5626140"
"5630413"	"5632272"	"5632273"
"5634459"	"5638593"	"5638818"
"5645059"	"5645060"	"5645440"
"5660567"	"5662105"	"5662106"
"5666952"	"5671529"	"5673692"
"5673693"	"5676139"	"5676141"
"5678544"	"5680857"	"5685299"
"5685301"	"5687719"	"5687722"
"5692503"	"5692505")	.PN. OR
("5709205"	"5713355"	"5724967"
"5727547"	"5730124"	"5731582"
"5743260"	"5743263"	"5746206"
"5746697"	"5752914"	"5755226"
"5758644"	"5760910"	"5766125"

"5766127"	"5769785"	"5772587"
"5774213"	"5776058"	"5776059"
"5779630"	"5779631"	"5782237"
"5782756"	"5782757"	"5782758"
"5786592"	"5790729"	"5792052"
"5795292"	"5797841"	"5800348"
"5800349"	"5803910"	"5807246"
"5807247"	"5807248"	"5810723"
"5810724"	"5813980"	"5817008"
"5817009"	"5817010"	"5818985"
"5820550"	"5823950"	"5823952"
"5827182"	"5830135"	"5830136"
"5830137"	"5830139"	"5831598"
"5839439"	"5842979"	"5842981"
"5842982"	"5846190"	"5851178"
"5851179"	"5853364"	"5860919"
"5865736"	"5871442"	"5873821"
"5879294"	"5885213"	"5890929"
"5891021"	"5891022"	"5891024"
"5891025"	"5891026"	"5902235"
"5910108"	"5911690"	"5912656"
"5913819"	"5916154"	"5916155"
"5919133"	"5919134"	"5920263"
"5921921"	"5922607"	"5924979"
"5924980"	"5924982"	"5924985"
"5934277"	"5934925"	"5940182"
"5954644"	"5960610"	"5961450"
"5961452"	"5964701"	"5971930"
"5978691"	"5978693"	"5983122"
"5987343"	"5991648"	"5995855"
"5995856"	"5995858"	"5995859"
"5997343"	"5999834"	"6002952"
"6005658"	"6006120"	"6011985"
"6011986"	"6014576"	"6018673"
"6018674"	"6022321"	"6023541"
"6026312"	"6026314"	"6031603"
"6035223"	"6036642")	PN. OR
("6041247"	"6044283"	"6047201"
"6061584"	"6064898"	"6064899"
"6067462"	"6073038"	"6078833"
"6081735"	"6081742"	"6083157"
"6083172"	"6088607"	"6094592"
"6095974"	"6104938"	"6112107"
"6113541"	"6115621"	"6120460"
"6122535"	"6133994"	"6134460"
"6135952"	"6144444"	"6144867"
"6144868"	"6149481"	"6150951"
"6151107"	"6151518"	"6152754"
"6154667"	"6157850"	"6163715"
"6165005"	"6173196"	"6178343"
"6181958"	"6181959"	"6184521"
"6188470"	"6192260"	"6195575"
"6198951"	"6206830"	"6213952"
"6217523"	"6222189"	"6226539"
"6226540"	"6229856"	"6230035"
"6233470"	"6236871"	"6236872"
"6240305"	"6253097"	"6253098"
"6256523"	"6256524"	"6261236"
"6263221"	"6263222"	"6263223"
"6266546"	"6266547"	"6272363"
"6278522"	"6280213"	"6280381"
"6285894"	"6285895"	"6285896"
"6298252"	"6308089"	"6312393"
"6321100"	"6330468"	"6334065"

"6339715"	"6343223"	"6343224"
"6349228"	"6351658"	"6353750"
"6356774"	"6360113"	"6360114"
"6361501"	"6363269"	"6370408"
"6370409"	"6374129"	"6377829"
"6381479"	"6381480"	"6385471"
"6385821"	"6388240"	"6393310"
"6397091"	"6397092"	"6397093"
"6400971"	"6400972"	"6402690"
"6408198"	"6411832"	"6411833"
"6415236"	"6419671"	"6421549"
"6430423"	"6430513"	"6430525"
"6434408"	"6438399"	"6449501"
"6453183"	"6453184"	"6456862"
"6461305"	"6463310")	.PN. OR
("6463311"	"6466808"	"6466809"
"6470199"	"6470200"	"6480729"
"6487439"	"6490466"	"6496711"
"6498942"	"6501974"	"6501975"
"6505060"	"6505061"	"6505133"
"6510329"	"6510331"	"6512937"
"6515273"	"6519484"	"6519486"
"6519487"	"6525386"	"6526300"
"6526301"	"6541756"	"6542764"
"6544193"	"6546267"	"6549795"
"6553241"	"6553242"	"6553243"
"6556852"	"6560470"	"6564077"
"6564088"	"6571113"	"6571114"
"6574491"	"6580086"	"6584336"
"6587703"	"6587704"	"6589172"
"6591122"	"6591123"	"6594511"
"6594512"	"6594513"	"6597931"
"6597933"	"6600940"	"6606509"
"6606510"	"6606511"	"6606512"
"6615064"	"6615065"	"6618042"
"6618602"	"6622034"	"6622095"
"6628975"	"6631281"	"6643530"
"6643531"	"6647279"	"6647280"
"6650917"	"6650918"	"6654621"
"6654622"	"6654623"	"6654624"
"6658276"	"6658277"	"6662030"
"6662033"	"6665551"	"6668182"
"6668183"	"6671526"	"6671528"
"6671530"	"6671531"	"6671532"
"6675031"	"6678543"	"6681126"
"6681128"	"6681454"	"6684090"
"6684091"	"6690958"	"6694160"
"6697653"	"6697655"	"6697656"
"6697658"	"6699194"	"6699199"
"6701170"	"6702752"	"6707257"
"6708048"	"6708049"	"6709402"
"6711424"	"6711425"	"6714245"
"6714803"	"6714804"	"6714805"
"6719686"	"6719705"	"6720734"
"6721584"	"6721585"	"6725074"
"6725075"	"6731274"	"6731963"
"6731967"	"6735459")	.PN. OR
("6745060"	"6745061"	"6748253"
"6748254"	"6754515"	"6754516"
"6760607"	"6760609"	"6760610"
"6763255"	"6763256"	"6770028"
"6771994"	"6773397"	"6778923"
"6780158"	"6785568"	"6792300"
"6793654"	"6801797"	"6801798"

		"6801799" "6801802" "6802812" "6805673" "6810277" "6813511" "6816741" "6819950" "6822564" "6825619" "6826419" "6829496" "6830711" "6836679" "6839579" "6839580" "6839582" "6839659" "6842635" "6845256" "6850053" "6850787" "6850788" "6850789" "6861639" "6863652" "6865407" "6873865" "6879850" "6882874" "6889153" "6898451" "6898452" "6909912" "6912413" "6916289" "6920345" "6931269" "6934570" "6939307" "6941162" "6947780" "6947781" "6949081" "6950687" "6961598" "6963767" "6971580" "6983178" "6985763" "6985764" "6990426" "6992751" "6992772" "6993371" "6993372" "6996427" "7003338" "7003339" "7006855" "7006856" "7016715" "7020507" "7024233" "7024235" "7025728" "7027849" "7027850" "7030749" "7035697" "7039449" "7043289" "7047055" "7047056" "7060035" "7062307" "7067893" "7072701" "7072702" "7079880" "7085597" "7096052" "7096054" "7107088" "7113815" "7123950" "7127278" "7130671" "7132641" "7133711" "7139599" "7142901" "7162288" "7162306" "7190987" "7198778" "7209775" "7215984" "7225006" "7236811" "7236881" "7245953" "7248910" "7254433").FN. OR ("7254434" "7263395" "7272426" "7280858" "7295866" "7305262" "7315753" "7373193" "D393830" "H001039" "RE33643" "RE35122" "RE36000" "RE38476" "RE38492").FN. OR ("8417309").URPN.				
S46	16	("20030171662" "20030181799" "20040087845" "20040116787" "20060106294" "20070032710" "20070078317" "20070123756" "20100210924" "5209230" "5237994" "5452717" "6149481" "6546267" "6745061" "6763256").FN. OR ("8326392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27
S47	234	("2567926" "3103214" "3463142" "3482565" "3704706" "4129124" "4321930" "4334544" "4350165" "4380240" "4406289" "4528986" "4621643" "4685464" "4700708" "4824242" "4825872" "4825879" "4830014" "4859057" "4865038" "4867165" "4880304" "4907594" "4913150" "4927264" "4938218" "4960128" "4964408" "4974591" "5031608" "5058588" "5080098" "5086229" "5099842" "5109848" "5109849" "5125403" "5163438" "5170786" "5209230" "5217013" "5224478" "5226417" "5246003"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27

		"5337744" "5390670" "5431170" "5452717" "5469845" "5482036" "5490505" "5494043" "5520177" "5533511" "5584296" "5590649" "5632272" "5638816" "5638818" "5645440" "5685299" "5743262" "5758644" "5760910" "5769785" "5782757" "5785659" "5791347" "5810734" "5823950" "5830131" "5833618" "5860919" "5890929" "5904654" "5919134" "5934925" "5940182" "5995855" "5997343" "6002952" "6011986" "6027452" "6036642" "6045509" "6067462" "6081735" "6088607" "6110522" "6151516" "6152754" "6157850" "6165005" "6184521" "6206830" "6229856" "6236872" "6256523" "6263222" "6278522" "6280213" "6285896" "6334065" "6349228" "6360114" "6371921" "6377829" "6388240" "6397091" "6430525" "6463311" "6470199" "6501975" "6515273" "6525386" "6526300" "6541756" "6542764" "6580086" "6584336" "6597933" "6606511" "6632181" "6640116").PN. OR ("6643530" "6650917" "6654624" "6658276" "6671531" "6678543" "6684090" "6697656" "6697658" "6699194" "6714804" "6725075" "6745060" "6760607" "6770028" "6771994" "6792300" "6813511" "D393830" "RE36000" "RE38476" "RE38492").PN. OR ("7483730").URPN.				
S48	118	("20020077535" "20020173709" "20030036690" "20040054290" "4685464" "4825872" "5057695" "5069214" "5152296" "5425360" "5782757" "5817010" "5974337" "6018673" "6115621" "6213952" "6222189" "6285894" "6400972" "6461305" "6537225" "6801798").PN. OR ("7313425").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27
S49	211	("4167331" "4663913" "4669466" "4732148" "5068869" "5070509" "5209230" "5284477" "5313940" "5339810" "5357953" "5368025" "5480396" "5511546" "5645550" "6026312").PN. OR ("6253097").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27
S50	190	("4167331" "4266554" "4586513" "4623248" "4700708" "4714080" "4714341" "4784150" "4796636" "4805623" "4807631" "4819752" "4822568" "4824242" "4859057" "4869253" "4869254" "4880304" "4928692" "5028787" "5048524" "5080098" "5119815" "5188108" "5219400" "5246002" "5259381" "5300769" "5313940" "5348004" "5351685" "5355882" "5368224" "5372136" "5379238" "5408998" "5490523" "5503148" "5551422"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27

EAST Search History

		"5553615" "Re33643").PN. OR ("5800349").URPN.					
S51	426	("2567926" "3482565" "4350165" "4380240" "4406289" "4700708" "4825872" "4825879" "4830014" "4859057" "4865038" "4928691" "4938218" "4964408" "4974591" "5109849" "5125403" "5170786" "5217013" "5246003" "5337744" "5452717" "5469845" "5520177" "5584296").PN. OR ("5782757").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27	
S52	278	("2706927" "2790438" "3068742" "3412729" "3461856" "3638640" "3704706" "3709612" "3866599" "3998550" "4014321" "4029085" "4086915" "4119406" "4129125" "4167331" "4222389" "4223680" "4224948" "4259963" "4266554" "4281645" "4321930" "4380240" "4416285" "4447884" "4452250" "4469107" "4576173" "4648892" "4655225" "4700708" "4714341" "4738267" "4773422" "4774679" "4800495" "4800885" "4805623" "4824242" "4846183" "4869254" "4880304" "4908762" "4926867" "5035243" "5057695" "5088493" "5090415" "5139025" "5213105" "5218962" "5277181" "5431170" "5551423").PN. OR ("5779631").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27	
S53	390	("3103214" "3463142" "3704706" "4129124" "4321930" "4334544" "4380240" "4528986" "4621643" "4824242" "4825872" "4825879" "4865038" "4867165" "4880304" "4907594" "4913150" "4927264" "4928691" "4938218" "5031608" "5058588" "5080098" "5086229" "5099842" "5109848" "5125403" "5224478").PN. OR ("5638818").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:27	
S54	123	("3068742" "3412729" "3461856" "3638640" "3709612" "3866599" "3994585" "3998550" "4086915" "4119406" "4138727" "4162405" "4167331" "4223680" "4281645" "4321930" "4380240" "4416285" "4510938" "4612938" "4800885" "4805623" "4824242" "4846183" "4908762" "4972331" "5106387" "5119815" "5187672").PN. OR ("5596987").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:28	
S55	162	("3461856" "3638640" "3994585" "3998550" "4086915" "4138727" "4167331" "4223680" "4281645" "4321930" "4380240" "4510938" "4714341" "4800495" "4800885" "4824242" "4846183" "4908762" "4972331" "5119815" "5187672").PN. OR ("5402778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:28	
S56	148	("3638640" "4510938" "4611600" "4636636" "4684245" "4685464" "4690492" "4736100" "4761047"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:28	

		"4776339" "4830014" "4867165" "4883055" "4913150" "4938218" "4944568" "4964408" "4972074" "4974929" "4982083" "4993803" "5007704" "5035243" "5054488" "5069213" "5088493" "5090410" "5140989" "5170786" "5209230").PN. OR ("5339810").URPN.				
S57	50	("4516074" "4613820" "4638253" "4642569" "4727328" "4733189" "4737716" "4763075" "4793356" "4794338" "4795975" "4801489" "4808957" "4871883" "4871969" "4896001" "4910090").PN. OR ("5159929").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:28
S58	1967	S31 or S32 or S33 or S34 or S35 or S36 or S37 or S38 or S39 or S40 or S41 or S42 or S43 or S44 or S46 or S45 or S47 or S50 or S49 or S52 or S57 or S53 or S54 or S55 or S51 or S56	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:33
S59	1266	S58 and oximeter	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:33
S60	127	S59 and lens	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:34
S61	127	S59 and lens	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:34
S62	181	("3647299" "3998550" "4805623" "4830014" "5368025" "5786592" "5800349" "5810724" "5891021" "5957840" "6026312" "6047201" "6144868" "RE36000").PN. OR ("6546267").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:38
S63	1094	S59 not S62	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:44
S64	121	S63 and lens	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:44
S65	973	S63 not S64	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:46
S66	613	S65 and noise	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:46
S67	69	S65 and concentric	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:46
S68	904	S65 not S67	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:48
S69	1102	S58 and filter	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:48
S70	476	S68 and filter	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 11:48

S71	32	oximeter with ring with finger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:50
S72	2	S71 and (guide or guiding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 11:51
S73	53	(("20120197093") or ("20060009685") or ("20040034293") or ("20140088385") or ("20130317329") or ("20130310667") or ("20130281801") or ("20130237772") or ("20130197328") or ("20130165757") or ("20130079609") or ("20130060098") or ("20130046159") or ("20130030259") or ("20120238834") or ("20120179011") or ("20110275915") or ("20100324389") or ("20100298653") or ("20100191080") or ("20100168531") or ("20100081900") or ("20080281174") or ("20070027376") or ("8417309") or ("8326392") or ("7483730") or ("7313425") or ("6253097") or ("5800349") or ("5782757") or ("5638818") or ("5339810") or ("5159929") or ("5596987") or ("5402778") or ("5779631") or ("20130102863") or ("20050043600") or ("20040199063") or ("20040122302") or ("8670814") or ("8229533") or ("7096052") or ("6792300") or ("8452364") or ("8060171") or ("4805623") or ("4830014") or ("5086229") or ("6684091") or ("5055671") or ("20040260161")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 11:53
S76	53	(("20120197093") or ("20060009685") or ("20040034293") or ("20140088385") or ("20130317329") or ("20130310667") or ("20130281801") or ("20130237772") or ("20130197328") or ("20130165757") or ("20130079609") or ("20130060098") or ("20130046159") or ("20130030259") or ("20120238834") or ("20120179011") or ("20110275915") or ("20100324389") or ("20100298653") or ("20100191080") or ("20100168531") or ("20100081900") or ("20080281174") or ("20070027376") or ("8417309") or ("8326392") or ("7483730") or ("7313425") or ("6253097") or ("5800349") or ("5782757") or ("5638818") or ("5339810") or ("5159929") or ("5596987") or ("5402778") or ("5779631") or ("20130102863") or ("20050043600") or ("20040199063") or ("20040122302") or ("8670814") or ("8229533") or ("7096052") or	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 15:25

EAST Search History

		("6792300") or ("8452364") or ("8060171") or ("4805623") or ("4830014") or ("5086229") or ("6684091") or ("5055671") or ("20040260161").PN.				
S77	0	S76 and (phosphor\$10 with wavelength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 15:26
S78	0	S76 and (phosphor with wavelength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 15:26
S79	3	("20040034293" "20040054291" "20100217103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S80	26	("20050228299" "6371925" "7209775" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "20050177034" "6783501" "8251903" "20050209516" "20080076972" "20080096726" "20080177162" "6078829" "6808473" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090270698" "8512242" "20090287067" "6080110" "20090030350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S81	26	("20050228299" "6371925" "7209775" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "20050177034" "6783501" "8251903" "20050209516" "20080076972" "20080096726" "20080177162" "6078829" "6808473" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090270698" "8512242" "20090287067" "6080110" "20090030350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S82	25	("20050228299" "20090131761" "20080154105" "20090088611" "20100217102" "8328420" "20040054291" "5995858" "20110028810" "20060009685" "20050187448" "20050209516" "20080146890" "20080154098" "20120030547" "20080200774" "20070165872" "20070213020" "5143078" "7376451" "20050148883" "20090030350" "20100228315" "20090005662" "20110028813").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S83	28	("20050228299" "7209775" "20080076972" "20120197093" "6371925" "8251903" "20080096726" "20090054752" "6078829"	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26

EAST Search History

		"20100217103" "20060009685" "20050177034" "20090287067" "20130131519" "8055319" "6859658" "20050209516" "20090270698" "8512242" "20040034293" "20080165017" "6080110" "20040054291" "20090030350" "20080177162" "20090105556" "20110105869" "6808473").PN.				
S84	49	S79 or S80 or S81 or S82 or S83	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S85	3	("20040034293" "20040054291" "20100217103").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S86	26	((("20130131519" or ("20120197093" or ("20110105869" or ("20090287067" or ("20090270698" or ("20090105556" or ("20090054752" or ("20090030350" or ("20080177162" or ("20080165017" or ("20080096726" or ("20080076972" or ("20060009685" or ("20050028299" or ("20050209516" or ("20050177034" or ("8512242" or ("8251903" or ("8055319" or ("7209775" or ("6859658" or ("6808473" or ("6371925" or ("6753501" or ("6080110" or ("6078829")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/27 15:26
S87	51	S84 or S85 or S86	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:26
S88	4	S87 and phosphor	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:27
S89	101	S76 or S87	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:29
S90	4	S89 and phosphor	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:29
S91	23	S89 and lens	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:30
S92	15	S76 and lens	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/27 15:30
S93	31	S76 and noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/03/27 15:34
S94	55	((("20120197093" or ("20060009685" or ("20040034293" or ("20140088385" or ("20130317329" or ("20130310667" or ("20130281801" or ("20130237772" or ("20130197328" or ("20130165757" or ("20130079609" or ("20130060098" or ("20130046159" or ("20130030259" or	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/28 10:22

EAST Search History

		("20120238834") or ("20120179011") or ("20110275915") or ("20100324389") or ("20100298653") or ("20100191080") or ("20100168531") or ("20100081900") or ("20080281174") or ("20070027376") or ("8417309") or ("8326392") or ("7483730") or ("7313425") or ("6253097") or ("5800349") or ("5782757") or ("5638818") or ("5339810") or ("5159929") or ("5596987") or ("5402778") or ("5779631") or ("20130102863") or ("20050043600") or ("20040199063") or ("20040122302") or ("8670814") or ("8229533") or ("7096052") or ("6792300") or ("8452364") or ("8060171") or ("4805623") or ("4830014") or ("5086229") or ("6684091") or ("5055671") or ("20040260161") or ("20090054752") or ("20110105869").PN.				
S95	0	S94 and phoshor	US-PGPUB; USPAT; USOCR	OR	ON	2014/03/28 10:23
S96	1	("20140088385").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/28 10:37
S97	3	((("20100217103") or ("20040054291") or ("20040034293")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/03/30 12:25

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	0	(ear and light and guide and tragus and concha and emitter and detector).clm.	USPAT; UPAD	OR	ON	2014/03/30 12:50

3/ 31/ 2014 11:45:05 AM

C:\Users\rfuller\Documents\EAST\Workspaces\rodney9.wsp

INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete if Known	
				Application Number	14/184,364
				Filing Date	February 19, 2014
				First Named Inventor	Steven Francis LeBoeuf
				Art Unit	2878
				Examiner Name	
Sheet	B1	of	B1	Attorney Docket Number	9653-7TSCT

U.S. PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Document Number		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)				
	1.	US-	2010/0217103 A1	08-26-2010	Abdul-Hafiz et al.	
	2.	US-	2004/0054291 A1	03-18-2004	Schultz et al.	
	3.	US-	2004/0034293 A1	02-19-2004	Kimball	


FOREIGN PATENT DOCUMENTS							
Examiner Initials*	Cite No.	Foreign Patent Document		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)					

NON PATENT LITERATURE DOCUMENTS				
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published		T
	4.	Notification of Transmittal of The International Search Report and The Written Opinion of the International Searching Authority, or the Declaration corresponding to International Application No. PCT/US2013/070271; Date of Mailing: February 26, 2014; International Search Report; Written Opinion of the International Searching Authority; 13 pages		

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /RF/

Examiner Signature	/Rodney Fuller/	Date Considered	03/26/2014
--------------------	-----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Search Notes 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED		
Symbol	Date	Examiner

US CLASSIFICATION SEARCHED			
Class	Subclass	Date	Examiner
600	310	3/31/2014	/RF/

SEARCH NOTES		
Search Notes	Date	Examiner
600/301, 302, 310, 322, 323, 324 (w/ text search)	3/31/2014	/RF/
East text search history printout	3/31/2014	/RF/

INTERFERENCE SEARCH			
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner

	/RODNEY FULLER/ Primary Examiner.Art Unit 2852
--	---

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.

Confirmation No.: 1023

Serial No.: 14/184,364

Group Art Unit: 2852

Filed: February 19, 2014

Examiner: Rodney Evan Fuller

For: **WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR
PHYSIOLOGICAL MONITORING**

Date: June 9, 2014

Mail Stop Amendment
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION OF APRIL 2, 2014

Applicants provide the present Response to address the issues raised in the Office Action (the "Action") mailed April 2, 2014. Applicants provide the present Response pursuant to the rules stated in revised 37 C.F.R. 1.121 that became effective on July 30, 2003.

It is not believed that an extension of time and/or additional fee(s)-including fees for net addition of claims-are required, beyond those that may otherwise be provided for in documents accompanying this paper. In the event, however, that an extension of time is necessary to allow consideration of this paper, such an extension is hereby petitioned under 37 C.F.R. §1.136(a). Any additional fees believed to be due in connection with this paper may be charged to our Deposit Account No. 50-0220.

Amendments to the drawings begin on Page 2 of this paper.

Amendments to the Specification begin on Page 3 of this paper.

Amendments to the claims begin on Page 5 of this paper.

Remarks begin on Page 12 of this paper.

In re: LeBocuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 2

In the Drawings:

The attached replacement sheet 20/21 containing Figs. 22A and 22B replaces the existing sheet 20/21 containing Figs. 22A and 22B of the drawings.

The attached replacement sheet 21/21 containing Fig. 23 replaces the existing sheet containing Fig. 23 of the drawings.

Attachment: Replacement Sheets

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 3

In the Specification:

On page 1, line 1, please amend the RELATED APPLICATIONS section as follows:

RELATED APPLICATIONS

This application is a continuation application of pending U.S. Patent Application Serial No. 12/691,388, filed January 21, 2010, now U.S. Patent No. 8,700,111, which claims the benefit of and priority to U.S. Provisional Patent Application No. 61/208,567 filed 02/25/2009, U.S. Provisional Patent Application No. 61/208,574 filed 02/25/2009, U.S. Provisional Patent Application No. 61/212,444 filed 4/13/2009, and U.S. Provisional Patent Application No. 61/274,191 filed 8/14/2009, the disclosures of which are incorporated herein by reference as if set forth in their entireties.

Please amend the paragraph beginning on page 43, line 28 of the specification as follows:

-- In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the finger F. There may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses 74w_L such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of a finger F and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows 74w may include optical filters 74w_F to selectively pass one or more optical wavelengths and reflect and/or absorb other optical wavelengths. --

Please amend the paragraph beginning on page 45, line 25 of the specification as follows:

-- In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the body of a subject. There may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses 74w_L such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of the body of a subject and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 4

74w may include optical filters 74w_F to selectively pass one or more optical wavelengths and reflect and/or absorb other optical wavelengths. --

Please amend the paragraph beginning on page 46, line 7 of the specification as follows:

-- The illustrated monitoring device 70' may be removably attached to the body of a subject via adhesive on one or more portions of the device 70'. In some embodiments, adhesive 75 may be on the inner body portion 74. In embodiments where the outer body portion is utilized, the adhesive may be on the outer body portion 72 [[74]]. In some embodiments, the illustrated device 70' may be removably attached to the body of a subject via tape or other known devices. --

This listing of claims replaces all prior versions in the application.

Listing of Claims:

1. (Currently Amended) A monitoring device, comprising:
a band ~~capable of encircling~~ configured to at least partially encircle a portion of the body of a subject, ~~the band comprising:~~
 - a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship, the inner body portion comprising light transmissive material, and having outer and inner surfaces;
 - a layer of cladding material near the inner body portion inner surface; and
 - at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject; andat least one an optical emitter and at least one an optical detector attached to the band;
wherein the ~~band comprises~~ light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector ~~that and~~ is configured to deliver light from the at least one optical emitter to one or more locations of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector.
2. (Original) The monitoring device of Claim 1, wherein the portion of the body comprises a limb, a nose, an earlobe, and/or a digit.
3. (Cancelled)
4. (Currently Amended) The monitoring device of Claim 1, wherein the band comprises a lens region in optical communication with the at least one optical emitter that focuses light emitted by the at least one optical emitter ~~and/or that collects light reflected from the body.~~
5. (Cancelled)

6. (Currently Amended) The monitoring device of Claim 1, ~~wherein the band has an outer surface and an inner surface, and~~ further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces.

7. (Currently Amended) The monitoring device of Claim 6, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light reflected by the light reflective reflection material and detected by the second optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the first optical detector.

8. (Currently Amended) The monitoring device of Claim 1, further comprising a signal processor configured to receive and process signals produced by the at least one optical detector.

9. (Original) The monitoring device of Claim 1, further comprising a transmitter configured to transmit signals processed by the signal processor to a remote device.

10. (Currently Amended) The monitoring device of Claim 1, wherein the at least one window comprises at least two windows, and further comprising light blocking material positioned between the at least one optical emitter and the at least one optical detector such that the at least one optical emitter and the at least one optical detector are not in direct optical communication with each other.

11. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength.

12. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

13. (Currently Amended) The monitoring device of Claim 12, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light blocked by the optical filter and detected by the second optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the first optical detector.

14-17. (Cancelled)

18. (Currently Amended) A monitoring device configured to be attached to the body of a subject, comprising:

an outer layer and an inner layer secured together, the inner layer comprising light transmissive material, and having inner and outer surfaces;

a base secured to at least one of the outer and inner layers and comprising at least one an optical emitter and at least one an optical detector; and

light transmissive material attached to the base

a layer of cladding material near the outer surface of the inner layer; and

at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject,

wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector, and is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector; and wherein at least one portion of the monitoring device comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

19. (Currently Amended) The monitoring device of Claim 18, ~~further comprising an outer body portion attached to the base and to the light transmissive material,~~ wherein the outer layer body portion and/or inner layer comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

20. (Currently Amended) The monitoring device of Claim 18, wherein the light transmissive material comprises a lens region in optical communication with the at least one optical emitter that focuses light emitted by the at least one optical emitter ~~and/or that collects light reflected from the body.~~

21. (Cancelled)

22. (Currently Amended) The monitoring device of Claim 18, ~~wherein the light transmissive material has an outer surface and an inner surface, and further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces~~ of the inner layer.

23. (Currently Amended) The monitoring device of Claim 22 ~~[[18]]~~, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of the reflected light reflected by the light reflective material and detected by at least one the second optical detector is processed by the signal processor as a motion noise reference for attenuating motion noise from the optical detector signals produced by the first optical detector.

24. (Original) The monitoring device of Claim 18, wherein the monitoring device further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

25. (Currently Amended) The monitoring device of Claim 24, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of the light not passed by the optical filter and detected by at least one the second optical detector is processed by the signal processor as a motion noise reference for attenuating motion noise from the optical detector signals produced by the first optical detector.

26. (Currently Amended) The monitoring device of Claim 18, wherein the base comprises a signal processor configured to receive and process signals produced by the at least one optical detector.

27. (Original) The monitoring device of Claim 18, wherein the base comprises a transmitter configured to transmit signals processed by the signal processor to a remote device.

28. (Currently Amended) The monitoring device of Claim 18, wherein the at least one window comprises at least two windows, and further comprising light blocking material positioned between the at least one optical emitter and the at least one optical detector such that the at least one optical emitter and the at least one optical detector are not in direct optical communication with each other.

29-32. (Cancelled)

33. (New) A monitoring device configured to be attached to the body of a subject, comprising:

a first layer comprising light transmissive material, the first layer having inner and outer surfaces;

a base secured to the first layer and comprising at least one optical emitter and at least one optical detector;

a layer of cladding material near the inner and outer surfaces of the first layer; and
at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject,

wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector, and is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector.

34. (New) The monitoring device of Claim 33, wherein the first layer comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject.

35. (New) The monitoring device of Claim 33, wherein the light transmissive material comprises a lens region in optical communication with the at least one optical emitter that focuses light emitted by the at least one optical emitter.

36. (New) The monitoring device of Claim 33, further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces of the first layer.

37. (New) The monitoring device of Claim 36, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light reflected by the light reflective material and detected by the second optical detector is processed by the signal processor as a motion noise reference for attenuating motion noise from signals produced by the first optical detector.

38. (New) The monitoring device of Claim 33, wherein the monitoring device further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

39. (New) The monitoring device of Claim 38, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light not passed by the optical filter and detected by the second optical detector is processed by the signal processor as a motion noise reference for attenuating motion noise from signals produced by the first optical detector.

40. (New) The monitoring device of Claim 33, wherein the base comprises a signal processor configured to receive and process signals produced by the at least one optical detector.

41. (New) The monitoring device of Claim 33, wherein the base comprises a transmitter configured to transmit signals processed by the signal processor to a remote device.

42. (New) The monitoring device of Claim 33, wherein the at least one window comprises at least two windows, and further comprising light blocking material positioned between the at least one optical emitter and the at least one optical detector such that the at least one optical emitter and the at least one optical detector are not in direct optical communication with each other.

REMARKS

After the above amendments, Claims 1, 2, 4, 6-13, 18-20, and 22-28 are pending.

The drawings are objected to under 37 CFR 1.83(a).

Claims 17 and 32 stand rejected under 35 U.S.C. §112(a), first paragraph, as failing to comply with the enablement requirement.

Claims 1-4, 6-10, 14-20, 22, 23, and 26-32 stand rejected under 35 U.S.C. §102(b) as being anticipated by U.S. Patent Application Publication No. 2005/0043600 to Diab et al. ("Diab").

Claims 5 and 21 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Diab in view of U.S. Patent Application Publication No. 2009/0054752 to Jonnalagadda et al. ("Jonnalagadda").

Claims 11-13, 24, and 25 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Diab in view of U.S. Patent No. 5,086,229 to Rosenthal et al. ("Rosenthal").

Applicants have amended Claims 1, 4, 6, 7, 8, 10, 13, 18-20, 22, 23, 25, 26, and 28, as indicated above, for clarification. Claims 3, 5, 14-17, 21, and 29-32 have been cancelled without prejudice or disclaimer. New Claims 33-42 have been added.

Applicants respectfully traverse the rejections under §112, §102, and §103 for at least the reasons described herein.

Telephonic Interview

Applicants appreciate the Examiner's courtesy and professionalism in discussing the Action during a telephone interview on May 27, 2014. The present Remarks will document patentability of the claims and will also provide an interview summary for this interview.

During the telephone interview, a draft set of amended claims, submitted to the Examiner prior to the telephone interview, was discussed relative to U.S. Patent Application Publication No. 2005/0043600 to Diab et al., U.S. Patent Application Publication No. 2009/0054752 to Jonnalagadda et al., and U.S. Patent No. 5,086,229 to Rosenthal et al. In addition, U.S. Patent Application Publication No. 2005/0209516 to Fraden was discussed with respect to independent Claim 18.

The above constitutes a complete summary of the telephone interview with the Examiner on May 27, 2014.

Drawing Objections

The drawings are objected to because Figs. 22A, 22B, and 23 allegedly do not illustrate the following features of the claims:

- a. (Claim 4): "a lens region"
- b. (Claim 5): "a phosphor-containing region"
- c. (Claim 11): "at least one optical filter"
- d. (Claim 12): "at least one optical filter"
- e. (Claim 14): "an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor"
- f. (Claim 15): "at least one accelerometer"
- g. (Claim 16): "at least one accelerometer"
- h. (Claim 19): "adhesive in one or more locations"
- i. (Claim 20): "a lens region"
- j. (Claim 21): "a phosphor-containing region"
- k. (Claim 24): "at least one optical filter"
- l. (Claim 25): "the optical filter"
- m. (Claim 29): "an accelerometer, a capacitive sensor, an inertial sensor, a mechanical sensor, an electromagnetic sensor, a thermal sensor, a nuclear radiation sensor, a biological sensor"
- n. (Claim 30): "at least one accelerometer"
- o. (Claim 31): "at least one accelerometer"

Applicants have provided replacement sheets for Figs. 22B and 23. Specifically, Applicants have amended Figs. 22B and 23 to illustrate a lens region 74w_L. Support for this feature can be found in the specification at page 43, lines 31-32 and page 45, lines 28-29. No new matter has been entered.

Applicants have amended Figs. 22B and 23 to illustrate an optical filter 74w_F. Support for this feature can be found in the specification at page 43, line 34 – page 44, line 2 and page 45, lines 32-33. No new matter has been entered.

Applicants have amended Fig. 23 to illustrate adhesive 75. Support for this feature can be found in the specification at page 46, lines 7-9. No new matter has been entered.

Claims 5, 14-16, 21, and 29-31 have been cancelled without prejudice or disclaimer.

In view of the above, the objections to the drawings are overcome.

Specification Objections

The specification is objected to because the status of Patent Application No. 12/691,388 does not include the issued patent status. Applicants have amended the specification as indicated above to include the issued patent status. As such, the objection to the specification is overcome.

Section 112 Rejections

Claims 17 and 32 stand rejected under 35 U.S.C. §112(a), first paragraph, as failing to comply with the enablement requirement. Applicants have cancelled Claims 17 and 32 without prejudice or disclaimer. As such, the rejections of Claims 17 and 32 are rendered moot.

Section 102 Rejections

Claims 1-4, 6-10, 14-20, 22, 23, and 26-32 stand rejected under 35 U.S.C. §102(b) as being anticipated by Diab. Applicants respectfully traverse the rejection because Diab does not teach or suggest all of the recitations of amended independent Claims 1 and 18. For example, amended independent Claim 1 recites a monitoring device, comprising:

a band configured to at least partially encircle a portion of the body of a subject, the band comprising:

a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship, the inner body portion comprising light transmissive material, and having outer and inner surfaces;

a layer of cladding material near the inner body portion inner surface; and

at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject; and

at least one optical emitter and at least one optical detector attached to the band;

wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector and is configured to deliver light from the at least one optical emitter to one or more locations of the body of the subject *via the at least one window* and to collect light from one or more locations of the body of the subject *via the at least one window* and deliver the collected light to the at least one optical detector.

Fig. 22B from Applicants' application is set forth below and illustrates a monitoring device 70, as recited in Claim 1.




FIG. 22B

The illustrated monitoring device 70 includes a generally circular band capable of encircling a finger F of a subject, with a cylindrical outer body portion 72 and a generally cylindrical inner body portion 74 secured together in concentric relationship. (Specification, page 42, lines 27-31.) A layer of cladding material 21 is applied to (or near) the outer surface 74a of the inner body portion 74 and a layer of cladding material 21 is applied to (or near) the inner surface 74b of the inner body portion 74 to define a light-guiding region 19. The inner body portion 74 serves as a light guide that delivers light from the optical emitter 24 to the finger F of a subject at one or more predetermined locations and that collects light from the finger F and delivers the collected light to the optical detectors 26, 26'. (Specification, page 43, lines 17-23.) Windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the finger F. (Specification, page 43, lines 28-29.)

Diab describes an optical probe suited to reduce noise in measurements taken on an easily compressible material, such as a finger, a toe, a forehead, an earlobe, or a lip. (Diab, Abstract.) The Examiner equates reference numbers 1072 and 1084 of Fig. 28 with first and

second concentric body portions of the band recited in amended Claim 1. (Action, page 6.)
Fig. 28 from Diab is set forth below.




FIG. 28

Fig. 28 illustrates a probe 1070 that comprises a transmission assembly 1072, having a light source 1074, an immersion lens 1076, scattering medium 1078, a chamber 1080 defining an aperture 1082 along a support surface 1083 of the transmission assembly. (Diab, ¶ 0157.) A detector assembly 1084 is similarly configured with a support surface 1085, a chamber 1086 defining an aperture 1088 along the support surface 1085, a photodetector 1090, an immersion lens 1092 and scattering medium 1094. (Diab, ¶ 0157.) Fig. 28 further depicts a test material 2000 such as human tissue (e.g., a finger or earlobe) interposed between the light source assembly 1072 and the detector assembly 1084. (Diab, ¶ 0157.)

Clearly, the probe 1070 depicted in Fig. 28 is not a band and is not configured to at least partially encircle a portion of the body of a subject, such as a finger. Neither the transmission assembly 1072 nor the detector assembly 1084 are cylindrical in shape, and the transmission assembly 1072 and the detector assembly 1084 are not secured together in concentric relationship. Moreover, neither the transmission assembly 1072 nor the detector assembly 1084 are cylindrical with an inner surface, a layer of cladding material near the inner surface, and at least one window formed in the cladding material that serves as a light-guiding interface. As such, Diab fails to describe or suggest "a band configured to at least partially encircle a portion of the body of a subject, the band comprising: a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship, the inner body portion comprising light transmissive material, and having outer and inner surfaces; a layer of cladding material near the inner body portion inner

surface; and at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject," as recited in amended Claim 1. Because Diab fails to teach or suggest all of the recitations of Claim 1, Claim 1 is not anticipated by Diab and the rejection of independent Claim 1 under 35 U.S.C. §102 is overcome. Additionally, dependent Claims 2, 4, and 6-13 are patentable at least by virtue of the patentability of independent Claim 1, from which they depend.

Amended independent Claim 18 recites a monitoring device configured to be attached to the body of a subject, comprising:

- an outer layer and an inner layer secured together, the inner layer comprising light transmissive material, and having inner and outer surfaces;
- a base secured to at least one of the outer and inner layers and comprising at least one optical emitter and at least one optical detector;
- a layer of cladding material near the outer surface of the inner layer; and
- at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject,

wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector, and is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector.

Diab does not teach or suggest the recited structure of amended independent Claim 18. Specifically, Diab does not teach or suggest an outer layer and an inner layer secured together, the inner layer comprising light transmissive material, a layer of cladding material near an outer surface of the inner layer, and at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject. Furthermore, Diab does not teach or suggest a base secured to at least one of the outer and inner layers and that includes at least one an optical emitter and detector, and wherein the light transmissive material is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector. Neither of the immersion lenses 1076, 1092 of the Diab probe 1070 has a layer of cladding material at an outer surface thereof, and a window formed in the layer of cladding material that serves as a light-guiding interface to the body of a subject. Neither of the scattering mediums 1078, 1094 of the Diab

probe 1070 has a layer of cladding material at an outer surface thereof, and a window formed in the layer of cladding material that serves as a light-guiding interface to the body of a subject.

In view of the above, Applicants respectfully submit that Claim 18 is not anticipated by Diab and that the rejection of independent Claim 18 under 35 U.S.C. §102 is overcome. Additionally, dependent Claims 19, 20, and 22-28 are patentable at least by virtue of the patentability of independent Claim 18, from which they depend.

U.S. Patent Application Publication No. 2005/0209516 to Fraden describes various devices for monitoring physiological variables of a patient and in particular to devices for monitoring arterial pulse oximetry and temperature from an ear canal. (Fraden, ¶ 0001.) Fig. 1 from Fraden is set forth below and illustrates one of these devices.




Fig. 1 shows plug 1 attached to ear probe 2; the probe 2 has a sensing extension 3 that carries blood oximetry windows 5. (Fraden, ¶ 0042.) This combination of extension 3 and a resilient ear plug 1 allows for a secure and stable positioning of the optical windows 5 against ear canal 4 walls. (Fraden, ¶ 0043.) Extension 3 may be either rigid or somewhat flexible to accommodate variations of the ear canal shapes, while ear plug 1 is acting like a spring

conforming its own contour to the ear canal shape and applying pressure on extension 3, pushing it against the ear canal wall. (Fraden, ¶ 0043.)

Fraden does not teach or suggest the recited structure of amended independent Claim 18. Specifically, Fraden does not teach or suggest an outer layer and an inner layer secured together, the inner layer comprising light transmissive material, a layer of cladding material near an outer surface of the inner layer, and at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject. Furthermore, Fraden does not teach or suggest a base secured to the outer and inner layers and that includes at least one an optical emitter and detector, and wherein the light transmissive material is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector.

In view of the above, Applicants respectfully submit that Claim 18 is patentable over Fraden. Additionally, dependent Claims 19, 20, and 22-28 are patentable at least by virtue of the patentability of independent Claim 18, from which they depend.

Section 103 Rejections

Claims 5 and 21

Claims 5 and 21 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Diab in view of Jonnalagadda. Applicants respectfully disagree with the rejections based on Diab and Jonnalagadda. However, to expedite prosecution of the application, Claims 5 and 21 have been cancelled without prejudice or disclaimer. As such, the rejections of Claims 5 and 21 are rendered moot.

Claims 11-13, 24, and 25

Claims 11-13, 24, and 25 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Diab in view of Rosenthal. Claims 11-13 depend from independent Claim 1, and Claims 24 and 25 depend from independent Claim 18. Independent Claims 1 and 18 are patentable over Diab for at least the reasons discussed above. The secondary reference, Rosenthal, fails to rectify the deficiencies of Diab with respect to independent Claims 1 and 18. Rosenthal is only cited for disclosing an optical bandpass filter. (Action, page 9.) The

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 20

Examiner does not allege and Rosenthal does not disclose "a band configured to encircle a portion of the body of a subject, the band comprising: a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship, the inner body portion comprising light transmissive material, and having outer and inner surfaces; a layer of cladding material near the inner body portion inner surface; and at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject," as recited in amended Claim 1. Moreover, the Examiner does not allege and Rosenthal does not disclose "an outer layer and an inner layer secured together, the inner layer comprising light transmissive material, and having inner and outer surfaces; a base secured to the outer and inner layers and comprising at least one optical emitter and at least one optical detector; a layer of cladding material near the outer surface of the inner layer; and at least one window formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject," as recited in amended Claim 18. Thus, Rosenthal fails to rectify the deficiencies of Diab with respect to independent Claims 1 and 18. As such, Claims 11-13, 24, and 25 are patentable and the rejections of Claims 11-13, 24, and 25 under §103 are overcome.

New Claims 33-42 Are Patentable

New independent Claim 33 contains similar recitations as amended independent Claim 18. Thus, for at least the same reasons set forth above with respect to amended independent Claim 18, Applicants respectfully submit that independent Claim 33 and all claims depending therefrom (Claims 34-42) are patentable.

Dependent Claims

As each of the dependent claims depends from a base claim that is believed to be in condition for allowance, Applicants do not believe that it is necessary to argue the allowability of each dependent claim individually. Applicants do not necessarily concur with the interpretation of these claims, or with the bases for rejection set forth in the Action. Applicants therefore reserve the right to address the patentability of these claims individually as necessary in the future.

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 21

CONCLUSION

In view of the above, it is respectfully submitted that this application is in condition for allowance, which action is respectfully requested.

Respectfully submitted,




Needham J. Boddie, II
Attorney for Applicants
Registration No. 40,519

USPTO Customer No. 20792
Myers Bigel Sibley & Sajovec, P.A.
Post Office Box 37428
Raleigh, North Carolina 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401
Doc. No. 1495595

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with 37 C.F.R. § 1.6(a)(4) to the U.S. Patent and Trademark Office on **June 9, 2014**.


Gwen R. Bailey

Replacement Sheet

20/21




FIG. 22A




FIG. 22B




FIG. 23

Electronic Acknowledgement Receipt

EFS ID:	19245470
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	09-JUN-2014
Filing Date:	19-FEB-2014
Time Stamp:	13:10:11
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		9653-7TSCT_Response.pdf	1911716 f1825b231f9e4049624328810c82bacfd8df7f13	yes	21

Multipart Description/PDF files in .zip description					
Document Description			Start	End	
Applicant Arguments/Remarks Made in an Amendment			1	1	
Drawings-other than black and white line drawings			2	2	
Specification			3	4	
Claims			5	11	
Applicant Arguments/Remarks Made in an Amendment			12	21	
Warnings:					
Information:					
2	Drawings-only black and white line drawings	9653-7TSCT_ReplacementSheets.pdf	165928	no	2
			444b0595bdaf2b1fc1cdda3ac861528ee56d5559		
Warnings:					
Information:					
Total Files Size (in bytes):			2077644		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

SCORE Placeholder Sheet for IFW Content

Application Number: 14184364

Document Date: 06/09/2014

The presence of this form in the IFW record indicates that the following document type was received in electronic format on the date identified above. This content is stored in the SCORE database.

Since this was an electronic submission, there is no physical artifact folder, no artifact folder is recorded in PALM, and no paper documents or physical media exist. The TIFF images in the IFW record were created from the original documents that are stored in SCORE.

- Drawing

At the time of document entry (noted above):

- USPTO employees may access SCORE content via eDAN using the Supplemental Content tab, or via the SCORE web page.
- External customers may access SCORE content via PAIR using the Supplemental Content tab.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PATENT APPLICATION FEE DETERMINATION RECORD Substitute for Form PTO-875	Application or Docket Number 14/184,364	Filing Date 02/19/2014	<input type="checkbox"/> To be Mailed
---	---	----------------------------------	---------------------------------------

ENTITY: LARGE SMALL MICRO

APPLICATION AS FILED – PART I

FOR	NUMBER FILED	NUMBER EXTRA	RATE (\$)	FEE (\$)
<input type="checkbox"/> BASIC FEE (37 CFR 1.16(a), (b), or (c))	N/A	N/A	N/A	
<input type="checkbox"/> SEARCH FEE (37 CFR 1.16(k), (j), or (m))	N/A	N/A	N/A	
<input type="checkbox"/> EXAMINATION FEE (37 CFR 1.16(o), (p), or (q))	N/A	N/A	N/A	
TOTAL CLAIMS (37 CFR 1.16(i))	minus 20 = *	*	X \$ =	
INDEPENDENT CLAIMS (37 CFR 1.16(h))	minus 3 = *	*	X \$ =	
<input type="checkbox"/> APPLICATION SIZE FEE (37 CFR 1.16(s))	If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$310 (\$155 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).			
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.16(j))				
* If the difference in column 1 is less than zero, enter "0" in column 2.			TOTAL	

APPLICATION AS AMENDED – PART II

	(Column 1)	(Column 2)	(Column 3)	(Column 3)	RATE (\$)	ADDITIONAL FEE (\$)
AMENDMENT	06/09/2014	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		
	Total (37 CFR 1.16(i))	* 32	Minus	** 32	= 0	X \$80 = 0
	Independent (37 CFR 1.16(h))	* 3	Minus	***3	= 0	X \$420 = 0
	<input type="checkbox"/> Application Size Fee (37 CFR 1.16(s))					
	<input type="checkbox"/> FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))					
					TOTAL ADD'L FEE	0

	(Column 1)	(Column 2)	(Column 3)	(Column 3)	RATE (\$)	ADDITIONAL FEE (\$)
AMENDMENT		CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT EXTRA		
	Total (37 CFR 1.16(i))	*	Minus	**	=	X \$ =
	Independent (37 CFR 1.16(h))	*	Minus	***	=	X \$ =
	<input type="checkbox"/> Application Size Fee (37 CFR 1.16(s))					
	<input type="checkbox"/> FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(j))					
					TOTAL ADD'L FEE	

* If the entry in column 1 is less than the entry in column 2, write "0" in column 3.
 ** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, enter "20".
 *** If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".
 The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.

LIE
 /MARGARET BYARS/

This collection of information is required by 37 CFR 1.16. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**
 If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 4 columns: APPLICATION NUMBER (14/184,364), FILING OR 371(C) DATE (02/19/2014), FIRST NAMED APPLICANT (Steven Francis LeBoeuf), ATTY. DOCKET NO./TITLE (9653-7T SCT)

CONFIRMATION NO. 1023

20792
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

PUBLICATION NOTICE



Title:WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

Publication No.US-2014-0171762-A1

Publication Date:06/19/2014

NOTICE OF PUBLICATION OF APPLICATION

The above-identified application will be electronically published as a patent application publication pursuant to 37 CFR 1.211, et seq. The patent application publication number and publication date are set forth above.

The publication may be accessed through the USPTO's publically available Searchable Databases via the Internet at www.uspto.gov. The direct link to access the publication is currently http://www.uspto.gov/patft/.

The publication process established by the Office does not provide for mailing a copy of the publication to applicant. A copy of the publication may be obtained from the Office upon payment of the appropriate fee set forth in 37 CFR 1.19(a)(1). Orders for copies of patent application publications are handled by the USPTO's Office of Public Records. The Office of Public Records can be reached by telephone at (703) 308-9726 or (800) 972-6382, by facsimile at (703) 305-8759, by mail addressed to the United States Patent and Trademark Office, Office of Public Records, Alexandria, VA 22313-1450 or via the Internet.

In addition, information on the status of the application, including the mailing date of Office actions and the dates of receipt of correspondence filed in the Office, may also be accessed via the Internet through the Patent Electronic Business Center at www.uspto.gov using the public side of the Patent Application Information and Retrieval (PAIR) system. The direct link to access this status information is currently http://pair.uspto.gov/. Prior to publication, such status information is confidential and may only be obtained by applicant using the private side of PAIR.

Further assistance in electronically accessing the publication, or about PAIR, is available by calling the Patent Electronic Business Center at 1-866-217-9197.

Office of Data Management, Application Assistance Unit (571) 272-4000, or (571) 272-4200, or 1-888-786-0101



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

14/184,364	02/19/2014	Steven Francis LeBoeuf	9653-7TSCT	1023
------------	------------	------------------------	------------	------

20792 7590 08/14/2014
 MYERS BIGEL SIBLEY & SAJOVEC
 PO BOX 37428
 RALEIGH, NC 27627

EXAMINER

FULLER, RODNEY EVAN

ART UNIT	PAPER NUMBER
----------	--------------

2852

MAIL DATE	DELIVERY MODE
-----------	---------------

08/14/2014	PAPER
------------	-------

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 14/184,364	Applicant(s) LEBOEUF ET AL.	
	Examiner RODNEY FULLER	Art Unit 2852	AIA (First Inventor to File) Status No

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTHS FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 6/9/2014.
 A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.
- 4) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims*

- 5) Claim(s) 1,2,4,6-13,18-20,22-28 and 33-42 is/are pending in the application.
5a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 6) Claim(s) 1,2,4 and 6-13 is/are allowed.
- 7) Claim(s) 18-20,22-28 and 33-42 is/are rejected.
- 8) Claim(s) _____ is/are objected to.
- 9) Claim(s) _____ are subject to restriction and/or election requirement.

* If any claims have been determined allowable, you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/pph/index.jsp or send an inquiry to PPHfeedback@uspto.gov.

Application Papers

- 10) The specification is objected to by the Examiner.
- 11) The drawing(s) filed on 6/9/2014 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

- a) All b) Some** c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

** See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Information Disclosure Statement(s) (PTO/SB/08a and/or PTO/SB/08b)
Paper No(s)/Mail Date _____.
- 3) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 4) Other: _____.

DETAILED ACTION

1. The present application is being examined under the pre-AIA first to invent provisions.

Remarks

2. In response to applicant's Amendment, dated 06/09/2014, the examiner acknowledges the addition of claims 33-42. Claims 1, 2, 4, 6-13, 18-20, 22-28 and 33-42 are pending.

3. Regarding the (1) objection to the Specification, (2) objections to the Drawings, and (3) Claim rejections set forth in the Office Action mailed 04/02/2014, the examiner has considered applicant's arguments in light of the amended Drawings, Specification and Claims and withdraws the objections and rejections.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of pre-AIA 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 18, 20, 22, 26, 28, 35, 36, 40, 42 and 33 are rejected under pre-AIA 35 U.S.C. 102(b) as being anticipated by Uchida, et al. (US 2003/0109030).

Regarding claim 18, Uchida discloses "an outer layer (Fig. 1, ref.# 10 near substrate) and an inner layer (Fig. 1, ref.# 8) secured together, the inner layer comprising light transmissive material, and having inner and outer surfaces (Fig. 1, ref.#

8: top and bottom); a base (Fig. 1, ref.# 4) secured to at least one of the outer (Fig. 1, ref.# 10 near substrate) and inner layers and comprising at least one optical emitter (Fig. 1, ref.# 1, 2) and at least one optical detector (Fig. 1, ref.# 12, 13); a layer of cladding material (Fig. 1, ref.# 10 near raised portion 5) near the outer surface of the inner layer (Fig. 1, ref.# 8); and at least one window (Fig. 1, ref.# 9) formed in the layer of cladding material that serves as a light- guiding interface to the body of the subject (Fig. 1, ref.# 17), wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector (See optical path shown in Fig. 2), and is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window (Fig. 1, ref.# 11) and deliver the collected light to the at least one optical detector (Fig. 1, ref.# 13).”

Regarding claims 20 and 35, Uchida discloses “wherein the light transmissive material comprises a lens region (Fig. 1, ref.# 9) in optical communication with the at least one optical emitter that focuses light emitted by the optical emitter.”

Regarding claims 22 and 36, Uchida discloses “further comprising a light reflective material (Fig. 1, ref.# 7) on at least a portion of one or both of the inner and outer surfaces of the inner layer.”

Regarding claims 26 and 40, Uchida discloses “wherein the base comprises a signal processor (Fig. 1, ref.# 14) configured to receive and process signals produced by the at least one optical detector (Fig. 1, ref.# 13).”

Regarding claims 28 and 42, Uchida discloses "wherein the at least one window comprises at least two windows (Fig. 1, ref.# 9, 11), and further comprising light blocking material (Fig. 1, ref. \$ 3, 4) positioned between the at least one optical emitter (Fig. 1, ref.# 1) and the at least one optical detector (Fig 1., ref.# 13) such that the at least one optical emitter and the at least one optical detector are not in direct optical communication with each other (Fig. 1, light must pass through tissue 17)".

Regarding claim 33, Uchida discloses "a first layer (Fig. 1, ref.# 8) comprising light transmissive material, the first layer having inner and outer surfaces; a base (Fig. 1, ref.# 4) secured to the first layer and comprising at least one optical emitter (Fig. 1, ref.# 1) and at least one optical detector (Fig. 1, ref.# 13); a layer of cladding material (Fig. 1, ref.# 10) near the inner and outer surfaces of the first layer; and at least one window (Fig. 1, ref.# 9) formed in the layer of cladding material that serves as a light-guiding interface to the body of the subject (Fig. 1, ref.# 17), wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector (See Fig. 2), and is configured to deliver light from the at least one optical emitter to one or more portions of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window (Fig. 1, ref.# 11) and deliver the collected light to the at least one optical detector (Fig. 1, ref.# 13)."

Claim Rejections - 35 USC § 103

6. The following is a quotation of pre-AIA 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 19, 23, 25, 27, 37, 34, 39 and 41 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Uchida, et al. (US 2003/0109030) in view of Diab, et al. (US 2005/0043600).

Regarding claims 19 and 34, Uchida discloses all the structure set forth in the claims except "wherein the outer layer and/or inner layer comprises adhesive in one or more locations that is configured to adhesively secure the device to the body of the subject." However, the use of an adhesive layer to secure a sensor to a body of a subject was well known in the art at the time the invention was made as evident from the teaching of Diab (See Abstract: adhesive; Fig. 29A, ref.# 2005). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Uchida to include an adhesive on the outer or inner layer to securely fix the sensor to a body of the subject in order to prevent movement from the detection site and improve quality of the detected signal.

Regarding claims 23, 25, 37 and 39, Uchida discloses all the structure set forth in the claims except "wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at

least a portion of light reflected by the light reflective material and detected by the second optical detector is processed by the signal processor as a motion noise reference for attenuating motion noise from the signals produced by the first optical detector.” However, the use of a second detector and a processor to detect motion noise was well known in the art at the time the invention was made as evident from the teaching of Diab (See paragraph 0144: motion artifacts). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Uchida by including a second detector and processor to determine motion noise in order to improve the quality of the detected signal.

Regarding claims 27 and 41, Uchida discloses all the structure set forth in the claims except “wherein the base comprises a transmitter configured to transmit signals processed by the signal processor to a remote device.” However, the use of transmitter with a monitoring device was well known in the art at the time the invention was mad as evident from the teaching of Diab (See Fig. 24, ref.# 630). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Uchida to include a transmitter to transmit signals from the processor to a remote device in order to allow the user to not be connected to wires and allow for user movement.

8. Claims 24 and 38 are rejected under pre-AIA 35 U.S.C. 103(a) as being unpatentable over Uchida, et al. (US 2003/0109030) in view of Diab, et al. (US

Art Unit: 2852

2005/0043600) as applied to claims 18 and 33 above, and further in view of Rosenthal, et al. (US 5,086,229).

Uchida and Diab do not specifically set forth the use of an "optical filter" (i.e., IR filter). Thus, Uchida and Diab do not "wherein the monitoring device further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject." However, the use of optical bandpass filter with a light emitting diode to provide specific wavelength selection was well known in the art at the time the invention was made as evident from the teaching of Rosenthal (See column 5, lines 45-64). Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to utilize an optical (IR) filter to avoid "laborious characterization and sorting" of LEDs in order to provide a specific wavelength selection as taught by Rosenthal.

Allowable Subject Matter

9. Claims 1, 2, 4 and 6-13 are allowed.

Conclusion

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2852

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to RODNEY FULLER whose telephone number is (571)272-2118. The examiner can normally be reached on 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Clayton Laballe can be reached on 571-272-1594. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 14/184,364
Art Unit: 2852

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/RODNEY FULLER/
Primary Examiner, Art Unit 2852

August 8, 2014

Notice of References Cited	Application/Control No. 14/184,364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.	
	Examiner RODNEY FULLER	Art Unit 2852	Page 1 of 1

U.S. PATENT DOCUMENTS

*	Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A US-2003/0109030	06-2003	Uchida et al.	435/287.1
B	US-			
C	US-			
D	US-			
E	US-			
F	US-			
G	US-			
H	US-			
I	US-			
J	US-			
K	US-			
L	US-			
M	US-			

FOREIGN PATENT DOCUMENTS

*	Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
N					
O					
P					
Q					
R					
S					
T					

NON-PATENT DOCUMENTS

*	Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
U	
V	
W	
X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("8700111").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/05 09:59
S2	26	("20050228299" "6371925" "7209775" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "20050177034" "6783501" "8251903" "20050209516" "20080076972" "20080096726" "20080177162" "6078829" "6808473" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090270698" "8512242" "20090287067" "6080110" "20090030350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:00
S3	10	("20100217103" "20100298653" "5086229" "20040054291" "20100168531" "20090054752" "5596987" "20040034293" "20060009685" "20050043600").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:00
S4	31	("20050043600" "20050177034" "20050209516" "20050228299" "20060009685" "20080076972" "20080096726" "20080165017" "20080177162" "20090030350" "20090054752" "20090105556" "20090270698" "20090287067" "20100168531" "20100298653" "20110105869" "20120197093" "20130131519" "5086229" "5596987" "6078829" "6080110" "6371925" "6783501" "6808473" "6859658" "7209775" "8055319" "8251903" "8512242").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:01
S5	32	("20040034293" "20040054291" "20050043600" "20050177034" "20050209516" "20050228299" "20060009685" "20080096726" "20080165017" "20080177162" "20090030350" "20090054752" "20090105556" "20090270698" "20090287067" "20100168531" "20100217103" "20100298653" "20110105869" "20120197093" "20130131519" "5086229" "5596987" "6078829" "6080110" "6371925" "6808473" "6859658" "7209775" "8055319" "8251903" "8512242").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:01
S6	33	("20040034293" "20040054291" "20050043600" "20050177034" "20050209516" "20050228299"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:01

		"20060009685" "20080076972" "20080096726" "20080162017" "20080177162" "20090030350" "20090054752" "20090105556" "20090270698" "20090287067" "20100168531" "20100217103" "20100298653" "20110105869" "20120197093" "20130131519" "5086229" "5596987" "6078829" "6080110" "6371925" "6808473" "6859658" "7209775" "8055319" "8251903" "8512242").PN.				
S7	32	("20050228299" "6371925" "7209775" "20100298653" "20080165017" "20090105556" "20110105869" "20120197093" "8055319" "5086229" "20050177034" "8251903" "20100168531" "20040225207" "20080076972" "20080096726" "20080177162" "6078829" "6783501" "6808473" "5596987" "20060009685" "20090054752" "20130131519" "6859658" "20050209516" "20090030350" "20090270698" "8512242" "20050043600" "20090287067" "6080110" "20080177162").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:02
S8	10	("20100217103" "20100298653" "5086229" "20040054291" "20100168531" "20090054752" "5596987" "20040034293" "20060009685" "20050043600").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:02
S9	1	"8788002"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:02
S10	38	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 10:03
S11	45251	(A61B5/0059 or A61B5/6803 or A61B5/721 or A61B5/6815 or A61B5/1455 or A61B5/6838 or A61B5/1118 or A61B5/02055 or A61B5/00 or A61B5/0082 or H04R1/1091 or H04R1/105 or A61B2560/0242 or A61B5/415 or A61B5/411 or A61B5/418).cpc.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:22
S12	67804	(A61B5/0059 or A61B5/6803 or A61B5/721 or A61B5/6815 or A61B5/1455 or A61B5/6838 or A61B5/1118 or A61B5/02055 or A61B5/00 or A61B5/0082 or H04R1/1091 or H04R1/105 or A61B2560/0242 or A61B5/415 or A61B5/411 or A61B5/418 or A61B5/6803 or A61B5/7214 or A61B5/11 or A61B5/721 or A61B5/0013 or A61B5/0084 or A61B5/6817 or A61B5/7225 or A61B5/0205 or A61B5/0084 or A61B5/721 or A61B5/11 or A61B5/0816 or A61B5/02427 or A61B5/6803 or A61B5/11 or A61B5/681 or A61B5/0205 or A61B5/0082 or A61B5/0816 or A61B5/02427 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:33

EAST Search History

		A61B5/0059 or A61B5/1455 or A61B5/6815 or A61B5/721 or A61B5/00 or H04R1/105 or A61B5/6803 or A61B5/02055 or A61B5/1118 or A61B5/0082 or H04R1/1091 or A61B5/6838 or A61B2560/0242 or A61B5/415 or A61B5/418 or A61B5/411 or A61B5/0059 or A61B5/0082 or A61B5/6838 or A61B5/6815 or A61B5/721 or A61B5/1118 or H04R1/1091 or A61B5/00 or A61B5/1455 or A61B5/02055 or A61B5/6803 or H04R1/105 or A61B5/418 or A61B2560/0242 or A61B5/415 or A61B5/411 or A61B5/0059 or A61B5/1118 or A61B5/1455 or A61B5/6838 or A61B5/721 or A61B5/02055 or A61B5/00 or A61B5/6803 or H04R1/1091 or H04R1/105 or A61B5/6815 or A61B5/0082 or A61B2560/0242 or A61B5/411 or A61B5/418 or A61B5/415).cpc.				
S13	16062	S12 and light and (sensor or detector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:34
S14	5058	S13 and (guide or waveguide or waveguide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:34
S15	3972	S14 and (oxygen or blood)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:34
S16	1888	S15 and (ear or finger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:35
S17	31063	"20090814"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 10:35
S18	268	("20010022558" "20020118121" "20020120184" "20030004421" "20030125635" "20030135127" "20030139692" "20030216630" "20030216662" "20030216663"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 11:42

"20030231115"	"20040015103"	
"20040044273"	"20040102683"	
"20040122487"	"20040138568"	
"20040167409"	"20040167417"	
"20040220490"	"20040254493"	
"20040260188"	"20040267148"	
"20050010139"	"20050027216"	
"20050038345"	"20050061568"	
"20050099387"	"20050113630"	
"20050113710"	"20050115561"	
"20050143667"	"20050148882"	
"20050194926"	"20050195079"	
"20050201585"	"20050209521"	
"20050222515"	"20050222522"	
"20050228244"	"20050228299"	
"20050228316"	"20050240086"	
"20050240523"	"20050245831"	
"20050261594"	"20050261598"	
"20050278409"	"20060009697"	
"20060009698"	"20060047215"	
"20060079801"	"20060082727"	
"20060084878"	"20060089538"	
"20060094975"	"20060105357"	
"20060195050"	"20060241521"	
"20060252999"	"20060270949"	
"20060282021"	"20070032748"	
"20070038155"	"20070038268"	
"20070112287"	"20070123806"	
"20080214963"	"20090069724"	
"20110190667"	"4234926"	"4275742"
"4320767"	"4412545"	"4420000"
"4537202"	"4557270"	"4595018"
"4656319"	"4679144"	"4778449"
"4807642"	"4819648"	"4829285"
"4862359"	"4869261"	"4880013"
"4907597"	"4922229"	"4964411"
"5090418"	"5140990"	"5161529"
"5162991"	"5271411"	"5285793"
"5287859"	"5309916"	"5331969"
"5361775"	"5365426"	"5368039"
"5370126".PN. OR ("5375610"		
"5434419"	"5435316"	"5438607"
"5441047"	"5458620"	"5462065"
"5497781"	"5505208"	"5513651"
"5544649"	"5544661"	"5546953"
"5551435"	"5551438"	"5579001"
"5579775"	"5584298"	"5593431"
"5623939"	"5633910"	"5652570"
"5662118"	"5671741"	"5683425"
"5692215"	"5694940"	"5708417"
"5709215"	"5710551"	"5720771"
"5722420"	"5733230"	"5738104"
"5738105"	"5743268"	"5751214"
"5772603"	"5775330"	"5776073"
"5785960"	"5788643"	"5857975"
"5865755"	"5876350"	"5935077"
"5945112"	"5964719"	"5967975"
"5987519"	"5996889"	"6002957"
"6004312"	"6010454"	"6014626"
"6032035"	"6038469"	"6044297"
"6047202"	"6050940"	"6052619"
"6056671"	"6063051"	"6070140"
"6076011"	"6108685"	"6129686"
"6171237"	"6175308"	"6176831"

		"6184797" "6201476" "6208251" "6228034" "6230056" "6246894" "6280393" "6287252" "6299583" "6336900" "6364834" "6364842" "6368283" "6374614" "6375614" "6398727" "6406426" "6409687" "6413223" "6416480" "6433690" "6440067" "6443906" "6445299" "6466816" "6473640" "6475146" "6475153" "6487442" "6514211" "6515593" "6533729" "6544173" "6544174" "6546269" "6554774" "6556860" "6595316" "6597944" "6605038" "6609023" "6612984" "6615074" "6615075" "6616613" "6660042" "6661161" "6676600" "6678549" "6678551" "6687519" "6705990" "6720984" "6730038" "6740045").PN. OR ("6747561" "6760620" "6783492" "6804656" "6816266" "6829501" "6832251" "6834436" "6843771" "6856291" "6865409" "6871211" "6882128" "6887202" "6898460" "6907288" "6912420" "6944496" "6959259" "6961285" "6965794" "6973344" "6974419" "6975206" "6980852" "6989751" "7004907" "7011629" "7035679" "7043293" "7141026" "7145461" "7210240" "7298327" "7340240" "7567200" "7857771" "8007450" "8092398" "8204786" "RE34015").PN. OR ("8747336").URPN.				
S19	14174	S13 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 12:15
S20	2233	S19 and ear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 12:16
S21	529	S19 and cladding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 12:16
S22	0	lebouf-steven-francis.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:22
S23	135	leboeuf-steven-francis.in.	US-PGPUB;	OR	ON	2014/08/05

EAST Search History

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			14:23
S24	75	tucker-jesse-berkley.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:23
S25	75	tucker-jesse-berkley.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:23
S26	55	aumer-michael-edward.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:23
S27	150	S23 or S24 or S25 or S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:23
S28	4550	((600/310) or (600/322) or (600/323) or (600/324)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/05 14:26
S29	133	S28 and cladding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:26
S30	1457	S28 and ear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/05 14:38
S31	36	(("20050209516") or ("8055319") or ("5596987") or ("20130012793") or ("20070293743") or ("20040116787") or ("20030109030") or ("5140990") or ("8694069") or ("8553223") or ("7729748") or ("7374540") or ("6882872") or ("6859658") or ("6608562") or ("6322515") or ("20060200012") or ("5290275") or ("20140180039") or ("20140171762") or	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/05 16:28

		("20140171755") or ("20140140567") or ("20140094663") or ("20140051948") or ("20130131519") or ("20100217102") or ("8788002") or ("8700111") or ("8512242") or ("20120179011") or ("20050177034") or ("7711411") or ("6546267") or ("6078829") or ("6041247") or ("5111817")).PN.				
S32	0	("2014/0180039").URPN.	USPAT	OR	ON	2014/08/05 16:28
S33	0	("2014/0171762").URPN.	USPAT	OR	ON	2014/08/05 16:29
S34	0	("2014/0171755").URPN.	USPAT	OR	ON	2014/08/05 16:29
S35	0	("2014/0140567").URPN.	USPAT	OR	ON	2014/08/05 16:29
S36	0	("2014/0094663").URPN.	USPAT	OR	ON	2014/08/05 16:29
S37	0	("2014/0051948").URPN.	USPAT	OR	ON	2014/08/05 16:29
S38	2	("2013/0131519").URPN.	USPAT	OR	ON	2014/08/05 16:29
S39	0	("2013/0012793").URPN.	USPAT	OR	ON	2014/08/05 16:29
S40	0	("2012/0179011").URPN.	USPAT	OR	ON	2014/08/05 16:29
S41	0	("2010/0217102").URPN.	USPAT	OR	ON	2014/08/05 16:29
S42	71	("2007/0293743").URPN.	USPAT	OR	ON	2014/08/05 16:30
S43	4	("2006/0200012").URPN.	USPAT	OR	ON	2014/08/05 16:30
S44	18	("2005/0209516").URPN.	USPAT	OR	ON	2014/08/05 16:30
S45	84	("2005/0177034").URPN.	USPAT	OR	ON	2014/08/05 16:30
S46	10	("2004/0116787").URPN.	USPAT	OR	ON	2014/08/05 16:30
S47	3	("2003/0109030").URPN.	USPAT	OR	ON	2014/08/05 16:30
S48	33	("20040034293" "20040054291" "20050043600" "20050177034" "20050209516" "20050228299" "20060009685" "20080076972" "20080096726" "20080165017" "20080177162" "20090030350" "20090054752" "20090105556" "20090270698" "20090287067" "20100168531" "20100217103" "20100298653" "20110105869" "20120197093" "20130131519" "5086229" "5596987" "6078829" "6080110" "6371925" "6808473" "6859658" "7209775" "8055319" "8251903" "8512242").PN. OR ("8788002").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:30
S49	32	("20080199360" "20090075321"	US-PGPUB;	OR	ON	2014/08/05

		"20090216097" "4200110" "4476870" "4558014" "4682895" "4752115" "4758814" "4824789" "4849172" "4857273" "4861727" "4889407" "4974929" "5005576" "5006314" "5012809" "5018529" "5047208" "5124130" "5127405" "5335305" "5397411" "5408999" "5830138" "6256522" "6303386" "6531097" "6599746" "6890307" "7209605").PN. OR ("8694069").URPN.	USPAT; USOCR			16:30
S50	88	("20040098009" "20050075550" "20050113656" "20050177034" "20050197548" "20050228253" "20060106293" "20060247501" "20070073121" "20080017800" "20080108887" "20080262328" "20090216097" "20100013642" "20100016680" "20100017142" "20100081897" "20100081899" "20100081901" "20100081902" "20100081912" "20100081940" "20100081960" "20110071366" "20110071376" "20110071378" "20110071598" "20110190612" "3721813" "4971062" "4974591" "5028787" "5035243" "5065749" "5084327" "5088493" "5094240" "5275159" "5279295" "5348003" "5429129" "5474065" "5483646" "5494032" "5511546" "5551424" "5619992" "5666952" "5779631" "5871442" "6014576" "6064899" "6081742" "6095974" "6144444" "6253097" "6261236" "6285895" "6353750" "6419671" "6461305" "6512937" "6564088" "6589172" "6591122" "6719686" "6791689" "6793654" "6839496" "6859658" "6916289" "6971580" "6992751" "7035489" "7047054" "7198778" "7236811" "7236881" "7313427" "7319894" "7387607" "7426407" "7469158" "7572229" "7574244" "7702374" "D393830").PN. OR ("8553223").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S51	19	("20050058456" "20060211922" "20060224059" "20090030350" "20090112071" "4491760" "5482036" "7252639" "7336982" "7341559" "7470234" "7486988" "7583994" "7695440" "7756559" "8050728" "8130105").PN. OR ("8512242").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S52	9	("20070008738" "6078829" "6080110" "6115621" "6128091" "7209775").PN. OR ("8055319").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S53	37	("20040008405" "20040019283" "4091803" "4450843" "4802488" "4830014" "5099853" "5195522" "5197489" "5243992" "5261412" "5301154" "5431170" "5650945" "5795300" "5807267" "5810736" "5853372" "5908027" "5984874"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31

		"6052056" "6099478" "6132382" "6183422" "6210344" "6402692" "6491647" "6529754" "6533729" "6537273" "6553242" "6574491" "6791462" "6811535" "6843771" "6992276" "7272428").PN. OR ("7729748").URPN.				
S54	23	("20020010400" "20030071216" "20030176808" "4798955" "4801804" "4850365" "4895163" "4928014" "4990772" "5105825" "5377003" "5440388" "5991028" "6014222" "6336044" "6353471" "6475800" "6493566" "6501982" "6587702" "6690996" "6697665" "6865408").PN. OR ("7711411").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S55	35	("2438901" "3156237" "3482565" "4664651" "4862895" "4967758" "5337744" "5452717" "5620001" "5669390" "5740943" "6319205" "6322515" "6461305" "6478745" "6553243" "6916289" "6939304").PN. OR ("7374540").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S56	4	("6128091" "6241663").PN. OR ("6882872").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S57	33	("4515165" "5131391" "5305745" "5524617" "5564417" "5772587" "6246892" "6263221" "6312393").PN. OR ("6859658").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S58	79	("4305401" "5119072" "5617074" "5738104" "5766131" "5982285" "6049282" "6095652" "6402690").PN. OR ("6608562").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:31
S59	200	("3647299" "3998550" "4805623" "4830014" "5368025" "5786592" "5800349" "5810724" "5891021" "5957840" "6026312" "6047201" "6144868" "RE36000").PN. OR ("6546267").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:33
S60	80	("3104661" "3920004" "4030485" "4112491" "4406289" "4437470" "4677984" "4821734" "4836219" "4846189" "4862895" "4926867" "5031675" "5065749" "5280791" "5337744" "5365924" "5438986" "5542421").PN. OR ("6322515").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:33
S61	68	("4653498" "5213099" "5372134" "5673692").PN. OR ("6078829").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:33
S62	169	("3123066" "5103829" "5279295").PN. OR ("6041247").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:33
S63	127	("3068742" "3412729" "3461856" "3638640" "3709612" "3866599" "3994585" "3998550" "4086915" "4119406" "4138727" "4162405" "4167331" "4223680" "4281645" "4321930" "4380240" "4416285" "4510938" "4612938" "4800885"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:33

		"4805623" "4824242" "4846183" "4908762" "4972331" "5106387" "5119815" "5187672").FN. OR ("5596987").URPN.				
S64	82	("4030485" "4105021" "4343314" "4418700" "4437469" "4510940" "4597393" "4718428" "4819646" "4834107" "4846189").FN. OR ("5140990").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:34
S65	368	("3412729" "4266554" "4446871" "4653498" "4685464" "4714080" "4759369" "4770179" "4805623" "4807631" "4825872" "4825879" "4832484" "4846183").FN. OR ("5111817").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:34
S66	1170	S38 or S39 or S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S57 or S58 or S59 or S60 or S61 or S62 or S63 or S64 or S65	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:36
S67	146	("20010033664" "20020006209" "20020015506" "20020027996" "20030092975" "2414747" "3858574" "3910257" "4312358" "4621643" "4662360" "4754748" "4790324" "4797840" "4821982" "4934372" "5036853" "5044373" "5058586" "5109849" "5115133" "5137023" "5146091" "5152296" "5167235" "5213099" "5297554" "5361758" "5469855" "5626139" "5673692" "5812992" "5895371" "6004274" "6047205" "6053887" "6075443" "6078829" "6080110" "6115621" "6205227" "6231560" "6253871" "6254526" "6283915" "6289309" "6343223" "6358216" "6398727" "6410997" "6473511" "6556852" "6579242" "6691087").FN. OR ("7107088").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:56
S68	146	("20010033664" "20020006209" "20020015506" "20020027996" "20030092975" "2414747" "3858574" "3910257" "4312358" "4621643" "4662360" "4754748" "4790324" "4797840" "4821982" "4934372" "5036853" "5044373" "5058586" "5109849" "5115133" "5137023" "5146091" "5152296" "5167235" "5213099" "5297554" "5361758" "5469855" "5626139" "5673692" "5812992" "5895371" "6004274" "6047205" "6053887" "6075443" "6078829" "6080110" "6115621" "6205227" "6231560" "6253871" "6254526" "6283915" "6289309" "6343223" "6358216" "6398727" "6410997" "6473511" "6556852" "6579242" "6691087").FN. OR ("7107088").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05 16:57
S69	55	("20020006209" "20020015506" "4312358" "4821982" "5036853"	US-PGPUB; USPAT;	OR	ON	2014/08/05 17:01

EAST Search History

		"5109849" "5469855" "6047205" "6283915" "2414747" "20030092975" "4934372" "5058586" "5137023" "5262139" "6254526" "6343223" "6473511" "3858574" "4662360" "5044373" "5146091" "6075443" "6205227" "6231560" "6253871" "6398727" "6410997" "6556852" "4754748" "5895371" "6078829" "20010033664" "4479840" "4790324" "5115133" "6289309" "6579242" "5812992" "6358216" "20020027996" "3910257" "4621643" "5361758" "5673692" "6004274" "6053887" "6080110" "6115621" "6691087" "5152296" "5167235" "5213099" "5297554").PN.	USOCR			
S70	11	("4567881" "5325863" "5419312" "5673692" "5790586" "5919143").PN. OR ("6358216").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/05: 17:02
S71	8	((("20030109030") or ("8553223") or ("7729748") or ("7374540") or ("6608562") or ("6322515") or ("6155983") or ("6398216")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/05: 17:07

8/ 5/ 2014 8:54:51 PM

C:\Users\rfuller\Documents\EAST\Workspaces\rodney9.wsp

OK TO ENTER: /RF/

Replacement Sheet

20/21




FIG. 22A




FIG. 22B

OK TO ENTER: /RF/

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 3

In the Specification:

On page 1, line 1, please amend the RELATED APPLICATIONS section as follows:

RELATED APPLICATIONS


This application is a continuation application of pending U.S. Patent Application Serial No. 12/691,388, filed January 21, 2010, now U.S. Patent No. 8,700,111, which claims the benefit of and priority to U.S. Provisional Patent Application No. 61/208,567 filed 02/25/2009, U.S. Provisional Patent Application No. 61/208,574 filed 02/25/2009, U.S. Provisional Patent Application No. 61/212,444 filed 4/13/2009, and U.S. Provisional Patent Application No. 61/274,191 filed 8/14/2009, the disclosures of which are incorporated herein by reference as if set forth in their entireties.

Please amend the paragraph beginning on page 43, line 28 of the specification as follows:

-- In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the finger F. There may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses 74w_L such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of a finger F and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows 74w may include optical filters 74w_F to selectively pass one or more optical wavelengths and reflect and/or absorb other optical wavelengths. --

Please amend the paragraph beginning on page 45, line 25 of the specification as follows:

-- In the illustrated embodiment, windows 74w are formed in the cladding material 21 and serve as light-guiding interfaces to the body of a subject. There may be any number of these windows, as may be required for sufficient optical coupling, and the windows 74w may include lenses 74w_L such as those described above (e.g., lens 18L illustrated in Fig. 6), to focus light emitted by the optical emitter 24 onto one or more portions of the body of a subject and/or to focus collected light on the light detectors 26, 26'. Similarly, the windows

Search Notes 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

CPC- SEARCHED		
Symbol	Date	Examiner

CPC COMBINATION SETS - SEARCHED		
Symbol	Date	Examiner

US CLASSIFICATION SEARCHED			
Class	Subclass	Date	Examiner
600	310	8/8/2014	/RF/

SEARCH NOTES		
Search Notes	Date	Examiner
600/301, 302, 310, 322, 323, 324 (w/ text search)	8/8/2014	/RF/
East text search history printout	8/8/2014	/RF/

INTERFERENCE SEARCH			
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner

	/RODNEY FULLER/ Primary Examiner.Art Unit 2852
--	---

**RESPONSE UNDER 37 C.F.R. 1.116 - EXPEDITED
PROCEDURE - EXAMINING GROUP 2852**

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.

Confirmation No.: 1023

Serial No.: 14/184,364

Group Art Unit: 2852

Filed: February 19, 2014

Examiner: Rodney Evan Fuller

For: **WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL
MONITORING** (*As Amended*)

Date: August 18, 2014

Mail Stop AF
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION OF AUGUST 14, 2014

Applicants provide the present Response to address the issues raised in the Final Office Action (the "Action") mailed August 14, 2014. Applicants provide the present Response pursuant to the rules stated in revised 37 C.F.R. 1.121 that became effective on July 30, 2003.

It is not believed that an extension of time and/or additional fee(s)-including fees for net addition of claims-are required, beyond those that may otherwise be provided for in documents accompanying this paper. In the event, however, that an extension of time is necessary to allow consideration of this paper, such an extension is hereby petitioned under 37 C.F.R. §1.136(a). Any additional fees believed to be due in connection with this paper may be charged to our Deposit Account No. 50-0220.

Amendments to the Title begin on Page 2 of this paper.

Amendments to the Specification begin on Page 3 of this paper.

Amendments to the claims begin on Page 4 of this paper.

Remarks begin on Page 7 of this paper.

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 2

In the Title:

Please amend the Title of the application as follows:

-- WEARABLE LIGHT-GUIDING BANDS AND PATCHES
FOR PHYSIOLOGICAL MONITORING --

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 3

In the Specification:

Please amend the paragraph beginning on page 5, line 1 of the specification as follows:

-- In some embodiments, an earbud includes at least one lens in optical communication with the light transmissive material. Each lens may be configured to focus light from the optical emitter onto one or more predetermined locations in the ear of a subject and/or to focus collected external light onto the optical detector. --

Please amend the paragraph beginning on page 10, line 21 of the specification as follows:

-- Fig. 6 is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention. [[.]] --

This listing of claims replaces all prior versions in the application.

Listing of Claims:

1. (Previously Presented) A monitoring device, comprising:
a band configured to at least partially encircle a portion of the body of a subject, the band comprising:
a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship, the inner body portion comprising light transmissive material, and having outer and inner surfaces;
a layer of cladding material near the inner body portion inner surface; and
at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject; and
at least one optical emitter and at least one optical detector attached to the band;
wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector and is configured to deliver light from the at least one optical emitter to one or more locations of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector.
2. (Original) The monitoring device of Claim 1, wherein the portion of the body comprises a limb, a nose, an earlobe, and/or a digit.
3. (Cancelled)
4. (Previously Presented) The monitoring device of Claim 1, wherein the band comprises a lens region in optical communication with the at least one optical emitter that focuses light emitted by the at least one optical emitter.
5. (Cancelled)
6. (Previously Presented) The monitoring device of Claim 1, further comprising a light reflective material on at least a portion of one or both of the inner and outer surfaces.

7. (Previously Presented) The monitoring device of Claim 6, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light reflected by the light reflective material and detected by the second optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the first optical detector.

8. (Previously Presented) The monitoring device of Claim 1, further comprising a signal processor configured to receive and process signals produced by the at least one optical detector.

9. (Original) The monitoring device of Claim 1, further comprising a transmitter configured to transmit signals processed by the signal processor to a remote device.

10. (Previously Presented) The monitoring device of Claim 1, wherein the at least one window comprises at least two windows, and further comprising light blocking material positioned between the at least one optical emitter and the at least one optical detector such that the at least one optical emitter and the at least one optical detector are not in direct optical communication with each other.

11. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength.

12. (Original) The monitoring device of Claim 1, wherein the band further comprises at least one optical filter configured to selectively pass at least one optical wavelength for transmission into the body of the subject.

13. (Previously Presented) The monitoring device of Claim 12, wherein the at least one optical detector comprises first and second optical detectors, and further comprising a signal processor, and wherein at least a portion of light blocked by the optical filter and

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 6

detected by the second optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the first optical detector.

14-42. (Cancelled)

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 7

REMARKS

After the above amendments, Claims 1, 2, 4 and 6-13 are pending.

Claims 1, 2, 4 and 6-13 are allowed.

Claims 18, 20, 22, 26, 28, 33, 35, 36, 40 and 42 stand rejected under 35 U.S.C. §102(b) as being anticipated by U.S. Patent Application Publication No. 2003/0109030 to Uchida et al.

Claims 19, 23, 25, 27, 34, 37, 39 and 41 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Uchida et al. in view of U.S. Patent Application Publication No. 2005/0043600 to Diab et al.


Claims 24 and 38 stand rejected under 35 U.S.C. §103(a) as being unpatentable over Uchida et al. and Diab, and further in view of U.S. Patent No. 5,086,229 to Rosenthal et al.

To advance the application to allowance, Applicants have cancelled Claims 18-20, 22-28 and 33-42 without prejudice or disclaimer.

Applicants have amended the Specification, as indicated above, to correct typographical errors. Applicants have also amended the Title.

In view of the above, it is respectfully submitted that this application is in condition for allowance, which action is respectfully requested.


Respectfully submitted,


Needham J. Boddie, II
Attorney for Applicants
Registration No. 40,519

USPTO Customer No. 20792
Myers Bigel Sibley & Sajovec, P.A.
Post Office Box 37428
Raleigh, North Carolina 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401
Doc. No. 1562324

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with 37 C.F.R. § 1.6(a)(4) to the U.S. Patent and Trademark Office on **August 18, 2014**.


Gwen R. Bailey

Electronic Acknowledgement Receipt

EFS ID:	19892067
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Gwen Bailey
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	18-AUG-2014
Filing Date:	19-FEB-2014
Time Stamp:	15:52:24
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		9653-7TSCT_Response.pdf	451515 540ed4c691a83ae0c359e3e415500edb8da06cfa	yes	7

Multipart Description/PDF files in .zip description		
Document Description	Start	End
Response After Final Action	1	1
Specification	2	3
Claims	4	6
Applicant Arguments/Remarks Made in an Amendment	7	7

Warnings:

Information:

Total Files Size (in bytes):

451515

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)			<i>Complete if Known</i>		
			Application Number	14/184,364	
			Filing Date	02-19-2014	
			First Named Inventor	Steven Francis LeBoeuf	
			Art Unit	2852	
			Examiner Name	Rodney Evan Fuller	
Sheet	C1	of	C1	Attorney Docket Number	9653-7TSCT

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)			
	1.	US- 2012/0179011 A1	07-12-2012	Moon et al.	
	2.	US- 7,107,088 B2	09-12-2006	Aceti	
	3.	US- 6,358,216 B1	03-19-2002	Kraus et al.	
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)				
	4.	EP 2 077 091 A2	07-08-2009	PERCEPTION DIGITAL LIMITED		

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T

Examiner Signature	Date Considered
--------------------	-----------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



(11) **EP 2 077 091 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
08.07.2009 Bulletin 2009/28

(51) Int Cl.:
A61B 5/024 (2006.01)

(21) Application number: **09250024.8**

(22) Date of filing: **06.01.2009**

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL
PT RO SE SI SK TR**
Designated Extension States:
AL BA RS

- **Chan, Kai Kin**
Hong Kong SAR (HK)
- **Wong, Ming Yip**
Hong Kong SAR (HK)
- **Yeung, Kai Wai**
Hong Kong SAR (HK)
- **Chau, Fo**
Hong Kong SAR (HK)

(30) Priority: **07.01.2008 US 6321 P**
21.08.2008 US 195502

(71) Applicant: **Perception Digital Limited**
Hong Kong SAR (HK)

(74) Representative: **Martin, David John et al**
Marks & Clerk LLP
5th Floor
14 South Parade
Leeds
LS1 5QS (GB)

(72) Inventors:
• **Ma, Chor Tin**
Hong Kong SAR (HK)

(54) **Exercise device, sensor and method of determining body parameters during exercise**

(57) A noninvasive light sensor for detecting heart beat signals has a circular support member engageable circumferentially with a body part of a person. There are a plurality of light emitters and light detectors located in

pairs symmetrically about a circumference of the circular support member for respectively emitting light signals into different areas of tissue surrounding the body part, and receiving reflected light signals from the different areas of tissue surrounding the body part.




Figure 1 (Prior Art)

EP 2 077 091 A2

DescriptionField of the Invention

5 [0001] The current invention relates to an exercise device for monitoring body parameters of a wearer during exercise. The invention also relates to sensor for determining sensor signals from which body parameters can be derived and to a method of determining body parameters during exercise.

Background to the Invention

10

[0002] To achieve fitness goals it is necessary to exercise in the right intensity. Heart rate is one of the most accurate measurements of the intensity or exertion level of an exercise workout. The fitness of the heart is the key to aerobic endurance. Aerobic endurance is extremely important for both general fitness training and professional athletes. Heart monitors are one of the most effective aids for tracking and developing the progress on the path to increased aerobic endurance. For example, to lose weight and bum fat, it is desirable to exercise at 60-70% of one's maximum heart rate. To improve cardiovascular fitness, it is more suitable to exercise at 70-80% of one's maximum heart rate. Exercise at the wrong intensity will just waste the effort or may even harm the body.

15

[0003] Heart rate can easily be checked by checking the pulses at the wrist manually for, say, 15 seconds during exercise and calculate beats per minute. However, stopping during exercise to count pulse is not only inconvenient, but also disrupts both the workout and the heart rate. This method also introduces pressure to the carotid artery which slows down the pulse. Electronic heart monitors are an effective way to track and record heart rate over the course of an entire workout. They not only provide a complete record of the heart rate for the duration of your workout, but they are also more accurate than manual methods, and can provide other information such as body temperature, SpO2 (Oxyhemoglobin saturation by pulse oximetry) are also important information to determine condition of the body.

20

[0004] For professional athletes, cardiovascular fitness is the most significant factor in speed. Measuring the work-rate of the heart is one of the most accurate methods of determining how much benefit an athlete derives from a workout. A heart rate monitor can also help to avoid stressing the body too much. They are a useful tool for maximize the efficiency of the training while minimizing the opportunity for injury. Heart rate monitors also enable professional athletes to exercise below a certain ceiling, i.e. avoid depleting the body's glycogen stores and ensuring that the body has the energy to perform intense workouts with vigor. For general fitness training, a heart rate monitor can function as a coach guiding the user when he or she can handle more and work harder.

25

[0005] Most popular heart rate monitors use ECG type chest belt with a wireless link to sports watch. The heartbeat is detected by sensing the ECG signal from the chest belt and a pulse is sent to the sports watch via wireless connection. This type of heart rate monitor is accurate and reliable, but has the disadvantage that it is not comfortable for the user to wear a plastic belt on the chest during exercise. The belt will also become very dirty after use. Another method of detecting heartbeat is to use IR LED and IR sensor through the ear lobe or finger tip. This type of detector has the intrinsic problem of motion artifact and they are simply not reliable during exercise.

35

[0006] There are many devices that can measure body parameters of a person. For example, by using an infrared ear thermometer, clinical thermometer, the user could get his body temperature and by using pulse oximeter the user could get his heartbeat and the amount of oxygen attached to the hemoglobin. However, none of these devices is suitable for continuous monitoring of the body parameter when the user is doing exercise. The thermometer, for example, is not suitable for use in motion. For finger pulse oximeter, study suggested the motion will result in blood volume changes that invalidate its measurement [ref - "Motion Artifact in Pulse Oximetry", M.R. Neuman and N. Wang, Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol. 12 No. 5, 1990].

40

[0007] Figure 1 is a schematic illustration is a typical finger type pulse oximeter implementation. Measuring heartbeat rate and SpO2 (blood oxygenation) is based on the absorption of red and infrared light. The technology is very sensitive to motion and hence is generally not suitable for use in personal exercise monitors. A few mechanical designs attempt to improve motion tolerance and enable the measurement to be used later in signal processing such that the heart rate in addition to SpO2 can be derived when the wearer is in motion. The device comprises two light sources, typically using LEDs of known wavelength. The wavelengths of the two light sources are 880 - 920nm (Infrared or IR) and 660nm (Red) respectively. To obtain heart rate (HR) only the IR light source is needed. To calculate blood oxygen levels (pulse oximetry) both the Red and the IR LED's would need to be used. In either case a photo detector is used to sense the light that has been transmitted or reflected into the skin or application sight. This transmission of light into an area of the body that is carrying blood and reflected back to the photo detector will be effected by the pulsatile flow caused by each heartbeat. This slight change in light intensity is detected and extracted to create a waveform commonly known as a plethysmograph. This waveform or the actual detection of the pulsatile flow can be converted into heart rate in the absent of motion. To calculate pulse oximetry the IR and the red light emissions are separately analyzed and then used in an empirical calculation to generate a predetermined blood oxygen level. The calibration and empirical calculation

45

50

55

can be found in many literatures.

[0008] Figure 2 shows an example of noise induced by motion in an IR LED and IR heartbeat/SpO2 sensor. This noise signal may be of similar or even larger amplitude than the heartbeat signal and they are, in normal situation, in the same frequency band of the heartbeat signal (1-3 Hz). There is no easy method to extract the heartbeat signal from the mixture of the motion signal and heartbeat signal.

[0009] In addition to heart rate people are also interested in measuring the the distance run in an exercise session. There are many pedometer devices in the market that can count steps when a person walks or runs. These pedometers are fairly accurate and can record number of steps for a long period of time. Most of these devices require user to wear the device at particular orientation and position of the body trunk for the devices to work. These devices will usually fail if users are holding the device in hand when running or jogging.

Summary of the Invention

[0010] Accordingly, is an object of the present invention to provide an exercise device for determining the body parameters of a wearer during exercise. This particular object of the present invention to provide a sensor and method of determining heartbeat from a sensor signal that overcome or at least ameliorates problems with known devices. It is a second object of the current invention to provide an exercise device the can detect steps and calculate distance run by a user.

[0011] According to a first aspect of the invention there is provided a noninvasive light sensor for detecting heart beat signals, comprising:

a circular support member engageable circumferentially with a body part of a person,
 a plurality of light emitters located about a circumference of the circular support member for emitting light signals into different areas of tissue surrounding the body part, and
 a plurality of light detectors located about a circumference of the circular support member for receiving reflected light signals from the different areas of tissue surrounding the body part.

[0012] Preferably, the light emitters and light detectors are located in pairs consisting of one of the emitters and one of the detectors.

[0013] Preferably, the light emitters comprises both red and infra-red light emitters.

[0014] Preferably, the plurality of light emitters consist of three light emitters located 120 degrees apart about the circumference of the support member.

[0015] Preferably, the plurality of light detectors consist of three light detectors located 120 degrees apart about the circumference of the support member.

[0016] Preferably, the light emitters and light detectors are located in pairs consisting of one of the emitters and one of the detectors.

[0017] Preferably, the support member is one of a ear bud insertable within an ear canal or a band locatable about a wrist or arm.

[0018] Preferably, the body part is an ear canal, the circular support member being an ear bud insertable with the an ear canal along an ear canal axis, wherein the plurality of light emitters are located about the periphery of the ear piece for emitting light signals perpendicular to the ear canal axis into the different areas of tissue surrounding the ear canal, and the plurality of light detectors are located about the periphery of the ear piece for receiving reflected light signals from the different areas of tissue surrounding the ear canal.

[0019] Preferably, the ear piece is resiliently deformable for expansion within the ear canal, such that the ear piece is firmly locatable within the ear canal.

[0020] Preferably, the ear price comprises an inner layer and an outer layer having a plurality of openings, the light emitters and light detectors located with the inner layer beneath the outer layer openings.

[0021] Preferably, the inner lay comprises foam and the outer layer comprises rubber.

[0022] Preferably, the ear piece has an outer surface for mating with the ear canal and a plurality of openings in the outer surface, the light emitters and light detectors located within the openings.

[0023] Preferably, the light emitters and light detectors are located below the outer surface of the ear piece.

[0024] Preferably, the openings have sides surrounding the light emitters and light detectors, the sides defining a narrow gap above the light emitters and light detectors.

[0025] Preferably, the sides of the openings are light absorbent.

[0026] Preferably, the noninvasive light sensor of further includes an audio speaker and/or a temperature sensor.

[0027] Preferably, the body part is a wrist or arm, the support member comprising a band locatable about a wrist or arm, the emitters and detectors located around an inner circumference of the band for respectively emitting light signals into the different areas of arm tissue and receiving reflected light from the different areas of arm tissue.

[0028] According to a second aspect of the invention there is provided a exercise device comprising:

5 a ear piece insertable with the an ear canal along an ear canal axis, a plurality of light emitters located about the periphery of the ear piece for emitting light signals perpendicular to the ear canal axis into different areas of tissue surrounding the ear canal, a plurality of light detectors located about the periphery of the ear piece for receiving reflected light signals from the different areas of tissue surrounding the ear canal, and a audio speaker, an audio player for sending audio signals to the audio speaker, a vital sign monitor that can determine at least one of heart rate, blood oxygen level or body temperature from signals of the emitters and detectors.

10

[0029] According to a third aspect of the invention there is provided a exercise system comprising:

15 an ear piece insertable within an ear canal along a canal axis, the ear piece having a plurality of light sensors and detectors, and a audio speaker, a computer readable storage medium have space allocated for storage of audio files, a vital sign monitor programmed to generating a vital sign signal from signals of the emitters and detectors, and an audio player programmed to playback audio files thought the audio speaker in response to the vital sign signal and to vary attributes of the playback audio files in response to the vital sign signal.

20

[0030] Preferably, the attributes of the playback audio files to be varied are beat, tempo, tone and pitch.

[0031] Preferably, the audio player is programmed to vary the attributes by changing the playback audio files.

[0032] Preferably, the vital sign monitor is programmed to generating a heart rate, blood oxygen or temperature signal.

[0033] According to a fourth aspect of the invention there is provided a method of determining heart rate of a person during exercise comprising:

25

obtaining a plurality of sensor signals from multiple locations about a body part of a person, the sensor signals comprising a heart beat signals and a movement signals, comparing the signals to separate the heart beat signals and a movement signals, and determining heart rate from the heart beat signals.

30

[0034] Preferably, obtaining a plurality of sensor signals from locations comprises providing a plurality of heart beat sensors for positioning at multiple locations about the body part.

[0035] Preferably, comparing the signals to separate the heart beat signals and a movement signals comprises comparing the sensor signals to find in phase and out of phase components of the sensor signals.

35

[0036] Preferably, comparing the signals to separate the heart beat signals and a movement signals comprises finding a covariance between the sensor signals.

[0037] Preferably, determining heart rate from the heart beat signals comprises using match filters.

[0038] According to a fifth aspect of the invention there is provided a method in an exercise device of determining the steps taken by a person during exercise, comprising:

40

obtaining a plurality of sensor signals from symmetrical locations about a body part of a person, the sensor signals comprising a heart beat signals and a movement signals, finding a dominant movement signal, and determining zero crossing points of the dominant movement signal.

45

[0039] Preferably, finding a dominant movement signal comprises finding a movement signal having an amplitude greater than a threshold.

[0040] Preferably, finding a dominant movement signal comprises finding a sum of two sensor signals, finding a product of two times a third sensor signal, and subtracting the product from the sum.

50

[0041] Preferably, the third sensor signal has an amplitude lower than amplitudes of the two summed sensor signals.

[0042] Preferably, determining zero crossing points of the dominant movement signal comprises determining a number of the zero crossing points.

[0043] Preferably, method further comprises finding a product of a step-distance and the number of the zero crossing points and thereby finding a distance traveled by a person exercising.

55

[0044] Further aspects of the invention will become apparent from the following description.

Brief Description of the Drawings

[0045] An exemplary form of the present invention will now be described by way of example only and with reference to the accompanying drawings, in which:

5

Figure 1 is a schematic illustration of prior art operation of a heartbeat sensor/pulse oximeter,

Figure 2 is a graphical illustration of the heartbeat signal with motion noise for a prior art earphone sensor,

10

Figure 3 is a schematic illustration of a first embodiment of a personal exercise device according to the invention having an earphone type sensor,

Figure 4 is a schematic illustration of the earphone sensor arrangement for device of Figure 3,

15

Figure 5 is a perspective illustration of an ear bud of the earphone sensor,

Figure 6 is a schematic illustration of a flexible printed circuit for locating and connection of sensors within the ear bud,

Figure 7 is a perspective illustration of the ear bud without a rubber over-molding,

20

Figure 8 is a section illustration of the ear bud,

Figure 9 is a perspective illustration of an alternative ear bud type earphone sensor and behind-the-ear parts of the alternative ear bud,

25

Figure 10 is a perspective illustration of a bud,

Figure 11 is a schematic illustration of a second embodiment of a personal exercise device according to the invention having a arm band type sensor,

30

Figure 12 is a second schematic illustration of the personal exercise device having a arm band type sensor,

Figure 13 is a schematic illustration of the sensor control and processing means of the exercise device,

35

Figure 14 illustrates decomposition of the noise vector into horizontal and vertical components, and

Figure 15 is a schematic process block diagram of detector sensor signal processing used in the exercise device,

40

Figure 16 is a graphical illustration of the signal detected during exercise,

Figure 17 is a block diagram of a method for detecting steps taken by a user during walking or running,

Figure 18 is a graphical illustration of the relationship between distance and walking speed,

45

Figure 19 is a schematic block diagram of body parameter base playback control in the exercise device, and

Figure 20 is a flow chart of the implementation of the body parameter based playback control.

Description of the Exemplary Embodiments

50

[0046] Aspects of the invention will now be illustrated as practiced in a first embodiment of a personal exercise device comprising an earphone sensor for listening to audio files and also for detecting body parameters; such as heartbeat, SpO2 and temperature; during exercise, a signal processing means for resolving sensor information into heartbeat and other body parameters and a workout assistance means for providing feedback of body parameters, exercise instructions and entertainment functions such as, but not limited to, music, video, game, e-book, photo, etc. However, this is not intended to limit the scope of functionality or use of the invention. In a most basic embodiment of the invention the exercise device comprises simply an earpiece sensor and signal processing means for detecting heartbeat for feedback to the user or transmission to another device such as an exercise machine or exercise monitoring equipment. The

55

earphones of the invention include several mechanical design characteristics that ameliorate movement inaccuracies inherent in ear sensors known hitherto. It is not essential to the invention that all such preferred mechanical design characteristics be included in all embodiments of the invention.

5 [0047] Figure 3 shows the block diagram of a personal exercise device. A pair of earphones 1 that can be worn by the user is connected to a portable base unit 2 by a cable 3 having conductor means 4, 5 for carrying both audio signals and body parameter sensor signals. The portable base unit 2 has a microprocessor 8, audio module 6 for providing audio signals to the earphones, a sensor module 7 for communicating with the earphone sensors and a user interface/display module 9 for interaction with the user. In one exercise mode the exercise device determines heartbeat of the user and then controls the playback of audio content in accordance with changes in the heartbeat. The heartbeat is also
10 recorded for future reference and for comparing against targeted training level, etc. The earphones 1 may also include an IR thermometer or small thermistor embedded in the earphones 50 for determining body temperature. The bases unit and or earphones 50 may also include an accelerometer/G-sensor for detecting steps from running or walking motion. The earphones may also include a microphone for picking up ambient sound signal and the user could enable or disable or adjusting the ratio of the mixing of ambient sound with content playing back at will. This is necessary because of the mechanical structure for the ear buds blocks a significant part of ambient sound from reaching the user.

15 [0048] The earphone mechanical design is illustrated in Figures 4 through 10. Figure 4 schematically illustrates the sensor arrangement of the earphones. Signal emitter 21, 22, 23 and detector 24, 24, 26 devices are located around the circumferential periphery 27 of the earphone. The emitter and detector devices may be either Red or Infrared (IR) or both for detecting heartbeat and optionally SpO₂. The ear piece is of a type commonly known as an ear bud 50 which has a substantially cylindrical shape for insertion within the outer ear canal of the wearer. In the preferred embodiment the emitters and detectors are grouped in pairs 21-24, 22-25, 23-26 located 120 degrees apart about the circumferential periphery 27 of the ear bud 50. The dashed lines 30, 31, 32 show the path of the IR signals through the soft tissue surrounding the internal wall of the ear canal. A first signal 31 from emitter 21 is detected by detector 25, a second signal 32 from emitter 22 is detected by detector 26 and a third signal 33 from emitter 23 is detected by detector 24. The main
20 signal noise is due to radial motion of the ear bud 50 in the x, y plane within the ear canal because these movement changes the distance between the sensor and the ear canal wall, which affects the transmitted and receive signal. By using the physical construction where the IR sensors are installed in several circular symmetric locations the effect due to motion in the x, y plane can be approximated as a linear effect on the amplitude of the received signal.

25 [0049] Some of the signal emitted from the emitters 21, 22, 23 will be reflected from the skin surface of the ear canal. The amount of the IR signals 31, 32, 33 that is reflected from the skin also varies substantially with the aforementioned x, y plane movement of the ear bud 50 within the ear canal. The reflected light is detected by the detectors and must be allowed for in later processing to determine heartbeat and other body parameters from the detected signals. The amount of referred light that is detected by the detectors can be ameliorated by locating the emitters and detectors within recess channels 35, 36, 37 below the outer peripheral surface 28 of the ear bud 50. The recess channels 35, 36, 37 can comprise air or optical glass mediums and form a narrow angle wave guide for IR signals emitted from the emitters or entering the detectors. These wave guide cannels 35, 36, 37 produces a narrow angle beam to direct the light in such a way to allow the maximum amount signal by increasing the signal path of the light up and into deeper tissue before the light reflects and is captured by the detector. They also limiting large fluctuation in DC single picked up by detectors.

30 [0050] The outer part 38 of the ear bud 50 consists of a soft over-molding made of resiliently deformable memory foam or silicone rubber that dampens the effects of motion. The foam is compressed when the ear bud 50 is inserted into the ear canal and expands to hold the bud 50 firmly in the ear canal to ameliorate relative motion between the emitters and detectors and the ear canal wall during exercise movement. One possible optional feature is to make outer piece 38 removable and interchangeable for varying the size and shape to fit a wide variety of users having different size ear canals. The properties (elasticity, softness as known as durometer, memory or rebound rate) of this soft over-molding 38 are chosen to maximizing the damping effects.

35 [0051] The depth placement of the emitters and detectors inside the ear is also important, but not essential, to reducing the effects of motion introduced within the ear during exercise. The emitters and detector are placed at the end of the inner part of the ear bud 50 which is further into the ear canal to help reduce the effects of motion. This placement helps reduce the vibration as the inner ear part is more firmly attached to the bone and muscle (non-soft tissue) which does not move as much during exercise.

40 [0052] A first arrangement of an ear bud 50 is illustrated in Figures 5 through 8. The interchangeable resilient outer part 38 is sized to fit within the ear canal of a person. Figure 7 illustrates the core parts of the ear bud 50 with the resilient outer part 38 removed. The structure consists of a speaker 44, a hollow inner core 41 for sound conduction from the speaker in to the ear, an resilient inner foam structure 42 for softness and flexibility , a flexible printed circuit (FPC) 43 or thin wirings for connection to emitter and detectors and a rubber over-molding 38 for increase comfort and protection of sensors. The resilient inner foam 42 may be compressed during insertion of the bud 50 into the ear to provide further support in the ear canal.

45 [0053] The FPC 43 comprises a hub 46 having three 120 degree radially extending arms 47. The emitter and detector

pairs 21-24, 22-25, 23-26 are located at the distal ends of the FPC 43 and are encapsulated with epoxy. The encapsulation provides a round-top to avoid injury to the user when wearing the device and at the same time prevents the emitters and receivers from damage. An alternative approach is to use sensors with suitable packaging. The FPC arms 47 are made of a flexible material so that sensors follow the foam 42 when squeezed into the ear canal. Flexible wiring tracks are located along the radial arms 47 connecting the emitters and detectors to solder bonding pads 48 on the hub 46. In one embodiment the FPC and arms is formed as a flex circuit. The hub 46 is located centrally within the back of the ear bud 50 and the radial arms brought forward within slots 45 on the surface of foam 42. The depth of the slots 45 is designed to allow the sensors to be slightly above the foam surface. The foam 42 is then covered with the rubber over-molding 38 for increase comfort and protection of sensors.

[0054] Figures 9 and 10 illustrate an alternative arrangement of an ear bud 50 in a behind-the-ear design. The cord 3 to each bud 50, hangs around the back of the ear to also help in securing an in ear portion 51 into the ear canal and thus reducing motion introduced into the signal by exercise movement. Another feature of this design is to have the cable 3 enter at the back or bottom of the behind the ear portion. This cable placement design will reduce the motion effects that can be produced by the pulling forces of the cable during movement. Since the cable 3 can exert a force on the ear piece the reduction of its size and weight is achieved by locating some of the electronics or circuitry into a behind an ear portion 52 of the earphone. This feature reduces the number of wires and thus thickness and weight of the cable 3. There are many wires needed to drive and capture the signal from the emitters and detector as well as the wires for the audio speakers and the temperature sensor. The circuit design has a communication method between the main unit 2 and the behind the ear portion 52 circuitry.

[0055] Figures 11 and 12 illustrate a second embodiment of an exercise device according to the invention employing an arm-band type sensor. In the first embodiment the sensor was a circular ear bud for location within an ear canal, with the emitters and detectors located in pairs 120 degrees apart around the outer circumference of the bud for obtaining signals from the tissue surrounding the ear canal. In the arm-band embodiment an annular band 60 is provided which locates about the wrist 61 or upper arm 62 of the user. Emitters and detectors are provided in three pairs 64, 65, 66 at locations 120 degrees apart around the inner circumference of the band 60. The emitters and detectors are of the same type as in the ear bud, however the emitters and detectors are located on the inner circumference of the band 60 so as to be pressed up against the skin of the wrist 61 or arm 62 when the band 60 is worn. The sensor signal path is through the tissue of the wrist 61 or arm 62. The band 60 is made of a resilient material so as to fit snugly about the wrist 61 or arm 62 of the wearer and maintain the emitter and detector pairs 64, 65, 66 in position with the arm tissue. The band 60 may be a stand alone band or, as illustrated in Figures 11 and 12, may be a support strap for wearing the portable base unit 2 on the wrist 61 or upper arm 62 of the users. The arm-band embodiment may be preferable to those who run or cycle in busy traffic areas and prefer not to impair their hearing with earphones for safety reasons. The embodiment shown in Figure 11 may be, for example, a wrist watch wherein the base unit only provides visual feedback. However, in some embodiments the base unit 2 may also have an ear phone output jack for connection of a standard pair of earphones for listening to music and audio feedback from the portable exercise device if so desired.

[0056] The head phones 1 and arm bands 60 of embodiments of the invention use multiple pairs of emitters and detectors at symmetrical locations to aid the removal or minimization of the additive noise introduced in to the detected sensor signals by exercise motion of the wearer. The microprocessor 8 of the main unit 2 receives the detected sensor signals and analyses them to detect the wearer's heartbeat and other body parameters, such as SpO₂. Figure 13 is a schematic block diagram of the sensor control and processing means. A LED driver control is used to send driving signals to the LED emitters 21, 22, 23. The detected signals from detectors 24, 25, 26 are amplified by op-amps 62 with DC bias control 63. The amplified analog signals go through a multiplexer 64 and an analog-to-digital (A/D) converter 65 for input to the Microprocessor 8. The signals are analyzed in Microprocessor 8 to detect the wearer's heartbeat and other body parameters.

[0057] The detected signals 31, 32, 33 are modeled as follows:

$$(1) \quad m_1(t) = L_1 I_{01}(t)(1 + \gamma_1 hb(t))(1 + N_{s1}(t) + N_{f1}(t) + z_1(t))$$

$$(2) \quad m_2(t) = L_2 I_{02}(t)(1 + \gamma_2 hb(t))(1 + N_{s2}(t) + N_{f2}(t) + z_2(t)),$$

and

$$(3) \quad m_3(t) = L_3 I_{03}(t)(1 + \gamma_3 hb(t))(1 + N_{s3}(t) + N_{f3}(t) + z_3(t))$$

5 Where:

$m_1(t), m_2(t), m_3(t)$ are the signal received at the 3 detectors respectively
 $I_{01}(t), I_{02}(t), I_{03}(t)$ are the transmitted signal to the IR LED emitters respectively
 L_1, L_2, L_3 are constant gain of each IR sensors
 $hb(t)$ is the heartbeat signal
 $\gamma_1, \gamma_2, \gamma_3$ are coupling coefficients of the heartbeat signal $hb(t)$
 $N_{s1}(t), N_{s2}(t), N_{s3}(t)$ are slow varying noise in the detected signals
 $N_{f1}(t), N_{f2}(t), N_{f3}(t)$ are typical additive thermal noise in the detected signals, and
 $z_1(t), z_2(t), z_3(t)$ are noise signals due to motion.

15

[0058] This model is based on the assumption that the motion signals $z_1(t), z_2(t), z_3(t)$ are in the same plane as the circular plane formed by the 3 sensors (the x-y plane) and they can be decomposed to 2 orthogonal components $h(t)$ and $v(t)$ as shown in Figure 14. Mathematically this is $z_k(t) = \varepsilon_k(h(t)\cos(\theta_k) + v(t)\sin(\theta_k))$, where $h(t), v(t)$ are the motion signal being projected to horizontal and vertical directions and the direction of sensor k is θ_k from the horizontal direction and ε_k are coupling coefficients for the motion signal to the sensors. For the three detectors 120 degrees apart θ_k is 90, 210 and 330 degrees.

20

[0059] We can make the assuming that both γ_k, ε_k are much smaller than 1 and we can represent the received signal as DC and AC components ($m_{ack}(t), m_{dck}(t)$). By calculating the signal AC amplitude when there is no motion, we can normalize the 3 channels gain. Equations (1),(2),(3) can be approximated as :

25

$$(4) \quad m_{ac1}(t) = hb(t) + N'_{s1}(t) + N'_{f1}(t) + z_1'(t)$$

30

$$(5) \quad m_{ac2}(t) = hb(t) + N'_{s2}(t) + N'_{f2}(t) + z_2'(t)$$

35

$$(6) \quad m_{ac3}(t) = hb(t) + N'_{s3}(t) + N'_{f3}(t) + z_3'(t)$$

where $N'_{sk}(t), N'_{fk}(t), z_k'(t)$ are scaled versions of the original signals.

40

[0060] The signal due to heartbeat should have similar effect on the three signals 31, 32, 33 and should be in phase in each signal and differ only by a scaling factor. The sensors are placed evenly in a circle and so the effect of motion in x-y plane should be different for the 3 symmetrically located sensors. When there is no motion, or a very small amount of motion, the maximum signal to noise ratio (SNR) of the heartbeat signal can be obtained by adding up the three AC component input signal, i.e. $y(t) = m_{ac1}(t) + m_{ac2}(t) + m_{ac3}(t)$.

45

[0061] When there is exercise motion the noise signals $z_1'(t), z_2'(t), z_3'(t)$ become dominated in the received signals 31, 32, 33. We can solve this problem by finding the column vector

$$\hat{w} = [w_1 \quad w_2 \quad w_3]^T \quad \text{such that} \quad \hat{y} = \hat{w}^T M$$

50

where

55

$$M = \begin{bmatrix} m_{ac1}[0] & m_{ac1}[1] & \Lambda & \Lambda & m_{ac1}[K-1] \\ m_{ac2}[0] & m_{ac2}[1] & \Lambda & \Lambda & m_{ac2}[K-1] \\ m_{ac3}[0] & m_{ac3}[1] & \Lambda & \Lambda & m_{ac3}[K-1] \end{bmatrix} \quad \text{and} \quad \hat{y} = [y[0] \quad y[1] \quad \Lambda \quad y[K-1]]$$

and \hat{y} is a linear combination of input signal which maximize :

$$\frac{\hat{w}^T \hat{s} \hat{s}^T \hat{w}}{\hat{w}^T \mathfrak{R}_{mm} \hat{w}}$$

where \mathfrak{R}_{mm} is the cross correlation matrix of the 3 signals from motion.

$$\hat{s} = [s_1 \quad s_2 \quad s_3]^T$$

is the corresponding gain of the heartbeat signal, in this case where all the 3 input channels are normalized.

$$\hat{s} = [1 \quad 1 \quad 1]^T \quad \text{and} \quad \mathfrak{R}_{mm} = MM^T - \sigma^2 \hat{s} \hat{s}^T$$

where σ^2 is the variance of the heartbeat signal.

[0062] Since \mathfrak{R}_{mm} is positive definite, we can write :

$$\mathfrak{R}_{mm} = R^{\frac{1}{2}} \cdot R^{\frac{1}{2}} \quad \text{and we write} \quad \hat{u} = R^{\frac{1}{2}} \hat{w}$$

$$\hat{w} = R^{-\frac{1}{2}} \hat{u}$$

[0063] The problem becomes :

$$\max_{\|\hat{u}\|=1} \hat{u}^T R^{-\frac{1}{2}} \hat{s} \cdot \hat{s}^T R^{-\frac{1}{2}} \hat{u}$$

or

$$\max_{\|\hat{u}\|=1} (\hat{u}^T R^{-\frac{1}{2}} \hat{s})^2$$

[0064] The expression is maximum when :

$$\hat{u} = R^{-\frac{1}{2}} \hat{s}$$

$$\therefore \hat{w} = R^{-\frac{1}{2}} (R^{-\frac{1}{2}} \hat{s}) = \mathfrak{R}_{mm}^{-1} \hat{s}$$

where

$$\mathfrak{R}_{mm} = MM^T - \sigma^2 \hat{s} \hat{s}^T$$

5 [0065] The amplitude of 3 input heartbeat signal is normalized by calculating the variance (or standard deviation) of each channel when the user is not running.

[0066] Figure 15 schematically illustrates the processing of the sensor signals 31, 32, 33 to determine heartbeat. The following is a description of each block.

10 Block 71:

[0067] A simple Finite Input Response (FIR) low pass filter is used to remove all high frequency signals. Slow drifting DC offset is removed using a filter or a moving window to extract the DC offset and subtract back from the signal.

15 Block 72:

[0068] The signal amplitude of the heartbeat signal on each sensor is identified when there is no user motion. This is done by calculating the standard deviation of the 3 input signals when there is no motion. The 3 signal paths are then normalized.

20

Block 73:

[0069] We then determine whether there is motion. The signal are check in the time domain. If the heartbeat signal dominates, all the 3 signals should be synchronous and in-phase. If the motion of the user is big enough, it is expected that the signal from motion dominates and sensor signals should not be all in phase. The correlation index across the three signals is calculated. The amplitude of the signal when compared with rest time signal amplitude is a clear indicator for motion.

25

[0070] If there is no motion the three signals are added together (with normalized amplitude) to improve the SNR.

[0071] If there is motion : e.g. running, the acquired signals are cut into blocks of length K for calculating the covariance matrix

30

$$\mathfrak{R}_{mm} = MM^T - \sigma^2 \hat{s} \hat{s}^T .$$

35

$\sigma^2 \hat{S} \hat{S}^T$ can be obtained calculating the standard deviation of the 3 input signals when there is no motion. The 3 input signals are then normalized to having signal standard deviation of σ when there is no motion. Then $\sigma^2 \hat{S} \hat{S}^T$ becomes

40

$$\sigma^2 \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$

45

[0072] We then calculate the vector :

50

$$w = \mathfrak{R}_{mm}^{-1} \hat{s}$$

All 3 channels are calibrated and normalized when there is no motion

55

$$\hat{s} = [1 \quad 1 \quad 1]^T$$

w is a 3x1 column vector :

$$\hat{y} = \hat{w}^T M$$

5

$y[n]$ is a linear combination of the 3 input signals

the signal due to motion should be canceled out and preserve the heartbeat signal

[0073] The linear combination may also be done in frequency domain as well. The time domain waveform can be restored using an inverse Fast Fourier Transform (FFT). The signal $y[n]$ should contain the heartbeat signal + noise.

10

Block 74

15

[0074] The heartbeat signal is detected using match filters in the time domain. The user's resting heartbeat rate signal can be recorded as templates. The corresponding heart rate of these templates can be calculated and recorded as well. For each range of the heart rate, a template is stored for each user. For the range where there is no recorded template a time wrapping approach is used to predict an approximate template. These templates are then used to build multiple matched filters for the user. The corresponding matched filter will be selected according to current heartbeat rate of the user.

20

Block 76

25

[0075] The peaks of the matched filter output are detected and they are marked as the beat time. The inter-beat intervals are calculated and stored in a buffer.

Block 77

30

[0076] Based on the current beat rate, an algorithm was implemented to detect missed and false alarm of the beats. In case of a miss or false alarm the inter-beat intervals will be modified accordingly to improve accuracy of the heart rate calculation.

Block 78

35

[0077] The heart rate is then calculated from the inter-beat intervals buffer.

40

[0078] In addition to detecting the heart beat signal, a method is employed to extract the motion signal from the sensor signals. When the user is running, each of the input signals is the sum of the heart beat signal and the motion signal. Figure 16 shows the three sensor signals before and after the user starts to jog or run. Prior to running the three heart beat signals are in phase and of the same amplitude. When the user starts to jog or run the motion signals amplitude varies a lot among the three sensor signals. To accurately detect the step rate instead of the heart rate, it is necessary to remove the heart beat signal from the sensor signals. Step detection is activated only when it is determined that the user is running, which is described earlier. When user is running or jogging, the standard deviation of the three sensor signals is calculated for certain window width, typical 2 seconds. The standard deviation is use as a parameter representing the amplitude of the sensor signals. If the amplitude of the signal with the biggest amplitude is bigger than the rest time heart beat signal amplitude by certain ratio, in the preferred example 10, it is assumed that the motion signal completely dominates and this biggest emplitude signal is chosen as the motion signal, i.e.

45

$$y_{MOTION}(t) = m_{ac_biggest}(t)$$

50

where $m_{ac_biggest}(t)$ is the input signal with biggest amplitude and the amplitude is bigger than the rest time heart beat signal by 10 times. If no sensor signal is ten times greater than the rest time heart beat signal, the standard deviation of the sensor signals are compared and ranked. The motion signals is the two biggest sensor signals minus two-times the smallest sensor signal, i.e.

55

$$y_{MOTION}(t) = m_{ac_big1}(t) + m_{ac_big2}(t) - 2m_{ac_smallest}(t)$$

5

where $m_{ac_big1}(t)$, $m_{ac_big2}(t)$ are the 2 input signals with bigger amplitude and $m_{ac_smallest}(t)$ is the input signal with smallest amplitude.

10

[0079] The reason for this simple formulation is that all the three sensor signals should contain a heart beat signal components with substantial identical amplitude. The components due to heart beat signal should cancel out most of the heart beat signal. The resultant motion signal, $y_{MOTION}(t)$, is a large amplitude sinusoidal signal with good signal to noise ratio and thus a simple zero crossing method can be used to determine the step counts when user is running: Suitable zero crossing methods should be well known in the art. Figure 17 is a flow chart of this method.

15

[0080] In order to determine distance run the distance per step must be known for the particular user. This can be input manually by user if they know or can calculate their typical stride length, or the device can be put in to calibration mode which requires the user to walk and run for a certain distance. Figure 18 shows the relationship of the step distance and the rate of steps. The data point will then be used to interpolate or extrapolate the cure of step distance versus rate of step. After the steps are detected, the rate of the step and the number of step will be calculated. The rate of steps will be used to estimate the distance traveled of each steps. The step distance is accumulated and will be recorded as the total workout distance traveled when the workout is finished.

20

[0081] The exercise device processes, displays and stores health related data, such as heart rate, blood oxygen level (SpO2), body temperature, steps walked or run, entered weight to calculate calories burned and body mass index (BMI). The user connects to the headphones that not only playback audio files but also simultaneously captures end users health related data inside the ear. The data is transferred to the portable entertainment device and workout assistant for processing, displaying/notifying and storing the data.

25

[0082] The following various functions are available on the device. This is, however, not an exhaustive list and more or less features may be included in some embodiments.

[0083] Preferred features include;-

30

1. Playback of the audio/video files stored on the device,
2. Determining and displaying the instantaneous heart rate and storing a heart rate profile during an exercise period.
3. Storing and displaying the number of steps taken.
4. Determining, displaying and storing the health related status of the end user, including temperature, blood oxygen level and other body parameters.
5. Providing visual and audio feedback of target exercise parameters and/or rates to help the end user optimize his physical activity - for example a pre approved beep as a sign to slow down, a pre approved different signal/sound for signaling end user to pick up the pace and a pre defined sound for providing signal on what percentage of the exercise has been completed.
6. Transfer of date to a PC for further analysis, review or summary,
7. Providing visual and audio feedback, for example via pause or stop playback, if the device detects one or more of the ear buds is not capturing a heartbeat which mean a possible detach and resume playback after the device detects a heartbeat from one or both of the ear buds.
8. Providing visual and audio feedback of target exercise parameters by changing the tempo, pitch, equalizer according to the inputted vital sign so as to raise or reduce the workout intensity of the user sub-consciously - Figures 19 and 20 shows the block diagram of the way to implement the change of audio signal based on vital sign.
9. Providing visual and audio feedback of target exercise distance by changing the temp, pitch, equalizer according to the inputted step rate and distance traveled.

45

Claims

50

1. A noninvasive light sensor for detecting heart beat signals, comprising:

55

a circular support member engageable circumferentially with a body part of a person,
 a plurality of light emitters located about a circumference of the circular support member for emitting light signals into different areas of tissue surrounding the body part, and
 a plurality of light detectors located about a circumference of the circular support member for receiving reflected light signals from the different areas of tissue surrounding the body part.

2. The noninvasive light sensor of claim 1 wherein plurality of light emitters consist of three light emitters located 120 degrees apart about the circumference of the support member.
- 5 3. The noninvasive light sensor of claims 1 or 2 wherein the plurality of light detectors consist of three light detectors located 120 degrees apart about the circumference of the support member.
4. The noninvasive light sensor of any preceding claim wherein the light emitters and light detectors are located in pairs consisting of one of the emitters and one of the detectors.
- 10 5. The noninvasive light sensor of any preceding claim wherein the circular support member being an ear bud insertable with the an ear canal along an ear canal axis, wherein the plurality of light emitters are located about the periphery of the ear piece for emitting light signals perpendicular to the ear canal axis into the different areas of tissue surrounding the ear canal, and the plurality of light detectors are located about the periphery of the ear piece for receiving reflected light signals from the different areas of tissue surrounding the ear canal.
- 15 6. The noninvasive light sensor of claim 5 wherein the ear piece is resiliently deformable for expansion within the ear canal, such that the ear piece is firmly locatable within the ear canal.
- 20 7. The noninvasive light sensor of claims 5 or 6 wherein the ear price comprises an inner layer and an outer layer having a plurality of openings, the light emitters and light detectors located within the outer layer openings.
8. The noninvasive light sensor of claim 7 wherein the openings have light absorbent sides surrounding the light emitters and light detectors, the sides defining a narrow gap above the light emitters and light detectors.
- 25 9. The noninvasive light sensor of claim 1 wherein the support member comprising a band locatable about a wrist or arm, the emitters and detectors located around an inner circumference of the band for respectively emitting light signals into the different areas of arm tissue and receiving reflected light from the different areas of arm tissue.
- 30 10. A exercise system comprising:
 - an ear piece insertable within an ear canal along a canal axis, the ear piece having a plurality of light sensors and detectors, and a audio speaker,
 - a computer readable storage medium have space allocated for storage of audio files,
 - 35 a vital sign monitor programmed to generating a vital sign signal from signals of the emitters and detectors, and an audio player programmed to playback audio files thought the audio speaker in response to the vital sign signal and to vary attributes of the playback audio files in response to the vital sign signal.
- 40 11. The exercise system of claim 10 wherein the attributes of the playback audio files to be varied include one or more of beat, tempo, tone, pitch and the audio filed being played.
12. The exercise system of claims 10 or 11 wherein the vital sign monitor is programmed to generating a heart rate, blood oxygen or temperature signal.
- 45 13. A method of determining heart rate of a person during exercise comprising:
 - obtaining a plurality of sensor signals from multiple locations about a body part of a person, the sensor signals comprising a heart beat signals and a movement signals,
 - 50 comparing the signals to separate the heart beat signals and a movement signals, and determining heart rate from the heart beat signals.
14. The method of claim 13 wherein obtaining a plurality of sensor signals from locations comprises providing a plurality of heart beat sensors for positioning at multiple locations about the body part.
- 55 15. The method of claims 13 or 14 wherein comparing the signals to separate the heart beat signals and a movement signals comprises comparing the sensor signals to find in phase and out of phase components of the sensor signals.
16. The method of any one of claims 13 to 15 wherein comparing the signals to separate the heart beat signals and a movement signals comprises finding a covariance between the sensor signals.

17. The method of any one of claims 13 to 16 wherein determining heart rate from the heart beat signals comprises using match filters.

5

10

15

20

25

30

35

40

45

50

55




Figure 1 (Prior Art)




Figure 2 (Prior Art)




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19




Figure 20

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Non-patent literature cited in the description

- **M.R. Neuman ; N. Wang.** Motion Artifact in Pulse Oximetry. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 1990, vol. 12 (5 [0006])

Electronic Patent Application Fee Transmittal

Application Number:	14184364			
Filing Date:	19-Feb-2014			
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING			
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf			
Filer:	Needham J. Boddie/Susan E. Freedman			
Attorney Docket Number:	9653-7TSCT			
Filed as Large Entity				
Utility under 35 USC 111(a) Filing Fees				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Extension-of-Time:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
Submission- Information Disclosure Stmt	1806	1	180	180
Total in USD (\$)				180

Electronic Acknowledgement Receipt

EFS ID:	19984984
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Susan E. Freedman
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	27-AUG-2014
Filing Date:	19-FEB-2014
Time Stamp:	17:20:41
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$180
RAM confirmation Number	4109
Deposit Account	500220
Authorized User	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
-----------------	----------------------	-----------	----------------------------------	------------------	------------------

1		9653-7TSCT_2014-08-27_IDS.pdf	324558 78b2e60a247e2a22c0ff09272e0ff82c18216f a9	yes	3
Multipart Description/PDF files in .zip description					
		Document Description	Start	End	
		Transmittal Letter	1	2	
		Information Disclosure Statement (IDS) Form (SB08)	3	3	
Warnings:					
Information:					
2	Foreign Reference	EP2077091.pdf	2502285 bd8becf245c00184685e47afb38ef5aad617 f3c4	no	26
Warnings:					
Information:					
3	Fee Worksheet (SB06)	fee-info.pdf	30689 0badac6f8eb7cb108f3763bfe3890e464d9b 97f43	no	2
Warnings:					
Information:					
Total Files Size (in bytes):			2857532		
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

Attorney Docket No. 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.

Confirmation No.: 1023

Application No.: 14/184,364

Examiner: Rodney Evan Fuller

Filing Date: February 19, 2014

Group Art Unit: 2852

For: WEARABLE LIGHT GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

August 27, 2014

Commissioner for Patents
Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Sir:

Attached is an Information Disclosure Statement listing of documents, together with a copy of any listed foreign patent document and/or non-patent literature. A copy of any listed U.S. patent and/or U.S. patent application publication is not provided herewith in accordance with 37 C.F.R. § 1.98(a)(2)(ii).

- In accordance with **37 CFR 1.97(b)**, the information disclosure statement is being filed:
- (1) within three months of the filing date of a national application other than a continued prosecution application under §1.53(d);
 - (2) within three months of the date of entry of the national stage as set forth in §1.491 in an international application;
 - (3) before the mailing of a first Office Action on the merits; or
 - (4) before the mailing of a first Office Action after the filing of a request for continued examination under §1.114.

In accordance with **37 CFR 1.97(c)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(b) above, but before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311, or an action that otherwise closes prosecution in the application, and is accompanied by **one** of the following:

- (1) The statement specified under **37 CFR 1.97(e)**, as follows:
- Each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; **or**
 - No item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; **or**
- (2) The fee set forth in §1.17(p);

In re: LeBoeuf et al.
Application No.: 14/184,364
Filing Date: February 19, 2014
Page 2 of 2

In accordance with **37 CFR 1.97(d)**, the information disclosure statement is being filed after the period specified in 37 CFR 1.97(c) above, but on or before payment of the issue fee, and is accompanied by **both** of the following:

(1) The statement specified under **37 CFR 1.97(e)**, as follows:

That each item of information contained in the information disclosure statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement; **or**

That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the certification after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement; **and**

(2) The fee set forth in §1.17(p);

In accordance with **37 CFR 1.97(g)**, the information disclosure statement shall not be construed as a representation that a search has been made.

In accordance with **37 CFR 1.97(h)**, the information disclosure statement shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in §1.56(b).

The Director is hereby authorized to charge the fee specified in 37 C.F.R. § 1.17(p), and any fee deficiency or credit any overpayment, to Deposit Account No. 50-0220; **or**

No fee is believed due. However, the Director is hereby authorized to charge any deficiency or credit any overpayment to Deposit Account No. 50-0220.

Respectfully submitted,




Needham J. Boddie, II
Registration No. 40,519
Attorney for Applicant

Customer Number 20792

Myers Bigel Sibley & Sajovec, P.A.
P.O. Box 37428, Raleigh, NC 27627
919-854-1400
919-854-1401 (Fax)

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with 37 CFR § 1.6(a)(4) to the U.S. Patent and Trademark Office on August 27, 2014.



Susan E. Freedman



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

NOTICE OF ALLOWANCE AND FEE(S) DUE

20792 7590 09/05/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

EXAMINER

FULLER, RODNEY EVAN

ART UNIT PAPER NUMBER

2852

DATE MAILED: 09/05/2014

Table with 5 columns: APPLICATION NO., FILING DATE, FIRST NAMED INVENTOR, ATTORNEY DOCKET NO., CONFIRMATION NO.

TITLE OF INVENTION: WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

Table with 7 columns: APPLN. TYPE, ENTITY STATUS, ISSUE FEE DUE, PUBLICATION FEE DUE, PREV. PAID ISSUE FEE, TOTAL FEE(S) DUE, DATE DUE

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the ENTITY STATUS shown above. If the ENTITY STATUS is shown as SMALL or MICRO, verify whether entitlement to that entity status still applies. If the ENTITY STATUS is the same as shown above, pay the TOTAL FEE(S) DUE shown above. If the ENTITY STATUS is changed from that shown above, on PART B - FEE(S) TRANSMITTAL, complete section number 5 titled "Change in Entity Status (from status indicated above)". For purposes of this notice, small entity fees are 1/2 the amount of undiscounted fees, and micro entity fees are 1/2 the amount of small entity fees.

II. PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

**Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 or Fax (571)-273-2885**

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

20792 7590 09/05/2014
MYERS BIGEL SIBLEY & SAJOVEC
 PO BOX 37428
 RALEIGH, NC 27627

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

Certificate of Mailing or Transmission

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

_____ (Depositor's name)
_____ (Signature)
_____ (Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/184,364	02/19/2014	Steven Francis LeBoeuf	9653-7TSCT	1023

TITLE OF INVENTION: WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	\$960	\$0	\$0	\$960	12/05/2014

EXAMINER	ART UNIT	CLASS-SUBCLASS
FULLER, RODNEY EVAN	2852	600-310000

<p>1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).</p> <p><input type="checkbox"/> Change of correspondence address (or Change of Correspondence Address form PTO/SB/122) attached.</p> <p><input type="checkbox"/> "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.</p>	<p>2. For printing on the patent front page, list</p> <p>(1) The names of up to 3 registered patent attorneys or agents OR, alternatively, 1 _____</p> <p>(2) The name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed. 2 _____</p> <p>3 _____</p>
---	---

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE _____ (B) RESIDENCE: (CITY and STATE OR COUNTRY) _____

Please check the appropriate assignee category or categories (will not be printed on the patent): Individual Corporation or other private group entity Government

<p>4a. The following fee(s) are submitted:</p> <p><input type="checkbox"/> Issue Fee</p> <p><input type="checkbox"/> Publication Fee (No small entity discount permitted)</p> <p><input type="checkbox"/> Advance Order - # of Copies _____</p>	<p>4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)</p> <p><input type="checkbox"/> A check is enclosed.</p> <p><input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.</p> <p><input type="checkbox"/> The Director is hereby authorized to charge the required fee(s), any deficiency, or credits any overpayment, to Deposit Account Number _____ (enclose an extra copy of this form).</p>
---	---

<p>5. Change in Entity Status (from status indicated above)</p> <p><input type="checkbox"/> Applicant certifying micro entity status. See 37 CFR 1.29</p> <p><input type="checkbox"/> Applicant asserting small entity status. See 37 CFR 1.27</p> <p><input type="checkbox"/> Applicant changing to regular undiscounted fee status.</p>	<p>NOTE: Absent a valid certification of Micro Entity Status (see forms PTO/SB/15A and 15B), issue fee payment in the micro entity amount will not be accepted at the risk of application abandonment.</p> <p>NOTE: If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.</p> <p>NOTE: Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.</p>
--	--

NOTE: This form must be signed in accordance with 37 CFR 1.31 and 1.33. See 37 CFR 1.4 for signature requirements and certifications.

Authorized Signature _____ Date _____
 Typed or printed name _____ Registration No. _____



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 5 columns: APPLICATION NO., FILING DATE, FIRST NAMED INVENTOR, ATTORNEY DOCKET NO., CONFIRMATION NO.
14/184,364 02/19/2014 Steven Francis LeBoeuf 9653-7TSCT 1023

20792 7590 09/05/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

EXAMINER

FULLER, RODNEY EVAN

ART UNIT PAPER NUMBER

2852

DATE MAILED: 09/05/2014

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)
(Applications filed on or after May 29, 2000)

The Office has discontinued providing a Patent Term Adjustment (PTA) calculation with the Notice of Allowance.

Section 1(h)(2) of the AIA Technical Corrections Act amended 35 U.S.C. 154(b)(3)(B)(i) to eliminate the requirement that the Office provide a patent term adjustment determination with the notice of allowance. See Revisions to Patent Term Adjustment, 78 Fed. Reg. 19416, 19417 (Apr. 1, 2013). Therefore, the Office is no longer providing an initial patent term adjustment determination with the notice of allowance. The Office will continue to provide a patent term adjustment determination with the Issue Notification Letter that is mailed to applicant approximately three weeks prior to the issue date of the patent, and will include the patent term adjustment on the patent. Any request for reconsideration of the patent term adjustment determination (or reinstatement of patent term adjustment) should follow the process outlined in 37 CFR 1.705.

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

OMB Clearance and PRA Burden Statement for PTOL-85 Part B

The Paperwork Reduction Act (PRA) of 1995 requires Federal agencies to obtain Office of Management and Budget approval before requesting most types of information from the public. When OMB approves an agency request to collect information from the public, OMB (i) provides a valid OMB Control Number and expiration date for the agency to display on the instrument that will be used to collect the information and (ii) requires the agency to inform the public about the OMB Control Number's legal significance in accordance with 5 CFR 1320.5(b).

The information collected by PTOL-85 Part B is required by 37 CFR 1.311. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, Virginia 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450. Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Notice of Allowability	Application No. 14/184,364	Applicant(s) LEBOEUF ET AL.	
	Examiner RODNEY FULLER	Art Unit 2852	AIA (First Inventor to File) Status No

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to applicant's Amendment dated 08/18/2014.
 A declaration(s)/affidavit(s) under **37 CFR 1.130(b)** was/were filed on _____.
2. An election was made by the applicant in response to a restriction requirement set forth during the interview on _____; the restriction requirement and election have been incorporated into this action.
3. The allowed claim(s) is/are 1,2,4 and 6-13. As a result of the allowed claim(s), you may be eligible to benefit from the **Patent Prosecution Highway** program at a participating intellectual property office for the corresponding application. For more information, please see http://www.uspto.gov/patents/init_events/opph/index.jsp or send an inquiry to PPHfeedback@uspto.gov.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Certified copies:

- a) All b) Some *c) None of the:
1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date <u>8/27/2014</u> 3. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material 4. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Examiner's Amendment/Comment 6. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance 7. <input type="checkbox"/> Other _____. |
|--|---|

/RODNEY FULLER/
Primary Examiner, Art Unit 2852

Receipt date: 08/18/2014

14184364 - GAU: 2852

OK TO ENTER: /RF/

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 2

In the Title:

Please amend the Title of the application as follows:

-- WEARABLE LIGHT-GUIDING BANDS AND PATCHES
FOR PHYSIOLOGICAL MONITORING --

In re: LeBoeuf et al.
Serial No. 14/184,364
Filed: February 19, 2014
Page 3

In the Specification:

Please amend the paragraph beginning on page 5, line 1 of the specification as follows:

-- In some embodiments, an earbud includes at least one lens in optical communication with the light transmissive material. Each lens may be configured to focus light from the optical emitter onto one or more predetermined locations in the ear of a subject and/or to focus collected external light onto the optical detector. --

Please amend the paragraph beginning on page 10, line 21 of the specification as follows:

-- Fig. 6 is a side section view of a light-guiding earbud for a headset, according to some embodiments of the present invention. [[.]] --

Receipt date: 08/18/2014

14184364 - GAU: 2852

OK TO ENTER: /RF/

**RESPONSE UNDER 37 C.F.R. 1.116 - EXPEDITED
PROCEDURE - EXAMINING GROUP 2852**

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.

Confirmation No.: 1023

Serial No.: 14/184,364

Group Art Unit: 2852

Filed: February 19, 2014

Examiner: Rodney Evan Fuller

For: **WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL
MONITORING** (*As Amended*)

Date: August 18, 2014

Mail Stop AF
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION OF AUGUST 14, 2014

Applicants provide the present Response to address the issues raised in the Final Office Action (the "Action") mailed August 14, 2014. Applicants provide the present Response pursuant to the rules stated in revised 37 C.F.R. 1.121 that became effective on July 30, 2003.

It is not believed that an extension of time and/or additional fee(s)-including fees for net addition of claims-are required, beyond those that may otherwise be provided for in documents accompanying this paper. In the event, however, that an extension of time is necessary to allow consideration of this paper, such an extension is hereby petitioned under 37 C.F.R. §1.136(a). Any additional fees believed to be due in connection with this paper may be charged to our Deposit Account No. 50-0220.

Amendments to the Title begin on Page 2 of this paper.

Amendments to the Specification begin on Page 3 of this paper.

Amendments to the claims begin on Page 4 of this paper.

Remarks begin on Page 7 of this paper.

Receipt date: 08/27/2014

14184364 - GAU: 2852

INFORMATION DISCLOSURE STATEMENT BY APPLICANT				<i>Complete if Known</i>	
				Application Number	14/184,364
<i>(use as many sheets as necessary)</i>				Filing Date	02-19-2014
				First Named Inventor	Steven Francis LeBoeuf
				Art Unit	2852
				Examiner Name	Rodney Evan Fuller
Sheet	C1	of	C1	Attorney Docket Number	9653-7TSCT

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)			
	1.	US- 2012/0179011 A1	07-12-2012	Moon et al.	
	2.	US- 7,107,088 B2	09-12-2006	Aceti	
	3.	US- 6,358,216 B1	03-19-2002	Kraus et al.	
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			
		US-			


FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)				
	4.	EP 2 077 091 A2	07-08-2009	PERCEPTION DIGITAL LIMITED		

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /RF/

Examiner Signature	/Rodney Fuller/	Date Considered	08/31/2014
--------------------	-----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Search Notes 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

CPC- SEARCHED		
Symbol	Date	Examiner


CPC COMBINATION SETS - SEARCHED		
Symbol	Date	Examiner

US CLASSIFICATION SEARCHED			
Class	Subclass	Date	Examiner
600	310	8/31/2014	/RF/

SEARCH NOTES		
Search Notes	Date	Examiner
600/301, 302, 310, 322, 323, 324 (w/ text search)	8/31/2014	/RF/
East text search history printout	8/31/2014	/RF/

INTERFERENCE SEARCH			
US Class/ CPC Symbol	US Subclass / CPC Group	Date	Examiner
	Interference search printout	8/31/2014	/RF/


	/RODNEY FULLER/ Primary Examiner.Art Unit 2852
--	---

Issue Classification 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

CPC							
Symbol						Type	Version
A61B		5			4812	F	2013-01-01
A61B		5			00	I	2013-01-01
A61B		5			6815	I	2013-01-01
A61B		5			6838	I	2013-01-01
H04R		1			1091	I	2013-01-01
A61B		5			02055	I	2013-01-01
A61B		5			6803	I	2013-01-01
H04R		1			105	I	2013-01-01
A61B		5			1118	I	2013-01-01
A61B		5			1455	I	2013-01-01
A61B		5			721	I	2013-01-01
A61B		5			0082	I	2013-01-01
A61B		5			0059	I	2013-01-01
A61B		5			0476	I	2013-01-01
A61B		5			14551	I	2013-01-01
A61B		5			165	I	2013-01-01
A61B		5			4848	I	2013-01-01
A61B		5			4866	I	2013-01-01
A61B		5			411	A	2013-01-01
A61B		5			415	A	2013-01-01
A61B		5			418	A	2013-01-01
A61B		2560			0242	A	2013-01-01


CPC Combination Sets									
Symbol						Type	Set	Ranking	Version

NONE		Total Claims Allowed:	
(Assistant Examiner)	(Date)	11	
/RODNEY FULLER/ Primary Examiner.Art Unit 2852	08/31/2014	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	22B

Issue Classification 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

US ORIGINAL CLASSIFICATION						INTERNATIONAL CLASSIFICATION								
CLASS			SUBCLASS			CLAIMED				NON-CLAIMED				
600			310			A	6	1	B	5 / 00 (2006.01.01)				
CROSS REFERENCE(S)														
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)													

NONE			Total Claims Allowed:	
			11	
(Assistant Examiner)		(Date)	O.G. Print Claim(s)	O.G. Print Figure
/RODNEY FULLER/ Primary Examiner. Art Unit 2852		08/31/2014	1	22B
(Primary Examiner)		(Date)		

Issue Classification 	Application/Control No. 14184364	Applicant(s)/Patent Under Reexamination LEBOEUF ET AL.
	Examiner RODNEY FULLER	Art Unit 2852

Claims renumbered in the same order as presented by applicant

 CPA

 T.D.

 R.1.47

Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original	Final	Original
1	1	-	17	-	33										
2	2	-	18	-	34										
-	3	-	19	-	35										
3	4	-	20	-	36										
-	5	-	21	-	37										
4	6	-	22	-	38										
5	7	-	23	-	39										
6	8	-	24	-	40										
7	9	-	25	-	41										
8	10	-	26	-	42										
9	11	-	27												
10	12	-	28												
11	13	-	29												
-	14	-	30												
-	15	-	31												
-	16	-	32												

NONE		Total Claims Allowed:	
(Assistant Examiner)	(Date)	11	
/RODNEY FULLER/ Primary Examiner.Art Unit 2852	08/31/2014	O.G. Print Claim(s)	O.G. Print Figure
(Primary Examiner)	(Date)	1	22B

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((("20120179011") or ("7107088") or ("6358216")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/31 11:47
L2	7599	((600/310) or (600/301) or (600/322) or (600/323) or (600/324)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2014/08/31 11:53
L3	757	2 and cylindrical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/31 11:53
L4	39	3 and cladding	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/31 11:53
L5	29	4 and (aperture or window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2014/08/31 11:53
L6	14	("20100217103" "20100298653" "5086229" "7107088" "20040054291" "20100168531" "20090054752" "5596987" "20040034293" "20060009685" "20050043600" "20120179011" "20030109030" "6358215").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:54
L7	0	("2012/0179011").URPN.	USPAT	OR	ON	2014/08/31 11:54
L8	19	("2010/0298653").URPN.	USPAT	OR	ON	2014/08/31 11:55
L9	7	("2010/0217103").URPN.	USPAT	OR	ON	2014/08/31 11:55
L10	3	("2010/0168531").URPN.	USPAT	OR	ON	2014/08/31 11:55
L11	38	("2006/0009685").URPN.	USPAT	OR	ON	2014/08/31 11:55
L12	97	("2005/0043600").URPN.	USPAT	OR	ON	2014/08/31 11:55
L13	127	("2004/0054291").URPN.	USPAT	OR	ON	2014/08/31 11:56

EAST Search History

L14	3	("2003/0109030").URPN.	USPAT	OR	ON	2014/08/31 11:56
L15	146	("20010033664" "20020006209" "20020015506" "20020027996" "20030092975" "2414747" "3858574" "3910257" "4312358" "4621643" "4662360" "4754748" "4790324" "4797840" "4821982" "4934372" "5036853" "5044373" "5058586" "5109849" "5115133" "5137023" "5146091" "5152296" "5167235" "5213099" "5297554" "5361758" "5469855" "5626139" "5673692" "5812992" "5895371" "6004274" "6047205" "6053887" "6075443" "6078829" "6080110" "6115621" "6205227" "6231560" "6253871" "6254526" "6283915" "6289309" "6343223" "6358216" "6398727" "6410997" "6473511" "6556852" "6579242" "6691087").FN. OR ("7107088").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:56
L16	48	("3790797" "3893770" "3898462" "3953734" "4011859" "4013260" "4110619" "4153837" "4180732" "4180734" "4266131" "4269194" "4273134" "4423739" "4440177" "4509522" "4578762" "5092342" "5095913" "5247185" "5282473" "5464982" "5464983" "5535633" "5585635" "5942755" "5957127" "6191421").FN. OR ("6358215").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:56
L17	127	("3068742" "3412729" "3461856" "3638640" "3709612" "3866599" "3994585" "3998550" "4086915" "4119406" "4138727" "4162405" "4167331" "4223680" "4281645" "4321930" "4380240" "4416285" "4510938" "4612938" "4800885" "4805623" "4824242" "4846183" "4908762" "4972331" "5106387" "5119815" "5187672").FN. OR ("5596987").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:56
L18	404	7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:57
L19	32	18 and cladding	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:57
L20	24	19 and (aperture or window)	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:57
L21	10	20 and cylindrical	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:57
L22	207	("20050228296" "20050228299" "3412729" "4305401" "4425921" "4653498" "5002055" "5178155" "6002952" "6047203" "6112224" "6117077" "6272936" "6432061" "6443905" "6537225" "6714804"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:58

"6736759" | "5482036" | "20040030261" |
"20060100530" | "20080221399" |
"20080275327" | "4094308" | "4425920" |
"4777954" | "5054494" | "5485848" |
"5511546" | "5727558" | "5840039" |
"5873834" | "5974262" | "6095985" |
"6224548" | "6526315" | "6527711" |
"6527725" | "6553247" | "6571200" |
"6609023" | "6612984" | "6616613" |
"6723054" | "7215991" | "20030171662" |
"20050171444" | "20020198473" |
"20030000522" | "20040193068" |
"20080077026" | "20080221461" |
"4367752" | "4825879" | "4846189" |
"4860759" | "5111817" | "5368039" |
"5551438" | "5743857" | "5755669" |
"5865755" | "5919141" | "6050940" |
"6264614" | "6280390" | "6331162" |
"6334065" | "6364842" | "6375614" |
"6398727" | "6472617" | "6517495" |
"6556852" | "6599251" | "6605044" |
"6636161" | "6645155" | "6726632" |
"6856832" | "7179228" | "7206630" |
"20020183627" | "20030181815" |
"20050096513" | "20050148890" |
"20050216199" | "20090018453" |
"4320767" | "4917099" | "4960126" |
"5435315" | "5649543" | "5921936" |
"6013009" | "6061584" | "6126595" |
"6315719" | "6336900" | "6475153" |
"6645154" | "6652466" | "6681454" |
"6700174" | "7185282" | "20100056886" |
"20020019586" | "20050119586" |
"20050195094" | "20050228300" |
"20050228301" | "20060047215" |
"20070142715" | "20070185393" |
"20070276261" | "4181134" | "4289141" |
"4869262" | "5179958" | "5316008" |
"5348008" | "5752920" | "5876350" |
"5964701" | "6475146" | "6511436" |
"6558321" | "6592528" | "6722569" |
"6733447" | "20090118590" |
"20030172127" | "20050228298" |
"20060247538" | "4063551" | "4380240" |
"4869261" | "5038792" | "5788634" |
"5830137" | "5865758" | "6341229" |
"6371921" | "6413223" | "6443906" |
"6477397" | "6546269" | "6676608" |
"6775566" | "6814705" | "6852083" |
"6871084" | "20050261593" | "5485838" |
"20030088196" | "20040193063" |
"20040260186" | "20060122520" |
"20070106132" | "20080082004" |
"4669485" | "4681118" | "5836300" |
"5891021" | "6004274" | "6027455" |
"6093146" | "6160478" | "6176831" |
"6245014" | "6595929" | "6678543" |
"6719703" | "6813511" | "20120179011" |
"20030055324" | "20040024324" |
"20050033515" | "20050148882" |
"20050192488" | "20070276632" |
"20080077048" | "20090018422" |
"4080966" | "4245648" | "4802486" |
"4917108" | "5140990" | "5213099" |

		"5237997" "5297554" "5309916" "5431170" "5632272" "5857975" "5891042" "6030342" "6381577" "6514211" "6516289" "6533729" "6605038" "6662130" "6740045" "6808473" "7029447").PN.				
L23	88	("6388240" "6480729" "6503206" "6541756" "6850787" "7215987" "7479890" "8082160" "20060122469" "5224928" "20070118028" "5632272" "6094592" "6263222" "6934571" "7628730" "7648463" "7678061" "7684954" "7715984" "20020170193" "20040034293" "20020151805" "20050240087" "20070071643" "20070129769" "20070188323" "20080114220" "20080319327" "20090221937" "20090262074" "20090306485" "20100030034" "20100168589" "20100222649" "20100298661" "20100324384" "20110152632" "20110224508" "4270547" "4577639" "4802486" "5490505" "5593431" "5876353" "5964701" "6081735" "7041060" "7215984" "7301451" "7468036" "7598878" "20100030085" "6893396" "7976480" "20070282208" "20090069642" "20090318779" "6544173" "7668588" "20080162496" "20090076398" "5339818" "5857975" "6526310" "7668588" "20020170193" "20050119586" "20050171444" "20050234317" "20080208273" "20080262362" "20090187085" "4582068" "4807638" "5197489" "5485838" "5588427" "5743856" "5865756" "5873834" "7029447" "7351206" "7383070" "7400919" "7541939" "8167800" "20050070773" "20090131759" "5857975" "20080077026").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 11:59
L24	19	("20080162496" "20090076398" "5857975" "6057758" "20080161707" "20070010719" "20080027341" "20090112630" "20090118590" "20090322513" "20110076942" "20110105862" "20110178375" "4722351" "5190038" "5575284" "6011985" "6168569" "6206830").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:00
L25	82	("6732064" "6770028" "6947781" "6997882" "7384398" "7502643" "7156809" "20020156354" "20080146887" "20090054752" "20090306487" "20100331640" "5913827" "20060271404" "5339818" "20040122315" "20090295541" "20030004420" "20030171662" "20060074321" "20060142648" "20080004507" "5709205" "5895359" "7225007" "8047998" "20060265246" "5517988" "7477143" "20100234695" "4086916" "6533729" "7079888"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:00

		"5685299" "6480729" "6527729" "6770028" "6947781" "7186966" "7194293" "7400919" "7477143" "7522035" "7698830" "7725147" "20040225207" "20010004234" "20050124866" "20050206518" "20050209511" "20070066910" "20070156456" "20070244376" "20070293781" "20080101160" "20090018409" "20090076397" "20090082681" "20090112281" "20100160795" "20100298658" "20100298659" "20100324385" "20110066037" "20110066050" "20110224506" "20110224557" "5025791" "5549650" "6117077" "6157850" "6261247" "6263222" "6699194" "7427926" "7670295" "7684954" "20040162466" "20040162493" "20040034294" "20050113107" "20060200029" "20080167535" "20090040041" "20050228296").pn.				
L26	84	("20110224498" "20110275907" "6094592" "6199550" "6262769" "6491647" "6546267" "6584336" "6650917" "6790178" "7020508" "7194293" "7257438" "7382247" "7455643" "7477143" "7539532" "7616110" "7628071" "7678061" "7689437" "7698941" "RE37852" "20080146892" "5899855" "6443890" "20050228301" "20080319282" "20100125188" "6067462" "20090295541" "20070276261" "20100234693" "20110070829" "5766131" "6198951" "6287262" "7048687" "7296312" "20070185393" "20080214963" "5964720" "20040111033" "20040193063" "5025791" "5524637" "5964701" "6002952" "6041783" "6206830" "6388240" "6551252" "6584336" "6684090" "7257438" "7373912" "7539532" "7698941" "20070071643" "20030130590" "20030158699" "20040073128" "20040133079" "20050187796" "20050228298" "20050283088" "20060128263" "20060155589" "20060178591" "20070252853" "20080103405" "20080132106" "20090312973" "20100056886" "20100130811" "20100298650" "20100298652" "20100298655" "20110066038" "20110224507" "20110257554" "4653498" "5316008" "5769785" "5941836" "6236872" "6516289" "6527729").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:00
L27	82	("20080195735" "20090018453" "20090118626" "20090222119" "20090259113" "20100234786" "20100298660" "20100324386" "20110066009" "20110066010"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:01

		"20110066045" "20110144456" "20110224499" "20110257489" "5140990" "5482036" "5632272" "5800349" "6036642" "6198394" "6334065" "6605038" "6879850" "7299159" "7522035" "7602301" "7628730" "7648463" "20040077934" "20090233770" "20100217099" "20070287386" "20080294019" "6589170" "7509131" "7674231" "20020193671" "20040019288" "20070250261" "20070293770" "20090018408" "20090192366" "5448991" "6159147" "7373191" "7383069" "20050059870" "20070265533" "6595929" "20070142730" "4653498" "4656287" "4802486" "5941836" "6160478" "6541756" "6605038" "6699194" "6845256" "7184809" "7377794" "7468036" "7508307" "7509154" "7670295" "7674230" "20070129769" "20080039731" "20090018453" "20010013826" "20020032386" "20030167012" "20030181815" "20040054821" "20050113703" "20070055163" "20070094045" "20070142715" "20080281168" "20090076363" "20100298656" "20100312115" "20100324387" "20100324389").pn.				
L28	81	("20020072859" "20020170193" "20040267099" "20050261565" "20060036141" "20060281979" "20070208233" "20070232867" "20080004904" "20080039731" "20080082001" "20080139955" "20080194918" "20080221404" "20100010380" "20100160798" "20100298651" "20100298654" "20100324388" "20110066008" "20110066039" "20110066051" "20110066062" "20110224500" "20110224564" "20110257555" "6041783" "6551252" "6616606" "6745060" "7314451" "7542878" "7625344" "7674230" "7698830" "20100160793" "6976958" "20100113948" "5247931" "6526310" "5919141" "20050059870" "20050043598" "20080004500" "20090264712" "5680870" "6684090" "7355512" "7373912" "7377794" "7530949" "7725147" "20070260487" "20070265880" "6811538" "20030097046" "5645060" "20050222502" "5490505" "5575284" "6199550" "6334065" "6606993" "7020508" "7020578" "7215984" "7314451" "7383070" "7530949" "7625344" "7628071" "7641614" "7689437" "7698101" "20020198679" "20030153836" "20030208335" "20040030261" "20050027205"	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:01

		"20050124903" "20060074322" "20060265246" "20060270949" "20070193834").pn.				
L29	87	("20120123232" "5820550" "7186966" "7827011" "20060047215" "20060252999" "7983933" "5289824" "6018673" "6129686" "6157850" "6650917" "6879850" "7041060" "7215987" "7299159" "7373191" "7420472" "7541939" "7598878" "7602301" "20060005169" "6198394" "20040225207" "20070255116" "20070270671" "20080077027" "20080204254" "20080208013" "20080221399" "20080281310" "20090198139" "20090227877" "20100056881" "20100160796" "20100280440" "20110066006" "20110066007" "20110066044" "20110093281" "20110224556" "20110257551" "4710164" "5971930" "6002952" "6018673" "6160478" "6251080" "6371921" "6694177" "6845256" "6934571" "6985078" "7420472" "7586418" "7641614" "7698101" "20090306524" "20120065525" "4305400" "7782189" "20020013517" "20070237719" "5465082" "20080161707" "5919141" "20080171927" "7674231" "5517988" "20020193692" "20080287751" "20090287067" "4263918" "7184809" "7509154" "20100210930" "20010045395" "5482036" "5769785" "5800349" "6011985" "6036642" "6261247" "6491647" "6745060" "6850787" "7355512" "7455643" "7485095").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:01
L30	48	("5971930" "6081735" "7225007" "7301451" "7502643" "7586418" "7616110" "20030135099" "20040034293" "20050149350" "20050261593" "20050265267" "20070118056" "20070161912" "20080275349" "20090076405" "20100160794" "20100160797" "20100241011" "20100298653" "20100298657" "20110066043" "20110257552" "4905697" "5515858" "5524637" "5649543" "5685299" "5848373" "5865755" "6081742" "6129686" "6544174" "6606993" "7020578" "7115824" "7485095" "7508307" "7656287" "7715984" "7241265" "8137270" "5853370" "20040122315" "20080171927" "20050228296" "20060271404" "6057758").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:02
L31	626	22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:02
L32	244	31 and (aperture or window)	US-PGPUB; USPAT;	OR	ON	2014/08/31 12:02

EAST Search History

			USOCR			
L33	15	32 and cladding	US-PGPUB; USPAT; USOCR	OR	ON	2014/08/31 12:02

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L34	2	(cylindrical and inner and cladding and (window or aperture) and light and (sensor or detector)).clm.	USPAT; UPAD	OR	ON	2014/08/31 12:03
L35	0	(cylindrical and inner and cladding and (window or aperture) and light and (sensor or detector) and concentric).clm.	USPAT; UPAD	OR	ON	2014/08/31 12:04

8/ 31/ 2014 12:04:16 PM

C:\Users\rfuller\Documents\EAST\Workspaces\rodney9.wsp

Attorney Docket No.: 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf *et al.*

Confirmation No.: 1023

Serial No.: 14/184,364

Group Art Unit: 2852

Filed: February 19, 2014

Examiner: Fuller, Rodney Evan

For: WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL
MONITORING

September 10, 2014

Commissioner for Patents
Box 1450
Alexandria, VA 22313-1450

AMENDMENT AFTER NOTICE OF ALLOWANCE PURSUANT TO 37 CFR 1.312

This Amendment is responsive to the "Notice of Allowance and Fee(s) Due" mailed September 5, 2014. Applicants provide the present Response pursuant to the rules stated in revised 37 C.F.R. 1.121 that became effective on July 30, 2003.

It is not believed that an extension of time and/or additional fee(s)-including fees for net addition of claims-are required, beyond those that may otherwise be provided for in documents accompanying this paper. In the event, however, that an extension of time is necessary to allow consideration of this paper, such an extension is hereby petitioned under 37 C.F.R. §1.136(a). Any additional fees believed to be due in connection with this paper may be charged to our Deposit Account No. 50-0220.

Amendments to the Title begin on Page 2 of this paper.

Remarks begin on Page 3 of this paper.

In re: LeBoeuf *et al.*
Serial No.: 14/184,364
Filed: February 19, 2014
Page 2 of 3

In the Title:

Please amend the title as follows:

WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL
MONITORING

In re: LeBoeuf *et al.*
Serial No.: 14/184,364
Filed: February 19, 2014
Page 3 of 3

REMARKS

The present Amendment is being filed to assure that the correct title is used on the issued patent for the above-identified application. In particular, the title was amended as noted above in the Response to Office Action of August 14, 2014, as filed on August 18, 2014, yet the Notice of Allowance contains an incorrect title. Accordingly, Applicants respectfully request entry of this Amendment and issuance of the present application with the correct title.

Respectfully submitted,




Needham J. Boddie, II
Attorney for Applicants
Registration No. 40,519

USPTO Customer No. 20792
Myers Bigel Sibley & Sajovec, P.A.
Post Office Box 37428
Raleigh, North Carolina 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401
1564554.v1

CERTIFICATION OF TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with 37 CFR § 1.6(a)(4) to the U.S. Patent and Trademark Office on September 10, 2014.


Name: Candi L. Riggs

Electronic Acknowledgement Receipt

EFS ID:	20102895
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Candi Riggs
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	10-SEP-2014
Filing Date:	19-FEB-2014
Time Stamp:	17:02:15
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	no
------------------------	----

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1		AmendmentAfterAllowance.pdf	172364 21a0d2a4febb0f8167398dfcd0fbc08241808ce0	yes	3

Multipart Description/PDF files in .zip description		
Document Description	Start	End
Amendment after Notice of Allowance (Rule 312)	1	1
Specification	2	2
Applicant Arguments/Remarks Made in an Amendment	3	3
Warnings:		
Information:		
Total Files Size (in bytes):	172364	
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>		



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 7 columns: APPLICATION NUMBER, FILING or 371(c) DATE, GRP ART UNIT, FIL FEE REC'D, ATTY DOCKET NO, TOT CLAIMS, IND CLAIMS. Row 1: 14/184,364, 02/19/2014, 2852, 2700, 9653-7TSCT, 32, 2

CONFIRMATION NO. 1023

CORRECTED FILING RECEIPT

20792
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627



Date Mailed: 09/23/2014

Receipt is acknowledged of this non-provisional patent application. The application will be taken up for examination in due course. Applicant will be notified as to the results of the examination. Any correspondence concerning the application must include the following identification information: the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please submit a written request for a Filing Receipt Correction. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections

Inventor(s)

Steven Francis LeBoeuf, Raleigh, NC;
Jesse Berkley Tucker, Knightdale, NC;
Michael Edward Aumer, Raleigh, NC;

Applicant(s)

Valencell, Inc., Raleigh, NC

Assignment For Published Patent Application

Valencell, Inc., Raleigh, NC

Power of Attorney: The patent practitioners associated with Customer Number 20792

Domestic Priority data as claimed by applicant

This application is a CON of 12/691,388 01/21/2010 PAT 8700111
which claims benefit of 61/208,567 02/25/2009
and claims benefit of 61/208,574 02/25/2009
and claims benefit of 61/212,444 04/13/2009
and claims benefit of 61/274,191 08/14/2009

Foreign Applications for which priority is claimed (You may be eligible to benefit from the Patent Prosecution Highway program at the USPTO. Please see http://www.uspto.gov for more information.) - None.

Foreign application information must be provided in an Application Data Sheet in order to constitute a claim to foreign priority. See 37 CFR 1.55 and 1.76.

Permission to Access - A proper Authorization to Permit Access to Application by Participating Offices (PTO/SB/39 or its equivalent) has been received by the USPTO.

If Required, Foreign Filing License Granted: 03/07/2014

The country code and number of your priority application, to be used for filing abroad under the Paris Convention, is **US 14/184,364**

Projected Publication Date: Not Applicable

Non-Publication Request: No

Early Publication Request: No
Title

WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING

Preliminary Class

600

Statement under 37 CFR 1.55 or 1.78 for AIA (First Inventor to File) Transition Applications: No

PROTECTING YOUR INVENTION OUTSIDE THE UNITED STATES

Since the rights granted by a U.S. patent extend only throughout the territory of the United States and have no effect in a foreign country, an inventor who wishes patent protection in another country must apply for a patent in a specific country or in regional patent offices. Applicants may wish to consider the filing of an international application under the Patent Cooperation Treaty (PCT). An international (PCT) application generally has the same effect as a regular national patent application in each PCT-member country. The PCT process **simplifies** the filing of patent applications on the same invention in member countries, but **does not result** in a grant of "an international patent" and does not eliminate the need of applicants to file additional documents and fees in countries where patent protection is desired.

Almost every country has its own patent law, and a person desiring a patent in a particular country must make an application for patent in that country in accordance with its particular laws. Since the laws of many countries differ in various respects from the patent law of the United States, applicants are advised to seek guidance from specific foreign countries to ensure that patent rights are not lost prematurely.

Applicants also are advised that in the case of inventions made in the United States, the Director of the USPTO must issue a license before applicants can apply for a patent in a foreign country. The filing of a U.S. patent application serves as a request for a foreign filing license. The application's filing receipt contains further information and guidance as to the status of applicant's license for foreign filing.

Applicants may wish to consult the USPTO booklet, "General Information Concerning Patents" (specifically, the section entitled "Treaties and Foreign Patents") for more information on timeframes and deadlines for filing foreign patent applications. The guide is available either by contacting the USPTO Contact Center at 800-786-9199, or it can be viewed on the USPTO website at <http://www.uspto.gov/web/offices/pac/doc/general/index.html>.

For information on preventing theft of your intellectual property (patents, trademarks and copyrights), you may wish to consult the U.S. Government website, <http://www.stopfakes.gov>. Part of a Department of Commerce initiative, this website includes self-help "toolkits" giving innovators guidance on how to protect intellectual property in specific countries such as China, Korea and Mexico. For questions regarding patent enforcement issues, applicants may call the U.S. Government hotline at 1-866-999-HALT (1-866-999-4258).

**LICENSE FOR FOREIGN FILING UNDER
Title 35, United States Code, Section 184
Title 37, Code of Federal Regulations, 5.11 & 5.15**

GRANTED

The applicant has been granted a license under 35 U.S.C. 184, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" followed by a date appears on this form. Such licenses are issued in all applications where the conditions for issuance of a license have been met, regardless of whether or not a license may be required as set forth in 37 CFR 5.15. The scope and limitations of this license are set forth in 37 CFR 5.15(a) unless an earlier license has been issued under 37 CFR 5.15(b). The license is subject to revocation upon written notification. The date indicated is the effective date of the license, unless an earlier license of similar scope has been granted under 37 CFR 5.13 or 5.14.

This license is to be retained by the licensee and may be used at any time on or after the effective date thereof unless it is revoked. This license is automatically transferred to any related applications(s) filed under 37 CFR 1.53(d). This license is not retroactive.

The grant of a license does not in any way lessen the responsibility of a licensee for the security of the subject matter as imposed by any Government contract or the provisions of existing laws relating to espionage and the national security or the export of technical data. Licensees should apprise themselves of current regulations especially with respect to certain countries, of other agencies, particularly the Office of Defense Trade Controls, Department of State (with respect to Arms, Munitions and Implements of War (22 CFR 121-128)); the Bureau of Industry and Security, Department of Commerce (15 CFR parts 730-774); the Office of Foreign Assets Control, Department of Treasury (31 CFR Parts 500+) and the Department of Energy.

NOT GRANTED

No license under 35 U.S.C. 184 has been granted at this time, if the phrase "IF REQUIRED, FOREIGN FILING LICENSE GRANTED" DOES NOT appear on this form. Applicant may still petition for a license under 37 CFR 5.12, if a license is desired before the expiration of 6 months from the filing date of the application. If 6 months has lapsed from the filing date of this application and the licensee has not received any indication of a secrecy order under 35 U.S.C. 181, the licensee may foreign file the application pursuant to 37 CFR 5.15(b).

SelectUSA

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The U.S. offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to promote and facilitate business investment. SelectUSA provides information assistance to the international investor community; serves as an ombudsman for existing and potential investors; advocates on behalf of U.S. cities, states, and regions competing for global investment; and counsels U.S. economic development organizations on investment attraction best practices. To learn more about why the United States is the best country in the world to develop technology, manufacture products, deliver services, and grow your business, visit <http://www.SelectUSA.gov> or call +1-202-482-6800.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 5 columns: APPLICATION NO., FILING DATE, FIRST NAMED INVENTOR, ATTORNEY DOCKET NO., CONFIRMATION NO.
14/184,364 02/19/2014 Steven Francis LeBoeuf 9653-7TSCT 1023

20792 7590 09/23/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

EXAMINER

FULLER, RODNEY EVAN

ART UNIT PAPER NUMBER

2852

MAIL DATE DELIVERY MODE

09/23/2014

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Response to Rule 312 Communication	Application No.	Applicant(s)
	14/184,364	
	Examiner	Art Unit

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. The amendment filed on 10 September 2014 under 37 CFR 1.312 has been considered, and has been:
- a) entered.
 - b) entered as directed to matters of form not affecting the scope of the invention.
 - c) disapproved because the amendment was filed after the payment of the issue fee.
Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.
 - d) disapproved. See explanation below.
 - e) entered in part. See explanation below.

N.Y. Horne
PUBLISHING DIVISION

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: **Mail Stop ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450**
or **Fax (571)-273-2885**

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence including the Patent, advance orders and notification of maintenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications.

CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address)

20792 7590 09/05/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

Note: A certificate of mailing can only be used for domestic mailings of the Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment or formal drawing, must have its own certificate of mailing or transmission.

Certificate of Mailing or Transmission

I hereby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Mail Stop ISSUE FEE address above, or being facsimile transmitted to the USPTO (571) 273-2885, on the date indicated below.

_____ (Depositor's name)
_____ (Signature)
_____ (Date)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
14/184,364	02/19/2014	Steven Francis LeBoeuf	9653-7TSTCT	1023

TITLE OF INVENTION: WEARABLE LIGHT-GUIDING BANDS AND PATCHES FOR PHYSIOLOGICAL MONITORING

APPLN. TYPE	ENTITY STATUS	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	UNDISCOUNTED	\$960	\$0	\$0	\$960	12/05/2014

EXAMINER	ART UNIT	CLASS-SUBCLASS
FULLER, RODNEY EVAN	2852	600-310000

<p>1. Change of correspondence address or indication of "Fee Address" (37 CFR 1.363).</p> <p><input type="checkbox"/> Change of correspondence address (or Change of Correspondence Address Form PTO/SB/122) attached.</p> <p><input type="checkbox"/> "Fee Address" indication (or "Fee Address" Indication form PTO/SB/47; Rev 03-02 or more recent) attached. Use of a Customer Number is required.</p>	<p>2. For printing on the patent front page, list</p> <p>(1) The names of up to 3 registered patent attorneys or agents OR, alternatively, 1 <u>Myers Bigel Sibley & Sajovec</u></p> <p>(2) The name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is listed, no name will be printed. 2 _____</p> <p>3 _____</p>
---	---

3. ASSIGNEE NAME AND RESIDENCE DATA TO BE PRINTED ON THE PATENT (print or type)

PLEASE NOTE: Unless an assignee is identified below, no assignee data will appear on the patent. If an assignee is identified below, the document has been filed for recordation as set forth in 37 CFR 3.11. Completion of this form is NOT a substitute for filing an assignment.

(A) NAME OF ASSIGNEE: Valencell, Inc. (B) RESIDENCE: (CITY and STATE OR COUNTRY) Raleigh, NC

Please check the appropriate assignee category or categories (will not be printed on the patent): Individual Corporation or other private group entity Government

4a. The following fee(s) are submitted:

- Issue Fee
- Publication Fee (No small entity discount permitted)
- Advance Order - # of Copies _____

4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above)

- A check is enclosed.
- Payment by credit card. Form PTO-2038 is attached.
- The Director is hereby authorized to charge the required fee(s), any deficiency, or credits any overpayment, to Deposit Account Number 50-0220 (enclose an extra copy of this form).

5. Change in Entity Status (from status indicated above)

- Applicant certifying micro entity status. See 37 CFR 1.29
- Applicant asserting small entity status. See 37 CFR 1.27
- Applicant changing to regular undiscounted fee status.

NOTE: Absent a valid certification of Micro Entity Status (see forms PTO/SB/15A and 15B), issue fee payment in the micro entity amount will not be accepted at the risk of application abandonment.

NOTE: If the application was previously under micro entity status, checking this box will be taken to be a notification of loss of entitlement to micro entity status.

NOTE: Checking this box will be taken to be a notification of loss of entitlement to small or micro entity status, as applicable.

NOTE: This form must be signed in accordance with 37 CFR 1.31 and 1.33. See 37 CFR 1.4 for signature requirements and certifications.

Authorized Signature: *Needham J. Boddie II* Date: October 6, 2014
 Typed or printed name: Needham J. Boddie, II Registration No.: 40,519

Electronic Patent Application Fee Transmittal

Application Number:	14184364			
Filing Date:	19-Feb-2014			
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING			
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf			
Filer:	Needham J. Boddie/Candi Riggs			
Attorney Docket Number:	9653-7TSCT			
Filed as Large Entity				
Utility under 35 USC 111(a) Filing Fees				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Utility Appl Issue Fee	1501	1	960	960
Extension-of-Time:				

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Miscellaneous:				
Total in USD (\$)				960

Electronic Acknowledgement Receipt

EFS ID:	20336123
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Candi Riggs
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	06-OCT-2014
Filing Date:	19-FEB-2014
Time Stamp:	14:31:29
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$960
RAM confirmation Number	705
Deposit Account	500220
Authorized User	

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
-----------------	----------------------	-----------	-------------------------------------	------------------	------------------

1	Issue Fee Payment (PTO-85B)	9653-7TSCT_FeesTransmittal.pdf	153917 4cb91a963c5b168bc1fcbcd3539fe38e5925d22c	no	1
Warnings:					
Information:					
2	Fee Worksheet (SB06)	fee-info.pdf	30869 3621674d888538d632ac9bc59cde188c29c60	no	2
Warnings:					
Information:					
Total Files Size (in bytes):				184786	
<p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> <p><u>New International Application Filed with the USPTO as a Receiving Office</u> If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.</p>					

Receipt date: 02/19/2014

14184364 - GAU: 2852

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)				<i>Complete if Known</i>			
				Application Number		To Be Assigned	
				Filing Date		Concurrently Herewith	
				First Named Inventor		Steven Francis LeBeouf	
				Art Unit			
Examiner Name							
Sheet	A1	of	A2	Attorney Docket Number	9653-7TSCT		

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No.	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code (if known)			
	1.	US- 2013/0131519	05-2013	LeBoeuf et al.	
	2.	US- 2012/0197093	08-2012	LeBoeuf et al.	
	3.	US- 2011/0105869 A1	05-2011	Wilson et al.	
	4.	US- 2009/0287067 A1	11-2009	Dorogusker et al.	
	5.	US- 2009/0270698 A1	10-2009	Shioi et al.	
	6.	US- 2009/0105556 A1	04-2009	Fricke et al.	
	7.	US- 2009/0054752 A1	02-2009	Jonnalagadda et al.	
	8.	US- 2009/0030350 A1	01-29-2009	Yang et al.	
	9.	US- 2008/0177162 A1	07-2008	Bae et al.	
	10.	US- 2008/0165017 A1	07-2008	Schwartz	
	11.	US- 2008/0096726 A1	04-2008	Riley et al.	
	12.	US- 2008/0076972 A1	03-2008	Dorogusker et al.	
	13.	US- 2006/0009685	01-12-2006	Finarov et al.	
	14.	US- 2005/0228299	10-13-2005	Banet	
	15.	US- 2005/0209516	09-22-2005	Fraden	
	16.	US- 2005/0177034 A1	08-2005	Beaumont	
	17.	US- 8,512,242 B2	08-2013	LeBoeuf et al.	
	18.	US- 8,251,903 B2	08-2012	LeBoeuf et al.	
	19.	US- 8,055,319 B2	11-2011	Oh et al.	
	20.	US- 7,209,775 B2	04-2007	Bae et al.	
	21.	US- 6,859,658 B1	02-2005	Krug	
	22.	US- 6,808,473 B2	10-2004	Hisano et al.	
	23.	US- 6,371,925 B1	04-2002	Imai et al.	
	24.	US- 6,783,501 B2	06-31-2001	Takahashi et al.	August 31, 2004
	25.	US- 6,080,110 A	06-2000	Thorgersen	
	26.	US- 6,078,829 A	06-2000	Uchida et al.	

Change(s) applied to document,

/M.I.G./

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T
		Country Code, Number, Kind Code (if known)				
	27	WO 2013/038296 A1	03-21-2013	KONINKLIJKE PHILIPS ELECTRONICS N.V.		
	28	JP 2007-185348	07-26-2007	OLYMPUS CORP		
	29	JP 2001-025462	01-30-2001	DENSO CORP		

Examiner Signature	/Rodney Fuller/	Date Considered	03/26/2014
--------------------	-----------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /RF/



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P. O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

Table with 5 columns: APPLICATION NO., ISSUE DATE, PATENT NO., ATTORNEY DOCKET NO., CONFIRMATION NO.
Row 1: 14/184,364, 11/11/2014, 8886269, 9653-7TSCT, 1023

20792 7590 10/22/2014
MYERS BIGEL SIBLEY & SAJOVEC
PO BOX 37428
RALEIGH, NC 27627

ISSUE NOTIFICATION

The projected patent number and issue date are specified above.

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)
(application filed on or after May 29, 2000)

The Patent Term Adjustment is 0 day(s). Any patent to issue from the above-identified application will include an indication of the adjustment on the front page.

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Application Assistance Unit (AAU) of the Office of Data Management (ODM) at (571)-272-4200.

APPLICANT(s) (Please see PAIR WEB site http://pair.uspto.gov for additional applicants):

Valencell, Inc., Raleigh, NC, Assignee (with 37 CFR 1.172 Interest);
Steven Francis LeBoeuf, Raleigh, NC;
Jesse Berkley Tucker, Knightdale, NC;
Michael Edward Aumer, Raleigh, NC;

The United States represents the largest, most dynamic marketplace in the world and is an unparalleled location for business investment, innovation, and commercialization of new technologies. The USA offers tremendous resources and advantages for those who invest and manufacture goods here. Through SelectUSA, our nation works to encourage and facilitate business investment. To learn more about why the USA is the best country in the world to develop technology, manufacture products, and grow your business, visit SelectUSA.gov.

Attorney Docket No. 9653-7TSCT

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: LeBoeuf et al.
Application No.: 14/184,364
Filed: February 19, 2014
For: *WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING*

U.S. Patent No.: 8,886,269
Issued: November 11, 2014
Confirmation No. 1023

January 6, 2015

Commissioner for Patents
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450


**REQUEST FOR ENTRY OF CERTIFICATE OF CORRECTION
UNDER 35 U.S.C. §254 AND 37 C.F.R. §1.322 AND
35 U.S.C. §255 AND 37 C.F.R. §1.323**

Sir:

The Applicant(s) of record for the above-referenced patent hereby requests, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322 and 35 U.S.C. §255 and 37 C.F.R. §1.323, that a Certificate of Correction be issued. This request is made in order to correct the mistake(s) incurred through both the fault of the Applicant(s) and the U.S. Patent and Trademark Office. A fee in the amount of \$100.00 as set forth under 37 CFR §1.20(a) is submitted herewith. This amount is believed to be correct; however, the Commissioner is authorized to charge any deficiency or credit any overpayment to Deposit Account 50-0220.

The mistakes appearing in the patent are set forth with corrections on the Certificate of Correction enclosed herewith.

Respectfully submitted,




Needham J. Boddie, II
Registration No. 40,519

Customer No.: 20792
Myers Bigel Sibley & Sajovec, P.A.
P. O. Box 37428, Raleigh, NC 27627
Telephone: (919) 854-1400
Facsimile: (919) 854-1401

CERTIFICATION OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4) to the U.S. Patent and Trademark Office on January 6, 2015.


Cathy J. Leonard

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO.: 8,886,269
APPLICATION NO.: 14/184,364
ISSUE DATE: November 11, 2014
INVENTOR(S): LeBoeuf et al.

It is certified that an error appears or errors appear in the above-identified patent
and that said Letters Patent is hereby corrected as shown below:

On Title Page: Abstract, Line 3:

Please correct "The band includes comprises"
to read -- The band includes --

In the Patent:

Column 1, Line 3: Please correct "U.S. Patent No. 8,7000,111,"
to read -- U.S. Patent No. 8,700,111, --

In the Claims:

Column 30, Claim 1, Lines 36 and 37:

Please correct "outer inner surface;" to read -- outer and inner surfaces; --

Column 31, Claim 11, Line 30:

Please correct "by the optical detector."
to read -- by the first optical detector. --

MAILING ADDRESS OF SENDER:
Myers, Bigel, Sibley & Sajovec
P.O. Box 37428
Raleigh, NC 27627

Electronic Patent Application Fee Transmittal

Application Number:	14184364			
Filing Date:	19-Feb-2014			
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING			
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf			
Filer:	Needham J. Boddie/Cathy Leonard			
Attorney Docket Number:	9653-7TSCT			
Filed as Large Entity				
Filing Fees for Utility under 35 USC 111(a)				
Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Basic Filing:				
Pages:				
Claims:				
Miscellaneous-Filing:				
Petition:				
Patent-Appeals-and-Interference:				
Post-Allowance-and-Post-Issuance:				
Certificate of Correction	1811	1	100	100

Description	Fee Code	Quantity	Amount	Sub-Total in USD(\$)
Extension-of-Time:				
Miscellaneous:				
Total in USD (\$)				100

Electronic Acknowledgement Receipt

EFS ID:	21131529
Application Number:	14184364
International Application Number:	
Confirmation Number:	1023
Title of Invention:	WEARABLE LIGHT-GUIDING BANDS FOR PHYSIOLOGICAL MONITORING
First Named Inventor/Applicant Name:	Steven Francis LeBoeuf
Customer Number:	20792
Filer:	Needham J. Boddie/Cathy Leonard
Filer Authorized By:	Needham J. Boddie
Attorney Docket Number:	9653-7TSCT
Receipt Date:	06-JAN-2015
Filing Date:	19-FEB-2014
Time Stamp:	14:56:52
Application Type:	Utility under 35 USC 111(a)

Payment information:

Submitted with Payment	yes
Payment Type	Deposit Account
Payment was successfully received in RAM	\$100
RAM confirmation Number	1149
Deposit Account	500220
Authorized User	

The Director of the USPTO is hereby authorized to charge indicated fees and credit any overpayment as follows:

--	--	--	--	--	--

File Listing:

Document Number	Document Description	File Name	File Size(Bytes)/ Message Digest	Multi Part /.zip	Pages (if appl.)
1	Request for Certificate of Correction	9653-7TSCT_Request_for_COE.pdf	170140	no	2
			df67584cbf0b28cfe4e7fd187a0ef24976952c		

Warnings:

Information:

2	Fee Worksheet (SB06)	fee-info.pdf	30781	no	2
			74bbcd1e587a868aa462cbe73bb510c6872d6d56		

Warnings:

Information:

Total Files Size (in bytes):	200921
-------------------------------------	--------

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the International Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,886,269 B2
APPLICATION NO. : 14/184364
DATED : November 11, 2014
INVENTOR(S) : LeBoeuf et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On Title Page: Abstract, Line 3:

Please correct "The band includes comprises"
to read -- The band includes --

In the Specification:

Column 1, Line 3: Please correct "U.S. Patent No. 8,7000,111,"
to read -- U.S. Patent No. 8,700,111, --

In the Claims:

Column 30, Claim 1, Lines 36 and 37:

Please correct "outer inner surface;" to read -- outer and inner surfaces; --

Column 31, Claim 11, Line 30:

Please correct "by the optical detector."
to read -- by the first optical detector. --

Signed and Sealed this
Thirty-first Day of March, 2015



Michelle K. Lee
Director of the United States Patent and Trademark Office