Volume 7 Number 1 January 1991

CLINICAL SCIENCES CENTER LIBRA UNIVERSITY OF WISCONSIN 600 HIGHLAND AVE.; MADISON, WI 537

JAN 17 1991

Original Articles

- IN VITRO EVALUATION OF RELATIVE PERFORATING POTENTIAL OF CENTRAL VENOUS CATHETERS: COMPARISON OF MATERIALS, SELECTED MODELS, NUMBER OF LUMENS, AND ANGLES OF INCIDENCE TO SIMULATED MEMBRANE Nikolaus Gravenstein, MD, and Robert H. Blackshear, MD
- SKIN REFLECTANCE PULSE OXIMETRY: IN VIVO MEASUREMENTS FROM THE FOREARM AND CALF
 - Y. Mendelson, PhD, and M. J. McGinn, MSc
- THE RELATIVE ACCURACIES OF TWO AUTOMATED NONINVASIVE ARTERIAL PRESSURE MEASUREMENT DEVICES Michael S. Gorback, MD, Timothy J. Quill, MD, and Michael L. Lavine, PhD
- 23 ELECTROENCEPHALOGRAPHIC MAPPING DURING ISOFLURANE ANESTHESIA FOR TREATMENT OF MENTAL DEPRESSION W. Engelhardt, Dr med, G. Carl, Dr Med, T. Dierks, Dr med, and K. Maurer, Prof Dr med

Case Reports

- USEFULNESS OF EPIDURALLY EVOKED CORTICAL POTENTIAL MONITORING DURING CERVICOMEDULLARY GLIOMA SURGERY Takato Morioka, MD, Kiyotaka Fujii, MD, Shozo Tobimatsu, MD, Masashi Fukui, MD, and Yoshiro Sakaguchi, MD
- 35 CAPNOGRAPHY FOR DETECTION OF ENDOBRONCHIAL MIGRATION OF AN ENDOTRACHEAL TUBE S. K. Gandhi, MD, FFARCS, Charul A. Munshi, MD, Robert Coon, PhD, and Ann Bardeen-Henschel, MD
- 39 OXYGEN PIPELINE SUPPLY FAILURE: A COPING STRATEGY Wayne R. Anderson, MD, and John G. Brock-Utne, FFA(SA) Technical Notes
- 42 A TARGET FEEDBACK DEVICE FOR VENTILATORY MUSCLE TRAINING Michael J. Belman, MD, and Reza Shadmehr, MS
- 49 REDUCTION OF FRESH GAS FLOW REQUIREMENTS BY A **CIRCLE-MODIFIED BAIN BREATHING CIRCUIT** John Bernard Valdrighi, MD, and Patrick Newland Nance, MD

Knowing Your Monitoring Equipment

- 56 BLOOD PRESSURE MONITORING: AUTOMATED OSCILLOMETRIC DEVICES Maynard Ramsey III, MD, PhD
 - 68 Correspondence
 - 70 Books

Workshop

- 71 COMPUTERIZATION OF ANESTHESIA INFORMATION
 - John H. Eichhorn, MD, and David W. Edsall, MD

Abstracts of Scientific Papers

- TENTH MEDICAL MONITORING TECHNOLOGY CONFERENCE
- FIRST ANNUAL MEETING OF THE SOCIETY FOR TECHNOLOGY IN ANESTHESIA
- A-16 Announcements
 - 34 NOTICE FROM THE EDITORS
- A-10 INFORMATION FOR CONTRIBUTORS
- A-15 THE SOCIETY FOR TECHNOLOGY IN ANESTHESIA
- A-16 INDEX TO ADVERTISERS

FICIAL JOURNAL OF THE SOCIETY R TECHNOLOGY IN ANESTHESIA

1 - 1 - I -



JAN 17 1991

OFFICIAL JOURNAL OF THE SOCIETY FOR TECHNOLOGY IN ANESTHESIA

FRITARS

N. Ty Smith, MD University of California, San Diego VA Medical Center

San Diego, California

J. S. Gravenstein, MD University of Florida College of Medicine Gainesville, Florida

Allen K. Ream, MD Stanford University School of Medicine Stanford, California

BOOK REVIEW AND TELECOMMUNICATIONS EDITOR

Frank E. Block, Jr, MD, Columbus, Ohio

ADMINISTRATIVE EDITOR

Robert K. Kalwinsky

PUBLISHER

Little, Brown and Company, Boston, Massachusetts

PUBLISHING STAFF

Lynne Herndon, Publisher Christine F. Lamb, Executive Editor Mary B. Donchez, Managing Editor Sherri Frank, Editorial Assistant Fredda Purgalin, Production Manager Anne Orens, Sales and Marketing Manager

Journal of Clinical Monitoring. ISSN 0748-1977. Published four times a year, in January, April, July, and October by Little, Brown and Company, 34 Beacon Street, Boston, MA 02108-1493. Send address changes and subscription orders to Little, Brown and Company, Subscription Dept, PO Box 2033, Langhorne, PA 19047-9480; (800) 628-4221. Subscription rates per year: Personal subscription, US and possessions, \$89.00; foreign (includes Mexico), \$124.00; Canada, \$98.00; Institutional, US, \$110.00; foreign, \$139.00; Canada, \$115.00. Special rates for students, interns, and residents per year: US, \$65.00; foreign, \$77.00; Canada, \$73.00. Single copies, \$23.00 prepaid. In Japan please contact our exclusive agent: Medical Sciences International, Ltd, 1-2-13 Yushima, Bunkyo-ku, Tokyo 113, Japan. Subscription rates per year in Japan: individual, Y23,100; institutional, Y27,700 (air cargo service only). POSTMASTER: Send address changes to Journal of Clinical Monitoring, PO Box 2033, Langhorne, PA 19047-9480.

Copyright © 1991 by Little, Brown and Company (Inc). All rights reserved. Except as authorized in the accompanying statement, no part of the Journal of Clinical Monitoring may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the publisher's written permission. Authorization to photocopy items for internal use, or the internal or personal use of specific clients, is granted by Little, Brown and Company, Inc. for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the per-copy fee of \$1.50 is paid directly to the Copyright Clearance Center, 27 Congress St, Salem, MA 01970, for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The code fee for this journal is 0748–1977/91 \$1.50. This authorization does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

The authors, editors, and publisher have exerted every effort to ensure that drug selection and dosage, as well as the description of instruments and recommendations for their use, set forth in all articles appearing in the Journal of Clinical Monitoring are in accord with current recommendations and practice at the time of publication. However, many considerations necessitate caution in applying in practice information reported in any article appearing in the Journal. These include ongoing research, changes in government regulations, variations in standards among different countries, the possibility that original research as reported in the Journal may differ from standard practice, and the constant flow of information relating to drug therapy and drug reactions, as well as the principles of monitoring, application of instruments, and differences in instruments among manufacturers. The reader is advised to check the package inserts for each drug for change in indication and dosage, and the descriptions provided by instrument manufacturers for added warnings and precautions. This caution is particularly important when the recommended drug or instrument is new or infrequently employed.

The Journal of Clinical Manitarina is indexed in Index Medicus Current

EDITORIAL BOARD

Paul G. Barash, MD, New Haven, Connecticut Charlotte Bell, MD, New Haven, Connecticut Jan E. W. Beneken, PhD, Eindhoven, The Netherlands Casey D. Blitt, MD, Tucson, Arizona Jerry M. Calkins, MD, PhD, Phoenix, AZ Henry Casson, MD, Portland, Oregon Jeffrey B. Cooper, PhD, Boston, Massachusetts D. Daub, MD, Karlsruhe, Germany Edward Deland, MD, Los Angeles, California Peter C. Duke, MD, Winnipeg, Manitoba, Canada John H. Eichhorn, MD, Boston, Massachusetts Erich Epple, PhD, Tübingen, Germany A. Dean Forbes, Palo Alto, California Wesley T. Frazier, MD, Atlanta, Georgia Yasuhiro Fukui, PhD, Hatoyama, Japan Leslie A. Geddes, ME, PhD, FACC, West Lafayette, Indiana Nikolaus Gravenstein, MD, Gainesville, Florida A. Gerson Greenburg, MD, PhD, Providence, Rhode Island Betty L. Grundy, MD, Gainesville, Florida H. J. Hartung, MD, Mannheim, Germany Carl C. Hug, Jr, MD, Atlanta, Georgia Kazuyuki Ikeda, MD, PhD, Hamamatsu, Japan Joel Karliner, MD, San Francisco, California John D. Michenfelder, MD, Rochester, Minnesota P. M. Osswald, PhD, Mannheim, Germany Tsutomu Oyama, MD, Hirosaki, Japan Carlos Parsloe, MD, Sao Paulo, Brazil Jan Peňaz, MUDr, CSc, Brno, Czechoslovakia James H. Philip, ME(E), MD, Boston, Massachusetts Richard E. Piazza, PhD, Bellevue, Washington Ellison C. Pierce, Jr, MD, Boston, Massachusetts Cedric Prys-Roberts, MA, DM, PhD, FFARCS, Bristol, UK Michael L. Quinn, PhB, San Diego, California Ira J. Rampil, MD, San Francisco, California Maynard Ramsey III, MD, Tampa, Florida Charles L. Rice, MD, Seattle, Washington Michael F. Roizen, MD, Chicago, Illinois Helmut Schwilden, MD, PhD, Bonn, Germany John W. Severinghaus, MD, San Francisco, California Lewis B. Sheiner, MD, San Francisco, California David B. Swedlow, MD, Hayward, California Richard Teplick, MD, Boston, Massachusetts Kevin K. Tremper, PhD, MD, Orange, California Max H. Weil, MD, Chicago, Illinois Arnold M. Weissler, MD, Denver, Colorado

Karel H. Wesseling, PhD, Amsterdam, Holland



JOURNAL OF CLINICAL MONITORING

Volume 7 Number 1 January 1991

Original Articles

- 1 IN VITRO EVALUATION OF RELATIVE PERFORATING POTENTIAL OF CENTRAL VENOUS CATHETERS: COMPARISON OF MATERIALS, SELECTED MODELS, NUMBER OF LUMENS, AND ANGLES OF INCIDENCE TO SIMULATED MEMBRANE
 - Nikolaus Gravenstein, MD, and Robert H. Blackshear, MD
- 7 SKIN REFLECTANCE PULSE OXIMETRY: IN VIVO MEASUREMENTS FROM THE FOREARM AND CALF
 Y. Mendelson, PhD, and M. J. McGinn, MSc
- 13 THE RELATIVE ACCURACIES OF TWO AUTOMATED MONINVASIVE ARTERIAL PRESSURE MEASUREMENT DEVICES Michael S. Gorback, MD, Timothy J. Quill, MD, and Michael L. Lavine, PhD
- 23 ELECTROENCEPHALOGRAPHIC MAPPING DURING ISOFLURANE ANESTHESIA FOR TREATMENT OF MENTAL DEPRESSION W. Engelhardt, Dr med, G. Carl, Dr Med, T. Dierks, Dr med, and K. Maurer, Prof Dr med

Case Reports

- 30 USEFULNESS OF EPIDURALLY EVOKED CORTICAL POTENTIAL MONITORING DURING CERVICOMEDULLARY GLIOMA SURGERY Takato Morioka, MD, Kiyotaka Fujii, MD, Shozo Tobimatsu, MD, Masashi Fukui, MD, and Yoshiro Sakaguchi, MD
- 35 CAPNOGRAPHY FOR DETECTION OF ENDOBRONCHIAL MIGRATION OF AN ENDOTRACHEAL TUBE

 S. K. Gandhi, MD, FFARCS, Charul A. Munshi, MD, Robert Coon, PhD, and Ann Bardeen-Henschel, MD
- 39 OXYGEN PIPELINE SUPPLY FAILURE: A COPING STRATEGY
 Wayne R. Anderson, MD, and John G. Brock-Utne, FFA(SA)

Technical Notes

- 42 A TARGET FEEDBACK DEVICE FOR VENTILATORY MUSCLE TRAINING
 Michael J. Belman, MD, and Reza Shadmehr, MS
- 49 REDUCTION OF FRESH GAS FLOW REQUIREMENTS BY A CIRCLE-MODIFIED BAIN BREATHING CIRCUIT

 John Bernard Valdrighi, MD, and Patrick Newland Nance, MD

Knowing Your Monitoring Equipment

56 BLOOD PRESSURE MONITORING: AUTOMATED OSCILLOMETRIC DEVICES

Maynard Ramsey III, MD, PhD

Correspondence

- 68 LOW PERFUSION PRESSURE OR INTERRUPTION OF BLOOD FLOW SUPPRESSES ELECTROENCEPHALOGRAPHIC ACTIVITY?

 Jorge Urzua, MD
- 68 REPLY
 Mark S. Scheller and Brian R. Jones

Cantoute continued on was A A

- 68 MEASUREMENT OF ARTERIAL OXYGEN TENSION IN THE HYPERBARIC ENVIRONMENT Lindell K. Weaver, MD
- 69 REPLY Dr. G. Litscher

Books

70 CAPNOGRAPHY IN CLINICAL PRACTICE
J. S. Gravenstein, MD, David A. Paulus, MD, MS, and
Thomas J. Hayes, BS
B. Smalhout, MD, PhD



Workshop
71 COMPUTERIZATION OF ANESTHESIA INFORMATION John H. Eichhorn, MD, and David W. Edsall, MD

- Abstracts of Scientific Papers
 83 TENTH MEDICAL MONITORING TECHNOLOGY CONFERENCE
- FIRST ANNUAL MEETING OF THE SOCIETY FOR TECHNOLOGY IN ANESTHESIA
- A-16 Announcements
 - NOTICE FROM THE EDITORS
- A-10 INFORMATION FOR CONTRIBUTORS
- A-15 THE SOCIETY FOR TECHNOLOGY IN ANESTHESIA
- A-16 INDEX TO ADVERTISERS



This material may be protected by Copyright law (Title 17 U.S. Code)

SKIN REFLECTANCE PULSE OXIMETRY: IN VIVO MEASUREMENTS FROM THE FOREARM AND CALF

Y. Mendelson, PhD, and M. J. McGinn, MSc

Mendelson Y, McGinn MJ. Skin reflectance pulse oximetry: in vivo measurements from the forearm and calf.

I Clin Monit 1991;7:7-12

ABSTRACT. This study describes the results from a series of human experiments demonstrating the ability to measure arterial hemoglobin oxygen saturation (SaO2) from the forearm and calf using a reflectance pulse oximeter sensor. A special optical reflectance sensor that includes a heating element was interfaced to a temperature controller and a commercial Datascope ACCUSAT pulse oximeter that was adapted for this study to perform as a reflectance pulse oximeter. The reflectance pulse oximeter sensor was evaluated in a group of 10 healthy adult volunteers during steady-state hypoxia. Hypoxia was induced by gradually lowering the inspired fraction of oxygen in the breathing gas mixture from 100 to 12%. Simultaneous SaO₂ measurements obtained from the forearm and calf with two identical reflectance pulse oximeters were compared with SaO2 values measured by a finger sensor that was interfaced to a standard Datascope ACCUSAT transmittance pulse oximeter. The equations for the best-fitted linear regression lines between the percent reflectance, SpO₂(r), and transmittance, SpO₂(t), values in the range between 73 and 100% were $SpO_2(r) = -7.06 + 1.09 SpO_2(t)$ for the forearm (n = 91, r = 0.95) and $SpO_2(r) = 7.78 + 0.93 SpO_2(t)$ for the calf (n = 93, r = 0.88). The regression analysis of the forearm data revealed a mean \pm SD error of 2.47 \pm 1.66% (SaO₂ = 90-100%), 2.35 \pm 2.45% (SaO₂ = 80-89%), and 2.42 \pm 1.20% (SaO₂ = 70-79%). The corresponding regression analysis of the calf data revealed a mean ± SD error of 3.36 ± 3.06% (SaO₂ = 90-100%), $3.45 \pm 4.12\%$ (SaO₂ = 80-89%), and $2.97 \pm 2.75\%$ (SaO₂ = 70-79%). This preliminary study demonstrated the feasibility of measuring SaO2 from the forearm and calf in healthy subjects with a heated skin reflectance sensor and a pulse oximeter.

KEY WORDS. Blood gas analyses. Monitoring: oxygen. Measurement techniques: pulse oximetry; optical plethysmography; reflectance oximetry. Equipment: pulse oximeters.

Transmittance pulse oximetry has become a widely used technique for noninvasively monitoring changes in arterial hemoglobin oxygen saturation (SaO₂). The technique is based on the spectrophotometric analysis of the optical absorption properties of blood combined with the principle of photoplethysmography.

In transmittance pulse oximetry, which is based on tissue transillumination, sensor application in adults is limited to several specific locations on the body, such as the finger tips, ear lobes, and toes. In infants, additional monitoring sites such as the palms and the feet have been used.

Recently, a new reflectance pulse oximeter has been introduced into the market. The oximeter, which is manufactured by Ciba-Corning (Ciba Corning Diagnostics, Medfield, MA), uses a special optical reflectance sensor for specific application to the forehead. Among the advantages of this technique, as advertised by the

From the Department of Biomedical Engineering, Worcester Polytechnic Institute, 100 Institute Rd, Worcester, MA 01609.

Received Sep 18, 1989, and in revised form Jan 11, 1990. Accepted for publication Jan 17, 1990.

Address correspondence to Dr Mendelson



DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

