


THE FASHION DESIGNER'S TEXTILE DIRECTORY

A guide to fabrics' properties, characteristics,
and garment-design potential



GAIL BAUGH





The Fashion Designer's Textile Directory

A QUARTO BOOK

First edition for North America published in 2011
by Barron's Educational Series, Inc.

Copyright © 2011 Quarto Inc.

All rights reserved. No part of this book may be
reproduced or distributed in any form or by any
means without the written permission of the
copyright owner.

All inquiries should be addressed to:
Barron's Educational Series, Inc.
250 Wireless Boulevard
Hauppauge, New York 11788
www.barronseduc.com

Library of Congress Control No.:
2010940124

ISBN-13: 978-0-7641-4628-2

QUAR.TXD

Conceived, designed, and produced by
Quarto Publishing plc
The Old Brewery
6 Blundell Street
London N7 9BH


Senior editor: Lindsay Kaubi
Art editor: Susi Martin
Designers: Susi Martin, Joanna Bettles
Picture researchers: Sarah Bell, Susi Martin
Copy editor: Diana Chambers
Photographer: Philip Wilkins
Illustrator: Chris Taylor
Art director: Caroline Guest

Creative director: Moira Clinch
Publisher: Paul Carslake

Color separation by Pica Digital Pte Ltd, Singapore

Printed by 1010 Printing International Ltd in China

9 8 7 6 5



Plastic sheets

Film, usually produced from a plastic material, is not made from fiber at all. Although still a two-dimensional surface like other fabrics, film is neither porous nor breathable.

This fabric can be very uncomfortable to wear, because body perspiration does not evaporate, so garments produced from film become wet on the inside. Care must be taken to add absorbent fabrics to the inside of these nonporous fabrics.

Film fabrics are used in shower curtains, accessories, footwear, and rain gear. Most common materials are polyurethane or polyvinylchloride (PVC). Latex, a natural rubber, is also used.


Bonded fabrics often combine film and another fabric for functional use. For example, film can be laminated to the face of a cotton calico fabric (see page 57) for a water-resistant fabric in

This plastic film can be sewn or otherwise attached to another fabric to create accessories or rainwear.

children's rain gear. Thin foam layers can be laminated to a polyester tricot for added weight and thermal insulation.

Another use of film is to emboss the surface to imitate leather grain or other fabric surfaces. These embossed surfaces are then bonded to a fabric backing and are used for the fabric face. See Faux leather and suede on pages 124–125 for more information. Embossed film fabric is a common bonded fabric used in accessories, handbags, shoes/boots, and jackets.

Finally, film fabrics can be bonded to many different fabrics, such as mesh, plain weaves, and tricot knits. Highly textured surfaces do not bond well at all.



Film embossed to look like denim

The twill-like surface embossed onto this film is bonded to a lightweight fabric to add strength. The embossing can also encourage flexibility in a usually stiff plastic surface. Due to the nonporous film, an absorbent fiber lining is recommended.



Embossed face on bonded film

Note the embossed texture that imitates a woven fabric surface. The film has been bonded to a knitted interlock backing.



Clear film on cashmere

This matte-finish film is bonded to a soft cashmere fabric to create a water-resistant surface and soft inside for a novelty outerwear coat.