

UNITED STATES PATENT AND TRADEMARK OFFICE

---

BEFORE THE PATENT TRIAL AND APPEAL BOARD

---

MICRON TECHNOLOGY, INC.,  
INTEL CORPORATION, GLOBALFOUNDRIES U.S., INC., and  
SAMSUNG ELECTRONICS COMPANY, LTD.,  
Petitioner,

v.

DANIEL L. FLAMM,  
Patent Owner.

---

Case IPR2017-00406<sup>1</sup>  
Patent 5,711,849

---

Before CHRISTOPHER L. CRUMBLEY, JO-ANNE M. KOKOSKI, and  
KIMBERLY McGRAW, *Administrative Patent Judges*.

KOKOSKI, *Administrative Patent Judge*.

FINAL WRITTEN DECISION  
35 U.S.C. § 318(a) and 37 C.F.R. §42.73

---

<sup>1</sup> Samsung Electronics Company, Ltd. was joined as a party to this proceeding via a Motion for Joinder in IPR2017-01748.

## I. INTRODUCTION

We have jurisdiction to conduct this *inter partes* review under 35 U.S.C. § 6, and this Final Written Decision is issued pursuant to 35 U.S.C. § 318(a) and 37 C.F.R. § 42.73. For the reasons that follow, we determine that Petitioner has shown by a preponderance of the evidence that claims 1–29 of U.S. Patent No. 5,711,849 (“the ’849 patent,” Ex. 1001) are unpatentable.

### A. *Procedural History*

Micron Technology, Inc., Intel Corporation, and GLOBALFOUNDRIES U.S., Inc. (collectively, “the Micron Petitioners”)<sup>2</sup> filed a Petition (“Pet.”) to institute an *inter partes* review of claims 1–29 of the ’849 patent. Paper 1. Daniel L. Flamm (“Patent Owner”) filed a Preliminary Response (“Prelim. Resp.”). Paper 9. Pursuant to 35 U.S.C. § 314(a), we instituted an *inter partes* review of claims 1–29 based on our determination that the information presented in the Petition demonstrated a reasonable likelihood that Petitioner would prevail on its challenge that at least one of the challenged claims is unpatentable under 35 U.S.C. § 103 as

---

<sup>2</sup> On September 15, 2017, we granted the Motion for Joinder filed by Samsung Electronics Company, Ltd. (“Samsung”) in IPR2017-01748, and authorized Samsung to participate in this proceeding only on a limited basis. See Paper 14. We refer to Micron Technology, Inc., Intel Corporation, GLOBALFOUNDRIES U.S., Inc., and Samsung collectively as “Petitioner” throughout this Decision.

obvious over the combined teachings of Alkire<sup>3</sup> and Galewski.<sup>4</sup> Paper 10 (“Dec. on Inst.”), 17.

After institution of trial, Patent Owner filed a Patent Owner Response (“PO Resp.,” Paper 13), and Petitioner filed a Reply (“Reply,” Paper 15). Petitioner relies on the Declaration of Dr. David Graves (“the Graves Declaration,” Ex. 1003) and the Reply Declaration of Dr. David Graves (“the Graves Reply Declaration,” Ex. 1023). Patent Owner relies on the Declaration of Daniel L. Flamm (“the Flamm Declaration,” Ex. 2002). An oral hearing was held on March 7, 2018. A transcript of the hearing is included in the record. Paper 29.

*B. Related Proceedings*

The parties indicate that the ’849 patent is at issue in five related patent infringement actions. Pet. 4; Paper 7, 2. The ’849 patent previously was the subject of IPR2016-00466 (filed by Lam Research Corp., institution denied on July 19, 2016), and currently is the subject of IPR2017-00392, also filed by the Micron Petitioners (and joined by Samsung). Pet. 5.

*C. The ’849 Patent*

The ’849 patent, titled “Process Optimization in Gas Phase Dry Etching,” is directed to “a plasma etching method that includes determining a reaction rate coefficient based upon etch profile data.” Ex. 1001, 1:51–53. The method “includes steps of providing a plasma etching apparatus having


---

<sup>3</sup> *Transient Behavior during Film Removal in Diffusion-Controlled Plasma Etching*, J. Electrochem. Soc.: Solid-State Science and Technology, Vol. 132, No. 3 (1985) 648–656 (Ex. 1005).

<sup>4</sup> *Modeling of a High Throughput Hot-Wall Reactor for Selective Epitaxial Growth of Silicon*, IEEE Transaction on Semiconductor Manufacturing, Vol. 5, No. 3 (1992) 169–179 (Ex. 1007).

a substrate therein[,]” where the substrate has a film overlaying the top surface, and the film has a top film surface. *Id.* at 1:59–63. It “also includes chemically etching the top film surface to define an etching profile on the film, and defining etch rate data which includes an etch rate and a spatial coordinate from an etching profile.” *Id.* at 1:63–67. Steps of extracting a reaction rate constant from the etch rate data, and using the reaction rate constant to adjust the plasma etching apparatus are also described. *Id.* at 1:67–2:2. According to the ’849 patent, the method “provides for an easy and cost effective way to select appropriate etching parameters such as reactor dimensions, temperature, pressure, radio frequency (rf) power, flow rate and the like by way of the etch profile data.” *Id.* at 1:53–57.

Figure 1A of the ’849 patent is reproduced below:



**FIG. 1A**

Figure 1A is an example of an etched substrate. *Id.* at 3:66–67. Substrate 21 includes bottom surface 23, sides 25, and top surface film 27, and is defined in spatial coordinates  $z$  and  $r$ . *Id.* at 3:67–4:2. “[T]op surface film [27] includes a convex region, or etching profile.” *Id.* at 4:3–4. “The etching profile occurs by way of different etch rates along the  $r$ -direction of [substrate 21], corresponding to different etchant species concentrations.” *Id.* at 4:4–6. Concentration profile  $n_o(r,z)$  shows that “the greatest

concentration of reactant species exists at the outer periphery of [] top surface film [27].” *Id.* at 4:6–9.

The ’849 patent describes an embodiment of a method of extracting an etch rate constant in which a substrate with an overlying film is placed into a plasma etching apparatus, and the plasma etching step occurs at constant pressure, and, preferably, isothermally. *Id.* at 5:11–19. Plasma etching of the film stops before etching into an etch stop layer underneath the overlying film “[in order] to define a ‘clean’ etching profile.” *Id.* at 5:24–26. The plasma etching step produces an etching profile, which “converts into a relative etch rate, relative concentration ratio, a relative etch depth and the like at selected spatial coordinates.” *Id.* at 5:28–32.

Using x-y-z coordinates, the relative etch rate is in the z-direction, and x-y are the spatial coordinates. *Id.* at 5:38–40. “The etching profile is thereby characterized as a relative etch rate  $u$ , [an] x-location, and a y-location  $u$ ,  $(x, y)$ ,” and an array of data points in the x-y coordinates define the etching profile. *Id.* at 5:40–41, 45–47. An etch constant over diffusivity ( $k_{vo}/D$ ) and an etch rate at the substrate edge is then calculated, where “[t]he etch constant over diffusivity correlates with data points representing the etch rate profile.” *Id.* at 5:62–65. After the etch rate constant  $k_{vo}$  is extracted, the surface reaction rate constant  $k_s$  can be determined using the formula  $k_s = (k_{vo})d_{gap}$ , where  $d_{gap}$  is the space above the substrate, between the substrate and the adjacent substrate. *Id.* at 3:35–36, 6:58–62, 9:27–29, Fig 7.

Claims 1, 10, 20, 22, and 26 are the challenged independent claims. Claim 1 is representative, and is reproduced below.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.