

Error-Correction Coding for Digital Communications

Apple 1121

Applications of Communications Theory
Series Editor: **R. W. Lucky**, *Bell Laboratories*

INTRODUCTION TO COMMUNICATION SCIENCE AND SYSTEMS
John R. Pierce and Edward C. Posner

OPTICAL FIBER TRANSMISSION SYSTEMS
Stewart D. Personick

TELECOMMUNICATIONS SWITCHING
J. Gordon Pearce

ERROR-CORRECTION CODING FOR DIGITAL COMMUNICATIONS
George C. Clark, Jr., and J. Bibb Cain

A Continuation Order Plan is available for this series. A continuation order will bring delivery of each new volume immediately upon publication. Volumes are billed only upon actual shipment. For further information please contact the publisher.

**Error
Coding
Com**

**George C
and
J. Bibb C**

*Harris Corporation
Melbourne, Florida*

PLENUM PR

Error-Correction Coding for Digital Communications

George C. Clark, Jr.
and
J. Bibb Cain

*Harris Corporation
Melbourne, Florida*

PLENUM PRESS • NEW YORK AND LONDON

Library of Congress Cataloging in Publication Data

Clark, George C. (George Cyril), 1938-
Error-correction coding for digital communications.

Bibliography: p.
Includes index.

1. Data transmission systems. 2. Error-correcting codes (Information theory). I.
Cain, J. Bibb. II. Title.

TK5102.S.C52
ISBN 0-306-40615-2

621.38'0413

81-1630
AACR2



TK 5102
.5
C52

11/1/81 bdeq 3-16-81

Preface

Error-correction coding is a new communication technique that increases the energy efficiency of digital communication systems, also providing immunity from errors caused by filtering and fading. Among the problems caused by filtering are certain frequency components of the coding provided by the numerous articles have pointed out deficiencies. First, the algorithm into actual hardware that is available is sketchy and requires evaluation and countermeasures in practice reports.

This book is aimed at the design engineer and for the communication graduate text for an equipment into a system.

The book uses classical theorem/procedure ever possible heuristics by drawing analogies to mathematical rigor understanding, coding is a standing, coding is a impossible task to accomplish at all. The assumption

695 3-16-81

©1981 Plenum Press, New York
A Division of Plenum Publishing Corporation
233 Spring Street, New York, N.Y. 10013

All rights reserved

No part of this book may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, microfilming, recording, or otherwise, without written permission from the Publisher

Printed in the United States of America

differ in two positions, etc. As in the simple example given previously, there will almost always be some patterns that are left over after assigning all those that differ in t or fewer places (thus accounting for the inequality).

At this point we are in a position to relate the amount of redundancy in a code to the number of errors that are correctable. First observe that there are 2^n possible sequences. Each column of the decoding table contains N_c of these sequences so that the number of code words, N_c , must obey the inequality

$$N_c \leq 2^n / \left[1 + n + \binom{n}{2} + \dots + \binom{n}{t} \right] \quad (1-3)$$

This is called a *Hamming bound* or "sphere-packing" bound. The equality in this bound can be achieved only for so-called *perfect codes*. These are codes which can correct all patterns of t or fewer errors and no others. There are only a small number of perfect codes which have been found and consequently the equality in (1-3) is almost never achieved.

At the encoder we envision a process by which a k -symbol information sequence is mapped into an n -symbol code sequence. Although the terminology is usually restricted to the so-called linear codes (to be discussed), we shall refer to any such mapping as an (n, k) code. Since the k -symbol sequence can take on 2^k distinct values, inequality (1-3) can be written

$$2^k \leq 2^n / \left[1 + n + \binom{n}{2} + \dots + \binom{n}{t} \right] \quad (1-4)$$

A measure of the efficiency implied by a particular code choice is given by the ratio

$$R = k/n \quad (1-5)$$

where R is defined as the *code rate*. The fraction of transmitted symbols that are redundant is $1 - R$.

The mapping implied by the encoder can be described by a look-up table. For example, the four-word code discussed previously is described in Table 1-2. The portion of the code sequence contained between the dashed lines is identical to the input sequence. Thus, each code sequence is easily and uniquely related to the input. Not all block codes exhibit this property. Those which do are referred to as *systematic codes*. For systematic codes, the concept of redundant digits becomes very clear and in Table 1-2 consists of the digits in positions 1, 4, and 5. Conversely, codes which do not exhibit this property are called *nonsystematic codes*.

Many good permit the corre remarkable imp to generate and relatively straight of length 40 that ing up to four reveals that this than 10^{-4} . If this of increasing the going to a some averaging. In eit Both options, ho tives.

Before proce practical importa for many years. T scheme for correc (in this case t/n i made arbitrarily. Unfortunately, th procedures encou ratio t/n at the ex (or equivalently, R the relative numb vanishingly small was given by Just construct a class scribed above) an the authors' know real communicat

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.