

LDPC Codes, Application to Next Generation Communication Systems

Dr. Lin-Nan Lee
Vice President, Hughes Network Systems
Germantown, Maryland 20854
October 8, 2003

CALTECH - EXHIBIT 2019
Apple Inc. v. California Institute of Technology
IPR2017-00728

HUGHES PROPRIETARY II




Evolution of Error Coding Technology

- ◆ **1st Generation Wireless – FM no coding, 10-11 dB C/N threshold**
- ◆ **2nd Generation Wireless - Convolutional codes with Viterbi decoding 5-7 dB C/N threshold, depending on code rate, and constraint length, 10^{-4} or better BER**
- ◆ **DVB-S – Concatenated Convolutional codes with Reed-Solomon codes, 5-7 dB C/N threshold, depending on code rate, 10^{-9} or better BER**
- ◆ **3rd Generation Wireless – Turbo Codes, 0-1 dB E_b/N_o threshold at very low code rate (1/4, or 1/3), depending on block length 10^{-2} Packet Error Rate**
- ◆ **DVB-S2 – Low Density Parity Check Codes (LDPC), thresholds at 1 dB, 10^{-7} MPEG Packet Error Rate**

Highlights of LDPC Codes


- ◆ **LDPC codes are discovered by R. Gallager in the mid 60s**
 - **Random Coding theory states that almost all randomly designed codes are good, as long as they are sufficiently long**
 - **Fewer ones in the parity check bits makes decoder simple to implement**
 - **Still too complex to implement in the 60s, or even 80s**
- ◆ **Due to the performance of turbo codes, whose performance is built upon**
 - **Large random interleaver**
 - **Iterative decoding**
- ◆ **Neal and McKay “rediscovered” LDPC codes recently employing iterative decoding to achieve turbo-like performance**
- ◆ **To design a good LDPC code, efficient use of modern Random Access Memory (RAM) architecture is the key. Design of the codes that has sufficient structure to allow efficient read/write, but still preserve sufficient “randomness” to retain coding gain are necessary**
- ◆ **LDPC codes are selected as the DVB-S2 standard over 7 other turbo code based candidates because of its more efficient implementation as well as better performance**

Eb/No vs Throughput Performance in AWGN



- ◆ About 0.6-0.8 dB away from Shannon limit
- ◆ About 0.3 dB better than the best turbo code candidates in the DVB-S2
- ◆ About 0.7 dB better than turbo code based ASIC solutions we have tested
- ◆ About 2.5-3.0 dB power advantage, or up to 30 % through-put improvement over DVB-S
- ◆ Further performance improvement not expected for decades to come

...LDPC Performance in AWGN



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.