

THE MERCK INDEX

AN ENCYCLOPEDIA OF
CHEMICALS, DRUGS, AND BIOLOGICALS

ELEVENTH EDITION

Susan Budavari, *Editor*
Maryadele J. O'Neil, *Associate Editor*
Ann Smith, *Assistant Editor*
Patricia E. Heckelman, *Editorial Assistant*

Published by
MERCK & CO., INC.
RAHWAY, N.J., U.S.A.

1989

Exhibit 1049

Copyright © 1989 by Merck & Co., Inc.
Previous Editions
Copyright © 1940, 1952, 1960, 1968, 1976, 1983
by Merck & Co., Inc.
All rights reserved under the international copyright
conventions. Copyright under the Universal Copyright
Convention.

The Merck Index is published on a non-profit basis as a
service to the scientific community.

Merck & Co., Inc.

Rahway, New Jersey, U.S.A.

MERCK SHARP & DOHME
West Point, Pa.

MERCK SHARP & DOHME INTERNATIONAL
Rahway, N.J.

MERCK SHARP & DOHME RESEARCH LABORATORIES
Rahway, N.J./West Point, Pa.

MSD AGVET DIVISION
Woodbridge, N.J.

HUBBARD FARMS, INC.
Walpole, N.H.

MERCK CHEMICAL MANUFACTURING DIVISION
Woodbridge N.J.

MERCK PHARMACEUTICAL MANUFACTURING DIVISION
Rahway, N.J.

CALGON CORPORATION
Water Management Division
Pittsburgh, Pa.
Calgon Vestal Laboratories
St. Louis, Mo.

KELCO DIVISON
San Diego, Ca.

1st Edition—1889
2nd Edition—1896
3rd Edition—1907
4th Edition—1930
5th Edition—1940
6th Edition—1952
7th Edition—1960
8th Edition—1968
9th Edition—1976
10th Edition—1983
11th Edition—1989

Library of Congress Catalog
Card Number 89-60001
ISBN Number 911910-28-X


Printed in the U.S.A.
First Printing—November 1989
Second Printing—February 1990
Third Printing—September 1991

Eddate Calcium Disodium

vulgaris Schrader (watermelon), *Cucumis melo* L. (cantaloupe), and *Cucumis sativus* L., Cucurbitaceae (cucumber). Isoln from *Cucurbita pepo*: Vickery et al., *Biochem. Prepn.* 2, 5 (1952). Extraction from hemp seed, prepns of crystalline form and x-ray data: J. Drent, E. W. Wiebenga, *Rec. Trav. Chim.* 74, 813 (1955). The amino acid compositions of these globulins are slightly different from hemp seed globulin and from each other: Smith et al., *J. Biol. Chem.* 164, 159 (1946); Smith, Greene, *ibid.* 167, 833 (1947); 172, 111 (1948). Structure studies: Hall, *ibid.* 185, 45 (1959); Cleemann, Kratky, Z. *Naturforsch.* 15b, 526 (1960); Dlouhá et al., *Coll. Czech. Chem. Commun.* 28, 2779 (1963); 29, 1835 (1964). Electron microscopy and optical diffraction: A. M. H. Schepman et al., *Biochim. Biophys. Acta* 271, 279 (1972). Electron spin resonance studies: L. J. Dimmey, W. Gordy, *Proc. Nat. Acad. Sci. USA* 77, 343 (1980).

Octahedral crystals. Completely sol to a clear soln in 10% salt soln. Sol in dil mineral acids. Forms a water-soluble hydrochloride.

3480. Eddate Calcium Disodium. *[{N,N'-1,2-Ethanediylbis[N-(carboxymethyl)glycine]}(4-OH-N,N',O,O',O')calcinate(2-)disodium; [{ethylenedinitrilo}tetraacetato]calcinate(2-) disodium; ethylenediaminetetraacetic acid calcium disodium chelate; calcium disodium (ethylenedinitrilo)-tetraacetate; calcium disodium ethylenediaminetetraacetate; EDTA calcium; edathamil calcium disodium; calcium disodium edetate; edetic acid calcium disodium salt; sodium calciumedetate; Calcitetracemate Disodium; Calcium Disodium Versenate; Ledclair; Mosatil; Antallin; Sormetal; Versene CA. $C_{10}H_{12}CaN_2Na_2O_8$; mol wt 374.28. C 32.09%, H 3.23%, Ca 10.71%, N 7.49%, Na 12.29%, O 34.20%. Prepn: Astakhov, Kiseleva, *Zh. Obshch. Khim.* 20, 1780 (1950), *C.A.* 45, 2409 (1951).*




Tetrahydrate, powder. Sol in water: at 30° a 0.1M soln can be prepnd (pH ~7). Practically insol in organic solvents. Exchanges its calcium for lead or other heavy metal ions forming water-sol complexes of the heavy metals.

USE: Color retention agent in foods, flavoring agent.

THERAP CAT: Chelating agent (metal).

THERAP CAT (VET): Chelating agent in lead poisoning.

3481. Eddate Disodium. *N,N'-1,2-Ethanediylbis[N-(carboxymethyl)glycine] disodium salt; (ethylenedinitrilo)-tetraacetic acid disodium salt; ethylenediaminetetraacetic acid disodium salt; ethylenediaminebis(iminodiacetic acid) disodium salt; edetic acid disodium salt; edathamil disodium; disodium edathamil; EDTA disodium; tetracemate disodium; disodium ethylenediaminetetraacetate; disodium edetate; Cheladrate; Chelaplex III; Endrate disodium; Sequestrene NA 2; Sodium Versenate; Titriflex III; Versene disodium salt. $C_{10}H_{14}N_2Na_2O_8$; mol wt 336.21. C 35.72%, H 4.20%, N 8.33%, Na 13.68%, O 38.07%. Prepn: Bersworth, U.S. pat. 2,407,645 (1946 to Martin Dennis); Bersworth, U.S. pat. 2,461,519 (1949). Toxicity: J. E. Wynn et al., *Toxicol. Appl. Pharmacol.* 16, 807 (1970). Review: Biermans, Henrard, *Ind. Chim.* 39, 6 (1952).*



Dihydrate, crystals, mp 252° (dec). pH about 5.3. Sol in water. Has characteristics of weak acid, displacing CO₂ from carbonates and reacting with metals to form hydrogen. LD₅₀ orally in rats: 2 g/kg (Wynn).

USE: Sequestering agent. Pharmaceutical aid (chelating agent).

THERAP CAT: Chelating agent (metal).

THERAP CAT (VET): Anticoagulant.


3482. Eddate Sodium. *N,N'-1,2-Ethanediylbis[N-(carboxymethyl)glycine] tetrasodium salt; (ethylenedinitrilo)tetraacetic acid tetrasodium salt; ethylenediaminetetraacetic acid tetrasodium salt; sodium edetate; tetrasodium ethylenediaminetetraacetate; ethylenediaminebis(iminodiacetic acid) tetrasodium salt; tetrasodium ethylenediaminebis(iminodiacetate); EDTA tetrasodium; edetic acid tetrasodium salt; tetracemate tetrasodium; tetrasodium edetate; tetracemine; Endrate Tetrasodium; Questex; Versene; Sequestrene; Tetrine; Kalex; Trilon B; Komplexon; Nullapon; Aquamollin; Complexone; Distol 8; Irgalon; Calsol; Syntex 12a; Tyclarosol; Nervanaid B. $C_{10}H_{12}Na_4O_8$; mol wt 380.20. C 31.59%, H 3.18%, N 7.37%, Na 24.19%, O 33.67% ($NaOOCCH_2)_2NCH_2CH_2N(CH_2COONa)_2$. Prepn: Bersworth, U.S. pat. 2,407,645 (1946 to Martin Dennis Co.); idem., U.S. pat. 2,461,519 (1949). For bibliography and applications see "Keys to Chelation" issued by Dow, Midland, Mich.*

Powder, mp > 300°. Apparent density: 6.9 lb/gallon. Very sol in water (about 103 g/100 ml). pH of 1% soln 11.3. Reacts with most divalent and trivalent metallic ions forming sol metal chelates. Less sol in alcohol than the potassium salt.

USE: Sequestering agent: one gram complexes 215 mg CaCO₃. Usually added to pharmaceuticals in the form of the calcium disodium salt to prevent calcium-depleting action in the body.

THERAP CAT: Chelating agent.

3483. Eddate Trisodium. *N,N'-1,2-Ethanediylbis[N-(carboxymethyl)glycine] trisodium salt; (ethylenedinitrilo)tetraacetic acid trisodium salt; EDTA trisodium; ethylenediaminetetraacetic acid trisodium salt; trisodium ethylenediaminetetraacetate; trisodium edetate; edetic acid trisodium salt; Limclair; Versene-9; Sequestrene NA 3. $C_{10}H_{13}Na_3O_8$; mol wt 358.20. C 33.53%, H 3.66%, N 7.82%, Na 19.25%, O 35.73%. Prepn: Bersworth, U.S. pat. 2,461,519 (1949). Review: Biermans, Henrard, *Ind. Chim.* 39, 6 (1952).*



Monohydrate, crystals from water, mp > 300°. More sol in water than the corresp disodium salt or free acid. pH of 1% aq soln 9.3. One gram complexes at least 242 mg CaCO₃.

THERAP CAT: Chelating agent.

3484. Eddetic Acid. *N,N'-1,2-Ethanediylbis[N-(carboxymethyl)glycine]; (ethylenedinitrilo)tetraacetic acid; ethylenediaminetetraacetic acid; edathamil; EDTA; Havidote; Versene Acid. $C_{10}H_{14}N_2O_8$; mol wt 292.24. C 41.10%, H 5.52%, N 9.59%, O 43.80%. ($HOOCCH_2)_2NCH_2CH_2N(CH_2COOH)_2$. Prepn: Münz, U.S. pat. 2,130,505 (1938 to General Aniline); Bersworth, U.S. pat. 2,407,645 (1946 to Martin Dennis Co.); Bersworth, U.S. pat. 2,461,519 (1949); Smith et al., *J. Org. Chem.* 14, 355 (1949). Prepn of α - and β -form of crystals: Le Blanc, Spell, *J. Phys. Chem.* 64, 949 (1960). Review: Biermans, Henrard, *Ind. Chim.* 39, 6 (1952).*

Crystals from water, dec 220°. Soly in water at 25°: 0.50 g/l, Palei, Udal'tsova, *C.A.* 56, 13620c (1962). The free acid is less stable than its salts, and tends to decarboxylate when heated to temps of 150°. Stable on storage and on boiling in aq soln.

Cobalt salt, *Kelocyanor*.

Dipotassium salt dihydrate, $C_{10}H_{14}K_2N_2O_8 \cdot 2H_2O$, *eddate dipotassium, EDTA dipotassium*.

USE: As antioxidant in foods. Pharmaceutical aid (chelating agent).

THERAP CAT (VET): Pharmaceutical aid (chelating agent) in lead and heavy metal poisoning of farm animals.

3485. Edifenphos. *Phosphorodithioic acid O-ethyl S,S-diphenyl ester; O-ethyl S,S-diphenyl phosphorodithioate; EDDP; edifenphos; Bayer 78418; Hinosa. $C_{14}H_{12}O_2PS_2$; mol wt 310.36. C 54.18%, H 4.87%, O 10.31%, P 9.98%, S*