

USP

NF

1995

USP 23

NF 18

THE UNITED STATES PHARMACOPEIA

THE NATIONAL FORMULARY.

By authority of the United States Pharmacopeial Convention, Inc., meeting at Washington, D.C., March 8-10, 1990. Prepared by the Committee of Revision and published by the Board of Trustees

Official from January 1, 1995



UNITED STATES PHARMACOPEIAL CONVENTION, INC.
12601 Twinbrook Parkway, Rockville, MD 20852

DOCKET
A L A R M

Find authenticated court documents without watermarks at docketalarm.com.

RS141
.2
.P5
NO. 23, 1995
2nd Set

TX 3-871-407



NOTICE AND WARNING

Concerning U.S. Patent or Trademark Rights

The inclusion in the Pharmacopeia or in the National Formulary of a monograph on any drug in respect to which patent or trademark rights may exist shall not be deemed, and is not intended as, a grant of, or authority to exercise, any right or privilege protected by such patent or trademark. All such rights and privileges are vested in the patent or trademark owner, and no other person may exercise the same without express permission, authority, or license secured from such patent or trademark owner.

Concerning Use of USP or NF Text

Attention is called to the fact that USP and NF text is fully copyrighted. Authors and others wishing to use portions of the text should request permission to do so from the Secretary of the USPC Board of Trustees.

© 1994 The United States Pharmacopeial Convention, Inc.
12601 Twinbrook Parkway, Rockville, MD 20852.

All rights reserved

ISSN 0195-7996

ISBN 0-913595-76-4 (cloth)

0-913595-81-0 (leather)

Printed by Rand McNally, 1133 County Street, Taunton, MA 02780-3795

General Notices and Requirements

Applying to Standards, Tests, Assays, and Other Specifications of the United States Pharmacopeia

Guide to GENERAL NOTICES AND REQUIREMENTS

- Title** . . . 2
- “Official” and “Official Articles”** . . . 2
- Nutritional Supplements . . . 2
- Atomic Weights and Chemical Formulas** . . . 2
- Abbreviations** . . . 3
- Abbreviated Statements in Monographs . . . 3
- Significant Figures and Tolerances** . . . 3
- Equivalence Statements in Titrimetric Procedures . . . 3
- Tolerances . . . 3
- Interpretation of Requirements . . . 3
- General Chapters** . . . 4
- Pharmacopeial Forum** . . . 4
- Pharmacopeial Previews . . . 4
- In-process Revision . . . 4
- Stimuli to the Revision Process . . . 4
- Nomenclature . . . 4
- Interim Revision Announcement . . . 4
- Official Reference Standards . . . 4
- Reagent Standards** . . . 4
- USP Reference Standards** . . . 4
- Units of Potency** . . . 5
- Ingredients and Processes** . . . 5
- Water . . . 5
- Alcohol . . . 5
- Alcohol . . . 5
- Dehydrated Alcohol . . . 5
- Denatured Alcohol . . . 5
- Added Substances** . . . 6
- Nutritional Supplements . . . 6
- Additional Ingredients . . . 6
- Inert Headspace Gases . . . 6
- Colors . . . 6
- Ointments and Suppositories . . . 6
- Tests and Assays** . . . 6
- Apparatus . . . 6
- Steam Bath . . . 6
- Water Bath . . . 6
- Foreign Substances and Impurities** . . . 6
- Procedures . . . 7
- Blank Determination . . . 8
- Desiccator . . . 8
- Dilution . . . 8
- Drying to Constant Weight . . . 8
- Filtration . . . 8
- Identification Tests . . . 8
- Ignition to Constant Weight . . . 8
- Indicators . . . 8
- Logarithms . . . 8
- Microbial Strains . . . 8
- Negligible . . . 8
- Odor . . . 8
- Pressure Measurements . . . 9
- Solutions . . . 9
- Specific Gravity . . . 9
- Temperatures . . . 9
- Time Limit . . . 9
- Vacuum . . . 9
- Water . . . 9
- Water and Loss on Drying . . . 9
- Test Results, Statistics and Standards** . . . 9
- Description . . . 9
- Solubility . . . 10
- Prescribing and Dispensing** . . . 10
- Preservation, Packaging, Storage, and Labeling** . . . 10
- Containers . . . 10
- Tamper-resistant Packaging . . . 10
- Light-resistant Container . . . 10
- Well-closed Container . . . 10
- Tight Container . . . 10
- Hermetic Container . . . 11
- Single-unit Container . . . 11
- Single-dose Container . . . 11
- Unit-dose Container . . . 11
- Multiple-unit Container . . . 11
- Multiple-dose Container . . . 11
- Storage Temperature** . . . 11
- Freezer . . . 11
- Cold . . . 11
- Cool . . . 11
- Room Temperature . . . 11
- Controlled Room Temperature . . . 11
- Warm . . . 11
- Excessive Heat . . . 11
- Protection from Freezing . . . 11
- Storage under Nonspecific Conditions** . . . 11
- Labeling** . . . 11
- Amount of Ingredient per Dosage Unit . . . 11
- Labeling of Salts of Drugs . . . 12
- Labeling Vitamin-containing Products . . . 12
- Labeling Parenteral and Topical Preparations . . . 12
- Labeling Electrolytes . . . 12
- Labeling Alcohol . . . 12
- Special Capsules and Tablets . . . 12
- Expiration Date . . . 12
- Vegetable and Animal Substances** . . . 13
- Foreign Matter . . . 13
- Preservation . . . 13
- Weights and Measures** . . . 13
- Concentrations** . . . 13
- Percentage Measurements . . . 14
- Percent weight in weight . . . 14
- Percent weight in volume . . . 14
- Percent volume in volume . . . 14

In determining an appropriate period of time during which a prescription drug may be retained by a patient after its dispensing, the dispenser shall take into account, in addition to any other relevant factors, the nature of the drug; the container in which it was packaged by the manufacturer and the expiration date thereon; the characteristics of the patient's container, if the article is repackaged for dispensing; the expected storage conditions to which the article may be exposed; and the expected length of time of the course of therapy. Unless otherwise required, the dispenser may, on taking into account the foregoing, place on the label of a multiple-unit container a suitable beyond-use date to limit the patient's use of the article. Unless otherwise specified in the individual monograph, such beyond-use date shall be not later than (a) the expiration date on the manufacturer's container, or (b) one year from the date the drug is dispensed, whichever is earlier.

VEGETABLE AND ANIMAL SUBSTANCES

The requirements for vegetable and animal substances apply to the articles as they enter commerce; however, lots of such substances intended solely for the manufacture or isolation of volatile oils, alkaloids, glycosides, or other active principles may depart from such requirements.

Statements of the distinctive microscopic structural elements in powdered substances of animal or vegetable origin may be included in the individual monograph as a means of determining identity, quality, or purity.

Foreign Matter—Vegetable and animal substances are to be free from pathogenic organisms (see *Microbiological Attributes of Nonsterile Pharmaceutical Products* (1111)), and are to be as free as reasonably practicable from microorganisms, insects, and other animal contamination, including animal excreta. They shall show no abnormal discoloration, abnormal odor, sliminess, or other evidence of deterioration.

The amount of foreign inorganic matter in vegetable or animal substances, estimated as *Acid-insoluble ash*, shall not exceed 2 percent of the weight of the substance, unless otherwise specified in the individual monograph.

Before vegetable substances are ground or powdered, stones, dust, lumps of soil, and other foreign inorganic matter are to be removed by mechanical or other suitable means.

In commerce it is seldom possible to obtain vegetable substances that are without some adherent or admixed, innocuous, foreign matter, which usually is not detrimental. No poisonous, dangerous, or otherwise noxious foreign matter or residues may be present. Foreign matter includes any part of the plant not specified as constituting the substance.

Preservation—Vegetable or animal substances may be protected from insect infestation or microbiolog-

ical contamination by means of suitable agents or processes that leave no harmful residues.

WEIGHTS AND MEASURES

The International System of Units (SI) is used in this Pharmacopeia. The SI metric and other units, and the symbols commonly employed, are as follows.

Ci = curie	Eq = gram-equivalent weight (equivalent)
mCi = millicurie	mEq = milliequivalent
μCi = microcurie	mol = gram-molecular weight (mole)
nCi = nanocurie	Da = dalton (relative molecular mass)
Mrad = megarad	mmol = millimole
m = meter	Osmol = osmole
dm = decimeter	mOsmol = milliosmole
cm = centimeter	Hz = hertz
mm = millimeter	kHz = kilohertz
μm = micrometer (0.001 mm)	MHz = megahertz
nm = nanometer*	MeV = million electron volts
kg = kilogram	keV = kilo-electron volt
g = gram **	mV = millivolt
mg = milligram	psi = pounds per square inch
μg; mcg = microgram†	Pa = pascal
ng = nanogram	kPa = kilopascal
pg = picogram	g = gravity (in centrifugation)
dL = deciliter	
L = liter	
mL = milliliter; ‡	
μL = microliter	

* Formerly the symbol mμ (for millimicron) was used.

** The gram is the unit of mass that is used to measure quantities of materials. Weight, which is a measure of the gravitational force acting on the mass of a material, is proportional to, and may differ slightly from, its mass due to the effects of factors such as gravity, temperature, latitude, and altitude. The difference between mass and weight is considered to be insignificant for compendial assays and tests, and the term "weight" is used throughout *USP* and *NF*.

† Formerly the abbreviation mcg was used in the Pharmaceutical monographs; however, the symbol μg now is more widely accepted and thus is used in this Pharmacopeia. The term "gamma," symbolized by γ, is frequently used for microgram in biochemical literature.

NOTE—The abbreviation mcg is still commonly employed to denote microgram(s) in labeling and in prescription writing. Therefore, for purposes of labeling, "mcg" may be used to denote microgram(s).

‡ One milliliter (mL) is used herein as the equivalent of 1 cubic centimeter (cc).

The International System of Units (SI) is also used in all radiopharmaceutical monographs. The symbols commonly employed are as follows.

Bq = becquerel	GBq = gigabecquerel
kBq = kilobecquerel	Gy = gray
MBq = megabecquerel	mGy = milligray

CONCENTRATIONS

Molal, molar, and normal solution concentrations are indicated throughout this Pharmacopeia for most chemical assay and test procedures (see also *Volumetric Solutions* in the section, *Reagents, Indicators, and Solutions*). Molality is designated by the symbol *m* preceded by a number that is the number of moles of the designated solute contained in one kilogram of

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.