



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>6</sup> : <b>A61K 9/51, 38/23, 31/725, 31/12</b></p>	<p><b>A1</b></p>	<p>(11) International Publication Number: <b>WO 99/39700</b></p> <p>(43) International Publication Date: 12 August 1999 (12.08.99)</p>
<p>(21) International Application Number: PCT/EP99/00782</p> <p>(22) International Filing Date: 5 February 1999 (05.02.99)</p> <p>(30) Priority Data: MI98A000234 6 February 1998 (06.02.98) IT</p> <p>(71) Applicant (for all designated States except US): VECTOR-PHARMA S.P.A. [IT/IT]; Via del Follatoio, 12, I-34148 Trieste (IT).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): ESPOSITO, Pierandrea [IT/IT]; Via Montona, 4, I-34100 Trieste (IT). COLOMBO, Italo [IT/IT]; Via Don Sturzo, 15, I-20065 Inzago (IT). COCEANI, Nicoletta [IT/IT]; Via Firmano, 10, I-33043 Cividale (IT). DEL CURTO, Maria, Dorly [IT/IT]; Via Oratorio, 4, I-27050 Corvino Sanquirico (IT). CARLI, Fabio [IT/IT]; Salita Cedassammare, 3/1, I-34136 Trieste (IT).</p> <p>(74) Agent: GERVASI, Gemma; Notarbartolo &amp; Gervasi S.p.A., Corso di Porta Vittoria, 9, I-20122 Milan (IT).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: PHARMACEUTICAL COMPOSITIONS IN FORM OF NANOPARTICLES COMPRISING LIPIDIC SUBSTANCES AND AMPHIPHILIC SUBSTANCES AND RELATED PREPARATION PROCESS</p>		
<p>(57) Abstract</p> <p>Pharmaceutical compositions in form of nanoparticles comprising a composite material, consisting of at least one lipidic substance and of at least one amphiphilic substance, and of a pharmaceutically active principle. Said compositions, thanks to the surface and mass properties of said composite material, show an improvement in the incorporation of the active principles and an increase in the bioavailability of the poorly absorbable active principles.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

PHARMACEUTICAL COMPOSITIONS IN FORM OF NANOPARTICLES  
COMPRISING LIPIDIC SUBSTANCES AND AMPHIPHILIC SUBSTANCES AND  
RELATED PREPARATION PROCESS

**Prior art**

5 In the research field of the new vehicles suitable to the administration of active principles, a great interest has been directed towards the polymeric systems having size in the micrometer range and to the polymeric systems having size in the nanometer range.

Among the mostly used polymers the polyalkylcyanoacrylates and the poly-lactic acid (PLA) and poly-lactic glycolic acid (PLA-PLGA) derivatives are to remember.  
10 Such systems show however some disadvantages.

For example the polyalkylcyanoacrylates are metabolized by the organism in a 24 hours interval and release formaldehyde, a potentially toxic derivative; the PLA and PLA-PLGA polymers do not produce toxic metabolites but they have long  
15 degradation times ranging from some weeks to some months, and then they may show dangerous accumulation phenomena.

Moreover, the preparation methods of these systems need the use of potentially toxic organic solvents which may remain in traces in the final form.

In the end, the size of the majority of said systems exclude their use for  
20 intravenous way because extraneous bodies having size higher than 5  $\mu\text{m}$  injected in vein may cause embolisms.

These negative aspects generated greater attention for administration systems having greater biocompatibility and lower toxicity: the first among all these are the lipidic colloidal systems such as oil/water emulsions, liposomes, lipidic micro- and  
25 nanoparticles.

Oil/water emulsions, consisting of lipidic droplets having size in the range of nanometers, dispersed in an external aqueous phase, have been used as a vehicle for the parenteral feeding (JP Patent No. 55,476, 1979, Okamoto, Tsuda and Yokoama).

30 Oil/water emulsions containing active principles have been described in the Patent WO 91/02517, 1991, Davis and Washington. Such systems have a high capacity

to incorporate active principles in the internal lipidic phase, but the active principles easily diffuse from such phase towards the external phase originating stability problems and limitations for the optional development of a protracted release form.

5 The liposomes are colloidal structures having an aqueous internal phase surrounded by one or more layers of phospholipids. The use of liposomes as vehicles for the administration of drugs is described for example in the U.S. Patent No. 3,993,754 (1976, Rahman and Cerny).

However typically, such systems show stability problems during the stocking, a  
10 poorly reproducible preparation method and a low potentiality to incorporate and retain active principles.

Fountain and others invented lipidic microparticles in globular form having size ranging from 0.5  $\mu\text{m}$  to 100  $\mu\text{m}$  as vehicles for the administration of active principles. Such invention is disclosed in the U.S. Patent No. 4,610,868 (1986).

15 Domb and others (US Patent 435,546) invented the Liposheres™, insoluble particles having size about equal to 40  $\mu\text{m}$ , suspended in an aqueous environment, consisting of a lipophilic internal phase surrounded by external layers of phospholipids, added to the composition and adsorbed on the surface of the particles themselves. These systems were developed for the controlled  
20 release of anaesthetic drugs (Domb and others, US Patent 5227165) and of active principles having insecticide and pesticide activity (Domb and others US Patent 5227535). However the technique for the preparation of such systems requires the help of solvents which remain in traces in the final form.

The per os administration turns out to be difficult for active principles which are not  
25 much soluble, not much absorbed in the gastroenteric tract or which are sensible to the pH or the action of the proteolytic enzymes (proteins and peptides). The incorporation of such substances in lipidic nanoparticles allows to overcome such difficulties because these nanoparticle systems may be absorbed along the gastrointestinal tract. Their reduced size allow to exploit the mechanisms of the  
30 passive transmucosal absorption, or to pass through the intercellular junctions or the ionic channels or to use the endocytosis mechanism or to enter the lymphatic

flux.

Solid lipidic systems consisting of nanopellets were developed by Speiser and others (US Patent 4,880,634, 1989), and destined to the oral administration of poorly absorbed drugs. The lipidic pellets are prepared emulsifying lipidic substances in an aqueous environment with a high energy mixer, then cooling the emulsion at room temperature and obtaining the pellets by sonication.

Gasco (EP 0526666A1, 05/08/1991) invented a technique for the preparation of lipidic nanoparticles. A microemulsion is prepared adding to an aqueous phase a lipid melted in the presence of surfactants and cosurfactants, which is then dispersed in an aqueous environment maintained at a temperature around 10 °C. The solid nanoparticles are obtained in an aqueous suspension, but may be subsequently deprived of the residual surfactants by ultrafiltration and recovered by filtration or freeze-drying.

Such technique turns out to be advantageous from the point of view of the saving of energy with respect to the high energy homogenization, it allows to obtain smaller nanoparticles, having average diameters ranging from 90 nm to 900 nm, with a more uniform size distribution and a low polydispersion index. However the preparation of a microemulsion needs the melting of the lipidic material which is for most used lipidic substances about 70 °C, which limits the use of such technique for the thermolabile substances.

### **Summary of the invention**

The invention relates to pharmaceutical compositions in form of nanoparticles, having a diameter lower than 1000 nm and preferably ranging from 50 to 500 nm, comprising a composite material, consisting of at least one lipidic substance and at least one amphiphilic substance, and a pharmaceutically active principle.

We have unexpectedly found that, operating according to the present invention, said composite material and the relative particles have characteristics not achievable by an usual mixing of a lipidic substance with an amphiphilic substance or by the adsorption of an amphiphilic substance on lipidic particles.

The amphiphilic substance may be preferentially distributed on the surface of the nanoparticles or it may be preferentially distributed inside the nanoparticles or it

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.