International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

A61K 31/40, 31/35, 31/21

(11) International Publication Number: WO 92/16206

(43) International Publication Date: 1 October 1992 (01.10.92)

(21) International Application Number: PCT/US92/01848

(22) International Filing Date: 5 March 1992 (05.03.92)

(30) Priority data: 669,786 15 March 1991 (15.03.91) US

(71) Applicant: NORWICH EATON PHARMACEUTICALS INC. [US/US]; 17 Eaton Avenue, Norwich, NY 13815 (US).

(72) Inventors: CLOYD, George, Gilbert; Box 566, Lake Road, Norwich, NY 13815 (US). FELARCA, Allison, Barretto; 22 Newton Avenue, Norwich, NY 13815 (US).

(74) Agent: REED, T., David; The Procter & Gamble Company, Ivorydale Technical Center, 5299 Spring Grove Avenue, Cincinnati, OH 45217-1087 (US).

(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (European patent), GN (OAPI patent), GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC (European patent), MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, RU, SD, SE, SE (European patent), SN (OAPI patent), TD (OAPI patent), TG (OAPI patent).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: THE USE OF 5-AMINOSALICYLIC ACID IN THE TREATMENT OF IRRITABLE BOWEL SYNDROME - DIARRHEAL PHASE OR TYPE (IBS-D)

(57) Abstract

1.

Treatment for a human or other mammal afflicted with IBS-D, comprising the topical delivery to the intestinal tract of said human or other mammal, preferably the large intestine, of a safe and effective amount of a pharmaceutical composition consisting essentially of the 5-ASA active ingredient and pharmaceutically-acceptable excipients. Said topical delivery is preferably accomplished by the oral administration to said human or other mammal of a delayed-release composition consisting essentially of said 5-ASA active ingredient and a pharmaceutically-acceptable excipient.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ΑT	Austria	FI	Finland	MI.	Mali
AU	Australia	FR	France	MN	Mongolia
RB	Barbados	GA	Gabon	MR	Mauritania
BE	Belgium	GB	United Kingdom	MW	Malawi
BF	Burkina Faso	GN	Guinea	NI.	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	ΙE	Ireland	RO	Romania
CA	Canada	iT	Italy	RU	Russian Federation
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland	•	of Korca	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
CS	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	(icrmany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		
ES	Spain	MG	Madagascar		



THE USE OF 5-AMINOSALICYLIC ACID IN THE TREATMENT OF IRRITABLE BOWEL SYNDROME - DIARRHEAL PHASE OR TYPE (IBS-D)

BACKGROUND OF THE INVENTION

The present invention relates to the novel method of treating a human or other mammal afflicted with Irritable Bowel Syndrome - Diarrheal Phase or Type (hereinafter referred to as IBS-D) comprising the topical delivery to the intestinal tract of said human or other mammal of a safe and effective amount of a pharmaceutical composition consisting essentially of the active ingredient 5-aminosalicylic acid (hereinafter referred to as "5-ASA"), and pharmaceutically-acceptable excipients. Said topical delivery is most preferably accomplished by the oral administration to said human or other mammal of a delayed-release composition consisting essentially of said 5-ASA active ingredient and a pharmaceutically-acceptable excipient.

Irritable bowel syndrome (hereinafter referred to as "IBS") is a poorly understood disorder for which there is presently no adequate treatment. IBS is usually the diagnosis given when an individual suffers from certain characteristic symptoms affecting the gastrointestinal tract and after the existence of other disorders have been eliminated. Accordingly, IBS sufferers exhibit altered bowel habits (characterized either by alternating diarrhea and constipation, solely constipation, or solely diarrhea), as well as abdominal pain and/or cramping, and various other symptoms including flatulence and abdominal distension, bloating, and rumbling. There is no detectable radiological or histological evidence of organic pathology, i.e. the presence of an infectious agent or observable inflammation or other pathology in the intestinal tract. IBS has been called functional bowel

30

5

10

10

15

20

25

30

35

disorder, mucomembraneous colitis, nervous diarrhea, colonic neurosis, colonic dyspepsia, colonic dysfunction, spastic colon, mucous colitis, irritable colon syndrome, unhappy colon, dissynergia of the colon, and disordered gastrocolonic reflex. It is estimated that about 10% of the adult population suffers from IBS and that this disorder accounts for from about 40% to about 70% of office visits to gastroenterologists. It has also been suggested that IBS is one of the leading causes of absenteeism from work due to illness.

As stated hereinabove, those suffering from IBS may experience diarrhea only, alternating diarrhea and constipation, or constipation only; accordingly, there has been a great deal of effort to categorize IBS patients based upon these symptoms. See Einar Krag, "Irritable Bowel Syndrome: Current Concepts and Future Trends, " Scand. J. Gastroenteral, Vol. 20 (Suppl. 109), pp. 107-15, 1985; and Whitehead et al., "Irritable Bowel Syndrome - Physiological and Psychological Differences Between Diarrhea-Predominant and Constipation-Predominant Patients", Dig. Dis. Sci., Vol. 25, No. 6, pp. 404-13, June 1980 (hereinafter referred to as "Whitehead et al."). It has been estimated that about 50% of IBS sufferers experience IBS-Diarrheal phase or type (hereinafter referred to as IBS-D) and that 50% of IBS sufferers experience constipation only. Of the population which suffers from IBS-D, one-fifth experience only diarrhea (IBS-diarrheal type), and the remaining four-fifths experience alternating diarrhea and constipation (IBS-diarrheal phase).

The cause of IBS has been extremely difficult to determine, and there has been little success in differentiating possible causes with regard to symptomatic characterizations. It has been reported that IBS stems from the ingestion of certain foodstuffs (often wheat gluten or lactose); other theories as to the cause of IBS have implicated disorders of gut motility, while many gastroenterologists, however, have attributed IBS to psychological factors. See generally, V. Alun Jones, et al., "Food Intolerance: A Major Factor in the Pathogenesis of Irritable Bowel Syndrome", The Lancet, Vol. 2, No. 8308,



pp. 1115-17, November 20, 1982 (hereinafter referred to as "Jones et al."); Kumar et al., "The Irritable Bowel Syndrome: A Paroxysmal Motor Disorder", <u>The Lancet</u>, Vol. 2, No. 8462, pp. 973-77, November 1985 (hereinafter referred to as "Kumar et al."); Drossman et al., "Psychosocial Factors in the Irritable Bowel Syndrome," <u>Gastroenterology</u>, Vol. 95, (3), pp. 701-8, Sept. 1988; and Drossman et al., "The Irritable Bowel Syndrome," <u>Gastroenterology</u>, Vol. 73, p. 811-22, Oct. 1977.

In addition to confusion as to the cause of IBS-D, there is debate as to the precise site of the disorder in the intestinal tract; there is confusion as to whether the problematic region is the small intestine, the colon, or both, and whether the problematic site varies amongst individuals and/or depending on the symptoms. See, e.g. <u>Kumar et al.</u>, <u>op. cit.</u>, and Cann et al., "Irritable Bowel Syndrome: Relationship of Disorders in the Transit of a Single Meal to Symptom Patterns", <u>Gut</u>, Vol. 24, No. 5, pp. 405-11, May 1983.

Much of the early work on disorders of the gastrointestinal tract has involved ulcerative colitis and Crohn's disease, which are two of the most common Inflammatory Bowel Diseases (hereinafter referred to as "IBD"). In fact, patients with IBS-D present with symptoms which are markedly similar to those experienced with IBD, particularly ulcerative colitis and Crohn's disease and, therefore, the existence of IBD is generally investigated and ruled out before the diagnosis of IBS-D is given.

It has been reported that the administration of 5-ASA is effective in the treatment of ulcerative colitis and Crohn's disease. See U.S. Patent 4,496,552 to Halskov, issued January 29, 1985, and assigned to Farmaceutisk Laboratorium Ferring, hereby incorporated by reference herein.

It has further been stated that various gastrointestinal disorders including, in addition to IBS, Crohn's disease (regional ileitis), ulcerative colitis (proctitis, distal proctocolitis), atrophic gastritis, stump proctitis, coeliac disease, regional ileitis, peptic ulceration, and



10

15

20

25

30

35

DOCKET

Explore Litigation Insights



Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

