

# Glaucoma Treatments

 [Download: Glaucoma Treatments](#)

GLAUCOMA TREATMENTS					
Generic	Brand	Strength	Size	Form	Adult Dose
<b>ALPHA<sub>2</sub>-AGONISTS</b>					
apraclonidine HCl	<a href="#">Iopidine</a>	0.5%	5mL, 10mL	soln <sup>1</sup>	1–2 drops 3 times daily
brimonidine tartrate	<a href="#">Alphagan P</a>	0.1%, 0.15%	5mL, 10mL, 15mL	soln <sup>2</sup>	1 drop every 8hrs
<b>ALPHA<sub>2</sub>-AGONIST + BETA-BLOCKER</b>					
brimonidine tartrate/ timolol maleate	<a href="#">Combigan</a>	0.2%/0.5%	5mL, 10mL	soln <sup>1</sup>	1 drop every 12hrs
<b>BETA-BLOCKERS</b>					
<a href="#">betaxolol HCl</a>	—	0.5%	5mL, 10mL, 15mL	soln <sup>1</sup>	1–2 drops twice daily
	<a href="#">Betoptic S</a>	0.25%	2.5mL, 5mL, 10mL, 15mL	susp <sup>1</sup>	1–2 drops twice daily
<a href="#">carteolol HCl</a>	—	1%	5mL, 10mL, 15mL	soln <sup>1</sup>	1 drop twice daily
levobunolol HCl	<a href="#">Betagan</a>	0.5%	5mL, 10mL, 15mL	soln <sup>1</sup>	1–2 drops once or twice daily
metipranolol HCl	<a href="#">Optipranolol</a>	0.3%	5mL, 10mL	soln <sup>1</sup>	1 drop twice daily
timolol hemihydrate	<a href="#">Betimol</a>	0.25%, 0.5%	5mL, 10mL, 15mL	soln <sup>1</sup>	1 drop twice daily
<a href="#">timolol maleate</a>	<a href="#">Istalol</a>	0.5%	5mL	soln <sup>1</sup>	1 drop once daily in the morning
	—	0.25%, 0.5%	5mL, 10mL	soln <sup>1</sup>	Initially 1 drop of 0.25% twice daily; max 1 drop of 0.5% twice daily
	<a href="#">Timoptic Ocudose</a>	0.25%, 0.5%	60	soln <sup>4</sup>	
	<a href="#">Timoptic-XE</a>	0.25%, 0.5%	2.5mL, 5mL	gel-forming soln	1 drop once daily
<b>CARBONIC ANHYDRASE INHIBITORS</b>					
acetazolamide	<a href="#">Diamox Sequels</a>	500mg	100	sust-rel caps	500mg twice daily
brinzolamide	<a href="#">Azopt</a>	1%	2.5mL, 5mL, 10mL, 15mL	susp <sup>1</sup>	1 drop 3 times daily
dorzolamide HCl	<a href="#">Trusopt</a>	2%	10mL	soln <sup>1</sup>	1 drop 3 times daily
methazolamide	<a href="#">Neptazane</a>	25mg, 50mg	90	tabs	50–100mg twice to three times daily

## NOTES

**Key:** soln = solution; sust-rel caps = sustained release capsules; susp = suspension

<sup>1</sup>Contains benzalkonium chloride. May be absorbed by soft contact lenses.

<sup>2</sup>Contains purite.

<sup>3</sup>Contains *sofZia* (boric acid, propylene glycol, sorbitol, zinc chloride).

<sup>4</sup>Preservative-free.

Notes include list of medications and/or official indications. Please see drug monographs at [www.mpr.com](#) and/or contact

Exhibit 1057  
ARGENTUM  
IPR2017-01053

GLAUCOMA TREATMENTS					
Generic	Brand	Strength	Size	Form	Adult Dose
<b>CARBONIC ANHYDRASE INHIBITOR + ALPHA-AGONIST</b>					
brinzolamide/ brimonidine tartrate	<a href="#">Simbrinza</a>	1%/0.2%	8mL	susp <sup>1</sup>	1 drop three times daily
<b>CARBONIC ANHYDRASE INHIBITOR + BETA-BLOCKER</b>					
dorzolamide HCl/ timolol maleate	<a href="#">Cosopt</a>	2%/0.5%	10mL	soln <sup>1</sup>	1 drop twice daily
	<a href="#">Cosopt PF</a>	2%/0.5%	0.2mL	soln <sup>4</sup>	
<b>CHOLINERGIC (MIOTIC) AGONISTS</b>					
carbachol	<a href="#">Isopto Carbachol</a>	1.5%	15mL	soln <sup>1</sup>	2 drops up to 3 times daily
		3%	15mL, 30mL		
pilocarpine HCl	<a href="#">Isopto Carpine</a>	1%, 2%, 4%	15mL	soln <sup>1</sup>	2 drops up to 3–4 times daily or more if needed. <i>Heavily pigmented irides</i> : need higher concentrations.
		<a href="#">Pilopine HS</a>	4%		
<b>CHOLINESTERASE INHIBITORS</b>					
ecothiophate iodide	<a href="#">Phospholine Iodide</a>	0.03%, 0.06%, 0.125%, 0.25%	5mL	soln	0.03% soln instilled twice daily. If being transferred due to unsatisfactory control with pilocarpine, carbachol, epinephrine, etc, use higher strength soln.
<b>PROSTAGLANDIN ANALOGS</b>					
bimatoprost	<a href="#">Lumigan</a>	0.01%, 0.03%	2.5mL, 5mL, 7.5mL	soln <sup>1</sup>	1 drop once daily in the evening
latanoprost	<a href="#">Xalatan</a>	0.005%	2.5mL	soln <sup>1</sup>	1 drop once daily in the evening
tafluprost	<a href="#">Zioptan</a>	0.0015%	0.3mL	soln <sup>4</sup>	1 drop once daily in the evening
travoprost	<a href="#">Travatan Z</a>	0.004%	2.5mL, 5mL	soln <sup>3</sup>	1 drop once daily in the evening
<b>PROSTANOIDS (DOCOSANOIDS)</b>					
unoprostone isopropyl	<a href="#">Rescula</a>	0.15%	5mL	soln <sup>1</sup>	1 drop twice daily
<b>SYMPATHOMIMETICS</b>					
dipivefrin HCl	<a href="#">Propine</a>	0.1%	5mL, 10mL, 15mL	soln <sup>1</sup>	1 drop every 12hrs
<b>NOTES</b>					
<b>Key:</b> soln = solution; sust-rel caps = sustained release capsules; susp = suspension					
<sup>1</sup> Contains benzalkonium chloride. May be absorbed by soft contact lenses.					
<sup>2</sup> Contains purite.					
<sup>3</sup> Contains <i>sofZia</i> (boric acid, propylene glycol, sorbitol, zinc chloride).					
<sup>4</sup> Preservative-free.					
Not an inclusive list of medications and/or official indications. Please see drug monograph at <a href="http://www.eMPR.com">www.eMPR.com</a> and/or contact company for full drug labeling.					

(Rev. 8/2017)

This material may not be published, broadcast, rewritten or redistributed in any form without prior authorization. Your use of this website constitutes acceptance of Haymarket Media's Privacy Policy and Terms & Conditions