

Evolved Universal Terrestrial Radio Access (E-UTRA) and  
Evolved Universal Terrestrial Radio Access (E-UTRAN);  
Overall description;  
Stage 2  
(3GPP TS 36.300 version 8.0.0 Release 8)



**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**Important notice**

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

[http://portal.etsi.org/chaircor/ETSI\\_support.asp](http://portal.etsi.org/chaircor/ETSI_support.asp)

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2007.  
All rights reserved.

**DECT™**, **PLUGTESTS™** and **UMTS™** are Trade Marks of ETSI registered for the benefit of its Members.  
**TIPHON™** and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.  
**3GPP™** is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

1	Scope .....	9
2	References .....	9
3	Definitions, symbols and abbreviations .....	9
3.1	Definitions .....	9
3.2	Abbreviations .....	10
4	Overall architecture .....	11
4.1	Functional Split .....	12
4.2	Interfaces .....	13
4.2.1	S1 Interface .....	13
4.2.2	X2 Interface .....	13
4.3	Radio Protocol architecture .....	13
4.3.1	User plane .....	13
4.3.2	Control plane .....	14
5	Physical Layer for E-UTRA .....	15
5.1	Downlink Transmission Scheme .....	15
5.1.1	Basic transmission scheme based on OFDM .....	15
5.1.2	Physical-layer processing .....	16
5.1.3	Physical downlink control channel .....	16
5.1.4	Downlink Reference signal .....	16
5.1.5	Downlink multi-antenna transmission .....	17
5.1.6	MBSFN transmission .....	17
5.1.7	Physical layer procedure .....	17
5.1.7.1	Link adaptation .....	17
5.1.7.2	Power Control .....	17
5.1.7.3	Cell search .....	17
5.1.8	Physical layer measurements definition .....	17
5.2	Uplink Transmission Scheme .....	18
5.2.1	Basic transmission scheme .....	18
5.2.2	Physical-layer processing .....	18
5.2.3	Physical uplink control channel .....	19
5.2.4	Uplink Reference signal .....	19
5.2.5	Random access preamble .....	19
5.2.6	Uplink multi-antenna transmission .....	19
5.2.7	Physical channel procedure .....	20
5.2.7.1	Link adaptation .....	20
5.2.7.2	Uplink Power control .....	20
5.2.7.3	Uplink timing control .....	20
5.3	Transport Channels .....	20
5.3.1	Mapping between transport channels and physical channels .....	21
5.4	E-UTRA physical layer model .....	22
5.4.1	Physical-layer model of E-UTRA transport channels .....	22
5.4.1.1	Downlink-Shared Channel .....	22
5.4.1.2	Broadcast Channel .....	23
5.4.1.3	Paging Channel .....	24
5.4.1.4	Multicast Channel .....	26
5.4.1.5	Uplink Shared Channel .....	27
5.4.1.6	Random-access Channel .....	28
5.4.2	Physical-layer indications .....	28
5.4.2.1	Error indicators .....	28
5.4.2.2	Channel-quality indicators .....	28

6.2	RRC Sublayer.....	32
6.2.1	Services and Functions.....	32
6.2.2	PDU Structure.....	33
6.3	PDCCP Sublayer.....	33
6.3.1	Services and Functions.....	33
6.3.2	PDU Structure.....	34
6.4	Data flows through Layer 2.....	34
7	RRC.....	34
7.1	Services and Functions.....	34
7.2	RRC protocol states & state transitions.....	35
7.3	Transport of NAS messages.....	36
7.4	System Information.....	36
7.5	RRC Procedures.....	37
8	E-UTRAN identities.....	37
8.1	E-UTRAN related UE identities.....	37
8.2	Network entity related Identities.....	37
9	ARQ and HARQ.....	38
9.1	HARQ principles.....	38
9.2	ARQ principles.....	38
9.3	HARQ/ARQ interactions.....	38
10	Mobility.....	39
10.1	Intra E-UTRAN.....	39
10.1.1	Mobility Management in LTE_IDLE.....	39
10.1.1.1	Cell selection.....	39
10.1.1.2	Cell reselection.....	40
10.1.1.3	Handling in eNB.....	41
10.1.1.4	Handling above eNB.....	41
10.1.1.5	Mobility Management Entity (MME).....	41
10.1.2	Mobility Management in LTE_ACTIVE.....	41
10.1.2.1	Handover.....	41
10.1.2.1.1	C-plane handling.....	41
10.1.2.1.2	U-plane handling.....	43
10.1.2.2	Path Switch.....	44
10.1.2.3	Data forwarding.....	44
10.1.2.4	Handling in eNB.....	44
10.1.2.5	Handling above eNB.....	44
10.1.2.6	Mobility Management Entity (MME).....	44
10.1.2.7	Timing Advance.....	44
10.1.3	Measurements.....	44
10.1.3.1	Neighbour cell measurements within the serving frequency layer.....	45
10.1.3.2	Neighbour cell measurements of other frequency layers.....	45
10.1.4	Paging and C-plane establishment.....	45
10.1.5	Random Access Procedure.....	45
10.1.6	Radio Link Failure.....	47
10.1.7	Radio Access Network Sharing.....	48
10.1.8	Handling of Roaming and Area Restrictions for UEs in LTE_ACTIVE.....	48
10.2	Inter RAT.....	48
10.2.1	Cell reselection.....	49
10.2.2	Handover.....	49
10.2.3	Measurements.....	49

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.