

EMBO journal


6
549-1144
MAR.-
APRIL
1987

QH
506
E46
v.6
no.3-4
1987

PERIODICAL ROOM
HEALTH SCIENCES LIBRARY

Volume 6 number 3 March 1987

THE EMBO JOURNAL



APR 27 1987

Published monthly for
the European Molecular Biology Organization
by IRL Press

ISSN 0261-4189 Coden EMJODG

**DOCKET
ALARM**

Find authenticated court documents without watermarks at docketalarm.com.

Contents

The EMBO Journal

Volume 6 number 3 March 1987

| | | |
|---|---|-----|
| <i>In vitro</i> expression of a full-length DNA copy of cowpea mosaic virus B RNA: identification of the B RNA encoded 24-kd protein as a viral protease | J.Verver, R.Goldbach, J.A.Garcia and P.Vos | 549 |
| Thyroglobulin, the major and obligatory exportable protein of thyroid follicle cells, carries the lysosomal recognition marker mannose-6-phosphate | V.Herzog, W.Neumüller and B.Holzmann | 555 |
| The GABA_A/benzodiazepine receptor is a heterotetramer of homologous α and β subunits | C.Mamalaki, F.A.Stephenson and E.A.Barnard | 561 |
| Differentially expressed bovine cytokeratin genes. Analysis of gene linkage and evolutionary conservation of 5'-upstream sequences | M.Blessing, H.Zentgraf and J.L.Jorcano | 567 |
| Immunoglobulin heavy chain switch region recombination within a retroviral vector in murine pre-B cells | D.E.Ott, F.W.Alt and K.B.Marcu | 577 |
| Superinduction of the human gene encoding immune interferon | M.A.Lebendiker, C.Tal, D.Sayar, S.Pilo, A.Eilon, Y.Banai and R.Kaempfer | 585 |
| Single amino acid changes that render human IFN-α2 biologically active on mouse cells | H.Weber, D.Valenzuela, G.Lujber, M.Gubler and C.Weissmann | 591 |
| Superinduction of the human interferon-β promoter | H.Dinter and H.Hauser | 599 |
| Overexpression of the EGF receptor-related proto-oncogene <i>erbB-2</i> in human mammary tumor cell lines by different molecular mechanisms | M.H.Kraus, N.C.Popescu, S.C.Amsbaugh and C.R.King | 605 |
| Characterization of recombinant human granulocyte-colony-stimulating factor produced in mouse cells | M.Tsuchiya, H.Nomura, S.Asano, Y.Kaziro and S.Nagata | 611 |
| Close genetic and physical linkage between the murine haemopoietic growth factor genes GM-CSF and Multi-CSF (IL3) | D.P.Barlow, M.Bučan, H.Lehrach, B.L.M.Hogan and N.M.Gough | 617 |
| Glucocorticoid induction of the rat tryptophan oxygenase gene is mediated by two widely separated glucocorticoid-responsive elements | U.Danesch, B.Gloss, W.Schmid, G.Schütz, R.Schüle and R.Renkawitz | 625 |
| Negative control of liver-specific gene expression: cloned human retinol-binding protein gene is repressed in HeLa cells | V.Colantuoni, A.Pirozzi, C.Blance and R.Cortese | 631 |
| Molecular cloning of cDNA coding for rat proliferating cell nuclear antigen (PCNA)/cyclin | K.Matsumoto, T.Moriuchi, T.Koji and P.K.Nakane | 637 |
| Molecular cloning of the β-subunit of human prolyl 4-hydroxylase. This subunit and protein disulphide isomerase are products of the same gene | T.Pihlajaniemi, T.Helaakoski, K.Tasanen, R.Myllylä, M.-L.Huhtala, J.Koivu and K.I.Kivirikko | 643 |
| Characterization and expression of a murine gene homologous to human EPA/TIMP: a virus-induced gene in the mouse | D.R.Gewert, B.Coulombe, M.Castelino, D.Skup and B.R.G.Williams | 651 |

Contents (continued)

The EMBO Journal
Volume 6 number 3 March 1987

| | | |
|--|---|-----|
| Enzymatic activation of Fujinami sarcoma virus <i>gag-fps</i> transforming proteins by autophosphorylation at tyrosine | K.Meckling-Hansen, R.Nelson, P.Branton and T.Pawson | 659 |
| <i>Xenopus</i> cytoskeletal actin and human <i>c-fos</i> gene promoters share a conserved protein-binding site | T.Mohun, N.Garrett and R.Treisman | 667 |
| Production of hepatitis B virus <i>in vitro</i> by transient expression of cloned HBV DNA in a hepatoma cell line | C.Chang, K.-s.Jeng, C.-p.Hu, S.J.Lo, T.-s.Su, L.-P.Ting, C.-K.Chou, S.-h.Han, E.Pfaff, J.Salfeld and H.Schaller | 675 |
| Altered transcription of a defective measles virus genome derived from a diseased human brain | R.Cattaneo, G.Rebmann, A.Schmid, K.Baczko, V.ter Meulen and M.A.Billeter | 681 |
| Adenovirus VAI RNA complexes with the 68 000 M _r protein kinase to regulate its autophosphorylation and activity | M.G.Katze, D.DeCorato, B.Safer, J.Galabru and A.G.Hovanessian | 689 |
| Import of frog prepropeptide GLa into microsomes requires ATP but does not involve docking protein or ribosomes | G.Schlenstedt and R.Zimmermann | 699 |
| Independent mutations at the amino terminus of a protein act as surrogate signals for mitochondrial import | A.Vassarotti, R.Stroud and M.Douglas | 705 |
| Three suppressor mutations which cure a mitochondrial RNA maturase deficiency occur at the same codon in the open reading frame of the nuclear <i>NAM2</i> gene | M.Labouesse, C.J.Herbert, G.Dujardin and P.P.Slonimski | 713 |
| A yeast mutant lacking mitochondrial porin is respiratory-deficient, but can recover respiration with simultaneous accumulation of an 86-kd extramitochondrial protein | M.Dihanich, K.Suda and G.Schatz | 723 |
| The product of the <i>mei3⁺</i> gene, expressed under control of the mating-type locus, induces meiosis and sporulation in fission yeast | M.McLeod, M.Stein and D.Beach | 729 |
| Yeast DNA polymerase-DNA primase complex: cloning of <i>PRI 1</i> , a single essential gene related to DNA primase activity | G.Lucchini, S.Francesconi, M.Foiani, G.Badaracco and P.Plevani | 737 |
| Structural transition in inactive Balbiani ring chromatin of <i>Chironomus</i> during micrococcal nuclease digestion | R.M.Widmer, M.Lezzi and Th.Koller | 743 |
| Characterization and localization of the <i>even-skipped</i> protein of <i>Drosophila</i> | M.Frasch, T.Hoey, C.Rushlow, H.Doyle and M.Levine | 749 |
| EGF homologous sequences encoded in the genome of <i>Drosophila melanogaster</i> , and their relation to neurogenic genes | E.Knust, U.Dietrich, U.Tepass, K.A.Bremer, D.Weigel, H.Vässin and J.A.Campos-Ortega | 761 |
| Developmental and molecular analysis of <i>Deformed</i> ; a homeotic gene controlling <i>Drosophila</i> head development | M.Regulski, N.McGinnis, R.Chadwick and W.McGinnis | 767 |
| Temporal and spatial distribution of transcripts from the <i>Deformed</i> gene of <i>Drosophila</i> | R.Chadwick and W.McGinnis | 779 |

Contents (continued)

The EMBO Journal
Volume 6 number 3 March 1987

| | | |
|--|--|-----|
| Structure and sequence of the <i>Drosophila zeste</i> gene | V.Pirrotta, E.Manet, E.Hardon, S.E.Bickel and M.Benson | 791 |
| Oocyte-specific transcription of <i>fs(1)K10</i> : a <i>Drosophila</i> gene affecting dorsal-ventral developmental polarity | M.Haenlin, C.Roos, A.Cassab and E.Mohier | 801 |
| Autoregulation of bacteriophage P2 repressor | S.Saha, B.Lundqvist and E.Haggård-Ljungquist | 809 |
| Contacts between $\gamma\delta$ resolvase and the $\gamma\delta$ <i>res</i> site | E.Falvey and N.D.F.Grindley | 815 |
| Signal peptide amino acid sequences in <i>Escherichia coli</i> contain information related to final protein localization. A multivariate data analysis | M.Sjöström, S.Wold, Å.Wieslander and L.Rilfors | 823 |
| Author index | | 833 |
| Product news | | |
| Situations vacant/announcements | | |

Cover illustration: The cover shows the anterior end of a germ band stage *Drosophila* embryo, viewed from the ventral side. At this stage the segmental organization of the head and thoracic regions is most evident. The embryo shown is a null mutant for the homeotic gene, *Deformed*, and exhibits abnormal development of two head segments. For more details, see pages 767-777 and pages 779-789 in this issue.

PUBLISHERS ANNOUNCEMENT Submission of manuscripts on floppy disks

Photosetting directly from floppy disks facilitates faster production of proofs and eliminates the opportunity for the introduction of typographic errors. The publishers are currently able to process 5¼ inch floppy disks in IBM PC/XT/AT (and compatibles) format (either 360 kbyte double sided, 180 kbyte single sided or 1.2 Mbyte AT). The format used must be clearly marked on the disk. In addition, the publishers prefer that the material be keyed

using WordStar. Alternatively, if this is not possible, the material should be in standard ASCII files (i.e. those that are readable when TYPED on to screen or printer).

It is important to note that material submitted to the editors in disk form MUST be accompanied by a hard copy. Queries regarding formats should be addressed to the Production Editor, IRL Press Ltd, PO Box 1, Eynsham, Oxford OX8 1JJ, UK. Tel. (0865) 882283.

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.