

*Petition for Inter Partes Review of
U.S. Patent No. 8,886,269*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BEFORE THE PATENT TRIAL AND APPEAL BOARD

FITBIT, INC.
Petitioner

v.

VALENCELL, INC.
Patent Owner

**PETITION FOR *INTER PARTES* REVIEW OF
U.S. PATENT NO. 8,886,269**

Mail Stop PATENT BOARD
Patent Trial and Appeal Board
U.S. Patent & Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

TABLE OF CONTENTS

	<u>Page No.</u>
I. Introduction	1
II. Mandatory Notices (37 C.F.R. § 42.8(a)(1))	2
III. Grounds for Standing (37 C.F.R. § 42.104(a))	4
IV. Identification of Challenge (37 C.F.R. § 42.104(b))	4
A. Citation of Prior Art	4
B. Statutory Grounds for the Challenge	6
C. The Board should institute all grounds because doing so would not be unduly burdensome.	7
V. The '269 Patent	9
A. Overview of the '269 Patent	9
B. Summary of the Prosecution History	11
C. Level of Ordinary Skill in the Art	13
D. Claim Construction	13
1. “ <i>generally cylindrical</i> ” (claim 1)	14
2. “cladding material” (claim 1)	15
3. “near” (claim 1)	16
VI. Overview of the Applied References	17
A. Asada	17
B. Goodman	21
C. Hicks	22
D. Hannula	24
E. Delonzor	25
F. Al-Ali	26
VII. Ground 1: Asada Renders Claims 1, 2, 6, and 7 Obvious	27
A. Asada Renders Independent Claim 1 Obvious.	28
1. Asada discloses “[a] monitoring device” [1P]	28

*Petition for Inter Partes Review of
U.S. Patent No. 8,886,269*

2.	Asada discloses “a band configured to at least partially encircle a portion of the body of a subject” [1.1].	28
3.	Asada discloses “a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship” [1.2].	29
4.	Asada discloses “the inner body portion comprising light transmissive material, and having outer [and] inner surface[s]” [1.3].	30
5.	Asada discloses “a layer of cladding material near the inner body portion inner surface” [1.4].	30
6.	Asada discloses “at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject” [1.5].	31
7.	Asada discloses “at least one optical emitter and at least one optical detector attached to the band” [1.6].	31
8.	Asada discloses “wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector and is configured to deliver light from the at least one optical emitter to one or more locations of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector” [1.7].	32
B.	Asada Renders Claim 2 Obvious.	33
C.	Asada Renders Claim 6 Obvious.	34
D.	Asada Renders Claim 7 Obvious.	34
VIII.	Ground 2: The Combination of Asada and Hicks Renders Claim 3 Obvious	35
A.	Motivation for Combining Asada and Hicks	35
B.	The Combination of Asada and Hicks Renders Claim 3 Obvious.	37
IX.	Ground 3: The Combination of Asada and Hannula Renders Claims 4 and 5 Obvious	38

*Petition for Inter Partes Review of
U.S. Patent No. 8,886,269*

A.	Motivation for Combining Asada and Hannula.....	38
B.	The combination of Asada and Hannula renders claim 4 obvious.	39
C.	The Combination of Asada and Hannula Renders Claim 5 Obvious.	40
1.	The combination of Asada and Hannula discloses that “the at least one optical detectors” [5.1].	40
2.	The combination of Asada and Hannula discloses “a signal processor” [5.2].	40
3.	The combination of Asada and Hannula discloses “at least a portion of light reflected by the light reflective material and detected by the second optical detector is processed by the signal processor as a noise reference for attenuating motion noise from signals produced by the first optical detector” [5.3].	41
X.	Ground 4: The Combination of Asada and Delonzor Renders Claim 8 Obvious	42
A.	Motivation for Combining Asada and Delonzor.....	42
B.	The Combination of Asada and Delonzor Renders Claim 8 Obvious.	44
1.	The combination of Asada and Delonzor discloses that “the at least one window comprises at least two windows” [8.1].	44
2.	The combination of Asada and Delonzor discloses “light blocking material positioned between the at least one optical emitter and the at least one optical detector such that the at least one optical emitter and the at least one optical detector are not [82].	44
XI.	Ground 5: The Combination of Asada and Al-Ali Renders Claims 9 and 10 Obvious	45
A.	Motivation for Combining Asada and Al-Ali	45
B.	The Combination of Asada and Al-Ali Renders Claim 9 Obvious.	46

*Petition for Inter Partes Review of
U.S. Patent No. 8,886,269*

C.	The Combination of Asada and Al-Ali Renders Claim 10 Obvious.	47
XII.	Ground 6: Goodman Renders Claims 1 and 2 Obvious.....	47
A.	Goodman Renders Independent Claim 1 Obvious.....	47
1.	Goodman discloses “[a] monitoring device” [1P].	47
2.	Goodman discloses “a band configured to at least partially encircle a portion of the body of a subject” [1.1].	48
3.	Goodman discloses “a generally cylindrical outer body portion and a generally cylindrical inner body portion secured together in concentric relationship” [1.2].	49
4.	Goodman discloses “the inner body portion comprising light transmissive material, and having outer [and] inner surface[s]” [1.3].	51
5.	Goodman discloses “a layer of cladding material near the inner body portion inner surface” [1.4].	51
6.	Goodman discloses “at least one window formed in the cladding material that serves as a light-guiding interface to the body of the subject” [1.5].	53
7.	Goodman discloses “at least one optical emitter and at least one optical detector attached to the band” [1.6].	53
8.	Goodman discloses “wherein the light transmissive material is in optical communication with the at least one optical emitter and the at least one optical detector and is configured to deliver light from the at least one optical emitter to one or more locations of the body of the subject via the at least one window and to collect light from one or more locations of the body of the subject via the at least one window and deliver the collected light to the at least one optical detector” [1.7].	54
B.	Goodman Renders Claim 2 Obvious.	55
XIII.	Ground 7: The Combination of Goodman and Hicks Renders Claim 3 Obvious	55
A.	Motivation for Combining Goodman and Hicks	55

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.