

DOCKE

DECLARATION OF GERARD P. GRENIER

I, Gerard P. Grenier, am over twenty-one (21) years of age. I have never been convicted of a felony, and I am fully competent to make this declaration. I declare the following to be true to the best of my knowledge, information and belief:

- 1. I am Senior Director of Publishing Technologies of the Institute of Electrical and Electronics Engineers, Inc. ("IEEE").
- 2. IEEE is a neutral third party in this dispute.
- 3. Neither I nor IEEE itself is being compensated for this declaration.
- 4. Among my responsibilities as Senior Director of Publishing Technologies, I act as a custodian of certain records for IEEE.
- 5. I make this declaration based on my personal knowledge and information contained in the business records of IEEE.
- 6. As part of its ordinary course of business IEEE publishes and makes available technical articles and standards. These publications are made available for public download through the IEEE digital library, IEEE Xplore.
- 7. It is the regular practice of IEEE to publish articles and other writings including article abstracts and make them available to the public through IEEE Xplore. IEEE maintains copies of publications in the ordinary course of its regularly conducted activities.
- 8. The article below has been attached as Exhibit A to this declaration:

 G. Comtois, et al. "A Comparative Evaluation of Adaptive Noise Cancellation Algorithms for Minimizing Motion Artifacts in a Forehead-Mounted Wearable Pulse Oximeter" 28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, August 22-26, 2007.

- 9. I obtained a copy of Exhibit A through IEEE Xplore, where it is maintained in the ordinary course of IEEE's business. Exhibit A is a true and correct copy of the Exhibit as it existed on or about October 25, 2016.
- 10. The article abstracts from IEEE Xplore shows the date of publication. IEEE Xplore populates this information using the metadata associated with the publication

445 Hoes Lane Piscataway, NJ 08854 0001 Apple Inc. APL1033 U.S. Patent No. 8.923.941

Find authenticated court documents without watermarks at docketalarm.com.

- 11. G. Comtois, et al. "A Comparative Evaluation of Adaptive Noise Cancellation Algorithms for Minimizing Motion Artifacts in a Forehead-Mounted Wearable Pulse Oximeter" was published in the 28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007. The 28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007 was held from August 22-26, 2007. Attendees of the conference were provided copies of the publication no later than the last day of the conference. The article is currently available for public download from the IEEE digital library, IEEE Xplore.
- 12. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 U.S.C. § 1001.

I declare under penalty of perjury that the foregoing statements are true and correct

Executed on: 25.001.2016

0002

EXHIBIT A

DOCKET A L A R M Find authenticated court documents without watermarks at <u>docketalarm.com</u>.

0003

 10/25/2016
 IEEE Xplore Document - A Comparative Evaluation of Adaptive Noise Cancellation Algorithms for Minimizing Motion Artifacts in a Forehead-Mounted ...

 IEEE.org | IEEE Xplore Digital Library | IEEE-SA | IEEE Spectrum | More Sites
 Cart (0) | Create Account | Personal Sign In

	Institutional Sign In							
BROWSE	MY SETTINGS	GETHELP	WHAT CAN I ACCESS?	SUBSCRIBE				
wse Conferences > Engineering	in Medicine and B					Back to Resu		
Comparative Ev	valuation of Ada	aptive Noise	Cancellation	Related Articl	es			
Algorithms for Minimizing Motion Artifacts in a Forehead- Mounted Wearable Pulse Oximeter				Real-Time Recognition of Physical Activities and	A Wearable Reflectance Pulse Oximeter for Remote	Active noise cancellation using MEMS acceleromete		
Purchase or Sign In to View Full Text	9 2 Paper Patent Citations	609 Full Text Views						
3 Gary Comtois; Y	/itzhak Mendelson ; Piyush Ra	amuka			View A	All Authors		
nedical intervention when re	esources are limited. Howe G) signals, from which arte study was undertaken to (ever, a primary factor erial oxygen saturation	limiting the accuracy of pul	se oximetry is po	oor signal-to-noise s are derived, are	e ratio since		
photoplethysmographic (PP by movement artifacts. This adaptive noise cancellation (forehead-mounted wearable processing motion-corrupted and HR errors during jogging implementing the adaptive L	(ANC). Since the fingers an pulse oximeter developed d PPG signals by least me g, but the degree of improv MS algorithm is advantage	re generally more vuli for real-time remote p an squares (LMS) an rement depends on filt ous since it requires	Report induced by certain nerable to motion artifacts, obysiological monitoring an d recursive least squares (ter order. Although both alg significantly less operation	motion artifacts measurements v d triage application (RLS) algorithms orithms produced s.	utilizing acceleror vere performed u ons. This study ro can be effective d similar improve	e compromised metry-based sing a custom evealed that to reduce SpO ments,		
photoplethysmographic (PP by movement artifacts. This adaptive noise cancellation (forehead-mounted wearable processing motion-corrupted and HR errors during jogging implementing the adaptive LI Published in: Engineering in	(ANC). Since the fingers and pulse oximeter developed d PPG signals by least me g, but the degree of improv MS algorithm is advantage n Medicine and Biology So	re generally more vulr for real-time remote r an squares (LMS) an rement depends on filt ous since it requires ociety, 2007. EMBS 20	Report induced by certain nerable to motion artifacts, obysiological monitoring an d recursive least squares (ter order. Although both alg significantly less operation: 007. 29th Annual Internation	N measurements measurements v d triage applicati (RLS) algorithms orithms produce s. nal Conference o	utilizing acceleror vere performed u ons. This study re can be effective d similar improve f the IEEE	e compromised metry-based sing a custom evealed that to reduce SpO ments,		
photoplethysmographic (PP by movement artifacts. This adaptive noise cancellation i forehead-mounted wearable processing motion-corrupter and HR errors during joggin implementing the adaptive LI Published in: Engineering in Date of Conference: 22-26	(ANC). Since the fingers an pulse oximeter developed d PPG signals by least me g, but the degree of improv MS algorithm is advantage n Medicine and Biology So Aug. 2007	re generally more vulr for real-time remote p an squares (LMS) an rement depends on filt ous since it requires ociety, 2007. EMBS 20	Reproze induced by certain nerable to motion artifacts, obysiological monitoring an d recursive least squares (ter order. Although both alg significantly less operation: 007. 29th Annual Internation	motion artifacts measurements v d triage applicati (RLS) algorithms orithms produce s. nal Conference o ber: 9910101	utilizing acceleror vere performed u ons. This study re can be effective d similar improve f the IEEE	e compromised metry-based sing a custom evealed that to reduce SpO ments,		
photoplethysmographic (PP by movement artifacts. This adaptive noise cancellation in forehead-mounted wearable processing motion-corrupter and HR errors during jogging implementing the adaptive L Published in: Engineering in Date of Conference: 22-26 Date Added to IEEE Xplor	(ANC). Since the fingers an e pulse oximeter developed d PPG signals by least me g, but the degree of improv MS algorithm is advantage n Medicine and Biology So Aug. 2007 e: 22 October 2007	re generally more vuln for real-time remote p an squares (LMS) an rement depends on fill sous since it requires ociety, 2007. EMBS 20	Reproze induced by certain nerable to motion artifacts, obysiological monitoring an d recursive least squares (ter order. Although both alg significantly less operation: 007. 29th Annual Internation INSPEC Accession Num DOI: 10.1109/IEMBS.2007	N measurements v measurements v d triage applicatii (RLS) algorithms orithms producer s. nal Conference o ber: 9910101	utilizing acceleror vere performed u ons. This study re can be effective d similar improve	e compromised metry-based sing a custom evealed that to reduce SpO ments,		
photoplethysmographic (PP by movement artifacts. This adaptive noise cancellation forehead-mounted wearable processing motion-corrupted and HR errors during jogging implementing the adaptive L Published in: Engineering in Date of Conference: 22-26 Date Added to IEEE Xplor ISBN Information:	(ANC). Since the fingers an pulse oximeter developed d PPG signals by least me g, but the degree of improv MS algorithm is advantage n Medicine and Biology So i Aug. 2007 e: 22 October 2007	re generally more vuln for real-time remote p an squares (LMS) an rement depends on fill sous since it requires a ociety, 2007. EMBS 20	Reproze induced by certain Rerors induced by certain herable to motion artifacts, obysiological monitoring an d recursive least squares (ter order. Although both alg significantly less operation: 207. 29th Annual Internation INSPEC Accession Num DOI: 10.1109/IEMBS.2007 Publisher: IEEE	N measurements measurements d triage application (RLS) algorithms orithms produce s. nal Conference of ber: 9910101 7.4352592	utilizing acceleror vere performed u ons. This study ru can be effective d similar improve f the IEEE	e compromised metry-based sing a custom evealed that to reduce SpO ments,		

E Contents

Download PDF	I. Introduction	washin diagaadhi daylaas wayld asahin saal jiwa samata niyyalalasigal	
Download Citations	assessment and triage operating in dangerous	of military combatants, firefighters, miners, mountaineers, and other individuals and high-risk environments. This, in turn, would allow first responders and	Full Text
View References	front-line medics workin resources are limited, th	g under stressful conditions to better prioritize medical intervention when nereby extending more effective care to casualties with the most urgent needs.	Abstract
Email	Read document		Authors
			Figures
Print	Kevwords		
http://ieeexplore.ieee.org/doc	ument/4352592/	0004	1/3

Find authenticated court documents without watermarks at docketalarm.com.

DOCKET

LARM

Δ

		Reference
Request Permissions	Neice regeneration Disconting provide measurements Maattate Least sources	
	Noise cancellation, Biomedical Monitoring, Pulse measurements, Healt rate, Least squares	Citations
-	approximation, injuries, Limiting, Signal to noise ratio, Fingers, Motion measurement	
Ехроп		Keyword
	INSPEC: Controlled Indexing	<
Share	plethysmography, accelerometers, blood vessels, cardiology, least mean squares methods, oximetry,	Back to T
	oxygen, patient diagnosis	
Alerts		
	INSPEC: Non-Controlled Indexing	
	recursive least square algorithm, adaptive noise cancellation algorithms, motion artifacts, wearable	
Related Articles	pulse oximeter, photoplethysmographic signals, arterial oxygen saturation, heart rate, least mean	
» Real-Time	squares algorithm	
Recognition of		
and	Algorithms, Artifacts, Clothing, Diagnosis, Computer-Assisted, Forehead, Humans, Monitoring,	
Emmanuel	Ambulatory, Movement, Reproducibility of Results, Sensitivity and Specificity	
Mungula Tapia; S.,		
» A vearable Reflectance Pulse	Authors	
Oximeter for	Gan/ Comtois	
Remote Y. Mendelson; R. J.	Member IEEE Graduate Student Department of Biomedical Engineering	
Duckw	Worcester Polytechnic Institute, Worcester, MA 01609 USA.	
	comtoisg@wpi.edu	
» Active noise		
cancellation using MEMS	Vitabel, Mandalean	
acceleromete	YIZINAK Mendelson	
H.H. Asada; Hong- Hui Jia	Relytechnic Institute Marcaster MA 01600 LISA nhone: 508-831-5103; fax:	
	508-831-5541 · email: vm@wni edu	
» Unobstrusive heart		
rate and	Blouch Denutes	
respiratory rate	PlyUSI Ramuka Creducte Student Department of Plamedical Engineering Marcoster	
Octavian	Polytechnic Institute Worcester MA 01600 LISA nramuka@wni edu	
Postolache; Pedr		
n Deducies metion		
artifact in wearable		
bio-sensors		
Asada		
» Estimation of		
respiratory		
accel		
P.D. Hung; S.		
» Pulse arrival time		
and		
ballistocardiogram		
applica Eduardo Pinheiro;		
Octavia		
» Development of		
artifact reductio		
Hyonyoung Han;		
Min-Joon K		
» Survey and evaluation of real-		
time fall		
detection		

http://ieeexplore.ieee.org/document/4352592/

DOCKET A L A R M 0005

Find authenticated court documents without watermarks at docketalarm.com.

DOCKET



Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time** alerts and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.

