

The United States **Pharmacopeia**

TWENTIETH REVISION

Official from July 1, 1980


The National **Formulary**


FIFTEENTH EDITION

Official from July 1, 1980

R415 1273
317 23
1980
01

United States Pharmacopeial Convention, Inc.
12601 Twinbrook Parkway, Rockville, Md. 20852





Official coupon

Do not remove

NOTICE AND WARNING

Concerning U. S. Patent or Trademark Rights

The inclusion in the Pharmacopeia or in the National Formulary of a monograph on any drug in respect to which patent or trademark rights may exist shall not be deemed, and is not intended as, a grant of, or authority to exercise, any right or privilege protected by such patent or trademark. All such rights and privileges are vested in the patent or trademark owner, and no other person may exercise the same without express permission, authority, or license secured from such patent or trademark owner.

Concerning Use of USP or NF Text

Attention is called to the fact that USP and NF text is fully copyrighted. Authors and others wishing to use portions of the text should request permission to do so from the Secretary of the USPC Board of Trustees.

Concerning Laws of Other Countries

In establishing the Pharmacopeial and National Formulary standards, the USP Committee of Revision does not attempt to take into account the laws of countries other than the United States of America desiring to enforce these standards within their jurisdictions.

© 1979 The United States Pharmacopeial Convention, Inc.
12601 Twinbrook Parkway, Rockville, Md. 20852

All rights reserved

ISSN 0195-7996

ISBN 0-912734-30-2 (cloth)

0-912734-31-0 (leather)

Typeset and printed by Mack Printing Company, Easton, Pa. 18042

Distributed by Mack Publishing Company, Easton, Pa. 18042

USP XX

The United States
Pharmacopeia

TWENTIETH REVISION

*By authority of the United States Pharmacopeial Convention, Inc.,
meeting at Washington, D. C., March 22, 1975. Prepared by
the Committee of Revision and published by the Board of Trustees*

Official from July 1, 1980

United States Pharmacopeial Convention, Inc.
12601 Twinbrook Parkway, Rockville, Md. 20852



Contents

USP XX

People

Officers of the Convention . . .	viii
Board of Trustees	viii
Resources Development	
Advisory Council	viii
USPC Headquarters Staff . . .	xli
General Committee of	
Revision	ix
Executive Committee of	
Revision and	
Subcommittees	x
Reference Standards	
Committee	x
Advisory Panels	xi
Special Consultants	xii
Assistants during 1975-1980	xii
Members of the United States	
Pharmacopeial	
Convention	xiii

Preamble

Articles of Incorporation . . .	xix
Constitution and Bylaws . . .	xx
Abstract of Proceedings of the	
U. S. Pharmacopeial	
Convention, 1975	xxviii
History of the Pharmacopeia	
of the United States	xxxii
Preface to USP XX	xxxiv

Admissions

Articles Admitted to USP	
XIX and NF XIV by	
Supplement	xliii
New Admissions to the	
Official Compendia	xliii
Changes in Official Titles . . .	l
Articles Included in USP XIX	
but Not Included in USP	
XX or in NF XV	lii
Articles Included in NF XIV	
but Not Included in NF	
XV or in USP XX	lii

Notices

General Notices and	
Requirements	1

Monographs

Official Monographs of USP	
XX	11

General

see page 859 for detailed contents

General Tests and Assays	861
General Requirements for	
Tests and Assays	861
Apparatus for Tests and	
Assays	870
Microbiological Tests	873
Biological Tests and Assays	882
Chemical Tests and Assays	905
Physical Tests and	
Determinations	936
General Information	992

Reagents

Reagents	1041
Indicators and Indicator Test	
Papers	1098
Solutions	1100
Buffer Solutions	1100
Colorimetric Solutions	1101
Test Solutions	1102
Volumetric Solutions	1109

Tables

Containers for Dispensing	
Capsules and Tablets	1117
Description and Relative	
Solubility of USP and	
NF Articles	1121
Approximate Solubilities of	
USP and NF Articles	1160
USP and NF Pharmaceutic	
Ingredients, Listed by	
Categories	1168
Atomic Weights	1171
Molecular Formulas and	
Weights	1172
Alcoholometric Table	1187
Thermometric Equivalents . . .	1188
Equivalents of Weights and	
Measures	1189
Table of Metric-Apothecary	
Approximate Dose	
Equivalents . . . inside back cover	

Appendix

Antibiotic Regulations	1273
----------------------------------	------

Index

Combined Index to USP XX	
and NF XV	1401

regardless of whether the values are expressed as percentages or as absolute numbers, are considered significant to the last digit shown.

Equivalence Statements in Titrimetric Procedures—The directions for titrimetric procedures conclude with a statement of the weight of the analyte that is equivalent to each ml of the standardized titrant. In such an equivalence statement, it is to be understood that the number of significant figures in the concentration of the titrant corresponds to the number of significant figures in the weight of the analyte. Blank corrections are to be made for all titrimetric assays, where appropriate (see *Titrimetry* (541)).

The limits specified in the monographs for Pharmacopeial articles are established with a view to the use of these articles as drugs, except where the monograph indicates that the article is intended for use in in-vitro diagnostic procedures or as a medical device. The use of the molecular formula for the active ingredient(s) named in defining the required strength of a Pharmacopeial article is intended to designate the chemical entity or entities having absolute (100 percent) purity.

The quantity of each ingredient used in preparing the dosage forms shall be equivalent to not less than 100 percent of the quantity called for in the formula or of the amount declared on the label.

The tolerances and limits stated in the definitions in the monographs for Pharmacopeial articles allow for analytical error, for unavoidable variations in manufacturing and compounding, and for deterioration to an extent considered insignificant under practical conditions. Notwithstanding these tolerances, the objective of the Pharmacopeial standards for a dosage form or a finished device is to achieve a product whose strength is 100 percent of the quantity of the absolutely pure chemical entity or entities named on the label as the active ingredient(s).

The specified tolerances are based upon such attributes of quality as might be expected to characterize an article produced from suitable raw materials under recognized principles of good manufacturing practice.

The existence of compendial limits or tolerances does not constitute a basis for a claim that an official substance that more nearly approaches 100 percent purity "exceeds" the Pharmacopeial quality. Similarly, the fact that an article has been prepared to closer tolerances than those specified in the monograph does not constitute a basis for a claim that the article "exceeds" the Pharmacopeial requirements.

ALCOHOL

All statements of percentages of alcohol, such as under the heading, *Alcohol content*, refer to percentage, by volume, of C_2H_5OH at 15.56°. Where reference is made to " C_2H_5OH ," the chemical entity possessing absolute (100 percent) strength is intended.

Alcohol—Where "alcohol" is called for in formulas, tests, and assays, the monograph article *Alcohol* is to be used.

Dehydrated Alcohol—Where "dehydrated alcohol" (absolute alcohol) is called for in tests and assays, the

reagent *Dehydrated Alcohol* (see in the section, *Reagents, Indicators, and Solutions*) is to be used.

Denatured Alcohol—In the manufacture of Pharmacopeial preparations in which alcohol is used only as a solvent and does not remain in the finished product, alcohol specially denatured by the addition of volatile substances, in accordance with federal statutes and regulations of the Internal Revenue Service, may be substituted but the preparations so made must be identical with those prepared by the processes given in the monographs and must conform to the Pharmacopeial standards set forth.

REAGENT STANDARDS

The proper conduct of the Pharmacopeial tests and assays and the reliability of the results depend, in part, upon the quality of the reagents used in the performance of the procedures. Unless otherwise specified, reagents are to be used that conform to the standards set forth in the current edition of *Reagent Chemicals* published by the American Chemical Society. Where such ACS reagent standards are not available or where for various reasons the required purity differs, compendial specifications for reagents of acceptable quality are provided. (See *Reagents, Indicators, and Solutions*.) Listing of these reagents, including the indicators and solutions employed as reagents, in no way implies that they have therapeutic utility; furthermore, any reference to USP in their labeling shall include also the term "reagent" or "reagent grade."

REFERENCE STANDARDS

USP Reference Standards and U. S. Reference Standards for antibiotics are authentic specimens that have been verified for suitability for use as comparison standards in compendial tests and assays. (See *USP Reference Standards* (11).)

Where first referred to in a monograph, the name of a USP Reference Standard is generally spelled out in full. However, where a USP Reference Standard is referred to thereafter in an assay or a test in this compendium, the words "Reference Standard" are abbreviated to "RS."

Where a test or an assay calls for the use of a compendial article, rather than a USP Reference Standard, as a material standard of reference, a substance meeting all of the requirements of the monograph for that article is to be used.

UNITS OF POTENCY

For those products for which it is necessary to express the potency in terms of units by reference to a suitable working standard (usually a USP Reference Standard), the individual monographs refer to USP Units of activity. Unless otherwise indicated, USP Units are equivalent to the corresponding international units, where such exist, and to the units of activity established by the Food and Drug Administration in the case of antibiotics and biological products.

INGREDIENTS AND PROCESSES

Pharmacopeial dosage forms and finished devices are prepared from ingredients that meet the requirements

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.