

5. CONCLUSIONS AND FUTURE WORK. We have presented a protocol model designed to achieve assured delivery of information in a multi-hop nomadic wireless network. To mitigate a handicap of flood routing, the protocol includes a mechanism to restrict the retransmission of messages. The protocol accounts for the temporary separation of a node, or node segments, from other network members. Our continued research is devoted to methods which improve the protocol efficiency given the limitation of flood routing. In order to reduce the size of the buffer at each mobile host, a buffered message can be deleted after it is received by all the hosts. For each message a host receives, the host sends an acknowledgment to the sender of the message. Once acknowledgments from all hosts have reached the originator, the originator can direct the hosts to delete the message from the buffer [2]. To this end, we may have to broadcast and buffer acknowledgments also, which will increase the overhead. One of our objectives is to design an efficient acknowledgment policy that does not adversely increase the congestion and storage required at each host. Another option in deleting the buffered messages is to use timeouts, but this may not be suitable in critical applications where messages cannot be lost. Also the timeout period has to be chosen carefully (incorporating the mobility and link disconnections) so that the probability of message loss is very low. Some related research issues are: (1) deriving the necessary conditions, with respect to the host mobility pattern for our protocol to work; (2) identifying structures that are easy to maintain and are suitable for broadcasting; and (3) designing efficient routing schemes for unicasting messages.

We are investigating the efficiency and performance characteristics of survivable and adaptive network protocols with computer simulation techniques. Preliminary results will be reported on the evaluation of the algorithm in terms of message delay and acknowledgment overhead for different network sizes and routing restrictions. Our preliminary results indicate the viability of the message management protocol for collaborative computing in a dynamic computer network topology when the reliability of information is paramount.

References

- [1] Alagar, S., and Venkatesan, S. Casual ordering in distributed mobile systems. (To appear in Proc. of Workshop on Mobile Systems and Applications, Dec., 1994.)
- [2] Badrinath, B., and Acharya, A. Delivering multicast messages in networks with mobile hosts. In *Proceedings of the 13th International Conference on Distributed Computing Systems (1993)*, IEEE, pp. 292-299.
- [3] Ioannidis, J., Duchamp, D., and Maguire, G. IP-based protocols for mobile internetworking. In *Proceedings of ACM SIGCOMM Symposium on Communication Architecture and Protocols (1991)*, pp. 235-245.
- [4] Teraoka, F., Yokote, Y., and Tokoro, M. A network architecture providing host migration transparency. In *Proceedings of ACM SIGCOMM (September 1991)*.
- [5] Kistler, J., and Satyanarayana, M. Disconnected operation in coda file system. *ACM Trans. Comput. Syst.* 10, 1 (February 1992).
- [6] Tait, C. D., and Duchamp, D. Service interface and replica management algorithm for mobile file system clients. In *Proceedings of the 1st International Conference on Parallel and Distributed Information Systems (1991)*.
- [7] Alonso, R., and Korth, H. Database system issues in nomadic computing. Technical report, MITL, December 1992.
- [8] Imielinski, T., and Badrinath, B. Data management for mobile computing. *ACM SIGMOD Record (March 1993)*.
- [9] Krishna, P., Vaidya, N., and Pradhan, D. Recovery in distributed mobile environments. In *Proceedings of the IEEE Workshop on Advances in Parallel and Distributed Systems (1993)*, pp. 83-88.
- [10] Darrell, Ash and Coon, Allan, "A Micropower SAW-Stabilized Superregenerative Data Receiver," Application Note 25, RF Monolithics, Inc., July 1992.
- [11] Padgett, J. E., Gunther, C. G., and Hattori, T. Overview of wireless personnel communications. In *IEEE Commun. Mag.*, vol 33, no. 1, pp. 28-41, January, 1995.
- [12] Sousa, E. S., Silvester, J., and Papavassiliou, T. D. Computer-aided modeling of spread spectrum packet radio networks. In *IEEE J. Selected Areas Commun.*, vol. 9, pp. 48-58, 1991.
- [13] Andersen, J. B., Rappaport, T. S., and Yoshida, S. "Propagation Measurements and Models for Wireless Communications Channels," *IEEE Commun. Mag.* vol. 33, no. 1, pp. 42-49, January, 1995.
- [14] Nelson, R. D. and Kleinrock, L. The spatial capacity of a slotted ALOHA multihop packet radio network with capture. In *IEEE Trans. Commun.*, vol. COM-32, no. 6, 1984, pp. 684-694.
- [15] FED-STD-1045, Telecommunications: HF Radio Automatic Link Establishment, from Institute for Telecommunication Sciences, National Telecommunications and Information Administration, US Dept. of Commerce, 24 Jan 1990.
- [16] Baker, D. J., Ephremides, A., and Flynn, J. A. The design and simulation of a mobile radio network with distributed control. In *IEEE Journal on Selected Areas in Communications SAC-2,1 (January 1984)*, 226-237.
- [17] Greenstein, L. J., et. al. Microcells in personal communications systems. In *IEEE Commun. Mag.*, vol. 30, no. 12, 76-88, Dec., 1992.
- [18] Maslin, N. M. Modeling in the hf network design process. In *Fourth International Conference on HF Radio Systems and Techniques*. (London, UK, 90-94, April, 1988).
- [19] Leiner, B. M., et. al., Issues in Packet Radio Network Design. In *Proc. IEEE* vol. 75, no. 1, pp. 6-20, January, 1987.

Case 1:17-cv-01234 Document 1-1 Filed 08/14/17 Page 1 of 1




Fig 1

FILED IN CASE NO. 1:11-cv-00000




Fig 3B

Fig 3A

Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.