

- Does the American Heart Association's Get with the Guidelines Program Improve the Quality of Cardiovascular Care in Hospitalized Patients with Diabetes?, 3699
- Early Statin Initiation in Patients with Acute Myocardial Infarction Improved Survival, 2109
- Effect of Soy-Nuts on C-Reactive Protein and Soluble Adhesion Molecules in Postmenopausal Women, 3590
- Electronic Alerts for Venous Thromboembolism Prophylaxis Reduce Rates of Proximal DVT and PE Among Hospitalized Patients: A Randomized Controlled Trial of 2506 Patients, 3762
- Ethnic differences in prevalence, treatment, and control of dyslipidemia: Insights from the Multi-Ethnic Study of Atherosclerosis, 3778
- Ethnic Differences in the Association between Birth Weight and Childhood Obesity, 3602
- Females are More Resistant to Stress Than Males: Gender-Specific Role of HIF in Ventricular Remodeling, 510
- Financial Incentives and Performance in Get With The Guidelines in Hawaii, 3809
- Four-Year Follow-Up of the Multicenter Rct of Coaching Patients on Achieving Cardiovascular Health (The COACH Study) Shows that the COACH Program Keeps Patients Out of Hospital, 3703
- Genetic Influence on Ectopic Coronary Artery Disease, 3729
- Genetic Linkage and Association of the Growth Hormone Secretagogue RECEPTOR (GHSR, Ghrelin Receptor) Gene in Human Obesity, 3787
- Global Risk Factor Assessment Markedly Underestimates Subclinical Atherosclerosis Risk in Asymptomatic Women, 3657
- Impact of C-reactive Protein on the Likelihood of Peripheral Arterial Disease in US Adults with Metabolic Syndrome, Diabetes, and Pre-existing Cardiovascular Disease, 2441
- Impact of Obesity on Quality of Life in Patients with Advanced Heart Failure, 3415
- Intra-Abdominal Adiposity and Risk of Sudden Death in Asymptomatic Middle-Aged Men: The Paris Prospective Study I, 3788
- Lifestyle Interventions Designed to Lower Blood Pressure Also Improve Serum Lipids: The PREMIER Trial, 3573
- Mediterranean-inspired Diet Reduces the Number of Leukocytes and Platelets and Decreases Vascular Endothelial Growth Factor in Healthy Subjects, 3832
- Midkine Plays a Protective Role against Cardiac Ischemia/reperfusion Injury through a Reduction of Apoptotic Reaction, 500
- Monoclonal Blocking Antibody against Murine CC-Chemokine Receptor 2 Inhibits Atherosclerotic Lesion Development in ApoE-Knockout Mice, 846
- National Cholesterol Education Panel III Guidelines and Detection of High-Risk Young Asymptomatic Adults, 3705
- Optimal Blood Pressure Control for the Prevention of Atrial Fibrillation, 3546
- Oral D-4F Dramatically Synergizes with Oral Pravastatin to Reduce Atherosclerosis in ApoE Null Mice, 173
- Palm-held Digital Assistants and Periodic Physician Feedback Demonstrate No Incremental Value in Achieving LDL-cholesterol Goals, 3702
- PDAY Risk Score Predicts Coronary Artery Calcium in Young Adults: The CARDIA Study, 3655
- Physical Activity and Diabetes Risk in Postmenopausal White, Black, Hispanic, and Asian Women: The Women's Health Initiative Observational Study, 3570
- Population Implications of More Aggressive Low-Density Lipoprotein Cholesterol Treatment Goals in 'High-Risk' American Adults: NHANES 1999-2000, 3701
- Predicting Mortality in Survivors Of Acute Coronary Syndrome Using The 4 Drug (4 D) Score: Risk Stratification By Discharge Medication, 2345
- Predictors of Appropriate Implantable Cardioverter Defibrillator Therapy in the Multi-Center Unsustained Tachycardia Trial, 2358
- Preoperative Statin Therapy is Associated with Reduced Cardiac Mortality Following Coronary Artery Bypass Graft Surgery, 2366
- Prevalence and Treatment of Dyslipidemia Among Persons with Diabetes in the United States 1999-2000, 3682
- Prevention Of Cardiovascular Events By Perindopril in Patients With Stable Coronary Disease Does Not Depend On Blood Pressure And Its Reduction - Results From The EUROPA Study, 2919
- Racial Differences in Lipid Management and Cardiovascular Outcomes Among Patients with Coronary Artery Disease: Substudy of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3779
- Randomized Controlled Trial of Specialized Lipid Clinic versus Conventional Care Management of Hyperlipidemia in Patients with Coronary Artery Disease: Results of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3706
- Regular Exercise Reduces Arterial Blood Pressure at Rest and During Exercise in Preschool Children: A 2-Year Cluster-Randomized Controlled Trial, 3569
- Regulation Of Endothelial Progenitor Cells By Running Exercise Of Different Duration And Intensity in Healthy Subjects, 3572
- Risk/Benefit Analysis of Hyperkalemia on Clinical Outcomes in EPHEBUS, 3340
- Suboptimal Use of Evidence-based Medications Before Myocardial Infarction Among Patients with and without Diabetes Mellitus: Observations from the National Registry of Myocardial Infarction (NRFMI) 4, 3849
- Successful Conversion of 33,318 Patients with Hypercholesterolemia from a Brand-Name to a Generic Cholesterol-Lowering Drug, 3781
- Targeting C-reactive protein: A Novel Model for Studying Its Synthesis and a Novel Key Pathway of Its Transcriptional Regulation in Human Hepatocytes, 1206
- Use of Evidence-Based Therapies in Patients with Chronic Kidney Disease Presenting with Acute Coronary Syndrome and Its Impact on Clinical Outcomes, 2678
- Vagal HR Regulation is Enhanced with Interventions to Reduce Psychological Stress and Depression: A Meta-Analysis, 3646
- Vascular Progenitor Cells in 500 Patients with Coronary Artery Disease: Results of the Endothelial Progenitor Cells in Coronary Artery Disease (EPCAD) Study, 2379
- Which is the Most Accurate Stroke Prediction Scheme in Atrial Fibrillation Patients Treated with Anticoagulants? A Comparison of 5 Risk Stratification Schemes, 3616
- Prognosis**
- "Warranty Time" of a Normal Stress Echocardiogram in Patients With History of Myocardial Infarction, 2913
- B-Blocker Therapy Intolerance in Ischemic Cardiomyopathy is Predictive of Higher Cardiac Mortality Rate after Cardiac Resynchronization Therapy, 2264
- Preoperative Prediction of Long-Term Survival Following Coronary Artery Bypass Grafting in Patients with Low Left Ventricular Ejection Fraction: The HAVOC Score, 1986
- A Multivariate Impedance Cardiography Composite Score Can Predict the Occurrence of Major Heart Failure Events: the PREDICT Study, 2775
- Aborted Myocardial Infarction: Absence of a Significant Enzyme Rise After Fibrinolysis as a Predictor of Future Infarction And a Warrant for early intervention, 2517
- Activated Factor XII Predicts Troponin-T Positive Cardiac Events at 30 Days Follow-Up after Hospitalization with Acute Chest Pain, 2123
- Acute Hyperglycemia, but not Diabetes Mellitus, is a Predictor for Short and Long Term Mortality in Patients after Acute Myocardial Infarction in the Contemporary Primary Angioplasty Era, 1943
- Altered Circadian Variation of Sudden Cardiac Death in Patients with Obstructive Sleep Apnea, 3777
- An Elevated Blood Urea Nitrogen Level is Associated with Increased Mortality Independent of Serum Creatinine Among Patients with Unstable Coronary Syndromes, 3233
- Analysis of N-terminal pro-Brain Natriuretic Peptide and C-reactive Protein Improves Risk Stratification in Stable and Unstable Coronary Artery Disease, 2128
- Ankle-Brachial Index Is A Better Predictor Than C-Reactive Protein Of New Ischemic Events In Patients With Clinical Atherosclerosis. The AIRVAG Cohort, 2060
- Anxiety and Low Perception of Social Support Are Independent Predictors of Readmission in Patients Hospitalized with Heart Failure, 2250
- Aortic Valve Replacement Improves Survival In Patients With Severe Aortic Stenosis Associated With Severe Pulmonary Hypertension , 2557
- Are Traditional Cardiovascular Risk Scores Useful for Women with Suspected Myocardial Ischemia? A Report from the Women's Ischemia Syndrome Evaluation, 3620
- Assessment of Left Ventricular Dyssynchrony with Tissue Doppler Imaging Predicts Prognosis following Cardiac Resynchronization Therapy, 2023
- Association of QRS Duration and Outcomes After Myocardial Infarction: The VALIANT Trial, 3354
- Atrial Fibrillation in Heart Failure: Results from HFSIS 2003, a Nationwide Survey in Hospitalized Heart Failure Patients in Israel, 3134
- B-type Natriuretic Peptide Level Measure on Admission is an Independent Predictor of Long-term Mortality after Primary Angioplasty in ST-elevation Myocardial Infarction, 1628
- B-Type Natriuretic Peptide Levels, Obesity, and Survival in Advanced Heart Failure, 2582
- Baseline High-Sensitivity C-Reactive Protein Offers Prognostic Value in Addition to Contemporary Risk Stratification in Non-ST-segment Elevation Acute Coronary Syndrome: Results from the CURE Inflammatory Marker Substudy, 2343
- Binge Drinking and Mortality Following Acute Myocardial Infarction, 3438
- Both Albuminuria and Framingham Risk Score Predict Cardiovascular Events in Albuminuric Subjects with Intermediate Cardiovascular Risk, 3650
- Cardiac Output Response to Exercise and Mortality in the β -Blocker Era of Heart Failure Therapy, 2811
- Carotid Intima-Media-Thickness Predicts Cardiovascular Events in Subjects with Intermediate Cardiovascular Risk, 1787
- Carotid Plaque, Not Intimal-Medial Thickness, Predicts Clinical Cardiovascular Disease: The Strong Heart Study, 3688
- Circulating B-type Natriuretic Peptide and N-Terminal pro-B-type Natriuretic Peptide as Markers of Long-term Survival in Patients with

- Stable Coronary Artery Disease, 3263
- Clinical Outcomes of Non-Cachectic Patients with Chronic Heart Failure and Metabolic Dyslipidemia, 2247
- Coronary Endothelial Dysfunction Provides Multiple Adverse Prognostic Impacts on Patients With Coronary Artery Disease During Long-Term Follow-up Over 100 Months, 2189
- Coronary Heart Disease in Siblings as Predictor of Sudden Cardiac Death and Coronary Events, 3653
- Days on Intravenous Heparin Predicts Thrombocytopenia and Drop in Platelet Count on Heparin Predicts Mortality: Findings from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 2604
- Decreased Mortality Associated with β -blocker Use Among 713 Consecutive Patients with Diabetes and Acute Coronary Events, 3745
- Depressed Relative Lymphocyte Count is Associated with Death in Patients with Hypertrophic Cardiomyopathy, 2800
- Depression is a Predictor of Cardiovascular Events after Coronary Artery Bypass Graft, 2202
- Depressive Symptoms And Quality Of Life Predict Short-Term Mortality In Patients With Chronic Heart Failure, 2248
- Determinants of 1-Year Mortality in Patients with Stable Angina and First Angiographic Diagnosis of CAD: Results of the STAR Registry, 2916
- Diabetes is a Powerful Predictive Factor of Death after Bioprosthetic Aortic Valve Replacement for Aortic Stenosis. A 15-year Study, 2561a
- Diminished Efficacy of Acute Reperfusion Therapy in Patients with ST-Segment Elevation Myocardial Infarction and Advanced Baseline Renal Failure, 1853
- Dobutamine Stress Echocardiography as a Prognostic and Diagnostic Tool in Patients with End Stage Renal Failure, 2398
- Does High-Sensitivity C-Reactive Protein Provide Additional Prognostic Information in Patients with Hypertension and Left Ventricular Hypertrophy? A LIFE Study, 3383
- Does Inappropriate Exercise Blood Pressure Response in Patients with Controlled Hypertension Predict a Worse Outcome?, 2500
- Does the "Obesity Paradox" Extend to Patients with Non-ST-Segment Elevation Myocardial Infarction? Insight from the National Registry for Myocardial Infarction 4, 3063
- Early Statin Initiation in Patients with Acute Myocardial Infarction Improved Survival, 2109
- Echocardiographic Middiastolic Wave in the Mitral Inflow Is Associated With Adverse Events in Hypertrophic Cardiomyopathy, 2230
- Effects of Glucose Abnormalities on In-Hospital Outcome after Coronary Intervention for Acute Myocardial Infarction, 3232
- Electrical Asynchrony Does Not Affect The Survival Of Heart Failure Patients, 3337
- Elevated Serum Cystatin C Level Is a Predictor of Cardiac Events in Chronic Heart Failure Patients with Normal Creatinine Level, 3341
- Evaluation and Outcomes of Thrombocytopenia Developing While on Heparin Among Cardiac Care Unit Patients: Insights from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1767
- Evaluation of Long-Term Prognosis of Ventricular Arrhythmias Originating from Right Ventricular Outflow Tract (RVOT), 3215
- Evidence-Based Risk Stratification is Not Optimally Used to Target Proven Therapies in Non-ST-Elevation Acute Coronary Syndromes: The Global Registry of Acute Coronary Events (GRACE), 3058
- French Brugada Syndrome Registry (COBRA): Design of the Survey, Preliminary Results Concerning Demographic, Clinical Data and Follow-Up, 3210
- Genetic Variation in the F3 Gene is Associated with Risk and Prognosis in Acute Coronary Syndrome, 2675
- Heart-Rate Recovery After Cardiopulmonary Exercise Testing Predicts Mortality In Patients With Chronic Heart Failure, 2297
- Heart-Type Fatty Acid Binding Protein Predicts the Prognosis of Patients with Aortic Valve Diseases, 3282
- Hemoglobin Levels Predict Survival and Hospitalization After a Complicated Acute Myocardial Infarction: Results from the OPTIMAAL Study, 2672
- Hemoglobin-related Mortality in Patients with Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Interventions, 2671
- High Pressure in the False Lumen Favors Secondary Dilatation of the Aorta after Acute Type A Aortic Dissection, 3110
- High-Sensitivity C-Reactive Protein: Potential Adjunct for Risk Stratification in Patients with Ischemic or Nonischemic Congestive Heart Failure, 3471
- Higher Preprocedural Neutrophil Count is Independently Associated with Death or Myocardial Infarction in Medically managed patients Following Cardiac Catheterization, 3760
- History of Systemic Hypertension Increases the Risk of Mortality, Thrombotic and Bleeding Complications Following Non ST-segment Elevation Acute Coronary Syndrome, 3216
- Homocysteine: Cardiovascular Risk Predictor or Mirror of Renal Function? Results from the AtheroGene Study, 1346
- How Important is Complete Revascularization after Myocardial Infarction?, 3074
- Hyperthermia following Reperfused Acute Myocardial Infarction is Associated with Early Left Ventricular Remodeling, 1610
- Hypoalbuminemia is a Frequent Finding in Lean as Well as Obese Heart Failure Patients and Independently Predicts Mortality, 2586
- Impact of Body Mass Index on Cardiac Mortality in Patients with Known or Suspected CAD Undergoing Myocardial Perfusion SPECT, 3161
- Impact Of Glutathione Peroxidase 1 Activity On Cardiovascular Prognosis Of Patients With Atherosclerosis, 3649
- Impact of Revascularization Procedures in the Subacute Phase after ST-Segment Elevation Myocardial Infarction on 1-Year Mortality. Results of the ACOS-Registry, 1937
- Improvement in Left Ventricular Ejection Fraction After β -Blockers is an Independent Predictor of Survival in Patients with Stable Congestive Heart Failure, 2593
- Improvement of Stress LVEF rather than Rest LVEF in Patients with Ischemic Cardiomyopathy and Viable Myocardium, 1996
- In-hospital and One-year Mortality of Patients who Develop Worsening Renal Function After Acute ST-elevation Myocardial Infarction, 1854
- Incidence, Prevalence, And Prognostic Impact Of Pulmonary Arterial Hypertention: A Population-Based Study, 3423
- Increased Muscle Sympathetic Nerve Activity Predicts Mortality in Heart Failure Patients, 393
- Incremental Clinical Value of Changes in the Doppler Myocardial Performance Index During Dobutamine Stress Echocardiography: Association with Neurohormonal Activation, Left Ventricular Remodeling, and Prognosis After Acute Myocardial Infarction, 2401
- Incremental Prognostic Value of Contrast-Enhanced Dobutamine Stress Echocardiography in the Prediction of Cardiovascular Outcome in Heart Transplant Recipients, 2400
- Independent and Incremental Prognostic Value of Early Mitral Annulus Velocity in Patients with Impaired Left Ventricular Systolic Function, 2761
- Index of Coronary Circulatory Function in Response to Cold Pressor Correlates with Calculated Framingham CHD Risk Score in Men with Metabolic Syndrome Components, 3050
- Intravenous Nicorandil before Reperfusion Improves Epicardial Flow and Accelerates ST-Segment Resolution in Patients with Acute Myocardial Infarction, 3070
- Iron Status is Attenuated in Patients with Chronic Heart Failure and Associated with Impaired Exercise Capacity and Survival, Independent of Hemoglobin Levels, 3475
- Is Myocardial Performance Index Better Than Classic Echocardiographic Markers of Mortality in Children with Idiopathic Dilated Cardiomyopathy?, 2000
- Lack of Left Ventricular Dilatation Is A Marker Of Increased Mortality In Patients With Chronic Severe Mitral Regurgitation and Normal Ejection Fraction, 3448
- Long-term Benefits of Montepase Prior to Coronary Angioplasty in Acute Myocardial Infarction: Results of the Combining Montepase with Angioplasty (COMA) Trial, 2111
- Long-Term Mortality of Early Invasive Management of Acute Coronary Syndromes Without ST-Elevation: a Cumulative Meta-Analysis, 3218
- Long-term Outcome in Patients with Silent versus Symptomatic Ischemia during Dobutamine Stress Echocardiography, 2538
- Long-Term Outcomes and Their Predictors after Hospital Discharge for MI in the Elderly: The Cardiovascular Health Study (CHS), 3722
- Long-Term Safety and Clinical Outcome after Intracoronary Progenitor Cell Transplantation in Patients with Acute Myocardial Infarction: 1 Year Follow-Up Analysis of the TOPCARE-AMI Trial, 1146
- Long-Term Survival after Percutaneous Coronary Intervention for Chronic Total Occlusions, 1829
- Low Levels of Plasma Adiponectin Concentrations after Acute Myocardial Infarction Can Be Potentially Used To Predict Future Adverse Cardiac Events, 3234
- Major Prognostic Role of Admission Glycemia on 30-day and 1-year Outcomes in Nondiabetic Patients Admitted for Myocardial Infarction: Results from the Nationwide French USIC Study, 1851
- Matrix Metalloproteinase 2 - A Strong Predictor of Mortality after 'New Definition' Myocardial Infarction, 2674
- Metabolic Syndrome: a Major and Independent Predictor of In-Hospital Mortality and Cardiogenic Shock in Patients with Acute Myocardial Infarction: Data from RICO Survey, 3060
- Mitral Regurgitation Remains Common after Myocardial Infarction and is Powerfully Predictive of Adverse Outcomes Despite Renin-Angiotensin System Blockade: Data from VALIANT, 2680
- Myocardial Characterization by Magnetic Resonance Delayed Hyperenhancement Imaging Strongly Predicts Major Adverse Cardiac Events, 2988
- Myocardial Contrast Echocardiography Provides Superior Information Compared With the TIMI Score in Patients Presenting to the Emergency Department with Suspected Cardiac Chest Pain and a Nondiagnostic Electrocardiogram, 1606
- N-Terminal Pro Brain Natriuretic Peptide Predicts Long-Term Mortality In Stable Coronary Heart Disease, 1950

- Noninvasive Ultrasonic Evaluated Endothelial Dysfunction Predicts Future Diabetic Evolution, 2061
- Overall and Sex-Specific Trends and Prognosis of Ischemic Stroke Following Incident Atrial Fibrillation: Data from 2 Decades (1980-2000), 2976
- Patency of False Lumen of the Descending Aorta Is Not Altered By an Extension of Aortic Replacement in Acute Type A Dissection, 2744
- Patients with Metabolic Syndrome and Endothelial Dysfunction are at Higher Risk of Cardiovascular Events: the Northern Manhattan Study, 3611
- Plasma Brain Natriuretic Peptide (BNP) Levels do Not Predict Functional Status in Obese Patients with Heart Failure, 1757
- Plasma concentration of Matrix Metalloproteinase 9 and prognosis of patients with atherosclerosis in multiple vascular regions, 3713
- Plasma Levels of the Soluble fms-like Tyrosine Kinase 1 (VEGF receptor 1) Modulate the Prognostic Impact of Placental Growth Factor in Patients Post Myocardial Infarction, 1942
- Postcardiorespiratory Arrest Echocardiography Variables Predict Outcome After Resuscitation, 2131
- Predicting Mortality In Survivors Of Acute Coronary Syndrome Using The 4 Drug (4 D) Score: Risk Stratification By Discharge Medication, 2345
- Predictors and Long-Term Outcome of Major Bleeding in Patients with Non-ST-Elevation Acute Coronary Syndromes: Insights from the Canadian Acute Coronary Syndrome Registries, 2669
- Predictors of Five-year Mortality In Patients Undergoing Primary Percutaneous Coronary Interventions: Insights From the Primary Angioplasty in Myocardial Infarction (PAMI) Trials, 3512
- Predictors of Long-Term Mortality in Patients with Infective Endocarditis (IE): A Propensity Score Analysis, 2640
- PredischARGE C-Reactive Protein Levels do not Predict Death and Major Cardiovascular Events at 1 Year in Patients Receiving Contemporary Management Following an Acute Coronary Syndrome, 2344
- Preoperative Thrombolysis Improves Long-term Survival after Coronary Artery Bypass Grafting, 3266
- Preprocedural Statin Medication Improves Long-Term Survival in Patients With Stenting-Related Myocardial Injury, 1824
- Prevalence and Hospital Outcomes of Acute Heart Failure and/or Left Ventricular Systolic Dysfunction Complicating Acute Coronary Syndromes, 2681
- Prevalence Of Anemia Among Heart Failure Patients With Preserved Systolic Function And Its Influence On Their Survival, 2599
- Prognostic Significance of Heart Fatty Acid Binding Protein in Patients with Non-ST-Elevation Acute Coronary Syndrome: Results of Follow-up For One Year, 2677
- Prognostic Significance of Plasma Levels of Hepatocyte Growth Factor in Patients with Congestive Heart Failure, 3469
- Prognostic Significance of Silent Myocardial Ischemia During Exercise Stress Testing, 2501
- Prognostic Significance of ST-Segment Depression in Specific 12-Lead ECG Groups in the GUSTO-2b Trial, 3089
- Prognostic Value of Cardiopulmonary Exercise Testing In Heart Failure Patients with Preserved Systolic Function, 2497
- Prognostic Value of Carotid Plaque Morphology in Cardiology Patients, 2064
- Prognostic Value of Circulating Shed Membrane Pro-Coagulant Microparticles in Patients with Severe Acute Coronary Syndromes. A Substudy From the Global Registry of Acute Coronary Events (GRACE), 2676
- Prognostic Value of Corrected JT and QT Intervals, 2896
- Prognostic Value of Elevated Circulating Levels of Heart-Type Fatty Acid Binding Protein in Heart Failure Patients with Preserved Left Ventricular Systolic Function, 3470
- Prognostic Value of Endothelin Peptides in Heart Failure: Results from Val-HeFT, 3472
- Prognostic Value Of Preoperative Cardiac Troponin I For Patients Undergoing Elective Coronary Artery Bypass Surgery, 2208
- Programmed Ventricular Stimulation is Associated with Long-Term Outcome in Patients with Nonischemic Dilative Cardiomyopathy Treated with an Implantable Cardioverter-Defibrillator, 2240
- Pulmonary Capacitance Predicts Mortality in Pulmonary Hypertension, 2641
- Pulse Pressure Predicts Survival in Advanced Heart Failure Independent of Invasive Hemodynamic Measurements, 2809
- Reduced Coronary Flow Reserve on Left Anterior Descending Artery Worsens Prognosis in Patients With Positive Stress Echo by Wall Motion Criteria: A Transthoracic Vasodilator Stress Echo Study, 2219
- Relationship Between Admission Glucose and Mortality in 713 Diabetes Patients with Acute Coronary Events, 3749
- Relationship of Renal Insufficiency to the Quality of Non-ST-Segment Elevation Acute Coronary Syndromes Care and Outcomes: Results From the CRUSADE Initiative, 3617
- Right Ventricular Dysfunction in Hypertrophic Cardiomyopathy: Prognostic Significance of Doppler-Derived TEI Index, 3145
- Right Ventricular Enlargement on Chest CT as a Predictor of Mortality in Acute Pulmonary Embolism, 2603
- Right Ventricular Function is an Independent Predictor of Death, Heart Failure and Stroke Following Myocardial Infarction: The VALIANT Echo Study, 2754
- Risk Stratification for Patients Undergoing Planned Elective Percutaneous Coronary Intervention using Plasma N-terminal Pro-B-type Natriuretic Peptide (NT-proBNP) Assay: A Clopidogrel for the Reduction of Events During Observation (CREDO) Substudy, 2729
- Risk Stratification using a Combination of Heart-type Fatty Acid Binding Protein and Brain Natriuretic Peptide in Patients Hospitalized for Congestive Heart Failure, 1754
- Role of Coronary Flow Reserve with Contrast-Enhanced Dobutamine Stress Echocardiography in Predicting Outcome in Patients with Known or Suspected Coronary Artery Disease, 2728
- Role of Heart Rate Reserve in Risk Stratification of Patients With Known or Suspected CAD Undergoing Stress Echocardiography, 2294
- Role of N-Terminal ProBNP in Risk Assessment and Management of Pulmonary Embolism, 2434
- Roles of Fatness and Fitness as Cardiovascular Risk Factors for Women: A Report from the Women's Ischemia Syndrome Evaluation, 3792
- Serum Matrix Metalloproteinase-3 as an Independent Predictor of Future Cardiac Events in Patients with Idiopathic Dilated Cardiomyopathy, 3142
- Sex-age Interaction after Myocardial Infarction: Impact on Hospital Mortality and 1-year Survival, 3522
- Shortness of Breath is the Most Predictive Symptom for Cardiac Death and All-Cause Mortality in Patients Referred for Myocardial Perfusion SPECT: Prospective Analysis of 17,991 Patients, 3170
- Specialist Training and Implementation of Evidence-Based Care Following 'New Definition' Myocardial Infarction, 3226
- Stimulating Autoantibodies Directed against the Cardiac β_1 -adrenergic Receptor Predict Increased Mortality in Dilated Cardiomyopathy, 2583
- Survival Patterns in Conservatively Treated Patients With Severe Aortic Stenosis: Prognostic Variables in 457 Patients, 2555
- The Adaptive Immune System and Long-Term Outcome in Patients with Stable Coronary Artery Disease: Predictive Value of Routine Laboratory Measurements, 3257
- The Association of Intravenous Morphine Use and Outcomes in Acute Coronary Syndromes: Results from the CRUSADE Quality Improvement Initiative, 3056
- The Correlation between Iodine-123-Betamethylodophenylpentadecanoic Acid and Serum Levels of Heart-Type Fatty Acid Binding Protein in Patients with Chronic Heart Failure, 3047
- The Long-Term Impact of Social Deprivation on Heart Failure: A Population-Based Study, 3525
- The Prognostic Impact of the Metabolic Syndrome in Patients with Acute Myocardial Infarction, 3565
- The Right Ventricular Myocardial Performance Index: A New Powerful Prognostic Parameter in Patients with Advanced Congestive Heart Failure, 2755
- Time Delay-Adjusted Survival Benefit of Angioplasty Over Thrombolysis in Acute Myocardial Infarction: Influence of Time from Symptom Onset, 2512
- Tissue-Level Perfusion Predicts Remote Clinical Outcomes More Accurately than Relaxation Abnormality in Patients with Myocardial Infarction, 3316
- Total Cholesterol, Statin Therapy, and Survival in Ischemic and Nonischemic Heart Failure: Results from the Val-HeFT, 2590
- Twelve-Year Changes in the Management of Acute Myocardial Infarction in the Elderly in Rural Japan: Kochi Acute Myocardial Infarction (KAMI) Study, 2915
- Prostacyclin**
- Clinical Assessment of the Positive Inotropic Effect of Prostacyclin Analogs in Patients with Pulmonary Arterial Hypertension: An Ultrasonic Strain/Strain Rate Study, 3309
- COX-2 Inhibition Attenuates Thrombomodulin Expression in Human Vascular Smooth Muscle Cells, 353
- Enhanced Platelet Adhesion Following Selective Inhibition of Cyclooxygenase-2 in Hamster Arterioles in vivo, 352
- Genetic Disruption to Cyclooxygenase-2 Increases the Susceptibility to Doxorubicin-Induced Cardiotoxicity, 903
- Hemoglobin Levels and Pulmonary Arterial Hypertension, 2600
- Noninvasive Assessment of Right Ventricular Pressure Overload and the Effect of Epoprostenol Using Gated [18 F]fluorodeoxyglucose PET in Patients with Pulmonary Hypertension, 3054
- Nuclear Factor- κ B is a Target of Peroxisome Proliferator-activated Receptor γ Ligands in their Suppressive Effects on Shear Stress-induced Gene Expression and Release of Novel Vasoconstrictor Coupling Factor 6, 1174
- Prostaglandins Mediate the Cardioprotective Effects of Atorvastatin Against Ischemia-Reperfusion Injury, 515
- Thromboxane A_2 Receptor Antagonism and Selective Inhibition of Cyclooxygenase 2 in Atherosclerosis, 843
- Prostaglandins**

COX-2 Inhibition Attenuates Thrombomodulin Expression in Human Vascular Smooth Muscle Cells, 353
 Genotoxic Disruption to Cyclooxygenase-2 Increases the Susceptibility to Doxorubicin-Induced Cardiotoxicity, 903
 Glomerular Cytochrome P-450 Metabolite Regulates Efferent Arteriole Resistance, 484
 Heme Oxygenase-1 Mediates Functional Regulation of Prostaglandin Uptake in Endothelial Cells via the Prostaglandin Transporter, 1355
 Inhaled Treprostinil Sodium (TRE) For the Treatment of Pulmonary Hypertension, 1414
 Inhibition of Hyaluronic Acid Synthase (HAS2) Expression by siRNA Inhibits Phosphorylation of Focal Adhesion Kinase and Migration in Vascular Smooth Muscle Cells, 1321
 Mechanisms Underlying Early Development of Pulmonary Hypertension in Down Syndrome: Evidence of Imbalance in Biosynthesis of Vasoactive Prostanoids, 2884
 Overexpression of Protein HUR as a Basis of Cyclooxygenase-2-Dependent Atherosclerotic Plaque Instability in Humans, 1501
 Prostaglandins are Involved in the Early Myocardial Protective Effect Observed after Periodic Acceleration-CPR (pGz-CPR), 1632
 Prostaglandins Mediate the Cardioprotective Effects of Atorvastatin Against Ischemia-Reperfusion Injury, 515
 The Mineralocorticoid Receptor Blocker Eplerenone Inhibits Cyclooxygenase-2 and Angiotensin Type 1 Receptor Gene Expression in Paraventricular Nucleus of Hypothalamus after Myocardial Infarction in Rats, 1409
 Thromboxane A₂ Receptor Antagonism and Selective Inhibition of Cyclooxygenase 2 in Atherosclerosis, 843

Prosthetic valves

A Randomized Trial Comparing Stentless Bioprosthetic Valves with Stented Valves in the Aortic Position (ASSERT), 2556
 Allograft Compared to Synthetic Materials Regarding Bacterial Adherence in a Standardized Animal Model of Prosthetic Valve Endocarditis, 2637
 Anemia in a 63-Year-Old Woman with Three Mechanical Heart Valves, 2007
 Diabetes is a Powerful Predictive Factor of Death after Bioprosthetic Aortic Valve Replacement for Aortic Stenosis. A 15-year Study, 2561a
 Early Outcomes of Tricuspid Valve Replacement in Young Children, 3410
 Effects of Prosthesis-Patient Mismatch after Aortic Valve Replacement on Left Ventricular Function and Remodeling in Patients with Normal and Impaired Preoperative Left Ventricular Function, 2559
 Feasibility and Diagnostic Accuracy of Quantitative Assessment of Mechanical Prostheses Leaflet(s) Motion by Transthoracic and Transesophageal Echocardiography in Suspected Prosthetic Valve Dysfunction, 1721
 Long-Term Outcomes of Valve Replacement With Modern Prostheses in Young Adults, 2552
 Mobilization Of Progenitor Cells By G-CSF Increases Inflammatory Response And Calcifications In Decellularized Heart Valves, 1563
 Percutaneous Transcatheter Implantation of Aortic Valve Prosthesis for Calcific Aortic Stenosis: 3-Month Results of the I-REVIVE Pilot Study, 2067
 Preoperative Cholesterol Levels Do Not Predict Structural Valve Degeneration In Patients Undergoing Bioprosthetic Aortic Valve Replacement, 3283
 Prosthesis-Patient Mismatch after Aortic Valve Replacement: Impact of Preoperative Left Ventricular Function on Clinical Outcomes, 3278
 The Clinical and Economic Impact of *Staphylococcus aureus* Bacteremia in Patients with Cardiovascular Devices, 2636

Proteins

Acrolein Inhibits Cholesterol Transport By High Density Lipoprotein: Potential Role For Site Specific Modification Of Apolipoprotein A-I In Atherogenesis, 167
 Alterations of Protein Turnover During the Transition from Stable Hypertrophy to Heart Failure in the Dog, 793
 Autophagy, a Survival Mechanism in Chronically Ischemic Myocardium, 1424
 Bradykinin Preconditioning Improves the Profile of Bad Phosphorylation and Caspase-3 Activation after Cardioplegic Arrest, 1708
 C-reactive Protein Impairs Endothelium-dependent Nitric Oxide-mediated Dilation of Coronary Arterioles via p38 Kinase and NADPH Oxidase Activation, 339
 Cardiotrophin-1 Promotes Monocyte Chemotaxis Through Activation of Monocyte Chemoattractant Protein-1 in Human Aortic Endothelial Cells, 1009
 Caspase-1-Independent Activation of Interleukin-18 by Matrix Metalloproteinases as a Novel Proatherogenic Pathway, 1492
 Direct Regulation of SERCA Activity by S-Glutathiolation at Cys674 by Peroxynitrite, 427
 Elimination of Hspb2,5 Heat-Shock Proteins Protects the Myocardium and Impairs Ca²⁺ Homeostasis During Simulated Ischemic/Reperfusion, 504
 Gene Profiling Changes in Cytoskeletal Proteins During Clinical Recovery Following Left Ventricular Assist Device Support, 2939

High Serum Level of Advanced Glycation End Products is Associated with Development of Acute Coronary Syndrome in Diabetic Patients: A Potential Role in Immunoinflammatory Reaction of Plaque Instability, 3751
 Identification of Transmembranous Proteasome as a Novel Regulator of Collateral Growth, 1040
 Impairment of the Ubiquitin-Proteasome System by Misfolded Cytoplasmic Protein in Cardiac Myocytes, 764
 InsP₃ Receptors in Ventricular Myocytes are Primarily in the Nuclear Envelope, Associate with CaMKII δ , and are Phosphorylation Targets, 760
 MAPKAPK-2 and Serine Phosphorylation of HSP25/27 and α B-crystallin do not Increase Myocardial Resistance to Infarction, 310
 Myocardial Ischemia/Reperfusion Impairs the Ubiquitin-Proteasome System: Role of Reactive Oxygen Species, 1138
 Palmitoylation Of ABCA1 Is Required For Its Normal Trafficking To The Plasma Membrane And For Lipid Efflux Activity, 1305
 Proteomic Discovery of Coronary Artery Disease Proteins Using Industrial Scale Analysis of Pooled Plasma: Results from the Pooled Plasma Proteomics Project, 1011
 Raf/MEK/ERK Pathway as a Mechanism for Increased Longevity in Type 5 Adenylyl Cyclase Knockout Mice, 1384
 Rising Levels of CRP and PAI-1 After Plaque Disruption Are Associated with Thrombosis, 1486
 Role of O-GlcNAc in Platelet Activation and Function, 349
 Soy Protein Supplementation Decreases Serum Lipids: A Meta-Analysis of Randomized Controlled Trials, 3563
 Synergistic Effects of PKC Phosphorylation of Caspase-3 Cleaved Cardiac Troponin T on Cross-Bridge Cycling Rate, 1288
 The Endothelial S-Nitroso-Proteome: Mitochondrial Localization and Target Protein Identification, 1591
 The Epsilon Protein Kinase C Isozyme Modulates Cytochrome C Oxidase (CO) Activity Via Interactions With The COIV Subunit in Cardiac Preconditioning, 650
 Why do the Pulmonary Veins Show Arrhythmogenesis?, 1396

Proteolytic enzymes

Lesional Overexpression of Matrix Metalloproteinase-9 Promotes Intraplaque Hemorrhage in Advanced Lesions, but not at Earlier Stages of Atherogenesis, 1181
 A Profibrogenic Role For MMP-9 in Atherosclerosis Through Activation of TGF- β , 383
 Age-dependent Change of Plaque Mechanical Strength and Serum Levels of Metalloproteinase-9 (MMP-9) and Tissue Inhibitor of Metalloproteinase-1 (TIMP-1) in ApoE and LDL Receptor Double-Knockout Mice, 591
 Biphasic Regulation of Thioredoxin by Reactive Oxygen Species (ROS): Important Role for Cathepsin D in Endothelial Cell Apoptosis, 882
 Changes in Specific Matrix Metalloproteinase Levels and Fibroblast Function Accompany the Age-related Increase in LV Mass, 975
 Chronic Matrix Metalloproteinase Inhibition following Myocardial Infarction in Mice: Differential Effects on Short- and Long-Term Survival, 1875
 Constitutively Active Cardiac Matrix Metalloprotease 2 Expression Drives Dysfunctional Ventricular Remodeling in Transgenic Mice, 1389
 Degradation of Myosin Light Chain 1 in Isolated Rat Hearts Subjected To Ischemia-Reperfusion Injury: A New Intracellular Target for Matrix Metalloproteinase-2, 2959
 Differential Effects of Serine Protease Inhibitors on MMP Release in Patients Following Cardiopulmonary Bypass, 1712
 Differential Levels of the Metalloprotease Disintegrins in Patients with Ischemic or Dilated Cardiomyopathy: Relation to Integrin Profiles and MMP Activation, 2093
 Dysfunction of the Ubiquitin-Proteasome System Is Accompanied by the Accumulation of the Proapoptotic Protein Smac/DIABLO during Left Ventricular Remodeling, 17
 Early Exacerbation in Regional Myocardial Remodeling Following Radiofrequency Ablative Injury in Mice Deficient in Matrix Metalloproteinase-3, 2333
 Effect of cGMP-Dependent Protein Kinase I on Stem Cell Maintenance but not Mobilization, 1560
 Effect of the C-1562T Matrix Metalloproteinase-9 Promotor Polymorphism on Number and Function of Stem and Progenitor Cells in Patients with Chronic Ischemic Heart Disease, 1740
 Furin and PC5 are Localized in Macrophages/foam Cells in Human Atherosclerotic Plaques and are Required for Integrin α v and MT1-MMP Activation, 1184
 Identification of Transmembranous Proteasome as a Novel Regulator of Collateral Growth, 1040
 In Vivo Detection Of Activity Of Gelatinases (MMP-2/MMP-9) In Atherosclerotic Mice, 658
 Inhibition of c-Jun N-terminal Kinase Prevents Development of Abdominal Aortic Aneurysm in a Murine Model, 567
 Inhibition of Proteinases prevents Cardiac Injury during Viral Myocarditis, 212

- Involvement of the proprotein convertase Furin in the arterial response to injury, 1510
- Left Ventricular Dysfunction and Reduced Survival in Myocardial Restricted Over-Expression of Membrane Type-1 Matrix Metalloproteinase Mice Following Myocardial Infarction, 1534
- Macrophage Cathepsin S Deficiency Accelerates Atherogenesis and Promotes Medial Erosion, 1315
- Margination and Engraftment of Hematopoietic Stem Cells Within the Myocardial Infarct Zone Express a Specific Profile of Matrix Metalloproteinases, 2381
- Matrix Metalloproteinase-9 Gene Deletion Inhibits Formation Of Murine Thoracic Aortic Aneurysms, 3112
- Membrane Trafficking of the Membrane Type-1 Matrix Metalloproteinase in Ischemia and Reperfusion: Relation to Interstitial Activity, 1056
- Molecular Indices of Apoptosis after Intermittent Blood and Crystalloid Cardioplegia, 3483
- MT1-MMP-Dependent Neovessel Formation within the Confines of the 3-Dimensional Extracellular Matrix, 1458
- Myocardial Restricted Overexpression of Membrane Type-1 Matrix Metalloproteinase Causes Postpartum Cardiomyopathy, 2777
- Overexpression of Pcsk9 Leads to the Formation of an LDLR-Pcsk9 Complex and Acceleration of LDLR Degradation, 1171
- Phosphorylation Status of Matrix Metalloproteinase-2 and Potential Role in Myocardial Ischemia-Reperfusion Injury, 1279
- Plasma Profiles of Matrix Metalloproteinases and Tissue Inhibitors of Matrix Metalloproteinases: Changes Associated with the Presence of Diastolic Dysfunction, 2823
- Proteasome Deactivation by Oxidative Stress Induces Cardiac Myocytes Apoptosis via p53-Mediated Pathway in Pressure-Overloaded Hearts of Mice, 2950
- Proteasome Inhibition Reduces Endothelial Nitric Oxide Synthase Function through Serine 1179 Dephosphorylation, 577
- Role of Epidermal Growth Factor Receptor Transactivation in Focal Adhesion Kinase Downregulation During Neutrophil Cathepsin G-Induced Myocyte Anoikis, 979
- Role of Proteases for Tissue Invasion and Neovascularization Mediated by Progenitor Cells, 330
- Selective and Chamber-Specific Induction of Matrix Metalloproteinases and Matrix Remodeling in Myocardium of Patients with Atrial Fibrillation, 3100
- Streptokinase Undergoes Autoproteolysis that Reduces the Efficiency of Plasminogen Activation, 539
- The Effect of MMP Inhibition on Myocardial Remodeling is Different When Implemented During the Loaded versus the Unloaded State, 978
- The Thrombin Receptor Thrombomodulin Activates the Endothelial NO Synthase through a Src-Dependent Signaling Pathway, 887
- Transgenic Overexpression of miGF-1 Increases Skeletal Muscle Phosphorylation of FOXO Forkhead Transcription Factors and Blocks Expression of the Ubiquitin Ligase Atrogin-1 in Chronic Ventricular Dysfunction, 210
- Proteomics**
- Alterations of Protein Turnover During the Transition from Stable Hypertrophy to Heart Failure in the Dog, 793
- Degradation of Myosin Light Chain 1 in Isolated Rat Hearts Subjected To Ischemia-Reperfusion Injury: A New Intracellular Target for Matrix Metalloproteinase-2, 2959
- Identification of Transmembranous Proteasome as a Novel Regulator of Collateral Growth, 1040
- Modifications to Troponin C with Brief Ischemia/Reperfusion Injury, 1540
- Pressure Overload and Neurohumoral Activation Differentially Affect the Myocardial Proteome, 1264
- Proteomic and Metabolomic Analysis Reveals a Crucial Role of PKC- δ in Cardiac Metabolisms and Cardioprotection, 514
- Proteomic Discovery of Coronary Artery Disease Proteins Using Industrial Scale Analysis of Pooled Plasma: Results from the Pooled Plasma Proteomics Project, 1011
- Raf/MEK/ERK Pathway as a Mechanism for Increased Longevity in Type 5 Adenylyl Cyclase Knockout Mice, 1384
- Tenascin-c Mediates Cardiac Endothelial Cell Phenotype and Angiogenic Mechanisms, 1047
- The C-Terminal of Connexin-43 Promotes DNA Repair, Cell Death and Expression of a p53-Dependent Gene with a Death Domain, in Cardiomyocytes, 265
- Pulmonary artery**
- Anemia is a Powerful, Independent Predictor of Mortality in Patients with Pulmonary Hypertension, 2601
- Bone Marrow-Derived Cells Contribute to Pulmonary Vascular Remodeling in Hypoxia-Induced Pulmonary Hypertension, 1119
- Bone Morphogenetic Protein-7 Inhibits the Release of Endothelin-1 from Human Pulmonary Smooth Muscle Cells, 1596
- Functional Left Pulmonary Artery Stenosis in Total Cavopulmonary Connection (TCPC): Assessing Improvements in Lung Perfusion and Cardiac Workload with Computer-Aided Angioplasty, 3409
- Guanylate Cyclase Activation by Nitric Oxide is Modulated Through Oxidation of Vicinal Thiols, 1195
- Hemoglobin Levels and Pulmonary Arterial Hypertension, 2600
- Human HIF-3 α is an inhibitor of the HIF pathway in endothelial cells, 1021
- Human Vascular Cells Express a Distinct NOX5 Isoform: Role in the Generation of Reactive Oxygen Species and the Proliferative Response, 746
- Hypoxia-Induced BMPR Reduction is Associated with Different Changes in BMPR Signal Transducers in Pulmonary Artery Endothelial Cells, 1471
- Hypoxic Pulmonary Hypertension: Role of NADPH Oxidase and Superoxide, 483
- Impact of Genetic Syndromes on Surgical Correction of Tetralogy of Fallot, 3412
- In Vivo Loss of RhoA Expression by siRNA-Mediated Gene Silencing Induces Pulmonary Hypertension in Rat, 77
- Increased cAMP Phosphodiesterase Expression in Human Pulmonary Artery Smooth Muscle Cells from Patients with Primary Pulmonary Hypertension, 1771
- Multidetector CT with Three-dimensional Reconstruction: Evaluation of Systemic and Pulmonary Vasculature and Tracheobronchial Tree in Newborns and Infants, 1845
- Novel SNPs in *KCNA5* Gene from Patients with Idiopathic Pulmonary Arterial Hypertension, 85
- Patients With Minor Elevations In Pulmonary Artery Pressure Have Increased Mortality, 2753
- Pulmonary Artery Smooth Muscle Cells Deficient in Type II Bone Morphogenetic Protein Receptor Exhibit Gain of Function in Response to Bone Morphogenetic Protein 7, 623
- Ras Mediates Angiotensin II-dependent Increase in Nitric Oxide Synthase Expression in Pulmonary Endothelium, 730
- Reversible Pulmonary Artery Banding V: Intermittent x Continuous Ventricle Overload of Goats, 2886
- Right Atrial and Ventricular Adaptation to Chronic Right Ventricular Pressure Overload, 1887
- Self-Expanding MRI Imaging and Tracking Catheters for High-Resolution Intra-Cardiac and Vessel-Wall Imaging, 3005
- Serotonin Induction of S100A4/Mts1 Expression in Human Pulmonary Artery Smooth Muscle Cells is Dependent on both the Serotonin Transporter and Receptor, 80
- Serotonin Receptor Inhibition Protects from Pulmonary Hypertension Induced by RhoA Inactivation, 627
- Smad1 Inhibits Human Pulmonary Artery Smooth Muscle Cell Proliferation, 1323
- Survivin Targeting Reverses Pulmonary Arterial Hypertension, 626
- Zaprinast Attenuates Acute Hypoxic Pulmonary Artery Cytokine Expression and Pulmonary Vasoconstriction, 1711
- Pulmonary circulation**
- 16-Slice Multidetector Computed Tomography For Evaluation Of Stent Patency In Pulmonary Veins Of Patients With Acquired Pulmonary Vein Stenosis Following Radiofrequency Catheter Ablation, 1781
- 5-Lipoxygenase Deficiency Prevents Respiratory Failure and Impairment of Hypoxic Pulmonary Vasoconstriction during Ventilator-Induced Lung Injury, 1193
- Amplification of Discrepancies Between Catheter-Tip and Tissue Heating in Pulmonary Vein Ablation: Impact of AF and PV blood flow, 2533
- Bosentan Therapy For Pulmonary Arterial Hypertension (PAH) In Adult Patients With Congenital Heart Disease: A Multicenter Cooperation, 3025
- Brain Natriuretic Peptide Levels, but not Pulmonary Vascular Resistance, Predict Right Ventricular Size and Functional Status in Pulmonary Arterial Hypertension, 1760
- Cause of Correlation Failure Between Cardiopulmonary Exercise Testing and Six-minute Walk Distance in Patients with Pulmonary Arterial Hypertension, 2496
- Cell-based Gene Transfer of Angiotensin-1 Reduces Airspace Inflammation in the Acute Respiratory Distress Syndrome (ARDS), 1417
- Clinical Efficacy of Oral Sildenafil in Severe Pulmonary Hypertension in Patients with Chronic Pulmonary Schistosomiasis, 1416
- Combined Environmental Stimuli, d-fenfluramine and Hypoxia, Induce Severe Pulmonary Hypertension in S100A4/Mts1-Overexpressing Mice that are Prone to Develop Pulmonary Vascular Obliterative Disease (PVOD), 81
- Evolution of the Wide Area Circumferential Ablation for AF: Impact of the Learning Curve on Procedure and Radiation Times in Acute and Chronic Success, 2529
- Fibulin-5 May Protect Against Pulmonary Vascular Obliterative Disease in Mice Overexpressing Mts1 (S100A4), 82
- Hemodynamic Evaluation of Inhaled Aerosolized Iloprost in Heart Transplant Candidates with Pulmonary Hypertension, 2258
- Hysteresis of Heart Rate and Oxygen Uptake between Exercise and Recovery Indicates Disease Severity in Primary Pulmonary Hypertension, 2296
- Impedance Mapping Differentiates Between Atrial and Venous Tissue Reducing the Risk of Pulmonary Vein Stenosis, 1973

- Increased cAMP Phosphodiesterase Expression in Human Pulmonary Artery Smooth Muscle Cells from Patients with Primary Pulmonary Hypertension, 1771
- Inhaled but not Intravenous Milrinone Prevents Pulmonary Endothelial Dysfunction Following Cardiopulmonary Bypass, 1707
- Inhaled Treprostinil Sodium (TRE) For the Treatment of Pulmonary Hypertension, 1414
- Levosimendan Reduces Increased Pulmonary Vascular Resistance in Children after Cardiac Surgery, 2479
- Long-Term Inhibition of Rho-Kinase Ameliorates Hypoxia-Induced Pulmonary Hypertension in Mice: Partial Dependence on Endothelial NO Synthase, 628
- Mechanisms Underlying Early Development of Pulmonary Hypertension in Down Syndrome: Evidence of Imbalance in Biosynthesis of Vasoactive Prostanoids, 2884
- Microencapsulation Enhances Engraftment of Adherent Bone Marrow Stem Cells in Pulmonary Microvasculature, 1121
- Neointimal and Medial Thickening of Aortopulmonary Collateral Arteries in Organ Culture, 3406
- Peripheral Chemoreceptor Contribution to Muscle Sympathetic Nerve Activity in Pulmonary Arterial Hypertension, 222
- Prevalence and Mechanism of Pulmonary Hypertension in Hypertrophic Cardiomyopathy: An Echo-Doppler Study, 3136
- Prevalence of Bone Morphogenetic Protein Receptor type II and Activin Receptor-Like Kinase-1 Gene Mutation in Pulmonary Arterial Hypertension, 3328
- Pulmonary Arterial Thrombosis in Eisenmenger Syndrome is Associated with Ventricular Dysfunction, Neurohormonal Activation, and Poorer Exercise Capacity, 3631
- Pulmonary Capacitance Predicts Mortality in Pulmonary Hypertension, 2641
- Pulmonary Distribution Of Bone Marrow-Derived Mesenchymal Stem Cells After Intravenous Infusion Is Not Modified By Hypoxia, 1120
- Pulmonary Hypertension, Normal Ejection Fraction and Elevated Pulmonary Capillary Wedge Pressure: Idiopathic Pulmonary Arterial Hypertension or Diastolic Heart Failure?, 3138
- Reduction in Function and Differentiation of Endothelial Progenitor Cells in Patients with Primary Pulmonary Hypertension, 84
- Reversal of Monocrotaline-Induced Pulmonary Hypertension by Administration of Endothelial Progenitor Cells (EPCs) Transfected with Endothelial NO synthase (eNOS), 1123
- Rho-kinase in Pulmonary Hypertension, 1415
- Tetrahydrobiopterin-Deficient Mouse (HPH-1) Displays Pulmonary Hypertensive Phenotype, 1464
- The Diagnostic Accuracy of an Echocardiographic Estimate of Pulmonary Vascular Resistance in Pre-Liver Transplant Patients, 2757
- Transgenic Mice with Arterial Smooth Muscle Cell-Specific Conditional Deletion of The Bone Morphogenetic Protein Type IA Receptor (BMPRIA/ALK3) Are Hyporesponsive to Hypoxia, 624
- Pulmonary edema**
- 5-Lipoxygenase Deficiency Prevents Respiratory Failure and Impairment of Hypoxic Pulmonary Vasoconstriction during Ventilator-Induced Lung Injury, 1193
- Cell-based Gene Transfer of Angiopoietin-1 Reduces Airspace Inflammation in the Acute Respiratory Distress Syndrome (ARDS), 1417
- EUPHORIA Trial: Early Ultrafiltration in Patients with Decompensated Heart Failure and Observed Resistance to Intervention with Diuretic Agents, 2259
- Magnitude-Dependent Regulation of Lung Endothelial Barrier by Cyclic Stretch: Role of Rho and Rac, 76
- Pulmonary embolism**
- Electronic Alerts for Venous Thromboembolism Prophylaxis Reduce Rates of Proximal DVT and PE Among Hospitalized Patients: A Randomized Controlled Trial of 2506 Patients, 3762
- Genetic Variation at the Estrogen Receptor- α Locus in Relation to Venous Thromboembolism Risk Among Postmenopausal Women, 3725
- In Vivo Imaging of Coronary and Pulmonary Thrombosis by EP-2104R, a Fibrin-Targeted Magnetic Resonance Contrast Agent, 3180
- Prevalence, Risk Factors, and Long-Term Outcome Of Patients With Pulmonary Embolism and Persistent Right Ventricular Dysfunction, 2138
- Prothrombotic Mutations, Hormone Therapy, and Venous Thromboembolism: Is Transdermal Estrogen Safe?, 3724
- Rescue Surgical Embolectomy Compared with Repeat Thrombolysis After Unsuccessful Thrombolysis in Acute Pulmonary Embolism, 2134
- Reversal of Right Ventricular Enlargement on Multidetector-Row Chest CT Following Thrombolysis or Surgical Embolectomy in Patients with Acute Pulmonary Embolism, 1766
- Right Ventricular Enlargement on Chest CT as a Predictor of Mortality in Acute Pulmonary Embolism, 2603
- Role of N-Terminal ProBNP in Risk Assessment and Management of Pulmonary Embolism, 2434
- Pulmonary function**
- BMPR-2 Signaling Promotes Pulmonary Arterial Endothelial Cell Survival: Implications for the Pathogenesis of Primary Pulmonary Hypertension, 625
- Zinc Finger Transcription Factor Early Growth Response Gene-1 (Egr-1) Promotes Development of Obliterative Airway Disease in Murine Allografts, 83
- Pulmonary heart disease**
- Adeno-Associated Virus Vector-Mediated Systemic Expression of Interleukin-10 Ameliorates Monocrotaline-Induced Pulmonary Hypertension in Rats, 43
- B-type Natriuretic Peptide and Clinical, Functional, and Hemodynamic Parameters in Pre-Capillary Pulmonary Hypertension, 1756
- Bone Marrow-Derived Cells Contribute to Pulmonary Vascular Remodeling in Hypoxia-Induced Pulmonary Hypertension, 1119
- Clinical Efficacy of Oral Sildenafil in Severe Pulmonary Hypertension in Patients with Chronic Pulmonary Schistosomiasis, 1416
- Continuous Positive Airway Pressure Therapy Lowers Vagal Tone in Patients With Obstructive Sleep Apnea-Hypopnea Syndrome, 2152
- Direct Tissue Removal via Catheterization is an Effective Palliation for Recurrent Pulmonary Vein Stenosis, 2329
- Hemoglobin Levels and Pulmonary Arterial Hypertension, 2600
- Impairment of Cardiac Autonomic Nervous Activity in Patients with Idiopathic Pulmonary Arterial Hypertension, 2764
- Incidence, Prevalence, And Prognostic Impact Of Pulmonary Arterial Hypertension: A Population-Based Study, 3423
- Nesiritide Acutely Increases Pulmonary and Systemic Levels of Nitric Oxide and cGMP in Pulmonary Hypertension Patients, 2587
- Oral Sildenafil Improves Functional Status and Cardiopulmonary Hemodynamics in Patients with Severe Pulmonary Hypertension Secondary to Chronic Pulmonary Schistosomiasis: A Cardiac Magnetic Resonance Study, 2659
- Prevalence of Bone Morphogenetic Protein Receptor type II and Activin Receptor-Like Kinase-1 Gene Mutation in Pulmonary Arterial Hypertension, 3328
- Pulmonary Hypertension, Normal Ejection Fraction and Elevated Pulmonary Capillary Wedge Pressure: Idiopathic Pulmonary Arterial Hypertension or Diastolic Heart Failure?, 3138
- Right Atrial and Ventricular Adaptation to Chronic Right Ventricular Pressure Overload, 1887
- Sildenafil versus Endothelin Receptor Antagonist for Pulmonary Hypertension (SERAPH) Study, 1418
- Sitaxsentan Improves 6MW and Hemodynamics in Patients with Pulmonary Arterial Hypertension (PAH) Related to Connective Tissue Disease (CTD), 2602
- Spontaneous Pulmonary Hypertension in Fawn Hooded Rats Results From a Mitochondrial Defect that Impairs O₂ Sensing, 1192
- Pulmonary valve**
- Fetal Pulmonary Stenosis and Pulmonary Atresia with Intact Ventricular Septum: Determinants of Biventricular Repair, 3193
- Forty-Year Follow-Up of Patients Undergoing Surgical Repair of Isolated Pulmonary Valve Stenosis, 3022
- Percutaneous Pulmonary Valve Implantation Improves Haemodynamics And Early Exercise Capacity, 2066
- Tissue Engineering Of Heart Valves Based On Biological Matrix Using Controlled Physiological Dynamic Environment, 1723
- QT Interval**
- β -Tubulin: a New Regulator of the Slow Delayed Rectifier Potassium Current I_{Ks}, 287
- A Common Antitussive Drug, Clobutinol, Precipitates the Long-QT2 Syndrome, 73
- A Genotype-Specific Mode of Onset of Torsade de Pointes in the Congenital Long-QT Syndrome: Relevance for Therapy Strategies, 2893
- Abnormal 3D ECG in long-QT syndrome patients: A new phenotypic marker for HERG mutations, 2891
- Accuracy of Uncorrected vs Corrected QT Interval for Prediction of Drug-Induced Torsades de Pointes, 2698
- Bradycardia-Dependent Changes in Brugada Syndrome on ECG: Does Less QT Prolongation Relate to Occurrence of Ventricular Fibrillation?, 3087
- Characterization of a hERG Voltage Clamp Screen Using the IonWorks HT Platform and Comparison to a hERG Rubidium Efflux Screen, 475
- Correlation between QT intervals and Global Transmural Dispersion of Ventricular Repolarization: In Vivo Validation Using Monophasic Action Potential Mapping of the Epi- and Endocardium in Swine, 1532
- Evaluation of a Novel Technique to Detect Left Ventricular Hypertrophy on the Surface Electrocardiogram - QT Peak, 2697
- Evolution of Cardiac Memory Over 1 Week of Atrioventricular Pacing in Humans, 2157
- Gender Differences in Autonomic Modulation of Ventricular Repolarization in Humans, 2149
- I_{Kr}/HERG K⁺ Channel, a Potential Molecular Contributor to QT Prolongation in Type I Diabetic Hearts, 921

- Ibutilide-induced QT Prolongation Varies Markedly Among Individuals in a Gender and Exercise-independent Fashion, 2895
- Impact of Induced Core Hypothermia on the Electrocardiogram: Observations from the COOL MI Study, 2900
- Impact of Myocardial Reperfusion on QT Dispersion in Successfully Recanalized Patients with Acute Myocardial Infarction, 1622
- In vitro Characterization of the Electrophysiological Effects of Mexiletine on SCN5A Mutants Predicts Clinical Response in LQT3 Patients, 1102
- Inhibition of AMP-activated Protein Kinase Promotes Exercise-Induced Ventricular Arrhythmias with a Short QT Interval in Mice, 723
- Ischemia Promotes Development of Early Afterdepolarization and Ventricular Tachycardia/Fibrillation in a Canine Ventricular Wedge Model of Long QT 3, 1398
- Morphological Abnormalities of the T Wave among Genotyped Patients with the Long QT Syndrome, 2894
- Mutation in the KCNQ1 Gene Leading to the Short-QT-Interval Syndrome, 1105
- Overexpression of Kir2.1 Protein Channels in Transgenic Mice Reduces Conduction Velocity and Predisposes to Stable Reentrant Arrhythmias, 724
- Phenotypic Variability in a Founder Population of 23 South African LQT1 Families with the KCNQ1-A341V Mutation, 2892
- Prevalence of Very Short QT Intervals in Patients with Idiopathic Ventricular Fibrillation and Implanted ICD, 2350
- Prognostic Impact of Prolonged Ventricular Repolarization in Hypertension, 2037
- Prognostic Value of Corrected JT and QT Intervals, 2896
- QT Prolongation in "Tako-Tsubo" Syndrome: Indistinguishable Behavior from Anterior Wall Myocardial Infarction, 2702
- QT-Prolongation and ST-Elevation in Neonatal Mice Lacking the C-Terminal Region of Connexin43, 720
- Regional Heterogeneity of Myocardial Blood Flow Velocity Reserve in Non-Ischemic Cardiomyopathy is Associated with Increased QT Dispersion, 3315
- Suboptimal Use of Evidenced-based Medications Before Myocardial Infarction Among Patients with and without Diabetes Mellitus: Observations from the National Registry of Myocardial Infarction (NRM) 4, 3849
- The Development of a Novel In Vitro Model for Assessing Cardiac Drug Safety Using Human Embryonic Stem Cell-Derived Cardiomyocytes, 216
- The Novel Transient Outward Current Antagonist AVE0118 Protects Against Ischemically Induced Ventricular Fibrillation, 469
- The Role of Neonatal Electrocardiography in the Early Identification of Genetic Arrhythmogenic Disorders and Congenital Cardiovascular Diseases: Prospective Data from 21,000 Infants, 1930
- The Yield of Molecular Genetic Testing in Primary Electrical Heart Disease, 3208
- Triggers are Mutation-Type Specific in Long QT Syndrome Type 2, 1741
- Quality assessment**
- Detection of Construction Errors in Ex Vivo Coronary Artery Anastomoses by 13-MHz Epicardial Ultrasound: Comparison to Angiography, 2207
- Does Get With The Guidelines - Coronary Atery Disease Reduce Treatment Disparities Among Different Racial and Ethnic Groups?, 3700
- Does the American Heart Association's Get with the Guidelines Program Improve the Quality of Cardiovascular Care in Hospitalized Patients with Diabetes?, 3699
- Impact of Race on the Quality of Outpatient Care for Heart Failure, 3691
- Palm-held Digital Assistants and Periodic Physician Feedback Demonstrate No Incremental Value in Achieving LDL-cholesterol Goals, 3702
- Percutaneous Coronary Interventions (PCI): Relationship Between Indications and Outcomes by American College of Cardiology/American Heart Association (ACC/AHA) Task Force Guidelines, 3531
- Predictors of Major Adverse Cardiac Events at Six Months After Implantation of Sirolimus-Eluting Stents - A Report from the e-Cypher Registry, 2469
- What Explains Disparities in Cardiovascular Care in the United States?, 3695
- Quality of life**
- Adults with Congenital Heart Disease Have a Better Quality of Life Than Healthy Counterparts, 1861
- Association of Functional Status and Heart Rate and Rhythm at Rest and in Response to Exercise in 508 Fontan Patients 6-18 Years of Age, 2078
- Cardiac Rehabilitation as a Treatment for Psychological Morbidity, Symptom Severity, and Cardiovascular Risk Factors in Women with Cardiac Syndrome X, 3829
- Cardiovascular Training Effect Associated with Polestriding Exercise in Patients with Peripheral Arterial Disease, 3083
- Depressive Symptoms And Quality Of Life Predict Short-Term Mortality In Patients With Chronic Heart Failure, 2248
- Diabetes is Associated With Lower Functional Gains After Coronary Bypass Surgery, 3538
- Do Women and Men Differ at Time of Referral for PCI? Experience from the Courage Clinical Trial, 3026
- Health Status of 224 Adults with Repaired Tetralogy of Fallot: Matched Comparison with Their Normal Siblings, 3019
- Heart Strings: Health Outcomes After an Implantable Cardioverter Defibrillator are Better When Living with a Spouse, 1965
- High Sensitive C-reactive Protein is Reduced by Exercise Training in Chronic Heart Failure Patients: A Prospective, Randomized, Controlled Study, 3672
- Impact of Obesity on Quality of Life in Patients with Advanced Heart Failure, 3415
- Impaired Functional Status in Children with Cardiomyopathy: A Report from the Pediatric Cardiomyopathy Registry, 1834
- Is There a Temporal Relationship Between Symptoms of Depression And Measures of Autonomic Tone Following Myocardial Infarction?, 3645
- Long-Term Outcomes of Valve Replacement With Modern Prostheses in Young Adults, 2552
- Medical Factors Have Little Impact on Posttransplant Psychological Functioning in Children and Adolescents, 3236
- Midlife Blood Pressure and Healthy Aging, 3769
- Physical Activity Patterns in Heart Transplant Women, 1860
- Predictors of the Onset of Depressive Symptoms in Heart Failure Patients, 2249
- Quality of Life and Family Impact in Survivors of Single Ventricle Congenital Heart Disease, 2881
- Quality of Life in Children with Heart Disease: The Parents' Perspective, 3035
- Repetitive Education and Monitoring Programs Reduce Long-term Hospitalizations or Mortality and Improve Quality of Life in Heart Failure-Results of the REMADHE Study (Randomized and Prospective), 2967
- Severe Depression May Trigger Silent Ischemia in Women With New-Onset Angina, 3029
- Superior Quality of Life in Patients with Non-Ischemic Dilated Cardiomyopathy and Implantable Cardioverter-Defibrillators: Results from the Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation (DEFINITE) Study, 2904
- Telemonitoring Facilitates a Sustained 12-month Response to Exercise Training in Patients with Chronic Heart Failure, 2970
- The Development and Psychometric Analysis of a Lipid-Lowering Therapy Quality of Life Scale for Patients With Hypercholesterolemia, 3085
- The Fontan Cross-Sectional Study: Testing for Correlations Among Health-Related Quality of Life, Maximal Exercise Performance, and Ventricular Mass-to-Volume Ratio, 2076
- The Impact of Diabetes On One-Year Health Status Outcomes following Acute Coronary Syndromes, 3619
- The Relationship of Medical and Patient Characteristics to Health-Related Quality of Life in Adolescents after the Fontan Procedure, 2077
- Working at Five to Six Years after Heart Transplantation, 3237
- Radioisotopes**
- β -Brachytherapy with a Liquid Rhenium-188-Filled Balloon after Angioplasty of Restenotic Lesions and In-Stent Restenosis Is Associated with a Very Low Restenosis Rate, 1818
- Defective Ryanodine Receptors in Familial Polymorphic Tachycardia Syndrome Generate Delayed Afterdepolarizations Due To Increased Propensity To Calcium Waves, 1107
- Exogenously Administered Adult Stem Cells Localize Preferentially to the Bone Marrow and Aorta in Atherosclerotic Mice: In Vivo Localization and Quantification with Ultra High-Resolution Pinhole Single Photon Emission Computed Tomography, 2048
- More Severe Perfusion Defects with Treadmill Exercise Compared to Dipyridamole Stress, 3049
- Optimizing Dosimetry with Gamma Radiation Improves Outcomes for Patients With Diffuse In-stent Restenosis, 1816
- Pulmonary Distribution Of Bone Marrow-Derived Mesenchymal Stem Cells After Intravenous Infusion Is Not Modified By Hypoxia, 1120
- Randomized Study of Sirolimus-Eluting Stent Implantation Versus Coronary Brachytherapy for Diffuse In-Stent Restenosis, 2627
- Transmembrane Protein vs Intracellular Enzyme as Reporter Gene Product for Cardiac Gene Imaging, 2046
- Radionuclide imaging**
- $\alpha\beta$ 3 Integrin-Targeted Imaging of Graft Arteriopathy, 2049
- ^{99m}Tc -Annexin V Can Evaluate Cardioprotective Effect of Erythropoietin Quantitatively In an Acute Ischemia-Reperfusion Rat Model, 2050
- Can Myocardial Contrast Echocardiography Replace Radionuclide Perfusion Imaging for the Detection of Residual Infarct-Related Artery Stenosis and Multivessel Disease Following Acute Myocardial Infarction?, 3457
- Clinical Features and Prognosis of Cardiac Sarcoidosis Presenting as Hypertrophic Cardiomyopathy, 2422
- Comparison of Angiogenic Property Between Bone Marrow- and Peripheral Blood-derived Mononuclear Cells in Ischemia-Reperfusion Infarct Model: Evaluation by Myocardial SPECT and Echocardiography Compared with Histological Study, 2845

- Effect of Myocardial Perfusion Defects on Ventricular Function Radionuclide Calculations, 2842
- Effect of Sequential Biventricular Pacing on Interventricular Asynchrony, 3351
- Effects of Long-Term β -Blocker Therapy on Ischemic Cardiac Events in Kawasaki Disease, 1839
- Exogenously Administered Adult Stem Cells Localize Preferentially to the Bone Marrow and Aorta in Atherosclerotic Mice: In Vivo Localization and Quantification with Ultra High-Resolution Pinhole Single Photon Emission Computed Tomography, 2048
- Extent of Scar but Not Viability Predicts Global Left Ventricular Remodeling in Nonvascularized Patients, 494
- Impact of Body Mass Index on Cardiac Mortality in Patients with Known or Suspected CAD Undergoing Myocardial Perfusion SPECT, 3161
- Impact of CT-Attenuation Correction on Interpretation of SPECT Images by Readers with Different Interpretative Attitudes, 3168
- Improved Survival after Revascularization in Asymptomatic Diabetic Patients with High-Risk Spect Imaging, 2203
- In-Stent Neointimal Proliferation Identified on In-Vivo Imaging Using ^{125}I Gluco-RGD Peptides in Rabbit Model, 2843
- Left Ventricular Dyssynchrony Assessed with Radionuclide Angiography Predicts Left Ventricular Reverse Remodelling after Cardiac Resynchronization Therapy in Patients with Ischemic Cardiomyopathy, 3046
- Noninvasive Detection of Apoptosis During Worsening of Human Dilated Cardiomyopathy Using $^{99\text{m}}\text{Tc}$ -Labeled Annexin A5, 2053
- Noninvasive Detection of Unstable Plaque Using Labeled Annexin A5, 2052
- Risk Stratification for Sudden Cardiac Death in Chronic Heart Failure Patients Without Sustained Ventricular Tachycardia Using Iodine-123 Metaiodobenzylguanidine Scintigraphy, 3477
- Serial Targeted Radiotracer Imaging of Matrix Metalloproteinase (MMP) Activation in a Murine Model of Post-Infarction Left Ventricular Remodeling, 2047
- Serum Tenascin-C Levels are a Novel Marker for Predicting Left Ventricular Remodeling in Patients With Acute Myocardial Infarction, 2125
- Shortness of Breath is the Most Predictive Symptom for Cardiac Death and All-Cause Mortality in Patients Referred for Myocardial Perfusion SPECT: Prospective Analysis of 17,991 Patients, 3170
- Transmembrane Protein vs Intracellular Enzyme as Reporter Gene Product for Cardiac Gene Imaging, 2046
- Trimetazidine Improves Left Ventricular Systolic Function in Ischemic Cardiomyopathy: Prognostic Significance, 3051
- Use of $^{99\text{m}}\text{Tc}$ -HYNIC-AnnexinV for ex vivo Imaging of Apoptosis in Rat Myocardial Infarction, 20
- Reactive oxygen intermediates**
- α -Adrenergic Receptor-Stimulated Hypertrophy in Adult Rat Cardiac Myocytes is Mediated Through Thioredoxin-1-Sensitive Oxidative Modification of Thiols on Ras, 898
- A Critical Role for Hydrogen Peroxide (H_2O_2) in Neointima Formation Induced by Carotid Ligation, 1238
- AAV-HO-1 Gene Therapy Protects against Multiple Myocardial Ischemic Injury and Prevents Ischemic Cardiomyopathy, 1273
- Aldosterone Decreases Glucose-6-Phosphate Dehydrogenase Activity to Increase Vascular Endothelial Cell Oxidant Stress and Diminish Endothelial Nitric Oxide Synthase Activity, 725
- AMPK Inhibits Angiotensin II-Induced Mitogenic Response in Vascular Smooth Muscle Cells via a Redox-Dependent Mechanism, 186
- Angiotensin II Type 1a Receptor Mediates Adriamycin-Induced Cardiotoxicity, 967
- Apolipoprotein A1 Mimetic Peptide D-4F Prevents Superoxide Anion Formation and Endothelial Cell Sloughing By Increasing Heme Oxygenase-1 in Diabetic Rats, 700
- Biphasic Regulation of Thioredoxin by Reactive Oxygen Species (ROS): Important Role for Cathepsin D in Endothelial Cell Apoptosis, 882
- Bone Morphogenetic Protein 4 Produced in Endothelial Cells by Oscillatory Shear Stress Induces Monocyte Adhesion by Stimulating Reactive Oxygen Species Production from a Nox1-Based NADPH Oxidase, 424
- Caveolin-1 is Required for AT₁ Receptor Trafficking into Caveolae/lipid Rafts Coupled to Redox Signaling in Vascular Smooth Muscle Cells, 420
- Chronic Pentaerythritol Tetranitrate (PETN) Treatment Does Not Induce Nitrate Tolerance and Cross-Tolerance in Wistar Rats, 1469
- Chylomicron Remnants Upregulate CD40 Expression via ERK Signaling Pathway and Redox-Sensitive Mechanism in THP-1 Cells, 554
- Critical Role of p87phox in α_1 -Adrenergic Receptor-Stimulated Hypertrophic Signaling in Adult Cardiac Myocytes, 744
- Different Ischemic Preconditioning Signaling Pathways Induce Mitochondrial Uncoupling, 1137
- Direct Regulation of SERCA Activity by S-Glutathiolation at Cys674 by Peroxynitrite, 427
- Divergent Effects of a Nox2-containing NADPH Oxidase on Cardiac Contractile Function and Hypertrophy after Imposition of Chronic Pressure Overload, 633
- Effects of Combined Treatment with Low Doses of PPAR α/γ Activators on Blood Pressure, Vascular Remodeling, and Inflammation in Angiotensin II-Infused Rats, 480
- Endothelial Signaling Interactions Following Surgically Induced Acute Increases in Pulmonary Blood Flow in the Lamb, 2648
- Extracellular Superoxide Dismutase Gene Therapy Reduces Cuff-Induced Neointimal Formation in Rat Femoral Artery, 1239
- GR α 3 Regulates NFAT Activity through ROS Production in Cardiac Fibroblasts, 1229
- H_2O_2 Activates Nox4 Through Phospholipase A₂-Dependent Arachidonic Acid Production in Adult Cardiac Fibroblasts, 421
- Human Vascular Cells Express a Distinct NOX5 Isoform: Role in the Generation of Reactive Oxygen Species and the Proliferative Response, 746
- Hydrogen Peroxide is a Coronary Vasodilator Linking Myocardial Metabolism to Coronary Blood Flow, 335
- Hypercholesterolemia Impairs S-glutathiolation of Aortic SERCA via Oxidation of Redox-sensitive Cysteines, which Accounts for the Decreased Smooth Muscle Response to NO $_2$, 1594
- Important Role of Superoxide Dismutase in EDHF-Mediated Relaxations of Human Mesenteric Arteries, 251
- Increased Endogenous Reactive Oxygen Species Generation in Endothelial Progenitor Cells of Patients with Coronary Artery Disease Are Associated With Functional Impairment, 205
- Increased Protein Expression of Genes Regulating Reactive Oxygen Species Production in Endothelial Cells May Contribute to Vascular Oxidative Stress with Aging in Humans, 1592
- Increased Vascular Nox4 and p22phox Expression, Oxidase Activity and Inflammation in db/db Diabetic Mice, 1244
- Influence of Diabetes Mellitus, Hypercholesterolemia, and Their Combination on EDHF-Mediated Relaxations in Mice, 358
- Inhibition of Diet-Induced Atherosclerosis and Endothelial Dysfunction in Apolipoprotein E-AT1A Receptor Double-Knockout Mice, 181
- Inhibition of the Initial Burst of Reactive Oxygen Species (ROS) under Conditions of Hypoxic and Hyperoxic Reperfusion in the Globally Ischemic Heart, 1859
- Initial Oxygen Concentration Modulates the Reactive Oxygen Species Burst in the Heart at the Onset of Reperfusion, 1635
- Insulin Inhibits Opening of the Mitochondrial Permeability Transition Pore via the Reperfusion Injury Salvage Kinase (RISK) Pathway, 131
- Interaction Of P22phox With NOX2 Or NOX4 Results In ROS Production And Proliferation Of Endothelial Cells, 1359
- Interaction of Two Distinct Endothelium-Derived Hyperpolarizing Factors in the Human Coronary Microcirculation, 861
- Key Role of NADPH in Shear Stress-Induced Vascular Remodeling, 1022
- Marked NAD(P)H Oxidase Activation by Endoplasmic Reticulum Stressors: Evidence for a Novel Integrative Pathway Involved in Vascular Injury Repair, 753
- Mechanisms of Coronary Metabolic Dilation: Role of Reactive Oxygen Species, 337
- Mitochondrial K-ATP Channel Activation by Levosimendan Protects Cardiac Myocytes from Oxidant Stress-Induced Apoptosis and Contractile Dysfunction, 2255
- Myocardial NADPH Oxidase Is A Major Source Of Reactive Oxygen Species In Heart Failure, 896
- NAD(P)H Oxidase and MRP Genetic Polymorphisms are Associated with Doxorubicin-Induced Cardiotoxicity, 3730
- NO Induces Intracellular Zn²⁺ Release via cGMP/PKG Signal Pathway and Zn²⁺ Prevents Mitochondrial Oxidant Damage in Cardiomyocytes, 1356
- Normalization of β Cell Function and Restoration of Heme Oxygenase in Nonobese Diabetic Mice by Allogenic Bone Marrow Transplant, 702
- Novel Mechanism of Matrix Metalloproteinase Inhibitor in the Treatment of Heart Failure: Direct Inhibition of Myocardial Oxidant Stress and NF- κ B Activation in Rats, 2412
- Novel Role of ARF6 in Caveole- and Reactive Oxygen Species-dependent AT₁ Receptor Signaling in Vascular Smooth Muscle Cells, 404
- Nox4-derived Reactive Oxygen Species are required for the Differentiation of Vascular Smooth Muscle Cells, 745
- Nox1 is a Critical Component of the Vascular NADPH Oxidase, 747
- Opening of Ca²⁺-Activated K⁺ Channels Triggers Early and Delayed Preconditioning Against Ischemia/Reperfusion Injury Independent of Nitric Oxide Synthases in Mice, 1133
- Overexpression of Mitochondrial Transcription Factor A Prevents Mitochondrial Deficiencies and Cardiac Failure after Myocardial Infarction, 634
- Oxidant Stress From Endothelial Nitric Oxide Synthase Uncoupling Plays A Major Role In Pathologic Remodeling To Pressure Load Cardiac Hypertrophy, 202
- Physiologic Cyclic Strain Inhibits Endothelial Cell Apoptosis via the Induction of Heme Oxygenase-1, 880
- Postnatal Deletion of Myocardial Insulin Receptors Augments Myocardial Fatty Acid Utilization and Enhances Mitochondrial Biogenesis, 1553
- Prolonged Activation Of AMP-Activated Kinase (AMPK) Protects Against H₂O₂-Mediated Endothelial Cell Death, 1065

- Rac Controls Endothelial Proliferation And Angiogenesis By Thrombin: Role Of Hypoxia-Inducible Factor-1 And Its Target Gene Plasminogen Activator Inhibitor-1, 1042
- Rac-Dependent Activation of the Serum- and Glucocorticoid-Regulated Kinase Sgk1 Promotes a Thrombogenic Cycle In Pulmonary Artery Smooth Muscle Cells Involving Nuclear Factor- κ B, 835
- Redox Factor 1 Alters Redox Balance and Vascular Response to Injury, 1354
- Remodeling Stimuli Induce the Expression of Extracellular Matrix Metalloproteinase Inducer (EMMPRIN) in Myocardium and Cultured Cardiac Myocytes via Reactive Oxygen Species-Dependent Activation of JNK, 899
- Resistance Arteries of Ang II-Infused Osteopetrotic Mice Show Reduced Impairment of Endothelial Function, Oxidative Stress and Vascular Remodeling, 785
- Role of Reactive Oxygen Species Derived from NAD(P)H oxidase in Postnatal Angiogenesis in Response to Hindlimb Ischemia, 1296
- ROS-dependent Gene Regulation in Vascular Smooth Muscle Cells (VSMC): Signals that Modulate VSMC and Vascular Function, 1357
- Soluble CD40 Ligand Influences Platelet Release of Reactive Oxygen Intermediates, 1574
- Telmisartan Reduces Oxidative Stress in the Brain with Sympathoinhibitory Effects in Stroke-Prone Spontaneously Hypertensive Rats, 1270
- The Reduction of Vascular Extracellular Superoxide Dismutase is Associated With Coronary Artery Atherosclerosis, 1360
- Thioredoxin-interacting Protein Controls Endothelial Cell Apoptosis and Oxidative Stress in Hyperglycemia, 1243
- Receptors**
- β -Adrenergic Receptor (β -AR) Subtypes Have Opposing Effects On Survival And Cardiac Function in MLP Cardiomyopathy, 939
- β -Adrenergic Receptor Signaling is Modulated by Cofilin, a Regulator of Cytoskeletal Dynamics, 1222
- β -Adrenergic Receptor-Localized Phosphoinositide 3-Kinase Selectively Regulates Transactivation and Internalization of the EGF Receptor in vivo, 1235
- 3-Iodothyronamine is a Novel Endogenous Modulator of Cardiac Inotropic State, 1234
- Alterations In Opioid-Receptor Signaling In The Aged Myocardium, 311
- AMPK Inhibits Angiotensin II-Induced Mitogenic Response in Vascular Smooth Muscle Cells via a Redox-Dependent Mechanism, 186
- Anticoagulant Heparan Sulfate Mediates Endothelial Endocytosis of Antithrombin, 836
- Autoantibodies by Immunoabsorption from Patients with DCM Induce Cytotoxic, Apoptotic, and Chronotropic Effects on Cultured Cardiomyocytes, 631
- B₁ Kinin Receptor Does Not Mediate Vasodilatation or Endothelial t-PA Release in Patients with Heart Failure Treated with Angiotensin-converting Enzyme Inhibition, 2410
- Blockade of RAGE Restores Microvascular Reactivity in Diabetic Apolipoprotein E Null Mice, 1467
- Blockade of Receptor for AGE (RAGE) Delays Cardiac Allograft Rejection in Murine Model by Suppression of Inflammation and Apoptosis, 657
- BMPR-2 Signaling Promotes Pulmonary Arterial Endothelial Cell Survival: Implications for the Pathogenesis of Primary Pulmonary Hypertension, 625
- Both Gain and Loss of Function of the β -adrenergic Receptor Kinase Have Profound Influence on Failing Myocyte Contractile Function, 41
- Cardiac-Specific Deletion of the β 1-Integrin Gene in the Adult Murine Heart Results in Disruption of Multiple Growth Response Pathways, 736
- Cardiac-Specific Inhibition of G Protein-Coupled Receptor Kinase-3 in Transgenic Mice Causes Preload-Intolerant, Hyperkinetic Myocardium and Hypertensive Phenotype, 1094
- Cardioprotection by "Postconditioning" is Mediated by Increased Retention of Endogenous Intravascular Adenosine and Activation of A_{2A} Receptors During Reperfusion, 803
- Distinctive Transcriptional Cascades of Notch Receptor Signaling in Vascular Smooth Muscle Cells (VSMC): Implications for Differential Growth Regulation by Notch1 vs Notch 2, 1383
- Effect of Biventricular Unloading on Pathways of Myocardial Recovery in Failing Left and Right Ventricles, 3293
- Effect of TLR-2 Deficiency on Inhibition of Neointimal Formation after Vascular Injury, 552
- Effect of Valsartan on Insulin Sensitivity, Leptin, and BMI in Hypertensive Obese Patients, 3594
- Endothelial Lipase has Opposite Effects on the Ability of Apolipoprotein AI-Containing Particles to Mediate Free Cholesterol Efflux via SR-BI and ABCA1-Mediated Pathways, 1303
- Endothelin-1, via Rho Proteins, increases the Connective Tissue Growth Factor in Vascular Smooth Muscle Cells, 1319
- ERK MAPK Regulation of Cardiac Retinoid X Receptor Is Involved in Impaired Fatty Acid β -Oxidation During Hypertrophic Growth, 946
- Estradiol Worsens Proteinuria and Increases Angiotensin II-Type 1 Receptor in Kidneys of L-NAME/Angiotensin II Treated Rats, 94
- Estrogen Blocks STAT1 Activation and Prevents the Induction of CD40 and CD40L Expression on Vascular Endothelial Cells Through the Estrogen Receptor- α , 997
- Expression and Function of the Liver X Receptor in Human Vascular Smooth Muscle Cells, 405
- Heparan Sulfate Proteoglycan Glypican-3 Activates the Platelet Integrin α IIb β 3, 889
- Hyperinsulinemia can Induce Cardiac and Adipose PAI-1 Expression in Vivo Without IRS-1: Supercompensation by Alternative Insulin Receptor Substrates, 413
- Identification of a Motif for the Export of G Protein-coupled Receptors from the Endoplasmic Reticulum, 1221
- Identification of a Novel Oxidized LDL-Regulated Scavenger Receptor, SREC II, in Vascular Smooth Muscle: Role in Oxidized LDL-Induced Oxidative Stress and Apoptosis, 1350
- Identification of Apolipoprotein E Receptor 2' as the Low-Density Lipoprotein Receptor on Platelets, 1577
- Identification of Calcium Modulating Cyclophilin Ligand (CAML) as an Important Transducer for AT-1 Receptor Signaling, 1369
- Identification of the Signal Transduction Pathways by Which the β -PDGF Receptor Induces Vascular Smooth Muscle Cell Proliferation and Migration, 412
- Important Role of Angiotensin II type 2 (AT₂) Receptor in Atherosclerotic Lesion Formation: Study Using AT₂/ApoE Double-Knockout Mice, 187
- Inhibition of Diet-Induced Atherosclerosis and Endothelial Dysfunction in Apolipoprotein E-AT1A Receptor Double-Knockout Mice, 181
- InsP₃ Receptors in Ventricular Myocytes are Primarily in the Nuclear Envelope, Associate with CaMKII δ , and are Phosphorylation Targets, 760
- Ligand-Induced and Constitutive Activation of Peroxisome Proliferator-Activated Receptor- γ Inhibits Telomerase Activation in Vascular Smooth Muscle Cells, 1327
- Mechanical Stress Activates Angiotensin II Type 1 Receptor Independent of Angiotensin II, 917
- Modulation of Leukotriene Biosynthesis by Proinflammatory Cytokines in Human Monocytes, 893
- Modulator Recognition Factor 1 (MRF1), an ARID-Family Member, is a Novel Corepressor for Estrogen Receptor- α , 146
- Nicotinic and PDGF-Receptor Function are Essential for Nicotine-Stimulated Mitogenesis in Human Vascular Smooth Muscle Cells, 366
- Opposing Effects of the Adenosine Receptor Agonist IB-MECA on Myocardial Infarct Size in Mice are Mediated by Proinflammatory A₃ Receptors and Anti-Inflammatory A_{2A} Receptors, 1435
- P2X1 Mediates Platelet Activation Through ROCK-Dependent And -Independent Mechanisms, 348
- Phosphorylation State of the β 1-Adrenergic Receptor Determines Transactivation of the Epidermal Growth Factor Receptor, 1219
- Platelet Activation by Oxidized Low-Density Lipoprotein is Mediated by CD36 and Scavenger Receptor-A, 1576
- PPAR17 Polymorphism is Associated with Reduced Cardiac Function Identifying it as a Modifier of Heart Failure, 2584
- Primary Role of Inositol 1,4,5-triphosphate Receptor Type 1 in Agonist-induced Aortic Contraction in Mice, 159
- Prorenin-Induced Gene Transcription in Cardiomyocytes, 1223
- Protein Kinase Activity of Phosphoinositide 3-Kinase Regulates β 2AR Endocytosis, 2
- Rapid Non-Genomic Negative Inotropic Effects of Aldosterone in the Human Heart, 2785
- Regulation of Inducible Nitric Oxide Synthase in Vascular Smooth Muscle Cells by Estrogen Receptors- α and - β , 582
- Regulation of the Platelet-Derived Growth Factor Receptor- β by G Protein-Coupled Receptor Kinases in Smooth Muscle Cells and Fibroblasts: Evidence for Kinase Specificity, 1218
- Role of B₁ Kinin Receptor in Cardiac Remodeling in Mice with Myocardial Infarction, 481
- Semaphorin4A Suppresses Angiogenesis via Binding to plexinD1, 1461
- Sphingosine 1 Phosphate (S1P) Transactivates the CXCR4 Receptor and Stimulates Functional Capacity of Endothelial Progenitor Cells (EPC), 1679
- Stimulating Autoantibodies Directed against the Cardiac β 1-adrenergic Receptor Predict Increased Mortality in Dilated Cardiomyopathy, 2583
- SUMOylated RAGE, Signal Transduction and Accelerated Diabetic Atherosclerosis, 414
- Targeted Disruption Of The Chemokine Receptor CCR1 In Bone Marrow Cells Enhances Atherosclerotic Lesion Development And Inflammation In LDL Receptor-Deficient Mice, 1494
- The A3 Adenosine Receptor Agonist CI-IB-MECA Reduces Myocardial Infarct Size in Mice When Administered During Reperfusion: Mechanistic Studies with A3AR gene "Knock-Out" and Bone Marrow Chimeric Mice, 130
- The Arg389Gly β 1-adrenoceptor Gene Polymorphism Determines Contractile Response to Catecholamines and Responsiveness to β -blockers in Humans, 953

- The Discovery of Nitrooleate (LNO2) as a Novel Endogenous PPAR γ Ligand, 1217
- The ER-To-Golgi Traffic Controls Angiotensin II Type 1 Receptor Function And Cardiomyocyte Growth, 737
- The Platelet-Derived Growth Factor Receptor β -Tyrosine Phosphorylates G Protein-Coupled Receptor Kinase-2: A Mechanism for Feedback Inhibition, 888
- The Protective Effect of the β -Adrenergic Receptor is Through PKA-Mediated Switching of Coupling of the Receptor from Gs to Gi, 1442
- Thrombin Induces Vascular Hypercontractility by Upregulating Protease-Activated Receptor-1 in Subarachnoid Hemorrhage, 1593
- Thromboxane A $_2$ Receptor Antagonism and Selective Inhibition of Cyclooxygenase 2 in Atherosclerosis, 843
- Tie2 Signaling is Required for Exercise-induced Skeletal Muscle Angiogenesis, 825
- TNF-Receptor-1 Signaling in Graft-Intrinsic Cells regulates Vein Graft Neointima Formation and VCAM-1 Expression, 1487
- Toll-Like Receptor 4-Deficient Mice Are Resistant To Pressure-Overload-Induced Cardiac Hypertrophy, 53
- Transcriptional Suppression of Osteopontin Expression in Macrophages by Ligand-Induced Activation of Liver-X Receptors, 1566
- Use-Dependent β 2-Adrenergic Receptor-Gi Coupling Requires RGS and β -ARK/PKA-Mediated Receptor Phosphorylation, 433
- Virus Receptor Trap, Expressing Both Coxsackievirus and Adenovirus Receptor and Decay-accelerating Factor, Can Attenuate Inflammation and Mortality in Experimental Coxsackieviral Myocarditis, 45
- Reentry**
- AVE 0118, an I $_{to}$ and I $_{Kur}$ Blocker, Suppresses VT/VF in an Experimental Model of the Brugada Syndrome, 924
- Acute Amiodarone Decreases Dynamic Instability of Repolarization and Prevents Wave Breakup During Spiral Wave Reentry, 468
- Electrophysiological Factors to Promote Reentry Formation in Pulmonary Veins, 2684
- Incidence of Atrial Reentry Tachycardia After Mitral Valve Surgery Depends on the Type of Surgical Approach, 1717
- Mechanisms and Potential Pharmacologic and Gene Therapy Strategies for Myoblast Transplant-Associated Ventricular Arrhythmias: Insights from a Unique In Vitro Model, 6
- Molecular Mechanisms of Ventricular Arrhythmia Stabilization in a Mouse Model of Sudden Death, 919
- Overexpression of Kir2.1 Protein Channels in Transgenic Mice Reduces Conduction Velocity and Predisposes to Stable Reentrant Arrhythmias, 724
- Steep Repolarization Gradient is Required for Development of Phase 2 Reentry and Subsequent Ventricular Tachyarrhythmias in a Model of the Brugada Syndrome: High-Resolution Optical Mapping Study, 1524
- The PPAR γ -Activating ARB Irbesartan Stimulates Expression of the Insulin-Signaling Protein CAP and Enhances Insulin-Induced Glucose Uptake, 3850
- Time-Course and Nature of Electrophysiological Remodeling During Progression of Left Ventricular Mechanical Dysfunction, 783
- Reflexes, cardiovascular**
- Comparison of Standard and Bicaval Techniques for Cardiac Transplantation: Effects on Cardiovascular Reflex Regulation, 3288
- NADPH Oxidase-Derived Superoxide Anion Mediates the Angiotensin II-Enhanced Peripheral Chemoreceptor Sensitivity in Heart Failure Rabbits, 1268
- Otolithic Activation Elicits Attenuated Visceral Vascular Responses In Older Humans, 958
- Regional circulation**
- Otolithic Activation Elicits Attenuated Visceral Vascular Responses In Older Humans, 958
- The Phosphodiesterase Type 5 Inhibitor Vardenafil Increases Peripheral Blood Flow in Patients with Raynaud Syndrome, 672
- Rehabilitation**
- A Two-year Exercise Program in CHD Patients Improved Physical Performance without Inducing Left Ventricular Remodeling, 3825
- Angiotensin-Converting Enzyme Genotype is not associated with Exercise Capacity in Patients after Acute Myocardial Infarction, 3670
- Cardiac Rehabilitation as a Treatment for Psychological Morbidity, Symptom Severity, and Cardiovascular Risk Factors in Women with Cardiac Syndrome X, 3829
- Cardiorespiratory Fitness Levels in Obesity Approximate Those of Heart Failure Patients: Implications for Exercise Prescription, 3795
- Cardiovascular Training Effect Associated with Polestriding Exercise in Patients with Peripheral Arterial Disease, 3083
- Depression and Hopelessness as Psychological Predictors of Exercise Frequency and Physical Functioning in Patients with Acute Coronary Syndrome, 1962
- Early Exercise Training after Mitral Valve Repair: A Multicentric Prospective French Study, 3823
- Effect of Short-Term Exercise Training on AV Conduction and Exercise Capacity in Patients with Chronic Atrial Fibrillation, 3669
- Four-Year Follow-Up of the Multicenter Rct of Coaching Patients on Achieving Cardiovascular Health (The COACH Study) Shows that the COACH Program Keeps Patients Out of Hospital, 3703
- High Sensitive C-reactive Protein is Reduced by Exercise Training in Chronic Heart Failure Patients: A Prospective, Randomized, Controlled Study, 3672
- High- but not low-Intensity Exercise Training Leads to a Reduction of Atherogenic Adhesion Molecules in Both Diabetic and Nondiabetic Patients With Coronary Artery Disease, 3668
- High-Intensity Exercise Retards the Decrease in Plasma B-Type Natriuretic Peptide in Patients with Left Ventricular Dysfunction after Acute Myocardial Infarction, 3828
- Inspiratory Muscle Training using a Test of Incremental Respiratory Endurance Alleviates Dyspnea and Improves Functional Status in Patients with Chronic Heart Failure, 2598
- Long- but not Short-Term Multifactorial Intervention Improves Endothelial Dysfunction in Patients With Diabetes Mellitus Type 2 and Coronary Artery Disease, 3665
- Muscle Strength of Legs Necessary to Carry out Target Activities of Daily Living in Patients with Acute Myocardial Infarction Undergoing Phase I Cardiac Rehabilitation, 3827
- Peer Advisors Improve Physical Health Outcomes in Elders, 3034
- Regulation Of Endothelial Progenitor Cells By Running Exercise Of Different Duration And Intensity In Healthy Subjects, 3572
- Telemonitoring Facilitates a Sustained 12-month Response to Exercise Training in Patients with Chronic Heart Failure, 2970
- The Magnitude and Mechanisms by Which Cardiac Rehabilitation Improves the Exercise Function of Children with Congenital Heart Disease, 1837
- Transient Deterioration of Neurohumoral and Hemodynamic Adaptation to Endurance Exercise in Chronic Heart Failure Patients, 3822
- Renal circulation**
- Acute Renal Injury with Renal Artery Stenting, 2855
- Effects of Intravenous Nesiritide On Renal Hemodynamics in Patients With Congestive Heart Failure, 2589
- Hyperinsulinemia Activates Vascular Angiotensin II in Humans, 2043
- Intrarenal Bolus Dopamine Induces Maximum Increase in Renal Blood Flow Following Varying Hyperemic Stimuli in Humans, 2853
- Microvascular Leakage in Rats with Metabolic Syndrome, 673
- Selective ET-A Receptor Antagonism preserves GFR in a Canine Model of Cardiorenal Syndrome, 1111
- Renal function**
- N-Acetylcysteine Prophylaxis Significantly Reduces the Risk of Radiocontrast-Induced Nephropathy: Comprehensive Meta-Analysis, 1797
- ACE Inhibitors Improve Survival in Heart Failure Patients with Systolic Dysfunction and Chronic Kidney Disease: A Propensity Score Analysis, 3465
- ACE Inhibitors and Angiotensin Receptor Blockers in Patients with Renal Insufficiency and Congestive Heart Failure: An Interesting Paradox, 3464
- Acetylcysteine Prevents Contrast-Induced Nephropathy In Patients Undergoing Coronary Angiography Using Low-Osmolar Contrast Media But Not In Patients Submitted To Iso-Osmolar Contrast Media - A Meta-Analysis, 1794
- An Elevated Blood Urea Nitrogen Level is Associated with Increased Mortality Independent of Serum Creatinine Among Patients with Unstable Coronary Syndromes, 3233
- Cancor $^{\text{®}}$ Cardiac Recovery System (CRS): Effects on Renal, Echocardiographic, and Health Status Parameters During and Following Treatment with a Novel, Minimally Invasive Approach to Cardio-Renal Support in Severe Acute Heart Failure, 2814
- Carvedilol Better Preserves Renal Function in Heart Failure Than Metoprolol: A Potential Link to its Beneficial Effect on Prognosis in COMET $^{\text{7}}$, 2030
- Chronic Kidney Disease is the Strongest Predictor of Developing Anemia in Heart Failure: The Kaiser Permanente CHF Cohort Study, 3344
- Comparing Coronary Artery Calcification between Hemodialysis Patients and Non-ESRD Controls, 561
- Contrast Nephropathy and Visipaque Use in Routine Clinical Practice of Percutaneous Coronary Intervention: Insights from Toronto General Hospital PCI Registry, 2319
- Coronary Calcium in Pima Indians with Childhood- and Young Adult-Onset Type 2 Diabetes, 3845
- Differential Effects of COX-2 Inhibitors on Kidney Function and Renal Morphology in Severe Salt-sensitive Hypertension, 1112
- Diminished Efficacy of Acute Reperfusion Therapy in Patients with ST-Segment Elevation Myocardial Infarction and Advanced Baseline Renal Failure, 1853
- Dobutamine Stress Echocardiography as a Prognostic and Diagnostic Tool in Patients with End Stage Renal Failure, 2398
- Efficacy and Safety of Paclitaxel-Eluting and Bare Metal Stent Implantation in Patients with Renal Insufficiency. Results from the TAXUS IV Trial,

- 2322
Elevated Plasma Renin Activity and Aldosterone Concentration are Independent Risk Factors for Progression of Renal Injury in Hypertension, 949
Elevated Serum Cystatin C Level Is a Predictor of Cardiac Events in Chronic Heart Failure Patients with Normal Creatinine Level, 3341
Estradiol Worsens Proteinuria and Increases Angiotensin II-Type 1 Receptor in Kidneys of L-NAME/Angiotensin II Treated Rats, 94
EUPHORIA Trial: Early Ultrafiltration in Patients with Decompensated Heart Failure and Observed Resistance to Intervention with Diuretic Agents, 2259
Evidence-based Therapies for Acute Coronary Syndromes are Equally Effective But Underutilized Among Patients with Renal Dysfunction, 2679
Favorable Effects of All-trans Retinoic Acid on Coronary Artery Endothelial Dysfunction in Chronic Renal Failure, 1162
Ghrelin Improves Endothelial Function of Acute Ischemic Renal Failure via Insulin-Like Growth Factor-1 Signaling Pathway, 1109
Heart Failure With Elevated Troponin and Creatinine is Associated with Increased Morbidity and Mortality: An ADHERE® Registry Analysis, 2773
High-Normal Serum Creatinine Levels Indicate the Presence of Coronary Calcium, 2286
How Important is Complete Revascularization after Myocardial Infarction?, 3074
Impact of Glomerular Filtration Rate and Glucose Metabolism on 1-Year Mortality After Acute Myocardial Infarction, 1852
Impact of Renal Insufficiency on Clinical Outcomes in Patients Undergoing Percutaneous Coronary Interventions with Sirolimus-eluting Stents, 2321
In-hospital and One-year Mortality of Patients who Develop Worsening Renal Function After Acute ST-elevation Myocardial Infarction, 1854
Increased Infarction Size in Uremic Rats: Reduced Ischemia Tolerance?, 1116
Is Nesiritide Associated with Renal Injury in Patients with Acutely Decompensated Heart Failure?, 2413
Lower Hematocrit Predicts Contrast Induced Nephropathy after Percutaneous Coronary Interventions, 2865
Lower Hemoglobin Level Increases Risk of Death and Hospitalization Independent of Kidney Function in Heart Failure: The Kaiser Permanente CHF Cohort Study, 2581
Mild Renal Dysfunction is a Predictor of Adverse Outcome and Resource Utilization in Patients Undergoing Coronary Surgery, 3273
N-Acetylcysteine in the Prevention of Radiocontrast-Induced Nephropathy in High-Risk Patients Undergoing Urgent or Emergent Coronary Angiography, 2116
Nephrogenic Diabetes Insipidus in Mice Lacking All Nitric Oxide Synthase Isoforms, 857
Predictors of Cardiovascular Events in Patients with Type II Diabetic Nephropathy and Hypertension, 3679
Prevalence of Congestive Heart Failure among Persons with Reduced Kidney Function in the United States: The Third National Health and Nutrition Examination Survey (NHANES III), 3723
Prognostic Value of Elevated BUN in Patients Hospitalized with Worsening Heart Failure: Insights from the Acute and Chronic Therapeutic Impact of a Vasopressin Antagonist in Chronic Heart Failure (ACTIV in CHF), 3467
Pulmonary Artery Catheter Use Does Not Change the Contribution of Renal Dysfunction to Outcomes in Patients With Advanced Heart Failure: Findings From ESCAPE, 2964
Randomized Comparison of Oral N-Acetylcysteine to Intravenous Fenoldopam for the Prevention of Contrast-Induced Nephropathy (CAFCIN Study), 1796
Regional Left Ventricular Dysfunction in Individuals with Mild to Moderate Renal Impairment - The Multi-Ethnic Study of Atherosclerosis, 3686
Relationship of Renal Insufficiency to the Quality of Non-ST-Segment Elevation Acute Coronary Syndromes Care and Outcomes: Results From the CRUSADE Initiative, 3617
Renal Angioplasty and Stenting: Role of Embolic Protection Devices, 2854
Renal Failure and Acute Myocardial Infarction: The Spectrum of Clinical Characteristics in Dialysis Patients, Chronic Renal Insufficiency, and Nonrenal Patients: A Collaborative Project of the United States Renal Data System (USRDS)/NIH and the National Registry of Myocardial Infarction (NORMI), 3062
Renal Function and Ejection Fraction Are the Best Mortality Predictors in Non-ST-Elevation Chest Pain Patients, 1615
Renal Sympathetic Activation is Associated with Adverse Outcome in Patients with Chronic Heart Failure, 2580
Rho Kinase Inhibitor Ki23095 Prevents Macrophage Infiltration in Cardiac and Renal Injury Models, 26
Selection of Contrast Media in Patients with Chronic Renal Insufficiency: Pooled Analysis of Recent Randomized Trials, 2318
Selective ET-A Receptor Antagonism preserves GFR in a Canine Model of Cardiorenal Syndrome, 1111
The Effect of Contrast-Induced Nephropathy on Long-Term Mortality After Percutaneous Coronary Interventions: A Prospective Epidemiological Study, 2316
The Modification of Diet in Renal Disease (MDRD) Equations Provide Valid Estimations of Glomerular Filtration Rates in Patients with Severe Heart Failure, 3339
The Prevention of Radiocontrast-Induced Nephropathy Trial (PRINT): A Prospective, Double-Blind, Randomized, Controlled Trial of Iso-Osmolar Versus Low-Osmolar Radiocontrast in Combination with N-Acetylcysteine Versus Placebo, 1795
The Relationship Between Hypotension and Renal Dysfunction During Tezosentan Treatment for Acute Decompensated Heart Failure: An Analysis of the Randomized Interventions with Tezosentan (RITZ-1) Trial, 2409
Timed Recumbency and Loop Diuretic Dosing on Urinary Sodium Excretion in Heart Failure, 3343
Treatment of Hemorrhagic Shock with Oxygen-Carrying Microbubbles: Long-Term Survival in Pigs, 1857
Use of Evidence-Based Therapies in Patients with Chronic Kidney Disease Presenting with Acute Coronary Syndrome and Its Impact on Clinical Outcomes, 2678
- Renin**
"Hyperaldosteronism" in Stage 1 Hypertension: Ethnic Differences, 2040
Advanced Silent Hypertensive Cerebrovascular Disease is Associated with Morning Sympathetic Activity in Elderly Hypertensives, 2827
Early Cellular Responses in a Transgenic Mouse Over-expressing Renin Increase Ischemia-induced Arrhythmia, 1399
Elevated Plasma Renin Activity and Aldosterone Concentration are Independent Risk Factors for Progression of Renal Injury in Hypertension, 949
Hyperdynamic Response to β -adrenergic Stimulation in Patients with Angina-Like Chest Pain and Normal Coronary Arteries, 2402
Impaired Endothelial-Dependent Vasodilation and Eccentric Left Ventricular Hypertrophy in Hypertensive Subjects with Aldosteronism, 2036
Left Atrial Diameter is a Simple Indicator of Deficiency in Atrial Natriuretic Peptide Secretion in Patients with Mitral Stenosis: Efficacy of Supplementation with Synthetic Human α -atrial Natriuretic Peptide in Management during Immediate Postoperative Period, 2776
Prorenin-Induced Gene Transcription in Cardiomyocytes, 1223
- Reperfusion**
Activation Of STAT1 Increases Necrosis And Apoptosis Following Ischemia/Reperfusion Independent Of STAT3 Activation, 2375
African Americans Have Higher Long-term Mortality And More Stroke And Bleeding Than Caucasians Following Reperfusion Therapy for Acute Myocardial Infarction, 3690
Autophagy, a Survival Mechanism in Chronically Ischemic Myocardium, 1424
Ca²⁺ Overloading Is The Consequence Rather Than The Cause Of The Mitochondrial Permeability Transition In Adult Rat Myocytes After Ischemia/Reperfusion, 1131
Carvedilol Restores Attenuation of Cardioprotection by Ischemic Preconditioning in the Chronic Ischemic Heart, 505
Correlation Between Angiographic TIMI Myocardial Perfusion Grade and Coronary Flow Velocity Patterns in AMI Patients with TIMI Grade 3 Flow, 3505
Deficiency of p53 Upregulated Modulator of Apoptosis Improves Tolerance to Cardiac Ischemia/Reperfusion, 1443
Downregulation of PPAR α in Mouse Heart Subjected to Repetitive Ischemia-Reperfusion is Necessary to Maintain Contractile Function, 115
Electrocardiographic Identification of Patients with ST-Elevation Acute Myocardial Infarction Benefiting most from Primary Angioplasty versus Fibrinolysis: Results from the DANAMI-2 Trial, 1933
Endothelium-derived Nitric Oxide Regulates In Vivo Oxygen Consumption In Posts ischemic Myocardium, 983
High Rates of Persistent Cardiogenic Shock Post-PCI Despite Reestablishing Patency of the Infarct-Related Artery: A Report from the SHOCK-2 Study Group, 2115
Impact of Myocardial Reperfusion on QT Dispersion in Successfully Recanalized Patients with Acute Myocardial Infarction, 1622
Impaired Tolerance to Ischemia-Reperfusion in A₁ Adenosine Receptor Knockout Hearts, 987
Influence of Thrombolysis in Myocardial Infarction Grades before Percutaneous Coronary Intervention in Microvascular Injury, 3504
Inhibition of Endogenous 20-HETE Formation, An ω -Hydroxylase Cytochrome P450 (CYP) Metabolite of Arachidonic Acid (AA), Is Cardioprotective In A Canine Infarct Model, 511
Intracoronary AO Hyperbaric Perfusion, Delayed 24 hrs After the Onset of Postinfarction Reperfusion, Reduces Infarct Size and Improves LV Function, 3507
Ischemia Promotes Development of Early Afterdepolarization and Ventricular Tachycardia/Fibrillation in a Canine Ventricular Wedge Model of Long QT 3, 1398
Membrane Trafficking of the Membrane Type-1 Matrix Metalloproteinase in Ischemia and Reperfusion: Relation to Interstitial Activity, 1056

Mitochondrial Localization of Connexin 43 in Cardiomyocytes and Its Enhancement by Ischemic Preconditioning, 1134
 Myocardial Reperfusion by ST-Segment Recovery in Patients Randomized to Either Prehospital Fibrinolysis or Facilitated PCI - A SWEDES Substudy, 1619
 New Approach to Acute Myocardial Infarction: Triage in Ambulance to Prehospital Thrombolysis or Transfer for Primary PCI, 2504
 Nitric Oxide (NO)-Cyclic Guanosine Monophosphate (cGMP) Pathway Is Involved in Ischemic Postconditioning in The Isolated Rat Heart, 643
 Perceived Hyperoxia in the Reoxygenated Heart: Oxygen-Sensitive Signaling for Cell Cycle Arrest and Differentiation of Cardiac Fibroblasts, 120
 Percutaneous Coronary Intervention versus Fibrinolysis in Acute Myocardial Infarction: The Importance of Timing, 2514
 Postconditioning Must be Initiated in Less Than 1 Minute following Reperfusion and is Dependent on Adenosine Receptors and PI3-Kinase, 804
 Postconditioning's Protection Is Not Dependent on Circulating Blood Factors or Cells but Requires PI3-kinase and Guanylyl Cyclase Activation, 802
 Prehospital Delay, Receipt of Reperfusion Therapy, and Hospital Outcomes. Observations from the Global Registry of Acute Coronary Events, 3532
 Prehospital Delay, Timing of Hospital Presentation and Receipt of Reperfusion Therapy, and Hospital Outcomes, 2516
 Prostaglandins Mediate the Cardioprotective Effects of Atorvastatin Against Ischemia-Reperfusion Injury, 515
 Protection of Cardiac Myocytes from Ischemia/Reperfusion Injury via cGMP-Dependent Protein Kinase Inhibition of p38 MAP-Kinase Activation, 127
 Randomized Comparison of Prehospital Combination Fibrinolysis Versus Prehospital Initiated Facilitated Percutaneous Coronary Intervention in Acute Myocardial Infarction: Final Results of the Leipzig Prehospital Fibrinolysis Study, 2505
 Significant Decrease of Door-to-Balloon Time by Direct Transport From Ambulance to Cath Lab, 2508
 ST-Segment Depression in Lead aVR: A Simple and Useful Predictor of Impaired Myocardial Reperfusion in Patients With Inferior Wall Acute Myocardial Infarction, 1609
 Targeted Ultrasound Imaging of Apoptosis in Acute Myocardial Injury with Annexin-A5 Microspheres, 2386
 Tetrahydrobiopterin and NADPH Treatment Reverses Endothelial Dysfunction in Post-ischemic Hearts, 984
 The Crucial Role of Monocyte Chemoattractant Protein-1 in the Development of Murine Ischemic Cardiomyopathy, 1536
 The Effect of Distal Protection Device on the Protection of Microvascular Integrity During Primary Stenting in AMI Without Glycoprotein IIb/IIIa Inhibition, 3510
 The Impact of Reperfusion Status on the Efficacy of Eplerenone: Results from EPHEBUS, 2406
 The JAK/STAT Signaling Pathway Is Essential For Opioid-Induced Cardioprotection (OIC): Role of JAK2 As A Mediator of STAT3 and The Phosphatidylinositol-3 Kinase (PI3K) Pathway, 313
 Time Delay-Adjusted Survival Benefit of Angioplasty Over Thrombolysis in Acute Myocardial Infarction: Influence of Time from Symptom Onset, 2512
 Tissue Factor, Factors VIIa and Xa Expression and Local Generation of Thrombin in at Risk Myocardium Occurs Specifically During Reperfusion, 1423
 Trimetazidine Inhibits Mitochondrial Permeability Transition Pore Opening and Limits Lethal Ischemia-Reperfusion Injury, 981

Reperfusion injury
^{99m}Tc-Annexin V Can Evaluate Cardioprotective Effect of Erythropoietin Quantitatively In an Acute Ischemia-Reperfusion Rat Model, 2050
 A RhoA Kinase Inhibitor prevents K_{ATP} Channel-Induced Improvement in Postischemic Functional Recovery, 1136
 Adenoviral Expression of Activated PI3-Kinase Rescues Detrimental Effects of Chronic Cardiac-specific Akt Activation, 1364
 Administration of a CO-Releasing Molecule at the Time of Reperfusion Reduces Infarct Size in a Conscious Rabbit Model, 231
 An E-PKC Activator Reduces Ventricular Fibrillation, and a Δ-PKC Inhibitor Prevents Stunning in a Porcine Model of Acute Myocardial Infarction, 128
 Antistunning Effect of Ischemic Preconditioning Paradoxically Increases Cardiomyocyte Necrosis, 138
 Aprotinin Preserves Coronary Endothelial Cellular Junctions and Reduces Myocardial Edema After Regional Ischemia and Cardioplegic Arrest, 2374
 Atorvastatin attenuates myocardial ischemia/reperfusion injury through the phosphatidylinositol 3-kinase/Akt-dependent pathway, 1441
 Beneficial Cardioprotective Effects of Hydroxyfasudil, a Specific Rho-Kinase Inhibitor, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation in Vivo, 1160

C-Jun N-terminal Kinase (JNK) Promotes Apoptosis at Reperfusion under Energy-limiting Conditions by Phosphorylating IRS-1 and Blocking Insulin Signaling to Akt/PKB, 268
 Ca²⁺ Overloading Is The Consequence Rather Than The Cause Of The Mitochondrial Permeability Transition In Adult Rat Myocytes After Ischemia/Reperfusion, 1131
 Carbon Monoxide Protects Against Cardiac Ischemia-Reperfusion Injury In Vivo via MAPK and Akt-eNOS-cGMP Pathways, 232
 Cardiac-Specific Overexpression of Small Heat-Shock Protein Hsp20 Alleviates Ischemia/Reperfusion Injury and Myocardial Dysfunction, 1439
 Cardioprotection by "Postconditioning" is Mediated by Increased Retention of Endogenous Intravascular Adenosine and Activation of A_{2A} Receptors During Reperfusion, 803
 Cardioprotection By The Novel Delta Opioid FIT Persists For 5 Days After Administration And Occurs Via Phosphatidylinositol-3 Kinase (PI3k), 512
 Cardioprotective Role of Hydrogen Peroxide, an Endogenous EDHF, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation in Vivo, 359
 Deficiency of Erythropoietin Receptor Gene in Nonhematopoietic Lineage Deteriorates Left Ventricular Remodeling After Myocardial Ischemia and Reperfusion, 122
 Degradation of Myosin Light Chain 1 in Isolated Rat Hearts Subjected To Ischemia-Reperfusion Injury: A New Intracellular Target for Matrix Metalloproteinase-2, 2959
 Delayed Ischemic Preconditioning Activates AKT Signaling Pathway, Phosphorylates Bad, and Protects the Heart Against Ischemia-reperfusion Injury, 647
 Direct Activation of PKC-ε or Mitochondrial K_{ATP} Channels Mimics Ischemic Preconditioning in the Ovariectomized Rat Heart, 645
 Early Administration of Fluvastatin, But Not At the Onset of Ischemia, Attenuates Myocardial Ischemia-Reperfusion Injury through Nitric Oxide Pathway Rather Than Through Its Antioxidant Property, 982
 Echocardiographic Assessment of End-Diastolic Wall Thickness Can Be Used as a Marker of Reperfusion in Transmural and Partial-Thickness Infarcts, 3298
 Edaravone Attenuates Both Infarct Size and Reperfusion Arrhythmia in Patients With Acute Myocardial Infarction, 2114
 Effects of Left Ventricular Unloading on Calcium Concentration and Infarct Size in Porcine Myocardium, 2725
 Endothelial C-type Natriuretic Peptide Regulates Coronary Blood Flow and Prevents Ischemia-Reperfusion Injury, 361
 Enhanced Cardioprotective Efficacy of a Drug Combination Designed to Minimize Myocardial Proton Production from Glucose Metabolism, 518
 EPC NOS Expression Rather Than Tissue NOS Modulates Ischemic Preconditioning, 1674
 Erythropoietin Protects the Myocardium from Reperfusion Injury, 1440
 Folic Acid Reduces Myocardial Ischemia/Reperfusion Injury by Influencing the NO Pathway: An In Vitro and In Vivo Study, 235
 Glucagon-Like Peptide-1 (GLP-1), A Gut Incretin, Protects the Myocardium Against Ischemic/Reperfusion Injury through the Myocardial GLP-1 Receptor and Activation of Prosurvival Pathways, 314
 Growth Differentiation Factor (GDF)-15 is Induced in the Infarcted Human Myocardium and Protects Cardiomyocytes from Ischemia/Reperfusion Injury, 1421
 Hyperthermia following Reperfused Acute Myocardial Infarction is Associated with Early Left Ventricular Remodeling, 1610
 Identification of Risk Area and Infarct Zone Myocardium from the Contrast Hyperenhancement Visualized After Occlusion/Reperfusion using Delayed Imaging and Exposure to High-Energy Ultrasound, 3317
 Inactivation of JAM-A Gene Increases Neutrophil Entrapment in the Heart Microcirculation, Aggravating No-Reflow Phenomenon and Reperfusion Injury in Mice, 1155
 Induction of Anokis Occurs Independent of Caspase Induction following Ischemia/Reperfusion and is Associated with Myocardial Dysfunction, 1713
 Inhaled Nitric Oxide Limits Murine Ischemia-Reperfusion Injury, 234
 Inhibiting Mitochondrial Permeability Transition Pore Opening Protects the Human Myocardium from Ischemia-Reperfusion Injury, 1129
 Inhibition of the Initial Burst of Reactive Oxygen Species (ROS) under Conditions of Hypoxic and Hyperoxic Reperfusion in the Globally Ischemic Heart, 1859
 Initial Oxygen Concentration Modulates the Reactive Oxygen Species Burst in the Heart at the Onset of Reperfusion, 1635
 Intracoronary Hyperbaric Oxygen Administered During Primary Percutaneous Coronary Intervention Prevents One Month Left Ventricular Remodeling, 3229
 Involvement of FrzA and the Wnt/Frizzled Pathway in Ischemic Preconditioning, 1434
 Ischemic Postconditioning During Reperfusion Fails to Protect Against Lethal Myocardial Ischemia-Reperfusion Injury in Pigs, 499
 Ischemic Preconditioning Protects Adult Rat Cardiomyocytes Against Necrosis but not Apoptosis via Activation of PKG, 644
 Midkine Plays a Protective Role against Cardiac Ischemia/reperfusion Injury through a Reduction of Apoptotic Reaction, 500

Res
β
Y
In
Si
3-
A
A
A
A
A
A

- Moderate Ethanol Consumption Improves Mitochondrial Function and Cardiac Energetics during Oxidative Stress: Roles of PKC ϵ and Akt, 969
- Modifications to Troponin C with Brief Ischemia/Reperfusion Injury, 1540
- Myocardial Ischemia-Reperfusion and Inflammation: Nuclear Factor- κ B Is Required for Cardiomyocyte Survival, 2646
- Nitric Oxide (NO)-Cyclic Guanosine Monophosphate (cGMP) Pathway Is Involved in Ischemic Postconditioning in The Isolated Rat Heart, 643
- Opposite Roles of c-Src Tyrosine Kinase on Myocardial Ischemia/Reperfusion Injury and in the Development of Ischemic Preconditioning, 648
- Overproduction of Nitric Oxide Enhances the Pro-oxidant Activity of Mitochondrial Succinate Cytochrome c Reductase, 1363
- Phosphodiesterase-5 Inhibitor, Sildenafil, Preconditions Adult Cardiac Myocytes against Necrosis and Apoptosis: Essential Role of NO Signaling, 641
- Phosphorylation Status of Matrix Metalloproteinase-2 and Potential Role in Myocardial Ischemia-Reperfusion Injury, 1279
- PKC- α Improves Contractility and β -Adrenergic Responsiveness Without Increasing Susceptibility to Ischemic Injury, 1096
- Postconditioning—A Form of "Modified Reperfusion" Protects the Myocardium by Activating the PI3K-Akt Pathway, 801
- Proteomic and Metabolomic Analysis Reveals a Crucial Role of PKC- δ in Cardiac Metabolisms and Cardioprotection, 514
- Remote Ischemic Preconditioning Provides Early and Late Protection against Endothelial Ischemia-Reperfusion Injury in Humans: Role of the Autonomic Nervous System, 1472
- Resistin is a Novel Protector of Myocardial Infarction, 134
- Retrospective, not Systemic Infusion, of Embryonic EPCs Provides Myocardial Protection after Ischemia/Reperfusion in Pigs, 2180
- RNA Interference 'Rescues' Cardiac Myocytes from the Deleterious Negative Inotropic Effects of Lipopolysaccharide, 495
- Role of Omi/HtrA2 in Apoptotic Cell Death after Myocardial Ischemia and Reperfusion, 197
- Sphingosine Kinase is a Target of PKC- ϵ during Myocardial Ischemic Preconditioning, 901
- The A3 Adenosine Receptor Agonist CI-IB-MECA Reduces Myocardial Infarct Size in Mice When Administered During Reperfusion: Mechanistic Studies with A3AR gene "Knock-Out" and Bone Marrow Chimeric Mice, 130
- The Role of Cell Cycle Regulators Cdk2 and Rb in Myocardial Ischemia/Reperfusion Injury, 126
- Time-Resolved Mitochondrial Events During Simulated Ischemia/Reperfusion in Adult Cardiomyocytes, 198
- Tissue Factor, Factors Vlla and Xa Expression and Local Generation of Thrombin in at Risk Myocardium Occurs Specifically During Reperfusion, 1423
- Translocation of Sarcolemmal Dystrophin is a Mechanistic Link Between Mitochondrial Dysfunction and Necrosis in Ischemic-Reperfused Rat Heart, 1538
- Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase after Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 3231
- Restenosis**
- β -Brachytherapy with a Liquid Rhenium-188-Filled Balloon after Angioplasty of Restenotic Lesions and In-Stent Restenosis Is Associated with a Very Low Restenosis Rate, 1818
- γ -tocopherol, but Not α -tocopherol, Potently Inhibits Neointimal Formation Induced by Vascular Injury in Insulin-Resistant Rats, 1053
- Inhibitory Effect of Previously Administered Tissue-type Plasminogen Activator on In-stent Neointimal Proliferation of Acute Myocardial Infarction, 1627
- Suppressive Mechanism of a Novel Disintegrin (Saxatillin) in Vascular Smooth Muscle Cell Proliferation, 1478
- 3-Year Follow-Up of TAXUS I: A Randomized, Controlled Study with Polymer-Based Paclitaxel-Eluting Stents for Coronary Artery Lesions, 2464
- A Critical Role for Hydrogen Peroxide (H₂O₂) in Neointima Formation Induced by Carotid Ligation, 1238
- A DNA Enzyme Against Plasminogen Activator Inhibitor type 1 Reduces Smooth Muscle Cell Proliferation And Neointima Formation Following Balloon Injury, 708
- A Novel Predictor of Coronary In-Stent Restenosis: Involvement of Plasma Aldosterone Levels, 2539
- A Novel Transcriptional Regulatory Pathway of PDGF-A Chain Mediated by KLF5 through Cooperative Activation with NF- κ B And Phorbol Ester, 841
- A Platelet Glycoprotein IIb/IIIa Receptor Blocker (Abciximab: ReoPro[®])-Coated Stent Inhibits In-Stent Intimal Hyperplasia in Human Coronary Arteries, 2630
- A Prospective Registry To Evaluate Sirolimus-Eluting Stents Implanted At Coronary Bifurcation Lesions Using The 'Crush Technique', 3013
- A Randomized Comparison of a Sirolimus- With a Paclitaxel-Eluting Stent For Coronary Revascularization: The SIRTAX Trial, 2626
- A Randomized Trial of the Endeavor Drug (ABT-578) Eluting Stent System versus the Cypher Sirolimus-Eluting Coronary Stent System in De Novo Native Coronary Artery Lesions: Thirty-Day Results, 2624
- Abciximab and Angiographic Restenosis After PCI ? Results from the Angiographic Substudy of a Randomized Trial Evaluating Abciximab in Patients with Elective PCI After Pretreatment with a High Loading Dose of Clopidogrel - ISAR-REACT, 3499
- Ablation of MEKK1 Suppresses Vascular Remodeling by Attenuation of Both Smooth Muscle Cell Invasion and uPA Expression in Blood Flow Cessation Model of Mice, 1505
- Accuracy of Noninvasive Monitoring of Coronary Flow Velocity Reserve with Transthoracic Echo-Doppler in Detecting Coronary Restenosis After Successful Coronary Angioplasty: a Multicenter Study, 2404
- Administration of Mesenchymal Stem Cell-Derived Endothelial Cells 'Aggravated' Luminal Narrowing after Arterial Injury in Mice, 256
- Aged Rats Lose Estrogen-induced Vasoprotective and Anti-inflammatory Effects in Injured Arteries, 1507
- An Interferon-Inducible Splice Variant of Allograft Inflammatory Factor-1 (AIF-1) Reduces Restenosis Formation in Angioplasty-Injured Rat Carotid Arteries and Migration and Proliferation of Cultured VSMCs, 1511
- Angiotensin II AT₁ Receptor Blockade Attenuates the Stent-Associated Neointimal Formation by Inhibiting Inflammation and by Reducing Recruitment/Differentiation of Smooth Muscle Progenitor Cells in Rabbits and Monkeys, 192
- Antithrombotic and Antiproliferative Potential of Eptifibatid Eluting Stent: in vitro Evaluation, 2869
- Arterial Seeding with Autologous Progenitor-Derived Outgrowth Endothelial Cells Improves Vasoreactivity and Reduces Neointimal Formation in a Rabbit Balloon Injury Model, 697
- Assessment of Luminal Diameter of Coronary Stents Using a Novel 40-Slice Multidetector CT Scanner, 2619
- Bare Metal Stent Restenosis Is Not a Benign Clinical Entity, 1815
- Blockade Of Keratinocyte-Derived Chemokine Inhibits Re-Endothelialization And Enhances Neointima Formation After Carotid Artery Injury In Apolipoprotein E-Deficient Mice, 847
- Bone Marrow- And Neural Crest-Derived Cells Contribute To Human In-Stent Restenosis And In-Stent Restenosis After Brachytherapy. Tissue Characteristics Compared To Primary Atherosclerosis, 2298
- Bone Marrow-Derived Endothelial Progenitor Cells Significantly Contribute To Exercise-Mediated Improvements Of Endothelial Repair, 698
- Carotid Artery Stenting with Embolic Protection is Associated with Similar Outcomes in Post-Carotid Endarterectomy Restenotic Lesions versus De Novo Lesions, 2852
- Caveolin-1 Deficiency Stimulates Neointima Formation During Vascular Injury, 403
- Cellular Markers for an Allergic Tissue Response are Present in In-stent Restenotic Tissue Retrieved by DCA, 2300
- Clostrazol Reduces Restenosis in Diabetic Patients after Coronary Stent Implantation, 2306
- Circulating Progenitors Contribute to Neointimal Formation in Nonirradiated Bone Marrow Chimeric Mice, 259
- Clinical and Angiographic Outcomes following Crush Bifurcation Stenting with Drug-Eluting Stents: Low Target Lesion Revascularization Rates but High Rate of Side-Branch Restenosis in the Absence of Kissing Balloon after Dilatation, 3498
- Clinical and Angiographic Restenosis Rates as a Function of Drug-eluting and Bare Metal Implanted Stent Length: Analysis from the TAXUS IV Trial, 3397
- Comparison of Retrospectively ECG-Gated, Multislice Spiral Computed Tomography and Coronary Angiography in the Detectability of In-Stent Restenosis after Left Main or Ostial Coronary Stenting, 2615
- Coronary Plaque Burden Determined by Contrast-Enhanced 16-Slice CT is Related to Rapidly Progressing De Novo Stenosis and Restenosis, 2292
- Cost-Effectiveness of the TAXUS[™] Paclitaxel-Eluting Coronary Stent System vs. Bare Stent Implantation in Patients without Routine Angiographic Follow-up: The TAXUS-IV Trial, 3811
- Declining Long-Term Efficacy of Vascular Brachytherapy for In-Stent Restenosis: 5-Year Follow-Up from the Gamma 1 Randomized Trial, 1923
- Delayed Reendothelialization in Diabetes is Mediated by Malfunctioning Bone Marrow-derived Endothelial Progenitor Cells, 369
- Development of a Novel Drug-Coated Stent Using Curcumin as the Antiproliferative Drug, 2868
- Direct Tissue Removal via Catheterization is an Effective Palliation for Recurrent Pulmonary Vein Stenosis, 2329
- Does a Greater Lesion Length to Stent Length Ratio Necessarily Result in Better Clinical Outcomes Following Drug-Eluting Stent Placement in the Treatment of Native Coronary Obstructions? Analysis From the TAXUS-IV Study, 3015
- Drug-Eluting Stent Failures: Insights from Intravascular Ultrasound, 2724
- Drug-Eluting Stents in Heart Transplant Recipients with Transplant Coronary Artery Disease, 1811
- Durability of the Polymer-based, Paclitaxel-eluting TAXUS Stent: Two-year Results from the TAXUS-IV Trial, 2467

- Dysregulation of A Novel Hyperplasia Suppressor Gene Triggers Vascular Proliferative Disorders, 1516
- Efficacy and Safety of Paclitaxel-Eluting and Bare Metal Stent Implantation in Patients with Renal Insufficiency. Results from the TAXUS IV Trial, 2322
- Efficacy of Direct Coronary Stenting in Sirolimus-Eluting Stents: IVUS Analysis From the DIRECT Trial, 1702
- ENDEAVOR I "First in Human" Safety and Efficacy Study - 12-Month Clinical, Angiographic, and Intravascular Ultrasound Results, 2623
- Endogenous and Exogenous VEGF Regulates Reendothelialization and Neointima Formation in a Mouse Model of Arterial Injury, 771
- Erythropoietin Prevents Neointimal Hyperplasia after Intimal Injury by Mobilizing Endothelial Precursor Cells to Accelerate Re-Endothelialization, 699
- Everolimus and Sirolimus Are Identical For Preventing Intimal Thickening Over The Range Of Vascular Injury, 1810
- Expression and Function of the Liver X Receptor in Human Vascular Smooth Muscle Cells, 405
- Factor VII Activating Protease (FSAP) Sequesters Growth Factors and Inhibits Neointima Formation in Vivo, 1508
- First Human Experience with Local Delivery of Novel Antisense AVI-4126 with Infiltrator Catheter in De Novo Native and Restenotic Coronary Arteries: Six-Month Clinical and Angiographic Follow-up from AVAIL Study, 3500
- Five-Year Follow-Up after Endovascular Brachytherapy for the Prevention of Restenosis after Femoropopliteal Angioplasty, 3003
- Gender-Based Outcomes After Paclitaxel-Eluting Stent Implantation in Patients with de Novo Coronary Lesions - Results of the TAXUS IV Trial, 3014
- Grade of Diabetic Retinopathy Has a Powerful Predictive Relevance of In-Stent Restenosis After Percutaneous Coronary Intervention, 2302
- Heme Oxygenase-1 Prevents Superoxide Anion-Associated Vascular Smooth Muscle Growth and Decreases Circulating Endothelial Cells in a Rat Model of Balloon Injury and Restenosis in Diabetes Mellitus, 1349
- Identification and Characterization of PARIS, Novel Negative Regulators of Vascular Smooth Muscle Cells., 1320
- Identification Of Small Peptidomimetics Of Apolipoprotein E By Phage Display - Therapeutic Potential In Vascular Proliferative Disorders, 386
- Impact of Obstructive Sleep Apnea on Clinical and Angiographic Outcomes in Patients with Acute Coronary Syndrome Who Underwent Emergent Percutaneous Coronary Intervention, 2213
- Impact of Routine Angiographic Follow-up on the Clinical Benefits of Paclitaxel-Eluting Stents: Results from the TAXUS-IV Trial, 2472
- Impact of Sirolimus-Eluting Stents on the Outcome of Patients with Diffuse Type In-Stent Restenosis: Multicenter Registry in Asia, 3010
- In-stent Neointimal Changes: Two-year Follow-up Intravascular Ultrasound (IVUS) Study in 120 Lesions, 2462
- In-Stent Neointimal Proliferation Identified on In-Vivo Imaging Using ¹²⁵I Gluco-RGD Peptides in Rabbit Model, 2843
- Increased Nitric Oxide Levels With Brachytherapy Compared To Bare Metal or Sirolimus-Eluting Stents. Implications In Coronary Restenosis, 2873
- Individualized Drug-Eluting Stent System to Abrogate Restenosis (ISAR): Preclinical Results on Feasibility, Safety, and Efficacy of a Novel Drug-eluting Stent System that Uses On-site, Polymer-free Rapamycin Coating, 1832
- Inflammation and Genetic Factors to Predict Restenosis after Percutaneous Coronary Interventions, 2299
- Inflammatory Genetic Factors to Predict Restenosis in Diabetic Patients after Percutaneous Coronary Intervention, 3675
- Influence of Coronary Stenting on Long-term Clinical Outcomes: 7-year Follow-up from the Duke Cardiovascular Database, 3529
- Influence of Protocol-Specified Relook Angiography on Target Vessel Revascularization Compared with Clinical Practice, 2304
- Inhibitory Effect of NFκB Decoy Oligodeoxynucleotides (ODN) on Neointimal Hyperplasia in the Rabbit Vein Graft Model, 1490
- Interleukin-18 Induces CXCL16 Expression In Aortic Smooth Muscle Cells Via A Novel Signal Transduction Pathway Involving IRAK1-IRAK4-TRAF6/c-Src/PI3 kinase/Akt/JNK/AP-1, 249
- Intracoronary Hematopoietic CD 133+ Bone Marrow Cells and In-Stent Restenosis and Coronary Atherosclerosis Progression in Patients with Recent Anterior Myocardial Infarction, 3437
- Involvement of the proprotein convertase Furin in the arterial response to injury, 1510
- Lack of Urokinase Plasminogen Activator Promotes Instability of Vascular Lesions in Apolipoprotein E-Knockout Mice, 590
- Link Protein 3 (Lp3) is a Novel Extracellular Matrix Protein Abundantly Expressed in the Vascular Smooth Muscle Cells and Coordinately Regulated with Vascular Proteoglycan Versican, 1024
- Local Production of C-Reactive Protein at Stented Injured Vessel Wall is Associated With Activation of Leukocyte Integrin Mac-1, 2867
- LPL G447 Allele Lowers the Risk of Restenosis after Percutaneous Coronary Intervention, 1520
- Molecular Mechanisms governing Neointima Formation - Interaction of Inflammation, Stem Cell Recruitment, and Differentiation in a Mouse Model of Neointima Formation, 257
- Muscle LIM Protein Plays a Critical Role in Vascular Remodeling in Response to Injury, 389
- Neointimal and Medial Thickening of Aortopulmonary Collateral Arteries in Organ Culture, 3406
- Neointimal Proliferation is Reduced in GM-CSF ko Mice Following Arterial Injury, 408
- Noninvasive Quantitative Assessment of Coronary In-stent Restenosis by 16-slice Computed Tomography, 2622
- Once-Only Intramuscular Delivery Of Fc-Fusion Interleukin-10 Plasmid By Electroporation Reduces Neointima Formation In Hypercholesterolemic Mice, 662
- One Year Results of Intravascular Ultrasound Analysis for the ABT-578 Eluting Phosphorylcholine-Coated Stent Implantation in de Novo Coronary Lesions, 3502
- Optimizing Dosimetry with Gamma Radiation Improves Outcomes for Patients With Diffuse In-stent Restenosis, 1816
- Oral Rapamune to Inhibit Restenosis in Patients with Multi De Novo Coronary Lesions Requiring Stenting: The ORBIT Studies, 1817
- Oral Rapamycin Attenuates Atherosclerotic Plaque Progression in ApoE Knockout Mice, 250
- Outcomes of the Polymer-based, Paclitaxel-eluting TAXUS Stent in Complex Lesions: First Report from the TAXUS-V Pivotal Randomized Trial, 2468
- Paclitaxel In-Stent Controlled Elution Study - The PISCES Study, 1831
- Patients with In-Stent Restenosis (I-SR) Treated with Sirolimus-Coated Drug-Eluting Stents , 1927
- Plasminogen Activator Inhibitor (PAI)-1 from Bone Marrow-Derived Cells Contributes to Neointima Formation after Injury in Mice, 387
- PPARα Inhibits Vascular Smooth Muscle Cell Proliferation through Trans-Activation of the Gene Tumor Suppressor p16^{INK4a}, 1326
- Predictors of Major Adverse Cardiac Events at Six Months After Implantation of Sirolimus-Eluting Stents - A Report from the e-Cypher Registry, 2469
- Preliminary Results of the Left Main TAXUS Pilot Study, 1833
- Preprocedural Statin Administration Reduces Acute Phase Reaction after Stent Implantation, 3265
- Radiation Following Percutaneous Balloon Aortic Valvuloplasty to Prevent Restenosis (RADAR PILOT), 2072
- Randomized Drug-eluting Stent Comparison: Rapamycin versus Paclitaxel in Coronary Lesions Prone to Restenosis, 2625
- Randomized Study of Sirolimus-Eluting Stent Implantation Versus Coronary Brachytherapy for Diffuse In-Stent Restenosis, 2627
- Rapamycin Prevents Accumulation of Bone Marrow-Derived Vascular Smooth Muscle Cells Within the Neointima., 258
- Real World Use of Sirolimus-Eluting Stents for the Treatment of In-Stent Restenosis, 3495
- Reduced Connexin43 Expression Decreases Intimal Hyperplasia in Low-Density Lipoprotein Receptor-Deficient Mice after Carotid Balloon Distension Injury, 1051
- Reintervention in the Pre-Drug-Eluting Stent Era: One-Year Target Segment Revascularization in the NHLBI Dynamic Registry, 3188
- Relation of Late Loss to Target Lesion Revascularization in the Drug-eluting Stent Era: What is the Threshold for Acceptable Late Loss? A TAXUS IV Substudy, 1809
- Resistin Promotes Smooth Muscle Cell Proliferation Through Activation of Extracellular Signal-Regulated Kinase And Phosphatidylinositol 3-Kinase Pathways, 892
- Restenosis After Coronary Placement of the Drug-Eluting Cypher Stent™ Versus the Bare Bestent™ 2: A Randomized, Angiographic, and Clinical Trial, 2465
- Restenosis after Rapamycin-eluting Stents for the Treatment of Bifurcated Coronary Lesions, 3501
- Restenotic Tissue from Sirolimus Eluting Stents Shows Lower Cell Density and Delayed Healing Compared To Bare Metal Stents, 2871
- Results of a Nitric Oxide Preserver Polymer Coated Stent Implantation in De Novo Coronary Lesions: Clinical, Angiographic, and Stent Volumetric Analysis from NOBLESSE Trial, 1830
- Role of CD40 Ligand in Response to Arterial Denudation Injury in Hyperlipidemic Apolipoprotein E-Deficient Mice, 664
- Serum Levels of Advanced Glycation End Products are Associated with In-Stent Restenosis in Diabetic Patients, 2303
- Sirolimus Causes Endothelium-Independent Relaxation of Isolated Human Arteries, 2874
- Sirolimus Drug-Eluting Stent for Complex In-stent Restenosis: Late Clinical and Angiographic Outcome, 1813
- Sirolimus-Eluting Stent (SES) Inhibits Growth Factor Expression and Cell Proliferation without Worsening Endothelial Function in a Pig Coronary Restenosis Model, 2870
- Sirolimus-Eluting Stents Abolish Intimal Hyperplasia And Improve Flow in Porcine Arteriovenous Grafts, 2997
- Sirolimus-Eluting Stents For Failed Brachytherapy: Updated Results From The SECURE Registry, 1924
- Six Month Follow-up Intravascular Ultrasound Study after Rapamycin-eluting Stent for the Treatment of Bifurcated Coronary

- Lesions, 2459
- Sixteen-Slice Computed Tomography Allows Non-Invasive Follow-Up After Left Main Coronary Stenting, 3388
- Stem Cell Factor Deficiency Confers Vascular Protection: A Novel Observation, 7
- Stent-Based Delivery of Nuclear Factor- κ B Decoy Attenuates In-Stent Restenosis in Hypercholesterolemic Rabbits, 989
- Stent-Based Intracoronary Gene Transfer of a Secreted Transforming Growth Factor- β Type II Receptor Inhibits In-Stent Neointimal Hyperplasia, 769
- Stent-Based Tyrphostin AGL-2043 Reduces Neointima Formation in Porcine Coronary Arteries, 572
- Stent-Based Vascular Gene Transfer by Hydrolysis-mediated Release of Adenoviral Vectors, 2866
- Stents Coated with a Perlecan-Inducing Compound Significantly Reduce Intimal Hyperplasia in a Rabbit Iliac In-Stent Restenosis Model: Novel Insights into the Diverse Biological Effects of Perlecan, 1050
- Stress-induced Amplification of Vascular Occlusion: A Novel Neuronal-Megakaryocyte Link, 1017
- Suppression of Anastomatic Intimal Hyperplasia in Rabbit Hypercholesterolemic Model Using Chimeric Decoy Oligodeoxynucleotides (ODN) Against NF κ B and E2F, 1772
- Sustained Suppression of Neointimal Hyperplasia by Sirolimus-Eluting Stents in Diabetic Patients: Long-Term Angiographic and Three-Dimensional Intravascular Ultrasound Follow-Up, 3497
- The Fat1 Protocadherin Inhibits Wnt Signaling and Growth and Migration in Vascular Smooth Muscle Cells, 391
- The Forkhead Transcription Factor FoxO1a Regulates Cell Cycle Entry of Smooth Muscle Cells and Prevents Neointima Formation, 1506
- The HDAC Inhibitor MS-275 Abrogates Vascular Smooth Muscle Cell Proliferation and Inhibits Neointimal Formation in a Rabbit Model of In-Stent-Restenosis, 1058
- The Helix-Loop-Helix Factor Id2 Increases Ubc2 Expression and Promotes p27^{ras1} Degradation, 1025
- Thoracic Radiation Increases the Risk of Restenosis after Coronary Stent Placement, 2301
- Trapidil-Coated Drug-Eluting Stents Reduce Neointimal Hyperplasia at 28 Days in a Porcine Model of Coronary Restenosis, 3496
- Treatment of Bifurcation Lesions With Drug-Eluting Stents Using the "Crush" and "V" Techniques. Procedural and Clinical Outcomes, 3012
- Treatment of In-Stent Restenosis with Sirolimus-Eluting Stents: Immediate and Mid-Term Results, 2307
- Tumor Necrosis Factor α G(-244)A(-238) Haplotype Is Associated with Lower Risk of Restenosis after Percutaneous Coronary Intervention, 449
- Unprotected Left Main Coronary Artery Revascularization With Sirolimus-Eluting Stents Is Feasible But Limited By Branch Restenosis, 3401
- What is the Optimal Intravascular Ultrasound Stent Area to Achieve with Sirolimus-eluting Stents?, 2458
- Resynchronization Therapy**
- A Simplified Approach to Determine Responders of Cardiac Resynchronization Therapy with Tissue Doppler Imaging, 2024
- Assessment of Left Ventricular Dyssynchrony with Tissue Doppler Imaging Predicts Prognosis following Cardiac Resynchronization Therapy, 2023
- Assessment of Systolic Asynchrony by Tissue Synchronization Imaging is a Useful Tool to Predict Responders of Cardiac Resynchronization Therapy, 2025
- Assessment of the Dyssynchrony Index as a Predictor of Response to Resynchronization Therapy, 3352
- Assessment of the Effect of Cardiac Resynchronization Therapy on Intra-Ventricular Mechanical Asynchrony by Regional Volumetric Changes: A New Method Using 3-Dimensional Echocardiography, 3123
- Backup Defibrillation Prolongs Survival in Patients with Indications for Cardiac Resynchronization Therapy by Reducing Sudden Cardiac Death Rate, 2266
- Baseline ANP and BNP do Not Predict Subsequent Symptomatic Benefit from Cardiac Resynchronization Therapy in the Multicenter InSync Randomized Clinical Evaluation (MIRACLE) Trial, 2018
- Biventricular Pacing Improves Right Ventricular but Not Left Ventricular Function in Patients with Right Bundle Branch Block, 3357
- Biventricular Pacing, Coronary Blood Flow and Serum Adhesion Molecules, 3252
- Cardiac Resynchronization Acutely Reduces Dynamic Functional Mitral Regurgitation in Heart Failure: A Study Using Quantitative Doppler Exercise Echocardiography, 3447
- Cardiac Resynchronization Therapy as Bridge to or Alternative for Heart Transplantation in Patients with End-stage Heart Failure, 2272
- Cardiac Resynchronization Therapy Benefits Patients With or Without ICD Indication - Results from the Prospective European Multicenter PACMAN Trial, 3358
- Cardiac Resynchronization Therapy for Moderate-to-Severe Pediatric Heart Failure: A Pilot Study, 2265
- Cardiac Resynchronization Therapy Reduces Severity of Central Sleep Apnea due to Heart Failure, 2271
- Computed Tomographic Angiography Can Define Three-Dimensional Relationships Between Coronary Veins and Coronary Arteries Relevant to Coronary Venous Procedures, 3247
- Concordance of Left Ventricular Pacing Site to Region of Maximal Delay in Myocardial Velocities by Tissue Synchronization Imaging Predicts Left Ventricular Reverse Remodeling after Cardiac Resynchronization Therapy, 3353
- Dyssynchrony of Papillary Muscle Contraction May Accelerate Mitral Regurgitation in Dilated Cardiomyopathy, 2762
- Echocardiographic Assessment of Dyssynchrony in Normal Patients: Current M-mode and Tissue Doppler Cutoff Values May Yield a High Rate of False-Positives Unless Used in Combination, 3126
- Effect of Cardiac Resynchronization Therapy on Sleep-Disordered Breathing in Patients with Systolic Heart Failure, 1898
- Effect of Sequential Biventricular Pacing on Interventricular Asynchrony, 3351
- Electronic Repositioning™ with a Bipolar Coronary Venous Lead, 3246
- Exercise Echocardiography: New Investigation to Select Heart Failure Patients for Biventricular Pacing, 2021
- Feasibility of Adjusting Cardiac Resynchronization by Manipulating Left Ventricular Epicardial Pacing Stimulus Strength, 1896
- Features of Nonresponse in Heart Failure Patients Referred for Cardiac Resynchronization Therapy, 2268
- Gender-Specific Differences in the Response to Cardiac Resynchronization Therapy?, 2020
- Identification of the Optimal Left Ventricular Pacing Site in Biventricular Cardiac Resynchronization, 2022
- Improvement in Sleep-Related Breathing Disorders is Correlated with Heart Rate Variability in Heart Failure Patients with Cheyne-Stokes Respiration and Cardiac Resynchronization Therapy, 1895
- Incidence of Left Ventricular Dyssynchrony in Patients with Systolic Heart Failure and a Narrow QRS Complex, 2019
- Intraventricular Mechanical Dyssynchrony in Health and Disease: A Real-Time 3D Echocardiographic Study, 3124
- Intraventricular Mechanical Dyssynchrony is Associated with Symptomatic Improvement in Cardiac Resynchronisation Therapy: The Emerging Role of Real-Time 3D Echocardiography, 3355
- Left Ventricular Regional Electromechanical Patterns during Left-, Right-, and Biventricular Pacing in a Dog Model of Congestive Heart Failure Derived by Tissue Doppler Imaging, 2942
- Left Ventricular Stimulation Alone Significantly Increased Ejection Fraction at 1-Year Follow Up: Final Results from the BELIEVE Multicenter Randomized Study, 2017
- Long Term Survival in Patients Treated With Cardiac Resynchronization Therapy: the InSync Italian Registry, 2016
- Long-Term Outcome of Cardiac Resynchronization Therapy, 2263
- New Objective Tissue Doppler-Derived Measures of Myocardial Wall Asynchrony and Function: Relative Contribution to Global Left Ventricular Function, 3350
- Nonuniform Workload and Remodeling of the Left Ventricle, Induced by Left Bundle Branch Block, is Reversed by Biventricular Pacing, 2269
- Procedural Outcomes And Device Performance In The COMPANION Trial Of Resynchronization Therapy For Heart Failure, 2084
- Right Ventricular Remodeling following Cardiac Resynchronization Therapy, 1897
- Temporary Perioperative Cardiac Resynchronization Therapy in Patients With Severe Left Ventricular Dysfunction Undergoing Cardiac Surgery, 2267
- Tissue Doppler Indices of Dyssynchrony Correlate with Each Other only in the Absence of Postsystolic Shortening: Clinical Implications for the Identification of Responders to Cardiac Resynchronization Therapy, 1733
- Usefulness of Radial Tissue Strain Imaging to Predict Acute Response and Quantify Improvement of Mechanical Dyssynchrony to Cardiac Resynchronization Therapy, 2943
- Ventricular Systolic Mechanics and Synchrony Improve with Biventricular Pacing in Critical Pulmonary Stenosis, 145
- Rheumatic heart disease**
- Percutaneous Transluminal Mitral Commissurotomy: Comparison between Innoce and Double-Balloon Technique, 2332
- Risk factors**
- β 2-Adrenergic Receptor Haplotypes and Risk of Sudden Cardiac Death, 3772
- Early Morning Attenuation of Endothelial Function in Obstructive Sleep Apnea, 2058
- Transient Impairment of Flow-Mediated Vasodilation in Patients with Metabolic Syndrome at Moderate Altitude (1700 m), 1791
- 45,X Karyotype and Bicuspid Aortic Valve are Independent Risk Factors for Aortic Root Enlargement in Turner Syndrome, 3542
- A Cohort Study of Alcohol Intake and Risk of Heart Failure, 3608
- A Common PCSK9 Haplotype, Encompassing the E670G cSNP, Is Associated With Plasma Low-Density Lipoprotein Levels and Severity of Coronary Atherosclerosis, 3334

A Common Polymorphism in the ABCA1 Gene (G1051A) is Associated with a Lower Prevalence of Coronary Calcification in the Multiethnic Study of Atherosclerosis (MESA), 3801

A Large Comprehensive SNP Genotyping Study of the LMNA Gene Reveals a Risk Haplotype That Associates With Early Onset of Familial Heart Failure, 3732

A Meta-Analysis of Hormone Replacement Therapy and Cardiovascular Disease, 3520

A Novel Cardiovascular Risk Score for Women with Suspected Myocardial Ischemia: A Report from the NHLBI-Sponsored WISE Study, 3441

A Personal Health Planning Intervention to Modify Dietary and Exercise Behavior, 3571

Abnormal Glucose Regulation in Patients with Coronary Artery Disease: Experience from the Euro Heart Survey, 3677

Accuracy of Self-Reported Prevalence of Cardiovascular Risk Factors in Primary Prevention in the RICAR Project., 3079

Adiponectin and Future Coronary Heart Disease Events Among Men With Type 2 Diabetes mellitus, 3847

ADVACENT, The National Registry to Advance Heart HealthSM: Tall Stature Increases the Risk of Atrial Fibrillation (AF) in Patients with Impaired Left Ventricular Function (LVD), 3099

Albuminuria and Cardiovascular Disease Mortality in Diabetic American Indians: The Strong Heart Study, 3840

Albuminuria and Risk of Stroke in Diabetic Adults Free of Clinical Cardiovascular Disease: The Strong Heart Study, 3680

Altered Circadian Variation of Sudden Cardiac Death in Patients with Obstructive Sleep Apnea, 3777

Ambient Air Pollution and Subclinical Atherosclerosis, 1913

Anaerobic Periodontal Infection, Coronary Heart Disease, and the Acute Coronary Syndrome, 1686

Anemia is an Independent Predictor of In-hospital and Late Adverse Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention, 2325

Angioscopically Evaluated Extent of Atherosclerosis Is Associated With the Risk of Acute Coronary Syndrome, 1805

Aortic Compliance does not Differ Between Blacks and Whites: MRI Results from the Dallas Heart Study (DHS), 3709

Are Traditional Cardiovascular Risk Scores Useful for Women with Suspected Myocardial Ischemia? A Report from the Women's Ischemia Syndrome Evaluation, 3620

Association between Inflammation and Insulin Resistance in US Non-Diabetic Adults: Results from NHANES III, 3613

Association Between Lipoprotein-Associated Phospholipase A2 and Coronary Artery Disease: Focus on its Relationship With Lipoproteins and Markers of Inflammation and Hemostasis, 3577

Association between Serum Cotinine and Levels of Inflammatory Cardiovascular Risk Factors among Nonsmokers in the US Population, 3742

Association between Stages of Systolic Hypertension and Levels of Inflammatory Cardiovascular Risk Factors: The Impact of JNC 7 Classification, 2830

Association of Metabolic Risk Factor Burden with Coronary, Aortic, and Aortic Valve Calcium, 3683

Association of Mutation in Heat Shock Protein 70 Gene with Postoperative Atrial Fibrillation, 3102

Association of the Metabolic Syndrome With Worse Outcome of Patients With Stable Coronary Disease in MASS II Trial, 2212

Association of Triglyceride-to-HDL Cholesterol Ratio with Prevalent Cardiovascular Disease in Patients with Diabetes, 3612

Associations of Viral and Bacterial Infections With Presence of Carotid Atherosclerosis in Eskimos, 3579

Biological Variability and Specificity of Lipoprotein-Associated Phospholipase A₂ (Lp-PLA₂), a Novel Marker of Cardiovascular Risk, 1477

Blunted Reduction of Pulse Pressure During Nighttime is Associated With Left Ventricular Hypertrophy in Elderly Hypertensive Patients, 437

Both Albuminuria and Framingham Risk Score Predict Cardiovascular Events in Albuminuric Subjects with Intermediate Cardiovascular Risk, 3650

Both Gain and Loss of Function of the β -adrenergic Receptor Kinase Have Profound Influence on Failing Myocyte Contractile Function, 41

Both World Health Organization and National Cholesterol Education Program Definitions of the Metabolic Syndrome Independently Predict Subclinical Atherosclerosis, 3841

Brachial Artery Vasodilator Function and Systemic Inflammation in the Framingham Offspring Study, 375

Can LDL Be Too Low? A Safety Analysis of the Intensive Treatment Arm of PROVE IT - TIMI 22, 2340

Combination Therapy With Gemfibrozil, Niacin, and Cholestyramine Reduces the Prevalence of Metabolic Syndrome Above and Beyond Aggressive Lifestyle Modification and Dietary Restriction, 3785

Consistently Stable Body Mass Index and Changes in Risk Factors Associated with the Metabolic Syndrome, 3567

Coronary Heart Disease in Siblings as Predictor of Sudden Cardiac Death and Coronary Events, 3653

Coronary Risk Factors and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3710

Correlates of Progression of Coronary Artery Disease in Postmenopausal Women, 3658

Cumulative Analgesic Use and Risk of Incident Hypertension in Men, 2825

D-Dimer, Cardiovascular Disease, and Mortality in the Elderly, 3580

Days on Intravenous Heparin Predicts Thrombocytopenia and Drop in Platelet Count on Heparin Predicts Mortality: Findings from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 2604

Depression is a Predictor of Cardiovascular Events after Coronary Artery Bypass Graft, 2202

Diabetes is a Powerful Predictive Factor of Death after Bioprosthetic Aortic Valve Replacement for Aortic Stenosis. A 15-year Study, 2561a

Diabetes, Glucose Level, and Risk of Primary Cardiac Arrest, 3844

Differential Role of Lymphotoxin- α Polymorphisms between ST-Segment Elevation and Non-ST-Segment Elevation Myocardial Infarction, 906

Direct demonstration of C-Reactive Protein Production in Human Aortic Endothelial Cells, 1152

Direct Measurement of Circulating Endothelial Cells and Preclinical Atherosclerosis, 1683

Discovery and Replication of a Novel Polymorphism Associated with Coronary Disease Independent of Conventional Risk Factors in Two Caucasian Populations, 3802

Does Gastric Bypass Surgery Decrease Cardiac Risk Factors in Morbidly Obese Young Patients?, 3543

Endothelial Lipase is Upregulated by Inflammatory Mediators and Correlated with Low HDL Levels Seen in Metabolic Syndrome, 242

Endothelial Nitric Oxide Synthase (eNOS) Glu298Asp Polymorphism Association with Coronary Heart Disease Risk is Modified by Smoking: The Atherosclerosis Risk in Communities Study, 3800

Ethnic Differences in the Association between Birth Weight and Childhood Obesity, 3602

Evidence-Based Risk Stratification is Not Optimally Used to Target Proven Therapies in Non-ST-Elevation Acute Coronary Syndromes: The Global Registry of Acute Coronary Events (GRACE), 3058

Fasting Serum Apolipoprotein (Apo) B-48 Levels Measured by a Novel ELISA are a Simple and Useful Marker for Postprandial Hyperlipidemia and predict Coronary Heart Disease (CHD), 872

Fish Consumption and Incidence of Metabolic Syndrome: the CARDIA Study, 3835

Fusiform Shape of Distal Arch with a Patent False Lumen in Type B Acute Aortic Dissection (AAD) Can Predict Late Enlargement of Aorta, 2743

Genetic Variation in the F3 Gene is Associated with Risk and Prognosis in Acute Coronary Syndrome, 2675

Global Risk Factor Assessment Markedly Underestimates Subclinical Atherosclerosis Risk in Asymptomatic Women, 3657

Heart Rate Variability, a Measure of Autonomic Dysfunction, is Associated with Insulin Resistance, 2151

Helicobacter pylori Infection Causes Persistent Platelet Activation in Vivo through Enhanced Lipid Peroxidation, 1353

High Serum Level of Advanced Glycation End Products is Associated with Development of Acute Coronary Syndrome in Diabetic Patients: A Potential Role in Immunoinflammatory Reaction of Plaque Instability, 3751

High- but not low-Intensity Exercise Training Leads to a Reduction of Atherogenic Adhesion Molecules in Both Diabetic and Nondiabetic Patients With Coronary Artery Disease, 3668

Homocysteine Levels are Raised in the Metabolic Syndrome, 3839

Hyperglycemia During Cardiopulmonary Bypass is an Independent Risk Factor for Mortality in Patients Undergoing Cardiac Surgery, 2373

Hyperinsulinemia and ischemic heart disease risk in men: 13-year follow-up data of the Québec Cardiovascular Study, 3564

Impact of C-reactive Protein on the Likelihood of Peripheral Arterial Disease in US Adults with Metabolic Syndrome, Diabetes, and Pre-existing Cardiovascular Disease, 2441

Impact of Cardiovascular Risk Factors on Coronary Calcium Score in Women with an Intermediate Likelihood for Coronary Artery Disease and a Normal SPECT Myocardial Perfusion Scan: Influence of HDL, 2287

Impact of Systolic Hypertension on Cardiac Outcomes in Chronic Severe Aortic Regurgitation: Comparison with Left Ventricular Function and Size, 3280

Incidence and Risk Distribution of Heart Failure in Grown ups with Congenital Heart Disease in the Long-Term Follow-up After Cardiac Surgery, 3633

Increased Serum Levels of Nanobacteria Antibodies Are Associated With High Coronary Calcification Score, 2914

Inflammatory Genetic Factors to Predict Restenosis in Diabetic Patients after Percutaneous Coronary Intervention, 3675

Inflammatory Markers and Peripheral Vascular Disease in NHANES 1999-2000, 3740

Inflammatory Markers CD40L, IL-6, Neopterin, and CRP are Not Influenced by Homocysteine-Lowering Therapy in Patients with Coronary Artery Disease, 1491

Int
Inf
Int
Int
Int
Le
Lip
Lo
Lo
Lo
Lo
LPI
Ma
Me
M
Mic
M
Mili
L
Mo
M
Mo
v
My

E
Nat
F
Nat
3
Nov
A
C
Nov
3
Obs
Ir
F
Occ
B
Ove
F
2
Oxk
a
Pati
H
3
Patt
PD#
C
Pha
M
Pha
M
Plas
P
Fi
Pop
C
1#
Post
2#

- Influence of Adrenergic System Polymorphisms and Nongenetic Factors on Obstructive Coronary Artery Disease (CAD) in Women: Results from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE), 1685
- Influence of Metabolic Syndrome on Arterial Stiffness and Its Rate of Change with Age in Young Adults: The Bogalusa Heart Study, 3837
- Interplay between Intermediate-chain n-3, Long-chain n-3, and n-6 Polyunsaturated Fatty Acids and Risk of Coronary Heart Disease in Men, 3591
- Interrelationships of LDL Cholesterol and hsCRP in the PROVE-IT Clinical Trial Comparing Intensive Versus Moderate Lipid-Lowering Strategies Among Patients with Acute Coronary Syndromes, 2342
- Intra-Abdominal Adiposity and Risk of Sudden Death in Asymptomatic Middle-Aged Men: The Paris Prospective Study I, 3788
- Levels of hs-CRP Prior to PCI Predict Long-Term Risk and the Benefit of Clopidogrel Therapy: A CREDO Sub-Study, 1820
- Lipoprotein-Associated Phospholipase A₂, High-Sensitivity C-Reactive Protein, and Risk for Ischemic Stroke in Middle-Aged Men and Women in the Atherosclerosis Risk in Communities Study, 2979
- Localization of an NF- κ B Site on the C-reactive Protein Proximal Promoter, 1568
- Loss of Prognostic Value of Late Potentials in Post-MI Patients of the Reperfusion Era, 3092
- Low Adiponectin Levels in Patients with Familial Combined Hyperlipidemia are Independent of Obesity, 874
- Low HDL Cholesterol is Associated with a Prothrombotic State: The Framingham Heart Study, 3581
- Low-Grade Inflammation in Essential Hypertension: a Key to Distinguish Benign from Malignant Microalbuminuria?, 3550
- LPL G447 Allele Lowers the Risk of Restenosis after Percutaneous Coronary Intervention, 1520
- Masked Hypertension Is a Great Independent Risk for Target Organ Damage in Treated Hypertensive Patients, 3151
- Metabolic Syndrome, Inflammation, and Prognosis in Individuals with Known Coronary Artery Disease, 2543
- Midlife Cardiovascular Risk Factors Predict Coronary Calcium in Older Men And Women, Whereas Concurrently Measured Risk Factors Do Not: The AGES Reykjavik Study, 3711
- Mild Renal Dysfunction is a Predictor of Adverse Outcome and Resource Utilization in Patients Undergoing Coronary Surgery, 3273
- Modifiable Risk Factors for Stroke in High-Risk Patients following Acute Myocardial Infarction: Insights from the VALIANT Study, 2985
- Morphological Abnormalities of the T Wave among Genotyped Patients with the Long QT Syndrome, 2894
- Myeloperoxidase, a Novel Marker of Oxidative Stress, is Strongly Associated with Subclinical CAD Measured by Means of Positron Emission Tomography, 2917
- National Cholesterol Education Panel III Guidelines and Detection of High-Risk Young Asymptomatic Adults, 3705
- National Trends in Behavioral Risk Factors Among Black and White Adults, 3721
- Novel ELISA for Apo B-48 revealed Chylomicron Remnants (CR) are Accumulated in the Serum of Diabetic Patients, Predisposing Them to Coronary Heart Disease (CHD), 873
- Novel Risk Factors for Valvular Calcification: the Role of Inflammation, 3444
- Obstructive Sleep Apnea Syndrome is Associated with Increased Levels of Inflammatory Markers in Untreated Newly Diagnosed Essential Hypertensive Subjects, 2044
- Occurrence of Postoperative Stroke in Patients Undergoing Coronary Bypass Grafting: Statins Are Protective, 2274
- Overall and Sex-Specific Trends and Prognosis of Ischemic Stroke Following Incident Atrial Fibrillation: Data from 2 Decades (1980-2000), 2976
- Oxidized LDL as a Risk factor for Coronary Heart Disease among US Men and Women, 3582
- Patients with Metabolic Syndrome and Endothelial Dysfunction are at Higher Risk of Cardiovascular Events: the Northern Manhattan Study, 3611
- Patterns of Illness Associated with Death from Heart Failure, 3419
- PDAY Risk Score Predicts Coronary Artery Calcium in Young Adults: The CARDIA Study, 3655
- Pharmacy Costs Related to Overweight and Obesity in Healthy Middle-Aged Men, 3554
- Phase-Rectified Signal Averaging is Superior to LVEF in Prediction of Late Mortality after Acute MI, 2155
- Plasma Interleukin-6 Concentrations, Not C-Reactive Protein Levels, Predict Long-Term Risk of Ischemic Heart Disease in Men: 13-Year Follow-Up Data From the Quebec Cardiovascular Study, 3575
- Population Implications of More Aggressive Low-Density Lipoprotein Cholesterol Treatment Goals in 'High-Risk' American Adults: NHANES 1999-2000, 3701
- Postinfarction Risk Stratification Using the Angle of Ventricular Gradient, 2700
- Pravastatin Improves MACE-Free Survival in Subjects with the Metabolic Syndrome: A Substudy of the PREVENT Intervention Trial, 3551
- Predicting Mortality and Morbidity in Chronic Heart Failure Independent of Left Ventricular Systolic Function: Results from the CHARM Program, 3478
- Predicting Mortality In Survivors Of Acute Coronary Syndrome Using The 4 Drug (4 D) Score: Risk Stratification By Discharge Medication, 2345
- Predictors of Bleeding Associated with Clinical Strategies that Include Glycoprotein IIb/IIIa Inhibitors in Acute Coronary Syndrome, 2000-2003: National Registry of Myocardial Infarction 4, 2670
- Predictors of Cardiovascular Events in Patients with Type II Diabetic Nephropathy and Hypertension, 3679
- Predictors of Left Ventricular Dilatation in Young Adults. The Bogalusa Heart Study Subjects, 2097
- Preimplantation B-Type Natriuretic Peptide is an Independent Predictor of Future Implantable Cardioverter-Defibrillator Shock, 3253
- Preoperative Clinical Presentation Is The Main Predictor Of In-Hospital Death For Surgical Patients With Acute Type A Aortic Dissection, 2750
- Prevalence of Congestive Heart Failure among Persons with Reduced Kidney Function in the United States: The Third National Health and Nutrition Examination Survey (NHANES III), 3723
- Psychological Profile of Patients Entering Cardiac Rehabilitation, 3830
- Racial and Gender Differences in the Management of Acute Ischemic Stroke: The North Carolina Collaborative Stroke Registry, 3521
- Rarity of High CRP in the Absence of CHD Risk Factors: Evidence against Widespread CRP Screening, 3759
- Relations of Serum Aldosterone to Measures of Endothelial Function in the Community: The Framingham Heart Study, 3659
- Risk Assessed by Framingham and Myocardial Perfusion Measured by MRI Selects Patients for Coronary Artery Angiography: The NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study, 2536
- Risk Assessment and Risk Reduction by Perindopril in Patients with Stable Coronary Artery Disease, 2540
- Risk Factor Associations for the Presence of a Lipid Core in Carotid Atheroma of Asymptomatic Individuals using High-Resolution Magnetic Resonance Imaging, 3684
- Risk Factors for peripheral Arterial Disease Incidence in Persons with Diabetes: the Atherosclerosis Risk in Communities Study, 3610
- Risk of Coronary Heart Disease Associated with Subclinical Disease Among Older Black and White Men and Women in the Cardiovascular Health Study, 3693
- Risk of First Congestive Heart Failure Following Incident Atrial Fibrillation and Trends over 2 Decades (1980-2000), 2239
- Risk Stratification of MADIT-II Patients for Predicting Mortality and ICD Benefit, 2361
- ROG1 and TAS2R50 are Associated with Myocardial Infarction: Novel Genetic Associations in Three Sample Sets, 3797
- Sibling Cardiovascular Disease as a Risk Factor for Cardiovascular Disease in Middle-aged Adults: The Framingham Offspring Study, 3527
- Social Support Measures in Assessing CVD Risk Factors: The Minnesota Heart Survey, 3524
- Social-Environmental and Behavioral Factors Independently Contribute to 10-Year Absolute Risk for Coronary Disease on the Framingham Index, 3647
- Spouse Concordance of Metabolic Syndrome in 4140 Korean Couples: Result from a Nationwide Survey, 3523
- SR-B1 Novel SNPs and Haplotypes Are Associated With Response of Coronary Atherosclerosis to Treatment With Fluvastatin in The Lipoprotein Coronary Atherosclerosis Study Population, 2008
- Statins, Angiotensin Receptor Blockers, and Steroid Weaning are Associated with Mortality Reduction Among Heart Transplant Recipients, 3289
- Successful Conversion of 33,318 Patients with Hypercholesterolemia from a Brand-Name to a Generic Cholesterol-Lowering Drug, 3781
- Systemic Inflammation Links Impaired Glucose Metabolism to Cardiac Allograft Vasculopathy Development, 3480
- Targeting C - reactive protein: A Novel Model for Studying Its Synthesis and a Novel Key Pathway of Its Transcriptional Regulation in Human Hepatocytes, 1206
- Telomere Length Predicts Premature Senescence of the Vascular Endothelium in Patients with Risk Factors for Cardiovascular Diseases, 368
- The Adaptive Immune System and Long-Term Outcome in Patients with Stable Coronary Artery Disease: Predictive Value of Routine Laboratory Measurements, 3257
- The Combination of Increased Short-Term Fractal Scaling Exponent and Decreased High-Frequency Power Provides a Powerful Independent Predictor of Mortality in the Elderly, 2154
- The Long-Term Impact of Social Deprivation on Heart Failure: A Population-Based Study, 3525
- The Prognostic Impact of the Metabolic Syndrome in Patients with Acute Myocardial Infarction, 3565
- The Prognostic Value of Exercise Capacity in Women: Nomogram for the Female Population, 2610

Tumor Necrosis Factor α G(-244)A(-238) Haplotype is Associated with Lower Risk of Restenosis after Percutaneous Coronary Intervention, 449
Using Computer Technology to Improve Secondary Risk Reduction in Patients with Diabetes, 3638

Vascular Endothelial Growth Factor Receptor-2 Gene Haplotype (TTT, -604/+1192/+1719) was Associated with Hemorrhagic Stroke: A Multicenter Case-control Study, 2282

Vascular Progenitor Cells in 500 Patients with Coronary Artery Disease: Results of the Endothelial Progenitor Cells in Coronary Artery Disease (EPCAD) Study, 2379

Vegetarians Are More Vulnerable to Developing Atherosclerosis That Is Remediable by Vitamin B₁₂ Supplementation, 3765

What Do Cardiac Patients Know About Heart Attack Symptoms?, 3076

Women Are at Higher Risk Than Men for Atrial Fibrillation-Related Thromboembolism: The Anticoagulation and Risk Factors in Atrial Fibrillation (ATRIA) Study, 3519

Women With a Framingham Risk Score <10 and a Family History of Premature CHD Have a High Prevalence of Subclinical Coronary Atherosclerosis, 3656

Sexual dysfunction

Sexual Problems in Heart Failure Patients, 3421

Shock, cardiogenic

Causes of Death in Cardiogenic Shock - A Report from the SHOCK Trial, 1940

Cool-Shock I Study: Mild Hypothermia as positive Intervention in Cardiogenic Shock, 1639

Effect of Nitric Oxide Synthase Inhibition on Hemodynamics and Outcome of Patients with Acute Myocardial Infarction Complicated By Cardiogenic Shock: A Phase 2 Dose-Ranging Study, 1949

High Rates of Persistent Cardiogenic Shock Post-PCI Despite Reestablishing Patency of the Infarct-Related Artery: A Report from the SHOCK-2 Study Group, 2115

Left Ventricular Assist Device Implantation Following Acute Anterior Wall Myocardial Infarction and Cardiogenic Shock: A Two-Center Study, 2932

Left Ventricular Thrombus Formation in Patients with Acute Myocardial Infarction Complicated by Cardiogenic Shock: Incidence, Predictors, and 1-Year Outcome, 3297

Levosimendan In Advanced Cardiogenic Shock Improved Survival Compared With enoximone, 2253

Revascularization Outcomes in Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction: Observations from the National Registry of Myocardial Infarction, 1939

Reversal of Pulseless Electrical Activity in Canines with Coupled/ Paired Pacing, 1629

Underutilization of Revascularization in Early Cardiogenic Shock among NSTEMI Patients: Observations from the CRUSADE Initiative, 1938

Signal averaging

Conduction Defect to the Left Atrium is a Normal Variant but Facilitates Manifestation of Atrial Fibrillation in the Presence of Focal Triggers, 2695

Increased Risk of Postoperative Atrial Fibrillation Associated with Minimally Invasive Direct Coronary Artery Bypass Surgery, 3239

Loss of Prognostic Value of Late Potentials in Post-MI Patients of the Reperfusion Era, 3092

Portable Type Signal-Averaged Electrocardiography With Dipyridamole To Detect Patients With Coronary Artery Disease -Retrospective and Prospective Studies-, 1684

Surface recognition of His-Purkinje activity by one-beat analysis wavelet transform system., 2156

Signal transduction

β -Adrenergic Receptor (β -AR) Subtypes Have Opposing Effects On Survival And Cardiac Function in MLP Cardiomyopathy, 939

α -Adrenergic Receptor-Stimulated Hypertrophy in Adult Rat Cardiac Myocytes is Mediated Through Thioredoxin-1-Sensitive Oxidative Modification of Thiols on Ras, 898

β -3 Adrenergic Signaling is Impaired in the ob/ob Mouse Model of Obesity, 962

β -Adrenergic Receptor Signaling is Modulated by Cofilin, a Regulator of Cytoskeletal Dynamics, 1222

EGF Receptor Blockade Improves Survival in Rats with Fatal Pulmonary Hypertension, 629

Suppressive Mechanism of a Novel Disintegrin (Saxatillin) in Vascular Smooth Muscle Cell Proliferation, 1478

3-Iodothyronamine is a Novel Endogenous Modulator of Cardiac Inotropic State, 1234

A MAP4K4-TRF2 Cycle Amplifies Apoptotic Signals in Mouse Myocardium, 3

A Novel Calcium-Independent Pathway Mediates α_1 -Adrenergic Receptor-Stimulated Hypertrophy in Adult Rat Cardiac Myocytes, 432

A Role for Wnt Signaling in Vascular Development: Expansion of Vascular Progenitors, 147

Ablation of MEKK1 Suppresses Vascular Remodeling by Attenuation of Both Smooth Muscle Cell Invasion and uPA Expression in Blood Flow Cessation Model of Mice, 1505

Ac-SDKP Mediates the Antifibrotic Effect of Angiotensin-Converting Enzyme Inhibitor in Hypertension, 479

Activated E-Protein Kinase C Accelerates the Transition from Compensatory Left Ventricular Hypertrophy to Heart Failure in Hypertensive Rats, 2778

Activation of AMP-Activated Protein Kinase Inhibits Cardiac Myocyte Hypertrophy Induced by Akt, 918

Activation of Small G-protein RhoA Is Essential for Branching Morphogenesis in Endothelial Cell through Rho-kinase Independent Pathway, 1232

Activation of the δ -opioid Receptor Induces Phosphorylation of Ser368 in Connexin-43 by PKC- ϵ in the Myocardium and Enhances Its Tolerance against Infarction, 649

Adiponectin-Mediated Modulation of Hypertrophic Signals in the Heart, 739

Adverse Remodeling and Impaired Calcineurin/NFAT Signaling after Myocardial Infarction in Heterozygous MLP Mutant Mice, 1095

Akt-Mediated Rac1 Phosphorylation Opposes β -Adrenergic Receptor-Stimulated Apoptosis in Adult Rat Ventricular Myocytes, 15
Akt1 Promotes Physiologic, but Antagonizes Pathologic, Cardiac Growth, 735

An E-PKC Activator Reduces Ventricular Fibrillation, and a Δ -PKC Inhibitor Prevents Stunning in a Porcine Model of Acute Myocardial Infarction, 128

Analysis of a Ca Channel β -Subunit, AID, and Rem GTPase Regulatory Complex, 285

Ang II Activates the Smad Signaling Pathway: Potential Role in Vascular Fibrosis, 410

Angiotensin Converting Enzyme Inhibitors Enhance COX-2 Expression and Prostacyclin Production in Endothelial Cells via ACE-Dependent Outside-in Signalling, 885

Apolipoprotein A-I And Serum Amyloid A Are Reciprocally Regulated By Inflammation: Potential Role In Formation Of Proatherogenic HDL, 168
Apoptosis Signal-regulating Kinase 1 Plays a Critical Role in Ischemia-induced Angiogenesis, 531

ARF6 Regulates VEGF Receptor (KDR/Fik1) Trafficking Through Caveolae/Lipid Rafts: Role in Endothelial Migration, 1072

Atorvastatin attenuates myocardial ischemia/reperfusion injury through the phosphatidylinositol 3-kinase/Akt-dependent pathway, 1441

Big Mitogen-Activated Protein (MAP) Kinase 1 (BMK1) is a Novel Regulator of Hypoxia-Inducible Factor 1 α , 1462

Biphasic Regulation of Thioredoxin by Reactive Oxygen Species (ROS): Important Role for Cathepsin D in Endothelial Cell Apoptosis, 882

Blockage of the ERK Signaling Pathway Abrogates the SCAP Ligand-Induced Transcriptional Activation of the LDL Receptor Gene in Human Liver Cells, 1000

C-Jun N-terminal Kinase (JNK) Promotes Apoptosis at Reperfusion under Energy-limiting Conditions by Phosphorylating IRS-1 and Blocking Insulin Signaling to Akt/PKB, 268

Ca²⁺/calmodulin-Dependent Protein Kinase II Activates ASK1 and NF- κ B to Induce Cardiomyocyte Hypertrophy, 755

Calcitonin Gene-Related Peptide Prevents Vascular Smooth Muscle Cell Apoptosis via a Novel Mechanism Involving the Insulin-Like Growth Factor 1 Receptor/Phosphatidylinositol 3-Kinase/Akt Signaling Pathway, 1216

Cardiac Hypertrophy Induced by PPAR- γ Agonist Treatment Occurs Independently of Changes in Myocardial Insulin Signaling, 1541

Cardiac-Specific Deletion of the β 1-Integrin Gene in the Adult Murine Heart Results in Disruption of Multiple Growth Response Pathways, 736

Cardioprotection By The Novel Delta Opioid FIT Persists For 5 Days After Administration And Occurs Via Phosphatidylinositol-3 Kinase (PI3k), 512

Cardioprotective Scaffold Protein Cypher: Role to Mediate Mitochondrial Protein Interactions, 980

Caveolin-1 Deficiency Stimulates Neointima Formation During Vascular Injury, 403

Caveolin-1 is Required for AT₁ Receptor Trafficking into Caveolae/lipid Rafts Coupled to Redox Signaling in Vascular Smooth Muscle Cells, 420

Caveolin-1 Knockdown Activates the Rac/PI3-kinase/Akt Pathway in Endothelial Cells, 886

CD4 T Cells from Patients with Acute Coronary Syndromes Form Stable Immunological Synapses with Vascular Smooth Muscle Cells and Induce Cell Death, 1187

Cellular Mechanisms of D-myo-Inositol Trisphosphate-Induced Cardioprotection: Similarities and Differences with Ischemic Preconditioning, 309

Cellular Trafficking of "Clock" Proteins in Heart: A Mechanism of Environmental Responsiveness, 456

Chronic Moderate Hypoxia Induces Macrophage Activation Via the Akt and β -catenin Pathways, 1316

Chylomicron Remnants Upregulate CD40 Expression via ERK Signaling Pathway and Redox-Sensitive Mechanism in THP-1 Cells, 554

- Critical Role of p67phox in α_1 -Adrenergic Receptor-Stimulated Hypertrophic Signaling in Adult Cardiac Myocytes, 744
- Delayed Ischemic Preconditioning Activates AKT Signaling Pathway, Phosphorylates Bad, and Protects the Heart Against Ischemia-reperfusion Injury, 647
- Diacylglycerol Kinase ζ Inhibits Endothelin-1-induced Cardiomyocyte Hypertrophy, 743
- Direct Activation of PKC- ϵ or Mitochondrial K_{ATP} Channels Mimics Ischemic Preconditioning in the Ovariectomized Rat Heart, 645
- Dissection of β -adrenoceptor Pathways of Ryanodine Receptor (RyR2) Phosphorylation in the Intact Rat Heart, 619
- Distinctive Transcriptional Cascades of Notch Receptor Signaling in Vascular Smooth Muscle Cells (VSMC): Implications for Differential Growth Regulation by Notch1 vs Notch 2, 1383
- Doxorubicin-induced Degradation of Transcription Factor GATA4 Is Mediated by the Ubiquitin-Proteasome System, 637
- Dual Mechanisms of AMP-activated Protein Kinase Regulation in the Ischemic Heart, 1549
- Dynamic S-nitrosylation of Endothelial Nitric Oxide Synthase: Identification of a Novel Intracellular Pathway for Receptor-Modulated Regulation of NO Synthase, 575
- Dysregulation of A Novel Hyperplasia Suppressor Gene Triggers Vascular Proliferative Disorders, 1516
- Endocardial EMT and Maturation of the Atrioventricular Cushions Require Expression of GATA4 in Endocardial-Derived Cells, 273
- ERK Dual Phosphorylation is Negatively Regulated by Ischemic p38MAPK Activation in Adult Rabbit Cardiomyocytes, 133
- ERK MAPK Regulation of Cardiac Retinoid X Receptor Is Involved in Impaired Fatty Acid β -Oxidation During Hypertrophic Growth, 946
- Erythropoietin Increases Endothelial Progenitor Cell Proliferation and Adhesiveness in an Akt-dependent Manner, 1200
- Estradiol-induced eNOS Activation Requires AMP-Activated Protein Kinase, 382
- Evidence for a Paxillin Specialized Function in Flow Directional Remodeling of Human Endothelial Cells, 1178
- Extracellular ATP Antagonizes Thrombin-induced Hyperpermeability by Activation of Myosin Light Chain Phosphatase, 1010
- Fasudil, a Rho-Kinase Inhibitor, Attenuates Glomerulosclerosis in Malignant Hypertensive Rats Partly via Inhibition of Oxidative Stress, 290
- FKHRL1, a Forkhead Transcription Factor Induces Endothelial Cell Apoptosis through Activation of c-Jun N-Terminal Kinase and Suppression of NF- κ B, 206
- Forkhead Transcription Factors: Novel Transcriptional Repressors of eNOS to Block Endothelial Migration and Angiogenesis, 830
- FOXO1 Transcription Factor Suppression in Cardiac Hypertrophy, 1084
- Functionally Opposing Roles of Extracellular Signal-Regulated Kinase and p38 Mitogen-Activated Protein Kinase in the Regulation of Cardiac Contractility, 508
- G α_{13} Regulates NFAT Activity through ROS Production in Cardiac Fibroblasts, 1229
- Gene Expression Analysis of Human Coronary Atherosclerotic Plaques: Dysregulation of NF- κ B in the Vulnerable Phase, 592
- Genetic Ablation of Phospholipase C-Epsilon Resulted in Defective Cardiac Semilunar Valve Formation, 440
- Ghrelin Improves Endothelial Function of Acute Ischemic Renal Failure via Insulin-Like Growth Factor-1 Signaling Pathway, 1109
- Gq-Mediated Signaling is a Critical Component in Certain Models of Hypertension, 1227
- Guanylate Cyclase Activation by Nitric Oxide is Modulated Through Oxidation of Vicinal Thiols, 1195
- H₂O₂ Activates Nox4 Through Phospholipase A₂-Dependent Arachidonic Acid Production in Adult Cardiac Fibroblasts, 421
- H11 has Dose-Dependent and Dual Hypertrophic and Pro-apoptotic Functions in Cardiac Myocytes, 1373
- Heat-Shock Protein 90 Inhibition Attenuates Endothelial Nitric Oxide Synthase Phosphorylation and Function by Depleting 3-Phosphoinositide-dependent Kinase 1, 580
- Heparan Sulfate Proteoglycan Glypican-3 Activates the Platelet Integrin α IIb β 3, 889
- High Glucose and Minimally Oxidized LDL Upregulate Osteopontin Expression through Distinct Pathways in Vascular Smooth Muscle Cells, 1028
- Histone Deacetylase Inhibition Blunts Pathological Cardiac Hypertrophy, 105
- Homer Proteins Influence Muscle Remodeling Through the Calcineurin Signaling Pathway, 1372
- Hypoxia-Induced BMPR Reduction is Associated with Different Changes in BMPR Signal Transducers in Pulmonary Artery Endothelial Cells, 1471
- Identification of a Motif for the Export of G Protein-coupled Receptors from the Endoplasmic Reticulum, 1221
- Identification of Activator Of G-Protein Signaling 8 (AGS8) Using A Functional Genomics Screen For Postreceptor Signal Regulators In A Rat Heart Model Of Repetitive Ischemia And Coronary Collateral Growth, 1230
- Identification of Aldose Reductase as an Obligatory Mediator of TNF- α Signaling in Endothelial Cells, 1060
- Identification of Apolipoprotein E Receptor 2^{*} as the Low-Density Lipoprotein Receptor on Platelets, 1577
- Identification of Calcium Modulating Cyclophilin Ligand (CAML) as an Important Transducer for AT-1 Receptor Signaling, 1369
- Identification of the Signal Transduction Pathways by Which the β -PDGF Receptor Induces Vascular Smooth Muscle Cell Proliferation and Migration, 412
- Impact of Short-term and Long-term Activation of Akt on Myocardial Glucose Utilization, 1333
- Impaired Focal Adhesion Signaling Early in the Course of Volume Overload-Induced Cardiac Hypertrophy after Mitral Regurgitation in the Dog: Effect of β_1 -adrenergic receptor blockade, 100
- Impairment of Endothelial Progenitor Cells: A Critical Role of p38 MAP Kinase, 716
- In Vivo Calmodulin Kinase II Inhibition Protects against Isoproterenol-Induced Cardiomyopathy, 301
- In Vivo Loss of RhoA Expression by siRNA-Mediated Gene Silencing Induces Pulmonary Hypertension in Rat, 77
- Increased cAMP Phosphodiesterase Expression in Human Pulmonary Artery Smooth Muscle Cells from Patients with Primary Pulmonary Hypertension, 1771
- Infarct Size Reduction with D-myo-Inositol Trisphosphate: Novel Evidence for a Functional Association between Gap Junctions and Inositol Trisphosphate Receptors, 1428
- Inhibiting Ribosomal S6 Kinase (RSK) Prevents Na⁺/H⁺ Exchanger Isoform 1 (NHE1)-mediated Cardiac Ischemia-reperfusion (I/R) Injury, 312
- Inhibition of Apoptosis by PR39 Improves Myocardial Ischemia Injury, 199
- Inhibition of c-Jun N-terminal Kinase Prevents Development of Abdominal Aortic Aneurysm in a Murine Model, 567
- Inhibition of ErbB2 Causes Mitochondrial Dysfunction and Impaired Growth Response in Cardiomyocytes through Altered Bcl-xS/Bcl-xL Signaling: Implications for Herceptin-Induced Cardiomyopathy, 29
- Inhibition of p38 MAP Kinase Executes Cardiovascular Protection in Experimental Diabetic Cardiopathy, 3641
- Inhibition of p38 α MAPK Induces Gender Specific Pressure Overload Cardiac Hypertrophy, Potentially by Upregulating Akt Kinase, 1081
- InsP₃ Receptors in Ventricular Myocytes are Primarily in the Nuclear Envelope, Associate with CaMKII δ , and are Phosphorylation Targets, 760
- Insulin Signaling in Vascular Endothelium: A Key Role for Heterotrimeric G Proteins Revealed by siRNA-mediated G β 1 Subunit Knockdown, 1231
- Insulin-like Growth Factor-1 Mediates Stretch-induced Upregulation of Myostatin Expression via p38 MAP kinase and MEF2 Pathway in Cultured Rat Neonatal Cardiomyocytes, 38
- Integrin-Linked Kinase Induces The Upregulation Of A Novel Gene That Is Involved In Cardiac Myocyte Survival, 915
- Interleukin-18 Induces CXCL16 Expression In Aortic Smooth Muscle Cells Via A Novel Signal Transduction Pathway Involving IRAK1-IRAK4-TRAF6/c-Src/PI3 kinase/Akt/JNK/AP-1, 249
- Involvement of COX-2 in VEGF-induced Angiogenesis via P38 and JNK Pathway in Endothelial Cells, 1071
- Key Role of NADPH in Shear Stress-Induced Vascular Remodeling, 1022
- Knockout of the α_2 AMP-Activated Protein Kinase Isoform Decreases the Metabolic Response of the Heart to Ischemia, 112
- L-type Voltage-Gated Ca²⁺ Channels Modulate Expression of Smooth Muscle Differentiation Marker Genes via a Rho Kinase/Mycardin/SRF-Dependent Mechanism, 1249
- Lack of JunD Reduces Ischemic Injury and Prevents Cardiac Rupture following Myocardial Infarction, 1276
- Late Preconditioning Inhibits Cardiac Apoptosis via Upregulation of Antiapoptotic Proteins, 646
- Leptin Induces Elongation of Cardiac Myocytes through the Activation of JAK2/STAT3 Cascade, 3597
- Long-term Inhibition of RhoA Enhances Endothelial NO Production and Reduces Vascular Tone in an Intact Artery, 731
- Losartan Stimulates Phosphorylation Of Akt And Endothelial Nitric Oxide Synthase In Endothelial Cells Independently Of Angiotensin Type 1 Receptor Blockade, 1224
- Loss of AKT-mediated Protection Against Endothelial Apoptosis by Reduced Wall Compliance, 879
- Loss of sFRP-1 Expression Leads to the Development of Adult-Onset Dilated Cardiomyopathy, 636
- Magnitude-Dependent Regulation of Lung Endothelial Barrier by Cyclic Stretch: Role of Rho and Rac, 76
- MAP Kinase Phosphatase-2 (MKP-2) Gene Expression is Mediated Via the PKC/ERK Signaling Cascade in Cardiac Hypertrophy, 1258
- Mechanical Stress Activates Angiotensin II Type 1 Receptor Independent of Angiotensin II, 917
- Mechanism for IL-1 β -Mediated Neovascularization Unmasked by IL-1 β Knockout Mice, 406
- Mitochondrial Dok-4 Recruits Src Kinase and Regulates Mitochondria (Mito)-Derived Reactive Oxygen Species (ROS) and Subsequent NF- κ B

- Activation in Endothelial Cells, 422
- Mixed-Lineage Kinase 1-3 Signaling Pathway Regulates Cardiac Hypertrophic Response via GATA-4 and AP-1 Transcription Factors, 1903
- Moderate Ethanol Consumption Improves Mitochondrial Function and Cardiac Energetics during Oxidative Stress: Roles of PKC ϵ and Akt, 969
- Morphine Mobilizes Intracellular Zn²⁺ via the NO/cGMP/PKG Signal Pathway in Cardiomyocytes, 233
- Muscle Ring Finger Protein, MURF1, Inhibits Cardiac Muscle Hypertrophy Through PKC Mediated Signaling Pathway, 763
- Myocardial Ischemia-Reperfusion and Inflammation: Nuclear Factor- κ B is Required for Cardiomyocyte Survival, 2646
- Myocardial Salvage through a Novel Peptidic c-Jun NH₂-Terminal Kinase Inhibition, 1437
- NADPH Oxidase-dependent Acute TNF α Signaling and MAPK Activation in Endothelial Cells: The Role of p47^{phox} and TRAF4, 752
- Nitric Oxide Attenuates Aortic Smooth Muscle Cell Motility via Decrease of Small GTPase Rac1 Activity: Role of PTP-PEST and p130cas, 419
- Nitric Oxide Modulates the Inflammatory Response to Extracorporeal Circulation of Blood through Activation of NF κ B, 1709
- NO Induces Intracellular Zn²⁺ Release via cGMP/PKG Signal Pathway and Zn²⁺ Prevents Mitochondrial Oxidant Damage in Cardiomyocytes, 1356
- Notch1 Signaling Regulates Cardiac Differentiation, Morphogenesis, and Remodeling, 1087
- Novel Mechanism of the Translocation of RhoA and Rho-kinase into Nucleus is Important for Interleukin (IL)-18-Induced Gene Expression and Apoptosis in Cardiac Myocytes, 606
- Novel Role of ARF6 in Caveole- and Reactive Oxygen Species-dependent AT₁ Receptor Signaling in Vascular Smooth Muscle Cells, 404
- Nuclear Factor- κ B is a Target of Peroxisome Proliferator-activated Receptor γ Ligands in their Suppressive Effects on Shear Stress-induced Gene Expression and Release of Novel Vasoconstrictor Coupling Factor 6, 1174
- Obligatory Role of STAT3 in Ischemic PC-Induced Upregulation of Antiapoptotic Proteins: Insight from a Novel Inducible Cardiac-specific STAT3 Knockout, 985
- Opposite Roles of c-Src Tyrosine Kinase on Myocardial Ischemia/Reperfusion Injury and in the Development of Ischemic Preconditioning, 648
- p38 MAP Kinase Mediates Progressive Right Ventricular Force Decline after Acute Stretch, 1285
- PDE5A Inhibition Attenuates Cardiac Hypertrophy and Hypertrophy Signaling Cascades In Vivo, 298
- PDGF Regulates p27^{kip1} in Vascular Smooth Muscle Cells through a Posttranscriptional Mechanism Mediated by MAP Kinase, 149
- Persistent Activation of Calcium-Dependent Signaling Causes Hyperphosphorylation of Phospholamban and Adrenergic Hyporesponsiveness in Pressure-Overload Hypertrophy, 1267
- Phosphodiesterase-5 Inhibitor, Sildenafil, Preconditions Adult Cardiac Myocytes against Necrosis and Apoptosis: Essential Role of NO Signaling, 641
- Phosphorylation and Depolymerization of the Intermediate Filament Protein Vimentin is Regulated by p21-protein Kinase During Stimulation of Smooth Muscle, 1026
- Phosphorylation-Dependent Regulation of L-Type Calcium Currents is Impaired During Human Chronic Atrial Fibrillation, 611
- PKC β Modulates Ischemia Reperfusion Injury in the Heart, 517
- Platelet Activation by Oxidized Low-Density Lipoprotein is Mediated by CD36 and Scavenger Receptor-A, 1576
- Platelet-derived Growth Factor Activates Tissue Factor expression in Vascular Smooth Muscle Cells by an Egr-1-dependent Signaling Pathway, 548
- PPAR- α Regulatory Pathway is Activated in Patients with Severe Idiopathic Dilated Cardiomyopathy, 109
- PPAR γ Ligands Inhibit Rho/Rho Kinase Pathway by Inducing Protein Phosphatase, SHP-2, and Inactivating Rho Guanidine Nucleotide Exchang Factor, Vav, 434
- Profilin is Expressed in Human Atherosclerotic Plaques and Induces Proliferation and Migration of Vascular Smooth Muscle Cells, 305
- Prolactin Confers Cardioprotective Effects Postpartum via the JAK2-STAT3 Signaling Pathway, 30
- Proteasome Inhibition Reduces Endothelial Nitric Oxide Synthase Function through Serine 1179 Dephosphorylation, 577
- Protection of Cardiac Myocytes from Ischemia/Reperfusion Injury via cGMP-Dependent Protein Kinase Inhibition of p38 MAP-Kinase Activation, 127
- Protein Kinase Activity of Phosphoinositide 3-Kinase Regulates β_2 AR Endocytosis, 2
- Proteomic and Metabolomic Analysis Reveals a Crucial Role of PKC- δ in Cardiac Metabolisms and Cardioprotection, 514
- Pulmonary Artery Smooth Muscle Cells Deficient in Type II Bone Morphogenetic Protein Receptor Exhibit Gain of Function in Response to Bone Morphogenetic Protein 7, 623
- Rac-Dependent Activation of the Serum- and Glucocorticoid-Regulated Kinase Sgk1 Promotes a Thrombogenic Cycle in Pulmonary Artery Smooth Muscle Cells Involving Nuclear Factor- κ B, 835
- Raf/MEK/ERK Pathway as a Mechanism for Increased Longevity in Type 8 Adenylyl Cyclase Knockout Mice, 1384
- Ras Mediates Angiotensin II-dependent Increase in Nitric Oxide Synthase Expression in Pulmonary Endothelium, 730
- Redox Factor 1 Alters Redox Balance and Vascular Response to Injury, 1354
- Regulation of Cardiac KChIP2 Expression by Hypertrophy-Inducing Stimuli, 400
- Regulation Of Inflammatory Responses And Matrix-Degrading Activities By p38 MAPK In Advanced Human Atherosclerotic Plaque, 1158
- Regulation of the Platelet-Derived Growth Factor Receptor- β by G Protein-Coupled Receptor Kinases in Smooth Muscle Cells and Fibroblasts: Evidence for Kinase Specificity, 1218
- Resistin Promotes Smooth Muscle Cell Proliferation Through Activation of Extracellular Signal-Regulated Kinase And Phosphatidylinositol 3-Kinase Pathways, 892
- RGS3 Redirects the G-coupled M₂ Muscarinic Receptor via G $\beta\gamma$ -dimers from Rac1 to RhoA Activation, 913
- Rho-GTPase Activating Protein 6 a Regulator of HERG Channel, 284
- Rho-kinase Mediates High Glucose-induced Plasminogen Activator Inhibitor-1 (PAI-1) Expression in Vascular Endothelial Cells, 1496
- Role of Epidermal Growth Factor Receptor Transactivation in Focal Adhesion Kinase Downregulation During Neutrophil Cathepsin G-Induced Myocyte Anoikis, 979
- Role of Focal Adhesion Kinase in Flow-induced Dilation of Coronary Arterioles, 9
- Role of IQGAP1 in Rac1 and Reactive Oxygen Species-dependent VEGF Signaling Linked to Angiogenesis, 1245
- Role of p190RhoGAP in Transforming Growth Factor- β (TGF β) Signaling That Involves Differential Activation of Activin Receptor-like Kinases 2 and 5, 448
- Serine 188 Phosphorylation of RhoA Inhibits its Ubiquitin-Mediated Proteasomal Degradation, 1233
- Serotonin Induction of S100A4/Mts1 Expression in Human Pulmonary Artery Smooth Muscle Cells is Dependent on both the Serotonin Transporter and Receptor, 80
- Serotonin Receptor Inhibition Protects from Pulmonary Hypertension Induced by RhoA Inactivation, 627
- Short-Term Therapy with Nonexcitatory Cardiac Contractility Modulation Electric Signals Increases Phosphorylation of Phospholamban in Left Ventricular Myocardium of Dogs With Chronic Heart Failure, 2808
- Significant Alterations in Heparan Sulfate Biosynthesis in Response to Vascular Injury, 1077
- Silencing HSF-1 Shifts Bax/Bcl-2 Balance, Opens Mitochondrial Pores, and Promotes Formation of Apoptosome, 269
- Simvastatin Modulates Angiotensin II Signaling Pathway by Preventing Rac1-Mediated Upregulation of p27, 1117
- Sir2, a Longevity Factor, Protects Cardiac Myocytes from Serum Starvation and Hydrogen Peroxide-Induced Apoptosis, 263
- Skeletal Muscle Loss in Rats with Myocardial Infarction is Characterized by Reduced IGF-1 Expression and Activation of the Ubiquitin-Proteasome Pathway, 308
- SMAC Deletion Protects Against Ischemia-Reperfusion-Induced Apoptosis, 196
- Smad1 Inhibits Human Pulmonary Artery Smooth Muscle Cell Proliferation, 1323
- Smad1 Protects Cardiomyocytes from Ischemia-Reperfusion Injury, 807
- Sphingosine 1 Phosphate (S1P) Transactivates the CXCR4 Receptor and Stimulates Functional Capacity of Endothelial Progenitor Cells (EPC), 1679
- Src And PI3-Kinase Play A Role In Flow-Induced Dilation Of Coronary Arterioles, 343
- Stretch Induces Connective Tissue Growth Factor Expression via EGF-Receptor-Coupled β 1 Integrin, 1368
- SUMOylated RAGE, Signal Transduction and Accelerated Diabetic Atherosclerosis, 414
- Targeted Expression of a Dominant-negative EGFR in the Heart Elicits an Essential Role of ErbB Signaling in Normal Cardiac Function, 741
- TGF β -Induced Apoptosis via AP-1/SMAD Signaling in Adult Cardiac Myocytes, 266
- The Activated α -Subunit of Heterotrimeric G α Protein Regulates RGS2 Protein Expression by Slowing its Degradation, 1228
- The Akt-FOXO Signaling Axis Controls Heart Size by Regulating Expression of the Ubiquitin Ligase Atrogin, 207
- The Angiotensin Converting Enzyme (ACE) is Functionally Associated with the Endothelial Cell Cytoskeleton: Influence of AC Inhibitors on Nonmuscle Myosin Phosphorylation, 884
- The Cardioprotection Afforded By Inducible Nitric Oxide Synthase (iNOS) Gene Therapy is Mediated By COX-2 Via an NF- κ B-dependent Pathway, 132
- The Cysteine Protease Calpain Prevents Apoptosis of Vascular Smooth Muscle Cells In Vitro and After Balloon Angioplasty In Vivo, 388

- The Epsilon Protein Kinase C Isozyme Modulates Cytochrome C Oxidase (CO) Activity Via Interactions With The COIV Subunit in Cardiac Preconditioning, 650
- The ER-To-Golgi Traffic Controls Angiotensin II Type 1 Receptor Function And Cardiomyocyte Growth, 737
- The Fat1 Protocadherin Inhibits Wnt Signaling and Growth and Migration in Vascular Smooth Muscle Cells, 391
- The GSK3 β / β -catenin Axis Promotes Angiogenesis through Autocrine Activation of VEGF Signaling in Endothelial Cells, 1073
- The HRT family of bHLH Transcription Factors Inhibits GATA-dependent Cardiac Gene Expression by a Signal-responsive Mechanism, 1381
- The JAK/STAT Signaling Pathway Is Essential For Opioid-Induced Cardioprotection (OIC): Role of JAK2 As A Mediator of STAT3 and The Phosphatidylinositol-3 Kinase (PI3k) Pathway, 313
- The Liver X Receptor - α is Phosphorylated at Ser207, 1006
- The MEKK3-MEK5-BMK1 Signaling Pathway Regulates Calcineurin Activity by Phosphorylation of MCIP1, 742
- The N-Terminal Domain of Friend-of-GATA-2 Interacts with Several Corepressors in Embryonic Heart Development, 1377
- The Peptidyl Prolyl Cis-trans Isomerase Pin1 Binds Modulatory Calcineurin-interacting Proteins (MCIPs), 1375
- The Platelet-Derived Growth Factor Receptor β -Tyrosine Phosphorylates G Protein-Coupled Receptor Kinase-2: A Mechanism for Feedback Inhibition, 888
- The PPAR γ -Activating ARB Irbesartan Stimulates Expression of the Insulin-Signaling Protein CAP and Enhances Insulin-Induced Glucose Uptake, 3850
- The Prominent α -Adrenergic Inotropic Effect in Human Atria Depends on Myosin Light Chain Phosphorylation, 1286
- The Protective Effect of the β -Adrenergic Receptor is Through PKA-Mediated Switching of Coupling of the Receptor from Gs to Gi, 1442
- The Sarcolemmal Calcium Pump Regulates *In Vivo* Contractile Function in the Heart, 615
- The SDF-1 Chemokine and its Receptor CXCR-4 are Involved in Trafficking of Mesenchymal Stem Cells to Regions of Ischemic Injury, 1205
- The Src-Dependent Phosphorylation of PECAM-1 Mediates the Activation of eNOS in Endothelial Cells in Response to Fluid Shear Stress, 1172
- The Thrombin Receptor Thrombomodulin Activates the Endothelial NO Synthase through a Src-Dependent Signaling Pathway, 887
- The Transcriptional Repressor NAB1 Is A Specific Regulator Of Pathological Cardiac Hypertrophy, 1083
- The Tyrosine Phosphatase SHP-1 Downregulates Endothelial NAD(P)H-Oxidase Activity Through PI3-Kinase Dependent Inhibition of Rac1, 751
- The Tyrosine Phosphatase Shp-2 Serves as a Negative Regulator of H₂O₂-induced Nuclear Export of Telomerase Reverse Transcriptase (TERT), 418
- Thioredoxin Interacts with Ras and GTPase Activity through Reduction of Cysteine Oxidation, 426
- Toll-like Receptor 4 Deficiency Reduces Atherosclerosis and Alters Plaque Phenotype in Apo E-Null Mice without Changing Circulating Cholesterol Levels, 844
- Toll-Like Receptor 4-Deficient Mice Are Resistant To Pressure-Overload-Induced Cardiac Hypertrophy, 53
- Transactivation of Epidermal Growth Factor Receptor Mediates Catecholamine-Induced Growth of Vascular Smooth Muscle Cells, 150
- Translocation and Activation of ERK1/2 is Dependent on GIT1 Association, 1226
- Use-Dependent β 2-Adrenergic Receptor-Gi Coupling Requires RGS and β -ARK/PKA-Mediated Receptor Phosphorylation, 433
- UTP-induced Osteopontin Expression is Mediated via AP-1, NF- κ B, and USF in Arterial Smooth Muscle Cells, 411
- Vagal Nerve Stimulation and Acetylcholine Protect Cardiomyocytes from Acute Ischemia and Hypoxia through Non-Hypoxic Induction of Hypoxia-Inducible Factor-1 α , 961
- Vascular Neuronal Nitric Oxide Synthase Expression is Upregulated in Response to Platelet-Derived Growth Factor Through the MEK/ERK Pathway, 581
- Vasopressin Regulates the Epithelial Sodium Channel (ENaC) Via an E3 Ubiquitin-Protein Ligase, Nedd4-2, 1115
- Sinoatrial node**
- Conditional Cardiac Knockout of the Calcium Channel Ca_v1.2 Gene Reveals an Essential Role in Adult Mouse Sinus Node Automaticity, 722
- Constitutive Protein Kinase A Activation Generates Rhythmic Ca²⁺ Oscillations in Rabbit Sinoatrial Nodal Cells That Modulate Intrinsic, Spontaneous Beating, 398
- Localization Of F-channels to Caveolae Mediates Specific β_2 -AR Modulation of Rate, 289
- Membrane Depolarizations Produced by Individual Local Ca²⁺ Releases are Elementary Events in Regulation of Sinoatrial Nodal Cell Beating Rate, 934
- Non-contact Mapping Provides Novel Insights Into The Mechanisms of Inappropriate Sinus Tachycardia, 3104
- Recessive Inheritance of a Subclinical SCN5A Mutation and a Rare Polymorphism of Connexin 40 Underlying Congenital Atrial Standstill, 2686
- Regional Distribution of Ion Channel Gene Expression in the Murine Heart, 1252
- Smoking**
- A Central Role for Nicotinic Cholinergic Receptor-Dependent Pathways in Regulation of Endothelial Cell Migration - Novel Insights into Angiogenesis, 1048
- A Genotype that Enhances the Atherogenic Effect of Smoking and the Antiatherogenic Effect of Smoking Cessation: Variant Forms of Macrophage Colony Stimulating Factor: The Los Angeles Atherosclerosis Study, 3806
- Association between Serum Cotinine and Levels of Inflammatory Cardiovascular Risk Factors among Nonsmokers in the US Population, 3742
- Association of Smoking with Improved Myocardial Perfusion and the Angiographic Characterization of Myocardial Tissue Perfusion Following Fibrinolytic Therapy for ST-Elevation Myocardial Infarction, 2124
- Combined Effects of Smoking and Excess Weight in Younger Age on Cardiovascular-Related and Total Health Care Costs in Older Age: The Chicago Heart Association Detection Project in Industry (CHA), 3770
- How Do Caffeine and Tobacco Acutely Alter Arterial Function?, 1789
- In Smokers, Moderate Vitamin Consumption Acutely Improves Large Arterial Elastance, 3593
- National Trends in Behavioral Risk Factors Among Black and White Adults, 3721
- Nicotinic and PDGF-Receptor Function are Essential for Nicotine-Stimulated Mitogenesis in Human Vascular Smooth Muscle Cells, 366
- Smoking, Inflammation, and Thrombosis in Non-ST Elevation Acute Coronary Syndromes, 3443
- Social Support Measures in Assessing CVD Risk Factors: The Minnesota Heart Survey, 3524
- The Use of Transdermal Nicotine Patches in Smokers Admitted with Acute Coronary Syndromes, 3235
- Tobacco Smoke Exposure Induces Endothelial and Macrophage Transcriptional Responses *in vivo*, 1916
- Sodium**
- [Na⁺]_i Modulates Synergism Between Na⁺/Ca²⁺ Exchanger and L-type Ca²⁺ Currents in Cardiac Excitation-Contraction Coupling, 616
- A Promoter Polymorphism of Human Tissue Kallikrein Gene is Associated with the Response of Blood Pressure to Dietary Salt Restriction, 89
- Acidification Limits Mitochondrial Calcium Uptake in Rat Cardiac Mitochondria, 1132
- Altered Coronary Hemodynamics and Enhanced Myocardial Fibrosis are Associated with Biventricular Dysfunction in Salt-Loaded SHR, 950
- Ca/Calmodulin-Dependent Protein Kinase II (CaMKII) Reduces the Availability of Cardiac Voltage-Gated Na Channels, 282
- Conivaptan, a Novel V_{1A} and V₂ Antagonist, Increases Serum Sodium and Effective Water Clearance in Patients with Hyponatremia, 3345
- Differentiated Transmural Heterogeneity of Na⁺-Ca²⁺ Exchange in Normal and Failing Hearts, 780
- Efficacy of the Vasopressin V_{1A}/V₂ Antagonist Conivaptan in Patients with Euvolemic or Hypervolemic Hyponatremia, 3347
- Electropharmacologic Effects of Class I and Class III Antiarrhythmic Drugs on Dispersion of Atrial Repolarization in Patients with Paroxysmal Atrial Fibrillation, 2171
- Functional Link between Na Channels and I_{to} Revealed by Posttranscriptional Gene Silencing of Na_v β 1 in Cardiac Myocytes, 283
- High-Risk for Bradyarrhythmic Complications in Patients with Brugada Syndrome Caused by SCN5A Gene Mutations, 1100
- In vitro* Characterization of the Electrophysiological Effects of Mexiletine on SCN5A Mutants Predicts Clinical Response in LQTS Patients, 1102
- Mineralocorticoid Receptor Antagonism Inhibits the Development of Cardiac Hypertrophy and Prevents the Transition from Hypertrophy to Failure in Low-Renin and Low-Aldosterone Hypertension, 102
- New Candidate of Genetic Predisposing Factor for Essential Hypertension: Japanese Millennium Project and The Ohasama Study, 3816
- Novel Vasopressin V_{1A} and V₂ Antagonist (Conivaptan) Increases Serum Sodium Concentration and Effective Water Clearance in Patients with Hyponatremia, 3346
- NPR-C, the Natriuretic Peptide "Clearance Receptor," Mediates Cardiac Myocyte Na⁺-K⁺ Pump Activation, 932
- Ouabain Antagonists and Na/Ca Exchange Inhibitor Block Ouabain-Induced Increase in Myogenic Tone in Mouse Small Arteries, 792
- Salt-Sensitive Hypertension is Triggered by Ca²⁺ Entry via Vascular Isoforms of Na⁺/Ca²⁺ Exchanger Type-1 in Arterial Smooth Muscle, 482
- SCN5A Polymorphism Rescues Brugada Syndrome Mutation, 1099
- Unconventional Splice Site Mutation in SCN5A as Cause (and Modifier?) of Overlapping Phenotypes of Brugada Syndrome and Isolated Cardiac Conduction Defect, 1743

Upregulation of Renal eNOS by High-Sodium Diet-Induced Oxidative Stress and Hypertension in Doxorubicin-Treated Rats, 486	
Vasopressin Regulates the Epithelial Sodium Channel (ENaC) Via an E3 Ubiquitin-Protein Ligase, Nedd4-2, 1115	
Spectrum analysis	
Computing the Cycle Length of Atrial Fibrillation from the ECG Using Spectral and Spatial Analyses, 2688	
Fast Fourier Transformation of The Impedance Cardiogram Recorded Through Two Defibrillator Pads is a Powerful Determinant of Cardiac Arrest in the Porcine Model, 1634	
ST segments	
A Simple Predictor of Left Main or Three-vessel Disease in Patients With Non-ST-segment Elevation Acute Coronary Syndrome, 1617	
Baseline Glucose Level and Left Ventricular Remodeling After Acute Myocardial Infarction, 488	
Brugada Type Electrocardiogram in Lone Atrial Fibrillation, 3097	
Intravenous Nicorandil before Reperfusion Improves Epicardial Flow and Accelerates ST-Segment Resolution in Patients with Acute Myocardial Infarction, 3070	
Is New ST-Segment Elevation Following Coronary Artery Bypass Of Clinical Importance in the Absence of Perioperative Myocardial Infarction?, 2201	
New Approach to Acute Myocardial Infarction: Triage in Ambulance to Prehospital Thrombolysis or Transfer for Primary PCI, 2504	
Prognostic Significance of ST-Segment Depression in Specific 12-Lead ECG Groups in the GUSTO-2b Trial, 3089	
QT-Prolongation and ST-Elevation in Neonatal Mice Lacking the C-Terminal Region of Connexin43, 720	
Quantitative Assessment of Electrocardiographic Strain Predicts New-Onset Congestive Heart Failure: The Strong Heart Study, 3468	
Randomized Comparison of Prehospital Combination Fibrinolysis Versus Prehospital Initiated Facilitated Percutaneous Coronary Intervention in Acute Myocardial Infarction: Final Results of the Leipzig Prehospital Fibrinolysis Study, 2505	
Relationship Between Circadian Changes in ST Elevation in Daily Life and Occurrence of Ventricular Fibrillation in Brugada Syndrome, 3088	
ReoPro as Adjunctive Therapy in Primary Angioplasty is Associated with Accelerated ST-Segment Resolution and Fewer Reinfarctions: Results from the DANAMI-2 Trial, 3071	
Role of Testosterone on Male Predominance in Brugada Syndrome, 2347	
ST Resolution Predicts Prognosis after IV Alteplase but not when Primary Angioplasty is used as Reperfusion Therapy for ST-Elevation Acute Myocardial Infarction: Results from the DANAMI-2 Trial, 1621	
ST-Segment Depression in Lead aVR: A Simple and Useful Predictor of Impaired Myocardial Reperfusion in Patients With Inferior Wall Acute Myocardial Infarction, 1609	
Steep Repolarization Gradient is Required for Development of Phase 2 Reentry and Subsequent Ventricular Tachyarrhythmias in a Model of the Brugada Syndrome: High-Resolution Optical Mapping Study, 1524	
Tako-Tsubo-Like Transient Left Ventricular Dysfunction: Prevalence and Clinical Findings in a Western Population, 3225	
Value Of Human Fatty Acid Binding Protein, Inflammatory, And Hemostatic Markers For Early Detection Of Acute Myocardial Infarction, 1945	
Stem Cells	
Monitoring of Bone Marrow Cell Homing to the Infarcted Human Myocardium, 2051	
A Cell Autonomous Defect in Response To Chemokine Sdf-1 Is Responsible For Failure Of Ischemic Endothelial Progenitor Cell Mobilization And Differentiation In Diabetes, 3846	
A Novel Injectable Alginate Scaffold Promotes Angiogenesis and Preserves Left Ventricular Geometry and Function after Extensive Myocardial Infarction in Rat, 1334	
A Randomized Study Comparing 3 Methods of Mesenchymal Stem Cell Delivery After Myocardial Infarction in a Porcine Model, 1677	
Abcg2 Cardiac Stem Cell Population Participates in Repair of the Adult Mouse and Human Heart, 321	
Administration of Mesenchymal Stem Cell-Derived Endothelial Cells 'Aggravated' Luminal Narrowing after Arterial Injury in Mice, 256	
Adult Human Bone Marrow-Derived Mesenchymal Stem Cells Can Repair Experimental Conduction Block in Cardiomyocyte Culture, 217	
Angiotensin II AT ₁ Receptor Blockade Attenuates the Stent-Associated Neointimal Formation by Inhibiting Inflammation and by Reducing Recruitment/Differentiation of Smooth Muscle Progenitor Cells in Rabbits and Monkeys, 192	
Arterial Seeding with Autologous Progenitor-Derived Outgrowth Endothelial Cells Improves Vasoreactivity and Reduces Neointimal Formation in a Rabbit Balloon Injury Model, 697	
Autologous Stem-Cell Transplantation for Therapeutic Angiogenesis in Patients with Chronic Critical Lower-Limb Ischemia, 3326	
Beneficial Effect of Human Unrestricted Somatic Stem Cell Transplantation on Infarcted Heart Function: Preclinical Study in Porcine Model, 1558	
Blockade of $\alpha 4$ Integrin Mobilizes Bone Marrow EPCs and Improves Vasculization, 8	
Blockade of Vascular Endothelial Growth Factor Not Only Reduces the de novo Formation of Atherosclerosis, but Also Limits the Progression of Already Established Atherosclerotic Plaque in ApoE-Deficient Mice, 371	
BMPR-2 Signaling Promotes Pulmonary Arterial Endothelial Cell Survival: Implications for the Pathogenesis of Primary Pulmonary Hypertension, 625	
Bone Marrow Cell Transplantation to the Myocardium is Safe and Potentially Effective in Patients with Advanced Heart Failure due to Chagas' Cardiomyopathy, 1147	
Bone Marrow Stem Cells Contribute to Cardiac Side Population Stem Cells After Myocardial Infarction, 2376	
Bone Marrow- And Neural Crest-Derived Cells Contribute To Human In-Stent Restenosis And In-Stent Restenosis After Brachytherapy. Tissue Characteristics Compared To Primary Atherosclerosis, 2298	
Bone Marrow-Derived Endothelial Progenitor Cells Significantly Contribute To Exercise-Mediated Improvements Of Endothelial Repair, 698	
Bone Marrow-Derived Progenitor Cells Participate in Remodeling of Advanced Atherosclerotic Plaques, 1016	
Bone Marrow-derived Progenitor Cells Play an Antiapoptotic Role and Differentiate into Cardiomyocytes in Ischemic Myocardium Following Ischemic Preconditioning, 200	
Bone Marrow-Derived Cells Contribute to Pulmonary Vascular Remodeling in Hypoxia-Induced Pulmonary Hypertension, 1119	
Bone-Marrow Stem-Cell Mobilization Induced by Granulocyte-Colony Stimulating Factor (G-CSF) in Patients Undergoing Delayed Revascularization for ST-Segment Elevation Myocardial Infarction, 1554	
Both Cell Fusion and Transdifferentiation Account for the Transformation of Human Peripheral Blood CD34-Positive Cells Into Cardiomyocytes in vivo, 653	
c-Kit ⁺ BM Cells Are Essential for Reducing Deteriorating Myocardial and Heart Function Post-Myocardial Infarction, 317	
Cardiac Primitive Cell Activation and Myocyte Regeneration Have a Key Role in the Ventricular Remodeling of the Damaged Myocardium, 794	
Cardiac Repair with Mesenchymal Stem Cells following Myocardial Infarction in Pigs, 815	
Cardiac Side-Population Cells Exhibit Greater Cardiomyogenic Potential than Bone Marrow-Derived Stem Cells , 323	
Cardiac Stem Cell Activation and Myocardial Regeneration Reverse Heart Failure and Prolong the Lifespan of Senescent Fischer 344 Rats, 816	
Cardiac Stem Cells Regenerate the Infarcted Heart, Restoring Function and Long-Term Survival in Mice, 814	
Cd117 ⁺ /Sca-1 ⁺ Cells from Adult Hearts Have Similar Proliferation and Differentiation Potential as Bone Marrow Stem Cells, 322	
Cell Cycle Re-entry of Cardiomyocytes in End-stage Heart Failure Patients Correlates with the Presence of Cardiac Progenitor Cells, 2090	
Characterization of Progenitor Cells in Atherosclerotic Lesions and the Adventitia in Humans, 176	
Circulating Progenitors Contribute to Neointimal Formation in Nonirradiated Bone Marrow Chimeric Mice, 259	
Comparing the Use of Different Bone Marrow Cell Types in Treating Large Healed Infarcts in the Rat, 1559	
Comparison of Bone Marrow Mobilization with Bone Marrow-Derived Mononuclear Cell Transplantation for the Therapy of Myocardial Infarction in Rabbits, 1197	
Circulating Endothelial Progenitor Cell Deficiency Contributes to Impaired Endothelial Function in Humans with Aging, 86	
Cyclin A2 Mediates Cardiomyocyte Regeneration in Infarcted Myocardium and Preserves Ventricular Function, 811	
Cytokine-Mediated Stem Cell Mobilization Accelerates Neointimal Hyperplasia, 1503	
Delayed Reendothelialization in Diabetes is Mediated by Malfunctioning Bone Marrow-derived Endothelial Progenitor Cells, 369	
Deletion of the p66 ^{shc} Gene Protects from Diabetic Cardiomyopathy by Activation of Cardiac Stem Cells that Leads to Increased Proliferation of Myocytes, 320	
Demonstration of Electrical Communication between Grafted Myocardial Cell-sheet and Host Heart using Optical Mapping, 1203	
Development of Novel Cell Delivery System for Therapeutic Angiogenesis-Targeted Delivery of Bone Marrow Cells by Ultrasound Destruction of Microbubbles, 671	
Direct Evidence that Cytokine-Mobilized Bone Marrow-Derived Cells Regenerate Cardiac Tissue and Improve Left Ventricular Function in Chimeric Mice, 817	
Direct Measurement of Circulating Endothelial Cells and Preclinical Atherosclerosis, 1683	
Directed Differentiation of Adult Human Bone Marrow Stem Cells into Lineage-Defined Cardiac Muscle-Like Cells , 445	
E-selectin augments Endothelial Progenitor Cell Homing and Angiogenesis, 1676	
Effect of cGMP-Dependent Protein Kinase I on Stem Cell Maintenance but not Mobilization, 1560	
Effect of the C-1562T Matrix Metalloproteinase-9 Promotor Polymorphism on Number and Function of Stem and Progenitor Cells in Patients with Chronic Ischemic Heart Disease, 1740	

- Effects of Exercise and Ischemia on Mobilization and Functional Activation of Blood-derived Progenitor Cells in Patients with Ischemic Syndromes, 3671
- Effects of G-CSF on Serum Cholesterol and Development of Atherosclerotic Plaque in Apolipoprotein E-Deficient Mice, 417
- Efficient Differentiation of Single Stem Cells from the Mouse Bone Marrow into Endothelial Cells, 333
- Electrophysiological Properties of Pluripotent Human and Mouse Embryonic Stem Cells, 218
- Embryonic Stem Cell-Derived cKit Positive Nkx2-5 Positive Cardiomyogenic Stem Cells Are Clonogenic, Highly Proliferative, and Differentiate Spontaneously into Beating Cardiomyocytes, 1447
- Endothelial Progenitor Cells as a Sole Source for Tissue-Engineered Heart Valve Remodels In Vitro, 2385
- EPC Could Predispose Regenerated Endothelium to Oxidized Low-density Lipoprotein via Activation of Bax Conformational Change Leading to Apoptosis, 704
- EPC NOS Expression Rather Than Tissue NOS Modulates Ischemic Preconditioning, 1674
- Ex vivo Pretreatment with the eNOS Enhancer C2431 Improves Functional Capacity of Progenitor Cells and Increases Exercise Capacity after Cell Transplantation in the Ischemic Hind Limb Model, 851
- Excitation-Contraction Coupling in Human Embryonic Stem Cell-Derived Cardiomyocytes Differs from Adult Ventricular Myocytes, 1280
- Exogenously Administered Adult Stem Cells Localize Preferentially to the Bone Marrow and Aorta in Atherosclerotic Mice: In Vivo Localization and Quantification with Ultra High-Resolution Pinhole Single Photon Emission Computed Tomography, 2048
- Favorable Remodeling in Acute Myocardial Infarction after Percutaneous Bone Marrow Stem Cell Transplantation, 1427
- Functional Improvement after Transcatheter Transplantation of Circulating Progenitor Cells in Patients with Ischemic Cardiomyopathy Depends On the Age of the Previous Myocardial Infarction, 240
- Functional Recovery after Regenerative Treatment in Patients with Revascularized Acute Anterior Myocardial Infarction: A Randomized Study, 2187
- GATA-4 Plays an Important Role in Bone Marrow Stem Cell Transdifferentiation into Myocytes, 1339
- Gene Transfer of Human BCL2 into Embryonic Stem Cells Enhances Cell Survival Following Transplantation into Ischemic Mouse Myocardium, 1445
- Genetically Engineered Mesenchymal Stem Cells Expressing IGF-1 Receptor Are Resistant to Apoptotic Stimuli, 1202
- Granulocyte Colony-Stimulating Factor (G-CSF) is Synthesized and Released from the Heart in the Early Phase of Acute Myocardial Infarction, 1198
- Human Circulating Endothelial Progenitor Cells Differentiate into Cardiomyocytes and Coronary Vessels after Intarction in Mice, 2185
- Human Mesenchymal Precursors Induce Myocardial Arteriogenesis and Global Functional Recovery After Myocardial Ischemia, 327
- Human Myocardium Induces a Mixed Cardiac and Smooth Muscle Phenotype in Human Mesenchymal Stem Cells, 1514
- Identification of the Supporting Cells in the Cardiac Stem Cell Niches of the Mouse and Rat Heart, 1678
- Immunogenicity of Embryonic Stem Cells Increases Upon Differentiation in Ischemic Myocardium, 2380
- Impact of Exercise Training on Number and Endothelial-lineage Commitment of Circulating Stem Cells in Chronic Heart Failure, 3666
- Impaired CXCR4-Mediated JAK/STAT Signaling Contributes to the Reduced Neovascularization Capacity of Endothelial Progenitor Cells (EPC) Derived from Patients with Coronary Artery Disease, 715
- Impairment of Bone Marrow-derived Mesenchymal and Hematopoietic Stem Cells in Patients with Coronary Artery Disease: A Limitation for Cell Therapy?, 236
- Impairment of Endothelial Progenitor Cells: A Critical Role of p38 MAP Kinase, 716
- Improvement of Endothelial Function by Systemic Transfusion of Vascular Progenitor Cells, 696
- In the Adult Human Heart Resides a Population of Non-blood-borne Multipotent Cardiac Progenitor Cells, 1144
- Infarcted Myocardial Protein and Oscillating Pressure Induce Differentiation of Mesenchymal Stem Cells into Cardiomyocytes without Cell-to-Cell Interaction, 1340
- Injection of Adult Stem Cells from Young vs Old Mice Have Differential Impact on the Transcriptome of Recipient Aortas in ApoE^{-/-} Mice: A Global Gene Expression Profiling Study, 1515
- Intravenous Delivery of Autologous and Allogenic Mesenchymal Stromal Cells Limits Infarct Size and Improves Left Ventricular Function in the Infarcted Porcine Heart, 1199
- Ischemic Preconditioning Mobilizes Cardiac Stem Cells into the Ischemic/Reperused Myocardium, 654
- Living Heart Valve Tissue Engineered from Human Umbilical Cord Blood Progenitor Cells, 2481
- Long-Term Safety and Clinical Outcome after Intracoronary Progenitor Cell Transplantation in Patients with Acute Myocardial Infarction: 1 Year Follow-Up Analysis of the TOPCARE-AMI Trial, 1146
- Losartan Reverses the Hypercholesterolemia-Induced Pro-Inflammatory Shift in Hematopoietic Stem Cell Function, 193
- Loss of c-kit Receptor Function in Cardiac Stem Cells Leads to Premature Myocardial Aging and Impaired Myocyte Regeneration in the W/W^o Mouse, 315
- Margination and Engraftment of Hematopoietic Stem Cells Within the Myocardial Infarct Zone Express a Specific Profile of Matrix Metalloproteinases, 2381
- Mechanism of Spontaneous Excitability in Human Embryonic Stem Cell-Derived Cardiomyocytes, 220
- Mechanisms of Mesenchymal Stem Cell Homing to the Infarcted Myocardium, 820
- Mesenchymal Stem Cells Overexpressing AKT Prevent Cardiac Metabolic Remodelling After Infarction, 818
- Microencapsulation Enhances Engraftment of Adherent Bone Marrow Stem Cells in Pulmonary Microvasculature, 1121
- Mobilization of Early Tissue-Committed Stem Cells is Correlated with Left Ventricular Ejection Fraction and Plasma NT-pro BNP Levels in Patients with Acute Myocardial Infarction: REGENT Study, 238
- Molecular Mechanisms governing Neointima Formation - Interaction of Inflammation, Stem Cell Recruitment, and Differentiation in a Mouse Model of Neointima Formation, 257
- Murine Bone Marrow Stromal Cells Protect Cardiomyocytes against Anoxia in vitro, 1561
- Murine Embryonic Stem Cells Differentiate Into Cardiac Pacemakers, 219
- Myocardial Endothelial Cross-Talk in Stem Cell Homing to the Heart: The Role of Hypoxia and of Hypoxia-Inducible Factor 1- α , 891
- Myocardial Regeneration by Activation of Multipotent Cardiac Stem Cells in Ischemic Heart Failure in Humans, 819
- Myocardial Regeneration Induced by Differentiation of Bone Marrow Cells, Chimerism, and Transplantation or Activation of Cardiac Stem Cells in Animals and Humans Does not Require Cell Fusion, 651
- Newly Identified Cardiopoietic Stem Cell Population Recruited by TNF- α from Pluripotent Embryonic Cells, 1444
- Nitric Oxide Differentially Regulates Proliferation and Mobilization of EPC but Not of Hematopoietic Stem Cells, 1556
- No Restenosis after G-CSF in Acute Myocardial Infarction: Insights from FIRSTLINE-AMI (Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor), 1140
- Noncellular Differentiation Effects of Endothelial Progenitor Cells in a Model of Myocardial Infarction, 655
- Normalization of β Cell Function and Restoration of Heme Oxygenase in Nonobese Diabetic Mice by Allogenic Bone Marrow Transplant, 702
- Notch1 Signaling Regulates Cardiac Differentiation, Morphogenesis, and Remodeling, 1087
- Novel, Injectable Bioartificial Tissue facilitates Targeted, Less Invasive, Large-Scale Tissue Restoration following Myocardial Injury, 2384
- Overexpression of AKT in Mesenchymal Stem Cells Improves ATP Production Under Hypoxia by Increasing Glucose Uptake and Mitochondrial Enzyme Activity: a Possible Explanation for Increased Resistance to Apoptosis, 267
- p53 Downregulates Wnt/ β -Catenin Pathway and Triggers Senescence of Cardiac Stem-Progenitor Cells, 19
- PKB/Akt Modulates EPC Homing through ICAM-1, 2183
- Plasminogen Activator Inhibitor (PAI)-1 from Bone Marrow-Derived Cells Contributes to Neointima Formation after Injury in Mice, 387
- Pravastatin Improves Function, Increases Myocardial CD133⁺ Progenitor Cells and Stimulates Myocytes to Re-Enter the Cell Cycle in Hibernating Myocardium, 2188
- Prevention of LV Remodeling with G-CSF in Acute Myocardial Infarction: Insights from FIRSTLINE-AMI (Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor), 1680
- Pulmonary Distribution Of Bone Marrow-Derived Mesenchymal Stem Cells After Intravenous Infusion Is Not Modified By Hypoxia, 1120
- Rapamycin Prevents Accumulation of Bone Marrow-Derived Vascular Smooth Muscle Cells Within the Neointima, 258
- Reduction in Function and Differentiation of Endothelial Progenitor Cells in Patients with Primary Pulmonary Hypertension, 84
- Regeneration of Human Infarcted Heart Muscle by Intracoronary Autologous Mononuclear Bone Marrow Cells in Chronic Coronary Artery Disease, 1141
- Regulation of Endothelial Cell and Endothelial Progenitor Cell Survival and Vasculogenesis by Integrin-Linked Kinase: Protection from Detached and Nutrient-Deprived Stress, 329
- Regulation of Endothelial Progenitor Cells By Running Exercise Of Different Duration And Intensity In Healthy Subjects, 3572
- Retrinfusion, not Systemic Infusion, of Embryonic EPCs Provides Myocardial Protection after Ischemia/Reperfusion in Pigs, 2180
- Reversal of Monocrotaline-Induced Pulmonary Hypertension by Administration of Endothelial Progenitor Cells (EPCs) Transfected with Endothelial NO synthase (eNOS), 1123

- Role of Proteases for Tissue Invasion and Neovascularization Mediated by Progenitor Cells, 330
- Recruitment of Endothelial Progenitor Cells into Lipopolysaccharide-Stimulated Mouse Aortic Endothelium, 719
- Serial Magnetic Resonance Imaging for the Assessment of Myocardial Perfusion, Left Ventricular Function, and Infarct Size after Application of Blood-Derived Progenitor Cells in Recanalized Chronic Coronary Total Occlusions, 3173
- Shear Stress Enhances Endothelial Maturation of Endothelial and Hematopoietic Progenitor Cells, 1173
- Short-Term Granulocyte-Colony Stimulating Factor Treatment Does Not Induce Endothelial Dysfunction in Patients with Myocardial Infarction, 164
- Sphingosine 1 Phosphate (S1P) Transactivates the CXCR4 Receptor and Stimulates Functional Capacity of Endothelial Progenitor Cells (EPC), 1679
- Statins Enhance Migratory Capacity of Endothelial Progenitor Cells by Upregulation of the Telomere-Capping Protein TRF2, 718
- Stem Cell Factor Deficiency Confers Vascular Protection: A Novel Observation, 7
- Stem Cell Factor Receptor and Cardiac Regeneration after Myocardial Infarction, 2182
- Stromal Cell-Derived Factor-1 Is Upregulated in The Infarcted Heart And Mediates Migration Of Hematopoietic Stem Cells To The Infarcted Heart, 1343
- Suppression of the DNA-Damage Kinase Chk2 by Caffeine Leads to Functional Improvement in Endothelial Progenitor Cells, 1682
- Sustained profound improvement of left ventricular function and remodeling 1 year after progenitor cell therapy for AMI: Insights from serial MRI imaging, 2377
- Systemic Delivery of Human Stem Cells Targeted to Myocardial Infarctions in a Xenogeneic Rat Model, 1336
- The Development of a Novel In Vitro Model for Assessing Cardiac Drug Safety Using Human Embryonic Stem Cell-Derived Cardiomyocytes, 216
- The Erythropoietin-Erythropoietin Receptor System is Crucial for Mobilization of Endothelial Progenitor Cells in Hypoxia-Induced Pulmonary Hypertension, 328
- The Mobilization of Tissue-Committed (CD34⁺, CD117⁺, CXCR4⁺, c-met⁺) Stem Cells Expressing Early Cardiac, Muscle, and Endothelial Markers into Peripheral Blood in Acute Myocardial Infarction: REGENT Study, 1143
- The Role of β_2 -Integrins for the In Vivo Homing and Neovascularization Capacity of Endothelial Progenitor Cells (Epc) and Hematopoietic Stem Cells (Hscs), 1149
- The SDF-1 Chemokine and its Receptor CXCR-4 are Involved in Trafficking of Mesenchymal Stem Cells to Regions of Ischemic Injury, 1205
- Tissue-derived Cells Contribute to Endothelial Regeneration during Ischemia-induced Neovascularization, 326
- Transcoronary Transplantation of Progenitor Cells and Recovery of Left Ventricular Function in Patients with Chronic Ischemic Heart Disease: Results of a Randomized, Controlled Trial, 1142
- Transplantation of Blood-Derived Progenitor Cells after Recanalization of Chronic Coronary Artery Occlusions: Impact on Coronary Vasomotion and Left Ventricular Remodeling, 1562
- Transplantation of Bone Marrow-Derived Mesenchymal Stem Cells Expressing Akt Into Infarcted Murine Heart Produces Dramatic Improvement in Cardiac Function Despite Infrequent Cellular Fusion, 316
- Transplantation of Human Embryonic Stem Cell-derived Vascular Progenitor Cells for Vascular Regeneration, 1457
- Transplantation of Mesenchymal Stem Cells Overexpressing AKT Limits Infarct Size and Prevents Cardiac Dysfunction as Early as 3 Days After Infarction: Evidence Suggesting Paracrine Action Rather Than Regeneration, 1196
- Transplanted Monocytic CD11b-Positive Cells Contribute to Repair Mechanisms after Vascular Injury, 1177
- Two-year Follow-Up of the Feasibility and Safety of Autologous Myoblast Transplantation for Ischemic Cardiomyopathy in Patients Undergoing Coronary Artery Bypass Grafting, 237
- Unexpected Severe Calcification following Transplantation of Bone Marrow Cells in Acute Myocardial Infarction, 1335
- Vascular Cell Adhesion Molecule-1 Mediates Adhesion of Mesenchymal Stem Cells to Cardiac Microvascular Endothelium, 1201
- Vascular Progenitor Cells in 500 Patients with Coronary Artery Disease: Results of the Endothelial Progenitor Cells in Coronary Artery Disease (EPCAD) Study, 2379
- Stent**
- "Full metal jacket" with drug-eluting stents in Left Anterior Descending Artery, 3396
- Inhibitory Effect of Previously Administered Tissue-type Plasminogen Activator on In-stent Neointimal Proliferation of Acute Myocardial Infarction, 1627
- 16-Slice Multidetector Computed Tomography For Evaluation Of Stent Patency In Pulmonary Veins Of Patients With Acquired Pulmonary Vein Stenosis Following Radiofrequency Catheter Ablation, 1781
- 3-Year Follow-Up of TAXUS I: A Randomized, Controlled Study with Polymer-Based Paclitaxel-Eluting Stents for Coronary Artery Lesions, 2464
- A Novel Transcriptional Regulatory Pathway of PDGF-A Chain Mediated by KLF5 through Cooperative Activation with NF- κ B And Phorbol Ester, 841
- A Prospective Registry To Evaluate Sirolimus-Eluting Stents Implanted At Coronary Bifurcation Lesions Using The 'Crush Technique', 3013
- A Randomized Comparison of a Sirolimus- With a Paclitaxel-Eluting Stent For Coronary Revascularization: The SIRTAX Trial, 2626
- A Randomized Trial of the Endeavor Drug (ABT-578) Eluting Stent System versus the Cypher Sirolimus-Eluting Coronary Stent System in De Novo Native Coronary Artery Lesions: Thirty-Day Results, 2624
- Abciximab and Angiographic Restenosis After PCI ? Results from the Angiographic Substudy of a Randomized Trial Evaluating Abciximab in Patients with Elective PCI After Pretreatment with a High Loading Dose of Clopidogrel - ISAR-REACT, 3499
- Acute Complications Associated with Stent Placement in Native and Postoperative Coarctation of Aorta: A Multi-institutional Study, 2633
- Angiotensin II AT₁ Receptor Blockade Attenuates the Stent-Associated Neointimal Formation by Inhibiting Inflammation and by Reducing Recruitment/Differentiation of Smooth Muscle Progenitor Cells in Rabbits and Monkeys, 192
- Antithrombotic and Antiproliferative Potential of Eptifibatid Eluting Stent: in vitro Evaluation, 2869
- Aortic Pathology and Disease Severity Determine Success of Endovascular Stent-Grafting in the Descending Aorta, 3114
- Assessment of Luminal Diameter of Coronary Stents Using a Novel 40-Slice Multidetector CT Scanner, 2619
- Association of Intensive Lipid Lowering with Reductions in Target Vessel Revascularization (Clinical Restenosis) and Non-Target Vessel Revascularization (Lesion Progression): A PROVE IT TIMI 22 Substudy, 3222
- Bare Metal Stent Restenosis is Not a Benign Clinical Entity, 1815
- BEACH Trial: Early Outcomes of Carotid Wallstent and FilterWire EX/EZ Distal Protection System Placement for Treatment of High Surgical Risk Patients, 2998
- Bone Marrow- And Neural Crest-Derived Cells Contribute To Human In-Stent Restenosis And In-Stent Restenosis After Brachytherapy. Tissue Characteristics Compared To Primary Atherosclerosis, 2298
- Can Stent/Lesion Length Ratio Influence the Edge Effect After Implantation of Drug-Eluting and Non-Eluting Stents? A Volumetric Intravascular Ultrasound Study, 3395
- Carotid Artery Stenting with Embolic Protection is Associated with Similar Outcomes in Post-Carotid Endarterectomy Restenotic Lesions versus De Novo Lesions, 2852
- Cause-Specific Mortality of Dialysis Patients after Coronary Revascularization: Why Don't Dialysis Patients Have Better Survival after Coronary Intervention?, 2323
- Cellular Markers for an Allergic Tissue Response are Present in In-stent Restenotic Tissue Retrieved by DCA, 2300
- Changing Outcomes of Coronary Revascularization in British Columbia, 1995-2001, 3535
- Changing Trends in CABG surgery: Comparison of Three Time Intervals over a 9-year Period, 2548
- Chronic Mesenteric Ischemia: Percutaneous Treatment with Endovascular Stent Placement, 2851
- Cilostazol Reduces Restenosis in Diabetic Patients after Coronary Stent Implantation, 2306
- Clinical and Angiographic Outcomes following Crush Bifurcation Stenting with Drug-Eluting Stents: Low Target Lesion Revascularization Rates but High Rate of Side-Branch Restenosis in the Absence of Kissing Balloon after Dilatation, 3498
- Clinical and Angiographic Restenosis Rates as a Function of Drug-eluting and Bare Metal Implanted Stent Length: Analysis from the TAXUS IV Trial, 3397
- Clopidogrel Is Associated With Increased Rates of 1-Year Stent Thrombosis and Mortality Compared to Ticlopidine Following Coronary Stent Implantation, 3073
- Comparison between Bilateral Internal Mammary Grafting and Multivessel Drug-Eluting Stents for Left-Sided Myocardial Revascularization, 1977
- Comparison of Retrospectively ECG-Gated, Multislice Spiral Computed Tomography and Coronary Angiography in the Detectability of In-Stent Restenosis after Left Main or Ostial Coronary Stenting, 2615
- Correlation Between Angiographic TIMI Myocardial Perfusion Grade and Coronary Flow Velocity Patterns in AMI Patients with TIMI Grade 3 Flow, 3505
- Cost-Effectiveness of the TAXUSTM Paclitaxel-Eluting Coronary Stent System vs. Bare Stent Implantation in Patients without Routine Angiographic Follow-up: The TAXUS-IV Trial, 3811
- Death and Subacute Stent Thrombosis Occur More Often in Diabetic and Multivessel Disease Patients after DES: Interim Results of the

- EVASTENT Registry, 3503
- Declining Long-Term Efficacy of Vascular Brachytherapy for In-Stent Restenosis: 5-Year Follow-Up from the Gamma 1 Randomized Trial, 1923
- Deployment of Cypher-Sirolimus-eluting Stents: Incidence of Stent Underexpansion and Influence of Delivery Pressure, 1828
- Determinants for the Use of Drug-Eluting Stents in Patients with Acute Coronary Syndromes in Clinical Practice in Europe: Results of the SHAKESPEARE Registry, 3227
- Development of a Novel Drug-Coated Stent Using Curcumin as the Antiproliferative Drug, 2868
- Does a Greater Lesion Length to Stent Length Ratio Necessarily Result in Better Clinical Outcomes Following Drug-Eluting Stent Placement in the Treatment of Native Coronary Obstructions? Analysis From the TAXUS-IV Study, 3015
- Drug-Eluting Stent Failures: Insights from Intravascular Ultrasound, 2724
- Drug-eluting Stent Thrombosis Is Related to Stent Length: Results from a Meta-analysis Including 10 Studies, 3184
- Drug-Eluting Stents in Heart Transplant Recipients with Transplant Coronary Artery Disease, 1811
- Drug-Eluting Stents Versus Bare Metal Stents in Patients With Non-ST Elevation Myocardial Infarction: Results From The STENT Registry, 3217
- Durability of the Polymer-based, Paclitaxel-eluting TAXUS Stent: Two-year Results from the TAXUS-IV Trial, 2467
- Early Results From the Japanese ASPARAGUS Trial, 3509
- Efficacy and Safety of Paclitaxel-Eluting and Bare Metal Stent Implantation in Patients with Renal Insufficiency: Results from the TAXUS IV Trial, 2322
- Efficacy of Direct Coronary Stenting in Sirolimus-Eluting Stents: IVUS Analysis From the DIRECT Trial, 1702
- Endoluminal Versus Open Mesenteric Revascularization: Short-Term Benefits Are Not Matched by Longer-Term Functional Outcomes, 2846
- Enhanced Gene Therapy of Atherosclerotic In-Stent Stenosis Using Intravascular Magnetic Resonance/Radiofrequency, 1912
- Everolimus And Sirolimus Are Identical For Preventing Intimal Thickening Over The Range Of Vascular Injury, 1810
- Evidence for Insufficient Anticoagulation during Elective Coronary Stenting with Single, Low-dose Intravenous Enoxaparin, 1823
- Fate of Unprotected Side Branches due to Distal Embolization during Stent Implantation for Acute Coronary Syndromes using Distal Protection Procedure, 3511
- First Human Experience with Local Delivery of Novel Antisense AVI-4126 with Infiltrator Catheter in De Novo Native and Restenotic Coronary Arteries: Six-Month Clinical and Angiographic Follow-up from AVAIL Study, 3500
- First In-Man Experience of the Biolimus A9 Drug-Eluting Stent (MATRIX-Stent) in Treatment of De Novo Coronary Lesions: Results from the STEALTH-I Trial, 3494
- Five-year Outcomes after Coronary Stenting versus Bypass Surgery for the Treatment of Multivessel Disease: The Final Analysis of the ARTS Trial, 1978
- Functional Recovery after Regenerative Treatment in Patients with Revascularized Acute Anterior Myocardial Infarction: A Randomized Study, 2187
- Gender-Based Outcomes After Paclitaxel-Eluting Stent Implantation in Patients with de Novo Coronary Lesions - Results of the TAXUS IV Trial, 3014
- Grade of Diabetic Retinopathy Has a Powerful Predictive Relevance of In-Stent Restenosis After Percutaneous Coronary Intervention, 2302
- High-Dose Bolus Tirofiban and Sirolimus-Eluting Stent versus Abciximab and Bare Metal Stent in Acute Myocardial Infarction (STRATEGY) Study, 3069
- High-Risk Patients Refused for Cardiac Surgery: Low 1-Year Mortality after Subsequent Treatment with Percutaneous Coronary Intervention, 2206
- Identification and Characterization of PARIS: Novel Negative Regulators of Vascular Smooth Muscle Cells, 1320
- Impact of Adequate Stent Expansion on Angiographic Restenosis with Polymer-Based Paclitaxel-Eluting TAXUS Stents: Post Hoc Analysis from the TAXUS II Study, 2471
- Impact of Off-label Usage on Immediate and Long-term Outcomes in Patients Undergoing Percutaneous Coronary Intervention with Sirolimus-eluting Stents, 2473
- Impact of Routine Angiographic Follow-up on the Clinical Benefits of Paclitaxel-Eluting Stents: Results from the TAXUS-IV Trial, 2472
- Impact of Sirolimus Drug-eluting Stent on Outcome of Patients Treated for Acute Myocardial Infarction with Primary Angioplasty, 3067
- Impact of Sirolimus-Eluting Stents on the Outcome of Patients with Diffuse Type In-Stent Restenosis: Multicenter Registry in Asia, 3010
- Impact of Treatment of Coronary Artery Disease with Sirolimus-eluting Stents on Outcomes of Diabetic Compared with Non-diabetic Patients, 3007
- In-stent Neointimal Changes: Two-year Follow-up Intravascular Ultrasound (IVUS) Study in 120 Lesions, 2462
- Incidence and Predictors of Stent Thrombosis after Paclitaxel and Sirolimus-eluting Stent Implantation in the "Real World", 3183
- Incidence, Outcomes, and Predictors of Cerebrovascular Accidents After Percutaneous Coronary Interventions, 3190
- Incidence, Outcomes, and Predictors of Emergency Bypass Surgery Among Patients Undergoing Angioplasty for Acute Myocardial Infarction: Analysis of 9015 Cases, 3534
- Increased Nitric Oxide Levels With Brachytherapy Compared To Bare Metal or Sirolimus-Eluting Stents. Implications In Coronary Restenosis, 2873
- Individualized Drug-Eluting Stent System to Abrogate Restenosis (ISAR): Preclinical Results on Feasibility, Safety, and Efficacy of a Novel Drug-eluting Stent System that Uses On-site, Polymer-free Rapamycin Coating, 1832
- Influence of Coronary Stenting on Long-term Clinical Outcomes: 7-year Follow-up from the Duke Cardiovascular Database, 3529
- Influence of Protocol-Specified Reook Angiography on Target Vessel Revascularization Compared with Clinical Practice, 2304
- Intermediate Follow-Up of Native and Recurrent Coarctation Stent Repair: Is Integrated Imaging of the Aortic Arch Necessary? A Multi-Institutional Study, 2634
- Intravascular Ultrasound Analysis from TAXUS VI: First Evaluation of Vascular Response in Long Lesions Treated with Multiple, Overlapping Drug Eluting Stents, 3398
- Levels of hs-CRP Prior to PCI Predict Long-Term Risk and the Benefit of Clopidogrel Therapy: A CREDO Sub-Study, 1820
- Local Production of C-Reactive Protein at Stented Injured Vessel Wall Is Associated With Activation of Leukocyte Integrin Mac-1, 2867
- Multislice CT Coronary Angiography Prior to Percutaneous Treatment of Chronic Total Occlusions for the Prediction of Procedural Failure, 2618
- Nine-Month Results of the TROPICAL Study: a Multicenter Nonrandomized Study of the Cypher[®] sirolimus-eluting Stent in the Treatment of Patients With an In-stent Restenotic Native Coronary Artery Lesion, 1925
- Noninvasive Quantitative Assessment of Coronary In-stent Restenosis by 16-slice Computed Tomography, 2622
- On- versus Off-Label Use of Drug-Eluting Stents in Clinical Practice: Data from the American College of Cardiology- National Cardiovascular Disease Registry (ACC-NCDR), 3185
- One year Follow-up of Patients with Bypass Graft versus Native Coronary Disease Treated with Sirolimus-Eluting Stent in the SECURE Trial, 3008
- One Year Results of Intravascular Ultrasound Analysis for the ABT-578 Eluting Phosphorylcholine-Coated Stent Implantation in de Novo Coronary Lesions, 3502
- Outcomes of the Polymer-based, Paclitaxel-eluting TAXUS Stent in Complex Lesions: First Report from the TAXUS-V Pivotal Randomized Trial, 2468
- Paclitaxel In-Stent Controlled Elution Study - The PISCES Study, 1831
- Paclitaxel-Eluting Stents Are Safe and Effective in Patients with Acute Coronary Syndromes: Analysis from the TAXUS-IV Trial, 3068
- Patients with In-Stent Restenosis (I-SR) Treated with Sirolimus-Coated Drug-Eluting Stents, 1927
- Percutaneous Coronary intervention with Drug-Eluting Stent Implantation Versus Minimally Invasive Direct Coronary Artery Bypass (MIDCAB) in Patients with Isolated Left Anterior Descending Coronary Artery Stenosis, 2628
- Percutaneous Transcatheter Implantation of Aortic Valve Prosthesis for Calcific Aortic Stenosis: 3-Month Results of the I-REVIVE Pilot Study, 2067
- Pivotal U.S. Study of the Symbiot[™] III Covered Stent System in Patients with Saphenous Vein Graft Disease: 8-month Angiographic and Clinical Results from the Symbiot III Trial, 2308
- Practice Variation and Adherence to 'Guidelines' with the Introduction of Drug-Eluting Stents: Insights from a Large Multicenter PCI Registry, 3623
- Predictors of Angiographil 'No Reflow' During Intravascular Ultrasound-Guided Stent Implantation for Acute Myocardial Infarction, 1626
- Predictors of Drug-Eluting Stent Use in Clinical Practice: A Report from the American College of Cardiology National Cardiovascular Disease Registry (ACC-NCDR), 3186
- Predictors of Major Adverse Cardiac Events at Six Months After Implantation of Sirolimus-Eluting Stents - A Report from the e-Cypher Registry, 2469
- Preliminary Results of the Left Main TAXUS Pilot Study, 1833
- Preprocedural Statin Medication Improves Long-Term Survival in Patients With Stenting-Related Myocardial Injury, 1824
- Prevention of Stroke by Carotid Stent Implantation: Long-Term Results Up To 10 Years, 2849
- Randomized Drug-eluting Stent Comparison: Rapamycin versus Paclitaxel in Coronary Lesions Prone to Restenosis, 2625
- Randomized Study of Sirolimus-Eluting Stent Implantation Versus Coronary Brachytherapy for Diffuse In-Stent Restenosis, 2627
- Real World Use of Sirolimus-Eluting Stents for the Treatment of In-Stent Restenosis, 3495
- Real-Life Impact of Sirolimus-Eluting Stent Implantation in Treating Diabetic Patients: A 6-Month Follow-up Report From the International e-CYPHER Registry, 3006

Reintervention in the Pre-Drug-Eluting Stent Era: One-Year Target Segment Revascularization in the NHLBI Dynamic Registry, 3188
 Relation between Stent Area, Length, and 8-Month Neointimal Hyperplasia after Sirolimus-eluting Stent Implantation in Small Coronary Arteries, 3399
 Relation of Late Loss to Target Lesion Revascularization in the Drug-eluting Stent Era: What is the Threshold for Acceptable Late Loss? A TAXUS IV Substudy, 1809
 Remote Control Percutaneous Coronary Interventions: First in Man Pilot Clinical Trial, 2075
 Renal Angioplasty and Stenting: Role of Embolic Protection Devices, 2854
 Report on 141 Hypersensitivity Cases Associated with the CYPHER Sirolimus-Eluting Cardiac Stent, 2470
 Restenosis after Rapamycin-eluting Stents for the Treatment of Bifurcated Coronary Lesions, 3501
 Restenotic Tissue from Sirolimus Eluting Stents Shows Lower Cell Density and Delayed Healing Compared To Bare Metal Stents, 2871
 Results of a Nitric Oxide Preserver Polymer Coated Stent Implantation in De Novo Coronary Lesions: Clinical, Angiographic, and Stent Volumetric Analysis from NOBLESS Trial, 1830
 Safety of Magnetic Resonance Imaging in the First Few Days after Primary Angioplasty/Stenting for Acute Myocardial Infarction, 2832
 Same-Day Discharge is Feasible and Safe in the Majority of Patients Undergoing Elective Percutaneous Coronary Intervention, 1827
 Sex Differences and Their Impact on Clinical Outcome after Percutaneous or Surgical Revascularization. A Report from the Arterial Revascularization Therapies Study (ARTS), 3402
 Short-Term Outcomes of Carotid Stenting under Protection in High- and Low-Risk Patients, 3002
 Should "Best Hospitals" Performance Ranking For Percutaneous Coronary Artery Interventions Include Clinical Outcomes Other Than Mortality? , 1826
 Sirolimus Causes Endothelium-Independent Relaxation of Isolated Human Arteries, 2874
 Sirolimus Drug-Eluting Stent for Complex In-stent Restenosis: Late Clinical and Angiographic Outcome, 1813
 Sirolimus-Coated Stents Induce a Weaker Inflammatory Response Than Bare-Metal Stents, 2872
 Sirolimus-Eluting Stent (SES) Inhibits Growth Factor Expression and Cell Proliferation without Worsening Endothelial Function in a Pig Coronary Restenosis Model, 2870
 Sirolimus-Eluting Stent and Unprotected Left Main Stenosis: The Multicenter e-Cypher Registry, 3011
 Sirolimus-Eluting Stents Abolish Intimal Hyperplasia And Improve Flow in Porcine Arteriovenous Grafts, 2997
 Sirolimus-Eluting Stents Associated With Abnormal Coronary Vasomotion, 2875
 Sirolimus-Eluting Stents For Failed Brachytherapy: Updated Results From The SECURE Registry, 1924
 Six Month Follow-up Intravascular Ultrasound Study after Rapamycin-eluting Stent for the Treatment of Bifurcated Coronary Lesions, 2459
 Sixteen-Slice Computed Tomography Allows Non-Invasive Follow-Up After Left Main Coronary Stenting, 3388
 Slow-Flow Phenomenon During Carotid Artery Stenting With Embolic Protection Devices: Predictors and Clinical Outcome, 2850
 SPIRIT FIRST Clinical Trial: A 180-Day Clinical Evaluation of the Guidant Multi-Link Vision® Everolimus-Eluting Coronary Stent System in the Treatment of Patients with de novo Native Coronary Artery Lesions, 2629
 Stent Thrombosis and the Paclitaxel-Eluting Stent: A Meta-Analysis, 3182
 Stent-Based Delivery of Nuclear Factor-κB Decoy Attenuates In-Stent Restenosis in Hypercholesterolemic Rabbits, 989
 Stent-Based Intracoronary Gene Transfer of a Secreted Transforming Growth Factor-β Type II Receptor Inhibits In-Stent Neointimal Hyperplasia, 769
 Stent-Based Tyrothostin AGL-2043 Reduces Neointima Formation in Porcine Coronary Arteries, 572
 Stent-Based Vascular Gene Transfer by Hydrolysis-mediated Release of Adenoviral Vectors, 2866
 Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy: The SAPPHIRE Study: Two-Year Results, 2996
 Stents Coated with a Perlecan-Inducing Compound Significantly Reduce Intimal Hyperplasia in a Rabbit Iliac In-Stent Restenosis Model: Novel Insights into the Diverse Biological Effects of Perlecan, 1050
 Survival of Dialysis Patients in the United States after Percutaneous versus Surgical Coronary Revascularization: Is Surgery Still Better?, 2324
 Sustained Suppression of Neointimal Hyperplasia by Sirolimus-Eluting Stents in Diabetic Patients: Long-Term Angiographic and Three-Dimensional Intravascular Ultrasound Follow-Up, 3497
 TAXUS II Paclitaxel-Eluting Stent Trial: 2 Year Intravascular Ultrasound Substudy , 2466
 The CYP3A5 Polymorphism is Associated with Clopidogrel Resistance and a Predictor of Cardiovascular Event after Stenting , 1821

The Effect of Distal Protection Device on the Protection of Microvascular Integrity During Primary Stenting in AMI Without Glycoprotein IIb/IIIa Inhibition, 3510
 The Efficacy of Sirolimus-Eluting Stents versus Bare Metal Stents for Diabetic Patients Undergoing Percutaneous Coronary Intervention, 1696
 The Evastent study: A Direct Comparison of Safety and Cost-effectiveness of Drug Eluting Stents in Diabetic and Nondiabetic Patients According to the Amount of Vessel Disease, 3400
 The HDAC Inhibitor MS-275 Abrogates Vascular Smooth Muscle Cell Proliferation and Inhibits Neointimal Formation in a Rabbit Model of In-Stent-Restenosis, 1058
 The Impact of Sirolimus-Eluting Stent Implantation in the Elderly: A Report from the e-CYPHER Registry, 3009
 The Influence of Metabolic Syndrome on Outcomes After Percutaneous Coronary Intervention, 2860
 The Relationship of Metabolic Syndrome and Stroke after Carotid Artery Stenting, 2847
 The RUBY Registry: Assessment of Distal Embolic Protection During Coronary Angioplasty in Patients with Acute Coronary Syndrome, 3403
 The Safety of Percutaneous Coronary Interventions Prior to Noncardiac Surgery, 1825
 The Use of Covered Stents in the Management of Coarctation of the Aorta, 2635
 Three-Dimensional Ultrasound Evaluation of Neointimal Proliferation in Diabetic Patients: Analysis of 298 Patients Treated with Bare-Metal and Sirolimus-Eluting Stents, 1812
 Thrombosis after Drug-eluting versus Bare-metal Stent Implantation: A Meta-analysis from 10 Randomized Trials Including 5030 Patients, 3181
 Time Course of Neointimal Hyperplasia Growth in de Novo Human Coronary Lesions Treated with the ABT-578 Eluting Phosphorylcholine-Coated Stent Implantation, 1804
 Trapidil-Coated Drug-Eluting Stents Reduce Neointimal Hyperplasia at 28 Days in a Porcine Model of Coronary Restenosis, 3496
 Treatment of Bifurcation Lesions With Drug-Eluting Stents Using the "Crush" and "V" Techniques. Procedural and Clinical Outcomes, 3012
 Treatment of In-Stent Restenosis with Sirolimus-Eluting Stents: Immediate and Mid-Term Results, 2307
 Triple versus Dual Antiplatelet Therapy after Coronary Stenting: Impact on the Stent Thrombosis, 1822
 Unprotected Left Main Coronary Artery Revascularization With Sirolimus-Eluting Stents Is Feasible But Limited By Branch Restenosis, 3401
 Use Of Bivalirudin During Percutaneous Coronary Intervention In Patients With Diabetes Mellitus: An Analysis From The REPLACE-2 Trial, 2863
 Use of Bivalirudin during Percutaneous Coronary Intervention: Real-Life Experience from a Single-Center Registry, 2862
 Utility of Euroscore for Multivessel PCI Risk Assessment: a Novel Decision Tool for Prediction of Relative Risk of PCI versus CABG, 2311
 Variability in Platelet Responsiveness to Clopidogrel among 544 Individuals , 2521
 What is the Optimal Intravascular Ultrasound Stent Area to Achieve with Sirolimus-eluting Stents?, 2458

Strain rate

Application Of A Novel Automatic Tissue-Tracking System To Detect Left Ventricular Segments With Perfusion Abnormality: Comparison With Thallium-201 Single-Photon Emission Computed Tomography, 3307
 Cardiac Involvement In Female Carriers Of Duchenne And Becker Muscular Dystrophy, 1727
 Echocardiographic Strain Measurements Reveal Early Signs of Infiltrative Cardiomyopathy: A Study on Patients with Familial Amyloidotic Cardiomyopathy, 1726
 Increased Carotid Intima-Media Thickness is Associated with Regional Myocardial Dysfunction Detected by Tagged MRI in Asymptomatic Individuals: The Multi-Ethnic Study of Atherosclerosis (MESA), 2771
 Mechanical Strain Affects Vascular Smooth Muscle Phenotype on Micropatterned Surfaces, 1513
 Myocardial Strain Decreases With Transmurality of Infarction: An Echo Strain and MRI Correlation Study, 3130
 Strain Rate Can Accurately Predict a More Aggressive Cardiac Involvement in Asymptomatic Patients with Duchenne Muscular Dystrophy, 2562
 Tissue Doppler Echocardiography Combined with a New 2D Strain Analysis Method Aid Assessment of Ventricular Resynchronization Pacing in Children with Congenital Heart Disease, 3128
 Ultrasonic Strain Rate Imaging can Predict the Recovery of Function after Acute Myocardial Infarction and Assess the Transmurality of Scar in Chronic Infarctions, 2563
 Ultrasound Tissue Characterization may be used to Detect Subclinical Left Ventricular Dysfunction and Fibrosis in Asymptomatic Severe Mitral Regurgitation, 2736
 What is the Relationship between Flow and Function in Diabetic Cardiomyopathy? A Quantitative Study Using Contrast Echo and Strain Rate Imaging, 2394

Stress

A
A
A
D
D
Et
Er
He
He
Im
Lo
I
Ps
Ps
S
Sile
J
So
1
3
Stre
A
Stre
N
Sus
o
7
The
M
Thre
Vi
of
Vags
Ps

Stress
"War
Hi
Card
Re
Ex
Detec
Eci
Me
Dilat
Hyj
Pul
Dobut
in F
Dobut
Dis
Does
Ant
SPt
Extent
Ren
Feasib
Stre
Con
Con
Hypert
Ang
Improv
Dysi
Improv
Isch
Increm
Perf
Assc
and
Increm
Prec
Is Hypi
Hyp

- Activation of Hypothalamic-Pituitary-Adrenal Axis Contributes to Augmented Neurohumoral Activity in Heart Failure Rats, 1404
- An Alternative P38 Activation pathway by TAB1 Mediates Different Downstream Effects in Cardiac Myocytes from MKK3, 1371
- Angiogenesis but not Arteriogenesis Supports Regional Contractility in Chronic Myocardial Ischemia, 1292
- Depressive Symptoms are Associated with Insulin Resistance, 1968
- Doxorubicin-induced Degradation of Transcription Factor GATA4 Is Mediated by the Ubiquitin-Proteasome System, 637
- Effect of Caffeine on Ischemia Detection by Adenosine SPECT Perfusion Imaging, 3166
- Enhanced Pressure-Generating Capacity Is a Primary Manifestation of Improved Function Of Failing Hearts, 520
- Heart Failure and the Stress Response: Modulation by Central Mineralocorticoid Receptors, Circulating Cytokines, and COX-2-Dependent Cerebrovascular Mechanisms, 394
- Heat-Shock Protein 90 Inhibition Attenuates Endothelial Nitric Oxide Synthase Phosphorylation and Function by Depleting 3-Phosphoinositide-dependent Kinase 1, 580
- Impact of CT-Attenuation Correction on Interpretation of SPECT Images by Readers with Different Interpretative Attitudes, 3168
- Loss of AKT-mediated Protection Against Endothelial Apoptosis by Reduced Wall Compliance, 879
- Psychological Distress and the Development of Atrial Fibrillation, 1964
- Psychosocial Factors and Functional Status Predict Depression in Adults with Heart Failure, 1967
- Silencing Heat-Shock Factor 1 In Vivo With Small Interfering RNA Abrogates Heat-Stress-Induced Delayed Cardioprotection in Heart, 806
- Social-Environmental and Behavioral Factors Independently Contribute to 10-Year Absolute Risk for Coronary Disease on the Framingham Index, 3647
- Stress Amplifies Diet-induced Obesity: Neuropeptide Y as a Peripheral Angiogenic and Adipogenic Growth Factor, 999
- Stress-induced Amplification of Vascular Occlusion: A Novel Neuronal-Megakaryocyte Link, 1017
- Sustained Elevation of Serum Level of Cortisol Induces Hyperconstriction of Porcine Coronary Arteries - Possible Involvement of Rho-kinase -, 729
- The Cysteine Protease Calpain Prevents Apoptosis of Vascular Smooth Muscle Cells in Vitro and After Balloon Angioplasty in Vivo, 388
- Three-Dimensional Effect of Fibrous Cap Thinning on Coronary Plaque Vulnerability: A 3D Intravascular Ultrasound Study with Color Mapping of Stress Distribution, 1808
- Vagal HR Regulation is Enhanced with Interventions to Reduce Psychological Stress and Depression: A Meta-Analysis, 3646
- Stress echocardiography**
- "Warranty Time" of a Normal Stress Echocardiogram in Patients With History of Myocardial Infarction, 2913
- Cardiac Resynchronization Acutely Reduces Dynamic Functional Mitral Regurgitation In Heart Failure: A Study Using Quantitative Doppler Exercise Echocardiography, 3447
- Detection of Myocardial Perfusion Defects During Dipyridamole Stress Echocardiography with Intravenous Microbubbles and Real Time Low Mechanical Index Perfusion Imaging Techniques, 2223
- Dilation of Right-sided Cardiac Cavities and Exercise-induced Pulmonary Hypertension at Low Altitude in Subjects Susceptible to High-altitude Pulmonary Edema, 2643
- Dobutamine Stress Echocardiography as a Prognostic and Diagnostic Tool in Patients with End Stage Renal Failure, 2398
- Dobutamine Stress Echocardiography in Patients with Peripheral Arterial Disease: Prognostic Significance of Chronotropic Response, 2221
- Does Flow Reserve by Transthoracic Doppler Echo in the Distal Left Anterior Descending Artery Provide Incremental Diagnostic Yield to ²⁰¹Tl SPECT for Vessel Patency?, 2004
- Extent of Scar but Not Viability Predicts Global Left Ventricular Remodeling in Nonrevascularized Patients, 494
- Feasible and Accurate Assessment of Myocardial Ischemia by Dobutamine Stress Echocardiography with New Real-Time Three-Dimensional: Comparison with Exercise Thallium-201 Single-Photon Emission Computed Tomography, 2220
- Hyperdynamic Response to β -adrenergic Stimulation in Patients with Angina-Like Chest Pain and Normal Coronary Arteries, 2402
- Improvement in TEI Index Closely Mirrors Reversal of Left Ventricular Dysfunction in Chronic Ischemic Cardiomyopathy, 2945
- Improvement of Stress LVEF rather than Rest LVEF in Patients with Ischemic Cardiomyopathy and Viable Myocardium, 1996
- Incremental Clinical Value of Changes in the Doppler Myocardial Performance Index During Dobutamine Stress Echocardiography: Association with Neurohormonal Activation, Left Ventricular Remodeling, and Prognosis After Acute Myocardial Infarction, 2401
- Incremental Prognostic Value of Brain Natriuretic peptide (BNP) in Predicting Ischemia on Dobutamine Stress Echocardiogram, 2405
- Is Hypertensive Response a More Powerful Predictor of Future Hypertension than Echocardiographic Left Ventricular Hypertrophy in Normotensives Undergoing Stress Echocardiography?, 3156
- Is Myocardial Contrast Echo Accurate for the Diagnosis of Coronary Artery Disease in Diabetic Patients?, 3320
- Is Myocardial Contrast Echocardiography a Viable Alternative to SPECT for the Diagnosis of Coronary Artery Disease in High-Risk Patients? A Multicenter Study, 3455
- Long-term Outcome in Patients with Silent versus Symptomatic Ischemia during Dobutamine Stress Echocardiography, 2538
- Patterns Of Hemodynamic Responses During Exercise Are Related To Exercise Tolerance In Patients With Severe Mitral Stenosis With Few Or No Symptoms, 3040
- Prognostic value of Negative Stress Echocardiography in the Setting of Submaximal Heart Rate or Workload Response: A Practical Problem with Important Implications, 2399
- Reduced Coronary Flow Reserve on Left Anterior Descending Artery Worsens Prognosis in Patients With Positive Stress Echo by Wall Motion Criteria: A Transthoracic Vasodilator Stress Echo Study, 2219
- Regional Left Ventricular Remodeling is Determined by Transmural Extent of Scar by Contrast-Enhanced Magnetic Resonance Imaging, 3485
- Role of Coronary Flow Reserve with Contrast-Enhanced Dobutamine Stress Echocardiography in Predicting Outcome in Patients with Known or Suspected Coronary Artery Disease, 2728
- Superiority of Transthoracic 3D Dobutamine Stress Echocardiography for the Assessment of Ischemia; a Comparative Study with Simultaneous Conventional 2D Dobutamine Stress Echocardiography, Thallium SPECT, and Quantitative Coronary Angiography, 2403
- The Additional Prognostic Value of Coronary Flow Reserve on Left Anterior Descending Artery in Patients With Negative Stress Echo by Wall Motion Criteria: A Transthoracic Vasodilator Stress Echo Study, 2397
- The Predictive Power of Real-Time Perfusion Imaging During Dobutamine Stress Echocardiography, 3454
- The Prognostic Meaning of Coronary Flow Reserve Assessed by Doppler Echocardiography in Nonischemic Dilated Cardiomyopathy, 2396
- The Projected Valve area at Normal Flow Rate Improves the Assessment of Stenosis Severity in Patients with Low Flow Aortic Stenosis: The Multicenter TOPAS Study, 3450
- The Response of Natriuretic Peptide Levels to Dobutamine Stress Echocardiography Predicts Myocardial Inotropic Reserve in Dilated Cardiomyopathy, 2001
- Ultrasound Tissue Characterization may be used to Detect Subclinical Left Ventricular Dysfunction and Fibrosis in Asymptomatic Severe Mitral Regurgitation, 2736
- Stroke**
- Age and Exercise Training Alter Endothelial Phenotype in Cerebral Resistance Arteries, 2280
- Albuminuria and Risk of Stroke in Diabetic Adults Free of Clinical Cardiovascular Disease: The Strong Heart Study, 3680
- Angiotensin Formation Is Associated With Stroke Risk, 2276
- Are Patients with Human Immunodeficiency Virus at Higher Risk for Complications Following Cardiac Surgery?, 1688
- BEACH Trial: Early Outcomes of Carotid Wallstent and FilterWire EX/EZ Distal Protection System Placement for Treatment of High Surgical Risk Patients, 2998
- Body Fat Predicts Outcome after Percutaneous Coronary Intervention, 3603
- C-Reactive Protein as a Risk Factor for Multiple Silent Cerebral Infarcts in Japanese Hypertensive Subjects, 2983
- Carotid Artery Stenosis, Left Atrial Thrombus, and Aortic Plaques: The Impact of Coexisting Risk Factors on the Incidence of Embolic Stroke, 1793
- Carotid Atherosclerosis and Risk of Cerebral Infarction as Assessed by Diffusion Weighted Magnetic Resonance Imaging in Patients Undergoing Off-Pump Coronary Artery Bypass Surgery, 1790
- Carotid Intima-Media Thickness Predicts Complex Aortic Atheroma in Patients Referred for Transesophageal Echocardiography after Stroke or TIA, 1893
- Cognitive Deficit Following Cardiac Surgery is Not a Function of Perioperative Cerebral Ischemia, 2981
- Combined Carotid Endarterectomy (CEA)/Coronary Artery Bypass (CAB): Is it Effective in Reducing Perioperative Stroke?, 2977
- Comparative Effects of Microplasma and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707
- Comparison of the Results of Single-Ventricle Palliation with the Bidirectional Glenn and Fontan Procedures, 2478
- Complete Restoration of Atrial Contractility by the Atrial K⁺-channel Blocker AVE0118 after Cardioversion of Atrial Fibrillation in the Goat, 459
- D-Dimer, Cardiovascular Disease, and Mortality in the Elderly, 3580
- Elevated Homocysteine Level is Independently Associated with Progression of Aortic Arch Atheroma, 2980
- Healing Response After Transcatheter Closure Of Patent Foramen Ovale Depends On Occluder Type, 2074

Hyperbaric Preoxygenation and Neurocognitive Outcome after Cardiopulmonary Bypass - Results of a Prospective Randomized Double Blind Trial, 3651

Identification of Early Hemorrhage with Magnetic Resonance Imaging is Highly Associated with Markers of Plaque Vulnerability and Patients' Symptom Status, 1190

Identification of Genetic Risk Factors for Atherosclerosis and Drug Response Markers Using Clinical Trials of the Cholesterol-Lowering Drug Pravastatin, 2982

Impact of Integrated Selective Cerebral Perfusion with Right Axillary Artery Cannulation and a "Stepwise" Distal Anastomosis on the Outcome of Total Arch Replacement with Individual Arch-Vessel Reconstruction, 2746

Incidence, Outcomes, and Predictors of Cerebrovascular Accidents After Percutaneous Coronary Interventions, 3190

Increased Circulating Endothelial Cells in Hypertensive Patients Presenting with Acute Ischemic Strokes, 703

Intensive and Moderate Lipid Lowering Strategies with Statins are Associated with a Similar Risk of Cerebrovascular Events in Patients with Acute Coronary Syndromes, 2978

Lack of GPIIb Integrin Attenuates Atheroprotection and Cerebral Ischemia-Reperfusion Injury in Mice, 1211

Lipoprotein-Associated Phospholipase A₂, High-Sensitivity C-Reactive Protein, and Risk for Ischemic Stroke in Middle-Aged Men and Women in the Atherosclerosis Risk in Communities Study, 2979

Liposome-Encapsulated Hemoglobin Ameliorates Cerebral Infarction in the Monkey as Shown on Positron Emission Tomography, 2279

Long-Term Risk of Death, Stroke, or TIA and Heart Failure in Patients with Lone Paroxysmal or Persistent Atrial Fibrillation, 3098

Low-Density Lipoprotein Particle Number, Size, and Subspecies in Assessing Cardiovascular Risk: Results from the Framingham Offspring Study, 3583

Mechanisms of Action of Aggrenox: Role of Nitric Oxide and Adenosine, 2275

Modifiable Risk Factors for Stroke in High-Risk Patients following Acute Myocardial Infarction: Insights from the VALIANT Study, 2985

N-Terminal Pro-Brain Natriuretic Peptide in Patients with Acute Ischemic Stroke, 2277

Occurrence of Postoperative Stroke in Patients Undergoing Coronary Bypass Grafting: Statins Are Protective, 2274

Overall and Sex-Specific Trends and Prognosis of Ischemic Stroke Following Incident Atrial Fibrillation: Data from 2 Decades (1980-2000), 2976

Prevention of Stroke by Carotid Stent Implantation: Long-Term Results Up To 10 Years, 2849

Prognostic Significance of Morning Pressor Surge and Nocturnal Dipping For Risk of Stroke: The Ohasama Study, 2038

Proinflammatory Genetic Profiles in Subjects with History of Ischemic Stroke, 2984

Racial and Gender Differences in the Management of Acute Ischemic Stroke: The North Carolina Collaborative Stroke Registry, 3521

Safety and Efficacy of Percutaneous Left Atrial Appendage Transcatheter Occlusion (PLAATO™) in Non-Anticoagulation Eligible Patients with Atrial Fibrillation and High Risk for Stroke, 2070

Single and Joint Effects of Obesity and Physical Activity on Stroke Risk, 3771

Slow-Flow Phenomenon During Carotid Artery Stenting With Embolic Protection Devices: Predictors and Clinical Outcome, 2850

Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy: The SAPHIRE Study: Two-Year Results, 2996

Temporal Onset and Risk Factors for Postoperative Neurologic Complications after Coronary Artery Bypass Grafting, 2551

The Dynamic Nature of Aortic Atherosclerosis, 2226

The Location Of Aortic Atherosclerosis Is A Better Predictor Of Late Stroke Than Its Extent, 2273

The Relationship Between Particle Dislodgement from an Aortic Wall Simulator and Fluid Flow Patterns from Various Aortic Perfusion Cannula, 3108

The Relationship of Metabolic Syndrome and Stroke after Carotid Artery Stenting, 2847

Thrombin Induces Vascular Hypercontractility by Upregulating Protease-Activated Receptor-1 in Subarachnoid Hemorrhage, 1593

Thromboembolic Events after Mitral Valve Repair: a multicentric prospective survey, 1989

Transcranial Doppler Detection of Microembolic Signals During Pulmonary Vein Antrum Isolation: Correlation with Microbubble Formation on Intracardiac Echocardiography, 2703

Upregulation of Hypoxia Inducible Factor Reduces Neuronal Loss in Neonatal Piglets Undergoing Deep Hypothermic Circulatory Arrest, 1885

Usefulness of serum levels of fibrin monomer to assess the left atrial appendage thrombus and predict the occurrence of cardioembolic stroke, 2281

Vascular Endothelial Growth Factor Receptor-2 Gene Haplotype (TTT, -604/+1192/+1719) was Associated with Hemorrhagic Stroke: A Multicenter Case-control Study, 2282

Which is the Most Accurate Stroke Prediction Scheme in Atrial Fibrillation Patients Treated with Anticoagulants? A Comparison of 5 Risk Stratification Schemes, 3616

Women Are At Higher Risk Than Men For Atrial Fibrillation-Related Thromboembolism: The Anticoagulation and Risk Factors In Atrial Fibrillation (ATRIA) Study, 3519

Stroke volume

Cool-Shock I Study: Mild Hypothermia as positive Intervention in Cardiogenic Shock, 1639

Sudden death

α -Linolenic Acid Intake and Risk of Sudden Cardiac Death and Fatal CHD among Women, 3604

β 2-Adrenergic Receptor Haplotypes and Risk of Sudden Cardiac Death, 3772

A Novel Mechanism of Defective Trafficking and Dominant-negative Suppression of KCNQ1 Channel Found in Long QT Syndrome, 922

Altered Circadian Variation of Sudden Cardiac Death in Patients with Obstructive Sleep Apnea, 3777

An Impedance Threshold Device Improves Short-Term Outcomes Following Out-of-Hospital Cardiac Arrest, 1957

An Impedance Threshold Device Significantly Increases Invasively Measured Arterial Pressures during Standard Cardiopulmonary Resuscitation in Out-of-Hospital Cardiac Arrest, 1956

Arrhythmias and Sudden Cardiac Death in Children with Dilated Cardiomyopathy, 3516

Atypical Form of Catecholaminergic Ventricular Tachycardia due to a G14876A Mutation in the Cardiac Ryanodine Receptor Gene, 3211

Backup Defibrillation Prolongs Survival in Patients with Indications for Cardiac Resynchronization Therapy by Reducing Sudden Cardiac Death Rate, 2266

Baseline 6 Minute Walk Distance in the Sudden Cardiac Death Heart Failure Trial, 3131

Benefit from Defibrillator Therapy Related to Ventricular Function: Primary versus Secondary Prevention of Sudden Cardiac Death, 2910

Bystander-Initiated Cardiopulmonary Resuscitation Sustains Ventricular Fibrillation in Out-of-Hospital Cardiac Arrests: Report Based on a Large-Scale Population-Based Study in Osaka, Japan, 2144

Causes of Death in Cardiogenic Shock - A Report from the SHOCK Trial, 1940

Clinical and Molecular Characterization of a Large Cohort of Patients Affected by Catecholaminergic Polymorphic Ventricular Tachycardia, 2574

Clinical Evaluation of an Inspiratory Impedance Threshold Device During Standard Cardiopulmonary Resuscitation, 1951

Clinical Profile of Arrhythmogenic Right Ventricular Cardiomyopathy Caused by Desmoplakin Mutations (ARVD8), 1736

Competing Risks for Arrhythmic versus Nonarrhythmic Death in Prophylactic ICD Therapy Early after Myocardial Infarction, 2357

Coronary Heart Disease in Siblings as Predictor of Sudden Cardiac Death and Coronary Events, 3653

Cost-Effectiveness Analysis of Preparticipation Screening Strategies for Prevention of Sudden Death in Young Competitive Athletes, 3213

Delayed Rectifier Voltage-gated K⁺ Channels Localize into Distinct Sphingolipid/Cholesterol Enriched Membrane Microdomains, 280

Diagnosis and Presentation of Fatal Myocarditis, 2421

Electrical Remodeling Caused by Brief Ventricular Ectopy Increases T Wave Alternans, 2898

Evaluation for Second Stage Palliation Following the Norwood Procedure: Right Ventricle to Pulmonary Artery versus Modified Blalock-Taussig Shunt, 2477

French Brugada Syndrome Registry (COBRA): Design of the Survey, Preliminary Results Concerning Demographic, Clinical Data and Follow-Up, 3210

Gene Profiling in a Novel Mouse Model of Sudden Cardiac Death with Acquired QT Prolongation and Torsades de Pointes Secondary to Complete AV Block, 463

Generalizability of the MADIT II Trial: Comparison of Study Participants versus Eligible Patients in a General Population, 3815

High Prevalence of Fluctuations between Diagnostic and Nondiagnostic ECGs in Brugada Syndrome: Implications for Correct Phenotyping and Risk Stratification, 2346

Identification of Two Novel Mutations of Cardiac Ryanodine Receptor (RYR2) Gene in Exercise-Induced Sudden Deaths, 70

Implantable Defibrillators for the Prevention of Mortality in Patients with Nonischemic Cardiomyopathy: A Meta-Analysis of Randomized Controlled Trials, 2905

Improved Survival after Out-of-Hospital Cardiac Arrest in Austria through a Nationwide Public Access Defibrillation Program, 2146

In vitro Characterization of the Electrophysiological Effects of Mexiletine on SCN5A Mutants Predicts Clinical Response in LQTS Patients, 1102

Induction of Ventricular Arrhythmia at Electrophysiologic Study in Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation (DEFINITE) Predicts Need for Implantable Cardioverter Defibrillator Therapy, 2902

Intra
M
Lipo
M
Lon
C
Lost
R
Mag
Pi
El
Mett
U
Mor
w
Mult
PI
Myo
H
E
Patie
AI
Phas
M
Pher
Fa
Posit
De
In
Post
Int
Pote
Qt
Pred
Pr
Mi
Previ
Ja
Previ
El
Previ
Fil
Ranc
Lc
At
Reag
of
Reve
Pz
Risk
Ct
Ct
Risk
Pz
M
Risk
Bt
Sud
In
Sud
Yi
Surv
Le
Sync
Cl
4E
Test
Pr
The
G
Di
Ties
St
Why
DI

Super
A Cr
Ct
Aldo
Gi
Angi
1C
Apol
Fc

- Intra-Abdominal Adiposity and Risk of Sudden Death in Asymptomatic Middle-Aged Men: The Paris Prospective Study I, 3788
- Lipoprotein-Associated Phospholipase A2 is Highly Expressed in Macrophages of Coronary Lesions Prone to Rupture, 1183
- Long-Term Prognosis in Patients with End-Stage Phase of Hypertrophic Cardiomyopathy, 1747
- Loss of Prognostic Value of Late Potentials in Post-MI Patients of the Reperfusion Era, 3092
- Magnetic Resonance Assessment of Scar Transmurality Distribution Predicts Inducible Ventricular Tachycardia Regardless of Disease Etiology, 1910
- Methamphetamine-Associated Cardiomyopathy: A Previously Unrecognized Cause of Heart Failure, 1746
- Morphological Abnormalities of the T Wave among Genotyped Patients with the Long QT Syndrome, 2894
- Multiple Sites of Luminal Fibrin in Sudden Coronary Death Attributed to Plaque Rupture, 587
- Myocardial Characterization by Magnetic Resonance Delayed Hyperenhancement Imaging Strongly Predicts Major Adverse Cardiac Events, 2988
- Patients With a Nonischemic Cardiomyopathy and a Negative T-Wave Alternans Stress Test Are at a Low Risk of Death, 3093
- Phase-Rectified Signal Averaging is Superior to LVEF in Prediction of Late Mortality after Acute MI, 2155
- Phenotypic Variability in a Founder Population of 23 South African LQT1 Families with the *KCNQ1*-A341V Mutation, 2892
- Positron Emission Tomographic Imaging with [¹¹C] Pyridostigmine Analogs Detects Phenol-Induced Attenuation of Canine Cardiac Parasympathetic Innervation, 2055
- Post-Infarct Ventricular Rupture in Mice is Due to Damage of Existing Interstitial Collagen, 1542
- Potential Treatment of Congenital Short QT Syndrome: Response to Oral Quinidine, 1106
- Prediction of Sudden Death in Patients with Chronic Heart Failure: A Prospective Comparative Study of Cardiac I-123 Metaiodobenzylguanidine Imaging and Heart Rate Variability, 3055
- Prevalence and Clinical Course of the Juveniles With Brugada-type ECG in Japanese Population, 3209
- Prevalence of Brugada-Type Electrocardiogram in an Apparently Healthy European Population, 3086
- Prevalence of Very Short QT Intervals in Patients with Idiopathic Ventricular Fibrillation and Implanted ICD, 2350
- Randomized Therapy for Obstructive Hypertrophic Cardiomyopathy: Long-Term Outcome of Dual-Chamber Pacemaker and Alcohol Septal Ablation, 2423
- Reappraisal of Diagnostic Criteria for Brugada Syndrome in a Large Cohort of Patients with Molecular Diagnosis, 3206
- Reversal of Pulseless Electrical Activity in Canines with Coupled/Paired Pacing, 1629
- Risk of Fatal Arrhythmogenesis in LVH: Increased Myocardial Collagen Content and Decreased Collagen Type I/III Ratio are Potential Contributors, 2349
- Risk Stratification for Sudden Cardiac Death in Chronic Heart Failure Patients Without Sustained Ventricular Tachycardia Using Iodine-123 Metaiodobenzylguanidine Scintigraphy, 3477
- Risk Stratification of MADIT-II Patients for Predicting Mortality and ICD Benefit, 2361
- Sudden Arrhythmic Death Syndrome: Cardiological Evaluation Identifies Inherited Heart Disease in over half of all Families, 2573
- Sudden Unexplained Death: Heritability, Diagnostic Yield, and Therapeutic Yield of Routine Cardiological Examination in Surviving Relatives, 1735
- Survival from Out-of-Hospital Cardiac Arrest in New York City: 10 Years Later, 2142
- Syndrome of Long QT and Sudden Death in the Catecholamine-Challenged, after Depolarization-Prone KATP Channel Knockout Mice, 460
- Testing the Tests: Relative Sensitivities of 7 Tests Used to Stratify Post-Myocardial Infarction Patients, 2699
- The Role of Neonatal Electrocardiography in the Early Identification of Genetic Arrhythmogenic Disorders and Congenital Cardiovascular Diseases: Prospective Data from 21,000 Infants, 1930
- Tissue Heterogeneity by Contrast-enhanced MRI as a Marker of Risk for Sudden Cardiac Death in Ischemic Cardiomyopathy, 2993
- Why Don't ICDs Decrease All-Cause Mortality After MI? Insights from the DINAMIT Study, 2356
- Super oxide**
- A Critical Role for a gp91^{phox}-containing NADPH Oxidase in Interstitial Cardiac Fibrosis, 895
- Aldosterone Impairs Vascular Reactivity by Decreasing Glucose-6-Phosphate Dehydrogenase Activity, 733
- Angiotensin-(1-7) Potentiates the Antiaggregatory Effects of Nitric Oxide, 1033
- Apolipoprotein A1 Mimetic Peptide D-4F Prevents Superoxide Anion Formation And Endothelial Cell Sloughing By Increasing Heme Oxygenase-1 In Diabetic Rats, 700
- C-reactive Protein Impairs Endothelium-dependent Nitric Oxide-mediated Dilatation of Coronary Arterioles via p38 Kinase and NADPH Oxidase Activation, 339
- Cardiac Angiotensin II Induces Macrophage-Derived Oxidative Stress Following Infarction, 1543
- Dual Role of Antioxidant-1 in Modulating the Activity and Expression of Extracellular Superoxide Dismutase, 1361
- Effects of a Gene Variant of Human Extracellular Superoxide Dismutase in Spontaneously Hypertensive Rats, 774
- Endothelial Cell Nox4 is Localized to the Endoplasmic Reticulum and Modulates Protein Tyrosine Phosphatase Oxidation, 749
- Endothelial NADPH Oxidases Are Upregulated During Vascular Aging, 754
- Endothelial-Targeted GTP Cyclohydrolase I Overexpression Increases Endothelial Tetrahydrobiopterin Levels and Preserves eNOS Coupling in eNOS Overexpressing Mice, 852
- Eplerenone Attenuates Oxidative Stress, Inflammation, and Atherosclerotic Lesion Formation in Apolipoprotein E-Deficient Mice, 188
- Extracellular Superoxide Dismutase Gene Therapy Reduces Cuff-induced Neointimal Formation in Rat Femoral Artery, 1239
- Fibulin-5 as a Novel Binding Protein for Extracellular Superoxide Dismutase: Study using Fibulin-5 Knockout Mice, 1240
- Heme Oxygenase-1 Prevents Superoxide Anion-Associated Vascular Smooth Muscle Growth and Decreases Circulating Endothelial Cells in a Rat Model of Balloon Injury and Restenosis in Diabetes Mellitus, 1349
- Hydrogen Peroxide-Induced Superoxide in Endothelial Cells: Role of Nitric Oxide Synthase and NAD(P)H Oxidase, 1344
- Identification of a Novel Oxidized LDL-Regulated Scavenger Receptor, SREC II, in Vascular Smooth Muscle: Role in Oxidized LDL-Induced Oxidative Stress and Apoptosis, 1350
- Impaired Glutathione Redox Regulation Paradoxically Suppresses Angiotensin II-Induced Vascular Remodeling, 566
- Impaired NO-Mediated Coronary Microvascular Vasodilation of Right Ventricle with Increased Superoxide in Monocrotaline-Induced Pulmonary Hypertensive Rats, 867
- In Vivo PPAR α Activation Reduces Blood Pressure and Endothelial Dysfunction via Impeding Arterial NADPH Oxidase/Superoxide and Augmenting Tetrahydrobiopterin in Low Renin Hypertension, 1465
- Inhibition of the Initial Burst of Reactive Oxygen Species (ROS) under Conditions of Hypoxic and Hyperoxic Reperfusion in the Globally Ischemic Heart, 1859
- Intrinsic Methylarginines Enhance Superoxide Release from NOS, 1362
- Menkes Protein is a Novel Modulator for Extracellular Superoxide Dismutase, 425
- Mice Genetically Deficient in Antioxidant MnSOD Develop Myocardial Fibrosis and Maintained Elevation of Fibrotic Gene Expression in Response to Pressure Overload, 201
- Myocardial NADPH Oxidase Is a Major Source Of Reactive Oxygen Species In Heart Failure, 896
- NADPH Oxidase-dependent Acute TNF α Signaling and MAPK Activation in Endothelial Cells: The Role of p47^{phox} and TRAF4, 752
- Neuronal Nitric Oxide Synthase Interacts with Xanthine Oxidase to Regulate Cardiac Excitation-contraction Coupling, 1602
- Nox4-Based NAD(P)H Oxidase Mediates TGF- β_1 -Induced Differentiation of Human Cardiac Fibroblasts into Myofibroblasts, 748
- Nox4-derived Reactive Oxygen Species and Growth Arrest of Vascular Smooth Muscle Cells in Atherosclerosis, 1352
- Nox1 is a Critical Component of the Vascular NADPH Oxidase, 747
- Overexpression of Cu/Zn-Superoxide Dismutase Increases Atherosclerotic Lesions in Apolipoprotein E-Deficient Mice, 1347
- Overexpression of Mn-superoxide Dismutase in the Rostral Ventrolateral Medulla Causes Sympathoinhibitory Effects in Stroke-Prone Spontaneously Hypertensive Rats, 1269
- Pressure-induced Phenotypic Changes Underlie the Activation of Arterial Renin-Angiotensin System and PKC-NAD(P)H Oxidase Axis, 1236
- Role of the small GTPase, Ras, and Oxidants in Impaired Endothelial Function Associated with Insulin Resistance in LDL Receptor Deficient Mice, 1068
- Tetrahydrobiopterin Deficiency Uncouples Nitric Oxide Synthase and Causes Pulmonary Hypertension, 79
- The Endothelial S-Nitroso-Proteome: Mitochondrial Localization and Target Protein Identification, 1591
- The Reduction of Vascular Extracellular Superoxide Dismutase is Associated With Coronary Artery Atherosclerosis, 1360
- The Tyrosine Phosphatase SHP-1 Downregulates Endothelial NAD(P)H-Oxidase Activity Through PI3-Kinase Dependent Inhibition of Rac1, 751
- Xanthine Oxidase Inhibition Causes Reverse Remodeling in Rats with Dilated Cardiomyopathy, 101
- Supraventricular tachycardia**
- Ablation within Coronary Sinus is Required to Eliminate Retrograde Slow Pathway Conduction in Uncommon Type Atrioventricular Nodal Reentrant Tachycardia with Eccentric Coronary Sinus Activation, 1868

Different Response Of Retrograde VA Conduction To Ventricular Extrastimulus Between AV Nodal Reentrant And AV Reciprocating Tachycardias: Proposal Of A Simple Criterion For The Diagnosis Of AV Nodal Reentrant Tachycardia, 2689
 Implications of 2:1 Atrioventricular Block during Common Type Atrioventricular Nodal Reentrant Tachycardia: Localizations of Site of Block and Lower Turnaround Point of Reentrant Circuit, 3103
 Use of Catheter Cryoablation in Pediatrics: Success Determined by Time to Effect, 2334
 Utility of Intracardiac Ultrasound in Guiding Circumferential Pulmonary Vein Isolation with Laser Energy Balloon Catheter, 1665

Syncope

Diagnosis of Syncope with the Implantable Loop Recorder: Clinical Value of Automatic Recording Features, 2692
 Effect of Age and Sex on Yield of Long QT Syndrome Genetic Testing, 3515
 High Prevalence of Fluctuations between Diagnostic and Nondiagnostic ECGs in Brugada Syndrome: Implications for Correct Phenotyping and Risk Stratification, 2346
 Must Patients Faint on Tilt-Table Testing?, 2153
 Reappraisal of Diagnostic Criteria for Brugada Syndrome in a Large Cohort of Patients with Molecular Diagnosis, 3206

Systole

Faster Decay of Crossbridge Dynamics during Diastole in Endomyocardial Region Compared with Epimyocardial Region, 521
 Improvement in TEI Index Closely Mirrors Reversal of Left Ventricular Dysfunction in Chronic Ischemic Cardiomyopathy, 2945
 Left Ventricular Hypertrophy is Associated with Normal Segmental Wall Motion at the Site of Myocardial Infarction, 1995
 Quantitative Assessment of Regional Myocardial Function in Mice by Tissue Doppler Imaging: Comparison with Hemodynamics and Sonomicrometry, 2568

Thienopyridines

Clopidogrel Loading with Eptifibatid to Arrest the Reactivity of PLATELETS: The CLEAR PLATELET Study, 1819
 Combination Therapy of Glycoprotein IIb/IIIa Inhibitors and a Thienopyridine is Associated with Reduced Hospital Mortality in Patients with Non-ST Elevation Myocardial Infarction Managed Invasively but not Conservatively: Lessons from the National Registry of Myocardial Infarction 4, 2519
 Levels of hs-CRP Prior to PCI Predict Long-Term Risk and the Benefit of Clopidogrel Therapy: A CREDO Sub-Study, 1820
 Persistent Failure to Close the Age and Gender Gap in the Use of Evidence-Based Therapies in Acute Coronary Syndromes: Temporal Trends (1999-2003) in the Global Registry of Acute Coronary Events, 3689
 Polymorphisms Of The GP IIIa And P2Y12 Receptors And Modulation Of Antiplatelet Effects Of Combined Aspirin And Clopidogrel Treatment, 2013
 Thrombosis after Drug-eluting versus Bare-metal Stent Implantation: A Meta-analysis from 10 Randomized Trials Including 5030 Patients, 3181
 Time Dependence and Variability of Platelet Inhibition after a Loading Dose of Clopidogrel 600 mg in a Large Unselected Cohort of Patients Scheduled for Percutaneous Coronary Intervention, 3442
 Triple versus Dual Antiplatelet Therapy after Coronary Stenting: Impact on the Stent Thrombosis, 1822

Thrombin inhibitors

Coagulation Activity is Persistently Reduced by Long-term Ximelagatran Treatment After a Myocardial Infarction, 2522
 Combination Eptifibatid and Reduced-Dose Tenecteplase Versus Eptifibatid Monotherapy Preceding Primary PCI: Final Results of the ADVANCE-MI Trial, 1623
 Cyp2C9 Genotyping Predicts Warfarin Dose and Allows for Quantitative Anticoagulant Dosing Algorithms, 3424
 Melagatran for Anticoagulation of Mechanical Valve Prostheses: Early Results in a Heterotopic Porcine Model, 3119
 Outcomes of Patients with Acute Coronary Syndromes who are Treated with Bivalirudin during PCI: An Analysis from the REPLACE-2 Trial, 1624
 Platelet Expression of CD40 and CD40 Ligand during Persistent Atrial Fibrillation, 3432
 The Prevalence of Heparin/Platelet Factor 4 Antibody is High in Patients Undergoing Cardiac Surgery, 1710
 Use Of Bivalirudin During Percutaneous Coronary Intervention In Patients With Diabetes Mellitus: An Analysis From The REPLACE-2 Trial, 2863
 Use of Bivalirudin during Percutaneous Coronary Intervention: Real-Life Experience from a Single-Center Registry, 2862
 Which is the Most Accurate Stroke Prediction Scheme in Atrial Fibrillation Patients Treated with Anticoagulants? A Comparison of 5 Risk Stratification Schemes, 3616

Thrombolysis

Inhibitory Effect of Previously Administered Tissue-type Plasminogen Activator on In-stent Neointimal Proliferation of Acute Myocardial Infarction, 1627
 As Door-to-Balloon Times Exceed Door-to-Needle Times at a Given Hospital, Mortality in STEMI Rises, 2510
 Cardiac Tamponade in the Fibrinolytic Era: Analysis of Over 100,000 ST-Segment Myocardial Infarction Patients, 2682
 Comparative Effects of Microplasma and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707
 Comparison of Patients With ST-Segment Elevation Myocardial Infarction Enrolled in Fibrinolytic Drug Trials with Trial-Eligible and Trial-Ineligible Patients: Findings From the Global Registry of Acute Coronary Events, 3614
 Diagnostic Ultrasound-Guided Treatment of Acute Intravascular Thrombi With Therapeutic Ultrasound and Intravenous Microbubbles, 2389
 Electrocardiographic Identification of Patients with ST-Elevation Acute Myocardium Infarction Benefiting most from Primary Angioplasty versus Fibrinolysis: Results from the DANAMI-2 Trial, 1933
 Enhancement of in vivo Clot Visualization and Ultrasound Thrombolysis Using Microbubbles Targeted to Activated Platelets, 3460
 Immunotargeting of Tissue Type Plasminogen Activator to Circulating Red Blood Cells, 705
 Improved Outcomes Among Patients with ST-Segment Elevation Myocardial Infarction Presenting to Community Hospitals and Treated with Facilitated Percutaneous Coronary Intervention with Antecedent Bolus Fibrinolytic and/or Glycoprotein IIb/IIIa Therapy, 2506
 Lack of Urokinase Plasminogen Activator Promotes Instability of Vascular Lesions in Apolipoprotein E-Knockout Mice, 590
 Long-term Benefits of Montepase Prior to Coronary Angioplasty in Acute Myocardial Infarction: Results of the Combining Montepase with Angioplasty (COMA) Trial, 2111
 New Approach to Acute Myocardial Infarction: Triage in Ambulance to Prehospital Thrombolysis or Transfer for Primary PCI, 2504
 Novel Echogenic Tissue Plasminogen Activator-Loaded Liposomes for Site-Specific Thrombolysis, 2390
 Plasminogen Activator Inhibitor (PAI)-1 from Bone Marrow-Derived Cells Contributes to Neointima Formation after Injury in Mice, 387
 Prehospital Delay, Receipt of Reperfusion Therapy, and Hospital Outcomes. Observations from the Global Registry of Acute Coronary Events, 3532
 Prehospital Delay, Timing of Hospital Presentation and Receipt of Reperfusion Therapy, and Hospital Outcomes, 2516
 Preoperative Thrombolysis Improves Long-term Survival after Coronary Artery Bypass Grafting, 3266
 Preserved LV Function After AMI Due to Prehospital Thrombolysis or PCI, 2507
 Randomized Comparison of Prehospital Combination Fibrinolysis Versus Prehospital Initiated Facilitated Percutaneous Coronary Intervention in Acute Myocardial Infarction: Final Results of the Leipzig Prehospital Fibrinolysis Study, 2505
 Relation of Time to Treatment and In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction: Vienna Pilot Study on Mechanical Versus Medication Reperfusion Strategies, 2511
 Rescue Surgical Embolectomy Compared with Repeat Thrombolysis After Unsuccessful Thrombolysis in Acute Pulmonary Embolism, 2134
 Reversal of Right Ventricular Enlargement on Multidetector-Row Chest CT Following Thrombolysis or Surgical Embolectomy in Patients with Acute Pulmonary Embolism, 1766
 Sildenafil Abolishes Cyclic Coronary Occlusion in a Canine Model of Platelet-Mediated Coronary Occlusion after Thrombolysis, 714
 ST Resolution Predicts Prognosis after IV Alteplase but not when Primary Angioplasty is used as Reperfusion Therapy for ST-Elevation Acute Myocardial Infarction: Results from the DANAMI-2 Trial, 1621
 Streptokinase Undergoes Autoproteolysis that Reduces the Efficiency of Plasminogen Activation, 539
 Successful Knockdown of Plasminogen Activator Inhibitor-1 Gene and Protein Expression in Human Vascular Cells Using Small Interfering RNA, 706
 Time Delay-Adjusted Survival Benefit of Angioplasty Over Thrombolysis in Acute Myocardial Infarction: Influence of Time from Symptom Onset, 2512
 Tissue-plasminogen Activator Releases Norepinephrine from Sympathetic Nerves via a Plasmin- and Plasminogen-independent Mechanism, 1407
 U-Shaped Relationship of Blood Glucose with Adverse Outcomes Among Patients with ST-Segment Elevation Myocardial Infarction, 1850

Thrombosis

Evidence for a Role of the CD40/CD40 Ligand (CD40L) Pathway in Primary Hemostasis and Platelet Function, 1575
 A Link Between Infection and Thrombosis: Role of TLR4 in Platelet Reactivity, 1570
 A Nitric Oxide (NO)-Donating Derivative of Atorvastatin, NCX 6560, Displays Antithrombotic and Anti-inflammatory Activity, 712

Ant
ir
Asp
T
Asp
C
Ass
Ir
Car
E
Car
Ir
1
Cloj
T
S
Coa
Ti
Dea
M
E
Dec
R
Vi
Ti
Defli
Pi
Dire
Ti
Drug
M
Effe
St
Effe
Pi
Elect
of
Cr
Elev
Di
Endc
Enhs
Cj
Evalu
Ht
Ct
Re
Expr
thi
Fact
De
De
Fibrin
Th
Gene
HMG
by
of
Humi
In Vv
Fit
Incid
Sir
Induc
Gn
An
Intrac
Cti
Left \

- Antithrombotic and Antiproliferative Potential of Eptifibatid Eluting Stent: *in vitro* Evaluation, 2869
- Aspirin Resistance: An Underrecognized Risk Factor in Early Vein Graft Thrombosis After Off-pump Coronary Artery Bypass (OPCAB), 1194
- Aspirin-Insensitive Myocardial Infarction Is Associated With Overexpression Of Cyclooxygenase-2 In Coronary Thrombi, 354
- Association Between Enhanced Soluble CD40L And Prothrombotic State In Major Depression, 1479
- Cardiomyopathy Results in Reduced Endocardial Thrombomodulin Expression and Decreased Activated Protein C Activity, 834
- Carotid Artery Stenosis, Left Atrial Thrombus, and Aortic Plaques: The Impact of Coexisting Risk Factors on the Incidence of Embolic Stroke, 1793
- Clopidogrel Is Associated With Increased Rates of 1-Year Stent Thrombosis and Mortality Compared to Ticlopidine Following Coronary Stent Implantation, 3073
- Coagulation Activity is Persistently Reduced by Long-term Ximelagatran Treatment After a Myocardial Infarction, 2522
- Death and Subacute Stent Thrombosis Occur More Often in Diabetic and Multivessel Disease Patients after DES: Interim Results of the EVASTENT Registry, 3503
- Decreased Left Atrial Appendage Wall Velocity Identifies Patients at High Risk for Thromboembolism: Comparison of the Tissue Doppler Wall Velocity and Pulse Doppler Flow Velocity of the Appendage Using Transesophageal Echocardiography, 2228
- Deficiency of Matrix Metalloproteinase-2 (MMP-2) Protects Mice against Platelet-Dependent Thrombosis, 1098
- Direct Effects of Left Atrial Appendage Flow Pattern Alterations and Thrombus Formation on Elevated Serum Fibrin Monomer Levels, 2225
- Drug-eluting Stent Thrombosis Is Related to Stent Length: Results from a Meta-analysis Including 10 Studies, 3184
- Effect of P-Selectin on Phosphatidylserine Exposure and Surface-Dependent Thrombin Generation on Monocytes, 833
- Effects of Atorvastatin on Thrombosis/Fibrinolysis System During the Acute Phase of Unstable Angina, 3065
- Electronic Alerts for Venous Thromboembolism Prophylaxis Reduce Rates of Proximal DVT and PE Among Hospitalized Patients: A Randomized Controlled Trial of 2506 Patients, 3762
- Elevated Hemostatic and Inflammatory Markers are Associated with Decreased Ankle-Brachial Index, 3741
- Endocardial Nitric Oxide and Thrombogenesis in Atrial Fibrillation, 1470
- Enhanced Platelet Adhesion Following Selective Inhibition of Cyclooxygenase-2 in Hamster Arterioles *in vivo*, 352
- Evaluation and Outcomes of Thrombocytopenia Developing While on Heparin Among Cardiac Care Unit Patients: Insights from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1767
- Expression of the Alternatively Spliced Isoform of Human Tissue Factor in the Cardiovascular System, 537
- Factor XIIIa and B Interaction with γ' and γ A Fibrinogen Reveals a Novel Delivery Mechanism of the Zymogen and Activated XIIIa to the Developing Fibrin Clot, 536
- Fibrin-Targeted Contrast Enhancing Agent for Acute and Chronic Thrombus Detection with Magnetic Resonance Imaging *in vivo*, 1189
- Genetic Determinants of Atherothrombosis in Mice, 831
- HMG-CoA Reductase Inhibitor Protects Against *In Vivo* Arterial Thrombosis by Augmenting Platelet-Derived Nitric Oxide Releases via Upregulation of Platelet Nitric Oxide Synthase in Rats, 535
- Human HIF-3 α is an inhibitor of the HIF pathway in endothelial cells, 1021
- In Vivo* Imaging of Coronary and Pulmonary Thrombosis by EP-2104R, a Fibrin-Targeted Magnetic Resonance Contrast Agent, 3180
- Incidence and Predictors of Stent Thrombosis after Paclitaxel and Sirolimus-eluting Stent Implantation in the "Real World", 3183
- Induction of Plasminogen Activator Inhibitor-1 Production by Hepatocyte Growth Factor in Liver and its Potential Clinical Implications for Angiogenesis, 541
- Intracardiac Thrombus in Adults with Fontan Operation: Treatment and Clinical Outcome, 3630
- Left Ventricular Thrombus Formation in Patients with Acute Myocardial Infarction Complicated by Cardiogenic Shock: Incidence, Predictors, and 1-Year Outcome, 3297
- Limited Correlation between Plasma, Serum, and Surface Expressed CD40 Ligand in Patients with Acute and Chronic Cardiovascular Disease, 2122
- Low HDL Cholesterol is Associated with a Prothrombotic State: The Framingham Heart Study, 3581
- Low Levels of Tissue Factor-Dependent Thrombotic Activity do not Rescue the Thrombotic Lethality of Antithrombin-Deficient Mice: Cross-Talk between Tissue Factor and Antithrombin in Myocardium-Specific Fashion, 542
- Markers of Saphenous Vein Injury Correlate with Early Failure after Coronary Artery Bypass Grafting, 3270
- Molecular Imaging of Factor XIIIa Activity in Thrombosis Using a Novel, Near Infrared Fluorescent Contrast Agent That Covalently Links to Thrombi, 832
- Multiple Sites of Luminal Fibrin in Sudden Coronary Death Attributed to Plaque Rupture, 587
- P2X1 Mediates Platelet Activation Through ROCK-Dependent And -Independent Mechanisms, 348
- Pharmacologic Factor Xa Inhibition Attenuates Cell-based Prothrombotic and Proinflammatory Responses in Acute Coronary Syndromes: The SYNERGY Library, 2112
- Plaque Disruption Frequently Occurs Days or Weeks before Occlusive Coronary Thrombosis: A Pathologic Thrombectomy Study in Primary PCI, 1941
- Possible Mechanism of Coronary Thrombosis Caused by Focal Vasospasm in Angiographically Nearly Normal Coronary Artery: A Volumetric Intravascular Ultrasound Study, 1698
- Predictors of Major Adverse Cardiac Events at Six Months After Implantation of Sirolimus-Eluting Stents - A Report from the e-Cypher Registry, 2469
- Preprocedural Statin Administration Reduces Acute Phase Reaction after Stent Implantation, 3265
- Prevalence and Structural Risk Factors for Left Ventricular Thrombus in Patients with Systolic Dysfunction as Assessed by Cardiac MRI, 3486
- Prevention of Experimental Coronary Artery Thrombosis by the Novel Von Willebrand Factor Antagonist GPG-290, 710
- Rac Controls Endothelial Proliferation And Angiogenesis By Thrombin: Role Of Hypoxia-Inducible Factor-1 And Its Target Gene Plasminogen Activator Inhibitor-1, 1042
- Rac-Dependent Activation of the Serum- and Glucocorticoid-Regulated Kinase Sgk1 Promotes a Thrombogenic Cycle in Pulmonary Artery Smooth Muscle Cells Involving Nuclear Factor- κ B, 835
- Recovery of Thromboxane Biosynthesis by Aspirin-Treated Platelets *in vitro*: A Novel Mechanism of Aspirin Resistance, 1035
- Rising Levels of CRP and PAI-1 After Plaque Disruption Are Associated with Thrombosis, 1486
- Safety and Efficacy of Aprotinin in Off-Pump Coronary Artery Bypass Grafting (OPCAB): A Double-Blind, Placebo-Controlled Randomized Trial, 2546
- Serpins - A Link between The Thrombolytic and Innate Immune Response Pathways, 837
- Significance of Enhanced P-Selectin Expression on Platelets and Decreased Thrombomodulin in Patients with Cyanotic Congenital Heart Disease, 2882
- Smoking, Inflammation, and Thrombosis in Non-ST Elevation Acute Coronary Syndromes, 3443
- Soluble CD40 Ligand Influences Platelet Release of Reactive Oxygen Intermediates, 1574
- Stent Thrombosis and the Paclitaxel-Eluting Stent: A Meta-Analysis, 3182
- Targeted Disruption Of *cd73/ecto-5'-Nucleotidase* Alters Thromboregulation And Augments Vascular Inflammatory Response, 381
- The Arginyl-Glycyl-Aspartyl Epitope of Human Apolipoprotein(a) Inhibits Platelet Aggregation by Antagonizing the IIb Subunit of the Fibrinogen (GPIIb/IIIa) Receptor, 1578
- The Evastent study: A Direct Comparison of Safety and Cost-effectiveness of Drug Eluting Stents in Diabetic and Nondiabetic Patients According to the Amount of Vessel Disease, 3400
- The Kruppel-like Factor 2 (KLF2) Regulates Endothelial Thrombotic Gene Expression, 1517
- The Platelet Collagen Receptor α IIb β 3 Plays A Critical Role In Mouse Arterial Thrombosis, 351
- The Prevalence of Heparin/Platelet Factor 4 Antibody is High in Patients Undergoing Cardiac Surgery, 1710
- Thrombolysis using High Intensity Focused Ultrasound, 3311
- Thrombosis after Drug-eluting versus Bare-metal Stent Implantation: A Meta-analysis from 10 Randomized Trials Including 5030 Patients, 3181
- TNF- α Receptor 1 (P55)-null Mice Exhibit an Antithrombotic Phenotype, 1036
- Triple versus Dual Antiplatelet Therapy after Coronary Stenting: Impact on the Stent Thrombosis, 1822
- Usefulness of serum levels of fibrin monomer to assess the left atrial appendage thrombus and predict the occurrence of cardioembolic stroke, 2281
- Withholding Direct Thrombin Inhibitor Therapy While Awaiting Laboratory Confirmation of Heparin-Induced Thrombocytopenia Is Associated with an Increased Rate of Thromboembolic Complications: Results of the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1768
- Thromboxanes**
- Aspirin Resistance Is Associated With Markers of Platelet Activation and Is Not Accounted For By Noncompliance Or Aspirin Underdosing, 1032
- Atherosclerosis and Oxidative Stress Contribute to Aspirin Nonresponse in Hypertensive Subjects, 2826
- Helicobacter pylori* Infection Causes Persistent Platelet Activation *In Vivo* through Enhanced Lipid Peroxidation, 1353
- PTEN Binds and is Stabilized by Thromboxane A2 Receptors Resulting in Abrogation of the Src/FAK Pathway and Endothelial Migration, 829

Recovery of Thromboxane Biosynthesis by Aspirin-Treated Platelets in vitro: A Novel Mechanism of Aspirin Resistance, 1035
 Systemic Inflammation and Glycemic Control as the Amplifying Factors for Aspirin-Resistant Thromboxane Biosynthesis in Patients with Coronary Artery Disease, 1485
 The Selective Thromboxane A₂ Receptor (TP) Antagonist S18886 has Antiatherosclerotic and Plaque-Stabilizing Effects in the Rabbit: Follow-Up with Serial High-Resolution Magnetic Resonance Imaging, 428
 Thromboxane A₂ Receptor Antagonism and Selective Inhibition of Cyclooxygenase 2 in Atherosclerosis, 843

Thyroid hormones

Remodeling of T3-responsive Gene Transcription in Rat Hearts by Chronic Amiodarone, 467

Tissue Doppler

A Simplified Approach to Determine Responders of Cardiac Resynchronization Therapy with Tissue Doppler Imaging, 2024
 An Impaired Myocardial Deformation Can Be Detected Late After Low Anthracycline Dose Using Strain and Strain Rate Imaging, 1731
 Assessment of Left Ventricular Dyssynchrony with Tissue Doppler Imaging Predicts Prognosis following Cardiac Resynchronization Therapy, 2023
 Assessment of Systolic Asynchrony by Tissue Synchronization Imaging is a Useful Tool to Predict Responders of Cardiac Resynchronization Therapy, 2025
 Assessment of the Dyssynchrony Index as a Predictor of Response to Resynchronization Therapy, 3352
 Cardiac Involvement in Female Carriers Of Duchenne And Becker Muscular Dystrophy, 1727
 Concordance of Left Ventricular Pacing Site to Region of Maximal Delay in Myocardial Velocities by Tissue Synchronization Imaging Predicts Left Ventricular Reverse Remodeling after Cardiac Resynchronization Therapy, 3353
 Decreased Left Atrial Appendage Wall Velocity Identifies Patients at High Risk for Thromboembolism: Comparison of the Tissue Doppler Wall Velocity and Pulse Doppler Flow Velocity of the Appendage Using Transesophageal Echocardiography, 2228
 Dyssynchrony of Papillary Muscle Contraction May Accelerate Mitral Regurgitation in Dilated Cardiomyopathy, 2762
 Echocardiographic Assessment of Dyssynchrony in Normal Patients: Current M-mode and Tissue Doppler Cutoff Values May Yield a High Rate of False-Positives Unless Used in Combination, 3126
 Echocardiographic Assessment of Left Ventricular Recovery during Mechanical Unloading to Predict Long-term Stability of Cardiac Function after Weaning from Assist Devices, 1999
 Echocardiographic Strain Measurements Reveal Early Signs of Infiltrative Cardiomyopathy: A Study on Patients with Familial Amyloidotic Cardiomyopathy, 1726
 Effect of Alteration of Left Ventricular Activation Sequence on the Left Ventricular Torsional Deformation in Anesthetized Closed-chest Dogs, 140
 Effect of Cardiac Resynchronization Therapy on the Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3251
 Effect of High Voltage Stimulation on Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3250
 Ethnic Variation in Diastolic Function in a Hypertensive Population, 2233
 Functional Border Zone in Acute Myocardial Ischemia: Assessment by Tissue Strain and Myocardial Contrast Echocardiography, 3321
 Immediate Impairment of Left Ventricular Mechanical Performance and Force-Frequency Relation by Rate-responsive Dual-chamber, but not Atrial Pacing: Implications from Isovolumic Relaxation Flow Investigation, 2086
 Incidence of Left Ventricular Dyssynchrony in Patients with Systolic Heart Failure and a Narrow QRS Complex, 2019
 Independent and Incremental Prognostic Value of Early Mitral Annulus Velocity in Patients with Impaired Left Ventricular Systolic Function, 2761
 Isovolumic Contraction Velocity is a Potential Measurement of Left Ventricular State of Contractility: A Simultaneous Pulsed Doppler Tissue Imaging and Cardiac Catheterization Study, 1732
 Left Ventricular Noncompaction Cardiomyopathy In Children: Characterization Of Clinical Status Using Tissue Doppler-Derived Indices Of Left Ventricular Diastolic Relaxation, 2236
 Left Ventricular Regional Electromechanical Patterns during Left-, Right-, and Biventricular Pacing in A Dog Model of Congestive Heart Failure Derived by Tissue Doppler Imaging, 2942
 Metabolic Modulation With Perhexiline Improves Myocardial Function in Ischemic Heart Failure, 3146
 Myocardial Diastolic Dysfunction in Aortic Stenosis Assessed by A New Method Using Transmural Myocardial Strain Profile, 1730
 Myocardial Fractional Fatty Acid Uptake Predicts Left Ventricular Diastolic Dysfunction, 3561
 New Objective Tissue Doppler-Derived Measures of Myocardial Wall Asynchrony and Function: Relative Contribution to Global Left Ventricular Function, 3350

New Predictors of Left Ventricular Remodeling after Acute Myocardial Infarction - An Echocardiography and Cardiac Magnetic Resonance Imaging Study, 3305
 Postsystolic Shortening Indicates Absence of Viability: New Insights from Direct Comparison of Tissue Doppler Imaging and Late Enhancement Contrast MRI, 2003
 Prognostic Implication of the Tissue Doppler Imaging Analysis in Patients with Ischemic Heart Disease, 2569
 Quantitative Assessment of Regional Myocardial Function in Mice by Tissue Doppler Imaging: Comparison with Hemodynamics and Sonomicrometry, 2568
 Quantitative Myocardial Contrast Echocardiography Can Illustrate Transmural Extent of Microvascular Damage in Acute Myocardial Infarction: Validation Using Tissue Doppler Imaging, 2392
 Sequence of Progression of Subclinical Cardiovascular Risk Factors and Cardiac Dysfunction in Type 1 Diabetes Mellitus, 3753
 Strain Rate Can Accurately Predict a More Aggressive Cardiac Involvement in Asymptomatic Patients with Duchenne Muscular Dystrophy, 2562
 Tissue Doppler Determination of Arterial Elasticity: Correlation with Clinical Status and Arterial Compliance, 2065
 Tissue Doppler Imaging: A Powerful Predictor of Future Cardiovascular Events in a Hypertensive Population, 2567
 Tissue Doppler Indices of Dyssynchrony Correlate with Each Other only in the Absence of Postsystolic Shortening: Clinical Implications for the Identification of Responders to Cardiac Resynchronization Therapy, 1733
 Tissue Strain Imaging Identifies Dose-Dependent Myocardial Damage by Anthracycline Cardiotoxicity, 1728
 Torsion-volume Loop Analysis for Assessment of Left Ventricular Active Relaxation, 2234
 Usefulness of Radial Tissue Strain Imaging to Predict Acute Response and Quantify Improvement of Mechanical Dyssynchrony to Cardiac Resynchronization Therapy, 2943

Tomography

[18F]-Fluorobenzyl Triphenyl Phosphonium - A Novel Myocardial Perfusion Agent: Assessment of Extraction Fraction and Detection of Stenosis Severity, 2844
 Assessment of Coronary Arteries and Detection of Severe Lesions Using the Latest Multislice Detector Computed Tomography with 370 msec Gantry Rotation Time, 2105
 Comparison of Angiogenic Property Between Bone Marrow- and Peripheral Blood-derived Mononuclear Cells in Ischemia-Reperfusion Infarct Model: Evaluation by Myocardial SPECT and Echocardiography Compared with Histological Study, 2845
 Comparison of Sixteen-Slice Computed Tomography and Contrast-Enhanced MR Imaging in the Detection of Myocardial Nonviability in Patients with Acute Myocardial Infarction , 2450
 Enhanced Spatial Discrimination of Plaque Components by Quantitative Optical Coherence Tomography, 1788
 High-Normal Serum Creatinine Levels Indicate the Presence of Coronary Calcium, 2286
 HMG Co-A Reductase Inhibitors Improve Renal Hemodynamics and Function in Renal Ischemia, 1499
 Impact of CT-Attenuation Correction on Interpretation of SPECT Images by Readers with Different Interpretative Attitudes, 3168
 In Vivo Assessment Of Attenuation Of Different Plaque Tissue Components Using Multislice CT Coronary Angiography, 2451
 International Patterns of Referral to Revascularization Early after Pharmacologic Stress SPECT: Results from a Prospective Multicenter Registry Trial, 3167
 Multidetector CT with Three-dimensional Reconstruction: Evaluation of Systemic and Pulmonary Vasculature and Tracheobronchial Tree in Newborns and Infants, 1845
 Multislice Computed Tomography Accurately Quantifies Right Ventricular Size and Function in Adults with Congenital Heart Disease, 3018
 Multislice CT Angiography of Coronary Arteries: Ready to Act as a Noninvasive Filter before Catheter Angiography in Clinical Practice?, 2621
 Multislice CT Coronary Angiography Prior to Percutaneous Treatment of Chronic Total Occlusions for the Prediction of Procedural Failure , 2618
 Polarization Sensitive Optical Coherence Tomography Imaging in Coronary Arteries for Enhanced Identification of Vascular Lesion Components, 2456
 Sixteen-Slice Computed Tomography for Assessment of Aortic Valve Calcification as a Marker of Aortic Stenosis Severity, 2284
 Spiral Computed Tomography with Three-Dimensional Reconstruction for Evaluating Tracheal Compression in Children with Vascular Ring and Pulmonary Artery Sling, 1849

Transesophageal echocardiography

An Abbreviated Anticoagulation Strategy is Safe and Effective in Patients Undergoing Transesophageal Echocardiographic-Guided Direct Current Cardioversion, 1892

Carotid
 Pati
 TIA,
 Circula
 and
 Decre
 Risk
 Velo
 Tran
 Direct
 Thrc
 Does I
 Regi
 Asse
 Elevate
 Prog
 Feasibi
 Mec
 Tran
 Dysf
 Gene E
 vers
 Healing
 Dep
 How to
 Imagin
 Com
 Tran:
 Echo
 Impact
 Tran:
 Coro
 Mechar
 Valve
 The Dyr
 Usefuln
 appe
 strok

Transgen

Wnt/ β -C
 Evidenc
 Hemi
 A Critic
 Indux
 A Profit
 TGF-
 Activati
 Ofph
 Overl
 Adenov
 of Ct
 Adenyl
 Ventr
 Rece
 Alternat
 Card
 Altered
 Desn
 Angiote
 ApoE K
 Insul
 Apolipo
 Insul
 Blockac
 in Mi
 Expr
 Blockac
 Apoli
 Blockac
 II-Inc
 Card
 Ca²⁺-S
 Trop
 CaMKII
 Freq
 Curri
 Cardiac
 Fact
 Cardiac
 T-De
 Emb
 Cardiac
 Angi

- Carotid Intima-Media Thickness Predicts Complex Aortic Atheroma in Patients Referred for Transesophageal Echocardiography after Stroke or TIA, 1893
- Circulating Microparticles are Increased in Patients with Atrial Fibrillation and Reduced Left Atrial Appendage Velocity, 1891
- Decreased Left Atrial Appendage Wall Velocity Identifies Patients at High Risk for Thromboembolism: Comparison of the Tissue Doppler Wall Velocity and Pulse Doppler Flow Velocity of the Appendage Using Transesophageal Echocardiography, 2228
- Direct Effects of Left Atrial Appendage Flow Pattern Alterations and Thrombus Formation on Elevated Serum Fibrin Monomer Levels, 2225
- Does Intraoperative TEE Underestimate Ischemic Mitral Regurgitation? Importance of Intraoperative Loading Conditions When Assessing the Mitral Valve, 3042
- Elevated Homocysteine Level is Independently Associated with Progression of Aortic Arch Atheroma, 2980
- Feasibility and Diagnostic Accuracy of Quantitative Assessment of Mechanical Prostheses Leaflet(s) Motion by Transthoracic and Transesophageal Echocardiography in Suspected Prosthetic Valve Dysfunction, 1721
- Gene Expression Profiling and Cardiac Remodelling: Comparing Pressure versus Volume Overloaded Human Left Ventricle, 2947
- Healing Response After Transcatheter Closure Of Patent Foramen Ovale Depends On Occluder Type, 2074
- How to Guide Stent-graft Implantation in Aortic Type B Dissection?, 3113
- Imaging and Pathologic Characteristics of Left Ventricular Thrombus: A Comparison of Contrast-Enhanced Magnetic Resonance Imaging, Transthoracic Echocardiography and Transesophageal Echocardiography with Surgical or Pathologic Validation, 1911
- Impact of Mitral Valve Regurgitation Evaluated by Intraoperative Transesophageal Echocardiography on Long-Term Outcomes After Coronary Artery Bypass Grafting, 1987
- Mechanism of Systolic Anterior Motion of the Mitral Valve After Mitral Valve Repair, 2739
- The Dynamic Nature of Aortic Atherosclerosis, 2226
- Usefulness of serum levels of fibrin monomer to assess the left atrial appendage thrombus and predict the occurrence of cardioembolic stroke, 2281
- Transgenic models**
- Wnt/ β -Catenin Signaling Pathway Regulates Epicardial Function, 944
- Evidence for a Role of the CD40/CD40 Ligand (CD40L) Pathway in Primary Hemostasis and Platelet Function, 1575
- A Critical Role for Hydrogen Peroxide (H_2O_2) in Neointima Formation Induced by Carotid Ligation, 1238
- A Profibrogenic Role For MMP-9 in Atherosclerosis Through Activation of TGF- β , 383
- Activation Of ERK5 Inhibits Persistent Downregulation Of Phosphodiesterase 3A1(PDE3A1) And Prevents Pressure Overload-Induced Cardiac Apoptosis And Dysfunction, 297
- Adenoviral Expression of Activated PI3-Kinase Rescues Detrimental Effects of Chronic Cardiac-specific Akt Activation, 1364
- Adenylyl Cyclase Type V Deletion is Associated with Increased Basal Left Ventricular Function, but Decreased Response to β -Adrenergic Receptor Stimulation, 1220
- Alterations in α -Tropomyosin's Carboxy Overlap Region Affect Mouse Cardiac Function, 230
- Altered Protein-Protein Interactions of a Causative Agent for Desmin-Related Cardiomyopathy, 34
- Angiotensin II-accelerated Cardiac Fibrosis is Attenuated by PPAR γ , 1125
- ApoE Knockout and LDL Receptor Knockout Mice Develop Increased Insulin Sensitivity in Liver and Heart In Vivo, 1005
- Apolipoprotein D Knockout Mice Are Protected from Diet-Induced Cardiac Insulin Resistance But Develop Diet-Induced Atherosclerosis, 1579
- Blockade of NF- κ B Activation Inhibits Hypertrophy and Improves Survival in Male Mice with Heart Failure Induced by Cardiac-Specific TNF- α Expression, 55
- Blockade of RAGE Restores Microvascular Reactivity in Diabetic Apolipoprotein E Null Mice, 1467
- Blockade Of The Serotonin 5-HT $_{2B}$ Receptor Prevents Angiotensin II-Induced Cardiac Hypertrophy And Inhibits Cytokine Release By Cardiac Fibroblasts, 295
- Ca $^{2+}$ -Sensitizing Effect of Familial Hypertrophic Cardiomyopathy-Linked Troponin T Mutation Reduces Contractile Reserve of Mouse Heart, 509
- CaMKII Inhibitor Targeted To Phospholamban Inhibits Frequency-Dependent Acceleration Of Relaxation And, Surprisingly, Ca Current Facilitation, 620
- Cardiac Expression of an Oxygen Stable Mutant of Hypoxia Inducible Factor 1 α Causes Cardiomyopathy and Vascular Remodeling, 1290
- Cardiac Muscle-Specific Connexin45-Deficient Mice and Cardiac Troponin T-Deficient Mice Display Defective Heart Contractions That Cause Early Embryonic Lethality, 442
- Cardiac-Specific Overexpression of Diacylglycerol Kinase- ζ Prevents Angiotensin II-Induced Cardiac Hypertrophy in Transgenic Mice, 1086
- Cardiomyocyte-Restricted Overexpression of NOS3 Prevents Endotoxin-Induced Myocardial Dysfunction in Mice, 1600
- Cardiomyocyte-specific NOS3 Overexpression Protects Against Chronic Pressure Overload-induced LV Hypertrophy and Dysfunction, 1599
- Cardiomyopathy in the MHC-PPAR α Model of the Diabetic Heart Requires CD36, 1550
- Caveolin-1 Deficiency Stimulates Neointima Formation During Vascular Injury, 403
- Charged Residue Alterations in the Inner-Core Domain and Carboxy-Terminus of α -Tropomyosin Differentially Affect Mouse Cardiac Muscle Contractility, 227
- Cholesterol Feeding Strongly Reduces Hepatic VLDL Production in Mice Lacking LXR α , 1018
- Combined Environmental Stimuli, d-fenfluramine and Hypoxia, Induce Severe Pulmonary Hypertension in S100A4/Mts1-Overexpressing Mice that are Prone to Develop Pulmonary Vascular Obliterative Disease (PVOD), 81
- Constitutively Active Cardiac Matrix Metalloprotease 2 Expression Drives Dysfunctional Ventricular Remodeling in Transgenic Mice, 1389
- Cyclin A2 Mediates Cardiomyocyte Regeneration in Infarcted Myocardium and Preserves Ventricular Function, 811
- Deficiency of Erythropoietin Receptor Gene in Nonhematopoietic Lineage Deteriorates Left Ventricular Remodeling After Myocardial Ischemia and Reperfusion, 122
- Deficiency of p53 Upregulated Modulator of Apoptosis Improves Tolerance to Cardiac Ischemia/Reperfusion, 1443
- Deletion of Endothelial Ectoapayrase (CD39) Promotes Atherogenesis in Hyperlipidemic Mice, 372
- Diminished Propagation of Electrical Conductance in Insulin Receptor Deficient Mouse Hearts Under Normoxic and Ischemic Conditions, 784
- Direct Effect of Cardiac Troponin I Mutant Serine 23/24 Aspartate to Accelerate Twitch Relaxation in Single Myocytes from Transgenic Mice, 228
- Disappearance of Pre-Excitation in Glycogen Storage Cardiomyopathy with Arresting of PRKAG2 Transgene Expression, 1108
- Early Cellular Responses in a Transgenic Mouse Over-expressing Renin Increase Ischemia-induced Arrhythmia, 1399
- Early Exacerbation in Regional Myocardial Remodeling Following Radiofrequency Ablative Injury in Mice Deficient in Matrix Metalloproteinase-3, 2333
- Efficient Identification of Mouse Models of Human Congenital Cardiopulmonary Malformations Using High-Throughput Magnetic Resonance Imaging, 441
- Elucidation of an Essential Role for Calpains in Cardiac Health, 940
- Enhanced Atherosclerosis in Transgenic Watanabe Heritable Hyperlipidemic Rabbits Expressing Human Lipoprotein Lipase, 1008
- Ets-1 is a Transcriptional Mediator of Angiotensin II-induced Vascular Inflammation and Remodeling, 565
- Evidence for Angiotensin IV Stimulation of the Angiotensin II Type I Receptor (AT $_1$) by an allosteric Mechanism, 788
- Generation of a Recombinant Apolipoprotein E Variant With Improved Biological Functions: Hydrophobic Residues (L261, W264, F265, L268, V269) of ApoE Can Account for the ApoE-Induced Hypertriglyceridemia, 171
- Genetic Ablation of K $_{ATP}$ Channels Precipitates Fulminant Left Ventricular Failure with Hepatopulmonary Edema and Death Under Pressure Overload, 938
- Genetic Disruption to Cyclooxygenase-2 Increases the Susceptibility to Doxorubicin-Induced Cardiotoxicity, 903
- Guanidinoacetate N-Methyltransferase-Knockout Mice Completely Lacking Myocardial Phosphocreatine Show Normal in vivo Cardiac Function, but Increased Susceptibility to Ischemia/Reperfusion Injury, 970
- High-Resolution In Vivo Microimaging Echocardiography Provides Enhanced Cardiac Detailing in Mice, 1724
- Identification of Vulnerable Plaque with Optical Coherence Tomography, 2455
- Impact of Short-term and Long-term Activation of Akt on Myocardial Glucose Utilization, 1333
- In Vivo Silencing of CCR2 by Lentiviral siRNA Transfer to Bone Marrow Cells Leads to Persistent Loss of CCR2 Function, 656
- In vivo Visualization of Cardiac Allograft Rejection and Trafficking Passenger Leukocytes Using Bioluminescence Imaging, 2719
- Inactivation of Protein Kinase C- β Reduced Insulin-Stimulated Cardiac Glucose Uptake But Paradoxically Prevented Diet-Induced Cardiac Insulin Resistance, 1331
- Increased Cardiac Connexin45 Results in Uncoupling and Spontaneous Ventricular Arrhythmias in Mice, 920
- Increased Vascular Inflammation in a Murine Transgenic Model of Endothelial Cell-restricted Endothelin-1 Overexpression, 1208
- Inhibition of AMP-activated Protein Kinase Promotes Exercise-Induced Ventricular Arrhythmias with a Short QT Interval in Mice, 723
- Inhibition of Cardiomyocyte Apoptosis Prevents Cardiac Remodeling and Transition to Heart Failure, 966
- Inhibition of Endogenous Mst1 Prevents Apoptosis, Cardiac Remodeling, and Cardiac Dysfunction After Myocardial Infarction, 299

Inhibition of Fractional Intestinal Cholesterol Absorption by Zetia Alters Hepatic Cholesterol Balance in E-KO x ABCG5-G8-Tg and LDLR-KO x ABCG5-G8-Tg Mice, 1307

Inhibition of the Renin-Angiotensin System Causes Regression of Complex Pre-Existing Atherosclerotic Lesions in Elderly LDLR-/- Mice, 191

Involvement of FrzA and the Wnt/Frizzled Pathway in Ischemic Preconditioning, 1434

K_{ATP} Channel Genetic Deficiency Disrupts a Vital Proximal Calcium Checkpoint Predisposing to Calcineurin-Dependent Cardiac Hypertrophy and Congestive Heart Failure, 10

Knockout of the α_2 AMP-Activated Protein Kinase Isoform Decreases the Metabolic Response of the Heart to Ischemia, 112

Lack of Urokinase Plasminogen Activator Promotes Instability of Vascular Lesions in Apolipoprotein E-Knockout Mice, 590

Left Ventricular Dysfunction and Reduced Survival in Myocardial Restricted Over-Expression of Membrane Type-1 Matrix Metalloproteinase Mice Following Myocardial Infarction, 1534

Macrophage Cathepsin S Deficiency Accelerates Atherogenesis and Promotes Medial Erosion, 1315

Macrophage Specific Overexpression of Allograft Inflammatory Factor-1 Reduces Atherosclerosis In Vivo: A Novel Atheroprotective Approach against Vascular Inflammation, 1311

MAPKAPK-2 and Serine Phosphorylation of HSP25/27 and α B-crystallin do not Increase Myocardial Resistance to Infarction, 310

Matrix Metalloproteinase-9 Gene Deletion Inhibits Formation Of Murine Thoracic Aortic Aneurysms, 3112

Mice with Deletion of Fatty Acid Binding Proteins, ap2 and mal1, Are Protected from Diet-Induced Cardiac Insulin Resistance, 1169

Mice with Heart-Specific Overexpression of TNF Develop Cardiac Insulin Resistance, 601

Mice with Reduced Anticoagulant Heparan Sulfate Do Not Exhibit Compensatory Expression of 3-O-Sulfotransferase-5, 540

Modulation of Voltage-Dependent Anion Channel (VDAC) by Bcl-2 Reduces Mitochondrial ATP Uptake and Hydrolysis and Mimics Protective Effects of Diazoxide During Ischemia, 971

Monoclonal Blocking Antibody against Murine CC-Chemokine Receptor 2 Inhibits Atherosclerotic Lesion Development in ApoE-Knockout Mice, 846

Myocardial Deficiency of PPAR- γ Leads to Increased Fibrosis in Response to Pressure Overload Hypertrophy, 1535

Myocardial Restricted Overexpression of Membrane Type-1 Matrix Metalloproteinase Causes Postpartum Cardiomyopathy, 2777

Nitric Oxide Induces Vascular Endothelial Cell Migration by Modulating Matrix Metalloproteinase Activities, 571

Normalization of β -Adrenergic Receptor Signaling by Targeted Inhibition of Phosphoinositide-3 Kinase Rescues Cardiac Function and Survival in Murine Heart Failure, 1390

Novel Downstream Targets of the Homeodomain Transcription Factor Nfix2.5 Identified Through Transcriptional Profiling, 1379

Overexpression of Cu/Zn-Superoxide Dismutase Increases Atherosclerotic Lesions in Apolipoprotein E-Deficient Mice, 1347

Overexpression of Kir2.1 Protein Channels in Transgenic Mice Reduces Conduction Velocity and Predisposes to Stable Reentrant Arrhythmias, 724

P53 Plays An Important Role During Heart Failure In Transgenic Mice Overexpressing Myotrophin, 52

Pathological Levels of Cdk9 Activity in Cardiac Muscle Repress PGC-1 and Confer a Predisposition to Heart Failure, 1259

Physiological Growth is a Critical Determinant of Genetic Heart Failure, 1089

PKC β Modulates Ischemia Reperfusion Injury in the Heart, 517

PKC- α Improves Contractility and β -Adrenergic Responsiveness Without Increasing Susceptibility to Ischemic Injury, 1096

Postnatal Deletion of Myocardial Insulin Receptors Augments Myocardial Fatty Acid Utilization and Enhances Mitochondrial Biogenesis, 1553

Preserved Myocardial Function During Acidosis and Ischemia by Transgenic Expression of Modified Troponin I, 226

Prevention of Cardiac Phenotype in the β -Myosin Heavy -Hain Q403 Transgenic Rabbit Model of Human Hypertrophic Cardiomyopathy by Atorvastatin, 1391

Quantitative Assessment of Regional Myocardial Function in Mice by Tissue Doppler Imaging: Comparison with Hemodynamics and Sonomicrometry, 2568

Resistance Arteries of Ang II-Infused Osteopetrotic Mice Show Reduced Impairment of Endothelial Function, Oxidative Stress and Vascular Remodeling, 785

Selective Hepatic Expression of ABCA1 in ABCA1-KO Mice Identifies Liver ABCA1 as the Major Source of Plasma HDL-C, 1300

Smad1 Protects Cardiomyocytes from Ischemia-Reperfusion Injury, 807

Smooth Muscle Cell Cycle Reentry and Arterial Remodeling - How to Make the Vessel Bigger, 1057

Tbx-20 Regulates GATA-4 and the Integrity of the Precardiac Epithelium, 278

The Angiopoietin-1/Tie2 Pathway Protects Against the Development of Pulmonary Arterial Hypertension (PAH): Insights from Genetic Models of

Loss and Gain-of-Function, 630

The Calcium Ionophore A23187 Causes Endothelium-Dependent Contractions in the Aorta of Wild-Type but not COX1-Knockout Mice, 163

The E2F4 Transcription Factor Is A Critical Cardiac Survival Factor, 260

The Functional and Opposing Effects of PKA and PKC Phosphorylation on Cardiac Troponin I, 1282

The Internal Troponin-T Binding Domain of Striated β -Tropomyosin Alters Heart Physiology and Blunts Adrenergic Response without Altering Myofilament Calcium Sensitivity, 455

The LDL Receptor Is the Only Physiological Receptor for the In Vivo Clearance of apoE-Containing Lipoprotein Remnants in Mice, 1003

The Mouse Cardiac Ventricular Repolarization Gradient is Established by the Homeodomain Transcription Factor Irx5, 443

The Plasminogen-Activating System Plays a Neuromodulatory Role in Sympathetic Nerves, 956

The Role of Cell Cycle Regulators Cdk2 and Rb in Myocardial Ischemia/Reperfusion Injury, 126

The Transcriptional Repressor NAB1 Is A Specific Regulator Of Pathological Cardiac Hypertrophy, 1083

Tissue-plasminogen Activator Releases Norepinephrine from Sympathetic Nerves via a Plasmin- and Plasminogen-independent Mechanism, 1407

TNF-Receptor-1 Signaling in Graft-Intrinsic Cells regulates Vein Graft Neointima Formation and VCAM-1 Expression, 1487

TWEAK, a Novel Cytokine Determinant of Dilated Cardiomyopathy in Humans and Mice, 600

Ubiquitin Ligase Atrogin-1 Represses Cardiac Hypertrophy by Promoting Calcineurin Degradation, 761

Transplantation/medical aspects

16-row CT Coronary Angiography in Heart Transplant Patients, 2102

AT-III Immunohistochemistry for Assessment of Cardiac Allograft Vasculopathy Late After Heart Transplantation: Comparison with Intracoronary Ultrasound, Coronary Angiography, and Dobutamine Stress Echocardiography, 2716

B Cells Acting as Antigen-Presenting Cells Contribute to Graft Arterial Disease in Murine Heart Transplantation, 248

BOOP is Common in Heart Transplant Recipients Switched From a Calcineurin Inhibitor to Sirolimus, 2714

Cardiac Output Response to Exercise and Mortality in the β -Blocker Era of Heart Failure Therapy, 2811

Cardiac Resynchronization Therapy as Bridge to or Alternative for Heart Transplantation in Patients with End-stage Heart Failure, 2272

Comparison of Standard and Bicaval Techniques for Cardiac Transplantation: Effects on Cardiovascular Reflex Regulation, 3288

Coronary Endothelial Dysfunction in Cardiac Transplant Recipients is Related to Elevated Levels of ADMA, 338

Coronary Flow Reserve by Contrast Enhanced Transthoracic Echocardiography: a New Noninvasive Predictor of Cardiac Allograft Vasculopathy, 2720

Daclizumab versus No Induction Therapy, In Combination with Cyclosporine Microemulsion, Mycophenolate Mofetil, and Corticosteroids, Is Associated With Decreased Acute Rejection in Cardiac Transplant Recipients and No Observed Increase in Mortality, 3479

Demonstration of Electrical Communication between Grafted Myocardial Cell-sheet and Host Heart using Optical Mapping, 1203

Detection of Cardiac Allograft Rejection and Response to Therapy Using Peripheral Blood Gene Expression, 2718

Detection of Transplant Coronary Disease by Computed Tomography, 2108

Developmental Changes in APDs and Ionic Currents of Mouse Myoblasts, 1879

Drug-Eluting Stents in Heart Transplant Recipients with Transplant Coronary Artery Disease, 1811

Effects of Skeletal Myoblast Transplantation, bFGF Administration, and the Combination on Tissue Blood Flow and Left Ventricular Remodeling in Rat Infarcted Hearts: Comparison Using Pinhole SPECT, 812

Endogenous Endothelin-1: A Potent Coronary Vasoconstrictor in Cardiac Transplant Recipients with Arteriosclerosis, 2717

Hemodynamic Evaluation of Inhaled Aerosolized Iloprost in Heart Transplant Candidates with Pulmonary Hypertension, 2258

Impaired Hormonal Regulation of Appetite after Cardiac Transplantation, 3596

Incremental Prognostic Value of Contrast-Enhanced Dobutamine Stress Echocardiography in the Prediction of Cardiovascular Outcome in Heart Transplant Recipients, 2400

KRP-203, A Novel Sphingosine-1-Phosphate Receptor Agonist, Prolongs Graft Survival and Abrogates Transplant Arteriosclerosis in Rat Heart Transplantation, 2722

Leukocyte Suppression Leads to Improved Clinical Outcomes in Children Status-Postorthotopic Heart Transplantation, 2767

Low Levels of High-Density Lipoprotein Cholesterol Are Associated With Vascular Remodeling in Cardiac Transplant Recipients, 2059

- Mechanisms and Potential Pharmacologic and Gene Therapy Strategies for Myoblast Transplant-Associated Ventricular Arrhythmias: Insights from a Unique In Vitro Model, 6
- Myocardial Invasion of Dendritic Cells After Transplantation: Impact for Functional and Structural Coronary Alterations, 2730
- Outcome Predictors in Pediatric Hypertrophic Cardiomyopathy, 2080
- Physical Activity Patterns in Heart Transplant Women, 1860
- Prevalence and Progression of Transplant Vasculopathy in Children, 1848
- Recipient and Donor Age Affect the Development of Coronary Arteriopathy After Pediatric Cardiac Transplantation: An Intravascular Ultrasound Study, 2082
- Statins, Angiotensin Receptor Blockers, and Steroid Weaning are Associated with Mortality Reduction Among Heart Transplant Recipients, 3289
- Suppression of NFAT-Regulated Gene Expression in Peripheral Blood Cells of Cardiac Allograft Recipients Correlates Closely with 2 Hour Post-Dose Cyclosporine Levels, 3294
- Systemic Inflammation Links Impaired Glucose Metabolism to Cardiac Allograft Vasculopathy Development, 3480
- The Diagnostic Accuracy of an Echocardiographic Estimate of Pulmonary Vascular Resistance in Pre-Liver Transplant Patients, 2757
- The Effects of Therapeutic Angiogenesis by Autologous Bone Marrow Transplantation Return to Baseline Levels in 1-Year Follow-Up, 325
- The Modification of Diet in Renal Disease (MDRD) Equations Provide Valid Estimations of Glomerular Filtration Rates in Patients with Severe Heart Failure, 3339
- Unexplained Severe Systolic Heart Failure Following Liver Transplantation, 2812
- Vascular Endothelial Growth Factor (VEGF) Mediates Leukocyte Trafficking Into Allografts Via Interaction With The Chemokine MCP-1, 660
- Working at Five to Six Years after Heart Transplantation, 3237
- Zinc Finger Transcription Factor Early Growth Response Gene-1 (Egr-1) Promotes Development of Obliterative Airway Disease in Murine Allografts, 83
- Transplantation/surgical aspects**
- A Novel and Simple Method for Manufacturing a Myocardial Cell Sheet Using Polymerized Fibrin-Coated Dishes, 476
- Adenoviral Overexpression of Human Bcl-2 in Chronic Rat Heart Allografts Suppresses Host Direct Pathway Allorecognition in a Nondonor Alloantigen Specific Fashion, 2721
- Administration of Control-Released Hepatocyte Growth Factor Enhances the Efficacy of Skeletal Myoblast Transplantation in Rat Infarcted Hearts by Greatly Increasing Both Quantity and Quality of the Graft, 1880
- Beneficial Effect of Human Unrestricted Somatic Stem Cell Transplantation on Infarcted Heart Function: Preclinical Study in Porcine Model, 1558
- Cardiac Replacement with a Total Artificial Heart as Bridge to Transplantation: Multi-Center IDE Trial Experience, 3267
- Effect Of Cardiac Transplant And Ventricular Assist Device Volume On Posttransplant Mortality For Status 1 Patients Supported With An Intracorporeal Left Ventricular Assist Device: Analysis of the United Network For Organ Sharing (UNOS) Thoracic Registry, 3286
- Gene Transfer of Human BCL2 into Embryonic Stem Cells Enhances Cell Survival Following Transplantation into Ischemic Mouse Myocardium, 1445
- Heme oxygenase-1 Induction Improves the Viability of Adult Cardiomyocyte Cellular Grafts in Vivo, 1446
- In vivo Visualization of Cardiac Allograft Rejection and Trafficking Passenger Leukocytes Using Bioluminescence Imaging, 2719
- Influence of Donor Age on Long-term Survival in Cardiac Transplantation: A Multivariate Analysis, 2769
- Injectable Tissue Engineering: A New Strategy to Reload the Extracellular Matrix and Prevent Left Ventricular Remodeling and Dysfunction, 1126
- Multiple-dose Implantation is a Better Cell Delivery Method than Single-bolus Implantation in Skeletal Myoblast Transplantation to Infarcted Hearts, 123
- Pediatric Heart Transplantation at Stanford: Analysis of Three Decades of Experience, 2715
- Slow release of MMP-1 Plasmid DNA Enhances the Graft Development of Transplanted Skeletal Myoblasts in Rat Hearts with Chronic Myocardial Infarction, 1450
- Tricuspid valve**
- Early Outcomes of Tricuspid Valve Replacement in Young Children, 3410
- Impact of Maze Operation Combined with Left-sided Valve Surgery on the Change in Tricuspid Regurgitation over Time, 1716
- Insights into Normal Atrioventricular Valve Junction Motion in Pediatrics: A Real-Time Three-Dimensional Echocardiographic Study, 2652
- Nonplanarity of the Tricuspid Valve Annulus: Assessment by Real-Time Three-Dimensional Echocardiography, 3045
- Progression of Tricuspid Regurgitation after Repaired Functional Ischemic Mitral Regurgitation, 2740
- Triggering mechanisms**
- Cellular Markers for an Allergic Tissue Response are Present in In-stent Restenotic Tissue Retrieved by DCA, 2300
- Increasing Myofilament Ca²⁺ Sensitivity Causes Action Potential Remodeling, Afterdepolarizations, and Ventricular Arrhythmias, 781
- Is Catheter Ablation for Triggering Mechanism of Idiopathic Ventricular Fibrillation Curative for Patients with Pleomorphic Ectopies from Right Ventricular Outflow Tract?, 1873
- Spontaneous Atrial Fibrillation Initiated by Early Afterdepolarization and Triggered Activity in the Aged Atria During Glycolytic Inhibition, 1529
- Ultrasonic diagnosis**
- The Waveform Index of Ophthalmic Artery can Predict the Impaired Coronary Flow Reserve, 1792
- Transient Impairment of Flow-Mediated Vasodilation in Patients with Metabolic Syndrome at Moderate Altitude (1700 m), 1791
- Amyloid Heart Disease Mimicking Hypertrophic Cardiomyopathy, Emerging Clinical Implications of Genetic Testing, 40
- Carotid Intima-Media-Thickness Predicts Cardiovascular Events in Subjects with Intermediate Cardiovascular Risk, 1787
- Diagnostic Ultrasound-Guided Treatment of Acute Intravascular Thrombi With Therapeutic Ultrasound and Intravenous Microbubbles, 2389
- Does Flow Reserve by Transthoracic Doppler Echo in the Distal Left Anterior Descending Artery Provide Incremental Diagnostic Yield to ²⁰¹Tl SPECT for Vessel Patency?, 2004
- Essential Role of Definitive LDL-Cholesterol Reduction by Statin, but not Pleiotropic Effects, on Achievement of Plaque Stabilization in Patients with Coronary Artery Disease, 1775
- Feasibility of a Structured Training Program for General Practitioners Enabling Performance and Interpretation of Handheld Echocardiography and a BNP Bedside Test for Heart Failure Diagnosis, 3303
- High-Resolution In Vivo Microimaging Echocardiography Provides Enhanced Cardiac Detailing in Mice, 1724
- Histological Change and Transmural Systolic Function in Adriamycin Cardiomyopathy, 1725
- In Vivo Validation of Quantitative Evaluation of Myocardial Perfusion from Image Sequences of Transient Contrast Inflow, 3322
- Intracoronary Ultrasound Assessment Late after the Arterial Switch Operation for Transposition of the Great Arteries, 3195
- Long-Term Administration of Thiazolidinedione Over Years Provides Ultrasonic Manifested Antiatherosclerotic Effects Independent of Diabetic Improvement for Type-2 Diabetics, 2056
- Low Levels of High-Density Lipoprotein Cholesterol Are Associated With Vascular Remodeling in Cardiac Transplant Recipients, 2059
- Measurement of Left Ventricular Volume Throughout the Cardiac Cycle from Real-Time 3D Echocardiographic Images: Comparison with Cardiac Magnetic Resonance, 2759
- Myocardial Perfusion Imaging and Quantification Using Interrupted Contrast Infusion, 3318
- New Non-Invasive Method for Assessment of LV Rotation - Speckle Tracking Echocardiography, 3125
- Noninvasive Real-time Imaging of Atherosclerosis in Mice Using Ultrasound Biomicroscopy, 1785
- Noninvasive Ultrasonic Evaluated Endothelial Dysfunction Predicts Future Diabetic Evolution, 2061
- Nonstenotic Echolucent Ultrasound-Assessed Femoral Artery Plaques are Predictive for Future Cardiovascular Events in Clinically Healthy Men, 3648
- Optimization of Windows and Perspectives of Real-Time Three-Dimensional Echocardiographic Evaluation of the Mitral Valve, 3449
- Preclinical Atherosclerosis in Systemic Lupus Erythematosus, 1776
- Quantification of Mitral Regurgitant Volume by Real-Time Three-Dimensional Color Doppler Echocardiography: Validation by the Flow Convergence Method, 3038
- Quantification of Myocardial Perfusion Using Real-Time Three-Dimensional Echocardiographic Imaging, 2391
- Real-time Intracardiac Echocardiographic Monitoring during Circumferential Pulmonary Vein Isolation to Identify Acute Pulmonary Vein Narrowing can predict Chronic Stenosis seen by Magnetic Resonance Imaging, 1670
- Recipient and Donor Age Affect the Development of Coronary Arteriopathy After Pediatric Cardiac Transplantation: An Intravascular Ultrasound Study, 2082
- Trombosis and Travel, 3763
- Ultrasound Tissue Characterization may be used to Detect Subclinical Left Ventricular Dysfunction and Fibrosis in Asymptomatic Severe Mitral Regurgitation, 2736
- Unstable angina**
- Aprotinin Decreases Postoperative Bleeding and Number of Transfusions in Patients on Clopidogrel undergoing CABG: A Randomized Clinical Trial, 1981
- C-Reactive Protein Is Derived From Inflammatory Vulnerable Plaque in Acute Coronary Syndrome, 3224
- Classic and Alternative Complement Pathways Are Activated in Patients With a Non-ST-Segment Elevation Acute Coronary Syndrome and Are Linked With C-Reactive Protein Blood Levels, 2121

Effect of Intensive Statin Treatment on the Occurrence of Atrial Fibrillation after Acute Coronary Syndrome: An Analysis of the MIRACL Trial, 3426
 Effects of Atorvastatin on Thrombolysis/Fibrinolysis System During the Acute Phase of Unstable Angina, 3065
 Furin and PC5 are Localized in Macrophages/foam Cells in Human Atherosclerotic Plaques and are Required for Integrin αv and MT1-MMP Activation, 1184
 Genetic Variation in the F3 Gene is Associated with Risk and Prognosis in Acute Coronary Syndrome, 2675
 Hyperglycemia Increases Hospital Mortality in Patients With Acute Coronary Syndromes: Results From The Global Registry of Acute Coronary Events, 3622
 Immunomodulating Agent Pentoxifylline Reduces the Inflammatory Activity in Patients with High-Risk Non-ST-Segment Elevation Acute Coronary Syndromes. Results of the Randomized, Double-Blind, Placebo-Controlled, Reduction of Cardiac Adverse Events in Acute Coronary Syndromes with Pentoxifylline (RECAP) Pilot Trial, 2113
 Increase in Plaque Size, But No Change in the Incidence of Plaque Rupture, in ApoE Knockout Mice Treated With Broad-Spectrum MMP Inhibitors, 1182
 Multislice Computed Tomography for Risk Stratification in Patients With Suspected Non-ST-segment Elevation Acute Coronary Syndrome, 2449
 N-terminal probrain natriuretic Peptide and Troponin T Predict Mortality Benefit From Coronary Revascularization in Acute Coronary Syndromes, 1947
 Outcomes of Patients with Acute Coronary Syndromes who are Treated with Bivalirudin during PCI: An Analysis from the REPLACE-2 Trial, 1624
 Paclitaxel-Eluting Stents Are Safe and Effective in Patients with Acute Coronary Syndromes: Analysis from the TAXUS-IV Trial, 3068
 Patients with Non-ST-Elevation Acute Coronary Syndromes Have Negative Coronary Artery Remodeling During Late Follow-Up Detected by Magnetic Resonance Imaging, 1618
 Pre-discharge C-Reactive Protein Levels do not Predict Death and Major Cardiovascular Events at 1 Year in Patients Receiving Contemporary Management Following an Acute Coronary Syndrome, 2344
 Presence of Soft Plaques in Nonculprit Coronary Arteries in Patients with Acute Coronary Syndromes: Evaluation by Multislice Computed Tomography, 1614
 Prognostic Significance of Heart Fatty Acid Binding Protein in Patients with Non-ST-Elevation Acute Coronary Syndrome: Results of Follow-up For One Year, 2677
 Prognostic Significance of ST-Segment Depression in Specific 12-Lead ECG Groups in the GUSTO-2b Trial, 3089
 Renal Function and Ejection Fraction Are the Best Mortality Predictors in Non-ST-Elevation Chest Pain Patients, 1615
 Sex Differences in the Symptom Presentations of Acute Coronary Syndromes, 3027

Valvular disease

A New Simplified Technique To Improve Accuracy Of Mitral Regurgitation Quantification By Real Time 3D Echocardiography Mapping Of The Proximal Flow Convergence Region, 3446
 An Evaluation of the Ross Operation in Adults, 3117
 An In Vivo Method for Determining Dynamic Mitral Leaflet Strain, 2735
 Anemia in a 63-Year-Old Woman with Three Mechanical Heart Valves, 2007
 Atrial Fibrillation Ablation in Patients with Mechanical Mitral Valves: Safety, Feasibility and Outcome, 2160
 Atrial Ion Channel Expression Changes Associated with Valvular Heart Disease and Atrial Fibrillation in Man, 612
 Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance, 2664
 Does Extent of Mitral Regurgitation Regress after Aortic Valve Replacement for Severe Aortic Stenosis? A Cardiac Magnetic Resonance Imaging Study of LV Structure, Function, and Mitral Apparatus Geometry, 1719
 Dynamic Change in Mitral Annular Geometry During a Cardiac Cycle in Patients with Ischemic and Dilated Cardiomyopathy: A Novel Computerized 3D Echo Method, 3037
 Early Results of Extended Myectomy in Hypertrophic Obstructive Cardiomyopathy in the Era of Interventional Septal Ablation, 3290
 Effects of Prosthesis-Patient Mismatch after Aortic Valve Replacement on Left Ventricular Function and Remodeling in Patients with Normal and Impaired Preoperative Left Ventricular Function, 2559
 Effects of Statins on Aortic Valve Myofibroblasts and Osteoblasts In Vitro, 154
 Efficacy Of The Maze Procedure Using Cooled-Tip Radiofrequency Ablation In Patients With Permanent Atrial Fibrillation And Rheumatic Mitral Valve Disease, 2723
 Endothelial Progenitor Cells as a Sole Source for Tissue-Engineered Heart Valve Remodels In Vitro, 2385
 Feasibility and Diagnostic Accuracy of Quantitative Assessment of Mechanical Prostheses Leaflet(s) Motion by Transthoracic and

Transesophageal Echocardiography in Suspected Prosthetic Valve Dysfunction, 1721
 Gender Differences in Left Ventricular Remodeling from Mitral Regurgitation: Insights from Cardiovascular Magnetic Resonance, 2660
 Gene Expression Profiling and Cardiac Remodelling: Comparing Pressure versus Volume Overloaded Human Left Ventricle, 2947
 Impact of Systolic Hypertension on Cardiac Outcomes in Chronic Severe Aortic Regurgitation: Comparison with Left Ventricular Function and Size, 3280
 Importance of Biplane Measurement of Proximal Jet Width for Estimation of Severity of Mitral Regurgitation: Implications to Mitral Regurgitation Etiology, 3041
 Left Atrial Volume Index Necessary for the Sustenance of Sinus Rhythm in Patients with Severe Mitral Regurgitation, 3036
 Living Heart Valve Tissue Engineered from Human Umbilical Cord Blood Progenitor Cells, 2481
 Long-term Cost and Cost-effectiveness of Mitral Valve Repair Versus Replacement, 2742
 LV Geometry and Mitral Regurgitation in Patients with Persistent Total Occlusion of the Infarct Artery in OAT, 3057
 Mechanism of Ischemic Mitral Regurgitation Following Annuloplasty: Importance of Posterior Mitral Leaflet Tethering, 3292
 Melagatran for Anticoagulation of Mechanical Valve Prostheses: Early Results in a Heterotopic Porcine Model, 3119
 Mutations in The Gene Encoding The Cytoskeletal Protein Filamin A Cause X-Linked Myxomatous Plurivalvular Dystrophy, 439
 Nadroparin versus Unfractionated Heparin for Anticoagulation of Valvular Atrial Fibrillation: A Subanalysis from the NADROPAF Trial, 3120
 Nonplanarity of the Tricuspid Valve Annulus: Assessment by Real-Time Three-Dimensional Echocardiography, 3045
 Novel Risk Factors for Valvular Calcification: the Role of Inflammation, 3444
 Percutaneous Edge-to-Edge Mitral Valve Repair: Preliminary Results of the EVEREST-I Study, 2068
 Predictors of Long-Term Mortality in Patients with Infective Endocarditis (IE): A Propensity Score Analysis, 2640
 Preoperative Cholesterol Levels Do Not Predict Structural Valve Degeneration in Patients Undergoing Bioprosthetic Aortic Valve Replacement, 3283
 Prevalence of Valvular Heart Disease and Trends with Aging: Data from the National Heart, Lung, and Blood Institute Population-based Studies, 3720
 Relationship of Myocardial Fibrosis by Delayed Enhancement MRI with Biopsy-Quantified Collagen Content in Patients With Severe Chronic Aortic Valve Disease, 2662
 Reoperative Surgery Does Not Itself Predict Hospital Mortality in Redo Aortic Valve Procedures, 2558
 Roles of CHF1/Hey2 in Endocardial Cushion Remodeling, Myocardial Maturation and Vascular Development, 277
 Targeted Use of Amiodarone to Reduce Atrial Arrhythmias After Cardiac Surgery: The Prophylactic Amiodarone for the Prevention of Arrhythmias that Begin Early After Revascularization, Valve Repair, or Replacement (PAPABEAR) Trial, 3427
 The Projected Valve area at Normal Flow Rate Improves the Assessment of Stenosis Severity in Patients with Low Flow Aortic Stenosis: The Multicenter TOPAS Study, 3450
 The Surgical Treatment Of Atrial Fibrillation Using Argon-based Cryoablation During Concomitant Cardiac Procedures, 3202

Valvuloplasty

An In Vivo Method for Determining Dynamic Mitral Leaflet Strain, 2735
 Fetal Aortic Valve Stenosis and the Evolution of Hypoplastic Left Heart Syndrome: Patient Selection for Fetal Intervention, 3192
 Improved Survival with Repeat Balloon Aortic Valvuloplasty in Elderly Aortic Stenosis Patients without Surgical Options, 2071
 Long-Term Clinical Outcome after Mitral Valve Replacement is Better than Redo Balloon Mitral Valvotomy in Patients with Restenosis after Previous Balloon Valvotomy, 1714
 Mechanism of Ischemic Mitral Regurgitation Following Annuloplasty: Importance of Posterior Mitral Leaflet Tethering, 3292
 Mitral Annular Diameter, An Independent Predictor for Successful Mitral Valve Repair in Patients with Ischemic MR: An Echocardiographic Study, 2192
 Mitral Annulus Flattens in Patients With Ischemic Mitral Regurgitation: Transthoracic Real-time Three-Dimensional Echocardiographic Study, 2733
 MRI to Evaluate Left Atrial and Ventricular Reverse Remodeling after Successful Mitral Valve Repair in Ischemic/Dilated Cardiomyopathy, 2738
 Percutaneous Mitral Annuloplasty in Experimental Heart Failure: Acute and Chronic Efficacy and Safety, 2069
 Percutaneous Mitral Valve Repair for Chronic Ischemic Mitral Regurgitation: Feasibility Study in Ovine Model, 2305
 Percutaneous Transcatheter Implantation of Aortic Valve Prosthesis for Calcific Aortic Stenosis: 3-Month Results of the I-REVIVE Pilot Study.,

2
 Pen
 Ir
 Pre
 (I
 Rac
 F
 Vascu
 $\alpha v \beta$
 γ -tc
 Ir
 Effe
 V
 EGF
 H
 Lesi
 Ir
 σ
 Loc:
 M
 Sup
 S
 2-M
 M
 A DI
 B
 S
 A Ni
 P:
 A Ni
 Si
 A Ni
 KI
 8-
 A Ni
 TT
 M
 A Rc
 Pi
 A Se
 A'
 Abia
 Bi
 C
 Akt1
 Aldc
 G
 AMF
 S
 Ang
 Fi
 Angi
 N
 R
 R
 Angi
 S
 Anti-
 A
 Atte
 di
 A
 Bacl
 P
 Bipf
 P
 Bon
 nr
 P
 Bon
 H
 Botf
 E
 3i
 Bst1
 A
 C-re
 in
 C-R
 A
 cAM
 V
 Carr
 N

- 2067
 Percutaneous Transluminal Mitral Commissurotomy: Comparison between Inoue and Double-Balloon Technique, 2332
 Predictors of Long-Term Mortality in Patients with Infective Endocarditis (IE): A Propensity Score Analysis, 2640
 Radiation Following Percutaneous Balloon Aortic Valvuloplasty to Prevent Restenosis (RADAR PILOT), 2072
- Vascular biology**
- α v β 3 Integrin-Targeted Imaging of Graft Arteriopathy, 2049
 γ -tocopherol, but Not α -tocopherol, Potently Inhibits Neointimal Formation Induced by Vascular Injury in Insulin-Resistant Rats, 1053
 Effects on Soluble CD40L and Adipocytokines after Therapy and Withdrawal of Atorvastatin in Patients with Hypercholesterolemia, 677
 EGF Receptor Blockade Improves Survival in Rats with Fatal Pulmonary Hypertension, 629
 Lesional Overexpression of Matrix Metalloproteinase-9 Promotes Intraplaque Hemorrhage in Advanced Lesions, but not at Earlier Stages of Atherogenesis, 1181
 Local Delivery of Osteopontin Attenuates Vascular Remodeling by Altering MMP-2 Activity in a Rabbit Model of Aortic Injury, 1512
 Suppressive Mechanism of a Novel Disintegrin (Saxatillin) in Vascular Smooth Muscle Cell Proliferation, 1478
 2-Methoxyestradiol Mediates Protective Effects of Estradiol in Monocrotaline-Induced Pulmonary Hypertension, 78
 A DNA Enzyme Against Plasminogen Activator Inhibitor type 1 Reduces Smooth Muscle Cell Proliferation and Neointima Formation Following Balloon Injury, 708
 A New Methodology to Detect the Natural Anti-Plaque Response in Patients with Ruptured Atherosclerotic Plaques, 588
 A Novel Bioengineered Small Caliber Vascular Graft Incorporating Sirolimus, 3482
 A Novel Transcriptional Regulatory Pathway of PDGF-A Chain Mediated by KLF5 through Cooperative Activation with NF- κ B and Phorbol Ester, 841
 A Novel von Willebrand Factor Antagonist is a Reversible, Single Bolus Therapy that Prevents Occlusive Thrombus Formation in Preclinical Models of Unstable Angina, 709
 A Role for Wnt Signaling in Vascular Development: Expansion of Vascular Progenitors, 147
 A Selective Inhibitor of ACAT-1 Accelerates Plaque Stabilization in Atherogenic Lesions Without Affecting Plasma Cholesterol, 586
 Ablation of MEK1 Suppresses Vascular Remodeling by Attenuation of Both Smooth Muscle Cell Invasion and uPA Expression in Blood Flow Cessation Model of Mice, 1505
 Akt1 is Essential for Postnatal Ischemic Angiogenesis, 821
 Aldosterone Impairs Vascular Reactivity by Decreasing Glucose-6-Phosphate Dehydrogenase Activity, 733
 AMPK Inhibits Angiotensin II-Induced Mitogenic Response in Vascular Smooth Muscle Cells via a Redox-Dependent Mechanism, 186
 Ang II Activates the Smad Signaling Pathway: Potential Role in Vascular Fibrosis, 410
 Angiotensin II AT₁ Receptor Blockade Attenuates the Stent-Associated Neointimal Formation by Inhibiting Inflammation and by Reducing Recruitment/Differentiation of Smooth Muscle Progenitor Cells in Rabbits and Monkeys, 192
 Angiotensin II Infusion Accelerates Macrophage Foam Cell Formation via Suppression of ATP-Binding Cassette Transporter A1, 189
 Anti-Tumor Necrosis Factor- α Treatment Attenuates Adaptive Arteriogenesis, 1070
 Attenuation of Myogenic Tone by Myocardium-Derived Vasomotor Factor during Resting Condition and Metabolic Stimulated State: Role of the ATP-Sensitive Potassium Channels, 336
 Bach1 is a Key Repressor of Heme Oxygenase-1 and Regulates Cell Proliferation, 1325
 Biphasic Effects of Angiotensin II on the Proliferative Activity in Endothelial Progenitor Cells, 717
 Bone Marrow Cells Recruited to the Sites of Adult Neoangiogenesis are not Directly Incorporated into the Newly Formed Vessels, but their Presence Correlates with Vessel Maturation, 1076
 Bone Morphogenetic Protein-7 Inhibits the Release of Endothelin-1 from Human Pulmonary Smooth Muscle Cells, 1596
 Both Albuminuria and Framingham Risk Score Predict Cardiovascular Events in Albuminuria Subjects with Intermediate Cardiovascular Risk, 3650
 Bst1, a Novel Member of the SPARC Family, Potentiates Growth Factor Activity and Angiogenesis, 1039
 C-reactive Protein Attenuates eNOS Expression and Reendothelialization in vivo, 701
 C-Reactive Protein Is Derived From Inflammatory Vulnerable Plaque in Acute Coronary Syndrome, 3224
 cAMP-Response Element-Binding Protein Mediates TNF α -Induced Vascular Remodeling Process, 407
 Cardiotrophin-1 Promotes Monocyte Chemotaxis Through Activation of Monocyte Chemoattractant Protein-1 in Human Aortic Endothelial Cells, 1009
 Carotid Intima-Media-Thickness Predicts Cardiovascular Events in Subjects with Intermediate Cardiovascular Risk, 1787
 Caspase-1-Independent Activation of Interleukin-18 by Matrix Metalloproteinases as a Novel Proatherogenic Pathway, 1492
 Caveolin-1 Knockdown Activates the Rac/P13-kinase/Akt Pathway in Endothelial Cells, 886
 CD8+ T cells Regulate the Arteriogenic Response to Ischemia by Infiltrating the Site of Collateral Vessel Development and Recruiting CD4+ Mononuclear Cells through the Expression of IL-16, 331
 Chemokines Induce Matrix Metalloproteinase-2 Through Activation of Epidermal Growth Factor Receptor in Arterial Smooth Muscle Cells, 594
 Combined AT₁ and AT₂ Blockade Increase Vascular Stiffness and Modulate Extracellular Matrix and Matrix Metalloproteinases in Resistance Arteries from Ang II-Infused Rats, 195
 Combined Benefits of Co-expressing Apolipoprotein B mRNA Editing Enzyme and Scavenger Receptor BI Mediated by High-capacity Adenoviral Vector, 3333
 Differential Effects of COX-2 Inhibitors on Kidney Function and Renal Morphology in Severe Salt-sensitive Hypertension, 1112
 Differential Gene Expression Between Mouse Strains to Identify Potential Novel Targets for Therapeutic Arteriogenesis, 1289
 Direct Evidence that TGF- β -Smad3 Signal Plays a Protective Role Against Atherosclerosis, 546
 Disruption of Synectin Gene Expression Stimulates Endothelial Cell Adhesion While Inhibiting FGF2-dependent Cell Growth, Migration, and Tube Branching, 1044
 Distinctive Transcriptional Cascades of Notch Receptor Signaling in Vascular Smooth Muscle Cells (VSMC): Implications for Differential Growth Regulation by Notch1 vs Notch 2, 1383
 DNA Methylation and the Regulation of Vascular Smooth Muscle Cell Growth: Modulation of Cell Cycle Regulatory Genes by DNA methyltransferase 1 (Dnmt1), 1027
 Dual Role of Antioxidant-1 in Modulating the Activity and Expression of Extracellular Superoxide Dismutase, 1361
 Dynamic S-nitrosylation of Endothelial Nitric Oxide Synthase: Identification of a Novel Intracellular Pathway for Receptor-Modulated Regulation of NO Synthase, 575
 Effect of the C-1562T Matrix Metalloproteinase-9 Promotor Polymorphism on Number and Function of Stem and Progenitor Cells in Patients with Chronic Ischemic Heart Disease, 1740
 Effects of Exercise and Ischemia on Mobilization and Functional Activation of Blood-derived Progenitor Cells in Patients with Ischemic Syndromes, 3671
 Efficient Differentiation of Single Stem Cells from the Mouse Bone Marrow into Endothelial Cells, 333
 Eliminating Connexin37 Enhances Atherosclerosis in Apolipoprotein E-Deficient Mice, 179
 Endogenous and Exogenous VEGF Regulates Reendothelialization and Neointima Formation in a Mouse Model of Arterial Injury, 771
 Endothelial Cell Nox4 is Localized to the Endoplasmic Reticulum and Modulates Protein Tyrosine Phosphatase Oxidation, 749
 Endothelial Function Correlates with Circulating Progenitor Cell's Ability of Differentiation: Initial Marker of Atherosclerosis in Young Healthy Men?, 156
 Endothelial NADPH Oxidases Are Upregulated During Vascular Aging, 754
 Endothelial Nitric Oxide Synthase Activity is Impaired by β -Amyloid Peptide-Induced Oxidative Stress, 584
 Endothelial PAS Domain Protein 1 Gene Promotes Mature Angiogenesis by Modulating the Coordinated Expressions of Flt-1, Flk-1, and Tie2 as Well as VEGF, 1074
 Engagement of the β -2 Integrin, LFA-1, Stabilizes Atherorelevant mRNAs in Human Monocytes, 1573
 Enhanced Platelet Adhesion Following Selective Inhibition of Cyclooxygenase-2 in Hamster Arterioles in vivo, 352
 Enhanced Spatial Discrimination of Plaque Components by Quantitative Optical Coherence Tomography, 1788
 EPC Could Predispose Regenerated Endothelium to Oxidized Low-density Lipoprotein via Activation of Bax Conformational Change Leading to Apoptosis, 704
 Erythropoietin Prevents Neointimal Hyperplasia after Intimal Injury by Mobilizing Endothelial Precursor Cells to Accelerate Re-Endothelialization, 699
 Estrogen Blocks STAT1 Activation and Prevents the Induction of CD40 and CD40L Expression on Vascular Endothelial Cells Through the Estrogen Receptor- α , 997
 Ets-1 is a Transcriptional Mediator of Angiotensin II-induced Vascular Inflammation and Remodeling, 565
 Evidence for a Paxillin Specialized Function in Flow Directional Remodeling of Human Endothelial Cells, 1178
 Evolution of a Functionally Active Translational Machinery in an Anucleate Cell: Transfer of Translational Components to Proplatelet Granules and Membranes During Thrombopoiesis and Redistribution of the Translational Apparatus to mRNA-Rich Areas during Platelet Activation, 345

Exercise Training Improves Left Ventricular Diastolic Function and Increases Vascular Structure in Elite Athletes, 2608

Expression and Function of the Liver X Receptor in Human Vascular Smooth Muscle Cells, 405

Extracellular ATP Antagonizes Thrombin-induced Hyperpermeability by Activation of Myosin Light Chain Phosphatase, 1010

Factor VII Activating Protease (FSAP) Sequesters Growth Factors and Inhibits Neointima Formation in Vivo, 1508

Fibrocytes in Atherosclerosis, 367

Fibulin-5 as a Novel Binding Protein for Extracellular Superoxide Dismutase: Study using Fibulin-5 Knockout Mice, 1240

Fibulin-5 May Protect Against Pulmonary Vascular Obliterative Disease in Mice Overexpressing Mts1 (S100A4), 82

First Use of a Completely Biological Human Tissue Engineered Blood Vessel in a Primate Model, 2383

Forkhead Transcription Factors: Novel Transcriptional Repressors of eNOS to Block Endothelial Migration and Angiogenesis, 830

Forkhead Transcriptional Factor FOXO3a Induces Apoptosis in Vascular Smooth Muscle Cells and Reduces Neointima Formation after Balloon Injury in Rats, 883

Functional Mineralocorticoid Receptors in Human Vascular Smooth Muscle Cells, 909

Functional Reconstitution of CD39 into Phospholipid Vesicles, 1030

Gene Expression Analysis of Human Coronary Atherosclerotic Plaques: Dysregulation of NF- κ B in the Vulnerable Phase, 592

Gene Expression Profiles in Human and Mice Endothelial Cells exposed to Laminar Shear Stress, 1358

Gene Profiling and in vivo Validation Reveal a Key Role for the Chemokine Family in Atherosclerosis Development and Progression, 659

Gq-Mediated Signaling is a Critical Component in Certain Models of Hypertension, 1227

Grade of Diabetic Retinopathy Has a Powerful Predictive Relevance of In-Stent Restenosis After Percutaneous Coronary Intervention, 2302

Granulocyte-Monocyte Colony Stimulating Factor and Granulocyte Colony Stimulating Factor Accelerate Atherogenesis in a Murine Model, 1455

Hedgehog: A Novel Regulator of Lipid Uptake by Plaque Macrophages, 1580

Heme Oxygenase-1 Mediates Functional Regulation of Prostaglandin Uptake in Endothelial Cells via the Prostaglandin Transporter, 1355

Heme Oxygenase-1 Prevents Superoxide Anion-Associated Vascular Smooth Muscle Growth and Decreases Circulating Endothelial Cells in a Rat Model of Balloon Injury and Restenosis in Diabetes Mellitus, 1349

HERP1, a Target Gene of Notch, Maintains Undifferentiated State of Vascular Smooth Muscle Cells by Competing SRF Coactivator, Myocardin, 363

High Flow Reduces Plaque Size in LDL Receptor-Knockout Mice with Arteriovenous Fistula, 182

Hyperinsulinemia Activates Vascular Angiotensin II in Humans, 2043

Hypoxia-inducible Factor (HIF)-1 α Influences Vascular Remodeling Associated with Altered Flow, 390

Identification and Characterization of PARIS, Novel Negative Regulators of Vascular Smooth Muscle Cells, 1320

Identification of Aldose Reductase as an Obligatory Mediator of TNF- α Signaling in Endothelial Cells, 1060

Identification of the Signal Transduction Pathways by Which the β -PDGF Receptor Induces Vascular Smooth Muscle Cell Proliferation and Migration, 412

Identification of ZIP Kinase as the Unique Vascular Smooth Muscle Myosin Phosphatase-Associated Kinase, 379

Impaired CXCR4-Mediated JAK/STAT Signaling Contributes to the Reduced Neovascularization Capacity of Endothelial Progenitor Cells (EPC) Derived from Patients with Coronary Artery Disease, 715

Impaired Glutathione Redox Regulation Paradoxically Suppresses Angiotensin II-Induced Vascular Remodeling, 566

Important Role of Superoxide Dismutase in EDHF-Mediated Relaxations of Human Mesenteric Arteries, 251

Improvement of Endothelial Function by Systemic Transfusion of Vascular Progenitor Cells, 696

In Vivo Induction of Low Shear Stress and Oscillatory Shear Stress Causes Atherosclerosis, 180

In Vivo Increased Blood Flow Enhances Expression and Function of Phosphorylated eNOS, HSP-90 and Caveolin-1, 1064

Increased Endogenous Reactive Oxygen Species Generation in Endothelial Progenitor Cells of Patients with Coronary Artery Disease Are Associated With Functional Impairment, 205

Increased Expression of Matrix Gla Protein is Associated with Increased Proliferation and Mineralization in Human Varicose Vein, 1019

Increased Protein Expression of Genes Regulating Reactive Oxygen Species Production in Endothelial Cells May Contribute to Vascular Oxidative Stress with Aging in Humans, 1592

Increased Vascular Nox4 and p22phox Expression, Oxidase Activity and Inflammation in db/db Diabetic Mice, 1244

Induction of the Notch Pathway in Activated Human Macrophages, 1312

Influence of Diabetes Mellitus, Hypercholesterolemia, and Their Combination on EDHF-Mediated Relaxations in Mice, 358

Inhibition of Hyaluronic Acid Synthase (HAS2) Expression by siRNA Inhibits Phosphorylation of Focal Adhesion Kinase and Migration in Vascular Smooth Muscle Cells, 1321

Inhibition of the Interleukin-converting Enzyme Improves Endothelial Function in Hyperlipidemic Rabbits, 1062

Insulin Signaling in Vascular Endothelium: A Key Role for Heterotrimeric G Proteins Revealed by siRNA-mediated G β 1 Subunit Knockdown, 1231

Interleukin-10 Reduces Endothelium-Dependent T Cell Costimulation through Upregulation of Suppressor of Cytokine Signaling-3 and Immunglobulin-Like Transcript 3 and 4, 1473

Intravenous Iron Sucrose Augments Homocysteine-Mediated Endothelial Dysfunction in Normal Subjects, 92

Involvement of the proprotein convertase Furin in the arterial response to injury, 1510

Key Role of NADPH in Shear Stress-Induced Vascular Remodeling, 1022

L-type Voltage-Gated Ca²⁺ Channels Modulate Expression of Smooth Muscle Differentiation Marker Genes via a Rho Kinase/Myocardin/SRF-Dependent Mechanism, 1249

Ligand-Induced and Constitutive Activation of Peroxisome Proliferator-Activated Receptor- γ Inhibits Telomerase Activation in Vascular Smooth Muscle Cells, 1327

Lipoprotein-Associated Phospholipase A₂ (Lp-PLA₂) Activity, an Emerging CV Risk Marker, Can be Inhibited in Atherosclerotic Lesions and Plasma by Novel Pharmacologic Intervention: The Results of a Multicenter Clinical Study, 2745

Local Production of C-Reactive Protein at Stented Injured Vessel Wall Is Associated With Activation of Leukocyte Integrin Mac-1, 2867

Lung α / β -Hydrolase Protein 2 Suppresses Smooth Muscle Cell Migration and Inhibits Development of Experimental Intimal Hyperplasia, 151

Lymphocyte-associated LIGHT Induces Proinflammatory and Prothrombotic Changes in Human Vascular Endothelial Cells, 998

Macrophage Cathepsin S Deficiency Accelerates Atherogenesis and Promotes Medial Erosion, 1315

Marked NAD(P)H Oxidase Activation by Endoplasmic Reticulum Stressors: Evidence for a Novel Integrative Pathway Involved in Vascular Injury Repair, 753

Matrix Embedding Alters the Immune Response against Endothelial Cells In Vitro and In Vivo, 2382

Matrix Metalloproteinase-3 Promoter Variant Associated with Decreased Aortic Compliance is More Common in African Americans than Whites: From the Dallas Heart Study, 3819

Mediterranean-inspired Diet Reduces the Number of Leukocytes and Platelets and Decreases Vascular Endothelial Growth Factor in Healthy Subjects, 3832

Menkes Protein is a Novel Modulator for Extracellular Superoxide Dismutase, 425

Mice Lacking Heme Oxygenase-2 Exhibit Reduced Atherosclerotic Lesion Formation and Chronic Hypoxemia, 1345

MMP8 On The Macrophage Surface - Implications For Local Proteolysis And Macrophage Recruitment, 1054

Mobilization and Functionality of Endothelial Progenitor Cells During Antihypertensive Treatment in Patients with Essential Hypertension, 3158

Modulator Recognition Factor 1 (MRF1), an ARID-Family Member, is a Novel Corepressor for Estrogen Receptor- α , 146

Molecular Mechanisms governing Neointima Formation - Interaction of Inflammation, Stem Cell Recruitment, and Differentiation in a Mouse Model of Neointima Formation, 257

Monocyte Toll-Like Receptor 2 Stimulation Leads to Increased B₂-Integrin-Dependent Migration and Firm Adhesion to Endothelial-Like Cells Under Flow Conditions, 1572

MT1-MMP-Dependent Neovessel Formation within the Confines of the 3-Dimensional Extracellular Matrix, 1458

Muscle LIM Protein Plays a Critical Role in Vascular Remodeling in Response to Injury, 389

Myocardial Virus Persistence is Associated with Muscarinic Receptor-Mediated Endothelial Dysfunction of Epicardial Arteries in Humans, 341

Myosin Phosphatase Isoform Expression in the Specification and Modulation of the Smooth Muscle Contractile Phenotypes, 668

Neointima Formation in Response to Carotid Artery Ligation is Exaggerated in Human C-Reactive Protein Transgenic Mice and Prevented by Estrogen Treatment, 992

Neutrophil Derived S100A12 is Profoundly Upregulated in Early Stage of Acute Kawasaki Disease, 1842

NF- κ Bp50 is Involved in Outward Arterial Remodeling and Differentially Regulates the Expression of Toll-Like Receptor 4 and Its Endogenous Ligand EDA, 1509

Nicotinic and PDGF-Receptor Function are Essential for Nicotine-Stimulated Mitogenesis in Human Vascular Smooth Muscle Cells, 366

Nitric Oxide and Hydrogen Peroxide Contribute to the Development of Reactive Dilatation in Isolated Coronary Arterioles, 356

Nitric Oxide Differentially Regulates Proliferation and Mobilization of EPC but Not of Hematopoietic Stem Cells, 1556

- Notch Stimulation, but Not Gridlock Homologue HERP1, Induces Arterial Specific Markers in Venous Cell Line, 152
- Novel SNPs in *KCNA5* Gene from Patients with Idiopathic Pulmonary Arterial Hypertension, 85
- Nox4-derived Reactive Oxygen Species and Growth Arrest of Vascular Smooth Muscle Cells in Atherosclerosis, 1352
- Nox4-derived Reactive Oxygen Species are required for the Differentiation of Vascular Smooth Muscle Cells, 745
- O-GlcNAc Transferase Mediates the Effects of High Glucose on eNOS Function, 579
- Observations of a Large λ -Animal Model of Diabetic Vascular Disease, 3267
- Oral Rapamycin Attenuates Atherosclerotic Plaque Progression in ApoE Knockout Mice, 250
- Osteopontin Expression and Adventitial Angiogenesis Induced by Local VEGF₁₆₅ Reduce Experimental Aortic Calcification, 2748
- Overexpression of IL-10 Within T Lymphocytes Can Significantly Decrease Atherosclerotic Progression after Lesions Are Well-Established, 1156
- PDGF Regulates p27^{Kip1} in Vascular Smooth Muscle Cells through a Posttranscriptional Mechanism Mediated by MAP Kinase, 149
- PDFI Inhibits TNF- α -induced IL-6 Expression in HUVEC by Suppressing NADPH Oxidase-mediated Reactive Oxygen Species Generation, 991
- Perivascular Paclitaxel Polymers Reduce Neointimal Hyperplasia and Venous Stenosis in PTFE Arteriovenous Grafts: A Solution for Hemodialysis Vascular Access Dysfunction?, 1770
- PIAS1 Activates the Expression of Smooth Muscle α -actin Gene by Interacting With SRF and Class I Bhlh Proteins, 1522
- Placental Growth Factor Enhances Macrophage Infiltration and Early Atherogenesis, 1310
- Plasma Levels of the Soluble fms-like Tyrosine Kinase 1 (VEGF receptor 1) Modulate the Prognostic Impact of Placental Growth Factor in Patients Post Myocardial Infarction, 1942
- Plasminogen Activator Inhibitor (PAI)-1 from Bone Marrow-Derived Cells Contributes to Neointima Formation after Injury in Mice, 387
- Pleiotropic Effects of Leukotriene B₄ Receptor BLT1 on Early Atherogenesis, 842
- Possible Role of Myeloid Related Protein (MRP) 8 and MRP14 in Progression of Coronary Artery Lesions in Acute Kawasaki Disease, 1843
- PPAR α Inhibits Vascular Smooth Muscle Cell Proliferation through Trans-Activation of the Gene Tumor Suppressor p16^{INK4a}, 1326
- PPAR γ Ligands Inhibit Rho/Rho Kinase Pathway by Inducing Protein Phosphatase, SHP-2, and Inactivating Rho Guanidine Nucleotide Exchange Factor, Vav, 434
- Premature Atherosclerosis Does Not Occur in Monogenic Isolated Growth Hormone Deficiency Despite the Association With Metabolic Syndrome, 3568
- Profilin is Expressed in Human Atherosclerotic Plaques and Induces Proliferation and Migration of Vascular Smooth Muscle Cells, 365
- Proinflammatory mRNA Stabilization by Adhesion Receptor Engagement in Macrophages, 990
- Protective Effect of Angiopoietin-1 in Endotoxin-Induced Septic Shock, 1459
- Pulmonary Artery Smooth Muscle Cells Deficient in Type II Bone Morphogenetic Protein Receptor Exhibit Gain of Function in Response to Bone Morphogenetic Protein 7, 623
- Red Blood Cells, NO Synthesis and Vascular Homeostasis, 1118
- Redox Factor 1 Alters Redox Balance and Vascular Response to Injury, 1354
- Reduced Connexin43 Expression Decreases Intimal Hyperplasia in Low-Density Lipoprotein Receptor-Deficient Mice after Carotid Balloon Distension Injury, 1051
- Rho Guanine Nucleotide Dissociation Inhibitor mediates Rac1-dependent activation, NAD(P)H oxidase activation, and free-radical release, 750
- Role of CD40 Ligand in Response to Arterial Denudation Injury in Hyperlipidemic Apolipoprotein E-Deficient Mice, 664
- Role of Proteases for Tissue Invasion and Neovascularization Mediated By Progenitor Cells, 330
- Recruitment of Endothelial Progenitor Cells into Lipopolysaccharide-Stimulated Mouse Aortic Endothelium, 719
- Secreted Frizzled-Related Protein 4 Inhibits Human Vascular Smooth Muscle Cell Proliferation, 1328
- Serine 188 Phosphorylation of RhoA Inhibits its Ubiquitin-Mediated Proteasomal Degradation, 1233
- Shear Stress Enhances Endothelial Maturation of Endothelial and Hematopoietic Progenitor Cells, 1173
- Significant Alterations in Heparan Sulfate Biosynthesis in Response to Vascular Injury, 1077
- Smooth Muscle Cell Cycle Reentry and Arterial Remodeling - How to Make the Vessel Bigger, 1057
- Stem Cell Factor Deficiency Confers Vascular Protection: A Novel Observation, 7
- Stent-Based Delivery of Nuclear Factor- κ B Decoy Attenuates In-Stent Restenosis in Hypercholesterolemic Rabbits, 989
- Stimulation of Endothelial Nitric Oxide by Peroxisome Proliferator-Activated Receptor- γ Agonists is Supported by Upregulation of Argininosuccinate Synthase Expression, 908
- Stress-Induced Amplification of Vascular Occlusion: A Novel Neuronal-Megakaryocyte Link, 1017
- Successful Knockdown of Plasminogen Activator Inhibitor-1 Gene and Protein Expression in Human Vascular Cells Using Small Interfering RNA, 706
- SUMOylated RAGE, Signal Transduction and Accelerated Diabetic Atherosclerosis, 414
- Suppression of Neointimal Formation in a Canine Model of Vein Graft Disease by Anti-Monocyte Chemoattractant Protein-1 Gene Therapy, 1690
- T Cells in Atherosclerotic Plaque Respond to *Streptococcus pneumoniae*: A Role of T Cell Mimicry between Pathogen-derived Antigens and OxLDL in Atherogenesis?, 1569
- Targeted Disruption Of *cd73/ecto-5'-Nucleotidase* Alters Thromboregulation And Augments Vascular Inflammatory Response, 381
- Targeted overexpression of Angiotensin II Type2 Receptor in Vascular Smooth Muscle Cells Reduces Atherosclerosis in Apolipoprotein E-Deficient Mice, 190
- The 5-Lipoxygenase Pathway in Atherosclerosis and Aortic Aneurysm Pathogenesis, 848
- The Erythropoietin-Erythropoietin Receptor System is Crucial for Mobilization of Endothelial Progenitor Cells in Hypoxia-Induced Pulmonary Hypertension, 328
- The Fat1 Protocadherin Inhibits Wnt Signaling and Growth and Migration in Vascular Smooth Muscle Cells, 391
- The Forkhead Transcription Factor FoxO1a Regulates Cell Cycle Entry of Smooth Muscle Cells and Prevents Neointima Formation, 1506
- The GSK3 β / β -catenin Axis Promotes Angiogenesis through Autocrine Activation of VEGF Signaling in Endothelial Cells, 1073
- The Helix-Loop-Helix Factor Id2 Increases Ubc2 Expression and Promotes p27^{Kip1} Degradation, 1025
- The Role of Notch Target Genes, HRT-1, HRT-2, and HRT-3, in Determining Vascular Smooth Muscle Cell Proliferation and Apoptosis., 573
- The Soluble Epoxide Hydrolase is a Main Effector of Angiotensin II-Induced Hypertension, 789
- The Transcription Factor Homeobox A9 Increases Endothelial Nitric Oxide Synthase (eNOS) and VEGF Receptor 2 (KDR) Expression and Determines Endothelial Phenotype, 849
- The Tyrosine Phosphatase SHP-1 Downregulates Endothelial NAD(P)H-Oxidase Activity Through PI3-Kinase Dependent Inhibition of Rac1, 751
- Tie2 Signaling is Required for Exercise-induced Skeletal Muscle Angiogenesis, 825
- Tissue-derived Cells Contribute to Endothelial Regeneration during Ischemia-induced Neovascularization, 326
- TNF- α Receptor-1 Signaling in Graft-Intrinsic Cells regulates Vein Graft Neointima Formation and VCAM-1 Expression, 1487
- Transforming Growth Factor- β 1 Enhances Transdifferentiation of Macrophages Into Smooth Muscle-Like Cells via Smad Signaling, 551
- Transplantation of Human Embryonic Stem Cell-derived Vascular Progenitor Cells for Vascular Regeneration, 1457
- Transplanted Monocytic CD11b-Positive Cells Contribute to Repair Mechanisms after Vascular Injury, 1177
- Tumor Necrosis Factor- α Receptor p75 is Required in Signaling of Adult Ischemia-Induced Neovascularization, 1069
- Two Windows of Cardioprotection: The Early and Late Benefits of High-Dose Atorvastatin in Patients with Acute Coronary Syndromes. Results from the PROVE IT - TIMI 22 Trial, 2341
- Vaccination against VEGF Receptor 2 blocks Initiation and Progression of Atherosclerosis, 370
- Variable Blood Flow Regulates Gene Expression in Cell Specific-Rich Area of Aneurysmal Wall as Studied by Laser Capture Microdissection, 904
- Vasa Vasorum Density Inversely Correlates with NF- κ B Activation and Intima/Media Ratio in Hypercholesterolemic Porcine Coronary Arteries, 864
- Vascular Endothelial Growth Factor (VEGF) Mediates Leukocyte Trafficking Into Allografts Via Interaction With The Chemokine MCP-1, 660
- Vascular Endothelial Growth Factor Receptor-2 Gene Haplotype (TTT, -604/+1192/+1719) was Associated with Hemorrhagic Stroke: A Multicenter Case-control Study, 2282
- VEGF Isoforms Differently Contribute to Development of Blood Vessels and Blood Cells in Xenopus, 148
- VEGF-Induced Postischemic Hindlimb Collateralization and NO-Mediated Angiogenesis Requires Optimal Caveolin Expression, 1043
- Wilms' Tumour 1-Associating Protein Is Essential For Maintaining Vascular Smooth Muscle Cell Quiescence, 1324
- Zaprinast Attenuates Acute Hypoxic Pulmonary Artery Cytokine Expression and Pulmonary Vasoconstriction, 1711

Vascular resistance

Allopurinol Ameliorates Cardiovascular Dysfunction in Dogs with Pacing-Induced Heart Failure, 2793
 Combined Ventricular Systolic and Arterial Stiffening in Patients with Concentric Remodeling and Preserved Systolic Function, 3141
 Effects of Combined Treatment with Low Doses of PPAR α / γ Activators on Blood Pressure, Vascular Remodeling, and Inflammation in Angiotensin II-Infused Rats, 480
 Glomerular Cytochrome P-450 Metabolite Regulates Efferent Arteriole Resistance, 484
 In Smokers, Moderate Vitamin Consumption Acutely Improves Large Arterial Elastance, 3593
 Mechanism of RhoA/Rho Kinase in Stretch-induced Myogenic tone, 1175
 Pulmonary Capacitance Predicts Mortality in Pulmonary Hypertension, 2641
 Pulse wave velocity and Coronary calcification in Postmenopausal women: The Woman on the Move through Activity and Nutrition (WOMAN) Study, 3660
 Reduction of Circulating Nitrite to Nitric Oxide Across the Human Heart: a Novel Mechanism for Regulating Coronary Vascular Resistance, 859
 Resistance Arteries of Ang II-Infused Osteopetrotic Mice Show Reduced Impairment of Endothelial Function, Oxidative Stress and Vascular Remodeling, 785
 Type 2 Diabetic Mice Have Increased Blood Pressure and Enhanced Arteriolar Basal Tone Due to COX-2-Dependent Tx α / β /PGH $_2$ Production, 158

Vascular surgery

A Novel Bioengineered Small Caliber Vascular Graft Incorporating Sirolimus, 3482
 Aortic Pathology and Disease Severity Determine Success of Endovascular Stent-Grafting in the Descending Aorta, 3114
 Carotid Artery Stenting with Embolic Protection is Associated with Similar Outcomes in Post-Carotid Endarterectomy Restenotic Lesions versus De Novo Lesions, 2852
 Combined Carotid Endarterectomy (CEA)/Coronary Artery Bypass (CAB): Is it Effective in Reducing Perioperative Stroke?, 2977
 Effect of Age on In-Hospital Length of Stay, Mortality, and Cost Among Patients Undergoing Abdominal Aortic Aneurysm Repair, 1764
 Endoluminal Versus Open Mesenteric Revascularization: Short-Term Benefits Are Not Matched by Longer-Term Functional Outcomes, 2846
 First Use of a Completely Biological Human Tissue Engineered Blood Vessel in a Primate Model, 2383
 Fusiform Shape of Distal Arch with a Patent False Lumen in Type B Acute Aortic Dissection (AAD) Can Predict Late Enlargement of Aorta, 2743
 Impact of Integrated Selective Cerebral Perfusion with Right Axillary Artery Cannulation and a "Stepwise" Distal Anastomosis on the Outcome of Total Arch Replacement with Individual Arch-Vessel Reconstruction, 2746
 On-Pump Coronary Artery Bypass Grafting is Associated with a Lower Mortality Rate among Patients with Multi-Vessel Coronary Artery Disease, 3275
 Patency of False Lumen of the Descending Aorta Is Not Altered By an Extension of Aortic Replacement in Acute Type A Dissection, 2744
 Perivascular Paclitaxel Polymers Reduce Neointimal Hyperplasia and Venous Stenosis in PTFE Arteriovenous Grafts: A Solution for Hemodialysis Vascular Access Dysfunction?, 1770
 Stenting and Angioplasty with Protection in Patients at High Risk for Endarterectomy: The SAPPHIRE Study; Two-Year Results, 2996
 TNF- α Drives Vein Graft Intimal Hyperplasia, 1215

Vasoconstriction

Comparison of Standard and Bicaval Techniques for Cardiac Transplantation: Effects on Cardiovascular Reflex Regulation, 3288
 Endogenous vasoconstrictor coupling factor 6 is released from the resistance arterioles and is involved in the genesis of hypertension, 293
 Gq-Mediated Signaling is a Critical Component in Certain Models of Hypertension, 1227
 Hypoxic Pulmonary Hypertension: Role of NADPH Oxidase and Superoxide, 483
 Increased Sensitivity to Endothelin in Skeletal Muscle Arterioles with Aging is Mediated Through the Endothelin-A Receptor and is not Reversed with Exercise Training, 598
 Novel SNPs in KCNA5 Gene from Patients with Idiopathic Pulmonary Arterial Hypertension, 85
 Ozone Air Pollution is Associated with the Occurrence of Acute Coronary Events: Data from a Population-Based Registry, 3736
 Primary Role of Inositol 1,4,5-triphosphate Receptor Type 1 in Agonist-induced Aortic Contraction in Mice, 159
 Salt-Sensitive Hypertension is Triggered by Ca $^{2+}$ Entry via Vascular Isoforms of Na $^{+}$ /Ca $^{2+}$ Exchanger Type-1 in Arterial Smooth Muscle, 482
 Sirolimus-Eluting Stents Associated With Abnormal Coronary Vasomotion, 2875
 Sustained Elevation of Serum Level of Cortisol Induces Hyperconstriction of Porcine Coronary Arteries - Possible Involvement of Rho-kinase -, 729

Thrombin Induces Vascular Hypercontractility by Upregulating Protease-Activated Receptor-1 in Subarachnoid Hemorrhage, 1593

Vasoconstrictor agents

Coupling Factor 6 Induces Vasoconstriction of Coronary Arterioles in Hypertensive Rats via a Suppression of Cytochrome P-450 Metabolites, 357
 Glomerular Cytochrome P-450 Metabolite Regulates Efferent Arteriole Resistance, 484
 PPAR γ Ligands Inhibit Rho/Rho Kinase Pathway by Inducing Protein Phosphatase, SHP-2, and Inactivating Rho Guanidine Nucleotide Exchange Factor, Vav, 434

Vasodilation

Effect of Medical and Surgical Weight Loss on Endothelial Vasomotor Function in Obese Patients, 1468
 Aldosterone Impairs Vascular Reactivity by Decreasing Glucose-6-Phosphate Dehydrogenase Activity, 733
 Attenuation of Myogenic Tone by Myocardium-Derived Vasomotor Factor during Resting Condition and Metabolic Stimulated State: Role of the ATP-Sensitive Potassium Channels, 336
 Cardioprotective Role of Hydrogen Peroxide, an Endogenous EDHF, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation in Vivo, 359
 Cellular Origin of EDHF (H $_2$ O $_2$) Released from Human Coronary Arterioles in Response to Shear Stress, 355
 Comparison of Standard and Bicaval Techniques for Cardiac Transplantation: Effects on Cardiovascular Reflex Regulation, 3288
 D-4F, an Apolipoprotein A-1 Mimetic, Increases Vasodilation in Hypercholesterolemic, Apolipoprotein A-1-Deficient Mice, 1166
 Effect of Exercise Training on Exercise Capacity, Quality of Life, and Flow-Mediated Arterial Dilation in Elderly Patients with Diastolic Heart Failure, 2597
 Effects of MCP-1 and Leptin on Collateral Flow and Arteriogenesis as Assessed by Ultrasonic Flow Measurements and Microsphere Perfusion, 528
 Epoxyeicosatrienoic Acids Released from Endothelium Stimulated by Shear Stress Hyperpolarize Arteriolar Smooth Muscle, Causing Dilation, 360
 Forskolin Potentiates Cerebral Vasodilation in Heart Failure, 675
 High-density Lipoprotein-associated Estrogen Activates Endothelial Nitric Oxide Synthase through Estrogen Receptor- β , 415
 In Vivo PPAR α Activation Reduces Blood Pressure and Endothelial Dysfunction via Impeding Arterial NADPH Oxidase/Superoxide and Augmenting Tetrahydrobiopterin in Low Renin Hypertension, 1465
 Intravenous Iron Sucrose Augments Homocysteine-Mediated Endothelial Dysfunction in Normal Subjects, 92
 Nitric Oxide and Hydrogen Peroxide Contribute to the Development of Reactive Dilation in Isolated Coronary Arterioles, 356
 Placement of Transvenous Leads Across Chronic Occlusions—A Novel Approach, 3248
 Reduced Sensitivity to Wall Shear Stress in Arterioles of PECAM Knockout Mice due to Impaired Mechanotransduction, 1066
 Role of Focal Adhesion Kinase in Flow-induced Dilation of Coronary Arterioles, 9
 Short-Term Granulocyte-Colony Stimulating Factor Treatment Does Not Induce Endothelial Dysfunction in Patients with Myocardial Infarction, 164
 Sirolimus Causes Endothelium-Independent Relaxation of Isolated Human Arteries, 2874
 Sirolimus-Eluting Stents Associated With Abnormal Coronary Vasomotion, 2875
 Src And PI3-Kinase Play A Role In Flow-Induced Dilation Of Coronary Arterioles, 343
 The Effect of a Six-Week Yoga Training and Meditation Program on Endothelial Function, 1786
 The Src-Dependent Phosphorylation of PECAM-1 Mediates the Activation of eNOS in Endothelial Cells in Response to Fluid Shear Stress, 1172
 Transmural Flow Gradient Measured by Magnetic Resonance Perfusion Imaging Improves Identification of Coronary Stenoses, 3493

Vasodilator agents

Are Vasodilators Beneficial to Severe Asymptomatic Aortic Regurgitation?, 3452
 B $_2$ Receptor BE1 Insertion/deletion Polymorphism Influences the Vasodilatory Response to Exogenous Bradykinin, 2015
 Beneficial Cardioprotective Effects of Hydroxyfasudil, a Specific Rho-Kinase Inhibitor, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation in Vivo, 1160
 Effect of Initial Troponin Status on Outcomes after Treatment with Inotropes vs Vasodilators for Acutely Decompensated Heart Failure: An ADHERE \circledR Registry Analysis, 1745
 Glomerular Cytochrome P-450 Metabolite Regulates Efferent Arteriole Resistance, 484
 Is Nesiritide Associated with Renal Injury in Patients with Acutely Decompensated Heart Failure?, 2413

Nesi
O
The
Bl
The
Il-
Trea
In
wi
Vasopi
A Re
Pr
Aorti
Ni
Conl
Ef
Eftec
ar
El
Fa
Effic
El
Nepl
Isr
Nove
Sc
Hy
Vasc
Re
Vasc
Ut
Venout
Elect
of
Cc
Gene
Tr
Prot
Tr
Torr
Ventila
5-Lip
Hy
Inj
Card
wi
Cher
14
Inspi
Er
Pa
Qual
Ar
Singl
thi
Slow
Re
Pr
CC
Ventric
AVE
Mt
Corre
Ve
Pc
Evok
Cc
the
Iks Dc
 β -
Pr
Incre
Re
Intrac
Cc
Ce
Spati
Ar
Steep
Re
Br
The t
To

- Nesiritide Acutely Increases Pulmonary and Systemic Levels of Nitric Oxide and cGMP in Pulmonary Hypertension Patients, 2587
 The Phosphodiesterase Type 5 Inhibitor Vardenafil Increases Peripheral Blood Flow in Patients with Raynaud Syndrome, 672
 The Soluble Epoxide Hydrolase is a Main Effector of Angiotensin II-Induced Hypertension, 789
 Treatments for Acute Decompensated Heart Failure Have Significant International Variations: An Analysis of the Randomized Interventions with Tezosentan (RITZ-1) Trial, 2426

Vasopressins

- A Randomized Comparison Study Of Vasopressin And Epinephrine For Prolonged Cardiopulmonary Resuscitation, 1641
 Aortic Flush for Rapid Induction of Cerebral Hypothermia during Normovolemic Cardiac Arrest in Swine, 1630
 Conivaptan, a Novel V_{1A} and V_2 Antagonist, Increases Serum Sodium and Effective Water Clearance in Patients with Hyponatremia, 3345
 Effects of Tolvaptan (OPC-41061), a Vasopressin V_2 Receptor Antagonist, and Furosemide on Hemodynamics, Renal Functions, Serum Electrolytes, and Neurohormones in Dogs With and Without Heart Failure, 93
 Efficacy of the Vasopressin V_{1A}/V_2 Antagonist Conivaptan in Patients with Euvolemic or Hypervolemic Hyponatremia, 3347
 Nephrogenic Diabetes Insipidus in Mice Lacking All Nitric Oxide Synthase Isoforms, 857
 Novel Vasopressin V_{1A} and V_2 Antagonist (Conivaptan) Increases Serum Sodium Concentration and Effective Water Clearance in Patients with Hyponatremia, 3346
 Vasopressin Prolongs Survival in Late-Phase Hemorrhagic Shock: A Randomized and Blinded Investigation, 2490
 Vasopressin Regulates the Epithelial Sodium Channel (ENaC) Via an E3 Ubiquitin-Protein Ligase, Nedd4-2, 1115

Venous thrombosis

- Electronic Alerts for Venous Thromboembolism Prophylaxis Reduce Rates of Proximal DVT and PE Among Hospitalized Patients: A Randomized Controlled Trial of 2506 Patients, 3762
 Genetic Variation at the Estrogen Receptor- α Locus in Relation to Venous Thromboembolism Risk Among Postmenopausal Women, 3725
 Prothrombotic Mutations, Hormone Therapy, and Venous Thromboembolism: Is Transdermal Estrogen Safe?, 3724
 Trombosis and Travel, 3763

Ventilation

- 5-Lipoxygenase Deficiency Prevents Respiratory Failure and Impairment of Hypoxic Pulmonary Vasoconstriction during Ventilator-Induced Lung Injury, 1193
 Cardiopulmonary Exercise Testing Cannot Distinguish Between Patients with Diastolic and Systolic Heart Failure, 2494
 Chemoreflex and Metaboreflex Control During Static Hypoxemic Exercise, 1408
 Inspiratory Muscle Training using a Test of Incremental Respiratory Endurance Alleviates Dyspnea and Improves Functional Status in Patients with Chronic Heart Failure, 2598
 Quality of CPR Performance after Out-of-Hospital Cardiac Arrest in Three Ambulance Services is Related to Intubation, 2139
 Single Rescuer Cardiopulmonary Resuscitation: Can Anyone Perform to the Guidelines 2000 Recommendations?, 1954
 Slowing Minute Ventilation by Increasing the Compression-To-Ventilation Ratio from 15:2 to 15:1 Decreases Intrathoracic and Intracranial Pressures and Increases Vital Organ Perfusion Pressures and End-Tidal CO_2 in Pigs in Cardiac Arrest, 1953

Ventricular action potential

- AVE 0118, an I_{to} and I_{Kr} Blocker, Suppresses VT/VF in an Experimental Model of the Brugada Syndrome, 924
 Correlation between QT intervals and Global Transmural Dispersion of Ventricular Repolarization: In Vivo Validation Using Monophasic Action Potential Mapping of the Epi- and Endocardium in Swine, 1532
 Evoked Ca^{2+} Sparks Exhibit Maximum Probability Under Physiological Conditions in Rabbit Ventricular Myocytes: What Mechanism Modulates the Ca^{2+} Transient?, 61
 I_{Ks} Downregulation in Canine Ventricular Hypertrophy Confers the Loss of β -Adrenergic-Induced Shortening of Repolarization, Favoring Proarrhythmia, 1531
 Increasing Myofilament Ca^{2+} Sensitivity Causes Action Potential Remodeling, Afterdepolarizations, and Ventricular Arrhythmias, 781
 Intracellular Accumulation of Na^+ and Ca^{2+} During Rapid Pacing Leads to Conduction Block in Branching Strands of Luo-Rudy Dynamic Model Cells, 465
 Spatially Discordant Cellular Alternans as a Novel Mechanism for Arrhythmogenesis in Heart Failure, 461
 Steep Repolarization Gradient is Required for Development of Phase 2 Reentry and Subsequent Ventricular Tachyarrhythmias in a Model of the Brugada Syndrome: High-Resolution Optical Mapping Study, 1524
 The Novel AF Conversion Agent RSD1235 Terminates EADs and Prevents Torsade de Pointes in a Rabbit Model, 3433

- Upsurge in T-wave Alternans and Complex-Form Repolarization Instability Precedes the Onset of Spontaneous Ventricular Tachyarrhythmias in Humans, 3094

Ventricular arrhythmia

- AVE 0118, an I_{to} and I_{Kr} Blocker, Suppresses VT/VF in an Experimental Model of the Brugada Syndrome, 924
 A Genotype-Specific Mode of Onset of Torsade de Pointes in the Congenital Long-QT Syndrome: Relevance for Therapy Strategies, 2893
 A Novel Mechanism of Defective Trafficking and Dominant-negative Suppression of KCNQ1 Channel Found in Long QT Syndrome, 922
 Arrhythmogenic Right Ventricular Dysplasia: A United States Experience, 2351
 Benefit from Defibrillator Therapy Related to Ventricular Function: Primary versus Secondary Prevention of Sudden Cardiac Death, 2910
 Ca/Calmodulin-Dependent Protein Kinase II (CaMKII) Reduces the Availability of Cardiac Voltage-Gated Na Channels, 282
 Can Algorithms Detect ICD Lead Failure? Results From Simulated Testing at ICD Implantation, 3242
 Clinical Performance of Wavelet™ Morphology Discrimination Algorithm in a Worldwide Single-Chamber ICD Population, 1650
 Early Cellular Responses in a Transgenic Mouse Over-expressing Renin Increase Ischemia-induced Arrhythmia, 1399
 Edrophonium-Induced Right Ventricular Outflow Tract Tachycardia, 3207
 Effect of Age and Sex on Yield of Long QT Syndrome Genetic Testing, 3515
 Electrical Remodeling Caused by Brief Ventricular Ectopy Increases T Wave Alternans, 2898
 Electrocardiographic Variables During Recovery After Six-minute Walk Test in Patients with Chronic Heart Failure and Sinus Rhythm, 2242
 Evaluation of Long-Term Prognosis of Ventricular Arrhythmias Originating from Right Ventricular Outflow Tract (RVOT), 3215
 First Report of the Effects of the Gap Junction Uncoupler Carbenoxolone on Human Myocardial Conduction and Arrhythmogenicity, 2170
 French Brugada Syndrome Registry (COBRA): Design of the Survey, Preliminary Results Concerning Demographic, Clinical Data and Follow-Up, 3210
 Gender Differences in Autonomic Modulation of Ventricular Repolarization in Humans, 2149
 Hyperaldosteronism-Induced Cardiac Fibrosis Creates Substrate for Ventricular Tachyarrhythmias, 925
 I_{Ks} Downregulation in Canine Ventricular Hypertrophy Confers the Loss of β -Adrenergic-Induced Shortening of Repolarization, Favoring Proarrhythmia, 1531
 In vitro Characterization of the Electrophysiological Effects of Mexiletine on SCN5A Mutants Predicts Clinical Response in LQTS Patients, 1102
 Increased Cardiac Connexin45 Results in Uncoupling and Spontaneous Ventricular Arrhythmias in Mice, 920
 Increasing Myofilament Ca^{2+} Sensitivity Causes Action Potential Remodeling, Afterdepolarizations, and Ventricular Arrhythmias, 781
 Induction of Ventricular Arrhythmia at Electrophysiologic Study in Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation (DEFINITE) Predicts Need for Implantable Cardioverter Defibrillator Therapy, 2902
 Intrathecal Clonidine Reduces the Risk of Ischemic Ventricular Arrhythmias in a Postinfarction Heart Failure Canine Model, 1401
 Is Catheter Ablation for Triggering Mechanism of Idiopathic Ventricular Fibrillation Curative for Patients with Pleomorphic Ectopies from Right Ventricular Outflow Tract?, 1873
 Mechanisms and Potential Pharmacologic and Gene Therapy Strategies for Myoblast Transplant-Associated Ventricular Arrhythmias: Insights from a Unique In Vitro Model, 6
 Methamphetamine-Associated Cardiomyopathy: A Previously Unrecognized Cause of Heart Failure, 1746
 Modulation of Cardiac Excitation-Contraction Coupling by Triadin, 930
 Molecular Basis of Funny Current (I_f) in Normal and Failing Human Heart, 614
 Mortality Reduction by Implantable Cardioverter-Defibrillators in Patients with Ischemic Heart Disease, Congestive Heart Failure, and Ventricular Arrhythmias, 2360
 Novel Pacing Patterns to Enhance or Suppress T-Wave Alternans in Patients with Heart Failure, 3133
 Predicting 1-Year Mortality in Patients Receiving Implantable Cardioverter-Defibrillators for Congestive Heart Failure, Ischemic Heart Disease, and Ventricular Arrhythmias, 2364
 Prevalence and Characteristics of Mitral Annular Ventricular Tachycardia: A New Distinct Subgroup of Idiopathic Ventricular Tachycardia, 2352
 Prevalence and Clinical Course of the Juveniles With Brugada-type ECG in Japanese Population, 3209
 Suboptimal Glycemic Control is Associated with Increased Risk of Ventricular Arrhythmias, 3240
 Substrate Modification in Ischemic Cardiomyopathy to Treat Ventricular Tachycardia Using Electroanatomic Scar Mapping, 2165
 Substrate-Based Ablation Of Unmappable Ventricular Tachycardias: Value Of Transmural Definition Of Scars, 1870

Sudden Unexplained Death: Heritability, Diagnostic Yield, and Therapeutic Yield of Routine Cardiological Examination in Surviving Relatives, 1735
 Sustained Ventricular Arrhythmia During Percutaneous Coronary Intervention is Associated With an Increased Risk of In-Hospital and Long-term Mortality., 2355
 Targeted Mutational Analysis of the Cardiac Ryanodine Receptor in Sudden Unexplained Death: a Molecular Autopsy of 68 Medical Examiner's/Coroner's Cases, 2570
 The Quik-Combo® Defibrillator Electrode Decreases the Time to Defibrillation: A Crossover Comparative Study, 1960
 The Yield of Molecular Genetic Testing in Primary Electrical Heart Disease, 3208
 Upper Limit of Vulnerability Testing: Shock-on-T with a Right Ventricular versus Biventricular Pacing Train - Implications on Mechanisms of Defibrillation, 1662
 Upsurge in T-wave Alternans and Complex-Form Repolarization Instability Precedes the Onset of Spontaneous Ventricular Tachyarrhythmias in Humans, 3094
 Vagal Stimulation Suppresses Ischemia-Induced Arrhythmias by Preserving Connexin43 Protein from Dephosphorylation and Degradation, 1419
 Ventricular Fibrillation Associated With Failed Defibrillation Shocks Is More Organized Than Ventricular Fibrillation Associated With Successful Shocks, 1657

Ventricular assist devices

Altered Gene Expression of Tissue Inhibitors of Metalloproteinases in Clinical Recovery of Heart Failure with Combined Left Ventricular Assist Device and Clenbuterol Therapy, 2938
 Biventricular Assist Device(BIVAD) Utilization for Patients with Morbid Congestive Heart Failure (MCHF): A Justifiable Strategy, 2713
 Cancion® Cardiac Recovery System (CRS): Effects on Renal, Echocardiographic, and Health Status Parameters During and Following Treatment with a Novel, Minimally Invasive Approach to Cardio-Renal Support in Severe Acute Heart Failure, 2814
 Does β_2 -agonist Clenbuterol Help Maintain LV's Potential to Recover during Mechanical Unloading?, 2935
 Echocardiographic Assessment of Left Ventricular Recovery during Mechanical Unloading to Predict Long-term Stability of Cardiac Function after Weaning from Assist Devices, 1999
 Effect of Biventricular Unloading on Pathways of Myocardial Recovery in Failing Left and Right Ventricles, 3293
 Effect Of Cardiac Transplant And Ventricular Assist Device Volume On Posttransplant Mortality For Status 1 Patients Supported With An Intracorporeal Left Ventricular Assist Device: Analysis of the United Network For Organ Sharing (UNOS) Thoracic Registry, 3286
 Elevated Myocardial Expression of Insulin-Like Growth Factor I and Related Genes following Clinical Recovery in Patients with Combined Left Ventricular Assist Device and Clenbuterol Therapy, 2937
 Endothelial Function in Patients with Pulsatile or Axial-Flow Left Ventricular Assist Device (LVAD) Support, 2813
 Extra-Aortic Balloon Counterpulsation: An Intraoperative Feasibility Study, 3291
 First Clinical Experiences with a Novel Magnetically Suspended Axial Flow Left Ventricular Assist Device, 2940
 Gene Profiling Changes In Cytoskeletal Proteins During Clinical Recovery Following Left Ventricular Assist Device Support, 2939
 Left Ventricular Assist Device Implantation Following Acute Anterior Wall Myocardial Infarction and Cardiogenic Shock: A Two-Center Study, 2932
 Long-Term Results in Patients with Idiopathic Dilated Cardiomyopathy after Weaning from Left Ventricular Assist Devices, 2936
 Ventricular Assist Devices as Bridge to Recovery: Long-term Outcomes, 2931

Ventricular defibrillation

A Comparison of Effectiveness of Resuscitation after Electrically and Ischemically Induced Cardiac Arrest, 1631
 Addition of Police and Public Access Defibrillation to a Preexisting First Responder AED Program: the Lag Between Deployment and Systematic Use, 2141
 Are Rhythm Reanalyses, Stacked Shocks, And Postdefibrillation Pulse Checks Justified?, 2130
 Biphasic Defibrillation Waveform Combined with AED-Imposed "Hands-Off" Intervals Significantly Affects Outcome Following Prolonged Cardiac Arrest, 1958
 Cariporide Minimizes Adverse Myocardial Effects of Epinephrine During Resuscitation from Ventricular Fibrillation, 2487
 Consistent Drug-induced Ventricular Defibrillation in Pigs, 1400
 Dofetilide Significantly Reduces Defibrillation Thresholds in Patients with an Inadequate Defibrillation Safety Margin., 3245
 Hypothermia Improves Defibrillation Success and Resuscitation Outcome From Ventricular Fibrillation, 1191
 In-Hospital Pediatric Ventricular Fibrillation: Results from the National Registry of CPR, 2135
 Pediatric Defibrillation Dose: Less Effective in Prolonged Out-Of-Hospital Pediatric Cardiac Arrest, 2133

Preimplantation B-Type Natriuretic Peptide is an Independent Predictor of Future Implantable Cardioverter-Defibrillator Shock, 3253
 Relationship between Defibrillation Threshold, Programmed Energy, and First Shock Efficacy for Fast Ventricular Tachycardia and Ventricular Fibrillation in PainFREE Rx II, 2362
 Reversal of Pulseless Electrical Activity in Canines with Coupled/Paired Pacing, 1629
 Risk Stratification of Patients with Prior Myocardial Infarction and Advanced Left Ventricular Dysfunction by ^{99m}Tc-Tetrofosmin Myocardial Perfusion Imaging: Significance of Defect Volume and Ventricular Volume Index, 3048
 Role of Microscopic Tissue Structure in Shock-Induced Activation Assessed by Optical Mapping in Myocyte Cultures, 464
 Single-Shock Compared to Three-Shock Defibrillation Protocol Significantly Improves Outcome Following Prolonged Cardiac Arrest, 1952
 The Quik-Combo® Defibrillator Electrode Decreases the Time to Defibrillation: A Crossover Comparative Study, 1960
 Upper Limit of Vulnerability Testing: Shock-on-T with a Right Ventricular versus Biventricular Pacing Train - Implications on Mechanisms of Defibrillation, 1662
 Ventricular Fibrillation Associated With Failed Defibrillation Shocks Is More Organized Than Ventricular Fibrillation Associated With Successful Shocks, 1657

Ventricular fibrillation

Abnormal Intracellular Calcium Cycling as a Mechanism for Wavebreak During Ventricular Fibrillation, 1403
 Addition of Police and Public Access Defibrillation to a Preexisting First Responder AED Program: the Lag Between Deployment and Systematic Use, 2141
 Are Rhythm Reanalyses, Stacked Shocks, And Postdefibrillation Pulse Checks Justified?, 2130
 Atypical Form of Catecholaminergic Ventricular Tachycardia due to a G14876A Mutation in the Cardiac Ryanodine Receptor Gene, 3211
 Benefit from Defibrillator Therapy Related to Ventricular Function: Primary versus Secondary Prevention of Sudden Cardiac Death, 2910
 Biphasic Defibrillation Waveform Combined with AED-Imposed "Hands-Off" Intervals Significantly Affects Outcome Following Prolonged Cardiac Arrest, 1958
 Bradycardia-Dependent Changes in Brugada Syndrome on ECG: Does Less QT Prolongation Relate to Occurrence of Ventricular Fibrillation?, 3087
 Bystander-Initiated Cardiopulmonary Resuscitation Sustains Ventricular Fibrillation in Out-of-Hospital Cardiac Arrests: Report Based on a Large-Scale Population-Based Study in Osaka, Japan, 2144
 Cariporide Decreases the Depth of Chest Compression Required to Maximize Forward Blood Flow, 2488
 Cariporide Minimizes Adverse Myocardial Effects of Epinephrine During Resuscitation from Ventricular Fibrillation, 2487
 Clinical Characteristics and Management in Patients with Brugada Syndrome Associated with Electrical Storm of Ventricular Fibrillation, 2177
 Comparison of Nifekalant and Lidocaine for Shock-resistant Ventricular Fibrillation, 1642
 Complete RBBB Pattern in ECGs in Symptomatic Patients with Brugada Syndrome is Associated with a Higher Incidence of Ventricular Fibrillation Events, 1649
 Effects of Cariporide on Myocardial Energy Metabolism during Resuscitation from VF, 2489
 Efficacy and Safety of a Novel Endovascular Cooling Device after Cardiac Arrest: A Case-Control Study, 2137
 Heart Rate Dynamics at the Onset of Ventricular Fibrillation in Patients with Brugada Syndrome, 3090
 Hyperaldosteronism-Induced Cardiac Fibrosis Creates Substrate for Ventricular Tachyarrhythmias, 925
 Hypothermia Improves Defibrillation Success and Resuscitation Outcome From Ventricular Fibrillation, 1191
 In-Hospital Pediatric Ventricular Fibrillation: Results from the National Registry of CPR, 2135
 Is Catheter Ablation for Triggering Mechanism of Idiopathic Ventricular Fibrillation Curative for Patients with Pleomorphic Ectopies from Right Ventricular Outflow Tract?, 1873
 Molecular Mechanisms of Ventricular Arrhythmia Stabilization in a Mouse Model of Sudden Death, 919
 Overexpression of Kir2.1 Protein Channels in Transgenic Mice Reduces Conduction Velocity and Predisposes to Stable Reentrant Arrhythmias, 724
 Pediatric Defibrillation Dose: Less Effective in Prolonged Out-Of-Hospital Pediatric Cardiac Arrest, 2133
 Potential Treatment of Congenital Short QT Syndrome: Response to Oral Quinidine, 1106
 Prevalence of Very Short QT Intervals in Patients with Idiopathic Ventricular Fibrillation and Implanted ICD, 2350

Prog
 OI
 wt
 Pron
 Fit
 Relat
 Oc
 Role
 Singl
 Sit
 19
 Survi
 La
 Targt
 Ag
 The f
 Ca
 The f
 Pa
 He
 The f
 AG
 The C
 Ventr
 Ca

Ventric
 β_2 -Ac
 He
 Left V
 to
 A Mu
 Sc
 A No
 Pr
 33
 A No
 Mj
 Mc
 Accu
 3C
 Activ
 Of
 Ov
 Acute
 aft
 Aden
 Ve
 Re
 Allop
 Pa
 Alter
 As
 Anab
 Re
 Angic
 AT
 Arteri
 Int
 Asso
 Ge
 in
 Asyr
 Th
 Th
 B-Ty
 do
 Ov
 Bene
 the
 Biphe
 "H
 Ca
 Biver
 Fu
 Canc
 Ec
 Tre
 Su
 Carb
 Tre
 Cardi
 Fu
 Cardi
 Ca

- Programmed Ventricular Stimulation is Associated with Long-Term Outcome in Patients with Nonischemic Dilative Cardiomyopathy Treated with an Implantable Cardioverter-Defibrillator, 2240
- Prompt Right Ventricular Overdistention during Untreated Ventricular Fibrillation Does Not Result in Left Ventricular Volume Loss, 1636
- Relationship Between Circadian Changes in ST Elevation in Daily Life and Occurrence of Ventricular Fibrillation in Brugada Syndrome, 3088
- Role of Testosterone on Male Predominance in Brugada Syndrome, 2347
- Single-Shock Compared to Three-Shock Defibrillation Protocol Significantly Improves Outcome Following Prolonged Cardiac Arrest, 1952
- Survival from Out-of-Hospital Cardiac Arrest in New York City: 10 Years Later, 2142
- Targeting Calcium-Induced Inactivation of Ica_L is a Promising Therapy Against VF, 458
- The Effect of Chest Compression Alone During Bystander-Initiated Cardiopulmonary Resuscitation, 2145
- The Frequency Spectrum of Ventricular Fibrillation is Less Organized in Patients With Ischemic Heart Disease than Those Without Ischemic Heart Disease, 3214
- The Novel Transient Outward Current Antagonist AVE0118 Protects Against Ischemically Induced Ventricular Fibrillation, 469
- The Optimal Adrenergic Agent for Cardiopulmonary Resuscitation, 2492
- Ventricular Fibrillation Waveform Characteristics Can Guide Therapy in Cardiac Arrest, 1959
- Ventricular function**
- β_3 -Adrenergic Receptor Activation Contributes to Exercise Intolerance in Heart Failure, 2034
- Left Ventricular Long Axis Function Shows an Atypical Allometric Scaling to Ventricular Size, 2758
- A Multicenter Cardiac Echo Doppler Study in 589 Patients with Systemic Sclerosis, 3301
- A Novel Doppler Time Index for Assessment of Left Ventricular Filling Pressures in Patients with Mitral Stenosis and Prosthetic Mitral Valves, 3314
- A Novel Orally Available Transforming Growth Factor- β Inhibitor Prevents Myocardial Fibrosis and LV Diastolic Stiffness in a Transgenic Mouse Model of Tumor Necrosis factor Overexpression, 302
- Accuracy of Determining Ventricular Volume and Mass Validation for Live 3D Echocardiography: A Dynamic In Vitro Model, 2651
- Activation of ERK5 Inhibits Persistent Downregulation Ofphosphodiesterase 3A1(PDE3A1) And Prevents Pressure Overload-Induced Cardiac Apoptosis And Dysfunction, 297
- Acute Changes of Gene Expression in the Nonischemic Region 2 hours after Myocardial Infarction, 1426
- Adenylyl Cyclase Type V Deletion is Associated with Increased Basal Left Ventricular Function, but Decreased Response to β -Adrenergic Receptor Stimulation, 1220
- Allopurinol Ameliorates Cardiovascular Dysfunction in Dogs with Pacing-Induced Heart Failure, 2793
- Altered Coronary Hemodynamics and Enhanced Myocardial Fibrosis are Associated with Biventricular Dysfunction in Salt-Loaded SHR, 950
- Anabolic Steroids Exacerbate Cardiac Hypertrophy and Activate Local Renin-Angiotensin System in Exercise-Trained Rats, 143
- Angiotensin II Increases Myocardial Distensibility: A Novel Endothelial and AT₁-Mediated Effect, 137
- Arterial Input Impedance, Arterial Function, and Ventricular-Vascular Interaction in the Mouse Assessed with the Conductance Catheter, 522
- Association of Insulin-Like Growth Factor (IGF)-1 and IGF-1 Receptor Gene Polymorphisms with Cardiac Hypertrophy and Diastolic Function in Essential Hypertension, 2828
- Asymptomatic Diastolic Left Ventricular Dysfunction: Preliminary Results Of The DAVES Study (Disfunzione Asintomatica Del Ventricolo Sinistro) By The Italian Society Of Cardiovascular Echography (SIEC), 2232
- B-Type Natriuretic Peptide Levels in Patients with Multiple Comorbidities do Not Correlate with Clinical and Hemodynamic Assessment of Volume Overload, 1761
- Beneficial Effect of Exercise Training on Cardiac Function is Lost in Mice that Overexpress Endothelial NO Synthase, 1432
- Biphasic Defibrillation Waveform Combined with AED-Imposed "Hands-Off" Intervals Significantly Affects Outcome Following Prolonged Cardiac Arrest, 1958
- Biventricular Pacing Improves Right Ventricular but Not Left Ventricular Function in Patients with Right Bundle Branch Block, 3357
- Cancion® Cardiac Recovery System (CRS): Effects on Renal, Echocardiographic, and Health Status Parameters During and Following Treatment with a Novel, Minimally Invasive Approach to Cardio-Renal Support in Severe Acute Heart Failure, 2814
- Carboxyl-terminal Fragment of Myosin Light Chain Kinase Increases Actin Translocation Velocity of Cardiac Muscles, 968
- Cardiac Resynchronization Therapy Improves Overall Cardiac Pump Function During Peak Exercise But Not At Rest, 2503
- Cardiac Resynchronization Therapy Acutely Improves Indicators Of Cardiac Function During Peak Exercise: A Randomized Controlled Trial, 3359
- Cardiomyocyte-Restricted Overexpression of NOS3 Prevents Endotoxin-Induced Myocardial Dysfunction in Mice, 1600
- Cardiomyocyte-specific NOS3 Overexpression Protects Against Chronic Pressure Overload-induced LV Hypertrophy and Dysfunction, 1599
- Changes in Specific Matrix Metalloproteinase Levels and Fibroblast Function Accompany the Age-related Increase in LV Mass, 975
- Chronic β -Blockade Therapy Normalizes mRNA Gene Expression for Hypoxia-Inducible Factor-1 α in Left Ventricular Myocardium of Dogs with Heart Failure, 2257
- Cine MRI and Myocardial Tagging Reveal Improved Border Zone Function and Reduced Wall Thinning in Postinfarction iNOS Knockout Mice, 3176
- Clinical Assessment of the Positive Inotropic Effect of Prostacyclin Analogs in Patients with Pulmonary Arterial Hypertension: An Ultrasonic Strain/Strain Rate Study, 3309
- Clinical Validation of Automated Computer Analysis of Left Ventricular Functions Using Real-Time Three-Dimensional Echocardiography, 2649
- Compression Induced by RV Pressure Overload Causes Regional LV Ischemia in Anesthetized Dogs, 2965
- Deficiency of p53 Upregulated Modulator of Apoptosis Improves Tolerance to Cardiac Ischemia/Reperfusion, 1443
- Divergent Effects of a Nox2-containing NADPH Oxidase on Cardiac Contractile Function and Hypertrophy after Imposition of Chronic Pressure Overload, 633
- Echocardiographic Markers of Myocardial Viability and Reperfusion - Combined Assessment of Segmental Lengthening/Shortening Ratio and Regional Compliance by Strain Doppler Echocardiography, 3129
- Echocardiographic Middiastolic Wave in the Mitral Inflow Is Associated With Adverse Events in Hypertrophic Cardiomyopathy, 2230
- Effect of Alteration of Left Ventricular Activation Sequence on the Left Ventricular Torsional Deformation in Anesthetized Closed-chest Dogs, 140
- Effect of Cardiac Resynchronization Therapy on the Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3251
- Effect of Dor Procedure in the Left Ventricle with Dyskinetic Anterior Wall on Ventricular Volume, Chamber Stiffness, and Function, 489
- Enhanced Cardioprotective Efficacy of a Drug Combination Designed to Minimize Myocardial Proton Production from Glucose Metabolism, 518
- Enhanced Pressure-Generating Capacity is a Primary Manifestation Of Improved Function Of Failing Hearts, 520
- Exercise Training Attenuates Aging-Related Left Ventricular Systolic Dysfunction in Mice: A Strain-Rate Study, 3313
- Exercise Training Prevents Cardiac Dysfunction And Altered Sarcoplasmic Calcium Reuptake In A Genetic Model Of Cardiomyopathy Induced By Sympathetic Hyperactivity, 2607
- Faster Decay of Crossbridge Dynamics during Diastole in Endomyocardial Region Compared with Epimyocardial Region, 521
- Gene Expression Profiling and Cardiac Remodelling: Comparing Pressure versus Volume Overloaded Human Left Ventricle, 2947
- Guanidinoacetate N-Methyltransferase-Knockout Mice Completely Lacking Myocardial Phosphocreatine Show Normal in vivo Cardiac Function, but Increased Susceptibility to Ischemia/Reperfusion Injury, 970
- Head-to-Head Comparison of Tissue Doppler Imaging and Direct Coronary Flow Measurement for Prediction of Functional Recovery After Primary Percutaneous Coronary Angioplasty in Patients with Acute Anterior Wall Myocardial Infarction, 2656
- Hemodynamic Overload Provokes Accelerated Cardiac Decompensation in DARE Mice That Lack TNF AU-Rich Elements, 22
- Heterogeneous Calcium Effects on Myofiber-Sheet Mechanics and Systolic Wall Thickening across the Left Ventricular Myocardium, 2782
- ICD Benefit and ICD Therapy in Patients with Symptoms and Signs of Advanced Heart Failure and Left Ventricular Dysfunction, 1652
- Impact of Systolic Hypertension on Cardiac Outcomes in Chronic Severe Aortic Regurgitation: Comparison with Left Ventricular Function and Size, 3280
- Improvement of Left Ventricular Remodeling by the eNOS Transcription Enhancer S2431 in Rats with Heart Failure after Myocardial Infarction, 1601
- Increased Carotid Intima-Media Thickness is Associated with Regional Myocardial Dysfunction Detected by Tagged MRI in Asymptomatic Individuals: The Multi-Ethnic Study of Atherosclerosis (MESA), 2771
- Induction of Hypoxia-Inducible Factor Improves Cardiac Function and Reduces Hypertrophy after Aortocaval Shunt in Rats, 800
- Inhibition of Mammalian Target of Rapamycin Signaling Regresses Established Cardiac Hypertrophy Induced By Pressure Overload, 604
- Inhibition of p38 MAP Kinase Executes Cardiovascular Protection in Experimental Diabetic Cardiopathy, 3641
- Left Ventricular Pressure-Volume Relationship in Conscious Mice, 3373
- Left Ventricular Systolic and Diastolic Dysfunction: Stronger Association with Central Obesity than with Peripheral or Overall Obesity, 3776
- Levosimendan Reduces Circulating Pro-inflammatory Cytokines and Soluble Apoptosis Mediators in Patients with Decompensated Advanced Heart Failure: Comparison with Dobutamine and Placebo, 2254
- Long Term Effects of Gastric Bypass Surgery on LV Structure and Function, 3557

Maximizing Ventricular Function with Multimodal Cell-Based Gene Therapy, 1451

Mechanisms of Left Ventricular Dysfunction and Altered Mechanoenergetics in a Model of Diastolic Heart Failure, 1128

Modifiable Risk Factors for Stroke in High-Risk Patients following Acute Myocardial Infarction: Insights from the VALIANT Study, 2985

Molecular Indices of Apoptosis after Intermittent Blood and Crystalloid Cardioplegia, 3483

Multislice Computed Tomography Accurately Quantifies Right Ventricular Size and Function in Adults with Congenital Heart Disease, 3018

N-Terminal Pro-B Type Natriuretic Peptide - An Accurate Plasma Biomarker in Detecting Diastolic Dysfunction, 2963

Nasal Continuous Positive Airway Pressure Improves Echocardiographic Indices of Heart Failure in Patients with Obstructive Sleep Apnea and Heart Failure, 2596

Neurohormone and Cytokine Activation Relate to Symptoms and Cardiac Function as Quantified by Cardiovascular Magnetic Resonance late After Repair of Tetralogy of Fallot, 3016

Nocturnal Oxygen Therapy Decreases Brain Natriuretic Peptide in Chronic Heart Failure Patients with Central Sleep Apnea, 1750

Noninvasive Serial Quantification of Minimal Aortic Arch Cross-Sectional Area by High-Resolution 3D-MRI After Transverse Aortic Banding in Mice: Band Internalization is a Major Source for Variability of the Hypertrophic Response, 959

Nonuniform Workload and Remodeling of the Left Ventricle, Induced by Left Bundle Branch Block, is Reversed by Biventricular Pacing, 2269

Optimal Assessment of Right Ventricular Size and Function by Real-time 3D Echocardiography: Comparison to Cardiac Magnetic Resonance Imaging, 2654

Outcome Predictors in Pediatric Hypertrophic Cardiomyopathy, 2080

Oxidant Stress From Endothelial Nitric Oxide Synthase Uncoupling Plays A Major Role in Pathologic Remodeling To Pressure Load Cardiac Hypertrophy, 202

p38 MAP Kinase Mediates Progressive Right Ventricular Force Decline after Acute Stretch, 1285

Paradoxical Increase in Ventricular Torsion Precedes Late Stage Decline in mdx Mice with Dystrophin Deficiency, 1284

Pioglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist, Improves Left Ventricular Diastolic Function in Essential Hypertension, 3374

Plasma Brain Natriuretic Peptide Concentration Elevated According to Increase in Myocardial Stiffness both in Patients with Systolic and Diastolic Heart Failure, 2588

Postsystolic Shortening Indicates Absence of Viability: New Insights from Direct Comparison of Tissue Doppler Imaging and Late Enhancement Contrast MRI, 2003

Preserved Myocardial Function During Acidosis and Ischemia by Transgenic Expression of Modified Troponin I, 226

Pressure-Volume Plane Analysis to Determine Optimal Ventricular Pacing Lead Position in Patients With Normal QRS Duration, 2815

Prognostic Value of Cardiopulmonary Exercise Testing In Heart Failure Patients with Preserved Systolic Function, 2497

Prosthesis-Patient Mismatch after Aortic Valve Replacement: Impact of Preoperative Left Ventricular Function on Clinical Outcomes, 3278

Protein Kinase A Corrects High Resting Tension Of Cardiomyocytes From Patients With Diastolic Heart Failure, 2094

Quantitation of Echocardiographic Abnormalities in Individuals Meeting Task Force Criteria for Arrhythmogenic Right Ventricular Dysplasia, 2418

Regional Left Ventricular Dysfunction in Individuals with Mild to Moderate Renal Impairment - The Multi-Ethnic Study of Atherosclerosis, 3686

Regression of Left Ventricle Hypertrophy after Renal Revascularization is Dependent on Blood Pressure Response and Etiology of Renal Artery Stenosis, 1114

Remodeling in Patients with Left Ventricular Dysfunction after Coronary Artery Bypass Graft Surgery, 2216

Reversal of Altered Expression of β_1 - and β_2 -Adrenergic Receptors in Pacing-Induced Heart Failure with β_2 -Adrenergic Receptor Blockade, 1262

Reversal of Right Ventricular Enlargement on Multidetector-Row Chest CT Following Thrombolysis or Surgical Embolectomy in Patients with Acute Pulmonary Embolism, 1766

Right Atrial and Ventricular Adaptation to Chronic Right Ventricular Pressure Overload, 1887

Right Ventricular Dysfunction in Hypertrophic Cardiomyopathy: Prognostic Significance of Doppler-Derived TEI Index, 3145

Right Ventricular Enlargement on Chest CT as a Predictor of Mortality in Acute Pulmonary Embolism, 2603

Right Ventricular Function is an Independent Predictor of Death, Heart Failure and Stroke Following Myocardial Infarction: The VALIANT Echo Study, 2754

Right Ventricular Myocardial Fibrosis Late after Repair of Tetralogy of Fallot Demonstrated by Late Gadolinium Cardiovascular Magnetic Resonance: Correlation with Right Ventricular Dysfunction, Neurohormonal Activation, and Exercise Intolerance, 3017

Right Ventricular Outflow Tract Pacing Preserves Left Ventricular Activation Pattern And Optimizes Hemodynamic Function, 2642

Right Ventricular Septal Lead Placement - Are You Really on the Anterior Wall?, 3249

Role of 16-Channel Multidetector CT for Analysis of Left Ventricular Function in Patients with Left Ventricular Dysfunction due to Various Etiologies Scheduled for ICD Implantation: An Alternative to Magnetic Resonance Imaging?, 1782

Role of Real-Time Transthoracic 3-D Echocardiography in the assessment of Mechanical Asynchrony, 2941

S-Nitrosoglutathione Does Not Reproduce In Vivo Positive Inotropy Induced by Nitroxyl Donors, 142

Sildenafil Attenuates the Inotropic Response to β -1 Stimulation in Humans, 2806

Single-Shock Compared to Three-Shock Defibrillation Protocol Significantly Improves Outcome Following Prolonged Cardiac Arrest, 1952

Spironolactone Improves Left Ventricular Chamber Stiffness and Diastolic Function Associated With Regression of Myocardial Fibrosis in Asymptomatic Patients With Dilated Cardiomyopathy, 2261

Tetralogy of Fallot for Morphologically Equivalent Infants: Repair with Annulus Preservation Compared to a Transannular Patch Yields Improved Mid-Term Right Ventricular Dimensions, 3411

The Crucial Role of Monocyte Chemoattractant Protein-1 in the Development of Murine Ischemic Cardiomyopathy, 1536

The Fontan Cross-Sectional Study: Testing for Correlations Among Health-Related Quality of Life, Maximal Exercise Performance, and Ventricular Mass-to-Volume Ratio, 2076

The Functional and Opposing Effects of PKA and PKC Phosphorylation on Cardiac Troponin I, 1282

The Utility of Indices of Ventricular Interdependence for The Diagnosis of Constrictive Pericarditis, 2419

Torsion-volume Loop Analysis for Assessment of Left Ventricular Active Relaxation, 2234

Transmural Mechanics of Active Left Ventricular Diastolic Relaxation, 524

TWEAK, a Novel Cytokine Determinant of Dilated Cardiomyopathy in Humans and Mice, 600

Women with Chest Pain and Normal Coronary Arteries Have Increased Arterial Stiffness by Radial Artery Tonometry: A Report from the Women's Ischemia Syndrome Evaluation (WISE), 2445

Ventricular remodeling

2-Methoxyestradiol Mediates Protective Effects of Estradiol in Monocrotaline-Induced Pulmonary Hypertension., 78

A Novel Injectable Alginate Scaffold Promotes Angiogenesis and Preserves Left Ventricular Geometry and Function after Extensive Myocardial Infarction in Rat, 1334

A Tissue Engineered Myocardial Patch Derived from Extracellular Matrix Performs Regional Mechanical Work, 1884

Adverse Remodeling and Impaired Calcineurin/NFAT Signaling after Myocardial Infarction in Heterozygous MLP Mutant Mice, 1095

Aldosterone Blocker Spironolactone Prevents Postinfarction Left Ventricular Late Remodeling in Patients with First Anterior Acute Myocardial Infarction, 2117

Antiapoptotic Effects of Growth Hormone are Associated with Improvement of Left Ventricular Geometry in Patients with Heart Failure Secondary to Idiopathic Dilated Cardiomyopathy, 2786

Atorvastatin Reduces Th1 Development in Patients with Acute Myocardial Infarction, 3223

Baseline Glucose Level and Left Ventricular Remodeling After Acute Myocardial Infarction, 488

Beneficial Effect of Exercise Training on Cardiac Function is Lost in Mice that Overexpress Endothelial NO Synthase, 1432

Blockade of Matrix Metalloproteinase (MMP)-2 Exacerbates Myocardial Inflammation and Dysfunction in Tumor Necrosis Factor (TNF)- α -induced Cardiomyopathy, 2949

Bone Marrow Stem Cells Contribute to Cardiac Side Population Stem Cells After Myocardial Infarction, 2376

Bone Morphogenic Protein 7 (BMP-7) is an Endogenous Inhibitor of Cardiac Fibrosis and Attenuates Conversion of Endothelial Cells into Fibroblasts, 1900

Cardiac Hypertrophy Induced by PPAR- γ Agonist Treatment Occurs Independently of Changes in Myocardial Insulin Signaling, 1541

Cardiac Primitive Cell Activation and Myocyte Regeneration Have a Key Role in the Ventricular Remodeling of the Damaged Myocardium, 794

Cardiac Resynchronization Therapy Acutely Improves Indicators Of Cardiac Function During Peak Exercise: A Randomized Controlled Trial, 3359

Cardiac-Restricted Overexpression of the α_{1A} -Adrenergic Receptor Preserves Contractile Function and Limits Ventricular Remodeling After Myocardial Infarction, 1436

Cardiac-Specific Inhibition of G Protein-Coupled Receptor Kinase-3 in Transgenic Mice Causes Preload-Intolerant, Hyperkinetic Myocardium and Hypertensive Phenotype, 1094

Car
P
Chr
In
Coll
M
Con
D
Cor
V
2
Dep
C
Diffe
R
In
Diffe
H
Dire
R
C
Dual
A
Dysl
A
V
Effe
F
Effe
or
Effe
L
In
Enh
P
1E
Evol
H
Expr
C
Ext
R
Fem
of
FOX
G-C
H
Gen
R
Gen
ve
Gen
V
Ac
Hea
Fi
P
M
Hem
9E
High
P
M
Hisc
L
Mi
Hisc
10
Hype
As
Hypc
Impa
aft
Re
Impa
Hy
Impr
En
16
Incre
Ve
Induc
Re
Inhal
Me

- Cardiomyocyte-specific NOS3 Overexpression Protects Against Chronic Pressure Overload-induced LV Hypertrophy and Dysfunction., 1599
- Chronic Vagal Stimulation Exerts Its Beneficial Effects on the Failing Heart Independently of Its Anti- β -Adrenergic Mechanism, 396
- Collagen Degradation is Essential for Effective Fibrotic Repair Following Myocardial Infarction, 118
- Constitutively Active Cardiac Matrix Metalloprotease 2 Expression Drives Dysfunctional Ventricular Remodeling in Transgenic Mice, 1389
- Coronary Flow to Noninfarct Segments Determines the Healing Process of Ventricular Expansion in the Early Phase of Acute Myocardial Infarction, 2127
- Depletion of Adiponectin in Pericardial Fat Tissue: A Potential Role for Cardiac MMP Regulation, 3794
- Differential Effects Of Estrogen On Ventricular And Cardiomyocyte Remodeling And Signal Transduction Pathways Following Myocardial Infarction vs Pressure Overload, 103
- Differential Expression of Myocardial Nitric Oxide Synthase Isoforms in Human Heart Failure, 490
- Direct Evidence that Cytokine-Mobilized Bone Marrow-Derived Cells Regenerate Cardiac Tissue and Improve Left Ventricular Function in Chimeric Mice, 817
- Dual Aldosterone Production in Patients With Left Ventricular Remodeling: Analysis of Pericardial Fluid at Open Heart Surgery, 2197
- Dysfunction of the Ubiquitin-Proteasome System Is Accompanied by the Accumulation of the Proapoptotic Protein Smac/DIABLO during Left Ventricular Remodeling, 17
- Effect of Biventricular Unloading on Pathways of Myocardial Recovery in Failing Left and Right Ventricles, 3293
- Effect of Dor Procedure in the Left Ventricle with Dyskinetic Anterior Wall on Ventricular Volume, Chamber Stiffness, and Function, 489
- Effects of Prosthesis-Patient Mismatch after Aortic Valve Replacement on Left Ventricular Function and Remodeling in Patients with Normal and Impaired Preoperative Left Ventricular Function, 2559
- Enhanced Inflammatory Response after Acute Myocardial Infarction is a Predictor of Infarct Wall Thinning and Left Ventricular Remodeling, 1616
- Evolution of Cardiac Memory Over 1 Week of Atrioventricular Pacing in Humans, 2157
- Expression of Pacemaker Current HCN Subunits in Normal and Failing Canine Hearts, 613
- Extent of Scar but Not Viability Predicts Global Left Ventricular Remodeling in Nonrevascularized Patients, 494
- Females are More Resistant to Stress Than Males: Gender-Specific Role of HIF in Ventricular Remodeling, 510
- FOXO1 Transcription Factor Suppression in Cardiac Hypertrophy, 1084
- G-CSF Improves Regional Blood Flow and Cardiac Function in Chronic Hibernating Swine Myocardium, 501
- Gender Differences in Left Ventricular Remodeling from Mitral Regurgitation: Insights from Cardiovascular Magnetic Resonance, 2660
- Gene Expression Profiling and Cardiac Remodelling: Comparing Pressure versus Volume Overloaded Human Left Ventricle, 2947
- Genetic Disruption of Angiotensin II Type1a Receptor in Mice Attenuates Volume Overload Cardiomyopathy and Improves Survival in Chronic Aortic Regurgitation, 963
- Head-to-Head Comparison of Tissue Doppler Imaging and Direct Coronary Flow Measurement for Prediction of Functional Recovery After Primary Percutaneous Coronary Angioplasty in Patients with Acute Anterior Wall Myocardial Infarction, 2656
- Heme Oxygenase-1 is Cardioprotective in the Remodeled, Failing Heart, 960
- High-Intensity Exercise Retards the Decrease in Plasma B-Type Natriuretic Peptide in Patients with Left Ventricular Dysfunction after Acute Myocardial Infarction, 3828
- Histone Acetyltransferase Activity of p300 Is Required for the Promotion of Left Ventricular Remodeling Following Myocardial Infarction in Adult Mice In Vivo, 738
- Histone Deacetylase Inhibition Blunts Pathological Cardiac Hypertrophy, 105
- Hyperthermia following Reperfused Acute Myocardial Infarction is Associated with Early Left Ventricular Remodeling, 1610
- Hypoxia-Induced Autophagy in Cardiac Myocytes, 635
- Impact of Autograft Implantation Technique on Left Ventricular Remodeling after the Ross Procedure: Subcoronary Technique vs. Root Replacement, 2553
- Impaired Endothelial-Dependent Vasodilation and Eccentric Left Ventricular Hypertrophy in Hypertensive Subjects with Aldosteronism, 2036
- Improvement of Left Ventricular Remodeling by the eNOS Transcription Enhancer S2431 in Rats with Heart Failure after Myocardial Infarction, 1601
- Increased Cardiac Connexin45 Results in Uncoupling and Spontaneous Ventricular Arrhythmias in Mice, 920
- Induction of Hypoxia-Inducible Factor Improves Cardiac Function and Reduces Hypertrophy after Aortocaval Shunt in Rats , 800
- Inhalation of Particulate Matter Induces Cardiac Mast Cell Activation of Metalloproteinases , 1915
- Inhibition of Protein Kinase C β Isoform Reduces Pathological Fibrosis and Left Ventricular Dysfunction Following Myocardial Infarction, 104
- K_{ATP} Channel Genetic Deficiency Disrupts a Vital Proximal Calcium Checkpoint Predisposing to Calcineurin-Dependent Cardiac Hypertrophy and Congestive Heart Failure, 10
- Left Atrial and Ventricular Remodeling after Circumferential Pulmonary Vein Ablation. Outcomes from a Randomized Study of Ablation vs Amiodarone for Chronic Atrial Fibrillation, 2760
- Left Ventricular Dyssynchrony Assessed with Radionuclide Angiography Predicts Left Ventricular Reverse Remodelling after Cardiac Resynchronization Therapy in Patients with Ischemic Cardiomyopathy, 3046
- Long Term Effects of Gastric Bypass Surgery on LV Structure and Function, 3557
- Long-term but not short-term p38 MAPK inhibition improves cardiac function and reduces pathological collagen deposition following myocardial infarction in rats., 1278
- Long-Term Inhibition of NF- κ B Activation Ameliorates Left Ventricular Remodeling after Myocardial Infarction, 117
- Loss of sFRP-1 Expression Leads to the Development of Adult-Onset Dilated Cardiomyopathy, 636
- Low Incidence of Myocardial Recovery in LVAD Patients due to Increased Collagen Cross-Linking and Myocardial Stiffness, 1124
- LV Geometry and Mitral Regurgitation in Patients with Persistent Total Occlusion of the Infarct Artery in OAT, 3057
- Matrix Metalloproteinase-7 Deletion Improves Survival and Myocardial Conduction Following Myocardial Infarction, 457
- Matrix Metalloproteinase-9 is a Marker of Late Onset Heart Failure following Reperfused Acute Myocardial Infarction, 2089
- Mechanisms for Cardiac Memory: In Vivo Knockdown of the cAMP Response Element Binding Protein Diminishes the Transient Outward Potassium Current, 37
- Mechanisms of Hypertrophy Inhibition by Targeted Downregulation of NF- κ B Activity in Mice, 1088
- Mesenchymal Stem Cells Overexpressing AKT Prevent Cardiac Metabolic Remodelling After Infarction , 818
- Mitochondrial Nitric Oxide Activates The TIM/TOM Protein Import Channels in Cardiac Mitochondria, 1901
- Modulation of the β -adrenergic receptor kinase improves cardiac function in a neonatal model of right ventricular hypertrophy, 1281
- Molecular Basis of Funny Current (I_f) in Normal and Failing Human Heart, 614
- Myocardial Deficiency of PPAR- γ Leads to Increased Fibrosis in Response to Pressure Overload Hypertrophy, 1535
- New Predictors of Left Ventricular Remodeling after Acute Myocardial Infarction - An Echocardiography and Cardiac Magnetic Resonance Imaging Study, 3305
- No Reflow Detected by Delayed Contrast Enhancement Predicts Ventricular Remodeling Following an ST-Segment Elevation Myocardial Infarction, 2091
- Noninvasive Serial Quantification of Minimal Aortic Arch Cross-Sectional Area by High-Resolution 3D-MRI After Transverse Aortic Banding in Mice: Band Internalization is a Major Source for Variability of the Hypertrophic Response, 959
- Overexpression of Glutathione Peroxidase Attenuates Myocardial Remodeling and Preserves Diastolic Function in Diabetic Heart, 897
- Overexpression of Mitochondrial Transcription Factor A Prevents Mitochondrial Deficiencies and Cardiac Failure after Myocardial Infarction, 634
- Oxidant Stress From Endothelial Nitric Oxide Synthase Uncoupling Plays A Major Role In Pathologic Remodeling To Pressure Load Cardiac Hypertrophy, 202
- PDE5A Inhibition Attenuates Cardiac Hypertrophy and Hypertrophy Signaling Cascades In Vivo, 298
- Perostin as a Novel Factor Responsible for Ventricular Dilation, 492
- Physiologic Compensation is Supranormal in Advanced Aortic Stenosis: Does it Return to Normal after Aortic Valve Replacement? An MRI LV Torsion Study Using 3D-HARP, 2661
- Placental Growth Factor Provides a Novel Local Angiogenic Therapy for Ischemic Cardiomyopathy, 1886
- Pravastatin Improves Function, Increases Myocardial CD133⁺ Progenitor Cells and Stimulates Myocytes to Re-Enter the Cell Cycle in Hibernating Myocardium, 2188
- Prediction of Left Ventricular Remodeling in Patients With TIMI 3 Flow: Analysis Using Transthoracic Color Doppler Echocardiography, 2657
- Predictors of Left Ventricular Dilatation in Young Adults. The Bogalusa Heart Study Subjects, 2097
- Quantitation of Echocardiographic Abnormalities in Individuals Meeting Task Force Criteria for Arrhythmogenic Right Ventricular Dysplasia, 2418
- Regional Left Ventricular Remodeling is Determined by Transmural Extent of Scar by Contrast-Enhanced Magnetic Resonance Imaging , 3485
- Relationship Between Left Ventricular Hypertrophic Remodeling and Serial Changes in Plasma Profiles of Selective Matrix Metalloproteinases and Inhibitors of Matrix Metalloproteinases, 2958

Remodeling in Patients with Left Ventricular Dysfunction after Coronary Artery Bypass Graft Surgery, 2216

Reoxygenation Injury Increases Myocardial Matrix Metalloproteinases in Hypoxic Newborn Pigs, 1855

Reverse Remodeling in a Novel Rabbit Model of Myocardial Infarction and Biventricular Pacing, 1894

Right Ventricular Remodeling following Cardiac Resynchronization Therapy, 1897

Role Of Gender, Ovariectomy And Estrogen Replacement On Cardiac Remodeling And Function After Aortic Stenosis In Rats, 3304

Roles of CHF1/Hey2 in Endocardial Cushion Remodeling, Myocardial Maturation and Vascular Development, 277

Serum Tenascin-C Levels are a Novel Marker for Predicting Left Ventricular Remodeling in Patients With Acute Myocardial Infarction, 2125

STAT6 Exerts a Protective Effect Mediated through the Regulation of TNF- α level by Tristetraprolin in Response to Pressure Overload in Vivo, 300

Targeted Deletion of CC Chemokine Receptor 2 Attenuates Left Ventricular Remodeling After Experimental Myocardial Infarction, 1274

Targeted Disruption of the p50 Subunit of NF- κ B Ameliorates Cardiac Dysfunction After Myocardial Infarction, 306

The Role of Monocyte Chemoattractant Protein (MCP)-1 in Infarct Healing, 125

Tissue Factor Deficiency Causes Down-Regulation of Angiogenic Factors and Reduced Vasculature in the Heart, 1430

Treatment of Heart Failure through Ryanodine-Receptor-Stabilizing Protein Calstabin2, 307

Tumor Necrosis Factor- α Prevents Ventricular Rupture and Remodeling After Myocardial Infarction, 116

Undersized Mitral Annuloplasty for Ischemic Mitral Regurgitation does not "Reverse Remodel" the Left Ventricle, 1990

Ventricular tachycardia

Abnormal Intra-Sr [Ca]²⁺-Dynamics Underlie Effort-Induced Ventricular Arrhythmia Linked to Mutations in Calsequestrin, 621

Antitachycardia Pacing Beyond Two Attempts for Ventricular Tachycardia in Patients with ICDs is Safe and Incrementally Effective in Reducing Shocks, 1653

Benefit from Defibrillator Therapy Related to Ventricular Function: Primary versus Secondary Prevention of Sudden Cardiac Death, 2910

Comparison of Mapping Criteria for Hemodynamically Tolerated Ventricular Tachycardia in Postinfarction Patients, 2711

Expression of Constitutively Activated G-Protein Associated with Human Right Ventricular Tachycardia Causes Ventricular Tachycardia in a Rabbit Model, 1385

Fast Ventricular Tachycardia Induced by Programmed Stimulation Predicts Appropriate Implantable Cardioverter Defibrillator Therapy, 2363

Gene Profiling in a Novel Mouse Model of Sudden Cardiac Death with Acquired QT Prolongation and Torsades de Pointes Secondary to Complete AV Block, 463

In-Hospital Pediatric Ventricular Fibrillation: Results from the National Registry of CPR, 2135

Inducible Ventricular Tachycardia Exacerbated by Isoproterenol in a Mouse Model of Arrhythmogenic Right Ventricular Dysplasia, 1386

Inhibition of AMP-activated Protein Kinase Promotes Exercise-Induced Ventricular Arrhythmias with a Short QT Interval in Mice, 723

Intramural Temperature-Guided Radiofrequency Ablation with a Novel Infusion Needle Electrode Catheter, 1867

Is Catheter Ablation for Triggering Mechanism of Idiopathic Ventricular Fibrillation Curative for Patients with Pleomorphic Ectopies from Right Ventricular Outflow Tract?, 1873

Lidocaine Destabilizes Attachment of Spiral Waves to Anatomical Obstacles in Monolayers of Cardiomyocytes, 1402

Magnetic Resonance Assessment of Scar Transmurality Distribution Predicts Inducible Ventricular Tachycardia Regardless of Disease Etiology, 1910

Metabolic Syndrome Patients Have Higher Plasma Lipid Hydroperoxides and More Pro-Inflammatory HDL than Dyslipidemic Control Subjects, Even with Comparable Levels of HDL, hs-CRP and Paraoxonase Activity, 245

Molecular Mechanisms of Ventricular Arrhythmia Stabilization in a Mouse Model of Sudden Death, 919

Multicenter Trial of Irrigated RF Ablation with Electroanatomic Mapping for Ventricular Tachycardia after Myocardial Infarction, 1869

Noncontact Endocardial Mapping to Guide Ablation of Hemodynamically Unstable or Difficult-to-Induce Ventricular Tachycardia, 1660

Reentrant Circuit of Verapamil-Sensitive Idiopathic Left Ventricular Tachycardia as Revealed by Electroanatomic Mapping During the Tachycardia, 2354

Relationship between Defibrillation Threshold, Programmed Energy, and First Shock Efficacy for Fast Ventricular Tachycardia and Ventricular Fibrillation in PainFREE Rx II, 2362

Short- and Long-Term Success of Substrate-Based Mapping and Ablation of Ventricular Tachycardia in Arrhythmogenic Right Ventricular Dysplasia, 1871

Spatially Discordant Cellular Alternans as a Novel Mechanism for Arrhythmogenesis in Heart Failure, 461

Substrate-Based Ablation Of Unmappable Ventricular Tachycardias: Value Of Transmural Definition Of Scars, 1870

Sustained Tachycardia and Bradycardia Cause Discrete Forms of Arrhythmogenic Ion-channel Remodeling via Specific Molecular Mechanisms, 1533

Temperature Mapping of Right Ventricular Outflow Tract Tachycardia - First Clinical Experience, 1872

The Influence of Antitachycardia Pacing Site on Efficacy of Ventricular Tachycardia Termination, 2085

The Novel AF Conversion Agent RSD1235 Terminates EADs and Prevents Torsade de Pointes in a Rabbit Model, 3433

Tissue Heterogeneity by Contrast-enhanced MRI as a Marker of Risk for Sudden Cardiac Death in Ischemic Cardiomyopathy, 2993

Ventricular Tachycardia in Patients with Dilated Cardiomyopathy is Related to Coronary Microvascular Dysfunction, 2241

Viruses

B-Adrenergic Receptor Stimulation Enhances Double Strand Formation and Transduction of Raav through Calcium/Calmodulin Cascade, 1739

Lesional Overexpression of Matrix Metalloproteinase-9 Promotes Intraplaque Hemorrhage in Advanced Lesions, but not at Earlier Stages of Atherogenesis, 1181

Adeno-Associated Virus Vector-Mediated Systemic Expression of Interleukin-10 Ameliorates Monocrotaline-Induced Pulmonary Hypertension in Rats, 43

Antiviral Interferon Therapy in DCM Patients with Viral Persistence, 3348

Are Patients with Human Immunodeficiency Virus at Higher Risk for Complications Following Cardiac Surgery?, 1688

Biological Pacemaker Expresses Wide Range Of Physiologic Rates And Compares Favorably With Electrical Pacemaker: A Preliminary Study In Dogs, 1394

Biopsy-proven Myocarditis: Prognostic Relevance of Clinical and Etiopathogenetic Features at Diagnosis, 3360

Effect of Astragaloside on Myocardial Fibrosis in Chronic Myocarditis, 3367

Effect of Spironolactone on Myocardial Fibrosis in Murine Chronic Myocarditis, 2803

Effects of a Gene Variant of Human Extracellular Superoxide Dismutase in Spontaneously Hypertensive Rats, 774

Evidence for Involvement of PP1 in Smooth Muscle Contractility, 1067

Hepatitis C Virus Infection as a Cause of Myocarditis and Heart Failure, 1748

Inducible Cardiac Restricted Expression of Enteroviral Protease 2A is Sufficient to Cause Dilated Cardiomyopathy with Disruption of Dystrophin, 1093

Inhibition of Proteinases prevents Cardiac Injury during Viral Myocarditis, 212

Mechanisms for Cardiac Memory: In Vivo Knockdown of the cAMP Response Element Binding Protein Diminishes the Transient Outward Potassium Current, 37

Myeloid Differentiation Factor-88 Plays a Crucial Role in the Pathogenesis of Coxsackievirus B3-Induced Myocarditis, 31

Myocardial Virus Persistence is Associated with Muscarinic Receptor-Mediated Endothelial Dysfunction of Epicardial Arteries in Humans, 341

nNOS is Primarily Localized to the Sarcoplasmic Reticulum in Cardiac Myocytes and Dependent on A-Syntrophin, 948

Risk and Benefit Assessment of Endomyocardial Biopsies - Results from a Monocenter Study, 3361

Specific Knockdown of Protease 2A Attenuates Coxsackieviral Cytopathogenicity and Improves Survival in Highly Susceptible, CVB3-infected Type I Interferon Receptor-deficient Mice, 773

Suppressor of Cytokine Signaling-3 Expression Inhibits an Interferon-Independent Susceptibility Factor for Coxsackievirus B3-Mediated Cardiomyopathy within the Cardiac Myocyte, 607

Virus Receptor Trap, Expressing Both Coxsackievirus and Adenovirus Receptor and Decay-accelerating Factor, Can Attenuate Inflammation and Mortality in Experimental Coxsackieviral Myocarditis, 45

Wolff-Parkinson-White syndrome

Danon Disease Explains The Phenotype In A Family Originally Reported As XLCM, 2572

Disappearance of Pre-Excitation in Glycogen Storage Cardiomyopathy with Arresting of PRKAG2 Transgene Expression, 1108

First Accessory Pathway Ablation Using Complete Remote Control Magnetic Catheter Navigation in Humans, 2167

Optical Mapping of Bypass Tracts in Mice with AV Canal-Targeted Deletion of ALK3, 474



DOCUMENT SUPPLY

Boston Spa, Wetherby
West Yorkshire LS23 7BQ
www.bl.uk

Some pages within the original article are either adverts or blank pages, therefore have not been copied

Pages are:
.....

We have supplied the article or chapter requested but it appears on different pages to those quoted

This article has very tight binding

This journal has been published in a rotated and condensed landscape print format

Other.....
.....
.....
.....

This is the best copy available

Exception report. AEB 11 V1