

Gender Differences in Hospital Survival Rates for Medicare Beneficiaries Undergoing CABG: Hospital Performance Rankings Matter, 3694
 Hyperbaric Preoxygenation and Neurocognitive Outcome after Cardiolupmonary Bypass - Results of a Prospective Randomized Double Blind Trial, 3651
 Hypoplastic Left Heart Syndrome Practices and Perceptions of Pediatric Healthcare Professionals, 2878
 Impact of Autograft Implantation Technique on Left Ventricular Remodeling after the Ross Procedure: Subcoronary Technique vs. Root Replacement, 2553
 Incidence of Atrial Reentry Tachycardia After Mitral Valve Surgery Depends on the Type of Surgical Approach, 1717
 Induction of Anoikis Occurs Independent of Caspase Induction following Ischemia/Reperfusion and is Associated with Myocardial Dysfunction, 1713
 Infection, Depression, and Immunity after Coronary Artery Bypass: A Pilot Study of Cognitive Behavioral Therapy, 1963
 Infective Endocarditis in Elderly Patients. Current Characteristics., 2638
 Inhibition of Complement Activation by Paxelizumab Reduces Death and Myocardial Infarction in Cardiac Surgical Patients With Selected Risk Profiles: Results From the International Multi-Center PRIMO-CABG Study, 1985
 Irreversible Inhibition of Myosin Light Chain Kinase Provides Prolonged Attenuation of Radial Artery Vasospasm, 1706
 Is There a Gender Gap in Nontatal Cardiac Outcomes For Women Discharged Alive From Hospital Following Coronary Artery Bypass Graft (CABG) Surgery?, 1982
 Left Atrial Volume Predicts Atrial Fibrillation After Cardiac Surgery, 1890
 Long-Term Survival after OPCAB or CCAB: Findings in Northern New England, 3536
 Microvascular Graft Vessel Disease in Children - Experience with 130 Patients, 3408
 Mitral Valve Repair without Entering the Heart: External Cardiac Basal Stabilization Prevents Progression of Mitral Regurgitation, 2194
 MRI to Evaluate Left Atrial and Ventricular Reverse Remodeling after Successful Mitral Valve Repair in Ischemic/Dilated Cardiomyopathy, 2738
 Myocardial Viability Testing before CABG - Correlation of MRI Scoring and Graft Flow, 3391
 Neointimal and Medial Thickening of Aortopulmonary Collateral Arteries in Organ Culture, 3406
 Off-Pump Surgical Revascularization in Women: Internal Mammary Artery Use Determines The Degree Of Improved Survival Compared With Conventional On-Pump Revascularization, 3274
 One-Year Cost Analysis Of Off-Pump CABG Versus On-Pump CABG: The Canadian Off-Pump Registry, 3807
 Percutaneous Coronary Intervention with Drug Eluting Stent Implantation Versus Minimally Invasive Direct Coronary Artery Bypass (MIDCAB) in Patients with Isolated Left Anterior Descending Coronary Artery Stenosis, 2628
 Polymer Impregnation Improves Biocompatibility and Mechanical Properties of Xenogenic Decellularized Vascular and Heart Valve Matrix, 3407
 Preoperative Clinical Presentation Is The Main Predictor Of In-Hospital Death For Surgical Patients With Acute Type A Aortic Dissection, 2750
 Preoperative Hypertriglyceridemia is Associated with Early Occlusion of Radial Artery but not Saphenous Vein Coronary Bypass Grafts, 875
 Preoperative Thrombolysis Improves Long-term Survival after Coronary Artery Bypass Grafting, 3266
 Prognostic Value Of Preoperative Cardiac Troponin I For Patients Undergoing Elective Coronary Artery Bypass Surgery, 2208
 Randomized Trial of Low-, Medium-Dose Aspirin and Clopidogrel on Platelet Aggregation after Cardiac Surgery, 1692
 Regional Myocardial Acidosis During Aortic Clamping Determines Adverse 30-day Outcomes After Cardiac Surgery, 2371
 Right Ventricular Myocardial Fibrosis Late after Repair of Tetralogy of Fallot Demonstrated by Late Gadolinium Cardiovascular Magnetic Resonance: Correlation with Right Ventricular Dysfunction, Neurohormonal Activation, and Exercise Intolerance, 3017
 Single-Ventricle Palliation with Right Ventricle to Pulmonary Artery Conduit: Early Outcomes and ICU Course Compared with the Traditional Norwood Operation, 2890
 Temporary Perioperative Cardiac Resynchronization Therapy In Patients With Severe Left Ventricular Dysfunction Undergoing Cardiac Surgery, 2267
 The Effect Of Clopidogrel Premedication In Off-Pump Cardiac Surgery: Are We Forfeiting Reduced Hemorrhagic Sequelae ?, 2545
 The Effect Of Total Arterial Grafting On Long-Term Outcomes Following Coronary Artery Bypass Grafting, 2921
 The Prevalence of Heparin/Platelet Factor 4 Antibody is High in Patients Undergoing Cardiac Surgery, 1710
 The Real World Utilization and Results of Off-Pump Coronary Artery Bypass Surgery (OPCAB) in a Public Healthcare System, 3272
 The Ross Procedure in Infancy Followed into Late Childhood, 2483

The Survival and Predictive Echocardiographic Variables of Orthotopic Heart Transplant with Long-Term Follow-up, 2768
 The Winter Peak in Risk of Acute Aortic Dissection is Independent of the Varying Climatic Conditions at Different Geographical Locations, 3107
 Tissue Engineering Of Heart Valves Based On Biological Matrix Using Controlled Physiological Dynamic Environment, 1723
 Utility of Euroscore for Multivessel PCI Risk Assessment: a Novel Decision Tool for Prediction of Relative Risk of PCI versus CABG, 2311
 What is Impact of Prophylactic Postoperative Beta-Blockade on Post-Cardiothoracic Surgery Length of Stay and Atrial Fibrillation?, 3268

Heart valve prosthesis

A Novel Doppler Time Index for Assessment of Left Ventricular Filling Pressures in Patients with Mitral Stenosis and Prosthetic Mitral Valves, 3314
 Allograft Compared to Synthetic Materials Regarding Bacterial Adherence in a Standardized Animal Model of Prosthetic Valve Endocarditis, 2637
 Conversion To Sinus Rhythm Does Not Improve Long-Term Survival After Valve Surgery: Insights From A 20-Year Follow-Up Study, 1722
 Melagatran for Anticoagulation of Mechanical Valve Prostheses: Early Results in a Heterotopic Porcine Model, 3119
 Polymer Impregnation Improves Biocompatibility and Mechanical Properties of Xenogenic Decellularized Vascular and Heart Valve Matrix, 3407
 Tissue Engineering Of Heart Valves Based On Biological Matrix Using Controlled Physiological Dynamic Environment, 1723
 Transcatheter Closure of Aortic and Mitral Paravalvar Leaks Using the Amplatzer Muscular VSD Occluder, 3118

Heart valves

A Decade of Aortic Valve-Sparing Reimplantation: Are We Pushing the Limits Too Far?, 3109
 Conversion To Sinus Rhythm Does Not Improve Long-Term Survival After Valve Surgery: Insights From A 20-Year Follow-Up Study, 1722
 Effects of Statins on Aortic Valve Myofibroblasts and Osteoblasts In Vitro, 154
 Endothelial Progenitor Cells as a Sole Source for Tissue-Engineered Heart Valve Remodels In Vitro, 2385
 High-Resolution In Vivo Microimaging Echocardiography Provides Enhanced Cardiac Detailing in Mice, 1724
 Importance of Biplane Measurement of Proximal Jet Width for Estimation of Severity of Mitral Regurgitation: Implications to Mitral Regurgitation Etiology, 3041
 Melagatran for Anticoagulation of Mechanical Valve Prostheses: Early Results in a Heterotopic Porcine Model, 3119
 Mitral Valve Repair without Entering the Heart: External Cardiac Basal Stabilization Prevents Progression of Mitral Regurgitation, 2194
 Prevalence of Valvular Heart Disease and Trends with Aging: Data from the National Heart, Lung, and Blood Institute Population-based Studies, 3720
 Real-Time Dynamic Three-Dimensional Color Flow Doppler Assessment of Mitral Regurgitation, 2655
 Real-time Three-dimensional Echocardiography in Ischemic Mitral Regurgitation, 3121
 Tbx-20 Regulates GATA-4 and the Integrity of the Precardiac Epithelium, 278
 Tissue Engineering of Autologous Human Heart Valves, 2480

Hemodynamics

A Bradycardic Agent, Cilobradine, improves Left Ventricular Function in Dogs with Coronary Embolization-Induced Heart Failure, 2794
 A Novel Left Ventricular Passive Support Device Alters the Natural History of Chronic Heart Failure in Awake Dogs, 3370
 Activation Of ERK5 Inhibits Persistent Downregulation Ofphosphodiesterase 3A1(PDE3A1) And Prevents Pressure Overload-Induced Cardiac Apoptosis And Dysfunction, 297
 Active Metabolite of GLP-1 Mediates Increased Myocardial Glucose Uptake and Improves Hemodynamics in Dilated Cardiomyopathy, 3148
 Acute Hemodynamic Benefits of Bialtrial Atrioventricular Sequential Pacing with the Optimal Atrioventricular Delay: Comparison with Single Atrial Atrioventricular Sequential Pacing, 3254
 Alterations of Left Ventricular Function in Hypertensive Pregnant Women, 3376
 Arterial Input Impedance, Arterial Function, and Ventricular-Vascular Interaction in the Mouse Assessed with the Conductance Catheter, 522
 B-Type Natriuretic Peptide Levels, Obesity, and Survival in Advanced Heart Failure, 2582
 Biventricular Pacing Improves Right Ventricular but Not Left Ventricular Function in Patients with Right Bundle Branch Block, 3357
 Cancion® Cardiac Recovery System (CRS): Effects on Renal, Echocardiographic, and Health Status Parameters During and Following Treatment with a Novel, Minimally Invasive Approach to Cardio-Renal Support in Severe Acute Heart Failure, 2814
 Cardiomyocyte Stiffening in Diastolic Heart Failure, 2956
 Chronic Vagal Stimulation Exerts Its Beneficial Effects on the Failing Heart Independently of Its Anti-β-Adrenergic Mechanism, 396

Cor
 a
 Coc
 C
 Del
 A
 N
 Effe
 C
 Enh
 F
 Eva
 F
 S
 Exa
 S
 Exe
 Ir
 G,α
 4
 Ger
 S
 3
 High
 F
 S
 How
 Imp
 a
 F
 Imp
 T
 C
 Imp
 T
 C
 In V
 A
 Incr
 F
 Infi
 D
 Intra
 D
 H
 C
 H
 Invc
 P
 Lon
 D
 Mec
 V.
 Met
 S
 N
 New
 A
 V
 Oral
 H
 S
 R
 PDE
 S
 Phy
 Ir
 Proj
 P
 Pulr
 2
 Pulr
 P
 F
 Ir
 Pult
 Ir
 Rhc
 Shc
 E
 V
 Sin
 E
 N
 Sita
 F

- Constant Fractional Flow Reserve Despite Changes in Coronary Stenosis and Microvascular Resistance After Hemodynamic Provocation, 1921
- Cool-Shock I Study: Mild Hypothermia as positive Intervention in Cardiogenic Shock, 1639
- Deletion of the p66^{src} Gene Protects from Diabetic Cardiomyopathy by Activation of Cardiac Stem Cells that Leads to Increased Proliferation of Myocytes, 320
- Effects of Intravenous Nesiritide On Renal Hemodynamics in Patients With Congestive Heart Failure, 2589
- Enhanced Pressure Wave Reflection Induces Concentric Left Ventricular Hypertrophy in Hypertension, 3381
- Evaluation for Second Stage Palliation Following the Norwood Procedure: Right Ventricle to Pulmonary Artery versus Modified Blalock-Taussig Shunt, 2477
- Exaggerated Pressor Responses to Apnea in Patients with Obstructive Sleep Apnea, 224
- Exercise Training Improves Left Ventricular Diastolic Function and Increases Vascular Structure in Elite Athletes, 2608
- G_α Protects Against Left Ventricular Dysfunction in the Diabetic Heart, 450
- Gene Expression Profile, Coronary and Peripheral Vascular Function in Spontaneously Hypertensive Rats following Chronic Voluntary Exercise, 344
- High Rates of Persistent Cardiogenic Shock Post-PCI Despite Reestablishing Patency of the Infarct-Related Artery: A Report from the SHOCK-2 Study Group, 2115
- How Do Caffeine and Tobacco Acutely Alter Arterial Function?, 1789
- Impact of Autograft Implantation Technique on Left Ventricular Remodeling after the Ross Procedure: Subcoronary Technique vs. Root Replacement, 2553
- Impact of Conventional Versus Biventricular Pacing on Hemodynamics and Tissue Doppler Imaging Indices of Resynchronization in Post-Operative Children with Normal Atrioventricular Conduction, 1846
- Impact of Conventional Versus Biventricular Pacing on Hemodynamics and Tissue Doppler Imaging Indices of Resynchronization in Postoperative Children with Right Ventricular Conduction Delay, 3517
- In Vivo Induction of Low Shear Stress and Oscillatory Shear Stress Causes Atherosclerosis, 180
- Increased Aortic Stiffness with High Pulse Pressure Reduces Coronary Flow Reserve Independent of Vascular Endothelial Function, 3380
- Influence of Total Arterial Compliance on Extent of Ischemia during Dobutamine Stress Echocardiography, 2062
- Intravenous Nesiritide Improves Hemodynamics in a Randomized, Double-blind, Placebo-controlled Trial in Patients with Pulmonary Hypertension and Right Ventricular Failure: Right Atrial Dimension by Cardiac MRI is a Reliable, Novel Treatment End Point in Pulmonary Hypertension, 2414
- Involvement of FrzA and the Wnt/Frizzled Pathway in Ischemic Preconditioning, 1434
- Long-Term Therapy with Ranolazine Prevents Progressive Left Ventricular Dysfunction and Remodeling in Dogs with Chronic Heart Failure, 3147
- Mechanism of Systolic Anterior Motion of the Mitral Valve After Mitral Valve Repair, 2739
- Metoprolol Succinate Enhances and Carvedilol Attenuates the LV and Systemic Hemodynamic Responses to the Adrenergic Agonist, Norepinephrine, in Dilated Cardiomyopathy, 2790
- New Objective Tissue Doppler-Derived Measures of Myocardial Wall Asynchrony and Function: Relative Contribution to Global Left Ventricular Function, 3350
- Oral Sildenafil Improves Functional Status and Cardiopulmonary Hemodynamics in Patients with Severe Pulmonary Hypertension Secondary to Chronic Pulmonary Schistosomiasis: A Cardiac Magnetic Resonance Study, 2659
- PDE5A Inhibition Attenuates Cardiac Hypertrophy and Hypertrophy Signaling Cascades In Vivo, 298
- Physiologic Cyclic Strain Inhibits Endothelial Cell Apoptosis via the Induction of Heme Oxygenase-1, 880
- Propionyl-L-carnitine Improves Hemodynamics and Cardiac Microvascular Perfusion During Coronary Operation in Diabetic Patients, 1705
- Pulmonary Capacitance Predicts Mortality in Pulmonary Hypertension, 2641
- Pulmonary Hypertension, Normal Ejection Fraction and Elevated Pulmonary Capillary Wedge Pressure: Idiopathic Pulmonary Arterial Hypertension or Diastolic Heart Failure?, 3138
- Pulse Pressure Predicts Survival in Advanced Heart Failure Independent of Invasive Hemodynamic Measurements, 2809
- Rho-kinase in Pulmonary Hypertension, 1415
- Short-Term Therapy with Nonexcitatory Cardiac Contractility Modulation Electric Signals Increases Phosphorylation of Phospholamban in Left Ventricular Myocardium of Dogs With Chronic Heart Failure, 2808
- Single-Ventricle Palliation with Right Ventricle to Pulmonary Artery Conduit: Early Outcomes and ICU Course Compared with the Traditional Norwood Operation, 2890
- Sitaxsentan Improves 6MW and Hemodynamics in Patients with Pulmonary Arterial Hypertension (PAH) Related to Connective Tissue Disease (CTD), 2602
- The Insulin Gradient Phenomenon: An Underlying Manifestation of the Effects of Body Weight on Blood Pressure and Insulin Resistance Development, 1908
- The Most Important Determinant of the Coronary Zero-Flow Pressure is the Left Ventricular End-Diastolic Pressure, 1807
- The Src-Dependent Phosphorylation of PECAM-1 Mediates the Activation of eNOS in Endothelial Cells in Response to Fluid Shear Stress, 1172
- Time-Course and Nature of Electrophysiological Remodeling During Progression of Left Ventricular Mechanical Dysfunction, 783
- TNF- α Drives Vein Graft Intimal Hyperplasia, 1215
- Treatment of Hemorrhagic Shock with Oxygen-Carrying Microbubbles: Long-Term Survival in Pigs, 1857
- Use of Mathematical Modelling to Compare and Predict Hemodynamics of the Norwood and the Sano operations for hypoplastic left heart syndrome, 2476
- ### Hemoglobin
- A Novel Cardiovascular Risk Score for Women with Suspected Myocardial Ischemia: A Report from the NHLBI-Sponsored WISE Study, 3441
- Anemia Associated with Longer Hospitalization for Black Patients Admitted for Heart Failure with Preserved Systolic Function, 2431
- Anemia is a Powerful, Independent Predictor of Mortality in Patients with Pulmonary Hypertension, 2601
- Anemia is an Independent Predictor of In-hospital and Late Adverse Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention, 2325
- Chronic Kidney Disease is the Strongest Predictor of Developing Anemia in Heart Failure: The Kaiser Permanente CHF Cohort Study, 3344
- Cytoglobin: A Novel Cardioprotective Factor in the Stressed Heart, 809
- Hemoglobin Levels and Pulmonary Arterial Hypertension, 2600
- Lower Hematocrit is Associated with Risk of Progression from ALVD to Symptomatic Heart Failure, 3474
- Lower Hematocrit Predicts Contrast Induced Nephropathy after Percutaneous Coronary Interventions, 2865
- Lower Hemoglobin is Associated With Reduced Survival in Unselected Outpatients with Heart Failure: Results from the Study of Anemia in a Heart Failure Population (STAMINA-HFP) Registry, 3473
- Lower Hemoglobin Level Increases Risk of Death and Hospitalization Independent of Kidney Function in Heart Failure: The Kaiser Permanente CHF Cohort Study, 2581
- Prevalence Of Anemia Among Heart Failure Patients With Preserved Systolic Function And Its Influence On Their Survival, 2599
- The Cardiovascular Regulator Apelin is an Angiogenic Factor in vivo, 827
- ### Hemostasis
- Evidence for a Role of the CD40/CD40 Ligand (CD40L) Pathway in Primary Hemostasis and Platelet Function, 1575
- Active Transport of ADP into Platelet Dense Granules: Role of the Multidrug Resistance Protein 4 (MRP4/ABCC4), 1029
- Aerobic Exercise Training Improves Endogenous Fibrinolysis in Postmenopausal Women, 3667
- Bleeding Among Patients with Acute Coronary Syndromes is Associated with Higher Risk of Short- and Long-term Death, 2668
- Circulating Microparticles are Increased in Patients with Atrial Fibrillation and Reduced Left Atrial Appendage Velocity, 1891
- Circulating Platelet but not Endothelial Microparticles are Elevated in Atrial Fibrillation, 1034
- Clopidogrel Administration Prior To CABG: The Cardiologist's Panacea Or The Surgeon's Headache?, 2930
- COX-2 Inhibition Attenuates Thrombomodulin Expression in Human Vascular Smooth Muscle Cells, 353
- Effect of P-Selectin on Phosphatidylserine Exposure and Surface-Dependent Thrombin Generation on Monocytes, 833
- Elevated Hemostatic and Inflammatory Markers are Associated with Decreased Ankle-Brachial Index, 3741
- Elimination of Hspb2,5 Heat-Shock Proteins Protects the Myocardium and Impairs Ca²⁺ Homeostasis During Simulated Ischemic/Reperfusion, 504
- Endothelial Dysfunction and Insulin Resistance. Beneficial Effects of Rosiglitazone on Type 2 Diabetes, 3748
- Expression of the Alternatively Spliced Isoform of Human Tissue Factor in the Cardiovascular System, 537
- Genetic Determinants of Atherothrombosis in Mice, 831
- Genetic Variation in the F3 Gene is Associated with Risk and Prognosis in Acute Coronary Syndrome, 2675
- Human HIF-3 α is an inhibitor of the HIF pathway in endothelial cells, 1021
- Impairment of Primary Hemostasis (Type IIa von Willebrand Syndrome) in Obstructive Cardiomyopathy: Close Correlation with the Severity of Obstruction, 3626
- Mice with Reduced Anticoagulant Heparan Sulfate Do Not Exhibit Compensatory Expression of 3-O-Sulfotransferase-5, 540
- Platelet Expression of CD40 and CD40 Ligand during Persistent Atrial Fibrillation, 3432
- Safety and Efficacy of Aprotinin in Off-Pump Coronary Artery Bypass Grafting (OPCAB): A Double-Blind, Placebo-Controlled Randomized Trial, 2546

The Effect Of Clopidogrel Premedication In Off-Pump Cardiac Surgery: Are We Forfeiting Reduced Hemorrhagic Sequelae?, 2545
 TNF- α Receptor 1 (P55)-null Mice Exhibit An Antithrombotic Phenotype, 1036
 Value Of Human Fatty Acid Binding Protein, Inflammatory, And Hemostatic Markers For Early Detection Of Acute Myocardial Infarction, 1945

Hormones

11 β HSD1 -/- Mice Have Enhanced Angiogenic Response And Improved Myocardial Function Following Coronary Artery Ligation, 1275
 3-Iodothyronamine Is A Novel Endogenous Modulator Of Cardiac Inotropic State, 1234
 A Link Between Infection and Thrombosis: Role of TLR4 in Platelet Reactivity, 1570
 A Meta-Analysis of Hormone Replacement Therapy and Cardiovascular Disease, 3520
 A Novel Predictor of Coronary In-Stent Restenosis: Involvement of Plasma Aldosterone Levels, 2539
 Aged Rats Lose Estrogen-induced Vasoprotective and Anti-inflammatory Effects in Injured Arteries, 1507
 Analysis of N-terminal pro-Brain Natriuretic Peptide and C-reactive Protein Improves Risk Stratification in Stable and Unstable Coronary Artery Disease, 2128
 Androgens Exert Novel Genomic and Nongenomic Effects on Human Endothelial Cells: Implications for the Gender Differences in Atherosclerosis, 1207
 BNP as a Marker of Diastolic Dysfunction in the General Population: Importance of Left Ventricular Hypertrophy, 3743
 Chronic Testosterone Treatment in Men with Coronary Artery Disease: A Study with Perfusion Cardiovascular Magnetic Resonance, 2666
 Conjugated Equine Estrogens-Alone and the Risk of Coronary Heart Disease: Results of the Women's Health Initiative Clinical Trial, 3662
 Controlled Local Release of Estrogen from PLGA Polymers Augments Mobilization of Bone Marrow-Derived Endothelial Progenitor Cells into sites of Neovascularization after Hindlimb Ischemia without Systemic Effects, 2184
 Differential Effects Of Estrogen On Ventricular And Cardiomyocyte Remodeling And Signal Transduction Pathways Following Myocardial Infarction vs Pressure Overload, 103
 Endogenous Sex Hormones Are Related to Progression of Carotid Atherosclerosis in Postmenopausal Women, 3663
 Estradiol Worsens Proteinuria and Increases Angiotensin II-Type 1 Receptor in Kidneys of L-NAME/Angiotensin II Treated Rats, 94
 Estradiol-Induced eNOS Activation Requires AMP-Activated Protein Kinase, 382
 Estrogen Blocks STAT1 Activation and Prevents the Induction of CD40 and CD40L Expression on Vascular Endothelial Cells Through the Estrogen Receptor- α , 997
 Estrogen Receptor- α and - β Are Equally Involved in the Cerebral Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Cerebral Angiogenesis in Female Mice, 666
 Estrogen Receptor- α Is More Actively Involved in the Cardiac Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Coronary Angiogenesis Compare to Estrogen Receptor- β in Female Mice, 1159
 FGF2 And Osteopontin Mediate Estradiol-Induced Reendothelialization, 995
 Genetic Variation at the Estrogen Receptor- α Locus in Relation to Venous Thromboembolism Risk Among Postmenopausal Women, 3725
 High-density Lipoprotein-associated Estrogen Activates Endothelial Nitric Oxide Synthase through Estrogen Receptor- β , 415
 Hormone Therapy and Progression of Carotid Artery Intima-Media Thickness in Postmenopausal Women with Coronary Artery Disease, 3661
 Increased Susceptibility to Heart Failure in Mice Lacking Natriuretic Peptide Receptor-A Gene, 90
 Modulator Recognition Factor 1 (MRF1), an ARID-Family Member, is a Novel Corepressor for Estrogen Receptor- α , 146
 Myocardial Production And Secretion Of Chromogranin A In Hypertrophic Cardiomyopathy, 2416
 Opposing Effects between Short-term Combined Transdermal Estradiol/norethisterone and Oral Raloxifene Treatment upon C-Reactive Protein and Antibodies against oxidized LDL (oxLDL) and heat shock proteins (hsp), 1500
 Phosphodiesterase V Inhibition Has Favorable Effects on LV Remodeling and Potentiates the Renal Actions of Subcutaneously Administered BNP without Adverse Hemodynamic Effects in Experimental Overt Congestive Heart Failure, 97
 Plasma Adiponectin in Peripheral Arterial Occlusive Disease, 1773
 Plasma Brain Natriuretic Peptide Concentration Elevated According to Increase in Myocardial Stiffness both in Patients with Systolic and Diastolic Heart Failure, 2588
 Prolactin Confers Cardioprotective Effects Postpartum via the JAK2-STAT3 Signaling Pathway, 30
 Prothrombotic Mutations, Hormone Therapy, and Venous Thromboembolism: Is Transdermal Estrogen Safe?, 3724

Recent Hormone Therapy (HT) Trials Have Not Influenced HT Use in Women at Risk for Coronary Heart Disease (CHD): The NHLBI-Sponsored WISE Study, 3028
 Regulation of Inducible Nitric Oxide Synthase in Vascular Smooth Muscle Cells by Estrogen Receptors- α and - β , 582
 Role of Annexin II in Estrogen-Induced and Statin-Inhibited Macrophage Matrix Metalloproteinase-9 Activity, 1502
 Role of Testosterone on Male Predominance in Brugada Syndrome, 2347
 Sex Steroids Modulate Expression of Matrix Proteins and Matrix Metalloproteinases and May Contribute to Gender Differences in Large Artery Stiffness, 568
 Sustained Elevation of Serum Level of Cortisol Induces Hyperconstriction of Porcine Coronary Arteries - Possible Involvement of Rho-kinase -, 729

Hyperlipoproteinemia

Effects on Soluble CD40L and Adipocytokines after Therapy and Withdrawal of Atorvastatin in Patients with Hypercholesterolemia, 677
 Addition of Nanomolar Concentrations of D-4F to Human Plasma In Vitro Causes the Movement of ApoA-I to Smaller Particles, Reduces Lipid Hydroperoxides, Increases Paraoxonase Activity, and Converts Proinflammatory HDL to Anti-inflammatory, 1165
 Anti-Interferon- γ Therapy Attenuates Progression of Established Atherosclerotic Plaques and Stabilizes Them in ApoE-Knockout Mice, 1210
 Apolipoprotein A-V Truncation as a Cause of Familial Type-V Hyperlipoproteinemia, 876
 Asymmetry in Lipid Affinity of Multihelical Amphipathic Peptides: An Important Structural Determinant for Specificity of ABCA1-Dependent Cholesterol Efflux by Peptides, 1164
 Blockade of Vascular Endothelial Growth Factor Not Only Reduces the de novo Formation of Atherosclerosis, but Also Limits the Progression of Already Established Atherosclerotic Plaque in ApoE-Deficient Mice, 371
 Coronary Calcifications in Patients with Elevated Levels of Lipoprotein (a), 2285
 Decreased Postprandial Triglyceride Response in Cholesteryl Ester Transfer Protein Deficiency -Another Anti-atherogenic Aspect-, 871
 Deletion of Endothelial Ectoapyrase (CD39) Promotes Atherogenesis in Hyperlipidemic Mice, 372
 Dextran Sulfate LDL Apheresis Decreases Circulating Endothelial Cells and Increases Circulating Endothelial Progenitor Cells, 1497
 Enhanced Atherosclerosis in Transgenic Watanabe Heritable Hyperlipidemic Rabbits Expressing Human Lipoprotein Lipase, 1008
 Generation of a Recombinant Apolipoprotein E Variant With Improved Biological Functions: Hydrophobic Residues (L261, W264, F265, L268, V269) of ApoE Can Account for the ApoE-Induced Hypertriglyceridemia, 171
 High Glucose and Minimally Oxidized LDL Upregulate Osteopontin Expression through Distinct Pathways in Vascular Smooth Muscle Cells, 1028
 Hypercholesterolemia and Incident Arterial Hypertension: The Strong Heart Study, 3544
 Hypercholesterolemia Blunts NO Donor-Induced Late Preconditioning against Myocardial Infarction in Conscious Rabbits, 642
 Hypercholesterolemia Impairs S-glutathiolation of Aortic SERCA via Oxidation of Redox-sensitive Cysteines, which Accounts for the Decreased Smooth Muscle Response to NO, 1594
 Improvement of Endothelial Function by Systemic Transfusion of Vascular Progenitor Cells, 696
 Increases in HDL-Cholesterol are the Strongest Predictors of Risk Reduction in Lipid Intervention Trials, 3754
 L-Arginine Supplementation Improves the Inhibited Angiogenic Response to FGF in a Porcine Model of Myocardial Ischemia with Endothelial Dysfunction, 1888
 Lipid-Lowering Effect of HMG Co-A Reductase Inhibitors Compared with Cholestyramines on Vascular Endothelium in Hypercholesterolemic and Hypertensive Patients, 564
 Losartan Reverses the Hypercholesterolemia-Induced Pro-inflammatory Shift in Hematopoietic Stem Cell Function, 193
 Overexpression of Pcsk9 Leads to the Formation of an LDLR-Pcsk9 Complex and Acceleration of LDLR Degradation, 1171
 Paradoxical Elevation of Ubiquinol in Subjects with Endothelial Dysfunction and Metabolic Syndrome, 3599
 Preoperative Cholesterol Levels Do Not Predict Structural Valve Degeneration in Patients Undergoing Bioprosthetic Aortic Valve Replacement, 3283
 Role of CD40 Ligand in Response to Arterial Denudation Injury in Hyperlipidemic Apolipoprotein E-Deficient Mice, 664
 Role of the small GTPase, Ras, and Oxidants in Impaired Endothelial Function Associated with Insulin Resistance in LDL Receptor Deficient Mice, 1068
 The LDL Receptor Is the Only Physiological Receptor for the In Vivo Clearance of apoE-Containing Lipoprotein Remnants in Mice, 1003
 Vasa Vasorum Density Inversely Correlates with NF- κ B Activation and Intima/Media Ratio in Hypercholesterolemic Porcine Coronary Arteries,

8
 Hyper
 Hy
 β -f
 C
 β 2A
 C
 A H
 -
 A
 A M
 A
 H
 A P
 w
 Ac-1
 E
 Acti
 C
 H
 Acti
 P
 Adv
 M
 Aldc
 S
 B
 Aldc
 E
 Ang
 Fj
 Angi
 C
 In
 Angi
 R
 H
 Arte
 N
 Assc
 B
 Assc
 In
 C
 Assc
 P
 Assc
 G
 in
 Athe
 H
 Beni
 V
 H
 Blun
 Le
 BNP
 Bod
 S
 C-R
 Je
 Can
 P
 Carc
 N
 R
 O
 Carc
 P
 Cen
 P
 Clini
 in
 V
 Clini
 S
 P
 Coll
 H
 Cor
 C
 Cou
 H
 3:

Hypertension

- "Hyperaldosteronism" in Stage 1 Hypertension: Ethnic Differences, 2040
- β_2 -Adrenergic receptor gene and elevated blood pressure: The Copenhagen City Heart Study, 88
- β 2AR-Glu27 Associates With Hypertriglyceridemia to β -blockers and Causes Insulin Resistance in vitro, 2039
- A Haplotype of Human Angiotensinogen Gene Containing -217A and -1074T in its Promoter is Associated with Hypertension in African-American Population, 33
- A Multicenter Double-blind Randomized Controlled Trial of a Statin + Angiotensin Receptor Blockade Combination in Patients With Hypertension and Concomitant Hyperlipidemia, 1906
- A Promoter Polymorphism of Human Tissue Kallikrein Gene is Associated with the Response of Blood Pressure to Dietary Salt Restriction, 89
- Ac-SDKP Mediates the Antifibrotic Effect of Angiotensin-Converting Enzyme Inhibitor in Hypertension, 479
- Activated E-Protein Kinase C Accelerates the Transition from Compensatory Left Ventricular Hypertrophy to Heart Failure in Hypertensive Rats, 2778
- Activation of Growth Factors and Cytokines in Mice Lacking Natriuretic Peptide Receptor-A: Role in Cardiac Hypertrophy and Fibrosis, 791
- Advanced Silent Hypertensive Cerebrovascular Disease is Associated with Morning Sympathetic Activity in Elderly Hypertensives, 2827
- Aldosterone Causes Vasoconstriction of Coronary Arterioles Isolated from Spontaneously Hypertensive Rats and Angiotensin II Type 1 Receptor Blocker Inhibits it via Suppression of Oxidative Stress, 862
- Aldosterone Synthase Inhibitor FAD286 Ameliorates Angiotensin II-Induced End-Organ Damage, 477
- Ang II Activates the Smad Signaling Pathway: Potential Role in Vascular Fibrosis, 410
- Angiotensin II Infusion Causes Lipid Accumulation in the Renal Tubular Cells, in Which Expression of TGF- β 1, PDGF-BB, and PDGF Receptor Increased, 478
- Angiotensin II Infusion Decreases Plasma Adiponectin Level via Type 1 Receptor in Rats: Implication For Insulin Resistance Associated with Hypertension, 787
- Arterial Stiffness Predicts the Development of Hypertension in Younger Normotensive Adults: The Baltimore Longitudinal Study of Aging, 3155
- Association between Promoter Single Nucleotide Polymorphism (SNP) of Bradykinin B2 Receptor and the Effect of Drugs for Hypertension, 2829
- Association between Stages of Systolic Hypertension and Levels of Inflammatory Cardiovascular Risk Factors: The Impact of JNC 7 Classification, 2830
- Association of Hypertension Candidate Genes Selected from Expression Profile with Blood Pressure Variation and Hypertension, 3327
- Association of Insulin-Like Growth Factor (IGF)-1 and IGF-1 Receptor Gene Polymorphisms with Cardiac Hypertrophy and Diastolic Function in Essential Hypertension, 2828
- Atherosclerosis and Oxidative Stress Contribute to Aspirin Nonresponse in Hypertensive Subjects, 2826
- Benidipine, a Long-Acting Calcium Channel Blocker, Safely Improves Vasomotor Dysfunction of Coronary Arteries in Patients With Hypertension and Diabetes Mellitus, 1163
- Blunted Reduction of Pulse Pressure During Nighttime is Associated With Left Ventricular Hypertrophy in Elderly Hypertensive Patients, 437
- BNP, NT Pro-BNP, and Obesity: from the Dallas Heart Study, 3558
- Body Build and Risk of Cardiovascular Events in Hypertension: The Life Study, 3560
- C-Reactive Protein as a Risk Factor for Multiple Silent Cerebral Infarcts in Japanese Hypertensive Subjects, 2983
- Candesartan Shows Novel Anti-inflammatory Effects In Hypertensive Patients, 373
- Cardiac Specific Expression of a Dominant Negative Mutation in the Natriuretic Peptide A Receptor Exacerbates Fibrotic and Hypertrophic Remodeling and Diastolic Dysfunction in Response to Pressure Overload, 964
- Cardiac Transplantation Does Not Improve Central Arterial Stiffness in Patients with Severe Heart Failure, 3262
- Central Effect of Angiotensin II on the Rho/Rho-Kinase Pathway and Blood Pressure Regulation, 1411
- Clinical and Echocardiographic Risk Factors for Congestive Heart Failure in Controlled Hypertensive Patients with Electrocardiographic Left Ventricular Hypertrophy (the LIFE Study), 3160
- Clinical Outcomes in Participants with Cardiovascular Dysmetabolic Syndrome in the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial, 3681
- Collagen Metabolism In Extracellular Matrix May Be Involved In Age- And Hypertension-Related Increase In Arterial Stiffness, 2816
- Combined Ventricular Systolic and Arterial Stiffening in Patients with Concentric Remodeling and Preserved Systolic Function, 3141
- Coupling Factor 6 Induces Vasoconstriction of Coronary Arterioles in Hypertensive Rats via a Suppression of Cytochrome P-450 Metabolites, 357
- Cultural Factors of Chinese Immigrants as Predictors of Hypertensive Medication Compliance, 1862
- Cumulative Analgesic Use and Risk of Incident Hypertension in Men, 2825
- Cutting Blood Pressure in Barbershops, 3545
- Differential Effects of COX-2 Inhibitors on Kidney Function and Renal Morphology in Severe Salt-sensitive Hypertension, 1112
- Differential Regulation of Caspase and MAPK Activity Underlies the Rapid Deletion of Aortic Smooth Muscle Cells by Apoptosis and Vascular Remodeling in Spontaneously Hypertensive Rats Treated With Amlodipine, 1322
- Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance, 2664
- Disease Management Modestly Increases Utilization of Evidence-Based Therapy and Reduces Mortality in Elderly Patients with Left Ventricular Dysfunction, 2971
- Do Selective Cox-II Inhibitors Cause More Blood Pressure Elevation than Nonselective NSAIDs?, 2045
- Do Statins Lower Blood Pressure? Evidence from the Anglo-Scandinavian Cardiac Outcomes Trial-Lipid-Lowering Arm (ASCOT-LLA), 1905
- Does High-Sensitivity C-Reactive Protein Provide Additional Prognostic Information in Patients with Hypertension and Left Ventricular Hypertrophy? A LIFE Study, 3383
- Does Inappropriate Exercise Blood Pressure Response in Patients with Controlled Hypertension Predict a Worse Outcome?, 2500
- Effect of Valsartan on Insulin Sensitivity, Leptin, and BMI in Hypertensive Obese Patients, 3594
- Effects of a Gene Variant of Human Extracellular Superoxide Dismutase in Spontaneously Hypertensive Rats, 774
- Electrocardiographic Strain Pattern and Albuminuria Additively Predict Outcomes in Hypertensive Patients: The LIFE Study, 3375
- Electron Spin Resonance Investigation on Modulatory Effects of Aerobic Physical Exercise on Membrane Microviscosity in Essential Hypertension, 3824
- Elevated Circulating E-Selectin Levels in Sustained Hypertension May Reflect the Endothelial Damage Caused by Stretch Stress, Independent of Angiotensin II, 3159
- Elevated Plasma Renin Activity and Aldosterone Concentration are Independent Risk Factors for Progression of Renal Injury in Hypertension, 949
- Endogenous vasoconstrictor coupling factor 6 is released from the resistance arterioles and is involved in the genesis of hypertension, 293
- Endothelial Nitric Oxide and Hypertension in Autonomic Failure, 1412
- Enhanced Pressure Wave Reflection Induces Concentric Left Ventricular Hypertrophy in Hypertension, 3381
- Ethnic Variation in Diastolic Function in a Hypertensive Population, 2233
- Evidence for Angiotensin IV Stimulation of the Angiotensin II Type I Receptor (AT₁) by an allosteric Mechanism, 788
- Evidence of a Novel Locus on Chromosome 1p with Pleiotropic Effects on HDL Cholesterol and LDL Particle Size in Hypertensive Sibships, 3728
- Exercise Blood Pressure Predicts Left Ventricular Mass in Pre-Hypertensive, Middle-aged Men and Women, 2611
- Forecasting the Population Benefits of Treating Hypertension (HTN) or Hypercholesterolemia (LIPID) For the Primary Prevention of Cardiovascular Disease: The Importance of Screening and Treating Diabetic Patients, 3548
- Gender-Specific Hypertension in Mice Deficient in the α_1 Subunit of Soluble Guanylate Cyclase, 1466
- Genetic Analyses for Carboxylesterase 1 Gene Variants in Hypertensive Patients In Relation to Responsiveness to Angiotensin Converting Enzyme Inhibitor, 2041
- Genetic Inactivation of Vascular Endothelial Endothelin-1 in Mice is Protective against Angiotensin II-Induced Hypertension and Cardiac Fibrosis, 786
- Glucagon-Like Peptide-1 (GLP-1), A Gut Incretin, Protects the Myocardium Against Ischemic/Reperfusion Injury through the Myocardial GLP-1 Receptor and Activation of Prosurvival Pathways, 314
- Gq-Mediated Signaling is a Critical Component in Certain Models of Hypertension, 1227
- History of Systemic Hypertension Increases the Risk of Mortality, Thrombotic and Bleeding Complications Following Non ST-segment Elevation Acute Coronary Syndrome, 3216
- Hypercholesterolemia and Incident Arterial Hypertension: The Strong Heart Study, 3544
- Hypertension and Sympathovagal Imbalance are Reversed by Correction of Insulinresistance Despite Persistent Dyslipidemia Upon Diet Restriction in LDL Receptor- and Leptin-Deficient Mice, 951
- Identification of Calcium Modulating Cyclophilin Ligand (CAML) as an Important Transducer for AT-1 Receptor Signaling, 1369
- Imatinib (Gleevec[®]) Attenuates Transition to Left Ventricular Dysfunction in Hypertensive Homozygous Ren2 Rats, 98
- Impact of Changes in Left Ventricular Geometry Over Time on All-Cause Mortality, 3144
- Impact of Systolic Hypertension on Cardiac Outcomes in Chronic Severe Aortic Regurgitation: Comparison with Left Ventricular Function and

Size, 3280
 Impaired Endothelial-Dependent Vasodilation and Eccentric Left Ventricular Hypertrophy in Hypertensive Subjects with Aldosteronism, 2036
 Increase in Ambulatory Pulse Pressure is a Strong Risk of Coronary Endothelial Vasomotor Dysfunction Irrespective of Hypertension, 2822
 Increased Aortic Stiffness with High Pulse Pressure Reduces Coronary Flow Reserve Independent of Vascular Endothelial Function, 3380
 Increased Circulating Endothelial Cells in Hypertensive Patients Presenting with Acute Ischemic Strokes, 703
 Increased Phospholamban Phosphorylation with Exercise Training Improves Diastolic Function in Hypertension, 292
 Increased Pulse Pressure is Strongly Associated with Adverse Cardiovascular Outcomes: The International Verapamil SR-Trandolapril Study (INVEST), 3157
 Increased Sympathetic Nerve Activity in Hypertension Correlates with the Severity of Neurovascular Compression at the Rostral Ventrolateral Medulla, 2824
 Is Hypertensive Response a More Powerful Predictor of Future Hypertension than Echocardiographic Left Ventricular Hypertrophy in Normotensives Undergoing Stress Echocardiography?, 3156
 Isosorbide Mononitrate Is Effective For Long-Term Treatment of Isolated Systolic Hypertension: A Randomised, Controlled Study, 2821
 Left Ventricular Mass Versus Relative Wall Thickness for Predicting Mortality in Patients with Preserved Systolic Function - An Echocardiographic Study in 35,607 Patients, 2229
 Lipid-Lowering Effect of HMG Co-A Reductase Inhibitors Compared with Cholestyramines on Vascular Endothelium in Hypercholesterolemic and Hypertensive Patients, 564
 Long-Term Effect of Diuretic-Based Therapy in Subjects with Isolated Systolic Hypertension With and Without Diabetes: Fourteen-Year Follow-up of the Systolic Hypertension in the Elderly Program, 2042
 Long-term Nasal Continuous Positive Airway Pressure Treatment Decreases Pulse Wave Velocity in Patients with Obstructive Sleep Apnea Syndrome, 2820
 Longevity-related Mitochondrial 5178A/C Genotype is Associated with Cardiovascular Diseases, 3652
 Low-Grade Inflammation in Essential Hypertension: a Key to Distinguish Benign from Malignant Microalbuminuria?, 3550
 Masked Hypertension Is a Great Independent Risk for Target Organ Damage in Treated Hypertensive Patients, 3151
 Mineralocorticoid Receptor Antagonism Inhibits the Development of Cardiac Hypertrophy and Prevents the Transition from Hypertrophy to Failure in Low-Renin and Low-Aldosterone Hypertension, 102
 Mobilization and Functionality of Endothelial Progenitor Cells During Antihypertensive Treatment in Patients with Essential Hypertension, 3158
 Modulatory Effects of Galanin on the Release of Norepinephrine and Dopamine in the Central Nervous System of Spontaneously Hypertensive Rats, 294
 Myosin Phosphatase Isoform Expression in the Specification and Modulation of the Smooth Muscle Contractile Phenotypes, 668
 Neuronal Damage in Diabetic Hypertensives Independent of Cerebral Microvascular Dysfunction, 3152
 New Candidate of Genetic Predisposing Factor for Essential Hypertension: Japanese Millennium Project and The Ohasama Study, 3816
 Nitric Oxide-Mediated Endothelial Dysfunction with Increase in Superoxide Production is Compensated by EDHF in Spontaneously Hypertensive Rats, 865
 Nuclear Factor- κ B is a Target of Peroxisome Proliferator-activated Receptor γ Ligands in their Suppressive Effects on Shear Stress-induced Gene Expression and Release of Novel Vasoconstrictor Coupling Factor 6, 1174
 Obstructive Sleep Apnea Syndrome is Associated with Increased Levels of Inflammatory Markers in Untreated Newly Diagnosed Essential Hypertensive Subjects, 2044
 Optimal Blood Pressure Control for the Prevention of Atrial Fibrillation, 3546
 Overexpression of Mn-superoxide Dismutase in the Rostral Ventrolateral Medulla Causes Sympathoinhibitory Effects in Stroke-Prone Spontaneously Hypertensive Rats, 1269
 Paracrine Role of Adventitial Fibroblasts and Macrophages in Angiotensin II-Induced Reactive Oxygen Species and Hypertrophy of the Mouse Carotid Artery, 1023
 Phosphodiesterase 4B Inhibitor is a Potent Antihypertensive Agent in Dahl Salt-sensitive and Spontaneously Hypertensive Rats, 291
 Pioglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist, Improves Left Ventricular Diastolic Function in Essential Hypertension, 3374
 Plasma Profiles of Matrix Metalloproteinases and Tissue Inhibitors of Matrix Metalloproteinases: Changes Associated with the Presence of Diastolic Dysfunction, 2823
 PPAR γ Ligands Inhibit Rho/Rho Kinase Pathway by Inducing Protein Phosphatase, SHP-2, and Inactivating Rho Guanine Nucleotide Exchange Factor, Vav, 434

Predictors of Cardiovascular Events in Patients with Type II Diabetic Nephropathy and Hypertension, 3679
 Pressure-induced Phenotypic Changes Underlie the Activation of Arterial Renin-Angiotensin System and PKC-NAD(P)H Oxidase Axis, 1236
 Prognostic Impact of Prolonged Ventricular Repolarization in Hypertension, 2037
 Prognostic Significance of Morning Pressor Surge and Nocturnal Dipping For Risk of Stroke: The Ohasama Study, 2038
 Prognostic value of Ambulatory Blood Pressure in elderly hypertensives. Results of HY-OLDEST STUDY (HYpertension in OLDER Subject in Tuscany), 2819
 Raised Soluble CD40 Ligand in Hypertension: A Marker of Abnormal Angiogenesis?, 3154
 Regression of Electrocardiographic Left Ventricular Hypertrophy and Decreased Incidence of New-Onset Congestive Heart Failure in Hypertensive Patients: The LIFE Study, 3379
 Relationship Between Left Ventricular Hypertrophic Remodeling and Serial Changes in Plasma Profiles of Selective Matrix Metalloproteinases and Inhibitors of Matrix Metalloproteinases, 2958
 Rho-Kinase as a Molecular Target for Insulin Resistance and Hypertension, 790
 Role Of Gender, Ovariectomy And Estrogen Replacement On Cardiac Remodeling And Function After Aortic Stenosis In Rats, 3304
 Rosiglitazone Combination Therapy Improves Ambulatory Blood Pressure: A 6-month Substudy of the RECORD Trial in People with Type 2 Diabetes, 3378
 Salt-Sensitive Hypertension is Triggered by Ca²⁺ Entry via Vascular Isoforms of Na⁺/Ca²⁺ Exchanger Type-1 in Arterial Smooth Muscle, 482
 Social Support Measures in Assessing CVD Risk Factors: The Minnesota Heart Survey, 3524
 Spouse Concordance of Metabolic Syndrome in 4140 Korean Couples: Result from a Nationwide Survey, 3523
 The Antihypertensive and Lipid Lowering Treatment to Prevent Heart Attack Trial (ALLHAT) Heart Failure (HF) Validation Study: Clinical presentation of hospitalized HF events and subsequent mortality rates, 3382
 The Insulin Gradient Phenomenon: An Underlying Manifestation of the Effects of Body Weight on Blood Pressure and Insulin Resistance Development, 1908
 The Relation of the Metabolic Syndrome to the Likelihood of Isolated Diastolic Hypertension, 3838
 Tissue Angiotensin I-II Conversion is Mediated Exclusively by the ACE C-Domain, 255
 Tissue Doppler Imaging can Discriminate Nonobstructive Hypertrophic Cardiomyopathy from Hypertensive Left Ventricular Hypertrophy with High Predictive Accuracy, 2566
 Tissue Doppler Imaging: A Powerful Predictor of Future Cardiovascular Events in a Hypertensive Population, 2567
 Tissue Inhibitor of Metalloproteinase-3 Deficiency Prevents Hypertension Induced by Nitric Oxide Synthase Inhibition, 952
 Tobacco Smoke Exposure Induces Endothelial and Macrophage Transcriptional Responses in vivo, 1916
 Transforming Growth Factor- β_1 (TGF- β_1) Predicts the Severity of Left Ventricular Hypertrophy in Hypertensive Patients, 3377
 Upregulation of Renal eNOS by High-Sodium Diet-Induced Oxidative Stress and Hypertension in Doxorubicin-Treated Rats, 486
 Vasopressin Regulates the Epithelial Sodium Channel (ENaC) Via an E3 Ubiquitin-Protein Ligase, Nedd4-2, 1115

Hypertension, pulmonary

EGF Receptor Blockade Improves Survival in Rats with Fatal Pulmonary Hypertension, 629
 2-Methoxyestradiol Mediates Protective Effects of Estradiol in Monocrotaline-Induced Pulmonary Hypertension, 78
 A Multicenter Cardiac Echo Doppler Study in 589 Patients with Systemic Sclerosis, 3301
 A Novel Noninvasive Method of Pulmonary Vascular Resistance Quantification, 3487
 Anemia is a Powerful, Independent Predictor of Mortality in Patients with Pulmonary Hypertension, 2601
 Aortic Valve Replacement Improves Survival in Patients With Severe Aortic Stenosis Associated With Severe Pulmonary Hypertension, 2557
 B-type Natriuretic Peptide and Clinical, Functional, and Hemodynamic Parameters in Pre-Capillary Pulmonary Hypertension, 1756
 Bosentan Therapy For Pulmonary Arterial Hypertension (PAH) In Adult Patients With Congenital Heart Disease: A Multicenter Cooperation, 3025
 Brain Natriuretic Peptide Levels, but not Pulmonary Vascular Resistance, Predict Right Ventricular Size and Functional Status in Pulmonary Arterial Hypertension, 1760
 Cause of Correlation Failure Between Cardiopulmonary Exercise Testing and Six-minute Walk Distance in Patients with Pulmonary Arterial Hypertension, 2496
 Clinical Assessment of the Positive Inotropic Effect of Prostacyclin Analogs in Patients with Pulmonary Arterial Hypertension: An Ultrasonic

§
 Clir
 F
 Coi
 §
 t
 ()
 Dile
 f
 f
 Eia
 Enc
 F
 Fib
 t
 Hur
 Hur
 ()
 ?
 Hyr
 §
 Imp
 F
 Imp
 \)
 F
 In \)
 li
 Intr
 Me
 Intri
 ()
 f
 C
 f
 Lev
 C
 Lon
 F
 S
 Me
 C
 F
 Myr
 C
 Nor
 E
 Nov
 A
 Pul
 A
 Rac
 K
 S
 Sen
 A
 T
 Sen
 li
 Sita
 F
 C
 Sm
 t
 Tet
 C
 Tet
 f
 The
 F
 L
 The
 t
 f
 Tra
 t
 Hyper
 Acu
 Fas
 t
 t
 Pla
 t

- Strain/Strain Rate Study, 3309
- Clinical Efficacy of Oral Sildenafil in Severe Pulmonary Hypertension in Patients with Chronic Pulmonary Schistosomiasis, 1416
- Combined Environmental Stimuli, d-fenfluramine and Hypoxia, Induce Severe Pulmonary Hypertension in S100A4/Mts1-Overexpressing Mice that are Prone to Develop Pulmonary Vascular Obliterative Disease (PVOID), 81
- Dilation of Right-sided Cardiac Cavities and Exercise-induced Pulmonary Hypertension at Low Altitude in Subjects Susceptible to High-altitude Pulmonary Edema, 2643
- Eisenmenger Syndrome and Atrial Septal Defect: Nature or Nurture?, 3023
- End-tidal PCO₂ and Physiological disease severity in Patients with Primary Pulmonary Hypertension (PPH), 2495
- Fibulin-5 May Protect Against Pulmonary Vascular Obliterative Disease in Mice Overexpressing Mts1 (S100A4), 82
- Human HIF-3 α is an inhibitor of the HIF pathway in endothelial cells, 1021
- Human Vascular Cells Express a Distinct NOX5 Isoform: Role in the Generation of Reactive Oxygen Species and the Proliferative Response, 746
- Hypoxic Pulmonary Hypertension: Role of NADPH Oxidase and Superoxide, 483
- Impact of Atrioventricular Compliance on Left Atrial and Pulmonary Arterial Pressures in Patients with Severe Mitral Stenosis, 3039
- Impaired NO-Mediated Coronary Microvascular Vasodilation of Right Ventricle with Increased Superoxide in Monocrotaline-Induced Pulmonary Hypertensive Rats, 867
- In Vivo Loss of RhoA Expression by siRNA-Mediated Gene Silencing Induces Pulmonary Hypertension in Rat, 77
- Intraventricular Administration of Mesenchymal Stem Cells Ameliorates Monocrotaline-induced Pulmonary Hypertension in Rats, 1122
- Intravenous Nesiritide Improves Hemodynamics in a Randomized, Double-blind, Placebo-controlled Trial in Patients with Pulmonary Hypertension and Right Ventricular Failure: Right Atrial Dimension by Cardiac MRI is a Reliable, Novel Treatment End Point in Pulmonary Hypertension, 2414
- Levosimendan Reduces Increased Pulmonary Vascular Resistance in Children after Cardiac Surgery, 2479
- Long-Term Inhibition of Rho-Kinase Ameliorates Hypoxia-Induced Pulmonary Hypertension in Mice: Partial Dependence on Endothelial NO Synthase, 628
- Mechanisms Underlying Early Development of Pulmonary Hypertension in Down Syndrome: Evidence of Imbalance in Biosynthesis of Vasoactive Prostanoids, 2884
- Myectomy Improves Pulmonary Hypertension in Hypertrophic Cardiomyopathy, 3137
- Noninvasive Assessment of Right Ventricular Pressure Overload and the Effect of Epoprostenol Using Gated [¹⁸F]fluorodeoxyglucose PET in Patients with Pulmonary Hypertension, 3054
- Novel SNPs in KCNA5 Gene from Patients with Idiopathic Pulmonary Arterial Hypertension, 85
- Pulmonary Distribution of Bone Marrow-Derived Mesenchymal Stem Cells After Intravenous Infusion Is Not Modified By Hypoxia, 1120
- Rac-Dependent Activation of the Serum- and Glucocorticoid-Regulated Kinase Sgk1 Promotes a Thrombogenic Cycle in Pulmonary Artery Smooth Muscle Cells Involving Nuclear Factor- κ B, 835
- Serotonin Induction of S100A4/Mts1 Expression in Human Pulmonary Artery Smooth Muscle Cells is Dependent on both the Serotonin Transporter and Receptor, 80
- Serotonin Receptor Inhibition Protects from Pulmonary Hypertension Induced by RhoA Inactivation, 627
- Sitaxsentan Improves 6MW and Hemodynamics in Patients with Pulmonary Arterial Hypertension (PAH) Related to Connective Tissue Disease (CTD), 2602
- Smad1 Inhibits Human Pulmonary Artery Smooth Muscle Cell Proliferation, 1323
- Tetrahydrobiopterin Deficiency Uncouples Nitric Oxide Synthase and Causes Pulmonary Hypertension, 79
- Tetrahydrobiopterin-Deficient Mouse (HPH-1) Displays Pulmonary Hypertensive Phenotype, 1464
- The Angiotensin-1/Tie2 Pathway Protects Against the Development of Pulmonary Arterial Hypertension (PAH): Insights from Genetic Models of Loss and Gain-of-Function, 630
- The Erythropoietin-Erythropoietin Receptor System is Crucial for Mobilization of Endothelial Progenitor Cells in Hypoxia-Induced Pulmonary Hypertension, 328
- Transcatheter Closure of Interatrial Defects in Patients With Pulmonary Hypertension, 3024
- Hypertension, renal**
- Acute Renal Injury with Renal Artery Stenting, 2855
- Fasudil, a Rho-Kinase Inhibitor, Attenuates Glomerulosclerosis in Malignant Hypertensive Rats Partly via Inhibition of Oxidative Stress, 290
- Plasma Levels of C-Reactive Protein are Associated with Early Renal Dysfunction in Newly Diagnosed Essential Hypertensive Patients, 1113
- Regression of Left Ventricle Hypertrophy after Renal Revascularization is Dependent on Blood Pressure Response and Etiology of Renal Artery Stenosis, 1114
- Hypertrophy**
- Genetic Analysis of Apical Hypertrophic Cardiomyopathy, 2579
- α Myosin Heavy-Chain Gene Expression is Increased as an Early Adaptation to Exercise, 2609
- α -Adrenergic Receptor-Stimulated Hypertrophy in Adult Rat Cardiac Myocytes is Mediated Through Thioredoxin-1-Sensitive Oxidative Modification of Thiols on Ras, 898
- β -3 Adrenergic Signaling is Impaired in the ob/ob Mouse Model of Obesity, 962
- β -Adrenergic Receptor-Localized Phosphoinositide 3-Kinase Selectively Regulates Transactivation and Internalization of the EGF Receptor in vivo, 1235
- A Novel Calcium-Independent Pathway Mediates α_1 -Adrenergic Receptor-Stimulated Hypertrophy in Adult Rat Cardiac Myocytes, 432
- A Novel Mutation in Phospholamban Causes a Mixed Hypertrophic and Dilated Cardiomyopathy Phenotype with Autosomal Dominant Inheritance, 54
- A Novel SNP in the Promoter of the Human Gene GNAQ Encoding the G Protein G α_q Increases Transcriptional Activity and the Risk for Cardiac Hypertrophy, 2575
- A Synthetic Peptide from a Segment of Ras-p21 Effectively Inhibits Norepinephrine-Stimulated Cardiac Myocyte Hypertrophy, 1902
- Ablation of iNOS Delays Cardiac Contractile Dysfunction and Attenuates Hypertrophy Gene Expression Induced by Chronic Pressure Overload, 1085
- Activated E-Protein Kinase C Accelerates the Transition from Compensatory Left Ventricular Hypertrophy to Heart Failure in Hypertensive Rats, 2778
- Activation of AMP-Activated Protein Kinase Inhibits Cardiac Myocyte Hypertrophy Induced by Akt, 918
- Activation of Growth Factors and Cytokines in Mice Lacking Natriuretic Peptide Receptor-A: Role in Cardiac Hypertrophy and Fibrosis, 791
- Activation of the Calcineurin-Signaling Pathway During Atrial Fibrillation: A Novel In Vitro Pacing Model Using Adult Human Tissue, 776
- Adiponectin-Mediated Modulation of Hypertrophic Signals in the Heart, 739
- Akt1 Promotes Physiologic, but Antagonizes Pathologic, Cardiac Growth, 735
- Aldosterone Synthase Inhibitor FAD286 Ameliorates Angiotensin II-Induced End-Organ Damage, 477
- Alterations of Left Ventricular Function in Hypertensive Pregnant Women, 3376
- Alterations of Protein Turnover During the Transition from Stable Hypertrophy to Heart Failure in the Dog, 793
- Anabolic Steroids Exacerbate Cardiac Hypertrophy and Activate Local Renin-Angiotensin System in Exercise-Trained Rats, 143
- Association of Insulin-Like Growth Factor (IGF)-1 and IGF-1 Receptor Gene Polymorphisms with Cardiac Hypertrophy and Diastolic Function in Essential Hypertension, 2828
- Blockade of NF- κ B Activation Inhibits Hypertrophy and Improves Survival in Male Mice with Heart Failure Induced by Cardiac-Specific TNF- α Expression, 55
- Blockade Of The Serotonin 5-HT_{2B} Receptor Prevents Angiotensin II-Induced Cardiac Hypertrophy And Inhibits Cytokine Release By Cardiac Fibroblasts, 295
- Blunted Reduction of Pulse Pressure During Nighttime is Associated With Left Ventricular Hypertrophy in Elderly Hypertensive Patients, 437
- BNP as a Marker of Diastolic Dysfunction in the General Population: Importance of Left Ventricular Hypertrophy, 3743
- Body Build and Risk of Cardiovascular Events in Hypertension: The Life Study, 3560
- Ca²⁺-Sensitizing Effect of Familial Hypertrophic Cardiomyopathy-Linked Troponin T Mutation Reduces Contractile Reserve of Mouse Heart, 809
- Ca²⁺/calmodulin-Dependent Protein Kinase II Activates ASK1 and NF- κ B to Induce Cardiomyocyte Hypertrophy, 755
- Cardiac Hypertrophy Induced by PPAR- γ Agonist Treatment Occurs Independently of Changes in Myocardial Insulin Signaling, 1541
- Cardiac RhoA Overexpression Results in Marked Hypertrophy and Progression to Failure in vivo, 1082
- Cardiac Specific Expression of a Dominant Negative Mutation in the Natriuretic Peptide A Receptor Exacerbates Fibrotic and Hypertrophic Remodeling and Diastolic Dysfunction in Response to Pressure Overload, 964
- Cardiac-selective Ablation of Calcineurin b1 in vivo Alters Cardiac Energetic and Growth Programs, 756
- Cardiac-Specific Deletion of the β 1-Integrin Gene in the Adult Murine Heart Results in Disruption of Multiple Growth Response Pathways, 736
- Cardiac-specific Expression of a Dominant Negative Splicing Regulator in Mice Causes Cardiac Hypertrophy, Severe Cardiac Dysfunction, and Sudden Death, 1261

Cardiac-Specific Inhibition of G Protein-Coupled Receptor Kinase-3 in Transgenic Mice Causes Preload-Intolerant, Hyperkinetic Myocardium and Hypertensive Phenotype, 1094	Evaluation of a Novel Technique to Detect Left Ventricular Hypertrophy on the Surface Electrocardiogram - QT Peak, 2697	Me
Cardiac-Specific Overexpression of AT1 Receptor Mutant Lacking G α /G β Coupling Causes Cardiac Hypertrophy and Bradycardia in Transgenic Mice, 740	Excitation-transcription Coupling in Adult Myocytes: Local InsP $_3$ -dependent Perinuclear Signaling Activates HDAC Nuclear Export, 1367	Mi
Cardiac-Specific Overexpression of Diacylglycerol Kinase- ζ Prevents Angiotensin II-Induced Cardiac Hypertrophy in Transgenic Mice, 1086	Exercise Blood Pressure Predicts Left Ventricular Mass in Pre-Hypertensive, Middle-aged Men and Women, 2611	Mi
Cardiomyocyte Degradation of Connexin43 Through Local Autocrine/Paracrine HB-EGF: a Novel Potential Arrhythmogenic Mechanism, 28	FOXO1 Transcription Factor Suppression in Cardiac Hypertrophy, 1084	Mi
Cardiomyocyte-Specific Deletion of Type I TGF- β receptor Prevents Angiotensin II-Induced p38 Activation, Cardiac Hypertrophy, and Dysfunction, 1079	H11 has Dose-Dependent and Dual Hypertrophic and Pro-apoptotic Functions in Cardiac Myocytes, 1373	Mi
Cardiomyocyte-specific NOS3 Overexpression Protects Against Chronic Pressure Overload-induced LV Hypertrophy and Dysfunction., 1599	Heme Oxygenase-1 is Cardioprotective in the Remodeled, Failing Heart, 960	Mi
Cardiomyopathy in the MHC-PPAR α Model of the Diabetic Heart Requires CD36, 1550	Hemodynamic Overload Provokes Accelerated Cardiac Decompensation in DARE Mice That Lack TNF AU-Rich Elements, 22	Mi
Caveolin-1 is Required for AT $_1$ Receptor Trafficking into Caveolae/lipid Rafts Coupled to Redox Signaling in Vascular Smooth Muscle Cells, 420	High- but Not Low-Molecular-Weight FGF-2 Causes Cardiomyocyte Hypertrophy In Vitro and In Vivo: Possible Involvement of Cardiotrophin-1 and gp130, 603	Mi
Cellular Trafficking of "Clock" Proteins in Heart: A Mechanism of Environmental Responsiveness, 456	Histone Deacetylase Inhibition Blunts Pathological Cardiac Hypertrophy, 105	My
Chamber-Specific Augmentation of Endothelin-1 by Pulmonary Hypertension Induces Overexpression of NGF and Right Ventricular Hyperinnervation in vivo, 221	Human (N27K) Phospholamban Exacerbates Stress-induced Cardiac Hypertrophy and Ischemic Injury, 56	My
Class II Histone Deacetylases Regulate Expression of the Sodium/Calcium Exchanger During Cardiac Hypertrophy, 35	Hypertrophic Stimuli Induce Association of Mineralocorticoid Receptor with a Transcriptional Coactivator p300 in Cardiac Myocytes, 1370	My
Clinical Features and Prognosis of Cardiac Sarcoidosis Presenting as Hypertrophic Cardiomyopathy, 2422	Hypoxia-Induced Autophagy in Cardiac Myocytes, 635	My
Cocaine Activates Calmodulin Kinase II and Causes Cardiac Ventricular Hypertrophy and Arrhythmias, 2805	Identification of Calcium Modulating Cyclophilin Ligand (CAML) as an Important Transducer for AT-1 Receptor Signaling, 1369	My
Combined Ventricular Systolic and Arterial Stiffening in Patients with Concentric Remodeling and Preserved Systolic Function, 3141	Impact of Changes in Left Ventricular Geometry Over Time on All-Cause Mortality, 3144	My
Constitutively Enhanced G α Signaling Alters CardiacCa $^{2+}$ Handling Prior to the Development of Hypertrophy in Mice, 758	Impairment of Primary Hemostasis (Type IIa von Willebrand Syndrome) in Obstructive Cardiomyopathy: Close Correlation with the Severity of Obstruction, 3626	Nei
CPT1 Flux is Reduced More than Krebs Cycle Flux in Hypertrophied Hearts with Compensatory Increases in Anaplerosis and NADH Shuttling, 1332	Improved Tolerance to Ischemia in Hypertrophied Hearts by Inhibition of Glycogen Synthase Kinase-3, 1704	Nei
Critical Role of p67phox in α_1 -Adrenergic Receptor-Stimulated Hypertrophic Signaling in Adult Cardiac Myocytes, 744	Improvement Of Left Ventricular Diastolic Function After Septal Surgical Myectomy Or Percutaneous Transcatheter Septal Alcohol Ablation In Patients With Hypertrophic Obstructive Cardiomyopathy, 3362	Nei
Depressed Relative Lymphocyte Count is Associated with Death in Patients with Hypertrophic Cardiomyopathy, 2800	In Vivo Calmodulin Kinase II Inhibition Protects against Isoproterenol-Induced Cardiomyopathy, 301	Nei
Detection Of Myocardial Fibrosis, Edema And Hypoperfusion In Hypertrophic Cardiomyopathy By Magnetic Resonance Imaging, 2797	Increase in Spontaneous Ca $^{2+}$ Sparks With Depressed Myocyte Function in Canine Severe Left Ventricular Hypertrophy, 935	Nei
Diacylglycerol Kinase ζ Inhibits Endothelin-1-induced Cardiomyocyte Hypertrophy, 743	Increased Phospholamban Phosphorylation with Exercise Training Improves Diastolic Function in Hypertension, 292	Nei
Differential Effects Of Estrogen On Ventricular And Cardiomyocyte Remodeling And Signal Transduction Pathways Following Myocardial Infarction vs Pressure Overload, 103	Increased SERCA Function Is Deleterious In A Mouse Model Of Heart Failure, 62	Nei
Differential Expression of Myocardial Nitric Oxide Synthase Isoforms in Human Heart Failure, 490	Inhibition of Mammalian Target of Rapamycin Signaling Regresses Established Cardiac Hypertrophy Induced By Pressure Overload, 604	Nei
Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance, 2664	Inhibition of Nuclear Factor- κ B Signaling Attenuates Angiotensin II-induced Cardiac Hypertrophy, Remodeling, and Apoptosis, 91	Nei
Distinct Regulation of Melusin Gene Expression in Cardiac Hypertrophic Response, 974	Inhibition of p38 α MAPK Induces Gender Specific Pressure Overload Cardiac Hypertrophy, Potentially by Upregulating Akt Kinase, 1081	Nei
Does Losartan Improve Diastolic Left Ventricular Function Better than Atenolol During More Than Four Years of Antihypertensive Treatment? The LIFE Study, 2961	Integrin-Linked Kinase Induces The Upregulation Of A Novel Gene That Is Involved In Cardiac Myocyte Survival, 915	Nei
Early Cellular Responses in a Transgenic Mouse Over-expressing Renin Increase Ischemia-induced Arrhythmia, 1399	Is Hypertensive Response a More Powerful Predictor of Future Hypertension than Echocardiographic Left Ventricular Hypertrophy in Normotensives Undergoing Stress Echocardiography?, 3156	Nei
Early Prenatal Undernutrition Causes Cardiac Hypertrophy and Hypertension, 485	KLF15 is a Novel Regulator of Cardiomyocyte Gene Expression, 1256	Nei
Echocardiographic Strain Measurements Reveal Early Signs of Infiltrative Cardiomyopathy: A Study on Patients with Familial Amyloidotic Cardiomyopathy, 1726	Lack of Osteopontin Attenuates Myocardial Hypertrophy in Response to Chronic Pressure Overload, 59	Nei
Effect of Ac-SDKP on Cardiac Rupture and Early Remodeling after Myocardial Infarction in Mice, 124	Left Ventricular Geometry Predicts Mortality in Elderly With Preserved Systolic Function: An Echocardiographic Study in 9771 Patients Over 70 Years Old, 2420	Nei
Effects of C-type Natriuretic Peptide and Nitric Oxide on Contraction are Attenuated in Hypertrophic Myocytes from Pressure-overload Mouse Hearts, 1433	Left Ventricular Hypertrophy is Associated with Normal Segmental Wall Motion at the Site of Myocardial Infarction, 1995	Nei
Electrocardiographic Strain Pattern and Albuminuria Additively Predict Outcomes in Hypertensive Patients: The LIFE Study, 3375	Left Ventricular Mass Versus Relative Wall Thickness for Predicting Mortality in Patients with Preserved Systolic Function - An Echocardiographic Study in 35,607 Patients, 2229	Nei
Endothelial Cell-Specific Endothelin-1-Deficient Mice Have Normal Cardiac Function and an Unaltered Hypertrophic Response to Pressure Overload, 58	Leptin Induces Elongation of Cardiac Myocytes through the Activation of JAK2/STAT3 Cascade, 3597	Nei
Enhanced Pressure Wave Reflection Induces Concentric Left Ventricular Hypertrophy in Hypertension, 3381	Leptin Mediates the Cardiomyocyte Hypertrophic Effects of Angiotensin II and Endothelin-1, 430	Nei
ERK MAPK Regulation of Cardiac Retinoid X Receptor Is Involved in Impaired Fatty Acid β -Oxidation During Hypertrophic Growth, 946	Long-Term Effects of Balloon Angioplasty on Left Ventricular Hypertrophy in Adolescent and Adult Patients with Coarctation of the Aorta: 16-year Follow-Up Results, 2747	Nei
Ethnicity, Body Composition and Heart Size: The Relationship Between Left Ventricular Mass and Fat-Free Mass in Caucasian, Maori, and Samoan Subjects, 3365	Long-Term Efficacy of Medical Treatment in Patients with Hypertrophic Obstructive Cardiomyopathy: Role of Combined Therapy with β -Blocker and Class I Antiarrhythmic Drug, 2791	Nei
Ets-1 is a Transcriptional Mediator of Angiotensin II-induced Vascular Inflammation and Remodeling, 565	MAP Kinase Phosphatase-2 (MKP-2) Gene Expression is Mediated Via the PKC/ERK Signaling Cascade in Cardiac Hypertrophy, 1258	Nei
	Masked Hypertension Is a Great Independent Risk for Target Organ Damage in Treated Hypertensive Patients, 3151	Nei
	Mechanical Stress Activates Angiotensin II Type 1 Receptor Independent of Angiotensin II, 917	Nei
	Mechanisms of Hypertrophy Inhibition by Targeted Downregulation of NF- κ B Activity in Mice, 1088	Nei

- Membrane Protein CD9 Regulates Hypertrophy and Heart Failure via EGFR Signaling In Vitro and In Vivo, 27
- Midsystolic Drop In Left Ventricular Ejection Velocity In Obstructive Hypertrophic Cardiomyopathy Is Caused By Premature Termination And Dysynchrony Of Longitudinal Contraction. Doppler Flow And Tissue Velocity Study Of The "Lobster Claw Abnormality", 3453
- Mineralocorticoid Receptor Antagonism Inhibits the Development of Cardiac Hypertrophy and Prevents the Transition from Hypertrophy to Failure in Low-Renin and Low-Aldosterone Hypertension, 102
- Mixed-Lineage Kinase 1-3 Signaling Pathway Regulates Cardiac Hypertrophic Response via GATA-4 and AP-1 Transcription Factors, 1903
- Muscle Ring Finger Protein, MURF1, Inhibits Cardiac Muscle Hypertrophy Through PKC Mediated Signaling Pathway, 763
- Muscle-specific Ring Finger 1 is a Bona Fide Ubiquitin Ligase that Degrades Cardiac Troponin I, 762
- MYBPC3-Linked Hypertrophic Cardiomyopathy is not a "Benign" Cardiomyopathy, 1738
- Myectomy Improves Pulmonary Hypertension in Hypertrophic Cardiomyopathy, 3137
- Myocardial Deficiency of PPAR- γ Leads to Increased Fibrosis in Response to Pressure Overload Hypertrophy, 1535
- Myocardial Diastolic Dysfunction in Aortic Stenosis Assessed by a New Method Using Transmural Myocardial Strain Profile, 1730
- Myocardial Production And Secretion Of Chromogranin A In Hypertrophic Cardiomyopathy, 2416
- Myofibroblast Transformation and Collagen Deposition in Hearts of Atrial Natriuretic Peptide-Null Mice Are Enhanced In Response to Pressure Overload Stress Compared To Wild-Type Controls, 453
- Neuronal Nitric Oxide Synthase-Deficient Mice Have Increased Mortality and Depressed Cardiac Performance Following Myocardial Infarction, 1603
- Noninvasive Serial Quantification of Minimal Aortic Arch Cross-Sectional Area by High-Resolution 3D-MRI After Transverse Aortic Banding in Mice: Band Internalization is a Major Source for Variability of the Hypertrophic Response, 959
- Nonsurgical Versus Surgical Treatment for Hypertrophic Obstructive Cardiomyopathy: a Single-Center Experience, 3143
- Nonuniform Workload and Remodeling of the Left Ventricle, Induced by Left Bundle Branch Block, is Reversed by Biventricular Pacing, 2269
- Notch1 Signaling Regulates Cardiac Differentiation, Morphogenesis, and Remodeling, 1087
- Novel Mutations in Phospholamban Gene Cause Hypertrophic Cardiomyopathy and Dilated Cardiomyopathy in Japan, 2577
- Novel Role of ARF6 in Caveolae- and Reactive Oxygen Species-dependent AT₁ Receptor Signaling in Vascular Smooth Muscle Cells, 404
- Oxidant Stress From Endothelial Nitric Oxide Synthase Uncoupling Plays A Major Role In Pathologic Remodeling To Pressure Load Cardiac Hypertrophy, 202
- P53 Plays An Important Role During Heart Failure In Transgenic Mice Overexpressing Myotrophin, 52
- Paracrine Role of Adventitial Fibroblasts and Macrophages in Angiotensin II-Induced Reactive Oxygen Species and Hypertrophy of the Mouse Carotid Artery, 1023
- PDE5A Inhibition Attenuates Cardiac Hypertrophy and Hypertrophy Signaling Cascades In Vivo, 298
- Periostin Ablation Attenuates Pathological Remodeling of Pressure-overloaded Heart and Reduces Scar Formation in Infarcted Myocardium, 32
- Persistent Activation of Calcium-Dependent Signaling Causes Hyperphosphorylation of Phospholamban and Adrenergic Hyporesponsiveness in Pressure-Overload Hypertrophy, 1267
- Phosphodiesterase 4D Associates with the Cardiac Calcium Release Channel (Ryanodine Receptor) and Protects from Hypertrophy and Heart failure, 1091
- Physiologically Applied Pressure Overload Produces a Pathological Molecular and Functional Phenotype, 916
- Pressure Overload and Neurohumoral Activation Differentially Affect the Myocardial Proteome, 1264
- Pressure-overload Hypertrophy Results in Increased Expression of the "Decoy-receptor" VEGFR-1 Preventing Angiogenesis, Even in Hypoxia, 2370
- Prevalence and Spectrum of Mutations in Muscle LIM Protein (MLP) Among 389 Unrelated Patients With Hypertrophic Cardiomyopathy, 2578
- Prevention of Cardiac Phenotype in the β -Myosin Heavy -Hain Q403 Transgenic Rabbit Model of Human Hypertrophic Cardiomyopathy by Atorvastatin, 1391
- RAAS Gene Polymorphisms Influence Cardiac Remodeling in Children with Hypertrophic Cardiomyopathy, 2081
- Randomized Therapy for Obstructive Hypertrophic Cardiomyopathy: Long-Term Outcome of Dual-Chamber Pacemaker and Alcohol Septal Ablation, 2423
- Regression of Electrocardiographic Left Ventricular Hypertrophy and Decreased Incidence of New-Onset Congestive Heart Failure in Hypertensive Patients: The LIFE Study, 3379
- Regression of Left Ventricle Hypertrophy after Renal Revascularization is Dependent on Blood Pressure Response and Etiology of Renal Artery Stenosis, 1114
- Regression of Left Ventricular Hypertrophy After Arteriovenous Fistula Closure in Renal Transplant Recipients: Long-Term Follow-up, 3368
- Regulation of Cardiac KCHIP2 Expression by Hypertrophy-Inducing Stimuli, 400
- Relationship between Changes in Myocardial Resistivity, Conduction Velocity, Gap Junctional Topology and Tissue Architecture in Left Ventricular Hypertrophy, 507
- Relationship Between Delayed-Enhancement And The Circulating Levels Of Myocardial Collagen Markers In Patients With Left Ventricular Hypertrophy, 2802
- Reversal of Cardiac Dysfunction by the Conditional Expression of Glycogen Synthase Kinase (GSK) 3- β in the Pressure-Overloaded Heart, 51
- Reversible Pulmonary Artery Banding V: Intermittent x Continuous Ventricle Overload of Goats, 2886
- Risk of Fatal Arrhythmogenesis in LVH: Increased Myocardial Collagen Content and Decreased Collagen Type I/III Ratio are Potential Contributors, 2349
- Role Of Gender, Ovariectomy And Estrogen Replacement On Cardiac Remodeling And Function After Aortic Stenosis In Rats, 3304
- Role of *PTEN* in Cardiac Hypertrophy and Contractile Dysfunction, 914
- Serial Increase in Plasma BNP Level is a Predictor of Heart Failure Death in Hypertrophic Cardiomyopathy, 2804
- SH2-containing Protein Tyrosine Phosphatase (SHP2) Functioning in LIF-induced Signaling Pathway Inhibits Skeletal α -actin Gene Expression in Cardiomyocytes, 36
- Statin Treatment Inhibits Pressure-Induced Myocardial Hypertrophy And Cardiac Expression Of Rac1 GTPase In Vivo, 2792
- Stretch Induces Connective Tissue Growth Factor Expression via EGF-Receptor-Coupled β 1 Integrin, 1368
- Subdepressor Dose of a Long-Acting Calcium Channel Blocker, Benidipine, Ameliorates Diabetic Cardiac Remodeling and Normalizes the Upregulated Endothelin-1 System in the Rat, 3752
- Targeted Expression of a Dominant-negative EGFR in the Heart Elicits an Essential Role of ErbB Signaling in Normal Cardiac Function, 741
- Targeted Proteolysis Activates Calcineurin, 757
- Tetrahydrobiopterin-Deficient Mouse (HPH-1) Displays Pulmonary Hypertensive Phenotype, 1464
- TGF β -Induced Apoptosis via AP-1/SMAD Signaling in Adult Cardiac Myocytes, 266
- TGF β Inducible Early Gene-1 (TIEG1) and Hypertrophic Cardiomyopathy: Discovery and Characterization of a Novel Signaling Pathway, 1080
- The Activated α -Subunit of Heterotrimeric G α Protein Regulates RGS2 Protein Expression by Slowing its Degradation, 1228
- The ER-To-Golgi Traffic Controls Angiotensin II Type 1 Receptor Function And Cardiomyocyte Growth, 737
- The MEK3-MEK5-BMK1 Signaling Pathway Regulates Calcineurin Activity by Phosphorylation of MCIP1, 742
- The Peptidyl Prolyl Cis-trans Isomerase Pin1 Binds Modulatory Calcineurin-interacting Proteins (MCIPs), 1375
- The Sarcolemmal Calcium Pump Directly Inhibits the Calcineurin/NFAT Pathway in the Heart, 759
- The Transcriptional Repressor NAB1 Is A Specific Regulator Of Pathological Cardiac Hypertrophy, 1083
- Thioredoxin Interacts with Ras and GTPase Activity through Reduction of Cysteine Oxidation, 426
- Three-Dimensional Histology Reveals Myocardial Structure of an Intact Heart, 977
- Tissue Doppler Imaging can Discriminate Nonobstructive Hypertrophic Cardiomyopathy from Hypertensive Left Ventricular Hypertrophy with High Predictive Accuracy, 2566
- Toll-Like Receptor 4-Deficient Mice Are Resistant To Pressure-Overload-Induced Cardiac Hypertrophy, 53
- Transactivation of Epidermal Growth Factor Receptor Mediates Catecholamine-Induced Growth of Vascular Smooth Muscle Cells, 150
- Transforming Growth Factor- β 1 (TGF- β 1) Predicts the Severity of Left Ventricular Hypertrophy in Hypertensive Patients, 3377
- Ubiquitin Ligase Atrogin-1 Represses Cardiac Hypertrophy by Promoting Calcineurin Degradation, 761
- Upregulation of Cardiac Gene Expression by β ₃-Adrenoceptor Stimulation is Associated with Activation of Extracellular Signal-Regulated Kinase and Inhibition of c-Jun NH₂-terminal Kinase Pathway, 1225
- Withdrawing Chronic Quinapril Treatment Causes Rebound Volume Overload and Endothelial Dysfunction in Rats with Myocardial Infarction, 1420
- Xanthine Oxidase Inhibition Causes Reverse Remodeling in Rats with Dilated Cardiomyopathy, 101

Hypoxia

15-Lipoxygenase-2 Is Expressed in Human Atherosclerotic Plaques and Regulated By Hypoxia in Human Macrophages: Implications for LDL Oxidation, 1348

A Novel δ -Opioid Signaling Pathway in Cardiac Adrenergic Regulation: Role of Intrinsic Cardiac Adrenergic Cells, 516

A Novel Protocol of Retrograde Cerebral Perfusion with Intermittent Pressure Augmentation for Brain Protection, 2749

AAV-HO-1 Gene Therapy Protects against Multiple Myocardial Ischemic Injury and Prevents Ischemic Cardiomyopathy, 1273

Big Mitogen-Activated Protein (MAP) Kinase 1 (BMK1) is a Novel Regulator of Hypoxia-Inducible Factor 1 α , 1462

Bone Marrow-Derived Cells Contribute to Pulmonary Vascular Remodeling in Hypoxia-Induced Pulmonary Hypertension, 1119

C-Jun N-terminal Kinase (JNK) Promotes Apoptosis at Reperfusion under Energy-limiting Conditions by Phosphorylating IRS-1 and Blocking Insulin Signaling to Akt/PKB, 268

Calcitonin Gene-Related Peptide Prevents Vascular Smooth Muscle Cell Apoptosis via a Novel Mechanism Involving the Insulin-Like Growth Factor 1 Receptor/Phosphatidylinositol 3-Kinase/Akt Signaling Pathway, 1216

Cardiac Expression of an Oxygen Stable Mutant of Hypoxia Inducible Factor 1 α Causes Cardiomyopathy and Vascular Remodeling, 1290

Chemoreflex and Metaboreflex Control During Static Hypoxemic Exercise, 1408

Chronic Moderate Hypoxia Induces Macrophage Activation Via the Akt and β -catenin Pathways, 1316

Cytoglobin: A Novel Cardioprotective Factor in the Stressed Heart, 809

Endothelial Expression of HIF-1 α is a Critical Determinant of Whole-organ Glucose Uptake and Oxidation, 113

Endothelial PAS Domain Protein 1 Gene Promotes Mature Angiogenesis by Modulating the Coordinated Expressions of Flt-1, Fik-1, and Tie2 as Well as VEGF, 1074

Exaggerated Pressor Responses to Apnea in Patients with Obstructive Sleep Apnea, 224

Fibulin-5 May Protect Against Pulmonary Vascular Obliterative Disease in Mice Overexpressing Mts1 (S100A4), 82

Genetically Engineered Mesenchymal Stem Cells Expressing IGF-1 Receptor Are Resistant to Apoptotic Stimuli, 1202

Hypoxia-dependent Remodeling of the Embryonic Cardiac OFT and Susceptibility to Environmental Teratogens via Oxidant Stress, 444

Hypoxia-Induced Autophagy in Cardiac Myocytes, 635

Hypoxia-Induced BMPR Reduction is Associated with Different Changes in BMPR Signal Transducers in Pulmonary Artery Endothelial Cells, 1471

Hypoxia-inducible Factor (HIF)-1 α Influences Vascular Remodeling Associated with Altered Flow, 390

Hypoxic Pulmonary Hypertension: Role of NADPH Oxidase and Superoxide, 483

Impact of Genetic Syndromes on Surgical Correction of Tetralogy of Fallot, 3412

Long-Term Inhibition of Rho-Kinase Ameliorates Hypoxia-Induced Pulmonary Hypertension in Mice: Partial Dependence on Endothelial NO Synthase, 628

Magnetic Resonance Imaging using Steady-State Free Precession Detects Blood Oxygen Level- Dependent Changes in Microcirculation, 3171

Mesenchymal Stem Cells Protected with a Hypoxia-Regulated Heme Oxygenase-1 Vector: A Potential Strategy to Prevent Graft Cell Death in the Ischemic Heart, 11

Methionine Sulfoxide Reductase-A and Sulindac Protect Cardiac Myocytes Against Programmed Death Caused by Hypoxia/Reoxygenation or H₂O₂, 900

Mice Lacking Heme Oxygenase-2 Exhibit Reduced Atherosclerotic Lesion Formation and Chronic Hypoxemia, 1345

Murine Bone Marrow Stromal Cells Protect Cardiomyocytes against Anoxia in vitro, 1561

Myocardial Endothelial Cross-Talk in Stem Cell Homing to the Heart: The Role of Hypoxia and of Hypoxia-Inducible Factor 1- α , 891

Nuclear Respiratory Factor 1 (NRF1) Inhibits Upstream Stimulatory Factor 1 (USF1)-Dependent Transactivation of the Cardiac Isoform of Acetyl-CoA Carboxylase, 39

Overexpression of AKT in Mesenchymal Stem Cells Improves ATP Production Under Hypoxia by Increasing Glucose Uptake and Mitochondrial Enzyme Activity: a Possible Explanation for Increased Resistance to Apoptosis, 267

Pressure-overload Hypertrophy Results in Increased Expression of the "Decoy-receptor" VEGFR-1 Preventing Angiogenesis, Even in Hypoxia, 2370

Reoxygenation Injury Increases Myocardial Matrix Metalloproteinases in Hypoxic Newborn Pigs, 1855

Serum Angiogenic Activity Is Increased In Patients with Cyanotic Congenital Heart Disease, 1836

Spontaneous Pulmonary Hypertension in Fawn Hooded Rats Results From a Mitochondrial Defect that Impairs O₂ Sensing, 1192

Tetrahydrobiopterin Deficiency Uncouples Nitric Oxide Synthase and Causes Pulmonary Hypertension, 79

The E2F4 Transcription Factor Is A Critical Cardiac Survival Factor, 260

The Epsilon Protein Kinase C Isozyme Modulates Cytochrome C Oxidase (CO) Activity Via Interactions With The COIV Subunit in Cardiac Preconditioning, 650

The Erythropoietin-Erythropoietin Receptor System is Crucial for Mobilization of Endothelial Progenitor Cells in Hypoxia-Induced Pulmonary Hypertension, 328

Transgenic Mice with Arterial Smooth Muscle Cell-Specific Conditional Deletion of The Bone Morphogenetic Protein Type IA Receptor (BMPRIA/ALK3) Are Hyporesponsive to Hypoxia, 624

Vagal Nerve Stimulation and Acetylcholine Protect Cardiomyocytes from Acute Ischemia and Hypoxia through Non-Hypoxic Induction of Hypoxia-Inducible Factor-1 α , 961

Zaprinast Attenuates Acute Hypoxic Pulmonary Artery Cytokine Expression and Pulmonary Vasoconstriction, 1711

Imaging agents

Monitoring of Bone Marrow Cell Homing to the Infarcted Human Myocardium, 2051

[18F]-Fluorobenzyl Triphenyl Phosphonium - A Novel Myocardial Perfusion Agent: Assessment of Extraction Fraction and Detection of Stenosis Severity, 2844

An Unusual Presentation of a Cardiac Metastasis, 2005

Annexin A5-Scintigraphy of Forearm Skeletal Muscle as a Novel Tool to Study Ischemia-Reperfusion Injury in Humans in Vivo, 2054

Atherosclerotic Plaque Detection by Contrast-Enhanced MRI: Gadofluorine vs Gd-DTPA, 3175

Contrast-Enhanced Multidetector Computed Tomography Imaging of Acute Myocardial Infarction: Spatial and Temporal Characterization of Myocyte Death and Microvascular Obstruction, 2447

Fibrin-Targeted Contrast Enhancing Agent for Acute and Chronic Thrombus Detection with Magnetic Resonance Imaging in vivo, 1189

Higher Preprocedural Neutrophil Count is Independently Associated with Death or Myocardial Infarction in Medically managed patients Following Cardiac Catheterization, 3760

Imaging Atherosclerotic Plaques with an Endogenous Contrast Agent: HDL, 3435

Impact of Diabetes Mellitus on Plaque Characterization by Virtual Histology Intravascular Ultrasound Imaging, 2460

In Vivo Detection Of Activity Of Gelatinases (MMP-2/MMP-9) In Atherosclerotic Mice, 658

Magnetic Resonance Imaging of Cardiomyocyte Apoptosis In Vivo With a Novel Magneto-Optical Nanoparticle, 3179

Microvascular Leakage in Rats with Metabolic Syndrome, 673

Molecular Imaging of Factor XIIIa Activity in Thrombosis Using a Novel, Near Infrared Fluorescent Contrast Agent That Covalently Links to Thrombi, 832

Novel Echogenic Tissue Plasminogen Activator-Loaded Liposomes for Site-Specific Thrombolysis, 2390

Relation Of Pretest CAD Likelihood And Prevalence Of Reversible And Fixed Defects From An International Study Of Pharmacological Stress SPECT Myocardial Perfusion Imaging, 3169

Single Adenosine Stress Cardiac Magnetic Resonance and Myocardial Perfusion Single Photon Emission Computed Tomography in Patients with Known or Suspected Coronary Artery Disease: Added Value of Rest Perfusion Magnetic Resonance Imaging, 2994

Tibolone, a Selective Estrogen Receptor Modulator, Improves Myocardial Perfusion in Postmenopausal Women with Coronary Artery Disease, 3052

Immune system

A New Methodology to Detect the Natural Anti-Plaque Response in Patients with Ruptured Atherosclerotic Plaques, 588

Aged Rats Lose Estrogen-induced Vasoprotective and Anti-inflammatory Effects in Injured Arteries, 1507

Are Patients with Human Immunodeficiency Virus at Higher Risk for Complications Following Cardiac Surgery?, 1688

Arteriogenesis is Hampered in the Absence of CD4(+) T Lymphocytes after CD4 Depletion or in MHC Class II^{-/-} Mice, 332

Atorvastatin Reduces Th1 Development in Patients with Acute Myocardial Infarction, 3223

B Cells Acting as Antigen-Presenting Cells Contribute to Graft Arterial Disease in Murine Heart Transplantation, 248

Beneficial effect of Thalidomide in Heart Failure, 3349

Biopsy-proven Myocarditis: Prognostic Relevance of Clinical and Etiopathogenetic Features at Diagnosis, 3360

Blockade of Acute-Phase Reaction by Hepatocyte-Specific gp130 Knockout Reduces Experimental Atherosclerosis, 550

Blockade of Receptor for AGE (RAGE) Delays Cardiac Allograft Rejection in Murine Model by Suppression of Inflammation and Apoptosis, 657

C-Reactive Protein is Associated with Recurrent Episodes of Ventricular Tachycardia and Ventricular Fibrillation in Ischemic Patients with Implantable Cardioverter Defibrillator., 2365

CD4 T Cells from Patients with Acute Coronary Syndromes Form Stable Immunological Synapses with Vascular Smooth Muscle Cells and Induce Cell Death, 1187

CDI
il
C
Clas
V
L
Effe
E
Effe
A
V
Enc
C
F
Enh
F
1
Firs
S
Ger
F
Ger
E
C
Hyp
A
Imr
iz
Imr
ir
S
P
C
In V
C
Infe
S
Inhil
N
Inte
th
lr
Lyr
P
Mat
lr
Mye
o
Mye
F
NF-
F
L
Op
N
V
Ora
Pas
F
A
2
Per
C
Pox
A
Pre
Res
Rol
C
T C
A
C
T C
A
Tar
C
il
Tar
e
t
The
l
s
1

- CD8+ T cells Regulate the Arteriogenic Response to Ischemia by Infiltrating the Site of Collateral Vessel Development and Recruiting CD4+ Mononuclear Cells through the Expression of IL-16, 331
- Classic and Alternative Complement Pathways Are Activated in Patients With a Non-ST-Segment Elevation Acute Coronary Syndrome and Are Linked With C-Reactive Protein Blood Levels, 2121
- Effect of STAT 4 and STAT 6 Deletion on the Pathogenesis of Experimental Autoimmune Myocarditis, 608
- Effects of Statin Therapy on Markers of Inflammation and Platelet Activation Following Percutaneous Coronary Interventions in Patients With Stable Coronary Artery Disease, 2856
- Endothelin-1 Enhances Dendritic Cell Adhesion to Murine Endothelial Cells: the Protective Role of ET_A- and ET_B Receptor Antagonists for Reducing Dendritic Cell Adhesion, 1571
- Enhanced Inflammatory Response after Acute Myocardial Infarction is a Predictor of Infarcted Wall Thinning and Left Ventricular Remodeling, 1616
- First Time Assessment of Whole Blood RNA Expression Immediately after Successful Cardiopulmonary Resuscitation, 2129
- Gene Profiling and *in vivo* Validation Reveal a Key Role for the Chemokine Family in Atherosclerosis Development and Progression, 659
- Gene Transfer of Hepatocyte Growth Factor Improves the Development of Experimental Autoimmune Myocarditis through Induction of T Helper 2 Cytokines, 44
- Hyperthermia following Reperfused Acute Myocardial Infarction is Associated with Early Left Ventricular Remodeling, 1610
- Immunogenicity of Embryonic Stem Cells Increases Upon Differentiation in Ischemic Myocardium, 2380
- Immunomodulating Agent Pentoxifylline Reduces the Inflammatory Activity in Patients with High-Risk Non-ST-Segment Elevation Acute Coronary Syndromes. Results of the Randomized, Double-Blind, Placebo-Controlled, Reduction of Cardiac Adverse Events in Acute Coronary Syndromes with Pentoxifylline (RECAP) Pilot Trial, 2113
- In Vivo* Evidence For Involvement of Toll-Like Receptor 2 In Arterial Occlusive Disease, 1049
- Infection, Depression, and Immunity after Coronary Artery Bypass: A Pilot Study of Cognitive Behavioral Therapy, 1963
- Inhibition of Experimental Autoimmune Myocarditis in TLR-4-Deficient Mice, 609
- Interleukin-10 Reduces Endothelium-Dependent T Cell Costimulation through Upregulation of Suppressor of Cytokine Signaling-3 and Immunglobulin-Like Transcript 3 and 4, 1473
- Lymphocyte-associated LIGHT Induces Proinflammatory and Prothrombotic Changes in Human Vascular Endothelial Cells, 998
- Matrix Embedding Alters the Immune Response against Endothelial Cells *In Vitro* and *In Vivo*, 2382
- Myeloid Differentiation Factor-88 Plays a Crucial Role in the Pathogenesis of Coxsackievirus B3-Induced Myocarditis, 31
- Myocardial Invasion of Dendritic Cells After Transplantation: Impact for Functional and Structural Coronary Alterations, 2730
- NF- κ Bp50 is Involved in Outward Arterial Remodeling and Differentially Regulates the Expression of Toll-Like Receptor 4 and Its Endogenous Ligand EDA, 1509
- Opposing Effects of C-Reactive Protein Isoforms on Shear-induced Neutrophil-Platelet Adhesion and Neutrophil Aggregation in Human Whole Blood, 1484
- Oral Tolerance to Oxidized LDL Ameliorates Atherosclerosis, 996
- Passive Immunization with Monoclonal Antibody (IgM) to Phosphorylcholine, an Oxidized LDL Related Neoantigen, Reduces Accelerated Atherosclerosis in a Vein-Graft Model in ApoE Null Mice, 246
- Peripartum Cardiomyopathy: Inflammatory Markers as Predictors of Outcome in 100 Prospective Studied Patients, 3476
- Poxviral Cross-Class Proteinase Inhibitors Reduce Plaque Growth and Alter Arterial Apoptotic Responses and Cellular Apoptosis, 881
- Preclinical Atherosclerosis in Systemic Lupus Erythematosus, 1776
- Resistin is an Inflammatory Marker of Atherosclerosis in Humans, 3439
- Role of Toll-Like Receptor 2 and Toll-Like Receptor 4 in Posts ischemic Coronary Endothelial Dysfunction in Mice, 157
- T Cells in Atherosclerotic Plaque Respond to *Streptococcus pneumoniae*: A Role of T Cell Mimicry between Pathogen-derived Antigens and OxLDL in Atherogenesis?, 1569
- T Cells Infiltrating Carotid Plaque Induce Vascular Smooth Muscle Cell Apoptosis through the Death Receptor Ligand Apo2L/TRAIL, 1186
- Targeted Disruption Of The Chemokine Receptor CCR1 In Bone Marrow Cells Enhances Atherosclerotic Lesion Development And Inflammation In LDL Receptor-Deficient Mice, 1494
- Targeting C - reactive protein: A Novel Model for Studying Its Synthesis and a Novel Key Pathway of Its Transcriptional Regulation in Human Hepatocytes, 1206
- The A3 Adenosine Receptor Agonist CI-IB-MECA Reduces Myocardial Infarct Size in Mice When Administered During Reperfusion: Mechanistic Studies with A3AR gene "Knock-Out" and Bone Marrow Chimeric Mice, 130
- The Adaptive Immune System and Long-Term Outcome in Patients with Stable Coronary Artery Disease: Predictive Value of Routine Laboratory Measurements, 3257
- The Chemokine Receptor Antagonist TAK-779 Attenuates Atherogenesis, 665
- Toll-like Receptor 4 Deficiency Reduces Atherosclerosis and Alters Plaque Phenotype in Apo E-Null Mice without Changing Circulating Cholesterol Levels, 844
- Transfer of Endothelial Progenitor Cells Attenuates Myocardial Dysfunction Induced Following Experimental Myocarditis, 99
- Vaccination against Interleukin 12 Attenuates Atherosclerosis in LDL Receptor-Deficient Mice, 1153
- Immunologic factors**
- 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitors Decrease Toll-Like Receptor 4 Expression and Downstream Signaling In Human CD14⁺ Monocytes, 1565
- Absence of Macrophage Toll-like Receptor 4 Does Not Affect Atherosclerosis in an LDLR^{-/-} Mouse, 1317
- Activation of Natural Killer T Cells Accelerates Human Coronary Atherosclerosis: A Novel Etiological Link Among Hyperlipidemia, Oxidative Stress, and Inflammation, 1613
- Adenosine A2A Receptor Activation Counteracts Atherogenic Effects of Immune Reactants on Cholesterol Flux in Macrophages, 1587
- Adenoviral Overexpression of Human Bcl-2 in Chronic Rat Heart Allografts Suppresses Host Direct Pathway Allorecognition in a Nondonor Alloantigen Specific Fashion, 2721
- Altered Coronary Microvascular Function and Peripheral Endothelial Dysfunction in Young Patients with Systemic Lupus Erythematosus, 3644
- Anti-HSP60 Autoantibodies Induce Atherosclerosis in ApoE-deficient Mice via Endothelial Damage, 661
- Brachial Artery Vasodilator Function and Systemic Inflammation in the Framingham Offspring Study, 375
- Chylomicron Remnants Upregulate CD40 Expression via ERK Signaling Pathway and Redox-Sensitive Mechanism in THP-1 Cells, 554
- Effect of TLR-2 Deficiency on Inhibition of Neointimal Formation after Vascular Injury, 552
- Effects of Combined Treatment with Low Doses of PPAR α/γ Activators on Blood Pressure, Vascular Remodeling, and Inflammation in Angiotensin II-Infused Rats, 480
- Endothelin-1 Enhances Dendritic Cell Adhesion to Murine Endothelial Cells: the Protective Role of ET_A- and ET_B Receptor Antagonists for Reducing Dendritic Cell Adhesion, 1571
- Enhanced Inflammatory Response after Acute Myocardial Infarction is a Predictor of Infarcted Wall Thinning and Left Ventricular Remodeling, 1616
- First Time Assessment of Whole Blood RNA Expression Immediately after Successful Cardiopulmonary Resuscitation, 2129
- In Vivo* Evidence For Involvement of Toll-Like Receptor 2 In Arterial Occlusive Disease, 1049
- In vivo* Visualization of Cardiac Allograft Rejection and Trafficking Passenger Leukocytes Using Bioluminescence Imaging, 2719
- Increased Vascular Inflammation in a Murine Transgenic Model of Endothelial Cell-restricted Endothelin-1 Overexpression, 1208
- Inflammatory Markers and Peripheral Vascular Disease in NHANES 1999-2000, 3740
- Inflammatory Markers CD40L, IL-6, Neopterin, and CRP are Not Influenced by Homocysteine-Lowering Therapy in Patients with Coronary Artery Disease, 1491
- Learning From a Population-based Peripartum Cardiomyopathy Registry, 3364
- Leukocyte Suppression Leads to Improved Clinical Outcomes in Children Status-Postorthotopic Heart Transplantation, 2767
- Macrophage Specific Overexpression of Allograft Inflammatory Factor-1 Reduces Atherosclerosis *In Vivo*: A Novel Atheroprotective Approach against Vascular Inflammation, 1311
- Myocardial Virus Persistence is Associated with Muscarinic Receptor-Mediated Endothelial Dysfunction of Epicardial Arteries in Humans, 341
- Overexpression of IL-10 Within T Lymphocytes Can Significantly Decrease Atherosclerotic Progression after Lesions Are Well-Established, 1156
- Pantethine Beneficially Affects Apolipoprotein A-1, Apolipoprotein B, Low-Density Lipoprotein Particle Size but not High-Sensitivity C-Reactive Protein in a Dyslipidemic Population, 3592
- Passive Immunization with Monoclonal Antibody (IgM) to Phosphorylcholine, an Oxidized LDL Related Neoantigen, Reduces Accelerated Atherosclerosis in a Vein-Graft Model in ApoE Null Mice, 246
- Resistance Arteries of Ang II-Infused Osteopetrotic Mice Show Reduced Impairment of Endothelial Function, Oxidative Stress and Vascular Remodeling, 785
- Suppression of NFAT-Regulated Gene Expression in Peripheral Blood Cells of Cardiac Allograft Recipients Correlates Closely with 2 Hour Post-Dose Cyclosporine Levels, 3294

Targeting CD40 Function with a Selective Phage Display Derived Peptide Antagonist, 1564

Immunologic techniques

p38-MAPK Signaling Pathway Plays an Important Role in the Acute Negative Inotropic Effect of β -Blockers in Human Ventricular Myocytes, 431

Regulation of Cardiac α - and γ -AMPA Subunit Isoforms in the In Vivo Ischemic Heart, 1329

Immunosuppressive therapy

Adenoviral Delivery of a Co-Chemokine Inhibitor, "35k," Reduces Macrophage Recruitment and Atherosclerosis in Apoe Knockout Mice, 1209

Adenoviral Overexpression of Human Bcl-2 In Chronic Rat Heart Allografts Suppresses Host Direct Pathway Allorecognition in a Nondonor Alloantigen Specific Fashion, 2721

Blockade of Receptor for AGE (RAGE) Delays Cardiac Allograft Rejection in Murine Model by Suppression of Inflammation and Apoptosis, 657

Detection of Cardiac Allograft Rejection and Response to Therapy Using Peripheral Blood Gene Expression, 2718

Immunoglobulin Therapy Suppresses Murine Influenza Virus Myocarditis, 2425

Immunomodulating Agent Pentoxifylline Reduces the Inflammatory Activity in Patients with High-Risk Non-ST-Segment Elevation Acute Coronary Syndromes. Results of the Randomized, Double-Blind, Placebo-Controlled, Reduction of Cardiac Adverse Events in Acute Coronary Syndromes with Pentoxifylline (RECAP) Pilot Trial, 2113

KRP-203, A Novel Sphingosine-1-Phosphate Receptor Agonist, Prolongs Graft Survival and Abrogates Transplant Arteriosclerosis in Rat Heart Transplantation, 2722

Leukocyte Suppression Leads to Improved Clinical Outcomes in Children Status-Postorthotopic Heart Transplantation, 2767

Reduction of Circulating Amyloidogenic Light Chains Improves Myocardial Function and Survival Despite Unaltered Amount of Amyloid Myocardial Deposits, 2798

Statins, Angiotensin Receptor Blockers, and Steroid Weaning are Associated with Mortality Reduction Among Heart Transplant Recipients, 3289

Implantable cardioverter defibrillator

Antitachycardia Pacing Beyond Two Attempts for Ventricular Tachycardia in Patients with ICDs is Safe and Incrementally Effective in Reducing Shocks, 1653

Arrhythmogenic Right Ventricular Dysplasia: A United States Experience, 2351

Backup Defibrillation Prolongs Survival in Patients with Indications for Cardiac Resynchronization Therapy by Reducing Sudden Cardiac Death Rate, 2266

Baseline 6 Minute Walk Distance in the Sudden Cardiac Death Heart Failure Trial, 3131

Benefit from Defibrillator Therapy Related to Ventricular Function: Primary versus Secondary Prevention of Sudden Cardiac Death, 2910

C-Reactive Protein is Associated with Recurrent Episodes of Ventricular Tachycardia and Ventricular Fibrillation in Ischemic Patients with Implantable Cardioverter Defibrillator., 2365

Can Algorithms Detect ICD Lead Failure? Results From Simulated Testing at ICD Implantation, 3242

Complete RBBB Pattern in ECGs in Symptomatic Patients with Brugada Syndrome is Associated with a Higher Incidence of Ventricular Fibrillation Events, 1649

Delayed Internal Cardioversion For Atrial Fibrillation Increases Shock Efficacy, 1646

Delivery of Therapy in Association With QRS width in Prophylactic ICD Implantation., 2359

Does Maintaining Sinus Rhythm in High Risk Atrial Fibrillation Population Reduce the Risk of Stroke? The Results of Substrate Ablation and Non-Pharmacological Strategy for Treatment of Atrial Fibrillation (SANS-AFIB) Study, 2704

Does the Use of Beta-Blocker or Choice of Beta-Blocker Impact the Defibrillation Threshold?, 2907

Dofetilide Significantly Reduces Defibrillation Thresholds in Patients with an Inadequate Defibrillation Safety Margin., 3245

Electronic Repositioning™ with a Bipolar Coronary Venous Lead, 3246

Fast Ventricular Tachycardia Induced by Programmed Stimulation Predicts Appropriate Implantable Cardioverter Defibrillator Therapy, 2363

First Ventricular Fibrillation Event in Patients With Brugada Syndrome treated With an Implantable Cardioverter-Defibrillator, 2906

Follow-up of Patients with Hypertrophic Cardiomyopathy after ICD Implantation for Primary Prevention of Sudden Cardiac Death, 2909

Gender and Utilization of Device Therapies: Insights from a Retrospective National Study, 2245

Generalizability of the MADIT II Trial: Comparison of Study Participants versus Eligible Patients in a General Population, 3815

Heart Rate Dynamics at the Onset of Ventricular Fibrillation in Patients with Brugada Syndrome, 3090

Heart Strings: Health Outcomes After an Implantable Cardioverter Defibrillator are Better When Living with a Spouse, 1965

ICD Benefit and ICD Therapy in Patients with Symptoms and Signs of Advanced Heart Failure and Left Ventricular Dysfunction, 1652

Impact of Atrial Fibrillation on Mortality in Patients with an Implantable Cardioverter Defibrillator, 3255

Implantable Defibrillators for the Prevention of Mortality in Patients with Nonischemic Cardiomyopathy: A Meta-Analysis of Randomized Controlled Trials, 2905

Induction of Ventricular Arrhythmia at Electrophysiologic Study in Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation (DEFINITE) Predicts Need for Implantable Cardioverter Defibrillator Therapy, 2902

Intrathoracic Far-field ECG Allows Detection of Ischemia after Total Coronary Occlusion, 3260

Lack of Survival Benefit with Implantable Cardioverter-Defibrillator Placement in Women with Nonischemic Cardiomyopathy Enrolled in the Defibrillators in Nonischemic Cardiomyopathy Treatment Evaluation Trial, 2903

Mortality Reduction by Implantable Cardioverter-Defibrillators in Patients with Ischemic Heart Disease, Congestive Heart Failure, and Ventricular Arrhythmias, 2360

Multicenter, Prospective, Randomized Trial of a New Atrial-Based Managed Ventricular Pacing Mode (MVP) in Dual Chamber ICDs, 2088

Neointima Formation in Response to Carotid Artery Ligation is Exaggerated in Human C-Reactive Protein Transgenic Mice and Prevented by Estrogen Treatment, 992

Predicting 1-Year Mortality in Patients Receiving Implantable Cardioverter-Defibrillators for Congestive Heart Failure, Ischemic Heart Disease, and Ventricular Arrhythmias, 2364

Predictors of Appropriate Implantable Cardioverter Defibrillator Therapy in the Multi-Center Unsustained Tachycardia Trial, 2358

Preimplantation B-Type Natriuretic Peptide is an Independent Predictor of Future Implantable Cardioverter-Defibrillator Shock, 3253

Prevalence of Very Short QT Intervals in Patients with Idiopathic Ventricular Fibrillation and Implanted ICD, 2350

Procedural Outcomes And Device Performance In The COMPANION Trial Of Resynchronization Therapy For Heart Failure, 2084

Programmed Ventricular Stimulation is Associated with Long-Term Outcome in Patients with Nonischemic Dilative Cardiomyopathy Treated with an Implantable Cardioverter-Defibrillator, 2240

Randomized Therapy for Obstructive Hypertrophic Cardiomyopathy: Long-Term Outcome of Dual-Chamber Pacemaker and Alcohol Septal Ablation, 2423

Relationship between Defibrillation Threshold, Programmed Energy, and First Shock Efficacy for Fast Ventricular Tachycardia and Ventricular Fibrillation in PainFREE Rx II, 2362

Risk and Outcome of Infected Pacemakers and Defibrillators in Dialysis Patients, 3243

Risk Stratification of MADIT-II Patients for Predicting Mortality and ICD Benefit, 2361

Safety of Sports in Patients with Implantable Cardioverter Defibrillators: A Survey of NASPE-Heart Rhythm Society Members, 2908

Suboptimal Glycemic Control is Associated with Increased Risk of Ventricular Arrhythmias, 3240

Superior Quality of Life in Patients with Non-Ischemic Dilated Cardiomyopathy and Implantable Cardioverter-Defibrillators: Results from the Defibrillators in Non-Ischemic Cardiomyopathy Treatment Evaluation (DEFINITE) Study, 2904

Survival in Octogenarians after ICD Implantation: Is 80 Too Old?, 1648

Testing the Tests: Relative Sensitivities of 7 Tests Used to Stratify Post-Myocardial Infarction Patients, 2699

The Clinical and Economic Impact of *Staphylococcus aureus* Bacteremia in Patients with Cardiovascular Devices, 2636

The Influence of Antitachycardia Pacing Site on Efficacy of Ventricular Tachycardia Termination, 2085

The Natural History of Individuals with the Brugada Syndrome, 2348

Upper Limit of Vulnerability Testing: Shock-on-T with a Right Ventricular versus Biventricular Pacing Train - Implications on Mechanisms of Defibrillation, 1662

Why Don't ICDs Decrease All-Cause Mortality After MI? Insights from the DINAMIT Study, 2356

Infarct size

A Locally Expressed Splice Variant of IGF-I Reduces Ischemic Injury after Myocardial Infarction by Inhibiting Apoptosis, 1365

Aborted Myocardial Infarction: Absence of a Significant Enzyme Rise After Fibrinolysis as a Predictor of Future Infarction And a Warrant for early Intervention, 2517

Acarbose, an α -glucosidase Inhibitor, Reduces Myocardial Infarction Size in Rabbits by Opening the Mitochondrial K_{ATP} Channels, 3639

Activation Of STAT1 Increases Necrosis And Apoptosis Following Ischemia/Reperfusion Independent Of STAT3 Activation, 2375

An E-PKC Activator Reduces Ventricular Fibrillation, and a Δ -PKC Inhibitor Prevents Stunning in a Porcine Model of Acute Myocardial Infarction,

1
Ato
P
Can
A
Can
A
Con
A
M
Diffe
M
Earl
A
P
Earl
M
Eda
P
Effe
M
Effe
In
Estir
A
R
Fact
M
8(
Fate
Si
Pi
Folic
th
Func
Ri
St
Gluc
A
Ri
Hyp
ag
Iden
H
Di
Indu
Is
17
Infan
fo
Tr
Inhib
Is
31
Inhib
C
Ci
Intra
P
Fu
Invol
Pr
Ische
Le
Lack
fo
Mag
Nk
Mag
Ar
34
MAP
dc
Midk
Inj
Mito
Er
Oper
Pr
Ni
Post
R
8C
Post
Fe

- 128
- Atorvastatin attenuates myocardial ischemia/reperfusion injury through the phosphatidylinositol 3-kinase/Akt-dependent pathway, 1441
- Cardiac-Specific Overexpression of Small Heat-Shock Protein Hsp20 Alleviates Ischemia/Reperfusion Injury and Myocardial Dysfunction, 1439
- Cardioprotection By The Novel Delta Opioid FIT Persists For 5 Days After Administration And Occurs Via Phosphatidylinositol-3 Kinase (PI3k), 512
- Contrast-Enhanced Multidetector Computed Tomography Imaging of Acute Myocardial Infarction: Spatial and Temporal Characterization of Myocyte Death and Microvascular Obstruction, 2447
- Different Ischemic Preconditioning Signalling Pathways Induce Mitochondrial Uncoupling, 1137
- Early Administration of Fluvastatin, But Not At the Onset of Ischemia, Attenuates Myocardial Ischemia-Reperfusion Injury through Nitric Oxide Pathway Rather Than Through Its Antioxidant Property, 982
- Early- vs Late-Onset Cooling for Infarct Size Reduction in Acute Myocardial Infarction, 3506
- Edaravone Attenuates Both Infarct Size and Reperfusion Arrhythmia in Patients With Acute Myocardial Infarction, 2114
- Effect of Ac-SDKP on Cardiac Rupture and Early Remodeling after Myocardial Infarction in Mice, 124
- Effects of Glucose Abnormalities on In-Hospital Outcome after Coronary Intervention for Acute Myocardial Infarction, 3232
- Estimates of Myocardial Necrosis Are More Accurate When Made Late After Myocardial Infarction Using Delayed Contrast-enhanced Magnetic Resonance Imaging, 1909
- Factor Xa Amplifies Tissue Factor Expression in Endothelial Cells by MAPK- and NF- κ B-dependent but not PI3 Kinase-Dependent Pathways, 805
- Fate of Unprotected Side Branches due to Distal Embolization during Stent Implantation for Acute Coronary Syndromes using Distal Protection Procedure, 3511
- Folic Acid Reduces Myocardial Ischemia/Reperfusion Injury by Influencing the NO Pathway: An In Vitro and In Vivo Study, 235
- Functional Recovery after Regenerative Treatment in Patients with Revascularized Acute Anterior Myocardial Infarction: A Randomized Study, 2187
- Glucagon-Like Peptide-1 (GLP-1), A Gut Incretin, Protects the Myocardium Against Ischemic/Reperfusion Injury through the Myocardial GLP-1 Receptor and Activation of Prosurvival Pathways, 314
- Hypercholesterolemia Blunts NO Donor-Induced Late Preconditioning against Myocardial Infarction in Conscious Rabbits, 642
- Identification of Risk Area and Infarct Zone Myocardium from the Contrast Hyperenhancement Visualized After Occlusion/Reperfusion using Delayed Imaging and Exposure to High-Energy Ultrasound, 3317
- Induction of Anoikis Occurs Independent of Caspase Induction following Ischemia/Reperfusion and is Associated with Myocardial Dysfunction, 1713
- Infarct Size Reduction with D-myo-Inositol Trisphosphate: Novel Evidence for a Functional Association between Gap Junctions and Inositol Trisphosphate Receptors, 1428
- Inhibiting Ribosomal S6 Kinase (RSK) Prevents Na⁺/H⁺ Exchanger Isoform 1 (NHE1)-mediated Cardiac Ischemia-reperfusion (I/R) Injury, 312
- Inhibition of Endogenous 20-HETE Formation, An ω -Hydroxylase Cytochrome P450 (CYP) Metabolite of Arachidonic Acid (AA), Is Cardioprotective In A Canine Infarct Model, 511
- Intracoronary AO Hyperbaric Perfusion, Delayed 24 hrs After the Onset of Postinfarction Reperfusion, Reduces Infarct Size and Improves LV Function, 3507
- Involvement of FrzA and the Wnt/Frizzled Pathway in Ischemic Preconditioning, 1434
- Ischemic Postconditioning During Reperfusion Fails to Protect Against Lethal Myocardial Ischemia-Reperfusion Injury in Pigs, 499
- Lack of JunD Reduces Ischemic Injury and Prevents Cardiac Rupture following Myocardial Infarction, 1276
- Magnetic Resonance Imaging of Cardiomyocyte Apoptosis In Vivo With a Novel Magneto-Optical Nanoparticle, 3179
- Magnetic Resonance Myocardial Delayed Enhancement in Infants with Anomalous Origin of Left Main Coronary Artery from Pulmonary Artery, 3488
- MAPKAPK-2 and Serine Phosphorylation of HSP25/27 and α B-crystallin do not Increase Myocardial Resistance to Infarction, 310
- Midkine Plays a Protective Role against Cardiac Ischemia/reperfusion Injury through a Reduction of Apoptotic Reaction, 500
- Mitochondrial Localization of Connexin 43 in Cardiomyocytes and Its Enhancement by Ischemic Preconditioning, 1134
- Opening of Ca²⁺-Activated K⁺ Channels Triggers Early and Delayed Preconditioning Against Ischemia/Reperfusion Injury Independent of Nitric Oxide Synthases in Mice, 1133
- Postconditioning Must be Initiated in Less Than 1 Minute following Reperfusion and is Dependent on Adenosine Receptors and PI3-Kinase, 804
- Postconditioning's Protection Is Not Dependent on Circulating Blood Factors or Cells but Requires PI3-kinase and Guanylyl Cyclase Activation, 802
- Prevention of LV Remodeling with G-CSF in Acute Myocardial Infarction: Insights from FIRSTLINE-AMI (Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor), 1680
- Prostaglandins Mediate the Cardioprotective Effects of Atorvastatin Against Ischemia-Reperfusion Injury, 515
- Randomized Comparison of Prehospital Combination Fibrinolysis Versus Prehospital Initiated Facilitated Percutaneous Coronary Intervention in Acute Myocardial Infarction: Final Results of the Leipzig Prehospital Fibrinolysis Study, 2505
- Retroinfusion, not Systemic Infusion, of Embryonic EPCs Provides Myocardial Protection after Ischemia/Reperfusion in Pigs, 2180
- Serial 3D Echocardiography of Postinfarct Remodeling in the Mouse Model of Myocardial Infarction, 2756
- Serial Magnetic Resonance Imaging for the Assessment of Myocardial Perfusion, Left Ventricular Function, and Infarct Size after Application of Blood-Derived Progenitor Cells in Recanalized Chronic Coronary Total Occlusions, 3173
- Sex and Myocardial Salvage After Reperfusion in Acute Myocardial Infarction, 1935
- Silencing Heat-Shock Factor 1 In Vivo With Small Interfering RNA Abrogates Heat-Stress-Induced Delayed Cardioprotection In Mice, 806
- Silencing HSF-1 Shifts Bax/Bcl-2 Balance, Opens Mitochondrial Pores, and Promotes Formation of Apoptosome, 269
- siRNA-Mediated Inhibition of SHP-1 Alleviates Myocardial Infarction, 519
- ST-Segment Depression in Lead aVR: A Simple and Useful Predictor of Impaired Myocardial Reperfusion in Patients With Inferior Wall Acute Myocardial Infarction, 1609
- ST-Segment Resolution, Time from Symptom Onset to Reperfusion, TIMI Flow Grades, and CK Release: Association with Infarct Size as Assessed by Delayed Enhancement Magnetic Resonance Imaging, 3172
- The A3 Adenosine Receptor Agonist CI-IB-MECA Reduces Myocardial Infarct Size in Mice When Administered During Reperfusion: Mechanistic Studies with A3AR gene "Knock-Out" and Bone Marrow Chimeric Mice, 130
- The JAK/STAT Signaling Pathway Is Essential For Opioid-Induced Cardioprotection (OIC): Role of JAK2 As A Mediator of STAT3 and The Phosphatidylinositol-3 Kinase (PI3k) Pathway, 313
- The Loss Of Ischemic Preconditioning (PC) In The Senescent Heart Is Associated With Impaired Activation Of Endothelial NOS (eNOS) And Is Restored By Administration Of NO Donor, 502
- The Role of Cell Cycle Regulators Cdk2 and Rb in Myocardial Ischemia/Reperfusion Injury, 126
- TNF α -Induced Cardioprotection is Mediated by Reactive Oxygen Species, 129
- Transplantation of Mesenchymal Stem Cells Overexpressing AKT Limits Infarct Size and Prevents Cardiac Dysfunction as Early as 3 Days After Infarction: Evidence Suggesting Paracrine Action Rather Than Regeneration, 1196
- Troponin Elevation Following Percutaneous Coronary Intervention Directly Represents the Extent of Irreversible Myocardial Injury: Insights from Cardiovascular Magnetic Resonance Imaging, 2837
- Inotropic agents**
- A Novel Chimeric Molecule that Exhibits Simultaneous β -Adrenoreceptor Blockade and Cardiac Inotropy in the Heart, 965
- Cardiac Adenoviral S100A1 Gene Delivery Rescues Contractile Function of Failing Myocardium, 4
- Chronic Xanthine Oxidase Inhibition Attenuates the Development of β -adrenergic Hyporesponsiveness and Altered Calcium Cycling Proteins in Chronic Pacing-Induced Heart Failure, 2952
- Complete Restoration of Atrial Contractility by the Atrial K⁺-channel Blocker AVE0118 after Cardioversion of Atrial Fibrillation in the Goat, 459
- Cool-Shock I Study: Mild Hypothermia as positive Intervention in Cardiogenic Shock, 1639
- Effect of Initial Troponin Status on Outcomes after Treatment with Inotropes vs Vasodilators for Acutely Decompensated Heart Failure: An ADHERE® Registry Analysis, 1745
- Is Nesiritide Associated with Renal Injury in Patients with Acutely Decompensated Heart Failure?, 2413
- Levosimendan In Advanced Cardiogenic Shock Improved Survival Compared With enoximone, 2253
- Levosimendan Reduces Circulating Pro-Inflammatory Cytokines and Soluble Apoptosis Mediators in Patients with Decompensated Advanced Heart Failure: Comparison with Dobutamine and Placebo, 2254
- Mode of Positive Inotropic Action of the Novel Atrial K⁺-Channel Blocker AVE0118, 1525
- p38 MAP Kinase Mediates Progressive Right Ventricular Force Decline after Acute Stretch, 1285
- Rapid Non-Genomic Negative Inotropic Effects of Aldosterone in the Human Heart, 2785
- Treatments for Acute Decompensated Heart Failure Have Significant International Variations: An Analysis of the Randomized Interventions

with Tezosentan (RITZ-1) Trial, 2426
 Use and Impact of Inotropes and Vasodilator Therapy During Heart Failure Hospitalization in the ESCAPE Trial, 2415

Insulin

β 2AR-Glu27 Associates With Hypertriglyceridemia to β -blockers and Causes Insulin Resistance in vitro, 2039
 γ -tocopherol, but Not α -tocopherol, Potently Inhibits Neointimal Formation Induced by Vascular Injury in Insulin-Resistant Rats, 1053
 A Haplotype at the Adiponectin Gene is Associated with Different Response of Cardiovascular Risk Factors to Weight Reduction in Overweight Subjects, 3601
 Abnormal Cardiac and Skeletal Muscle Function and Energetics Correlate with Insulin Resistance in Heart Failure, 1608
 Active Metabolite of GLP-1 Mediates Increased Myocardial Glucose Uptake and Improves Hemodynamics in Dilated Cardiomyopathy, 3148
 Angiotensin II Infusion Decreases Plasma Adiponectin Level via Type 1 Receptor in Rats: Implication For Insulin Resistance Associated with Hypertension, 787
 ApoE Knockout and LDL Receptor Knockout Mice Develop Increased Insulin Sensitivity in Liver and Heart In Vivo, 1005
 Apolipoprotein D Knockout Mice Are Protected from Diet-Induced Cardiac Insulin Resistance But Develop Diet-Induced Atherosclerosis, 1579
 Association of the 457G and 276GT Polymorphisms in the Adiponectin Gene with Visceral Fat Accumulation and Metabolic Syndrome in Korean Men, 3598
 C-Jun N-terminal Kinase (JNK) Promotes Apoptosis at Reperfusion under Energy-limiting Conditions by Phosphorylating IRS-1 and Blocking Insulin Signaling to Akt/PKB, 268
 Caffeinated Coffee, Decaffeinated coffee, and Caffeine in Relation to Plasma C-Peptide, a Marker of Insulin Secretion, in US Women, 3775
 Cardiac Hypertrophy Induced by PPAR- γ Agonist Treatment Occurs Independently of Changes in Myocardial Insulin Signaling, 1541
 Consistently Stable Body Mass Index and Changes in Risk Factors Associated with the Metabolic Syndrome, 3567
 Does Metabolic Syndrome Predict Cardiovascular Risk in the Elderly?, 3566
 Effect of Atorvastatin on Glucose Metabolism in Patients with Insulin Resistance, 676
 Effect of Physical Fitness on Serum C-Reactive Protein in Subjects with the Metabolic Syndrome, 3552
 Effect of Valsartan on Insulin Sensitivity, Leptin, and BMI in Hypertensive Obese Patients, 3594
 Electron Spin Resonance Investigation on Modulatory Effects of Aerobic Physical Exercise on Membrane Microviscosity in Essential Hypertension, 3824
 Endothelial Dysfunction and Insulin Resistance. Beneficial Effects of Rosiglitazone on Type 2 Diabetes, 3748
 Forkhead Transcription Factor, Foxc2, Regulates TGF- β 1-induced PAI-1 Gene Expression, 840
 Homocysteine Levels are Raised in the Metabolic Syndrome, 3839
 Hyperglycemia During Cardiopulmonary Bypass is an Independent Risk Factor for Mortality in Patients Undergoing Cardiac Surgery, 2373
 Hyperinsulinemia Activates Vascular Angiotensin II in Humans, 2043
 Hyperinsulinemia and ischemic heart disease risk in men: 13-year follow-up data of the Québec Cardiovascular Study, 3564
 Hyperinsulinemia can Induce Cardiac and Adipose PAI-1 Expression in Vivo Without IRS-1: Supercompensation by Alternative Insulin Receptor Substrates, 413
 Hypertension and Sympathovagal Imbalance are Reversed by Correction of Insulin Resistance Despite Persistent Dyslipidemia Upon Diet Restriction in LDL Receptor- and Leptin-Deficient Mice, 951
 I_{Kv} /HERG K^+ Channel, a Potential Molecular Contributor to QT Prolongation in Type I Diabetic Hearts, 921
 Impact of Short-term and Long-term Activation of Akt on Myocardial Glucose Utilization, 1333
 Importance of Hyperinsulinemia in the Clinical Outcome of Patients Undergoing Percutaneous Coronary Intervention, 3642
 Inactivation of Protein Kinase C- β Reduced Insulin-Stimulated Cardiac Glucose Uptake But Paradoxically Prevented Diet-Induced Cardiac Insulin Resistance, 1331
 Induction of Adipose PAI-1 by Hyperinsulinemia in Vivo is the Major Determinant of Hypofibrinolysis in Obesity and Does not Require Insulin Receptor Substrate (IRS)-1: Direct Demonstration in Vivo Using IRS-1 Knockout Mice, 838
 Insulin Increases Sarcoplasmic Reticulum Calcium ATPase Activity via Ca^{2+} /Calmodulin-dependent Protein Kinase II, 1597
 Insulin Inhibits Opening of the Mitochondrial Permeability Transition Pore via the Reperfusion Injury Salvage Kinase (RISK) Pathway, 131
 Insulin Sensitivity and Endothelial Function in Hypertension: A Comparison between ACE inhibitors and Angiotensin II Blockers, 2817
 Insulin Signaling in Vascular Endothelium: A Key Role for Heterotrimeric G Proteins Revealed by siRNA-mediated G β 1 Subunit Knockdown, 1231
 Insulin-Mediated Regulation of 5'AMP-Activated Protein Kinase, but not Glycolysis, is Attenuated by Fatty Acids, 972

Knockout of Inducible Nitric Oxide Synthase Protects against Metabolic but not Vascular Dysfunction in Diet-induced Obesity in Mice, 162
 Long-Term Treatment With Thiazolidinedione Improves Vasomotion of Resistance Coronary Arteries Independent of Improvements in Clinical Insulin-Resistant Status, 860
 Metabolic Syndrome, its Preeminent Clusters, and the Increased Risk of Incident Coronary Heart Disease, 3843
 Mice with Deletion of Fatty Acid Binding Proteins, ap2 and mal1, Are Protected from Diet-Induced Cardiac Insulin Resistance, 1169
 Mice with Heart-Specific Overexpression of TNF Develop Cardiac Insulin Resistance, 601
 Nitric Oxide Attenuates Aortic Smooth Muscle Cell Motility via Decrease of Small GTPase Rac1 Activity: Role of PTP-PEST and p130cas, 419
 Nitro-Aspirin Improves Insulin Sensitivity in Obese Insulin-Resistant Men, 3789
 No Apparent Benefit of Low Glycemic Index Meals on the Postprandial Lipid Response in Women with Obesity or Insulin Resistance, 3768
 Overexpression of Insulin-Like Growth Factor Binding Protein-2 in Mice Protects against the Development of Insulin Resistance and Obesity, 416
 Pioglitazone, a Peroxisome Proliferator-Activated Receptor (PPAR)- γ Agonist, Improves Left Ventricular Diastolic Function in Essential Hypertension, 3374
 Plasma Adiponectin Is Best Associated with ATP III Defined Metabolic Syndrome in Patients with Coronary Artery Disease, 3559
 Postnatal Deletion of Myocardial Insulin Receptors Augments Myocardial Fatty Acid Utilization and Enhances Mitochondrial Biogenesis, 1553
 Role of the small GTPase, Ras, and Oxidants in Impaired Endothelial Function Associated with Insulin Resistance in LDL Receptor Deficient Mice, 1068
 The Angiotensin Type 1 Receptor Blocker Irbesartan Induces Adiponectin Expression via PPAR- γ Activation, 3851
 The Insulin Gradient Phenomenon: An Underlying Manifestation of the Effects of Body Weight on Blood Pressure and Insulin Resistance Development, 1908
 The PPAR- γ -Activating ARB Irbesartan Stimulates Expression of the Insulin-Signaling Protein CAP and Enhances Insulin-Induced Glucose Uptake, 3850
 Vascular Heme Oxygenase-1 Ameliorates Oxidative Stress-Induced Insulin Resistance and Endothelial Senescence, 423

Intravascular ultrasound/Doppler

A New High-Frequency Intracardiac Imaging Technology with Improved Resolution and Steerability Facilitates Motion Mapping and EP Electrodes for Rhythm Analysis, 3310
 A Platelet Glycoprotein IIb/IIIa Receptor Blocker (Abciximab: ReoPro[®])-Coated Stent inhibits In-Stent Intimal Hyperplasia in Human Coronary Arteries, 2630
 Assessment of Compensatory Remodeling and Plaque Distribution of Coronary Arteries by Multislice Computed Tomography, 2617
 Can Stent/Lesion Length Ratio Influence the Edge Effect After Implantation of Drug-Eluting and Non-Eluting Stents? A Volumetric Intravascular Ultrasound Study, 3395
 Comparison between Optical Coherent Tomography (OCT) and Integrated Backscatter Intravascular Ultrasound (IB-IVUS) Images for Tissue Characterization of Human Coronary Plaques, 2463
 Coronary Endothelial Dysfunction in Cardiac Transplant Recipients is Related to Elevated Levels of ADMA, 338
 Coronary Plaque Burden Determined by Contrast-Enhanced 16-Slice CT is Related to Rapidly Progressing De Novo Stenosis and Restenosis, 2292
 Correlation Between Angiographic TIMI Myocardial Perfusion Grade and Coronary Flow Velocity Patterns in AMI Patients with TIMI Grade 3 Flow, 3505
 Deployment of Cypher-Sirolimus-eluting Stents: Incidence of Stent Underexpansion and Influence of Delivery Pressure, 1828
 Detection of Angiographically Silent Stenoses by Multislice Computed Tomography, 2104
 Drug-Eluting Stent Failures: Insights from Intravascular Ultrasound, 2724
 Early Statin Treatment in Patients with Acute Coronary Syndrome: Demonstration of Beneficial Effect on Atherosclerotic Lesions by Serial Volumetric IVUS Analysis during Half a Year after Coronary Event (The ESTABLISH study), 3219
 Efficacy of Direct Coronary Stenting in Sirolimus-Eluting Stents: IVUS Analysis From the DIRECT Trial, 1702
 How to Guide Stent-graft Implantation in Aortic Type B Dissection?, 3113
 Impact of Adequate Stent Expansion on Angiographic Restenosis with Polymer-Based Paclitaxel-Eluting TAXUS Stents: Post Hoc Analysis from the TAXUS II Study, 2471
 Impact of Diabetes Mellitus on Plaque Characterization by Virtual Histology Intravascular Ultrasound Imaging, 2460
 Improved Long-Term Coronary Bypass Results With A New "No Touch" Vein Graft Preparation Technique: Preliminary Results From An Angiographic And IVUS Follow-Up Study, 2929
 Improved Vessel Morphology Measurements in Contrast-enhanced Multidetector Spiral Computed Tomography Coronary Angiography

U
 In-st
 (P
 Incr
 FI
 Inlu
 P
 Inter
 in
 R
 Intra
 C
 Intra
 PI
 C
 Intra
 Le
 Intra
 Le
 Ni
 R
 Intra
 C
 LDL
 In
 Morp
 R
 Morp
 Pr
 Myoc
 Fu
 One
 El
 C
 Paip
 C
 Perc
 Ec
 Plaqt
 Sy
 Poss
 Va
 Vo
 Predi
 Ult
 16
 Prev
 Relat
 aft
 33
 Rem
 De
 Resu
 De
 An
 Scint
 An
 Ins
 Me
 Seria
 in
 Signi
 Mc
 Six N
 Ra
 Le
 Suste
 St
 Th
 TAXL
 Su
 The E
 Int
 Inf
 The E
 Co
 Threc
 Vu
 of
 Threc
 Dis
 Sir
 Time
 Co
 Ph

- Using Edge-preserving Noise Suppression and Deblurring, 3386
- In-stent Neointimal Changes: Two-year Follow-up Intravascular Ultrasound (IVUS) Study in 120 Lesions, 2462
- Increased Aortic Stiffness with High Pulse Pressure Reduces Coronary Flow Reserve Independent of Vascular Endothelial Function, 3380
- Influence of Thrombolysis in Myocardial Infarction Grades before Percutaneous Coronary Intervention in Microvascular Injury, 3504
- Intensive Compared with Moderate Lipid Lowering Prevents Lumen Loss in Mildly Stenotic Coronary Lesions Undergoing Constrictive Remodeling. Serial IVUS Observations from the REVERSAL Trial, 2911
- Intravascular Magnetic Resonance Imaging to Characterize the Composition of Human Atherosclerotic Plaques in Vivo, 3390
- Intravascular Ultrasound Assessment of Coronary Calcium in Ruptured Plaques: Plaque Rupture Is Associated With Multiple Small Deep Calcium Deposits, 1801
- Intravascular Ultrasound Characteristics of Coronary Plaques in Culprit Lesions in Patients with Acute Myocardial Infarction, 1611
- Intravascular Ultrasound is Superior to Angiography for Assessment of a Left Main Angiographic Stenosis of Less Than 50% to Determine the Need for Revascularization. Observations from The Left Main IVUS Registry, 2461
- Intravascular Ultrasound Radiofrequency Analysis Identifies Plaque Composition Depending on Risk Factors: In Vivo Virtual Histology, 1802
- LDL Cholesterol is a Predictor of Inadequate Coronary Artery Remodeling in Diabetic Patients: An Intravascular Ultrasound Study, 2861
- Morphologic Measurements of Ex vivo Coronary Arteries from High Resolution Volume CT, 2448
- Morphological Features of Rapid Progressing Coronary Plaques Prospectively Determined By IVUS And 16-Slice CT, 2291
- Myocardial Invasion of Dendritic Cells After Transplantation: Impact for Functional and Structural Coronary Alterations , 2730
- One Year Results of Intravascular Ultrasound Analysis for the ABT-578 Eluting Phosphorylcholine-Coated Stent Implantation in de Novo Coronary Lesions, 3502
- Palpography in the IBIS Trial: The Assessment of Mechanical Properties of Coronary Atheroma in 85 Patients, 1803
- Percutaneous Closure Of Atrial Septal Defect Under Intracardiac Echocardiographic Guidance, 2454
- Plaque Progression of Nonculprit Plaques in Patients With Acute Coronary Syndrome: A Serial Intravascular Ultrasound Study, 1800
- Possible Mechanism of Coronary Thrombosis Caused by Focal Vasospasm in Angiographically Nearly Normal Coronary Artery: A Volumetric Intravascular Ultrasound Study, 1698
- Predictors of Angiographil 'No Reflow'During Intravascular Ultrasound-Guided Stent Implantation for Acute Myocardial Infarction, 1626
- Prevalence and Progression of Transplant Vasculopathy in Children, 1848
- Relation between Stent Area, Length, and 8-Month Neointimal Hyperplasia after Sirolimus-eluting Stent Implantation in Small Coronary Arteries, 3399
- Remodeling of Atherosclerotic Coronary Arteries after Simvastatin Therapy Determined by Intravascular Ultrasound, 3436
- Results of a Nitric Oxide Preserver Polymer Coated Stent Implantation in De Novo Coronary Lesions: Clinical, Angiographic, and Stent Volumetric Analysis from NOBLESSE Trial, 1830
- Scintigraphic Myocardial Ischemia and Nonsignificant Coronary Lesions by Angiography: False-Positive Results or Underestimated Atherosclerosis? Insights from Intravascular Ultrasound and Coronary Pressure Measurements, 3165
- Serial Three-Vessel Intravascular Ultrasound Evaluation of Plaque Rupture in Acute Coronary Syndrome, 1799
- Significance of Aldosterone Blockage for Prevention of Atherosclerosis in Monkeys Fed a High-Cholesterol Diet, 183
- Six Month Follow-up Intravascular Ultrasound Study after Rapamycin-eluting Stent for the Treatment of Bifurcated Coronary Lesions, 2459
- Sustained Suppression of Neointimal Hyperplasia by Sirolimus-Eluting Stents in Diabetic Patients: Long-Term Angiographic and Three-Dimensional Intravascular Ultrasound Follow-Up, 3497
- TAXUS II Paclitaxel-Eluting Stent Trial: 2 Year Intravascular Ultrasound Substudy , 2466
- The Effect of Distal Protection Device on the Protection of Microvascular Integrity During Primary Stenting in AMI Without Glycoprotein IIb/IIIa Inhibition, 3510
- The Enigma is Over: "Tako-tsubo" Syndrome is a Peculiar Type of Acute Coronary Syndrome, 593
- Three-Dimensional Effect of Fibrous Cap Thinning on Coronary Plaque Vulnerability: A 3D Intravascular Ultrasound Study with Color Mapping of Stress Distribution, 1808
- Three-Dimensional Ultrasound Evaluation of Neointimal Proliferation in Diabetic Patients: Analysis of 298 Patients Treated with Bare-Metal and Sirolimus-Eluting Stents, 1812
- Time Course of Neointimal Hyperplasia Growth in de Novo Human Coronary Lesions Treated with the ABT-578 Eluting Phosphorylcholine-Coated Stent Implantation, 1804
- Ulcerated Ruptured Plaques Are Not Uncommon in Saphenous Vein Grafts: Insight from Intravascular Ultrasound, 1806
- Utility of Intracardiac Ultrasound in Guiding Circumferential Pulmonary Vein Isolation with Laser Energy Balloon Catheter, 1665
- What is the Optimal Intravascular Ultrasound Stent Area to Achieve with Sirolimus-eluting Stents?, 2458
- Ion channels**
- β -Tubulin: a New Regulator of the Slow Delayed Rectifier Potassium Current I_{Ks}, 287
- 2-hydroxybenzylamine: A Novel Scavenger that Prevents Oxidative Stress-induced Modification of Cardiac Sodium Channels, 74
- A Common Antitussive Drug, Clobutinol, Precipitates the Long-QT2 Syndrome, 73
- A Common Haplotype In The 5' Region Of The SCN5A Gene Is Strongly Associated With Ventricular Conduction Impairment, 1101
- A Critical Amino Acid Determines Flecainide Sensitivity of Voltage-dependent Potassium Channels, 66
- A minK Polymorphism Associated with Increased Risk for Atrial Fibrillation has Complex Effects on Delayed Rectifier Current, 1104
- A Novel Mechanism of Defective Trafficking and Dominant-negative Suppression of KCNQ1 Channel Found in Long QT Syndrome, 922
- Acute Hyperglycemia Impairs K_{ATP} Channel-Mediated Coronary Microvascular Responses, 596
- Adenovirus-Mediated Expression of a Ca²⁺-Activated K⁺ Channel in Mouse Hearts, 399
- Analysis of a Ca Channel β -Subunit, AID, and Rem GTPase Regulatory Complex, 285
- Atrial Fibrillation-Associated Loss of the Background K⁺ Current TASK-1 is Reversed by Phosphatase, 470
- Atrial Ion Channel Expression Changes Associated with Valvular Heart Disease and Atrial Fibrillation in Man, 612
- Atypical Form of Catecholaminergic Ventricular Tachycardia due to a G14876A Mutation in the Cardiac Ryanodine Receptor Gene, 3211
- Ca/Calmodulin-Dependent Protein Kinase II (CaMKII) Reduces the Availability of Cardiac Voltage-Gated Na Channels, 282
- Characterization of a hERG Voltage Clamp Screen Using the IonWorks HT Platform and Comparison to a hERG Rubidium Efflux Screen, 475
- Characterization of the Reconstituted Mitochondrial Ca Uniporter from the Human and Rat Heart: A Different Player from the Mitochondrial Ryanodine Receptor?, 973
- Chronic Amiodarone Dose-Dependently Remodels Ion Channel Transcripts in the Heart, 1248
- Conditional Cardiac Knockout of the Calcium Channel Ca_v1.2 Gene Reveals an Essential Role in Adult Mouse Sinus Node Automaticity, 722
- Constitutive Acetylcholine-dependent Current: A Novel Ionic Target for Atrial Fibrillation, 1530
- Defective Cardiac Ryanodine Receptor Regulation During Atrial Fibrillation, 610
- Delayed Ischemic Preconditioning Activates AKT Signaling Pathway, Phosphorylates Bad, and Protects the Heart Against Ischemia-reperfusion Injury, 647
- Delayed Rectifier Voltage-gated K⁺ Channels Localize into Distinct Sphingolipid/Cholesterol Enriched Membrane Microdomains, 280
- DNA Polymorphisms With Variant In Vitro Function Are Common In The Cardiac Sodium Channel Promoter, 1254
- Effect of Age and Sex on Yield of Long QT Syndrome Genetic Testing, 3515
- Effects of Spironolactone and Canrenoic Acid on Kv4.3 and KCNQ1 + KCNE1 Channels, 471
- Expression of Pacemaker Current HCN Subunits in Normal and Failing Canine Hearts, 613
- Fast Dynamics of Mitochondrial Ca²⁺ Uptake During Excitation-Contraction Coupling in Adult Cardiac Myocytes, 617
- Functional Link between Na Channels and I_{to} Revealed by Posttranscriptional Gene Silencing of Na_v β 1 in Cardiac Myocytes, 283
- Gene Profiling in a Novel Mouse Model of Sudden Cardiac Death with Acquired QT Prolongation and Torsades de Pointes Secondary to Complete AV Block, 463
- Gene Variants in Myocardial Potassium Channel Genes KCNQ1 and KCNH2 Act Additively to Modify the QT Interval., 1103
- Genetic Ablation of K_{ATP} Channels Precipitates Fulminant Left Ventricular Failure with Hepatopulmonary Edema and Death Under Pressure Overload, 938
- Heterozygous SCN5A Knockout Mice Demonstrate Excessive Fibrosis at Old Age, Resulting in Impaired Conduction, 721
- High-Risk for Bradyarrhythmic Complications in Patients with Brugada Syndrome Caused by SCN5A Gene Mutations, 1100
- Hyperpolarization-Activated K⁺ Current: A Novel Potential Contributor to Dynamic Regulation of Atrial Repolarization by G Proteins and Cardiac Remodeling, 775
- Hyperpolarization-Induced Contraction by Calcium Influx through I_h Channels in Rat Ventricular Myocytes, 936
- I_{Kv}/HERG K⁺ Channel, a Potential Molecular Contributor to QT Prolongation in Type I Diabetic Hearts, 921

I _{K₀ Downregulation in Canine Ventricular Hypertrophy Confers the Loss of β-Adrenergic-Induced Shortening of Repolarization, Favoring Proarrhythmia, 1531}	
Identification of Two Novel Mutations of Cardiac Ryanodine Receptor (RyR2) Gene in Exercise-Induced Sudden Deaths, 70	
In vitro Characterization of the Electrophysiological Effects of Mexiletine on SCN5A Mutants Predicts Clinical Response in LQT3 Patients, 1102	
Inner Pore Mutations Correct the Trafficking-Defective Phenotype of the Long QT2 Channel G601S, 68	
InsP ₃ Receptors in Ventricular Myocytes are Primarily in the Nuclear Envelope, Associate with CaMKII δ , and are Phosphorylation Targets, 760	
Isolation, Identification, and Characterization of a New Potassium Channel, 69	
K _{ATP} Channel Genetic Deficiency Disrupts a Vital Proximal Calcium Checkpoint Predisposing to Calcineurin-Dependent Cardiac Hypertrophy and Congestive Heart Failure, 10	
Kir6.2-Deficient Mice are Susceptible to Stretch-Induced Secretion of Atrial Natriuretic Peptide: K _{ATP} Channel Acts as a Negative Feedback Mechanism?, 71	
Lipid Raft Microdomain Integrity Is Essential For the Potassium Current Properties in Atrial Myocardium, 281	
Localization of F-channels to Caveolae Mediates Specific β_2 -AR Modulation of Rate, 289	
Mechanism of Spontaneous Excitability in Human Embryonic Stem Cell-Derived Cardiomyocytes, 220	
Mechanisms for Cardiac Memory: In Vivo Knockdown of the cAMP Response Element Binding Protein Diminishes the Transient Outward Potassium Current, 37	
Mitochondrial K-ATP Channel Activation by Levosimendan Protects Cardiac Myocytes from Oxidant Stress-Induced Apoptosis and Contractile Dysfunction, 2255	
Mitochondrial Nitric Oxide Activates The TIM/TOM Protein Import Channels in Cardiac Mitochondria, 1901	
Mode of Positive Inotropic Action of the Novel Atrial K ⁺ -Channel Blocker AVE0118, 1525	
Molecular Basis of Funny Current (I _f) in Normal and Failing Human Heart, 614	
Murine Embryonic Stem Cells Differentiate into Cardiac Pacemakers, 219	
Mutation in the KCNQ1 Gene Leading to the Short-QT-Interval Syndrome, 1105	
Myotubularins (MTMs) are Lipid Phosphatases that Negatively Regulate the Ca ²⁺ -Activated K ⁺ Channel (KCa3.1), 288	
Novel Mutation (S338F) in Cardiac KvLQT1 S6 Domain Hinders KvLQT1-KCNE1 Coassembly, 67	
Novel SNPs in KCNA5 Gene from Patients with Idiopathic Pulmonary Arterial Hypertension, 85	
Opening of Ca ²⁺ -Activated K ⁺ Channels Triggers Early and Delayed Preconditioning Against Ischemia/Reperfusion Injury Independent of Nitric Oxide Synthases in Mice, 1133	
Opening of Mitochondrial Ca ²⁺ -Activated K ⁺ Channels by NS1619 Attenuates the Mitochondrial Ca ²⁺ Overload with Accompanying Depolarization of the Mitochondrial Membrane, 986	
Overexpression of Kir2.1 Protein Channels in Transgenic Mice Reduces Conduction Velocity and Predisposes to Stable Reentrant Arrhythmias, 724	
Phosphodiesterase 4D Associates with the Cardiac Calcium Release Channel (Ryanodine Receptor) and Protects from Hypertrophy and Heart failure, 1091	
Prevention of Slow and No Flow during Rotational Atherectomy by Continuous Intracoronary Infusion of K ⁺ Channel Opener Nicorandil: Prospective Randomized Trial Comparing Nicorandil with Verapamil, 2315	
Pridine Coenzyme Binding to Kv β Proteins Imparts Redox-Sensitivity to Kv Channels, 286	
Quantitative Analysis of Aberrant Splicing Caused by a Splice-Site Mutation in KCNQ1 Gene of a Patient with Long-QT Syndrome, 447	
Recessive Inheritance of a Subclinical SCN5A Mutation and a Rare Polymorphism of Connexin 40 Underlying Congenital Atrial Standstill, 2686	
Regional Distribution of Ion Channel Gene Expression in the Murine Heart, 1252	
Regulation of K ⁺ Channel Protein, GIRK1 (Kir3.1), Expression by Sterol Regulatory Element Binding Protein (SREBP) in Cultured Atrial Myocytes, 1251	
Regulation of Large Conductance Ca ²⁺ -Activated K ⁺ (BK) Channel by Caveolae Targeting in Vascular Endothelial Cells, 1595	
Rem GTPase and Calcium Channel C-terminus Cooperatively Regulate Calcium Channel Current Expression: Modulation by cAMP-dependent Protein kinase (PKA) sites, 429	
Remodeling of T3-responsive Gene Transcription in Rat Hearts by Chronic Amiodarone, 467	
Rho-GTPase Activating Protein 6 a Regulator of HERG Channel, 284	
Role of ERK-mediated Suppression of Gap Junction Permeability in Cardioprotection Afforded by MitoK _{ATP} Channel Activation, 1135	
SCN5A Polymorphism Rescues Brugada Syndrome Mutation, 1099	
Sustained Tachycardia and Bradycardia Cause Discrete Forms of Arrhythmogenic Ion-channel Remodeling via Specific Molecular Mechanisms, 1533	
Syndrome of Long QT and Sudden Death in the Catecholamine-Challenged, after Depolarization-Prone KATP Channel Knockout Mice, 460	
Targeted Modification Of Atrial Electrophysiology By Homogeneous Transmural Atrial Gene Transfer, 47	
Targeted Mutational Analysis of the Cardiac Ryanodine Receptor in Sudden Unexplained Death: a Molecular Autopsy of 68 Medical Examiner's/Coroner's Cases, 2570	
The Development of an Novel In Vitro Model for Assessing Cardiac Drug Safety Using Human Embryonic Stem Cell-Derived Cardiomyocytes, 216	
The Mouse Cardiac Ventricular Repolarization Gradient is Established by the Homeodomain Transcription Factor Irx5, 443	
The Response of the Intracellular Calcium Release Channel (Ryanodine Receptor) to Known In Vivo Regulatory Ligands is not affected by Acute or Chronic Catecholamine Exposure or Chronic Pressure Overload-Induced Heart Failure, 472	
The Role of the Mitochondrial K _{ATP} Channel in Myocyte Osmotic Stress, 2367	
The Yield of Molecular Genetic Testing in Primary Electrical Heart Disease, 3208	
Treatment of Heart Failure through Ryanodine-Receptor-Stabilizing Protein Calstabin2, 307	
Triggers are Mutation-Type Specific in Long QT Syndrome Type 2, 1741	
Vasopressin Regulates the Epithelial Sodium Channel (ENaC) Via an E3 Ubiquitin-Protein Ligase, Nedd4-2, 1115	
Why do the Pulmonary Veins Show Arrhythmogenesis?, 1396	
Ion currents	
A Critical Amino Acid Determines Flecainide Sensitivity of Voltage-dependent Potassium Channels, 66	
Adenovirus-Mediated Expression of a Ca ²⁺ -Activated K ⁺ Channel in Mouse Hearts, 399	
Ca/Calmodulin-Dependent Protein Kinase II (CaMKII) Reduces the Availability of Cardiac Voltage-Gated Na Channels, 282	
Characterization of a HERG Voltage Clamp Screen Using the IonWorks HT Platform and Comparison to a HERG Rubidium Efflux Screen, 475	
Characterization of the Reconstituted Mitochondrial Ca Uniporter from the Human and Rat Heart: A Different Player from the Mitochondrial Ryanodine Receptor?, 973	
Developmental Changes in APDs and Ionic Currents of Mouse Myoblasts, 1879	
Functional Link between Na Channels and I _{to} Revealed by Posttranscriptional Gene Silencing of Na _v β_1 in Cardiac Myocytes, 283	
Hyperpolarization-Activated K ⁺ Current: A Novel Potential Contributor to Dynamic Regulation of Atrial Repolarization by G Proteins and Cardiac Remodeling, 775	
Intracellular Accumulation of Na ⁺ and Ca ²⁺ During Rapid Pacing Leads to Conduction Block in Branching Strands of Luo-Rudy Dynamic Model Cells, 465	
Lipid Raft Microdomain Integrity Is Essential For the Potassium Current Properties in Atrial Myocardium, 281	
Membrane Depolarizations Produced by Individual Local Ca ²⁺ Releases are Elementary Events in Regulation of Sinoatrial Nodal Cell Beating Rate, 934	
Phosphorylation-Dependent Regulation of L-Type Calcium Currents Is Impaired During Human Chronic Atrial Fibrillation, 611	
SCN5A Polymorphism Rescues Brugada Syndrome Mutation, 1099	
The Novel AF Conversion Agent RSD1235 Terminates EADs and Prevents Torsade de Pointes in a Rabbit Model, 3433	
The Novel Transient Outward Current Antagonist AVE0118 Protects Against Ischemically Induced Ventricular Fibrillation, 469	
Water-leachable Components of Ambient Particulate Matter Alters Regulation of Cardiac Electrical Activity by Adrenergic and Cholinergic Agonists, 1914	
Ion transport	
[Na ⁺] Modulates Synergism Between Na ⁺ /Ca ²⁺ Exchanger and L-type Ca ²⁺ Currents in Cardiac Excitation-Contraction Coupling, 616	
Acidification Limits Mitochondrial Calcium Uptake in Rat Cardiac Mitochondria, 1132	
Atrial Ion Channel Expression Changes Associated with Valvular Heart Disease and Atrial Fibrillation in Man, 612	
Fast Dynamics of Mitochondrial Ca ²⁺ Uptake During Excitation-Contraction Coupling in Adult Cardiac Myocytes, 617	
Ile 48 in Phospholamban is Essential in Forming a Binary Complex with Sarcoplipin, 931	
In vivo myocardial calcium mishandling in Kir6.2-knockout mice captured by manganese-enhanced cardiac magnetic resonance imaging: a mechanism for development of diastolic dysfunction, 1422	
Intracellular Accumulation of Na ⁺ and Ca ²⁺ During Rapid Pacing Leads to Conduction Block in Branching Strands of Luo-Rudy Dynamic Model	

- Cells, 465
 New Candidate of Genetic Predisposing Factor for Essential Hypertension: Japanese Millennium Project and The Ohasama Study, 3816
 Ouabain Antagonists and Na/Ca Exchange Inhibitor Block
 Ouabain-Induced Increase in Myogenic Tone in Mouse Small Arteries, 792
- Ischemia**
 δ -Opioid Receptor Agonist Reduces the Severity of Postresuscitation Myocardial Dysfunction, 2493
 [18F]-Fluorobenzyl Triphenyl Phosphonium - A Novel Myocardial Perfusion Agent: Assessment of Extraction Fraction and Detection of Stenosis Severity, 2844
 A 25 Year Old Pregnant Female with Dyspnea, 2006
 A Cell Autonomous Defect In Response To Chemokine Sdf-1 Is Responsible For Failure Of Ischemic Endothelial Progenitor Cell Mobilization And Differentiation In Diabetes, 3846
 A Combined Cellular Cardiomyoplasty with Autologous Myoblast and Bone Marrow Cells Provides Alliance of Myogenesis and Angiogenesis for Ischemic Cardiomyopathy, 1557
 A Comparison of Effectiveness of Resuscitation after Electrically and Ischemically Induced Cardiac Arrest, 1631
 A Novel δ -Opioid Signaling Pathway in Cardiac Adrenergic Regulation: Role of Intrinsic Cardiac Adrenergic Cells, 516
 A RhoA Kinase Inhibitor Prevents K_{ATP} Channel-Induced Improvement in Postischemic Functional Recovery, 1136
 Acidification Limits Mitochondrial Calcium Uptake in Rat Cardiac Mitochondria, 1132
 Activation Of STAT1 Increases Necrosis And Apoptosis Following Ischemia/Reperfusion Independent Of STAT3 Activation, 2375
 Activation of the δ -opioid Receptor Induces Phosphorylation of Ser368 in Connexin-43 by PKC- ϵ in the Myocardium and Enhances Its Tolerance against Infarction, 649
 Acute Changes of Gene Expression in the Nonischemic Region 2 hours after Myocardial Infarction, 1426
 Adenoviral Expression of Activated PI3-Kinase Rescues Detrimental Effects of Chronic Cardiac-specific Akt Activation, 1364
 Adenovirus-Mediated Delivery of Early Growth Response Factor 1 Gene Increases Tissue Perfusion in a Murine Model of Hindlimb Ischemia, 1454
 Administration of a CO-Releasing Molecule at the Time of Reperfusion Reduces Infarct Size in a Conscious Rabbit Model, 231
 Adremedullin Augments Collateral Development and Mobilization of Endothelial Progenitor Cells in Response to Acute Ischemia, 1297
 Akt1 is Essential for Postnatal Ischemic Angiogenesis, 821
 Alterations In Opioid-Receptor Signaling In The Aged Myocardium, 311
 An E-PKC Activator Reduces Ventricular Fibrillation, and a Δ -PKC Inhibitor Prevents Stunning in a Porcine Model of Acute Myocardial Infarction, 128
 Angiogenic Synergy Between Vascular Endothelial Growth Factor and Angiopoietin-1 Together with Myoblast Therapy for the Treatment of Ischemically Damaged Hind Limb, 1298
 Annexin A5-Scintigraphy of Forearm Skeletal Muscle as a Novel Tool to Study Ischemia-Reperfusion Injury in Humans in Vivo, 2054
 Antistunning Effect of Ischemic Preconditioning Paradoxically Increases Cardiomyocyte Necrosis, 138
 Aorto-Mitral Angle and Flexion are Altered by Acute Ischemic Mitral Regurgitation and Undersized Annuloplasty, 1994
 Apoptosis Inhibition Effectively Protects Myocardium During Cardioplegic Arrest by High-Energy Phosphate Preservation, 21
 Aprotinin Preserves Coronary Endothelial Cellular Junctions and Reduces Myocardial Edema After Regional Ischemia and Cardioplegic Arrest, 2374
 Arteriogenesis is Hampered in the Absence of CD4(+) T Lymphocytes after CD4 Depletion or in MHC Class II^{-/-} Mice, 332
 Atorvastatin attenuates myocardial ischemia/reperfusion injury through the phosphatidylinositol 3-kinase/Akt-dependent pathway, 1441
 Autophagy, a Survival Mechanism in Chronically Ischemic Myocardium, 1424
 Blockade of CC Chemokine Receptor 2 Attenuates Myocardial Ischemia-Reperfusion Injury In Mice, 305
 Bradykinin Preconditioning Improves the Profile of Bad Phosphorylation and Caspase-3 Activation after Cardioplegic Arrest, 1708
 C-Jun N-terminal Kinase (JNK) Promotes Apoptosis at Reperfusion under Energy-limiting Conditions by Phosphorylating IRS-1 and Blocking Insulin Signaling to Akt/PKB, 268
 Ca²⁺ Overloading Is The Consequence Rather Than The Cause Of The Mitochondrial Permeability Transition In Adult Rat Myocytes After Ischemia/Reperfusion, 1131
 Calcitonin Gene-Related Peptide Prevents Vascular Smooth Muscle Cell Apoptosis via a Novel Mechanism Involving the Insulin-Like Growth Factor 1 Receptor/Phosphatidylinositol 3-Kinase/Akt Signaling Pathway, 1216
 Can Myocardial Contrast Echocardiography Replace Radionuclide Perfusion Imaging for the Detection of Residual Infarct-Related Artery Stenosis and Multivessel Disease Following Acute Myocardial Infarction?, 3457
 Cardiac-Specific Overexpression of Small Heat-Shock Protein Hsp20 Alleviates Ischemia/Reperfusion Injury and Myocardial Dysfunction, 1439
 Cardioprotective Role of Hydrogen Peroxide, an Endogenous EDHF, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation in Vivo, 359
 Cariporide Attenuates the Mitochondrial Ca²⁺ Overload and the Mitochondrial Permeability Transition Pore Opening, 497
 Caspase-3 Activation In Murine Myocardium Correlates With Arrest Duration, 1637
 Cell-Mediated Gene Transfer of Master Regulator EPAS1 induces Arteriogenesis In Vivo, 530
 Cellular Mechanisms of D-myo-Inositol Trisphosphate-Induced Cardioprotection: Similarities and Differences with Ischemic Preconditioning, 309
 Chronic Mesenteric Ischemia: Percutaneous Treatment with Endovascular Stent Placement, 2851
 Cognitive Deficit Following Cardiac Surgery is Not a Function of Perioperative Cerebral Ischemia, 2981
 Comparative Effects of Microplasin and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707
 Conduction Alternans in the Ischemic Border Zone as a Precursor of Reentrant Arrhythmias, 1397
 Coronary Collateral Support Remains Recruitable Following Percutaneous Coronary Intervention, 1918
 Cytochrome C: A Novel Cardioprotective Factor in the Stressed Heart, 809
 Deficiency of p53 Upregulated Modulator of Apoptosis Improves Tolerance to Cardiac Ischemia/Reperfusion, 1443
 Delayed Calf Muscle Phosphocreatine Recovery Postexercise Identifies Peripheral Arterial Disease, 2443
 Delayed Ischemic Preconditioning Activates AKT Signaling Pathway, Phosphorylates Bad, and Protects the Heart Against Ischemia-reperfusion Injury, 647
 Diabetic Patients Are At Greater Risk for Developing Intraoperative Myocardial Acidosis/Ischemia During Cardiac Surgery, 3635
 Diminished Propagation of Electrical Conductance in Insulin Receptor Deficient Mouse Hearts Under Normoxic and Ischemic Conditions, 784
 Dobutamine Stress Magnetic Resonance Imaging: A Multicenter Trial for the Assessment of Diagnostic Performance and Reader Variability, 3489
 Does Right-Shifting Hemoglobin-Oxygen Dissociation Attenuate Exercise-Induced Ischemia in Patients with Coronary Artery Disease?, 2835
 Downregulation of PPAR α in Mouse Heart Subjected to Repetitive Ischemia-Reperfusion is Necessary to Maintain Contractile Function, 115
 Dual Mechanisms of AMP-activated Protein Kinase Regulation in the Ischemic Heart, 1549
 Early Cellular Responses in a Transgenic Mouse Over-expressing Renin Increase Ischemia-Induced Arrhythmia, 1399
 Echocardiographic Markers of Myocardial Viability and Reperfusion - Combined Assessment of Segmental Lengthening/Shortening Ratio and Regional Compliance by Strain Doppler Echocardiography, 3129
 Effect of Caffeine on Ischemia Detection by Adenosine SPECT Perfusion Imaging, 3166
 Effect of Diuretic Therapy on Exercise Capacity in Patients with Chronic Angina and Preserved Left Ventricular Function, 2541
 Effect of Opening of Mitochondrial ATP-Sensitive K Channels on Mitochondrial Permeability Transition Pore Opening, 988
 Electrocardiographic Identification of Patients with ST-Elevation Acute Myocardial Infarction Benefiting most from Primary Angioplasty versus Fibrinolysis: Results from the DANAMI-2 Trial, 1933
 Elevated Hemostatic and Inflammatory Markers are Associated with Decreased Ankle-Brachial Index, 3741
 Elimination of Hsp25 Heat-Shock Proteins Protects the Myocardium and Impairs Ca²⁺ Homeostasis During Simulated Ischemic/Reperfusion, 504
 Endothelial C-type Natriuretic Peptide Regulates Coronary Blood Flow and Prevents Ischemia-Reperfusion Injury, 361
 Endothelium-derived Nitric Oxide Regulates In Vivo Oxygen Consumption In Posts ischemic Myocardium, 983
 Enhanced Cardioprotective Efficacy of a Drug Combination Designed to Minimize Myocardial Proton Production from Glucose Metabolism, 518
 ERK Dual Phosphorylation is Negatively Regulated by Ischemic p38MAPK Activation in Adult Rabbit Cardiomyocytes, 133
 Factor Xa Amplifies Tissue Factor Expression in Endothelial Cells by MAPK- and NF- κ B-dependent but not PI3 Kinase-Dependent Pathways, 805
 Feasible and Accurate Assessment of Myocardial Ischemia by Dobutamine Stress Echocardiography with New Real-Time Three-Dimensional: Comparison with Exercise Thallium-201 Single-Photon Emission Computed Tomography, 2220
 Females are More Resistant to Stress Than Males: Gender-Specific Role of HIF in Ventricular Remodeling, 510

Folic Acid Reduces Myocardial Ischemia/Reperfusion Injury by Influencing the NO Pathway: An In Vitro and In Vivo Study, 235

Functional Border Zone in Acute Myocardial Ischemia: Assessment by Tissue Strain and Myocardial Contrast Echocardiography, 3321

G-CSF Improves Regional Blood Flow and Cardiac Function in Chronic Hibernating Swine Myocardium, 501

Genetically Engineered Mesenchymal Stem Cells Expressing IGF-1 Receptor Are Resistant to Apoptotic Stimuli, 1202

Growth Differentiation Factor (GDF)-15 is Induced in the Infarcted Human Myocardium and Protects Cardiomyocytes from Ischemia/Reperfusion Injury, 1421

Guanidinoacetate N-Methyltransferase-Knockout Mice Completely Lacking Myocardial Phosphocreatine Show Normal in vivo Cardiac Function, but Increased Susceptibility to Ischemia/Reperfusion Injury, 970

Hearts from Malonyl CoA Decarboxylase Null Mice are Protected from Ischemic Damage, 1544

Human (N27K) Phospholamban Exacerbates Stress-induced Cardiac Hypertrophy and Ischemic Injury, 56

Hypercholesterolemia Blunts NO Donor-Induced Late Preconditioning against Myocardial Infarction in Conscious Rabbits, 642

Id1 Gene Transfer to Well-Differentiated Endothelial Cell Afforded Angiogenic Property and Contributed to Postnatal Angiogenesis, 532

Impaired Tolerance to Ischemia-Reperfusion in A₁ Adenosine Receptor Knockout Hearts, 987

Improved Survival after Revascularization in Asymptomatic Diabetic Patients with High-Risk Spect Imaging, 2203

Improved Tolerance to Ischemia in Hypertrophied Hearts by Inhibition of Glycogen Synthase Kinase-3, 1704

In vivo myocardial calcium mishandling in Kir6.2-knockout mice captured by manganese-enhanced cardiac magnetic resonance imaging: a mechanism for development of diastolic dysfunction., 1422

Induction of Anoikis Occurs Independent of Caspase Induction following Ischemia/Reperfusion and is Associated with Myocardial Dysfunction . 1713

Infarct Size Reduction with D-myo-Inositol Trisphosphate: Novel Evidence for a Functional Association between Gap Junctions and Inositol Trisphosphate Receptors, 1428

Influence of Adrenergic System Polymorphisms and Nongenetic Factors on Obstructive Coronary Artery Disease (CAD) in Women: Results from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE), 1685

Inhaled Nitric Oxide Limits Murine Ischemia-Reperfusion Injury, 234

Inhibiting Mitochondrial Permeability Transition Pore Opening Protects the Human Myocardium from Ischemia-Reperfusion Injury, 1129

Inhibition of Apoptosis by PR39 Improves Myocardial Ischemia Injury, 199

Inhibition of Endogenous 20-HETE Formation, An ω-Hydroxylase Cytochrome P450 (CYP) Metabolite of Arachidonic Acid (AA), is Cardioprotective in A Canine Infarct Model, 511

Insulin Inhibits Opening of the Mitochondrial Permeability Transition Pore via the Reperfusion Injury Salvage Kinase (RISK) Pathway, 131

Insulin-Mediated Regulation of 5'AMP-Activated Protein Kinase, but not Glycolysis, is Attenuated by Fatty Acids, 972

Intracoronary AO Hyperbaric Perfusion, Delayed 24 hrs After the Onset of Postinfarction Reperfusion, Reduces Infarct Size and Improves LV Function , 3507

Intrathecal Clonidine Reduces the Risk of Ischemic Ventricular Arrhythmias in a Postinfarction Heart Failure Canine Model, 1401

Intrathoracic Far-field ECG Allows Detection of Ischemia after Total Coronary Occlusion, 3260

Is Myocardial Contrast Echocardiography a Viable Alternative to SPECT for the Diagnosis of Coronary Artery Disease in High-Risk Patients? A Multicenter Study, 3455

Ischemia Modified Albumin for the Assessment of Patients Presenting to the Emergency Department with Acute Chest Pain but Normal or Nondiagnostic 12-lead Electrocardiograms and Negative Cardiac Troponin T, 2119

Ischemia Modified Albumin Levels in Patients with Peripheral Vascular Disease and Exercise Induced Skeletal Muscle Ischemia, 1778

Ischemia Promotes Development of Early Afterdepolarization and Ventricular Tachycardia/Fibrillation in a Canine Ventricular Wedge Model of Long QT 3, 1398

Ischemia-reperfusion (I/R) Reveals Differential Regulation in the Phosphorylation of Ser-2809 Site of the Ryanodine Receptor (RyR2) and Phospholamban (PLN) Phosphorylation Sites, 937

Ischemic Postconditioning During Reperfusion Fails to Protect Against Lethal Myocardial Ischemia-Reperfusion Injury in Pigs, 499

Ischemic Preconditioning Mobilizes Cardiac Stem Cells Into the Ischemic/Reperused Myocardium, 654

Ischemic Preconditioning Protects Adult Rat Cardiomyocytes Against Necrosis but not Apoptosis via Activation of PKG , 644

Knockout of the α₂ AMP-Activated Protein Kinase Isoform Decreases the Metabolic Response of the Heart to Ischemia, 112

Lack of GPIIb Integrin Attenuates Atheroprogession and Cerebral Ischemia-Reperfusion Injury in Mice, 1211

Lactadherin/mfg-e8: A Novel Angiogenic Protein Required For VEGF Signaling, 823

Lactadherin/mfg-e8: A Novel Candidate For Promoting Therapeutic Neovascularization In Ischemic Diseases, 1045

Lipoprotein-Associated Phospholipase A₂, High-Sensitivity C-Reactive Protein, and Risk for Ischemic Stroke in Middle-Aged Men and Women in the Atherosclerosis Risk in Communities Study, 2979

Liposomal Hsp90 cDNA Transfection Initiates Neovascularization In Chronic Ischemic Hindlimbs: Evidence For A Microvascular Trigger Mechanism, 533

Long-term Outcome in Patients with Silent versus Symptomatic Ischemia during Dobutamine Stress Echocardiography, 2538

Loss of Cardiac Myocyte-specific Expression of HIF-1α Increases Infarct Size and Susceptibility to Apoptosis, 513

Magnetic Resonance Imaging of Cardiomyocyte Apoptosis In Vivo With a Novel Magneto-Optical Nanoparticle, 3179

Membrane Trafficking of the Membrane Type-1 Matrix Metalloproteinase in Ischemia and Reperfusion: Relation to Interstitial Activity, 1056

Methionine Sulfoxide Reductase-A and Sulindac Protect Cardiac Myocytes Against Programmed Death Caused by Hypoxia/Reoxygenation or H₂O₂, 900

Moderate Ethanol Consumption Improves Mitochondrial Function and Cardiac Energetics during Oxidative Stress: Roles of PKCε and Akt, 969

Modulation of Voltage-Dependent Anion Channel (VDAC) by Bcl-2 Reduces Mitochondrial ATP Uptake and Hydrolysis and Mimics Protective Effects of Diazoxide During Ischemia, 971

Nitric Oxide (NO)-Cyclic Guanosine Monophosphate (cGMP) Pathway Is Involved in Ischemic Postconditioning in The Isolated Rat Heart, 643

Nitric Oxide Prevents Mitochondrial Permeability Transition during Ischemia-Reperfusion: Implications for the Cardioprotective Effects of Late Preconditioning, 1130

Opening of Ca²⁺-Activated K⁺ Channels Triggers Early and Delayed Preconditioning Against Ischemia/Reperfusion Injury Independent of Nitric Oxide Synthases in Mice, 1133

Opening of Mitochondrial Ca²⁺-Activated K⁺ Channels by NS1619 Attenuates the Mitochondrial Ca²⁺ Overload with Accompanying Depolarization of the Mitochondrial Membrane, 986

Opposite Roles of c-Src Tyrosine Kinase on Myocardial Ischemia/Reperfusion Injury and in the Development of Ischemic Preconditioning, 648

Oral Benfotiamine Supplementation Improves Reparative Angiogenesis and Endothelial Cell Survival in Diabetic Model of Peripheral Ischemia by Activation of Akt-B/eNOS Pathway, 1456

Outcomes of Granulocyte Colony-Stimulating Factor Administration to Patients with Severe Coronary Artery Disease , 1681

Phosphodiesterase-5 Inhibitor, Sildenafil, Preconditions Adult Cardiac Myocytes against Necrosis and Apoptosis: Essential Role of NO Signaling, 641

Phosphorylation Status of Matrix Metalloproteinase-2 and Potential Role in Myocardial Ischemia-Reperfusion Injury, 1279

Postconditioning Must be Initiated in Less Than 1 Minute following Reperfusion and is Dependent on Adenosine Receptors and PI3-Kinase, 804

Postconditioning's Protection Is Not Dependent on Circulating Blood Factors or Cells but Requires PI3-kinase and Guanylyl Cyclase Activation, 802

Postconditioning—A Form of "Modified Reperfusion" Protects the Myocardium by Activating the PI3K-Akt Pathway, 801

Preserved Myocardial Function During Acidosis and Ischemia by Transgenic Expression of Modified Troponin I, 226

Prognostic Significance of Silent Myocardial Ischemia During Exercise Stress Testing, 2501

Prostaglandins Mediate the Cardioprotective Effects of Atorvastatin Against Ischemia-Reperfusion Injury, 515

Protection of Cardiac Myocytes from Ischemia/Reperfusion Injury via cGMP-Dependent Protein Kinase Inhibition of p38 MAP-Kinase Activation, 127

Quantitative Angiographic Assessment of Coronary Blood Flow in Patients with Metabolic Syndrome and Diabetes with Normal or Near-Normal Coronary Arteries, 1876

Racial and Gender Differences in the Management of Acute Ischemic Stroke: The North Carolina Collaborative Stroke Registry, 3521

Real-Time Myocardial Contrast Echocardiography, Perfusion Quantitative Analysis, and Heterogeneity in Hypertrophic Obstructive Cardiomyopathy, 3139

Receptor for Advanced Glycation End-products: A Key Player in Myocardial Ischemic Injury, 1425

Regional Myocardial Acidosis During Aortic Clamping Determines Adverse 30-day Outcomes After Cardiac Surgery, 2371

Regulation of Cardiac α- and γ -AMPK Subunit Isoforms in the In Vivo Ischemic Heart, 1329

Regulation of Endothelial Cell and Endothelial Progenitor Cell Survival and Vasculogenesis by Integrin-Linked Kinase: Protection from Detached and Nutrient-Deprived Stress, 329

Re
i
J
Re
t
Re
I
f
Ret
J
Rol
(
Ser
§
Sile
A
Sile
a
Str
h
ε
Sup
tl
C
C
Tan
T
3
Tek
F
Teti
C
The
C
The
(
F
The
C
F
The
A
F
The
A
The
F
1
The
It
The
o
Tim
It
Tiss
T
,
Tiss
It
Tirr
a
Vag
C

Ischer
A B
D
A N
A
A P
R
C
A R
C
Ang
C
Ank
It
C
Are
E
Bon
S
N

- Remote Ischemic Preconditioning Provides Early and Late Protection against Endothelial Ischemia-Reperfusion Injury in Humans: Role of the Autonomic Nervous System, 1472
- Repeated Thermal Therapy Upregulated Endothelial Nitric Oxide Synthase and Augmented Ischemia-induced Angiogenesis in Apolipoprotein E-deficient Mice, 1460
- Resting Magnetocardiographic Imaging Accurately Detects Myocardial Ischemia in Chest Pain Patients With Normal or Nonspecific ECG Findings, 3440
- Retroinfusion, not Systemic Infusion, of Embryonic EPCs Provides Myocardial Protection after Ischemia/Reperfusion in Pige, 2180
- Role of Toll-Like Receptor 2 and Toll-Like Receptor 4 in Posts ischemic Coronary Endothelial Dysfunction in Mice, 157
- Sensitivity of Dipyridamole CMR for the Assessment of Intermediate Severity Coronary Artery Stenosis, 2833
- Silencing Heat-Shock Factor 1 In Vivo With Small Interfering RNA Abrogates Heat-Stress-Induced Delayed Cardioprotection in Mice, 806
- Silencing HSF-1 Shifts Bax/Bcl-2 Balance, Opens Mitochondrial Pores, and Promotes Formation of Apoptosome, 269
- Strategy for Directing Endothelial Progenitor Cells into the Ischemic Myocardium Using Hypoxia Regulated SDF-1 α Vector in a Cardiac Specific Manner In Vivo, 810
- Superiority of Transthoracic 3D Dobutamine Stress Echocardiography for the Assessment of Ischemia; a Comparative Study with Simultaneous Conventional 2D Dobutamine Stress Echocardiography, Thallium SPECT, and Quantitative Coronary Angiography, 2403
- Targeted Disruption Of *cd73*/ecto-5'-Nucleotidase Alters Thromboregulation And Augments Vascular Inflammatory Response, 381
- Telomerase Triggers Angiogenesis and is Required for VEGF Responsiveness in Hind-limb Ischemia, 826
- Tetrahydrobiopterin and NADPH Treatment Reverses Endothelial Dysfunction in Post-ischemic Hearts, 984
- The Crucial Role of Monocyte Chemoattractant Protein-1 in the Development of Murine Ischemic Cardiomyopathy, 1536
- The Epsilon Protein Kinase C Isozyme Modulates Cytochrome C Oxidase (CO) Activity Via Interactions With The COIV Subunit in Cardiac Preconditioning, 650
- The JAK/STAT Signaling Pathway Is Essential For Opioid-Induced Cardioprotection (OIC): Role of JAK2 As A Mediator of STAT3 and The Phosphatidylinositol-3 Kinase (PI3k) Pathway, 313
- The Loss Of Ischemic Preconditioning (PC) In The Senescent Heart Is Associated With Impaired Activation Of Endothelial NOS (eNOS) And Is Restored By Administration Of NO Donor, 502
- The Novel Transient Outward Current Antagonist AVE0118 Protects Against Ischemically Induced Ventricular Fibrillation, 469
- The Protective Effect of the β -Adrenergic Receptor is Through PKA-Mediated Switching of Coupling of the Receptor from Gs to Gi, 1442
- The Role of Cell Cycle Regulators Cdk2 and Rb in Myocardial Ischemia/Reperfusion Injury, 126
- The SDF-1 Chemokine and its Receptor CXCR-4 are Involved in Trafficking of Mesenchymal Stem Cells to Regions of Ischemic Injury, 1205
- Time-Resolved Mitochondrial Events During Simulated Ischemia/Reperfusion In Adult Cardiomyocytes, 198
- Tissue Factor, Factors VIIa and Xa Expression and Local Generation of Thrombin in at Risk Myocardium Occurs Specifically During Reperfusion, 1423
- Tissue-derived Cells Contribute to Endothelial Regeneration during Ischemia-induced Neovascularization, 326
- Trimetazidine Inhibits Mitochondrial Permeability Transition Pore Opening and Limits Lethal Ischemia-Reperfusion Injury, 981
- Vagal Stimulation Suppresses Ischemia-Induced Arrhythmias by Preserving Connexin43 Protein from Dephosphorylation and Degradation, 1419
- Ischemic heart disease**
- A Bradycardic Agent, Cilobradine, Improves Left Ventricular Function in Dogs with Coronary Embolization-Induced Heart Failure, 2794
- A Novel Predictor of Coronary In-Stent Restenosis: Involvement of Plasma Aldosterone Levels, 2539
- A Platelet Glycoprotein IIb/IIIa Receptor Blocker (Abciximab: ReoPro[®])-Coated Stent Inhibits In-Stent Intimal Hyperplasia in Human Coronary Arteries, 2630
- A Randomized Comparison of Off-Pump and On-Pump Multiple Arterial Coronary Revascularization, 2922
- Angiogenesis but not Arteriogenesis Supports Regional Contractility in Chronic Myocardial Ischemia, 1292
- Ankle-Brachial Index Is A Better Predictor Than C-Reactive Protein Of New Ischemic Events In Patients With Clinical Atherosclerosis. The A/RVAG Cohort, 2060
- Are Patient Gestures Such as the Levine Sign Useful in Determining the Etiology of Chest Pain?, 1946
- Bone-Marrow Stem Cell Mobilization Induced by Granulocyte-Colony Stimulating Factor in Patients with a PCI-treated Acute ST-Elevation Myocardial Infarction is Safe: Results from a Double-blind Randomized Study, the Stem Cells in Myocardial Infarction (STEMMI) Trial, 1139
- C-Reactive Protein is Associated with Recurrent Episodes of Ventricular Tachycardia and Ventricular Fibrillation in Ischemic Patients with Implantable Cardioverter Defibrillator., 2365
- Carbon Monoxide Protects Against Cardiac Ischemia-Reperfusion Injury In Vivo via MAPK and Akt-eNOS-cGMP Pathways, 232
- Carvedilol Restores Attenuation of Cardioprotection by Ischemic Preconditioning in the Chronic Ischemic Heart, 505
- Chronic Testosterone Treatment in Men with Coronary Artery Disease: A Study with Perfusion Cardiovascular Magnetic Resonance, 2666
- Comparing the Use of Different Bone Marrow Cell Types in Treating Large Healed Infarcts in the Rat, 1559
- Comparison of Revascularization alone versus Combined Revascularization and Mitral Valve Repair for Ischemic Mitral Regurgitation, 2741
- Competing Risks for Arrhythmic versus Nonarrhythmic Death in Prophylactic ICD Therapy Early after Myocardial Infarction, 2357
- Complete Revascularization Significantly Improves Survival Following Percutaneous Coronary Intervention in Patients with Multivessel Disease, 2857
- Delivery of Therapy in Association With QRS width in Prophylactic ICD Implantation., 2359
- Dipyridamole Reduces but Nicorandil Augments Subendocardial Blood Flow in the Territory Perfused by Stenotic Coronary Artery, 2222
- Direct Evidence that Cytokine-Mobilized Bone Marrow-Derived Cells Regenerate Cardiac Tissue and Improve Left Ventricular Function in Chimeric Mice, 817
- Dobutamine Stress Echocardiography in Patients with Peripheral Arterial Disease: Prognostic Significance of Chronotropic Response, 2221
- Does Coronary Calcium Add Incremental Value for Predicting Cardiac Events when Myocardial Perfusion SPECT is Normal?, 2613
- Does Flow Reserve by Transthoracic Doppler Echo in the Distal Left Anterior Descending Artery Provide Incremental Diagnostic Yield to ²⁰¹Tl SPECT for Vessel Patency?, 2004
- Does Intraoperative TEE Underestimate Ischemic Mitral Regurgitation? Importance of Intraoperative Loading Conditions When Assessing the Mitral Valve, 3042
- Early [within 24 hours] Statin Administration in Patients Presenting with Acute Coronary Syndrome is Associated with Better Outcomes Compared to Delayed [after 24 hours] Administration, 2338
- Effect of the C-1562T Matrix Metalloproteinase-9 Promotor Polymorphism on Number and Function of Stem and Progenitor Cells in Patients with Chronic Ischemic Heart Disease, 1740
- Effects of Left Ventricular Unloading on Calcium Concentration and Infarct Size in Porcine Myocardium, 2725
- Evidence for Extravasation of Intracoronary Administered Bone-marrow Derived CD34+ Stem Cells in Patients With Acute Myocardial Infarction, 239
- Ex vivo Pretreatment with the eNOS Enhancer C2431 Improves Functional Capacity of Progenitor Cells and Increases Exercise Capacity after Cell Transplantation in the Ischemic Hind Limb Model, 851
- Extracorporeal Cardiac Shock Wave Therapy Ameliorates Myocardial Ischemia in Patients with Severe Coronary Artery Disease, 2190
- Hearts from Malonyl CoA Decarboxylase Null Mice are Protected from Ischemic Damage, 1544
- High Mortality Associated With Precluded Coronary Artery Bypass Surgery Due to Severe Distal Coronary Artery Disease, 2205
- Hyperinsulinemia and ischemic heart disease risk in men: 13-year follow-up data of the Québec Cardiovascular Study, 3564
- Identification Of Activator Of G-Protein Signaling 8 (AGS8) Using A Functional Genomics Screen For Postreceptor Signal Regulators In A Rat Heart Model Of Repetitive Ischemia And Coronary Collateral Growth, 1230
- Imaging and Pathologic Characteristics of Left Ventricular Thrombus: A Comparison of Contrast-Enhanced Magnetic Resonance Imaging, Transthoracic Echocardiography and Transesophageal Echocardiography with Surgical or Pathologic Validation, 1911
- Impact of CT-Attenuation Correction on Interpretation of SPECT Images by Readers with Different Interpretative Attitudes, 3168
- Improvement of Myocardial Ischemia and Segmental Wall Motion after Percutaneous Delivery of Intramyocardial Plasmid Encoding VEGF A-165 in No-option Patients: Quantitative Scintigraphic and Ventriculographic Results of the EUROINJECT-ONE Multicenter Study, 1675
- Improvement of Stress LVEF rather than Rest LVEF in Patients with Ischemic Cardiomyopathy and Viable Myocardium, 1996
- Inhibiting Ribosomal S6 Kinase (RSK) Prevents Na⁺/H⁺ Exchanger Isoform 1 (NHE1)-mediated Cardiac Ischemia-reperfusion (I/R) Injury, 312
- Intramyocardial Injection of Fibroblast Growth Factor-1 for Treatment of Refractory Angina Pectoris: The Initial US Experience, 1874
- Ischemic Preconditioning Mobilizes Cardiac Stem Cells into the Ischemic/Reperfused Myocardium, 654
- Left Ventricular Remodeling in Chronic Ischemic Mitral Regurgitation (CIMR), 2934

Local Gene Transfer with Human Tissue Kallikrein Improves Reparative Neovascularization and Cardiomyocyte Viability and Prevents Ventricular Remodelling in a Mouse Model of Myocardial Infarction, 526

Low-Density Lipoprotein Particle Number, Size, and Subspecies in Assessing Cardiovascular Risk: Results from the Framingham Offspring Study, 3583

Metabolic Modulation With Perhexiline Improves Myocardial Function in Ischemic Heart Failure, 3146

Metabolic Syndrome, Inflammation, and Prognosis in Individuals with Known Coronary Artery Disease, 2543

Mitochondrial Localization of Connexin 43 in Cardiomyocytes and Its Enhancement by Ischemic Preconditioning, 1134

Mitral Annular Diameter, An Independent Predictor for Successful Mitral Valve Repair in Patients with Ischemic MR: An Echocardiographic Study, 2192

Mitral Annulus Flattens in Patients With Ischemic Mitral Regurgitation: Transthoracic Real-time Three-Dimensional Echocardiographic Study, 2733

Mortality Reduction by Implantable Cardioverter-Defibrillators in Patients with Ischemic Heart Disease, Congestive Heart Failure, and Ventricular Arrhythmias, 2360

MR Perfusion Imaging for Detection of Coronary Artery Disease: A Multicenter Dose Finding Study in Comparison with X-Ray Coronary Angiography and Single Photon Emission Computed Tomography, 2987

Myocardial Production of Aldosterone in Patients With Normal Left Ventricular Systolic Function, 1720

Myocardial Salvage through a Novel Peptidic c-Jun NH₂-Terminal Kinase Inhibition, 1437

Nuclear Targeting of Akt/PKB by H11 Kinase Promotes Cell Survival, 1438

Ozone Air Pollution is Associated with the Occurrence of Acute Coronary Events: Data from a Population-Based Registry, 3736

Perceived Hyperoxia in the Reoxygenated Heart: Oxygen-Sensitive Signaling for Cell Cycle Arrest and Differentiation of Cardiac Fibroblasts, 120

Percutaneous Mitral Valve Repair for Chronic Ischemic Mitral Regurgitation: Feasibility Study in Ovine Model, 2305

Plasma Interleukin-6 Concentrations, Not C-Reactive Protein Levels, Predict Long-Term Risk of Ischemic Heart Disease in Men: 13-Year Follow-Up Data From the Quebec Cardiovascular Study, 3575

Polymorphisms Of The GP IIIa And P2Y12 Receptors And Modulation Of Antiplatelet Effects Of Combined Aspirin And Clopidogrel Treatment, 2013

Predicting 1-Year Mortality in Patients Receiving Implantable Cardioverter-Defibrillators for Congestive Heart Failure, Ischemic Heart Disease, and Ventricular Arrhythmias, 2364

Prognostic Impact of Prolonged Ventricular Repolarization in Hypertension, 2037

Prognostic Implication of the Tissue Doppler Imaging Analysis in Patients with Ischemic Heart Disease, 2569

Prognostic Value of N-Terminal Pro-BNP versus BNP after Initiation of Treatment in Patients with Chronic Heart Failure, 1763

Progression of Tricuspid Regurgitation after Repaired Functional Ischemic Mitral Regurgitation, 2740

Resistin is a Novel Protector of Myocardial Infarction, 134

Role Of Soluble Epoxide Hydrolase in Posts ischemic Recovery Of Heart Contractile Function, 808

Scintigraphic Myocardial Ischemia and Nonsignificant Coronary Lesions by Angiography: False-Positive Results or Underestimated Atherosclerosis? Insights from Intravascular Ultrasound and Coronary Pressure Measurements, 3165

Sensitivity of Dipyridamole CMR for the Assessment of Intermediate Severity Coronary Artery Stenosis, 2833

Single Adenosine Stress Cardiac Magnetic Resonance and Myocardial Perfusion Single Photon Emission Computed Tomography in Patients with Known or Suspected Coronary Artery Disease: Added Value of Rest Perfusion Magnetic Resonance Imaging, 2994

Smad1 Protects Cardiomyocytes from Ischemia-Reperfusion Injury, 807

SPIRIT FIRST Clinical Trial: A 180-Day Clinical Evaluation of the Guidant Multi-Link Vision® Everolimus-Eluting Coronary Stent System in the Treatment of Patients with de novo Native Coronary Artery Lesions, 2629

Stent Thrombosis and the Paclitaxel-Eluting Stent: A Meta-Analysis, 3182

Systemic Delivery of Human Stem Cells Targeted to Myocardial Infarctions in a Xenogeneic Rat Model, 1336

The Adaptive Immune System and Long-Term Outcome in Patients with Stable Coronary Artery Disease: Predictive Value of Routine Laboratory Measurements, 3257

The Efficacy of Sirolimus-Eluting Stents versus Bare Metal Stents for Diabetic Patients Undergoing Percutaneous Coronary Intervention, 1696

The Frequency Spectrum of Ventricular Fibrillation is Less Organized in Patients With Ischemic Heart Disease than Those Without Ischemic Heart Disease, 3214

The Prognostic Significance of Statin Therapy in Acute Myocardial Infarction Patients with Left Ventricular Dysfunction, 681

Tibolone, a Selective Estrogen Receptor Modulator, Improves Myocardial Perfusion in Postmenopausal Women with Coronary Artery Disease, 3052

Transplantation of Mesenchymal Stem Cells Overexpressing AKT Limits Infarct Size and Prevents Cardiac Dysfunction as Early as 3 Days After Infarction: Evidence Suggesting Paracrine Action Rather Than Regeneration, 1196

Troponin T is a Marker for Long-term Mortality in Systematic OPCAB Surgery, 2547

Undersized Mitral Annuloplasty for Ischemic Mitral Regurgitation does not "Reverse Remodel" the Left Ventricle, 1990

Utility of Euroscore for Multivessel PCI Risk Assessment: a Novel Decision Tool for Prediction of Relative Risk of PCI versus CABG, 2311

Isoeicosanoids

Helicobacter pylori Infection Causes Persistent Platelet Activation in Vivo through Enhanced Lipid Peroxidation, 1353

Inhibition of Endogenous 20-HETE Formation, An ω-Hydroxylase Cytochrome P450 (CYP) Metabolite of Arachidonic Acid (AA), Is Cardioprotective in A Canine Infarct Model, 511

Macrophage-Specific Expression of Type IIA Secretory Phospholipase A₂ Results in Accelerated Early Atherogenesis by Increasing Oxidative Stress in LDL-Receptor Deficient Mice, 1318

Kawasaki disease

Angiotensin Type 1 Receptor Blockers Inhibit Significant Coronary Stenosis in Patients with Coronary Aneurysm after Kawasaki Disease, 3269

Effects of Long-Term β-Blocker Therapy on Ischemic Cardiac Events in Kawasaki Disease, 1839

Elevated Levels of High-sensitivity C-reactive Protein Late after Kawasaki Disease: An Association between Inflammation and Late Coronary Sequelae in Kawasaki Disease, 1841

Endothelial Dysfunction and Therapeutic Strategy for the Long Term after Kawasaki Disease: Assessment of Invasive and Noninvasive Study, 1840

Long-term Follow-up Results of the Percutaneous Transluminal Coronary Revascularization (PTCR) in Kawasaki Disease, 3539

Neutrophil Derived S100A12 is Profoundly Upregulated in Early Stage of Acute Kawasaki Disease, 1842

Possible Role of Myeloid Related Protein (MRP) 8 and MRP14 in Progression of Coronary Artery Lesions in Acute Kawasaki Disease, 1843

Kidney

A Promoter Polymorphism of Human Tissue Kallikrein Gene is Associated with the Response of Blood Pressure to Dietary Salt Restriction, 89

Angiotensin II Infusion Causes Lipid Accumulation in the Renal Tubular Cells, in Which Expression of TGF-β1, PDGF-BB, and PDGF Receptor Increased, 478

Beneficial Renal Effects of Vasopeptidase Inhibition in Experimental Type 2 Diabetes, 1110

Cause-Specific Mortality of Dialysis Patients after Coronary Revascularization: Why Don't Dialysis Patients Have Better Survival after Coronary Intervention?, 2323

Differential Effects of COX-2 Inhibitors on Kidney Function and Renal Morphology in Severe Salt-sensitive Hypertension, 1112

Effect of Chronic Kidney Disease on Long-Term Survival of Patients with Congestive Heart Failure and Coronary Artery Disease, 3466

Evidence of Physical and Functional Interaction of Nitric Oxide and Atrial Natriuretic Peptide Receptors, 451

Fasudil, a Rho-Kinase Inhibitor, Attenuates Glomerulosclerosis in Malignant Hypertensive Rats Partly via Inhibition of Oxidative Stress, 290

Glomerular Cytochrome P-450 Metabolite Regulates Efferent Arteriole Resistance, 484

HMG Co-A Reductase Inhibitors Improve Renal Hemodynamics and Function in Renal Ischemia, 1499

NT-pro-BNP cannot be Used in the Diagnosis of Heart Failure or Volume Overload in Patients with End-Stage Renal Failure, 95

Phosphodiesterase 4B Inhibitor is a Potent Antihypertensive Agent in Dahl Salt-sensitive and Spontaneously Hypertensive Rats, 291

Plasma Levels of C-Reactive Protein are Associated with Early Renal Dysfunction in Newly Diagnosed Essential Hypertensive Patients, 1113

Prognostic Value of Combination of Cardiac Troponin T and B-Type Natriuretic Peptide in Outpatients on Chronic Hemodialysis: 5-Year Outcome Analysis, 2193

Regression of Left Ventricular Hypertrophy After Arteriovenous Fistula Closure in Renal Transplant Recipients: Long-Term Follow-up, 3368

Renal Failure and Acute Myocardial Infarction: The Spectrum of Clinical Characteristics in Dialysis Patients, Chronic Renal Insufficiency, and Nonrenal Patients: A Collaborative Project of the United States Renal Data System (USRDS)/NIH and the National Registry of Myocardial Infarction (NRFMI), 3062

Risk and Outcome of Infected Pacemakers and Defibrillators in Dialysis Patients, 3243

Surv
Ra
Surv
Su
The C
"O
The f
Pe
St
The I
Pr
The I
Es
Fa
The J
Pr
Ve
N-
Upre
St

Laser
Card
Di
Ident
24
Insull
via
Utility
Isc

Leukoc
5-Lip
Hy
Inj
Activ
Pa
Pr
Adve
Le
B Ce
Dit
C-tyr
Na
Card
Nu
Dy
CDB-
Iln
CT
Cell-I
Inf
Circu
Mi
Ar
Efec
Su
Elevs
Va
20
Fact
Mi
80
Gene
arr
High
De
Ca
In Vi
Ce
In viv
Pa
LFA-
Pc
Loca
As
Losa
Sh
Medi
Pl
Su
Modi
HL
Mont
B₂
Ce

- Simvastatin Modulates Angiotensin II Signaling Pathway by Preventing Rac1-Mediated Upregulation of p27, 1117
- Survival of Dialysis Patients in the United States after Percutaneous versus Surgical Coronary Revascularization: Is Surgery Still Better?, 2324
- The Comparative Survival of Dialysis Patients in the United States after "Off-Pump" and "On-Pump" Coronary Artery Bypass Surgery, 2218
- The Effect of Contrast-Induced Nephropathy on Long-Term Mortality After Percutaneous Coronary Interventions: A Prospective Epidemiological Study, 2316
- The Interaction of Vascular Inflammation and Renal Dysfunction for the Prediction of Long-term Death following PCI, 2320
- The Modification of Diet in Renal Disease (MDRD) Equations Provide Valid Estimations of Glomerular Filtration Rates in Patients with Severe Heart Failure, 3339
- The Prevention of Radiocontrast-Induced Nephropathy Trial (PRINT): A Prospective, Double-Blind, Randomized, Controlled Trial of Iso-Osmolar Versus Low-Osmolar Radiocontrast in Combination with N-Acetylcysteine Versus Placebo, 1795
- Upregulation of Renal eNOS by High-Sodium Diet-Induced Oxidative Stress and Hypertension in Doxorubicin-Treated Rats, 486
- Laser**
- Cardiac Abnormalities as a New Manifestation of Nonalcoholic Fatty Liver Disease (NAFLD), 3296
- Identification of Vulnerable Plaque with Optical Coherence Tomography, 2455
- Insulin Inhibits Opening of the Mitochondrial Permeability Transition Pore via the Reperfusion Injury Salvage Kinase (RISK) Pathway, 131
- Utility of Intracardiac Ultrasound in Guiding Circumferential Pulmonary Vein Isolation with Laser Energy Balloon Catheter, 1665
- Leukocytes**
- 5-Lipoxygenase Deficiency Prevents Respiratory Failure and Impairment of Hypoxic Pulmonary Vasoconstriction during Ventilator-Induced Lung Injury, 1193
- Activation of Nuclear Factor- κ B in Neutrophils of Obstructive Sleep Apnea Patients and its Reversal with Nasal Continuous Positive Airway Pressure (CPAP) Treatment, 3790
- Adventitial Mast Cell Degranulation Promotes Intraplaque Hemorrhage in Lesions of ApoE^{-/-} Mice, 1188
- B Cells Acting as Antigen-Presenting Cells Contribute to Graft Arterial Disease in Murine Heart Transplantation, 248
- C-type Natriuretic Peptide Inhibits Leukocyte Recruitment *In Vivo* via Natriuretic Peptide Receptor-C Activation, 1151
- Cardioprotective Effect of cis Element Decoy Oligonucleotides Against Nuclear Factor- κ B in an Experimental Model of Septic Myocardial Dysfunction, 303
- CD8⁺ T cells Regulate the Arteriogenic Response to Ischemia by Infiltrating the Site of Collateral Vessel Development and Recruiting CD4⁺ Mononuclear Cells through the Expression of IL-16, 331
- Cell-based Gene Transfer of Angiopoietin-1 Reduces Airspace Inflammation in the Acute Respiratory Distress Syndrome (ARDS), 1417
- Circulating Levels of Matrix Metalloproteinase-9 and Tissue Inhibitor of Metalloproteinase-1 are Increased in Angiographically Proven Peripheral Arterial Disease and Associated with Disease Severity, 2436
- Effect of P-Selectin on Phosphatidylserine Exposure and Surface-Dependent Thrombin Generation on Monocytes, 833
- Elevated Levels of Myeloperoxidase and Impaired Endothelial Vasoreactivity in Patients with Symptomatic Coronary Artery Disease, 204
- Factor Xa Amplifies Tissue Factor Expression in Endothelial Cells by MAPK- and NF- κ B-dependent but not PI3 Kinase-Dependent Pathways, 805
- Gene Expression Changes in Leukocytes During Cardiopulmonary Bypass are Dependent on Circuit Coating, 2368
- Higher Preprocedural Neutrophil Count is Independently Associated with Death or Myocardial Infarction in Medically managed patients Following Cardiac Catheterization, 3760
- In Vivo* Silencing of CCR2 by Lentiviral siRNA Transfer to Bone Marrow Cells Leads to Persistent Loss of CCR2 Function, 656
- In vivo* Visualization of Cardiac Allograft Rejection and Trafficking Passenger Leukocytes Using Bioluminescence Imaging, 2719
- LFA-1 Shedding From Transmigrated Leukocytes: A Novel Finding With Possible Implications for the Role of Integrins in Atherogenesis, 1214
- Local Production of C-Reactive Protein at Stented Injured Vessel Wall Is Associated With Activation of Leukocyte Integrin Mac-1, 2867
- Losartan Reverses the Hypercholesterolemia-Induced Pro-Inflammatory Shift in Hematopoietic Stem Cell Function, 193
- Mediterranean-inspired Diet Reduces the Number of Leukocytes and Platelets and Decreases Vascular Endothelial Growth Factor in Healthy Subjects, 3832
- Modulation of Leukotriene Biosynthesis by Proinflammatory Cytokines in Human Monocytes, 893
- Monocyte Toll-Like Receptor 2 Stimulation Leads to Increased β_2 -Integrin-Dependent Migration and Firm Adhesion to Endothelial-Like Cells Under Flow Conditions, 1572
- Neutrophil Derived S100A12 is Profoundly Upregulated in Early Stage of Acute Kawasaki Disease, 1842
- Opposing Effects of C-Reactive Protein Isoforms on Shear-induced Neutrophil-Platelet Adhesion and Neutrophil Aggregation in Human Whole Blood, 1484
- Overexpression of IL-10 Within T Lymphocytes Can Significantly Decrease Atherosclerotic Progression after Lesions Are Well-Established, 1156
- Poxviral Cross-Class Proteinase Inhibitors Reduce Plaque Growth and Alter Arterial Apoptotic Responses and Cellular Apoptosis, 881
- Quercetin-glucuronide (QG) Prevents Microcirculatory Complications Acutely Caused by Simultaneously Activated PMN and Platelets (P) in the Human Heart, 599
- Role of CD40 Ligand in Response to Arterial Denudation Injury in Hyperlipidemic Apolipoprotein E-Deficient Mice, 664
- Role of Signal Receptor Protein- α and SH2 Domain-containing Protein Tyrosine Phosphatase-1 in Regulating the Anti-inflammatory Effects of Arterial Elastic Laminae, 569
- Role of Toll-Like Receptor 2 and Toll-Like Receptor 4 in Postischemic Coronary Endothelial Dysfunction in Mice, 157
- T Cells in Atherosclerotic Plaque Respond to *Streptococcus pneumoniae*: A Role of T Cell Mimicry between Pathogen-derived Antigens and OxLDL in Atherogenesis?, 1569
- Targeted Disruption Of The Chemokine Receptor CCR1 In Bone Marrow Cells Enhances Atherosclerotic Lesion Development And Inflammation In LDL Receptor-Deficient Mice, 1494
- The Role of Endothelial- Versus Blood Cell-Associated Angiotensin II Receptor-1 in the Microvascular Responses to Acute Hypercholesterolemia, 667
- Vascular Endothelial Growth Factor (VEGF) Mediates Leukocyte Trafficking Into Allografts Via Interaction With The Chemokine MCP-1, 660
- Lipases**
- Endothelial Lipase is a Major Determinant of LDL Particle Size, 685
- Association Between Lipoprotein-Associated Phospholipase A2 and Coronary Artery Disease: Focus on its Relationship With Lipoproteins and Markers of Inflammation and Hemostasis, 3577
- AT₁-Receptor Blockade Reduces Serum Lipid Alterations via Secretory Phospholipase A₂ Type Ila Inhibition in Patients with Coronary Disease, 194
- Endothelial Lipase Acts on HDL to Activate Peroxisome Proliferator-Activated Receptor- α , 1212
- Endothelial Lipase has Opposite Effects on the Ability of Apolipoprotein AI-Containing Particles to Mediate Free Cholesterol Efflux via SR-BI and ABCA1-Mediated Pathways, 1303
- Endothelial Lipase is Upregulated by Inflammatory Mediators and Correlated with Low HDL Levels Seen in Metabolic Syndrome, 242
- Enhanced Atherosclerosis in Transgenic Watanabe Heritable Hyperlipidemic Rabbits Expressing Human Lipoprotein Lipase, 1008
- In Vivo* Evidence that Secretory Phospholipase is Proatherogenic While Lysosomal Sphingomyelinase is Antiatherogenic, 1588
- Lipoprotein Metabolism and Uptake Direct Divergent Peroxisome Proliferator-Activated Receptor α and Hepatocyte Nuclear Factor 4 α Responses, 1007
- Lipoprotein-Associated Phospholipase A2 is Highly Expressed in Macrophages of Coronary Lesions Prone to Rupture, 1183
- LPL G447 Allele Lowers the Risk of Restenosis after Percutaneous Coronary Intervention, 1520
- Structural basis of Endothelial Lipase tropism for HDL, 166
- Lipids**
- β 2AR-Glu27 Associates With Hypertriglyceridemia to β -blockers and Causes Insulin Resistance *in vitro*, 2039
- A Common PCSK9 Haplotype, Encompassing the E670G cSNP, Is Associated With Plasma Low-Density Lipoprotein Levels and Severity of Coronary Atherosclerosis, 3334
- A Comparison of Lipid Variables as Predictors of Coronary Death: Findings from an Individual Participant Meta-Analysis of 22 Cohort Studies, 3784
- A Multicenter Double-blind Randomized Controlled Trial of a Statin + Angiotensin Receptor Blockade Combination in Patients With Hypertension and Concomitant Hyperlipidemia, 1906
- A PEST Sequence in ABCA1 Regulates Intracellular Trafficking and Cholesterol Efflux from Late Endosomes, 1304
- ABCA1-Mediated Lipid Transport From Both The Liver And The Periphery Are Essential For Maintenance Of Plasma HDL Levels *In Vivo*, 1299
- Abnormal Liver Function Explains the Association Between Low Cholesterol and High Mortality in Korean Men: KMIC Study, 3526
- Addition of Nanomolar Concentrations of D-4F to Human Plasma *In Vitro* Causes the Movement of ApoA-I to Smaller Particles, Reduces Lipid Hydroperoxides, Increases Paraoxonase Activity, and Converts Proinflammatory HDL to Anti-inflammatory, 1165
- Adenosine A2A Receptor Activation Counteracts Atherogenic Effects of Immune Reactants on Cholesterol Flux in Macrophages, 1587
- Angiotensin II Infusion Causes Lipid Accumulation in the Renal Tubular Cells, in Which Expression of TGF- β 1, PDGF-BB, and PDGF Receptor Increased, 478

ApoA-I Lipidation in Primary Mouse Hepatocytes: Evidence for Cholesterol Transfer Independent of ABCA1, 1301

Association Among Alcohol Intake, Plasma High-sensitive C-reactive Protein Levels, and Arterial Stiffness in Middle-Aged Japanese Men, 3547

Association of the 45TG and 276GT Polymorphisms in the Adiponectin Gene with Visceral Fat Accumulation and Metabolic Syndrome in Korean Men, 3598

Association of Triglyceride-to-HDL Cholesterol Ratio with Prevalent Cardiovascular Disease in Patients with Diabetes, 3612

Atorvastatin Inhibits Lrp5/Wnt Mediated In vitro Aortic Valve Cell Proliferation and Bone Matrix Production, 3281

Benefits of Atorvastatin in Subjects With Alzheimer's Disease, 3756

Cardiomyocyte-restricted Inactivation of Peroxisome Proliferator-activated Receptor δ Deletion Causes Lipotoxic Cardiomyopathy, 1551

Chocolate Snack Bars Containing Phytosterols Effectively Lower Total and LDL Cholesterol Without Affecting Plasma Vitamins A or E, 3587

Cholesterol Feeding Strongly Reduces Hepatic VLDL Production in Mice Lacking LXR α , 1018

Circulating OxLDL-E06 Levels Reflect the Presence and Extent of Angiographic Coronary Artery Disease: Strong Association Between Circulating Oxidized Phospholipids and Lp(a) May Potentially Mediate Atherogenicity, 870

Clinical Outcomes of Non-Cachectic Patients with Chronic Heart Failure and Metabolic Dyslipidemia, 2247

Correlates of Progression of Coronary Artery Disease in Postmenopausal Women, 3658

Direct Measurement of Circulating Endothelial Cells and Preclinical Atherosclerosis, 1683

Does Advanced Lipoprotein Testing Improve Identification of Subclinical Atherosclerosis in Young Adults? The Bogalusa Heart Study, 3758

Duration of HMG-CoA Reductase Inhibitor Therapy is an Independent Prognostic Indicator in Patients with Heart Failure, 3342

Early Statin Initiation in Patients with Acute Myocardial Infarction Improved Survival, 2109

Early Statin Treatment in Patients with Acute Coronary Syndrome: Demonstration of Beneficial Effect on Atherosclerotic Lesions by Serial Volumetric IVUS Analysis during Half a Year after Coronary Event (The ESTABLISH study), 3219

Effect of fenofibrate and ezetimibe on lipoprotein subclasses and LDL subclass pattern in patients with mixed hyperlipidemia, 679

Effect of Plant Sterol-Enriched Diacylglycerol Oil on Serum Lipid Parameters in Patients on Pravastatin (10 mg/d), 3764

Effects of Concentric and Eccentric Muscle Exercise on Lipid and Glucose Metabolism in Healthy Sedentary Individuals, 3826

Effects Of Rosuvastatin On Fasting And Postprandial Lipoprotein And Fatty Acid Metabolism In Combined Hyperlipidemic Male Patients With Premature Coronary Sclerosis, 563

Effects of Statin Therapy on Markers of Inflammation and Platelet Activation Following Percutaneous Coronary Interventions in Patients With Stable Coronary Artery Disease, 2856

Efficacy and Safety of Coadministered Fenofibrate and Ezetimibe in Patients with Mixed Hyperlipidemia, 556

Efficacy of Statin Therapy in African-American Patients with Hypercholesterolemia: Results from the ARIES Trial, 3780

Endothelial Lipase has Opposite Effects on the Ability of Apolipoprotein AI-Containing Particles to Mediate Free Cholesterol Efflux via SR-BI and ABCA1-Mediated Pathways, 1303

Endotoxin-Induced Activation of Monocytes and the Coagulation Cascade is Inhibited by Statins, 1157

Fasting Serum Apolipoprotein (Apo) B-48 Levels Measured by a Novel ELISA are a Simple and Useful Marker for Postprandial Hyperlipidemia and predict Coronary Heart Disease (CHD), 872

Gene Expression Profile, Coronary and Peripheral Vascular Function in Spontaneously Hypertensive Rats following Chronic Voluntary Exercise, 344

Generation of a Recombinant Apolipoprotein E Variant With Improved Biological Functions: Hydrophobic Residues (L261, W264, F265, L268, V269) of ApoE Can Account for the ApoE-Induced Hypertriglyceridemia, 171

Genetics of Cholesterol Absorption and Plasma Plant Sterol Levels on the Pacific Island of Kosrae, 3332

Genome-wide Scan for HDL-C in Canadian Families with Low HDL-C, 3325

Graded Benefit of Atorvastatin Over Pravastatin Dependent Upon Baseline LDL, 3221

HDL Elevation by the CETP-Inhibitor Torcetrapib Prevents Aortic Atherosclerosis in Rabbits, 1168

Hedgehog: A Novel Regulator of Lipid Uptake by Plaque Macrophages, 1580

Hypoadiponectinemia in Men is Strongly Associated with Early Onset of Coronary Artery Disease and Multiple Stenoses of Coronary Arteries, 2918

Impaired Peripheral Fatty Acid Trapping and Exaggerated Postprandial Lipemia in HIV-Lipodystrophy, 877

Increase in Circulating Levels of Adiponectin by Statin and Fibrate in Patients With Coronary Artery Disease, 682

Increased Arterial Stiffness in Children with Human Immunodeficiency Virus: Impact of Disease and Antiretroviral Therapy, 1059

Increased Risk of Adverse Events with Gemfibrozil Relative to Fenofibrate, 3755

Increases in HDL-Cholesterol are the Strongest Predictors of Risk Reduction in Lipid Intervention Trials, 3754

Inhibition of Cholesteryl Ester Transfer Protein by JTT-705 in Combination with Pravastatin in Type II Dyslipidemia, 683

Inhibition of Fractional Intestinal Cholesterol Absorption by Zetia Alters Hepatic Cholesterol Balance in E-KO x ABCG5-G8-Tg and LDLr-KO x ABCG5-G8-Tg Mice, 1307

Inhibition of Lipopolysaccharide-Induced Inflammatory Responses by an HDL Mimetic Peptide, 993

Inhibition of Sphingomyelin Synthesis Reduces Atherogenesis in ApoE Knockout Mice, 1002

Inhibition of the Interleukin-converting Enzyme Improves Endothelial Function in Hyperlipidemic Rabbits, 1062

Intestinal Cholesterol Absorption is Drastically Reduced in Mice Deficient in Both ATP-Binding Cassette Transporter A1 (ABCA1) and Acyl-CoA:Cholesterol O-Acyltransferase 2 (ACAT2), 1308

LDL Cholesterol is a Predictor of Inadequate Coronary Artery Remodeling in Diabetic Patients: An Intravascular Ultrasound Study, 2861

Lifestyle Interventions Designed to Lower Blood Pressure Also Improve Serum Lipids: The PREMIER Trial, 3573

Lifetime Drinking Pattern is Related to Risk of Metabolic Syndrome, 3842

Linkage Analysis of LDL Cholesterol in American Indian Populations: The Strong Heart Family Study, 3817

Low Adiponectin Levels in Patients with Familial Combined Hyperlipidemia are Independent of Obesity, 874

Low Admission LDL-Cholesterol Predicts Increased 3-Year Mortality in Patients with Non-ST-Segment Elevation Myocardial Infarction, 2126

Low HDL Cholesterol is Associated with a Prothrombotic State: The Framingham Heart Study, 3581

Low Levels of High-Density Lipoprotein Cholesterol Are Associated With Vascular Remodeling in Cardiac Transplant Recipients, 2059

Low Plasma Phospholipid Transfer Protein (PLTP) is a Risk Factor for Peripheral Arterial Disease, 557

Minimally Oxidized LDL Induced ERK1/2 Activation via Homodimerization of Lox-1 in the Cell Membrane, 947

Modulation of Leukotriene Biosynthesis by Proinflammatory Cytokines in Human Monocytes, 893

National Estimates of Outpatient Cardiovascular Medication Use in Aged Medicare Beneficiaries, 3814

Niacin Corrects Endothelial Dysfunction in Patients with Low HDL, without Affecting HDL, 161

Non-high-density Lipoprotein Cholesterol is the Best Discriminator of Myocardial Infarction in Young Individuals, 2211

Novel ELISA for Apo B-48 revealed Chylomicron Remnants (CR) are Accumulated in the Serum of Diabetic Patients, Predisposing Them to Coronary Heart Disease (CHD), 873

Opportunity for Intervention to Achieve American Heart Association (AHA) Optimal Lipid Levels in High-Risk Women in a Managed Care Setting, 3708

Palm-held Digital Assistants and Periodic Physician Feedback Demonstrate No Incremental Value in Achieving LDL-cholesterol Goals, 3702

Palmitoylation Of ABCA1 Is Required For Its Normal Trafficking To The Plasma Membrane And For Lipid Efflux Activity, 1305

Pantethine Beneficially Affects Apolipoprotein A-1, Apolipoprotein B, Low-Density Lipoprotein Particle Size but not High-Sensitivity C-Reactive Protein in a Dyslipidemic Population, 3592

Pharmacologic Activation of Liver X Receptor Promotes Reverse Cholesterol Transport from Macrophages to Feces In Vivo, 1586

Population Implications of More Aggressive Low-Density Lipoprotein Cholesterol Treatment Goals in 'High-Risk' American Adults: NHANES 1999-2000, 3701

Preoperative Hypertriglyceridemia is Associated with Early Occlusion of Radial Artery but not Saphenous Vein Coronary Bypass Grafts, 875

Prevalence and Treatment of Dyslipidemia Among Persons with Diabetes in the United States 1999-2000, 3682

R483, a Novel and Potent Peroxisome Proliferator-Activated Receptor- γ Agonist, is Associated with Beneficial Effects on Plasma Lipids in Two Mouse Models of Type 2 Diabetes, 3640

Racial Differences in Lipid Management and Cardiovascular Outcomes Among Patients with Coronary Artery Disease: Substudy of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3779

Randomized Controlled Trial of Specialized Lipid Clinic versus Conventional Care Management of Hyperlipidemia in Patients with Coronary Artery Disease: Results of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3706

Reductions in Early Recurrent Coronary Ischemia from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2339

Re
/
/
Rel
f
Rol
/
Sel
/
Shr
f
c
Shr
f
Shr
e
Sol
t
So
SR
c
L
Sta
c
Str
F
The
F
The
c
The
f
Tw
f
F
Lipop
Enc
15-
F
c
A P
c
A P
F
h
A T
L
A-2
c
g
ABf
f
ABf
Acr
F
f
Ad
c
Adc
c
f
F
Ade
f
1
Apc
T
Apc
Ir
Apc
f
Apc
c
Ass
c
a
AT,
F

- Reductions in Lipids but not Inflammatory Markers from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2110
- Relative Safety of Extended-Release Niacin versus Other Niacin Formulations, 3757
- Role of Contrast-Enhanced MRI in the Detection and Quantification of Lipid-Rich Necrotic Core in Carotid Atherosclerotic Plaque, 243
- Selective Hepatic Expression of ABCA1 in ABCA1-KO Mice Identifies Liver ABCA1 as the Major Source of Plasma HDL-C, 1300
- Short-Term Effects of Flaxseed Supplementation on Cardiovascular Risk Factors in Hypercholesterolemic Adults: Results from a Randomized Controlled Trial, 3585
- Short-Term Statin Therapy, but Not Lipid-Lowering with Ezetimibe, Improves Endothelial Function in Patients with CAD: Clinical Evidence for the Relevance of Pleiotropic Effects of Statins, 374
- Short-Term Treatment with Atorvastatin Reduces Platelet CD40 Ligand and Thrombin Generation in Hypercholesterolemic Patients, 713
- Soluble Fiber Supplementation With Psyllium is as Effective as Doubling the Dose of Simvastatin in Lowering ApoB and LDL Cholesterol, 3831
- Soy Protein Supplementation Decreases Serum Lipids: A Meta-Analysis of Randomized Controlled Trials, 3563
- SR-B1 Novel SNPs and Haplotypes Are Associated With Response of Coronary Atherosclerosis to Treatment With Fluvastatin in The Lipoprotein Coronary Atherosclerosis Study Population, 2008
- Statin Therapy Improves Mortality, Cardiovascular Outcomes, and Levels of Inflammatory Markers in Patients with Heart Failure, 2591
- Structural Requirements for the Formation of Nascent ApoA-I-containing Particles: Impact on HDL Biogenesis and Maturation, 175
- The 5-Lipoxygenase Pathway in Atherosclerosis and Aortic Aneurysm Pathogenesis, 848
- The LDL Receptor Is the Only Physiological Receptor for the In Vivo Clearance of apoE-Containing Lipoprotein Remnants in Mice, 1003
- The Prognostic Impact of the Metabolic Syndrome in Patients with Acute Myocardial Infarction, 3565
- The Prognostic Significance of Statin Therapy in Acute Myocardial Infarction Patients with Left Ventricular Dysfunction, 681
- The Relation of the Metabolic Syndrome to the Likelihood of Isolated Diastolic Hypertension, 3838
- Two Windows of Cardioprotection: The Early and Late Benefits of High-Dose Atorvastatin in Patients with Acute Coronary Syndromes. Results from the PROVE IT - TIMI 22 Trial, 2341
- Lipoproteins**
- Endothelial Lipase is a Major Determinant of LDL Particle Size, 685
- 15-Lipoxygenase-2 Is Expressed in Human Atherosclerotic Plaques and Regulated By Hypoxia in Human Macrophages: Implications for LDL Oxidation, 1348
- A PEST Sequence in ABCA1 Regulates Intracellular Trafficking and Cholesterol Efflux from Late Endosomes, 1304
- A Prominent Large High-Density Lipoprotein Enriched in Apolipoprotein C-I Promotes Apoptosis In Vitro And Is a Biochemical Marker In Vivo for a Novel Group of Low Birth Weight Infants, 562
- A Tablet Dosage Form Containing Phytosterols Reduces Human LDL-Cholesterol, 3589
- A-204C Polymorphism in the Cholesterol-7 α Hydroxylase (CYP7A1) Gene Determines LDL-cholesterol Concentration Responsiveness to Diet, 3586
- ABCA1-Mediated Lipid Transport From Both The Liver And The Periphery Are Essential For Maintenance Of Plasma HDL Levels In Vivo, 1299
- ABCG1 and ABCG4 Promote Cellular Cholesterol Efflux to HDL, 1306
- Acrolein Inhibits Cholesterol Transport By High Density Lipoprotein: Potential Role For Site Specific Modification Of Apolipoprotein A-I In Atherogenesis, 167
- Ad Libitum Consumption of a High Monounsaturated Fatty Acid Diet Decreases VLDL apolipoprotein B-100 Production in Men, 878
- Addition of Nanomolar Concentrations of D-4F to Human Plasma In Vitro Causes the Movement of ApoA-I to Smaller Particles, Reduces Lipid Hydroperoxides, Increases Paraoxonase Activity, and Converts Proinflammatory HDL to Anti-inflammatory, 1165
- Adenovirus-Mediated Overexpression of Human Paraoxonase 3 Enhances High-Density Lipoprotein Function in Apolipoprotein E Deficient Mice, 169
- ApoA-I Lipidation in Primary Mouse Hepatocytes: Evidence for Cholesterol Transfer Independent of ABCA1, 1301
- Apolipoprotein A-I And Serum Amyloid A Are Reciprocally Regulated By Inflammation: Potential Role In Formation Of Proatherogenic HDL, 168
- Apolipoprotein A-V Truncation as a Cause of Familial Type-V Hyperlipoproteinemia, 876
- Apolipoprotein Composition Influences The Ability Of Reconstituted High Density Lipoproteins To Promote A Stable Plaque Phenotype, 170
- Association Between Lipoprotein-Associated Phospholipase A2 and Coronary Artery Disease: Focus on its Relationship With Lipoproteins and Markers of Inflammation and Hemostasis, 3577
- AT₁-Receptor Blockade Reduces Serum Lipid Alterations via Secretory Phospholipase A₂ Type IIa Inhibition in Patients with Coronary Disease, 194
- Atherogenic HDL, VLDL Particle Sizes in Asian Indian Females Compared to Framingham Offspring Study Population, Assessed by Nuclear Magnetic Resonance Spectroscopy, 3738
- Berberine is a Promising Novel Cholesterol-Lowering Drug Working Through a Unique Mechanism Distinct from Statins, 680
- Blockage of the ERK Signaling Pathway Abrogates the SCAP Ligand-induced Transcriptional Activation of the LDL Receptor Gene in Human Liver Cells, 1000
- Cholesterol Feeding Strongly Reduces Hepatic VLDL Production in Mice Lacking LXR α , 1018
- Chylomicron Remnants Upregulate CD40 Expression via ERK Signaling Pathway and Redox-Sensitive Mechanism in THP-1 Cells, 554
- Circulating OxLDL-E06 Levels Reflect the Presence and Extent of Angiographic Coronary Artery Disease: Strong Association Between Circulating Oxidized Phospholipids and Lp(a) May Potentially Mediate Atherogenicity, 870
- Combined Benefits of Co-expressing Apolipoprotein B mRNA Editing Enzyme and Scavenger Receptor BI Mediated by High-capacity Adenoviral Vector, 3333
- Decreased Atherosclerosis in Human PON3 Transgenic Mice, 1393
- Decreased Postprandial Triglyceride Response in Cholesteryl Ester Transfer Protein Deficiency -Another Anti-atherogenic Aspect-, 871
- Deficient Bile Acid Synthesis in Hyperlipidemic Mice Enhances HDL-cholesterol via Increased Hepatic ABCA1 Activity, 1302
- Direct Measurement of Circulating Endothelial Cells and Preclinical Atherosclerosis, 1683
- Does Advanced Lipoprotein Testing Improve Identification of Subclinical Atherosclerosis in Young Adults? The Bogalusa Heart Study, 3758
- Effect of Atorvastatin on Glucose Metabolism in Patients with Insulin Resistance, 676
- Effect of fenofibrate and ezetimibe on lipoprotein subclasses and LDL subclass pattern in patients with mixed hyperlipidemia, 679
- Effects of Cholesteryl Ester Transfer Protein Inhibition on High-Density Lipoprotein Subspecies and Apolipoprotein A-I Metabolism, 684
- Effects of Dietary Glycemic Index and Fat Content on Ad Libitum Weight Loss, Cardiovascular Risk Factors, and Glucose Homeostasis in Overweight and Obese Subjects, 3834
- Effects of G-CSF on Serum Cholesterol and Development of Atherosclerotic Plaque in Apolipoprotein E-Deficient Mice, 417
- Effects Of Rosuvastatin On Fasting And Postprandial Lipoprotein And Fatty Acid Metabolism In Combined Hyperlipidemic Male Patients With Premature Coronary Sclerosis, 563
- Endothelial Lipase Acts on HDL to Activate Peroxisome Proliferator-Activated Receptor- α , 1212
- Endothelial Lipase has Opposite Effects on the Ability of Apolipoprotein AI-Containing Particles to Mediate Free Cholesterol Efflux via SR-BI and ABCA1-Mediated Pathways, 1303
- Enhanced Atherosclerosis in Transgenic Watanabe Heritable Hyperlipidemic Rabbits Expressing Human Lipoprotein Lipase, 1008
- EPC Could Predispose Regenerated Endothelium to Oxidized Low-density Lipoprotein via Activation of Bax Conformational Change Leading to Apoptosis, 704
- Evidence of a Novel Locus on Chromosome 1p with Pleiotropic Effects on HDL Cholesterol and LDL Particle Size in Hypertensive Sibships, 3728
- Exercise Improves Reverse Cholesterol Transport in Asian Indians, 3673
- Fasting Serum Apolipoprotein (Apo) B-48 Levels Measured by a Novel ELISA are a Simple and Useful Marker for Postprandial Hyperlipidemia and predict Coronary Heart Disease (CHD), 872
- Generation of a Recombinant Apolipoprotein E Variant With Improved Biological Functions: Hydrophobic Residues (L261, W264, F265, L268, V269) of ApoE Can Account for the ApoE-Induced Hypertriglyceridemia, 171
- Genome-wide Scan for HDL-C in Canadian Families with Low HDL-C, 3325
- HDL Elevation by the CETP-Inhibitor Torcetrapib Prevents Aortic Atherosclerosis in Rabbits, 1168
- HDLc Effects in Healthy Subjects Administered a Peroxisome Proliferator Activated Receptor (PPAR) Delta Agonist, 244
- High-Density Lipoprotein Activates Endothelial Cell Migration via Scavenger Receptor B-I-Induced Signaling, 1582
- High-density Lipoprotein-associated Estrogen Activates Endothelial Nitric Oxide Synthase through Estrogen Receptor- β , 415
- Hyperinsulinemia and ischemic heart disease risk in men: 13-year follow-up data of the Québec Cardiovascular Study, 3564
- Identification of Apolipoprotein E Receptor 2' as the Low-Density Lipoprotein Receptor on Platelets, 1577
- Imaging Atherosclerotic Plaques with an Endogenous Contrast Agent: HDL, 3435
- Impact of the Metabolic Syndrome on Long-Term Mortality in Patients with Multi-Vessel Coronary Artery Disease Undergoing Revascularization, 559
- In Vivo Evidence that Secretory Phosphorylase is Proatherogenic While Lysosomal Sphingomyelinase is Antiatherogenic, 1588
- Increases in HDL-Cholesterol are the Strongest Predictors of Risk Reduction in Lipid Intervention Trials, 3754

Inhibition of Fractional Intestinal Cholesterol Absorption by Zetia Alters Hepatic Cholesterol Balance in E-KO x ABCG5-G8-Tg and LDLr-KO x ABCG5-G8-Tg Mice, 1307

Inhibition of Lipopolysaccharide-Induced Inflammatory Responses by an HDL Mimetic Peptide, 993

Inhibition of Sphingomyelin Synthesis Reduces Atherogenesis in ApoE Knockout Mice, 1002

Intestinal Cholesterol Absorption is Drastically Reduced in Mice Deficient in Both ATP-Binding Cassette Transporter A1 (ABCA1) and Acyl-CoA:Cholesterol O-Acyltransferase 2 (ACAT2), 1308

JNK2 Is Required For Atherosclerosis In Vivo Through Regulation Of Scavenger Receptor-A Mediated Foam Cell Formation, 1585

Linkage Analysis of LDL Cholesterol in American Indian Populations: The Strong Heart Family Study, 3817

Lipid-Lowering Effect of HMG Co-A Reductase Inhibitors Compared with Cholestyramines on Vascular Endothelium in Hypercholesterolemic and Hypertensive Patients, 564

Lipoprotein Metabolism and Uptake Direct Divergent Peroxisome Proliferator-Activated Receptor α and Hepatocyte Nuclear Factor 4 α Responses, 1007

Low Plasma Phospholipid Transfer Protein (PLTP) is a Risk Factor for Peripheral Arterial Disease, 557

Low-Density Lipoprotein Particle Number, Size, and Subspecies in Assessing Cardiovascular Risk: Results from the Framingham Offspring Study, 3583

Low-Density Lipoprotein Triglycerides Associated with Low-Grade Systemic Inflammation, Adhesion Molecules, and Angiographic Coronary Disease(The Ludwigshafen Risk and Cardiovascular Health Study), 558

Macrophage Specific Overexpression of Group Ila sPLA₂ Results in Increased Atherosclerotic Lesion Size and Enhanced Collagen Deposition, 1314

Macrophage-Specific Expression of Type IIA Secretory Phospholipase A₂ Results in Accelerated Early Atherogenesis by Increasing Oxidative Stress in LDL-Receptor Deficient Mice, 1318

Metabolic Syndrome Patients Have Higher Plasma Lipid Hydroperoxides and More Pro-Inflammatory HDL than Dyslipidemic Control Subjects, Even with Comparable Levels of HDL, hs-CRP and Paraoxonase Activity, 245

Native LDL Induces Endothelin-Converting Enzyme-1 in Primary Human Endothelial Cells, 1001

Niacin Corrects Endothelial Dysfunction in Patients with Low HDL, without Affecting HDL, 161

No Apparent Benefit of Low Glycemic Index Meals on the Postprandial Lipid Response in Women with Obesity or Insulin Resistance, 3768

Novel ELISA for Apo B-48 revealed Chylomicron Remnants (CR) are Accumulated in the Serum of Diabetic Patients, Predisposing Them to Coronary Heart Disease (CHD), 873

Opportunity for Intervention to Achieve American Heart Association (AHA) Optimal Lipid Levels in High-Risk Women In a Managed Care Setting, 3708

Overexpression of Pcsk9 Leads to the Formation of an LDLR-Pcsk9 Complex and Acceleration of LDLR Degradation, 1171

Palmitoylation Of ABCA1 Is Required For Its Normal Trafficking To The Plasma Membrane And For Lipid Efflux Activity, 1305

Phospholipid Oxidation Products of PAPC Regulate SREBP Activation in Endothelial Cells, 1015

Pioglitazone Stimulates Apolipoprotein A-I Production without Affecting HDL Protein and Cholesterol Ester Removal in HepG2 Cells, 174

Plasma Oxidized Low-Density Lipoprotein: A Predictor For Acute Coronary Events In Apparently Healthy Men From Southern Germany, 3734

Platelet Activation by Oxidized Low-Density Lipoprotein is Mediated by CD36 and Scavenger Receptor-A, 1576

Prevalence and Treatment of Dyslipidemia Among Persons with Diabetes in the United States 1999-2000, 3682

Regulation of K⁺ Channel Protein, GIRK1 (Kir3.1), Expression by Sterol Regulatory Element Binding Protein (SREBP) in Cultured Atrial Myocytes, 1251

Relative Safety of Extended-Release Niacin versus Other Niacin Formulations, 3757

Rosiglitazone Increases LDL Size and Buoyancy While Decreasing CETP Mass and Hepatic Lipase Activity, 678

Selective Hepatic Expression of ABCA1 in ABCA1-KO Mice Identifies Liver ABCA1 as the Major Source of Plasma HDL-C, 1300

Selective Plasma HDL Delipidation and Reinfusion: A Unique New Approach for Acute HDL Therapy in the Treatment of Cardiovascular Disease, 241

Serially Increasing Change in Lipoprotein(a) Concentrations has a Predictive Value in Acute Vascular Events, 3737

Small LDL IVb Predicts Mortality Independent of Other Lipoprotein Measurements, 3782

Soluble Fiber Supplementation With Psyllium is as Effective as Doubling the Dose of Simvastatin in Lowering ApoB and LDL Cholesterol, 3831

Structural basis of Endothelial Lipase tropism for HDL, 166

Structural Requirements for the Formation of Nascent ApoA-I-containing Particles: Impact on HDL Biogenesis and Maturation, 175

The Arginyl-Glycyl-Aspartyl Epitope of Human Apolipoprotein(a) Inhibits Platelet Aggregation by Antagonizing the IIb Subunit of the Fibrinogen (GPIIb/IIIa) Receptor, 1578

The Inflammatory/Anti-inflammatory Properties of Human HDL are Inversely Related to the Ability of the HDL to Promote Cholesterol Efflux from Human Monocyte/Macrophages, 555

The LDL Receptor Is the Only Physiological Receptor for the In Vivo Clearance of apoE-Containing Lipoprotein Remnants in Mice, 1003

VLDL-Triglyceride Kinetics in Postmenopausal Women, 869

Local delivery

A Randomized Study Comparing 3 Methods of Mesenchymal Stem Cell Delivery After Myocardial Infarction in a Porcine Model, 1677

Adventitial Mast Cell Degranulation Promotes Intraplaque Hemorrhage in Lesions of ApoE^{-/-} Mice, 1188

Controlled Local Release of Estrogen from PLGA Polymers Augments Mobilization of Bone Marrow-Derived Endothelial Progenitor Cells into sites of Neovascularization after Hindlimb Ischemia without Systemic Effects, 2184

Fate of Endothelial Progenitor Cells after Intramyocardial and Intracoronary Delivery; Implications for Current Clinical Trials, 2378

First Human Experience with Local Delivery of Novel Antisense AVI-4126 with Infiltrator Catheter in De Novo Native and Restenotic Coronary Arteries: Six-Month Clinical and Angiographic Follow-up from AVAIL Study, 3500

Improvement of Myocardial Ischemia and Segmental Wall Motion after Percutaneous Delivery of Intramyocardial Plasmid Encoding VEGF A-165 in No-option Patients: Quantitative Scintigraphic and Ventriculographic Results of the EUROINJECT-ONE Multicenter Study, 1675

Restenotic Tissue from Sirolimus Eluting Stents Shows Lower Cell Density and Delayed Healing Compared To Bare Metal Stents, 2871

SPIRIT FIRST Clinical Trial: A 180-Day Clinical Evaluation of the Guidant Multi-Link Vision[®] Everolimus-Eluting Coronary Stent System in the Treatment of Patients with de novo Native Coronary Artery Lesions, 2629

Stent-Based Tyrphostin AGL-2043 Reduces Neointima Formation in Porcine Coronary Arteries, 572

Longitudinal studies

Abnormal Liver Function Explains the Association Between Low Cholesterol and High Mortality in Korean Men: KMIC Study, 3526

Albuminuria and Cardiovascular Disease Mortality in Diabetic American Indians: The Strong Heart Study, 3840

Arterial Stiffness Predicts the Development of Hypertension in Younger Normotensive Adults: The Baltimore Longitudinal Study of Aging, 3155

Cardiac Rehabilitation as a Treatment for Psychological Morbidity, Symptom Severity, and Cardiovascular Risk Factors in Women with Cardiac Syndrome X, 3829

Comparison of Revascularization alone versus Combined Revascularization and Mitral Valve Repair for Ischemic Mitral Regurgitation, 2741

Conversion To Sinus Rhythm Does Not Improve Long-Term Survival After Valve Surgery: Insights From A 20-Year Follow-Up Study, 1722

Diabetic Patients Are At Greater Risk for Developing Intraoperative Myocardial Acidosis/Ischemia During Cardiac Surgery, 3635

Influence of Protocol-Specified Rerelook Angiography on Target Vessel Revascularization Compared with Clinical Practice, 2304

Is There a Temporal Relationship Between Symptoms of Depression And Measures of Autonomic Tone Following Myocardial Infarction?, 3645

Medical Factors Have Little Impact on Posttransplant Psychological Functioning in Children and Adolescents, 3236

Predictors of the Onset of Depressive Symptoms in Heart Failure Patients, 2249

Prognostic Impact of Prolonged Ventricular Repolarization in Hypertension, 2037

Prognostic Significance of Morning Pressor Surge and Nocturnal Dipping For Risk of Stroke: The Ohasama Study, 2038

Regional Myocardial Acidosis During Aortic Clamping Determines Adverse 30-day Outcomes After Cardiac Surgery, 2371

Macrophages

Adenoviral Gene Transfer of a Broad Spectrum CC-Chemokine Inhibitor Reduces Vein Graft Atherosclerosis in Apolipoprotein E-Knockout Mice, 3481

Increasing Gene Expression Levels of Class A Macrophage Scavenger Receptors in the Peripheral Circulating Mononuclear Cells is an Early Indicator of Acute Coronary Syndrome, 2198

15-Lipoxygenase-2 Is Expressed in Human Atherosclerotic Plaques and Regulated By Hypoxia in Human Macrophages: Implications for LDL Oxidation, 1348

A Genotype that Enhances the Atherogenic Effect of Smoking and the Antiatherogenic Effect of Smoking Cessation: Variant Forms of Macrophage Colony Stimulating Factor: The Los Angeles

- Atherosclerosis Study, 3806
- A Selective Inhibitor of ACAT-1 Accelerates Plaque Stabilization in Atherogenic Lesions Without Affecting Plasma Cholesterol, 586
- Absence of Macrophage Toll-like Receptor 4 Does Not Affect Atherosclerosis in an LDLR^{-/-} Mouse, 1317
- Adenosine A2A Receptor Activation Counteracts Atherogenic Effects of Immune Reactants on Cholesterol Flux in Macrophages, 1587
- Age-dependent Change of Plaque Mechanical Strength and Serum Levels of Metalloproteinase-9 (MMP-9) and Tissue Inhibitor of Metalloproteinase-1 (TIMP-1) in ApoE and LDL Receptor Double-Knockout Mice, 591
- Angiotensin II Infusion Accelerates Macrophage Foam Cell Formation via Suppression of ATP-Binding Cassette Transporter A1, 189
- Atorvastatin Reverses Features of Plaque Instability Independent of Systemic Cholesterol, in a Murine Model of Unstable Atherosclerotic Plaque, 589
- Blockade of CC Chemokine Receptor 2 Attenuates Myocardial Ischemia-Reperfusion Injury In Mice, 305
- Blockade of Vascular Endothelial Growth Factor Not Only Reduces the de novo Formation of Atherosclerosis, but Also Limits the Progression of Already Established Atherosclerotic Plaque in ApoE-Deficient Mice, 371
- Cardiac Angiotensin II Induces Macrophage-Derived Oxidative Stress Following Infarction, 1543
- Carotid Fibrous Collagen-Rich Plaques, and not Atheromatous Inflammatory Plaques, are Associated with Increased Risk of Embolism during Carotid Endarterectomy, 3001
- Chronic Moderate Hypoxia Induces Macrophage Activation Via the Akt and β -catenin Pathways, 1316
- D-4F, an ApoA-I Mimetic Peptide, Regulates ABCA1 Similar to Human ApoA-I, 172
- Decorin Overexpression Reduces the Development of Atherosclerosis in Apolipoprotein E-deficient Mice, 384
- Deletion of Endothelial Ectoacylase (CD39) Promotes Atherogenesis in Hyperlipidemic Mice, 372
- Effect of TLR-2 Deficiency on Inhibition of Neointimal Formation after Vascular Injury, 552
- Engagement of the β -2 Integrin, LFA-1, Stabilizes Atherorelevant mRNAs in Human Monocytes, 1573
- Furin and PC5 are Localized in Macrophages/foam Cells in Human Atherosclerotic Plaques and are Required for Integrin α v and MT1-MMP Activation, 1184
- Galectin-3 Identifies Failure-Prone Hypertrophied Hearts and Contributes to Cardiac Dysfunction, 496
- Hedgehog: A Novel Regulator of Lipid Uptake by Plaque Macrophages, 1580
- In Vivo Evidence that Secretory Sphingomyelinase is Proatherogenic While Lysosomal Sphingomyelinase is Antiatherogenic, 1588
- Induction of the Notch Pathway in Activated Human Macrophages, 1312
- JNK2 is Required For Atherosclerosis In Vivo Through Regulation Of Scavenger Receptor-A Mediated Foam Cell Formation, 1585
- Lipoprotein-Associated Phospholipase A2 is Highly Expressed in Macrophages of Coronary Lesions Prone to Rupture, 1183
- Macrophage Migration Inhibitory Factor as a Cytokine Stimulating Angiogenesis in Response to Tissue Ischemia, 1075
- Macrophage Specific Overexpression of Allograft Inflammatory Factor-1 Reduces Atherosclerosis In Vivo: A Novel Atheroprotective Approach against Vascular Inflammation, 1311
- Macrophage Specific Overexpression of Group IIa sPLA₂ Results in Increased Atherosclerotic Lesion Size and Enhanced Collagen Deposition, 1314
- Macrophage-Specific Expression of Type IIA Secretory Phospholipase A₂ Results in Accelerated Early Atherogenesis by Increasing Oxidative Stress in LDL-Receptor Deficient Mice, 1318
- Macrophages Cause Calcification and MMP9 Expression in Aortic Valve Interstitial Cells, 1480
- Metabolic Syndrome Patients Have Higher Plasma Lipid Hydroperoxides and More Pro-Inflammatory HDL than Dyslipidemic Control Subjects, Even with Comparable Levels of HDL, hs-CRP and Paraoxonase Activity, 245
- MMP8 On The Macrophage Surface - Implications For Local Proteolysis And Macrophage Recruitment, 1054
- Monocyte Deficiency in Osteopetrotic Mice Reduces Collateral Artery Growth: An In vivo Proof-of-Concept Study, 1046
- Motexafin Lutetium Phototherapy With Low Fluences Promotes Plaque Regression and Stabilization, 2313
- MR Detection of Atherosclerotic Plaques using Macrophage Targeted Immunomicelles Containing Gadolinium, 663
- Neointimal Proliferation is Reduced in GM-CSF ko Mice Following Arterial Injury, 408
- Overexpression of Protein HUR as a Basis of Cyclooxygenase-2-Dependent Atherosclerotic Plaque Instability in Humans, 1501
- Pharmacologic Activation of Liver X Receptor Promotes Reverse Cholesterol Transport from Macrophages to Feces In Vivo, 1586
- Plasma Levels of the Soluble fms-like Tyrosine Kinase 1 (VEGF receptor 1) Modulate the Prognostic Impact of Placental Growth Factor in Patients Post Myocardial Infarction, 1942
- Proinflammatory mRNA Stabilization by Adhesion Receptor Engagement in Macrophages, 990
- Results of the START Trial: Stimulation of ARTERIOGENESIS using Subcutaneous Application of GM-CSF as a New Treatment for Peripheral Vascular Disease, 2179
- Rho Kinase Inhibitor Ki23095 Prevents Macrophage Infiltration in Cardiac and Renal Injury Models, 26
- Suppression of Neointimal Formation in a Canine Model of Vein Graft Disease by Anti-Monocyte Chemoattractant Protein-1 Gene Therapy, 1690
- Targeted Deletion of CC Chemokine Receptor 2 Attenuates Left Ventricular Remodeling After Experimental Myocardial Infarction, 1274
- Targeted Disruption Of The Chemokine Receptor CCR1 In Bone Marrow Cells Enhances Atherosclerotic Lesion Development And Inflammation In LDL Receptor-Deficient Mice, 1494
- The Crucial Role of Monocyte Chemoattractant Protein-1 in the Development of Murine Ischemic Cardiomyopathy, 1536
- The Role of Monocyte Chemoattractant Protein (MCP)-1 in Infarct Healing, 125
- Tobacco Smoke Exposure Induces Endothelial and Macrophage Transcriptional Responses in vivo, 1916
- Toll-like Receptor 4 Deficiency Reduces Atherosclerosis and Alters Plaque Phenotype in Apo E-Null Mice without Changing Circulating Cholesterol Levels, 844
- Transcriptional Suppression of Osteopontin Expression in Macrophages by Ligand-Induced Activation of Liver-X Receptors, 1566
- Transcriptome Profile of Atherosclerosis-Sensitive and -Resistant Mouse Bone Marrow Macrophages Derived from an ApoE-Deficient Strain Intercross, 911
- Transforming Growth Factor- β 1 Enhances Transdifferentiation of Macrophages Into Smooth Muscle-Like Cells via Smad Signaling, 551
- TWEAK Inhibition Reduces Plaque Progression by Inducing a Macrophage-rich Plaque Phenotype in ApoE-Knockout Mice, 574
- Vascular Endothelial Growth Factor (VEGF) Mediates Leukocyte Trafficking Into Allografts Via Interaction With The Chemokine MCP-1, 660
- Magnetic resonance imaging**
- 16-Slice Multidetector Computed Tomography For Evaluation Of Stent Patency In Pulmonary Veins Of Patients With Acquired Pulmonary Vein Stenosis Following Radiofrequency Catheter Ablation, 1781
- A Novel Noninvasive Method of Pulmonary Vascular Resistance Quantification, 3487
- A Randomized Trial Comparing Stentless Bioprosthetic Valves with Stented Valves in the Aortic Position (ASSERT), 2556
- Accurate Delineation of Acute and Chronic Myocardial Infarction by Retrospectively Gated Multidetector Row Computed Tomography: Comparison with Gd-DTPA-Enhanced Magnetic Resonance, 3394
- An Unusual Presentation of a Cardiac Metastasis, 2005
- Annular Remodeling in Patients With Chronic Ischemic Mitral Regurgitation: Three-Dimensional Magnetic Resonance Imaging Study, 2737
- Aortic Compliance does not Differ Between Blacks and Whites: MRI Results from the Dallas Heart Study (DHS), 3709
- Arterial Stiffness and Left Ventricular Mass are higher in Subjects with Impaired Fasting Glucose, 3674
- Atherosclerotic Plaque Detection by Contrast-Enhanced MRI: Gadofluorine vs Gd-DTPA, 3175
- Atrial Volume and ANP in Persistent Atrial Fibrillation - Before and After Cardioversion, 3178
- BONE MARROW Transfer to Enhance ST-Elevation Infarct Regeneration: Long-Term Magnetic Resonance Imaging Follow-Up Data from The BOOST-Trial, 1145
- Bone-Marrow Stem-Cell Mobilization Induced by Granulocyte-Colony Stimulating Factor (G-CSF) in Patients Undergoing Delayed Revascularization for ST-Segment Elevation Myocardial Infarction, 1554
- Brain Natriuretic Peptide Levels, but not Pulmonary Vascular Resistance, Predict Right Ventricular Size and Functional Status in Pulmonary Arterial Hypertension, 1760
- Cardiovascular 3D MRI Assessment of Diastolic Dysfunction: A Comparison with Echocardiography, 2962
- Cardiovascular Magnetic Resonance Assessment of Human Myocarditis: IR Gradient Echo Compared With T1 Turbo Spin-Echo Imaging Protocols, 3140
- Carotid Atherosclerosis and Risk of Cerebral Infarction as Assessed by Diffusion Weighted Magnetic Resonance Imaging in Patients Undergoing Off-Pump Coronary Artery Bypass Surgery, 1790
- Cerebral Injury Following On-Pump and Off-Pump Cardiac Surgery Defined by Functional Magnetic Resonance Imaging, 2550
- Chronic Testosterone Treatment in Men with Coronary Artery Disease: A Study with Perfusion Cardiovascular Magnetic Resonance, 2666
- Cine MRI and Myocardial Tagging Reveal Improved Border Zone Function and Reduced Wall Thinning in Postinfarction iNOS Knockout Mice, 3176
- Cognitive Deficit Following Cardiac Surgery is Not a Function of Perioperative Cerebral Ischemia, 2981

Combined Use of 16-Slice Computed Tomography and Adenosine Stress MRI for Detecting Hemodynamically Significant Coronary Artery Disease, 2099

Comparative Effects of Microplasma and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707

Comparison of Sixteen-Slice Computed Tomography and Contrast-Enhanced MR Imaging in the Detection of Myocardial Nonviability in Patients with Acute Myocardial Infarction, 2450

Coronary Artery Calcification and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3687

Coronary Artery Vasodilation by Magnetic Resonance Angiography Is Impaired in Asymptomatic Older Subjects with High Coronary Artery Calcium, 2836

Coronary Risk Factors and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3710

Delayed Enhancement MRI Improves the Ability to Detect Cardiac Involvement in Patients with Sarcoidosis, 2995

Despite TIMI 3 Flow After Percutaneous Coronary Intervention for Acute Myocardial Infarction, it Takes 15 to 30 Days for the Myocardium to Reperfuse, 3484

Detection Of Chronic Myocardial Infarction With Multidetector-Row Computed Tomography: A Comparison With Magnetic Resonance Delayed Hyperenhancement, 2614

Detection of Coronary Artery Stenoses with Whole Heart Coronary Magnetic Resonance Angiography, 2989

Detection Of Myocardial Fibrosis, Edema And Hypoperfusion In Hypertrophic Cardiomyopathy By Magnetic Resonance Imaging, 2797

Detection of VCAM-1 Expression on Activated Endothelial Cells by Magnetic Resonance Immunohistochemistry (MRIhc) Using Targeted Iron Oxide Nanoparticles, 3174

Differences of Gd-DTPA Kinetic in Normal, Stunned and Necrotic Myocardium in Patients with Acute Myocardial Infarction, 2838

Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance, 2664

Direct En Face Assessment of Atrial Septal Defects by Velocity-Encoded Cardiac Magnetic Resonance Alters Clinical Management, 3628

Dobutamine Stress Magnetic Resonance Imaging: A Multicenter Trial for the Assessment of Diagnostic Performance and Reader Variability, 3489

Does Delayed Contrast Enhancement in Hypertrophic Cardiomyopathy Represent Myocardial Fibrosis Only? Comparison of two markers of fibrosis using MRI and PET, 3053

Does Extent of Mitral Regurgitation Regress after Aortic Valve Replacement for Severe Aortic Stenosis? A Cardiac Magnetic Resonance Imaging Study of LV Structure, Function, and Mitral Apparatus Geometry, 1719

Early versus Advanced Atherosclerotic Plaque in vivo Detection by Gadofluorine-Enhanced Magnetic Resonance Imaging, 177

ECG and CMR Most Accurately Predict Cardiac Involvement in Sarcoidosis, 2799

Effects of Percutaneous Transluminal Angioplasty (PTA) and Endovascular Brachytherapy (EBT) on Vascular Remodeling of Human Femoropopliteal Artery by Noninvasive MRI, 3004

Efficient Identification of Mouse Models of Human Congenital Cardiopulmonary Malformations Using High-Throughput Magnetic Resonance Imaging, 441

Enhanced Gene Therapy of Atherosclerotic In-Stent Stenosis Using Intravascular Magnetic Resonance/Radiofrequency, 1912

Estimates of Myocardial Necrosis Are More Accurate When Made Late After Myocardial Infarction Using Delayed Contrast-enhanced Magnetic Resonance Imaging, 1909

Evaluation of Cardiac Magnetic Resonance Imaging in Patients Referred for Suspected Arrhythmogenic Right Ventricular Dysplasia, 3492

Extent of Scar but Not Viability Predicts Global Left Ventricular Remodeling in Nonrevascularized Patients, 494

Faster Flow Quantification Using Sensitivity-Encoded Phase Contrast Magnetic Resonance Imaging, 1844

Favorable Remodeling in Acute Myocardial Infarction after Percutaneous Bone Marrow Stem Cell Transplantation, 1427

Fibrin-Targeted Contrast Enhancing Agent for Acute and Chronic Thrombus Detection with Magnetic Resonance Imaging in vivo, 1189

First-pass Perfusion and Delayed-Enhancement Magnetic Resonance Imaging detect Papillary Muscle Ischemia in Ischemic Mitral Regurgitation, 3392

Functional Left Pulmonary Artery Stenosis in Total Cavopulmonary Connection (TCPC): Assessing Improvements in Lung Perfusion and Cardiac Workload with Computer-Aided Angioplasty, 3409

Gender Differences in Left Ventricular Remodeling from Mitral Regurgitation: Insights from Cardiovascular Magnetic Resonance, 2660

High-Resolution Magnetic Resonance Imaging Of Human Atherosclerotic Carotid Lesions Before And After Six Months Of High-Dose Atorvastatin Therapy, 3177

Identification of Early Hemorrhage with Magnetic Resonance Imaging is Highly Associated with Markers of Plaque Vulnerability and Patients' Symptom Status, 1190

Imaging and Pathologic Characteristics of Left Ventricular Thrombus: A Comparison of Contrast-Enhanced Magnetic Resonance Imaging, Transthoracic Echocardiography and Transesophageal Echocardiography with Surgical or Pathologic Validation, 1911

Imaging Atherosclerotic Plaques with an Endogenous Contrast Agent: HDL, 3435

Impact of Infarct Transmurality on Transmural Blood Flow in Patients with Chronic Left Ventricular Ischemic Dysfunction, 3319

Importance of Biplane Measurement of Proximal Jet Width for Estimation of Severity of Mitral Regurgitation: Implications to Mitral Regurgitation Etiology, 3041

In Vivo Imaging of Coronary and Pulmonary Thrombosis by EP-2104R, a Fibrin-Targeted Magnetic Resonance Contrast Agent, 3180

In vivo myocardial calcium mishandling in Kir6.2-knockout mice captured by manganese-enhanced cardiac magnetic resonance imaging: a mechanism for development of diastolic dysfunction., 1422

Increased Carotid Intima-Media Thickness is Associated with Regional Myocardial Dysfunction Detected by Tagged MRI in Asymptomatic Individuals: The Multi-Ethnic Study of Atherosclerosis (MESA), 2771

Increased Sympathetic Nerve Activity in Hypertension Correlates with the Severity of Neurovascular Compression at the Rostral Ventrolateral Medulla, 2824

Infarct Transmurality Predicts Microvascular Obstruction Better Than Infarct Size In Patients With Acute Myocardial Infarction, 2839

Inhibition of AMP-activated Protein Kinase Promotes Exercise-Induced Ventricular Arrhythmias with a Short QT Interval in Mice, 723

Integration of CT/MR imaging with Electroanatomical Mapping to Direct Catheter Ablation of Atrial Fibrillation: A Strategy for Rapid Registration, 1780

Interactive Real-Time Magnetic Resonance-Guided Atrial Septal Puncture and Atrial Balloon Septostomy are Feasible in Swine, 3199

Intravascular Magnetic Resonance Imaging to Characterize the Composition of Human Atherosclerotic Plaques in Vivo, 3390

Intravenous Nesiritide Improves Hemodynamics in a Randomized, Double-blind, Placebo-controlled Trial in Patients with Pulmonary Hypertension and Right Ventricular Failure: Right Atrial Dimension by Cardiac MRI is a Reliable, Novel Treatment End Point in Pulmonary Hypertension, 2414

Length Of Ischemia Is A Major Determinant Of Microvascular Obstruction. A Study Performed With Contrast Enhanced Magnetic Resonance After Primary Angioplasty, 2992

Levels of Circulating Endothelial Progenitor Cells Inversely Correlate with Inflammatory Atherosclerotic Plaque Activity as Measured by Contrast-Enhanced MRI, 1474

Magnetic Resonance Assessment of Scar Transmurality Distribution Predicts Inducible Ventricular Tachycardia Regardless of Disease Etiology, 1910

Magnetic Resonance Imaging Assessment of the Efficacy of Septal Alcohol Ablation for Hypertrophic Cardiomyopathy, 3363

Magnetic Resonance Imaging in the Assessment of Aortic Valve Area and LV function: Comparison to TTE and TEE, 2665

Magnetic Resonance Imaging of Cardiomyocyte Apoptosis In Vivo With a Novel Magneto-Optical Nanoparticle, 3179

Magnetic Resonance Imaging using Steady-State Free Precession Detects Blood Oxygen Level- Dependent Changes in Microcirculation, 3171

Magnetic Resonance Myocardial Delayed Enhancement in Infants with Anomalous Origin of Left Main Coronary Artery from Pulmonary Artery, 3488

Matrix Metalloproteinase-3 Promoter Variant Associated with Decreased Aortic Compliance is More Common in African Americans than Whites: From the Dallas Heart Study, 3819

MR Assessment of Transmural Distribution of Myocardial Blood Flow During Stress is Superior to the Measurement of Subendocardial Flow Reserve in Detecting Significant Coronary Artery Disease, 2991

MR Detection of Atherosclerotic Plaques using Macrophage Targeted Immunomicelles Containing Gadolinium, 663

MR Perfusion Imaging for Detection of Coronary Artery Disease: A Multicenter Dose Finding Study in Comparison with X-Ray Coronary Angiography and Single Photon Emission Computed Tomography, 2987

MR-Guided Cardiac Catheterization in Children and Adults, 2840

MRI Identifies Significant Variability in the Anatomic Relationship between the Esophagus and Left Atrium in Patients Undergoing Catheter Ablation for Atrial Fibrillation, 1971

MRI to Evaluate Left Atrial and Ventricular Reverse Remodeling after Successful Mitral Valve Repair in Ischemic/Dilated Cardiomyopathy, 2738

Multislice Computed Tomography Accurately Quantifies Right Ventricular Size and Function in Adults with Congenital Heart Disease, 3018

Myocardial Blood Flow at Rest is Impaired in Segments with Severe Coronary Artery Disease: An MR Study of Quantitative Perfusion Assessment, 2834

Myocardial Characterization by Magnetic Resonance Delayed Hyperenhancement Imaging Strongly Predicts Major Adverse Cardiac Events, 2988

Combined Use of 16-Slice Computed Tomography and Adenosine Stress MRI for Detecting Hemodynamically Significant Coronary Artery Disease, 2099

Comparative Effects of Microplasma and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707

Comparison of Sixteen-Slice Computed Tomography and Contrast-Enhanced MR Imaging in the Detection of Myocardial Nonviability in Patients with Acute Myocardial Infarction, 2450

Coronary Artery Calcification and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3687

Coronary Artery Vasodilation by Magnetic Resonance Angiography Is Impaired in Asymptomatic Older Subjects with High Coronary Artery Calcium, 2836

Coronary Risk Factors and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3710

Delayed Enhancement MRI Improves the Ability to Detect Cardiac Involvement in Patients with Sarcoidosis, 2995

Despite TIMI 3 Flow After Percutaneous Coronary Intervention for Acute Myocardial Infarction, it Takes 15 to 30 Days for the Myocardium to Reperfuse, 3484

Detection Of Chronic Myocardial Infarction With Multidetector-Row Computed Tomography: A Comparison With Magnetic Resonance Delayed Hyperenhancement, 2614

Detection of Coronary Artery Stenoses with Whole Heart Coronary Magnetic Resonance Angiography, 2989

Detection Of Myocardial Fibrosis, Edema And Hypoperfusion In Hypertrophic Cardiomyopathy By Magnetic Resonance Imaging, 2797

Detection of VCAM-1 Expression on Activated Endothelial Cells by Magnetic Resonance Immunohistochemistry (MRIhc) Using Targeted Iron Oxide Nanoparticles, 3174

Differences of Gd-DTPA Kinetic in Normal, Stunned and Necrotic Myocardium in Patients with Acute Myocardial Infarction, 2838

Differentiation of Athlete's Heart from Pathological Forms of Cardiac Hypertrophy by Means of Geometric Indices Derived from Cardiovascular Magnetic Resonance, 2664

Direct En Face Assessment of Atrial Septal Defects by Velocity-Encoded Cardiac Magnetic Resonance Alters Clinical Management, 3628

Dobutamine Stress Magnetic Resonance Imaging: A Multicenter Trial for the Assessment of Diagnostic Performance and Reader Variability, 3489

Does Delayed Contrast Enhancement in Hypertrophic Cardiomyopathy Represent Myocardial Fibrosis Only? Comparison of two markers of fibrosis using MRI and PET, 3053

Does Extent of Mitral Regurgitation Regress after Aortic Valve Replacement for Severe Aortic Stenosis? A Cardiac Magnetic Resonance Imaging Study of LV Structure, Function, and Mitral Apparatus Geometry, 1719

Early versus Advanced Atherosclerotic Plaque in vivo Detection by Gadofluorine-Enhanced Magnetic Resonance Imaging, 177

ECG and CMR Most Accurately Predict Cardiac Involvement in Sarcoidosis, 2799

Effects of Percutaneous Transluminal Angioplasty (PTA) and Endovascular Brachytherapy (EVBT) on Vascular Remodeling of Human Femoropopliteal Artery by Noninvasive MRI, 3004

Efficient Identification of Mouse Models of Human Congenital Cardiopulmonary Malformations Using High-Throughput Magnetic Resonance Imaging, 441

Enhanced Gene Therapy of Atherosclerotic In-Stent Stenosis Using Intravascular Magnetic Resonance/Radiofrequency, 1912

Estimates of Myocardial Necrosis Are More Accurate When Made Late After Myocardial Infarction Using Delayed Contrast-enhanced Magnetic Resonance Imaging, 1909

Evaluation of Cardiac Magnetic Resonance Imaging in Patients Referred for Suspected Arrhythmogenic Right Ventricular Dysplasia, 3492

Extent of Scar but Not Viability Predicts Global Left Ventricular Remodeling in Nonrevascularized Patients, 494

Faster Flow Quantification Using Sensitivity-Encoded Phase Contrast Magnetic Resonance Imaging, 1844

Favorable Remodeling in Acute Myocardial Infarction after Percutaneous Bone Marrow Stem Cell Transplantation, 1427

Fibrin-Targeted Contrast Enhancing Agent for Acute and Chronic Thrombus Detection with Magnetic Resonance Imaging in vivo, 1189

First-pass Perfusion and Delayed-Enhancement Magnetic Resonance Imaging detect Papillary Muscle Ischemia in Ischemic Mitral Regurgitation, 3392

Functional Left Pulmonary Artery Stenosis in Total Cavopulmonary Connection (TCPC): Assessing Improvements in Lung Perfusion and Cardiac Workload with Computer-Aided Angioplasty, 3409

Gender Differences in Left Ventricular Remodeling from Mitral Regurgitation: Insights from Cardiovascular Magnetic Resonance, 2660

High-Resolution Magnetic Resonance Imaging Of Human Atherosclerotic Carotid Lesions Before And After Six Months Of High-Dose Atorvastatin Therapy, 3177

Identification of Early Hemorrhage with Magnetic Resonance Imaging is Highly Associated with Markers of Plaque Vulnerability and Patients' Symptom Status, 1190

Imaging and Pathologic Characteristics of Left Ventricular Thrombus: A Comparison of Contrast-Enhanced Magnetic Resonance Imaging, Transthoracic Echocardiography and Transesophageal Echocardiography with Surgical or Pathologic Validation, 1911

Imaging Atherosclerotic Plaques with an Endogenous Contrast Agent: HDL, 3435

Impact of Infarct Transmurality on Transmural Blood Flow in Patients with Chronic Left Ventricular Ischemic Dysfunction, 3319

Importance of Biplane Measurement of Proximal Jet Width for Estimation of Severity of Mitral Regurgitation: Implications to Mitral Regurgitation Etiology, 3041

In Vivo Imaging of Coronary and Pulmonary Thrombosis by EP-2104R, a Fibrin-Targeted Magnetic Resonance Contrast Agent, 3180

In vivo myocardial calcium mishandling in Kir6.2-knockout mice captured by manganese-enhanced cardiac magnetic resonance imaging: a mechanism for development of diastolic dysfunction., 1422

Increased Carotid Intima-Media Thickness is Associated with Regional Myocardial Dysfunction Detected by Tagged MRI in Asymptomatic Individuals: The Multi-Ethnic Study of Atherosclerosis (MESA), 2771

Increased Sympathetic Nerve Activity in Hypertension Correlates with the Severity of Neurovascular Compression at the Rostral Trilateral Medulla, 2824

Infarct Transmurality Predicts Microvascular Obstruction Better Than Infarct Size In Patients With Acute Myocardial Infarction, 2839

Inhibition of AMP-activated Protein Kinase Promotes Exercise-Induced Ventricular Arrhythmias with a Short QT Interval in Mice, 723

Integration of CT/MR imaging with Electroanatomical Mapping to Direct Catheter Ablation of Atrial Fibrillation: A Strategy for Rapid Registration, 1780

Interactive Real-Time Magnetic Resonance-Guided Atrial Septal Puncture and Atrial Balloon Septostomy are Feasible in Swine, 3199

Intravascular Magnetic Resonance Imaging to Characterize the Composition of Human Atherosclerotic Plaques in Vivo, 3390

Intravenous Nesiritide Improves Hemodynamics in a Randomized, Double-blind, Placebo-controlled Trial in Patients with Pulmonary Hypertension and Right Ventricular Failure: Right Atrial Dimension by Cardiac MRI is a Reliable, Novel Treatment End Point in Pulmonary Hypertension, 2414

Length Of Ischemia Is A Major Determinant Of Microvascular Obstruction. A Study Performed With Contrast Enhanced Magnetic Resonance After Primary Angioplasty, 2992

Levels of Circulating Endothelial Progenitor Cells Inversely Correlate with Inflammatory Atherosclerotic Plaque Activity as Measured by Contrast-Enhanced MRI, 1474

Magnetic Resonance Assessment of Scar Transmurality Distribution Predicts Inducible Ventricular Tachycardia Regardless of Disease Etiology, 1910

Magnetic Resonance Imaging Assessment of the Efficacy of Septal Alcohol Ablation for Hypertrophic Cardiomyopathy, 3363

Magnetic Resonance Imaging in the Assessment of Aortic Valve Area and LV function: Comparison to TTE and TEE, 2665

Magnetic Resonance Imaging of Cardiomyocyte Apoptosis In Vivo With a Novel Magneto-Optical Nanoparticle, 3179

Magnetic Resonance Imaging using Steady-State Free Precession Detects Blood Oxygen Level- Dependent Changes in Microcirculation, 3171

Magnetic Resonance Myocardial Delayed Enhancement in Infants with Anomalous Origin of Left Main Coronary Artery from Pulmonary Artery, 3488

Matrix Metalloproteinase-3 Promoter Variant Associated with Decreased Aortic Compliance is More Common in African Americans than Whites: From the Dallas Heart Study, 3819

MR Assessment of Transmural Distribution of Myocardial Blood Flow During Stress is Superior to the Measurement of Subendocardial Flow Reserve in Detecting Significant Coronary Artery Disease, 2991

MR Detection of Atherosclerotic Plaques using Macrophage Targeted Immunomicelles Containing Gadolinium, 663

MR Perfusion Imaging for Detection of Coronary Artery Disease: A Multicenter Dose Finding Study in Comparison with X-Ray Coronary Angiography and Single Photon Emission Computed Tomography, 2987

MR-Guided Cardiac Catheterization in Children and Adults, 2840

MRI Identifies Significant Variability in the Anatomic Relationship between the Esophagus and Left Atrium in Patients Undergoing Catheter Ablation for Atrial Fibrillation, 1971

MRI to Evaluate Left Atrial and Ventricular Reverse Remodeling after Successful Mitral Valve Repair in Ischemic/Dilated Cardiomyopathy, 2738

Multislice Computed Tomography Accurately Quantifies Right Ventricular Size and Function in Adults with Congenital Heart Disease, 3018

Myocardial Blood Flow at Rest is Impaired in Segments with Severe Coronary Artery Disease: An MR Study of Quantitative Perfusion Assessment, 2834

Myocardial Characterization by Magnetic Resonance Delayed Hyperenhancement Imaging Strongly Predicts Major Adverse Cardiac Events, 2988

- Myocardial Dysfunction by MRI Tagging Is Directly Related To Reduced Coronary Flow Reserve by MRI Perfusion in Asymptomatic Participants of the Multi-Ethnic Study of Atherosclerosis, 3491
- Myocardial Hypertrophy and Thinning in Friedreich's Ataxia are Functions of Disease Duration and GAA Trinucleotide Repeat Length: a Magnetic Resonance Imaging Study, 2663
- Neurohormone and Cytokine Activation Relate to Symptoms and Cardiac Function as Quantified by Cardiovascular Magnetic Resonance late After Repair of Tetralogy of Fallot, 3016
- No Reflow Detected by Delayed Contrast Enhancement Predicts Ventricular Remodeling Following an ST-Segment Elevation Myocardial Infarction, 2091
- Noninvasive Evaluation of Global Left Ventricular Myocardial Function with ECG-gated 16-slice Multidetector Computed Tomography in Comparison with Magnetic Resonance Imaging, 2667
- Noninvasive Serial Quantification of Minimal Aortic Arch Cross-Sectional Area by High-Resolution 3D-MRI After Transverse Aortic Banding in Mice: Band Internalization is a Major Source for Variability of the Hypertrophic Response, 959
- Oral Sildenafil Improves Functional Status and Cardiopulmonary Hemodynamics in Patients with Severe Pulmonary Hypertension Secondary to Chronic Pulmonary Schistosomiasis: A Cardiac Magnetic Resonance Study, 2659
- Paramagnetic $\alpha_v\beta_3$ -Integrin-Targeted Fumagillin Nanoparticles for Combined Molecular Imaging and Antiangiogenic Therapy in Atherosclerosis, 1463
- Patients with Non-ST-Elevation Acute Coronary Syndromes Have Negative Coronary Artery Remodeling During Late Follow-Up Detected by Magnetic Resonance Imaging, 1618
- Physiologic Compensation is Supranormal in Advanced Aortic Stenosis: Does it Return to Normal after Aortic Valve Replacement? An MRI LV Torsion Study Using 3D-HARP, 2661
- Postsystolic Shortening Indicates Absence of Viability: New Insights from Direct Comparison of Tissue Doppler Imaging and Late Enhancement Contrast MRI, 2003
- Predischarge Persistence of ST Elevation After Acute Myocardial Infarction Treated With Primary Angioplasty Predicts Microvascular Obstruction: A Study With Contrast-Enhanced Magnetic Resonance, 2831
- Presence and Pattern of Scar on Contrast-enhanced MRI Differentiates Ischemic from Non-ischemic Cardiomyopathy, 3490
- Presence of Intraplaque Hemorrhage Affects Progression of Carotid Atherosclerotic Plaques: A High-Resolution Magnetic Resonance Imaging Study, 1774
- Prevalence and Clinical Characteristics of Patients with Viable but Thinned Myocardium, 2986
- Prevalence and Structural Risk Factors for Left Ventricular Thrombus in Patients with Systolic Dysfunction as Assessed by Cardiac MRI, 3486
- Prompt Right Ventricular Overdistention during Untreated Ventricular Fibrillation Does Not Result in Left Ventricular Volume Loss, 1636
- Quantitative Measurement of Coronary Artery Stenosis Severity Improves the Diagnostic Accuracy of Multidetector Row CT but Not that of MR Angiography, 2107
- Real-time Intracardiac Echocardiographic Monitoring during Circumferential Pulmonary Vein Isolation to Identify Acute Pulmonary Vein Narrowing can predict Chronic Stenosis seen by Magnetic Resonance Imaging, 1670
- Regional Left Ventricular Dysfunction in Individuals with Mild to Moderate Renal Impairment - The Multi-Ethnic Study of Atherosclerosis, 3686
- Regional Left Ventricular Remodeling is Determined by Transmural Extent of Scar by Contrast-Enhanced Magnetic Resonance Imaging, 3485
- Relationship Between Delayed-Enhancement And The Circulating Levels Of Myocardial Collagen Markers In Patients With Left Ventricular Hypertrophy, 2802
- Relationship of Myocardial Fibrosis by Delayed Enhancement MRI with Biopsy-Quantified Collagen Content in Patients With Severe Chronic Aortic Valve Disease, 2662
- Reliable Visualization of the Whole Coronary Arterial Tree in a Single 3D Volume for Advanced Coronary MRA, 3393
- Right Ventricular Myocardial Fibrosis Late after Repair of Tetralogy of Fallot Demonstrated by Late Gadolinium Cardiovascular Magnetic Resonance: Correlation with Right Ventricular Dysfunction, Neurohormonal Activation, and Exercise Intolerance, 3017
- Risk Assessed by Framingham and Myocardial Perfusion Measured by MRI Selects Patients for Coronary Artery Angiography: The NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study, 2536
- Risk Factor Associations for the Presence of a Lipid Core in Carotid Atheroma of Asymptomatic Individuals using High-Resolution Magnetic Resonance Imaging, 3684
- Role of 16-Channel Multidetector CT for Analysis of Left Ventricular Function in Patients with Left Ventricular Dysfunction due to Various Etiologies Scheduled for ICD Implantation: An Alternative to Magnetic Resonance Imaging?, 1782
- Role of Contrast-Enhanced MRI in the Detection and Quantification of Lipid-Rich Necrotic Core in Carotid Atherosclerotic Plaque, 243
- Safety of Magnetic Resonance Imaging in the First Few Days after Primary Angioplasty/Stenting for Acute Myocardial Infarction, 2832
- Self-Expanding MRI Imaging and Tracking Catheters for High-Resolution Intra-Cardiac and Vessel-Wall Imaging, 3005
- Sensitivity of Dipyridamole CMR for the Assessment of Intermediate Severity Coronary Artery Stenosis, 2833
- Serial Magnetic Resonance Imaging for the Assessment of Myocardial Perfusion, Left Ventricular Function, and Infarct Size after Application of Blood-Derived Progenitor Cells in Recanalized Chronic Coronary Total Occlusions, 3173
- Single Adenosine Stress Cardiac Magnetic Resonance and Myocardial Perfusion Single Photon Emission Computed Tomography in Patients with Known or Suspected Coronary Artery Disease: Added Value of Rest Perfusion Magnetic Resonance Imaging, 2994
- ST-Segment Resolution, Time from Symptom Onset to Reperfusion, TIMI Flow Grades, and CK Release: Association with Infarct Size as Assessed by Delayed Enhancement Magnetic Resonance Imaging, 3172
- Sustained profound improvement of left ventricular function and remodeling 1 year after progenitor cell therapy for AMI: Insights from serial MRI imaging, 2377
- The Fontan Cross-Sectional Study: Testing for Correlations Among Health-Related Quality of Life, Maximal Exercise Performance, and Ventricular Mass-to-Volume Ratio, 2076
- The Selective Thromboxane A2 Receptor (TP) Antagonist S18886 has Antiatherosclerotic and Plaque-Stabilizing Effects in the Rabbit: Follow-Up with Serial High-Resolution Magnetic Resonance Imaging, 428
- Tissue Heterogeneity by Contrast-enhanced MRI as a Marker of Risk for Sudden Cardiac Death in Ischemic Cardiomyopathy, 2993
- Transmural Flow Gradient Measured by Magnetic Resonance Perfusion Imaging Improves Identification of Coronary Stenoses, 3493
- Troponin Elevation Following Percutaneous Coronary Intervention Directly Represents the Extent of Irreversible Myocardial Injury: Insights from Cardiovascular Magnetic Resonance Imaging, 2837
- Magnetic resonance spectroscopy**
- Abnormal Cardiac and Skeletal Muscle Function and Energetics Correlate with Insulin Resistance in Heart Failure, 1608
- CPT1 Flux is Reduced More than Krebs Cycle Flux in Hypertrophied Hearts with Compensatory Increases in Anaplerosis and NADH Shuttling, 1332
- Delayed Calf Muscle Phosphocreatine Recovery Postexercise Identifies Peripheral Arterial Disease, 2443
- Does Right-Shifting Hemoglobin-Oxygen Dissociation Attenuate Exercise-Induced Ischemia in Patients with Coronary Artery Disease?, 2835
- Guanydinacetate N-Methyltransferase-Knockout Mice Completely Lacking Myocardial Phosphocreatine Show Normal in vivo Cardiac Function, but Increased Susceptibility to Ischemia/Reperfusion Injury, 970
- Myoglobin - a Switch for Cardiac Substrate Selection, 114
- Proteomic and Metabolomic Analysis Reveals a Crucial Role of PKC- δ in Cardiac Metabolisms and Cardioprotection, 514
- Reduced ATP Synthesis Through Creatine Kinase in Failing and Non-Failing Hypertrophied Human Myocardium, 1548
- Membrane potentials**
- Abnormal Intracellular Calcium Cycling as a Mechanism for Wavebreak During Ventricular Fibrillation, 1403
- Role of Microscopic Tissue Structure in Shock-Induced Activation Assessed by Optical Mapping in Myocyte Cultures, 464
- Metabolism**
- ABCA1-Mediated Lipid Transport From Both The Liver And The Periphery Are Essential For Maintenance Of Plasma HDL Levels In Vivo, 1299
- Activation of AMP-Activated Protein Kinase Inhibits Cardiac Myocyte Hypertrophy Induced by Akt, 918
- Active Metabolite of GLP-1 Mediates Increased Myocardial Glucose Uptake and Improves Hemodynamics in Dilated Cardiomyopathy, 3148
- Ad Libitum Consumption of a High Monounsaturated Fatty Acid Diet Decreases VLDL apolipoprotein B-100 Production in Men, 878
- ApoA-I Lipidation in Primary Mouse Hepatocytes: Evidence for Cholesterol Transfer Independent of ABCA1, 1301
- ApoE Knockout and LDL Receptor Knockout Mice Develop Increased Insulin Sensitivity in Liver and Heart In Vivo, 1005
- Apolipoprotein D Knockout Mice Are Protected from Diet-Induced Cardiac Insulin Resistance But Develop Diet-Induced Atherosclerosis, 1579
- Both World Health Organization and National Cholesterol Education Program Definitions of the Metabolic Syndrome Independently Predict Subclinical Atherosclerosis, 3841
- Caffeinated Coffee, Decaffeinated coffee, and Caffeine in Relation to Plasma C-Peptide, a Marker of Insulin Secretion, in US Women, 3775
- Cardiac Abnormalities as a New Manifestation of Nonalcoholic Fatty Liver Disease (NAFLD), 3296
- Cardiomyocyte-restricted Inactivation of Peroxisome Proliferator-activated Receptor δ Deletion Causes Lipotoxic Cardiomyopathy, 1551

- Cholesterol Feeding Strongly Reduces Hepatic VLDL Production in Mice Lacking LXR α , 1018
- Chronic Exercise Training Improves Aging-Induced Decrease Fatty Acid Metabolic Capacity Through Peroxisome Proliferator-Activated Receptor (PPAR)- α Signaling in the Heart, 3821
- Comparative Effect of Telmisartan and Losartan on Glucose Metabolism in Hypertensive Patients with the Metabolic Syndrome, 2818
- CPT1 Flux is Reduced More than Krebs Cycle Flux in Hypertrophied Hearts with Compensatory Increases in Anaplerosis and NADH Shuttling, 1332
- Decreased Postprandial Triglyceride Response in Cholesteryl Ester Transfer Protein Deficiency -Another Anti-atherogenic Aspect-, 871
- Depressive Symptoms are Associated with Insulin Resistance, 1968
- Does Metabolic Syndrome Predict Cardiovascular Risk in the Elderly?, 3566
- Effects of Concentric and Eccentric Muscle Exercise on Lipid and Glucose Metabolism in Healthy Sedentary Individuals, 3826
- Forkhead Transcription Factor, Foxo2, Regulates TGF- β 1-induced PAI-1 Gene Expression, 840
- H11 Kinase Promotes The Activation And Nuclear Translocation Of AMP-Dependent Protein Kinase, 107
- Hearts from Malonyl CoA Decarboxylase Null Mice are Protected from Ischemic Damage, 1544
- Homocysteine: Cardiovascular Risk Predictor or Mirror of Renal Function? Results from the AtheroGene Study, 1346
- Hypertension and Sympathovagal Imbalance are Reversed by Correction of Insulinresistance Despite Persistent Dyslipidemia Upon Diet Restriction in LDL Receptor- and Leptin-Deficient Mice, 951
- Impaired Peripheral Fatty Acid Trapping and Exaggerated Postprandial Lipemia in HIV-Lipodystrophy, 877
- Improved Tolerance to Ischemia in Hypertrophied Hearts by Inhibition of Glycogen Synthase Kinase-3, 1704
- Inactivation of Protein Kinase C- β Reduced Insulin-Stimulated Cardiac Glucose Uptake But Paradoxically Prevented Diet-Induced Cardiac Insulin Resistance, 1331
- Insulin-Mediated Regulation of 5'AMP-Activated Protein Kinase, but not Glycolysis, is Attenuated by Fatty Acids, 972
- Long-Term Therapy with Ranolazine Prevents Progressive Left Ventricular Dysfunction and Remodeling in Dogs with Chronic Heart Failure, 3147
- Low-Grade Inflammation in Essential Hypertension: a Key to Distinguish Benign from Malignant Microalbuminuria?, 3550
- Metabolic Modulation With Perhexiline Improves Myocardial Function in Ischemic Heart Failure, 3146
- Metabolic Syndrome, Inflammation, and Prognosis in Individuals with Known Coronary Artery Disease, 2543
- Metabolic Syndrome, its Preeminent Clusters, and the Increased Risk of Incident Coronary Heart Disease, 3843
- Mice with Deletion of Fatty Acid Binding Proteins, ap2 and mal1, Are Protected from Diet-Induced Cardiac Insulin Resistance, 1169
- Mice with Heart-Specific Overexpression of TNF Develop Cardiac Insulin Resistance, 601
- Mutations in AMPK- γ 2 Subunit Cause Increased α 2-AMPK Activity in the Heart under Normal [AMP] in vivo, 1330
- Myocardial Fractional Fatty Acid Uptake Predicts Left Ventricular Diastolic Dysfunction, 3561
- Myoglobin - a Switch for Cardiac Substrate Selection, 114
- Noninvasive Assessment of Right Ventricular Pressure Overload and the Effect of Epoprostenol Using Gated [18 F]fluorodeoxyglucose PET in Patients with Pulmonary Hypertension, 3054
- Novel Role for CCAAT/Enhancer-binding Protein b in Metabolic Adaptation of the Rodent Heart, 1545
- Overexpression of Insulin-Like Growth Factor Binding Protein-2 in Mice Protects against the Development of Insulin Resistance and Obesity, 416
- Overexpression of Pcsk9 Leads to the Formation of an LDLR-Pcsk9 Complex and Acceleration of LDLR Degradation, 1171
- Patients with Metabolic Syndrome and Endothelial Dysfunction are at Higher Risk of Cardiovascular Events: the Northern Manhattan Study, 3611
- Plasma Adiponectin in Peripheral Arterial Occlusive Disease, 1773
- PPAR γ Enhances the Expression of Adiponectin and Adiponectin Receptor 2 in the Heart, 111
- PPAR- α Regulatory Pathway is Activated in Patients with Severe Idiopathic Dilated Cardiomyopathy, 109
- Pravastatin Improves MACE-Free Survival in Subjects with the Metabolic Syndrome: A Substudy of the PREVENT Intervention Trial, 3551
- Premature Atherosclerosis Does Not Occur in Monogenic Isolated Growth Hormone Deficiency Despite the Association With Metabolic Syndrome, 3568
- Propionyl-L-carnitine Improves Hemodynamics and Cardiac Microvascular Perfusion During Coronary Operation in Diabetic Patients, 1705
- Structural Requirements for the Formation of Nascent ApoA-I-containing Particles: Impact on HDL Biogenesis and Maturation, 175
- The Correlation between Iodine-123-Betamethylidophenylpentadecanoic Acid and Serum Levels of Heart-Type Fatty Acid Binding Protein in Patients with Chronic Heart Failure, 3047
- The Liver X Receptor - α is Phosphorylated at Ser207, 1006
- The MHC-PPAR α Mouse Model of the Diabetic Heart Exhibits Increased Pathologic Remodeling following Myocardial Infarction, 110
- Time Urgency/Impatience and Development of Metabolic Syndrome: The CARDIA Study, 3836
- VLDL-Triglyceride Kinetics in Postmenopausal Women, 869
- METS**
- Effect of Physical Fitness on Serum C-Reactive Protein in Subjects with the Metabolic Syndrome, 3552
- Microcirculation**
- The Waveform Index of Ophthalmic Artery can Predict the Impaired Coronary Flow Reserve, 1792
- A Novel Mechanism of Vascular Protection in Aging Mediated by Calpain Inhibition, 856
- Attenuation of Myogenic Tone by Myocardium-Derived Vasomotor Factor during Resting Condition and Metabolic Stimulated State: Role of the ATP-Sensitive Potassium Channels, 336
- Blockade of RAGE Restores Microvascular Reactivity in Diabetic Apolipoprotein E Null Mice, 1467
- Electron Spin Resonance Investigation on Modulatory Effects of Aerobic Physical Exercise on Membrane Microviscosity in Essential Hypertension, 3824
- Endogenous vasoconstrictor coupling factor 6 is released from the resistance arterioles and is involved in the genesis of hypertension, 293
- Influence of Collateral Flow on Phasic Changes in Myocardial Acoustic Intensity Leads to Underestimation of Stenosis Severity on Myocardial Contrast Echocardiography, 3459
- Intracoronary Hyperbaric Oxygen Administered During Primary Percutaneous Coronary Intervention Prevents One Month Left Ventricular Remodeling, 3229
- Leptin Receptors are Expressed in Coronary Endothelium and Leptin Stimulates Nitric Oxide-Dependent Coronary Arteriolar Dilation, 1161
- Liposome-Encapsulated Hemoglobin Ameliorates Cerebral Infarction in the Monkey as Shown on Positron Emission Tomography, 2279
- Magnetic Resonance Imaging using Steady-State Free Precession Detects Blood Oxygen Level- Dependent Changes in Microcirculation, 3171
- Microvascular Leakage During Acute Hyperhomocysteinemia, 669
- Microvascular Leakage in Rats with Metabolic Syndrome, 673
- Myosin Phosphatase Isoform Expression in the Specification and Modulation of the Smooth Muscle Contractile Phenotypes, 668
- Oral Benfotiamine Supplementation Improves Reporative Angiogenesis and Endothelial Cell Survival in Diabetic Model of Peripheral Ischemia by Activation of Akt-B/eNOS Pathway, 1456
- Prediction of Left Ventricular Remodeling in Patients With TIMI 3 Flow: Analysis Using Transthoracic Color Doppler Echocardiography, 2657
- Predischarge Persistency of ST Elevation After Acute Myocardial Infarction Treated With Primary Angioplasty Predicts Microvascular Obstruction: A Study With Contrast-Enhanced Magnetic Resonance, 2831
- Real-Time Myocardial Contrast Echocardiography, Perfusion Quantitative Analysis, and Heterogeneity in Hypertrophic Obstructive Cardiomyopathy, 3139
- Reduced Sensitivity to Wall Shear Stress in Arterioles of PECAM Knockout Mice due to Impaired Mechanotransduction, 1066
- Short-Term Statin Therapy, but Not Lipid-Lowering with Ezetimibe, Improves Endothelial Function in Patients with CAD: Clinical Evidence for the Relevance of Pleiotropic Effects of Statins, 374
- Sildenafil in the Treatment of Raynaud's Phenomenon Resistant to Vasodilatory Therapy, 2444
- Src And PI3-Kinase Play A Role In Flow-Induced Dilation Of Coronary Arterioles, 343
- The Role of Endothelial- Versus Blood Cell-Associated Angiotensin II Receptor-1 in the Microvascular Responses to Acute Hypercholesterolemia, 667
- Tibolone, a Selective Estrogen Receptor Modulator, Improves Myocardial Perfusion in Postmenopausal Women with Coronary Artery Disease, 3052
- Type 2 Diabetic Mice Have Increased Blood Pressure and Enhanced Arteriolar Basal Tone Due to COX-2-Dependent TxA $_2$ /PGH $_2$ Production, 158
- Mitral regurgitation**
- 3-Dimensional Echocardiography Reveals Symmetric Mitral Annular Dilatation With Increasing Severity of Mitral Regurgitation, 3044
- 3D Echocardiographic Assessment of Mitral Regurgitation: A Novel, Rapid, and Reproducible Method of Quantification, 3122
- A New Simplified Technique To Improve Accuracy Of Mitral Regurgitation Quantification By Real Time 3D Echocardiography Mapping Of The Proximal Flow Convergence Region, 3446
- A Novel Mouse Model of Myxomatous Valvular Degeneration, 214
- Annular Remodeling in Patients With Chronic Ischemic Mitral Regurgitation: Three-Dimensional Magnetic Resonance Imaging Study, 2737

- Aortic Valve Replacement and Concomitant Mitral Valve Regurgitation in the Elderly - Impact on Survival and Functional Outcome, 2561
- Aorto-Mitral Angle and Flexion are Altered by Acute Ischemic Mitral Regurgitation and Undersized Annuloplasty, 1994
- Brain Natriuretic Peptide in Mitral Regurgitation: Determinants and Impact on Outcome, 1715
- Cardiac Resynchronization Acutely Reduces Dynamic Functional Mitral Regurgitation in Heart Failure: A Study Using Quantitative Doppler Exercise Echocardiography, 3447
- Comparison of Revascularization alone versus Combined Revascularization and Mitral Valve Repair for Ischemic Mitral Regurgitation, 2741
- Does Extent of Mitral Regurgitation Regress after Aortic Valve Replacement for Severe Aortic Stenosis? A Cardiac Magnetic Resonance Imaging Study of LV Structure, Function, and Mitral Apparatus Geometry, 1719
- Does Intraoperative TEE Underestimate Ischemic Mitral Regurgitation? Importance of Intraoperative Loading Conditions When Assessing the Mitral Valve, 3042
- Dyssynchrony of Papillary Muscle Contraction May Accelerate Mitral Regurgitation in Dilated Cardiomyopathy, 2762
- Effect of Cardiac Resynchronization Therapy on Sleep-Disordered Breathing in Patients with Systolic Heart Failure, 1898
- Factors Affecting Survival in 969 Patients With Chronic Severe Mitral Regurgitation and Left Ventricular Ejection Fraction \leq 30%: Role For Mitral Valve Surgery, 1988
- First-pass Perfusion and Delayed-Enhancement Magnetic Resonance Imaging detect Papillary Muscle Ischemia in Ischemic Mitral Regurgitation, 3392
- Gender Differences in Left Ventricular Remodeling from Mitral Regurgitation: Insights from Cardiovascular Magnetic Resonance, 2660
- Heart Failure after Myocardial Infarction: The Role of Mitral Regurgitation, a Community-Based Study, 3719
- Impact of Mitral Valve Regurgitation Evaluated by Intraoperative Transesophageal Echocardiography on Long-Term Outcomes After Coronary Artery Bypass Grafting, 1987
- Impaired Focal Adhesion Signaling Early in the Course of Volume Overload-Induced Cardiac Hypertrophy after Mitral Regurgitation in the Dog: Effect of β_1 -adrenergic receptor blockade, 100
- Importance of Biplane Measurement of Proximal Jet Width for Estimation of Severity of Mitral Regurgitation: Implications to Mitral Regurgitation Etiology, 3041
- In Vivo Annular Height to Commissural Width Ratio of Mitral Annuloplasty Rings, 2734
- Intraoperative Outcomes of the CoapsysTM Annuloplasty System in a Randomized Evaluation (RESTOR-MV) of Functional Ischemic Mitral Regurgitation, 1993
- Lack of Left Ventricular Dilatation Is A Marker Of Increased Mortality In Patients With Chronic Severe Mitral Regurgitation and Normal Ejection Fraction, 3448
- Left Ventricular Remodeling in Chronic Ischemic Mitral Regurgitation (CIMR), 2934
- Local Displacement and Asymmetrical Deformation of Mitral Annular Geometry in Ischemic Mitral Regurgitation: A Novel Computerized 3D Echo Method, 1991
- LV Geometry and Mitral Regurgitation in Patients with Persistent Total Occlusion of the Infarct Artery in OAT, 3057
- Mitral Annular Diameter, An Independent Predictor for Successful Mitral Valve Repair in Patients with Ischemic MR: An Echocardiographic Study, 2192
- Mitral Annulus Flattens in Patients With Ischemic Mitral Regurgitation: Transthoracic Real-time Three-Dimensional Echocardiographic Study, 2733
- Mitral Regurgitation Predicts Hospitalization for Heart Failure or Death in Patients with Left Ventricular Dysfunction. The Omapatrilat Versus Enalapril Randomized Trial of Utility in Reducing Events (OVERTURE) Echo Study, 2774
- Mitral Regurgitation Remains Common after Myocardial Infarction and is Powerfully Predictive of Adverse Outcomes Despite Renin-Angiotensin System Blockade: Data from VALIANT, 2680
- Mitral Valve Repair for Functional Mitral Regurgitation in End-Stage Dilated Cardiomyopathy: the Role of the "Edge-to-Edge" Technique, 1992
- Mitral Valve Repair without Entering the Heart: External Cardiac Basal Stabilization Prevents Progression of Mitral Regurgitation, 2194
- MRI to Evaluate Left Atrial and Ventricular Reverse Remodeling after Successful Mitral Valve Repair in Ischemic/Dilated Cardiomyopathy, 2738
- Percutaneous Edge-to-Edge Mitral Valve Repair: Preliminary Results of the EVEREST-I Study, 2068
- Percutaneous Mitral Annuloplasty in Experimental Heart Failure: Acute and Chronic Efficacy and Safety, 2069
- Percutaneous Mitral Valve Repair for Chronic Ischemic Mitral Regurgitation: Feasibility Study in Ovine Model, 2305
- Progression of Tricuspid Regurgitation after Repaired Functional Ischemic Mitral Regurgitation, 2740
- Quantification of Mitral Regurgitant Volume by Real-Time Three-Dimensional Color Doppler Echocardiography: Validation by the Flow Convergence Method, 3038
- Real-time 3D Echo Can Enhance Assessment of the Vena Contracta Width: Overcoming the Problem of Oblique Measurement in Eccentric Jets , 3451
- Real-Time Dynamic Three-Dimensional Color Flow Doppler Assessment of Mitral Regurgitation, 2655
- Real-time Three-dimensional Echocardiography in Ischemic Mitral Regurgitation, 3121
- Subvalvular Repair: The Key to Ischemic Mitral Regurgitation?, 1883
- Ultrasound Tissue Characterization may be used to Detect Subclinical Left Ventricular Dysfunction and Fibrosis in Asymptomatic Severe Mitral Regurgitation, 2736
- Undersized Mitral Annuloplasty for Ischemic Mitral Regurgitation does not "Reverse Remodel" the Left Ventricle, 1990
- Mitral valve**
- A New Locus for Autosomal Dominant Mitral Valve Prolapse on Chromosome 13: Clinical Lessons, 1605
- A Novel Mouse Model of Myxomatous Valvular Degeneration, 214
- An In Vivo Method for Determining Dynamic Mitral Leaflet Strain, 2735
- Dynamic Change in Mitral Annular Geometry During a Cardiac Cycle in Patients with Ischemic and Dilated Cardiomyopathy: A Novel Computerized 3D Echo Method, 3037
- Dysregulation of TGF β Contributes to Myxomatous Mitral Valve Disease in Marfan Syndrome, 276
- Early Exercise Training after Mitral Valve Repair: A Multicentric Prospective French Study, 3823
- In Vivo Annular Height to Commissural Width Ratio of Mitral Annuloplasty Rings, 2734
- Incidence of Atrial Reentry Tachycardia After Mitral Valve Surgery Depends on the Type of Surgical Approach, 1717
- Insights into Normal Atrioventricular Valve Junction Motion in Pediatrics: A Real-Time Three-Dimensional Echocardiographic Study, 2652
- Intraoperative Outcomes of the CoapsysTM Annuloplasty System in a Randomized Evaluation (RESTOR-MV) of Functional Ischemic Mitral Regurgitation, 1993
- Local Displacement and Asymmetrical Deformation of Mitral Annular Geometry in Ischemic Mitral Regurgitation: A Novel Computerized 3D Echo Method, 1991
- Long-term Cost and Cost-effectiveness of Mitral Valve Repair Versus Replacement, 2742
- Mechanism of Systolic Anterior Motion of the Mitral Valve After Mitral Valve Repair, 2739
- Mutations In The Gene Encoding The Cytoskeletal Protein Filamin A Cause X-Linked Myxomatous Plurivalvular Dystrophy, 439
- Optimization of Windows and Perspectives of Real-Time Three-Dimensional Echocardiographic Evaluation of the Mitral Valve, 3449
- Percutaneous Edge-to-Edge Mitral Valve Repair: Preliminary Results of the EVEREST-I Study, 2068
- Percutaneous Transluminal Mitral Commissurotomy: Comparison between Innoue and Double-Balloon Technique, 2332
- Pulmonary Vein Isolation by Radiofrequency Ablation During Mitral Valve Surgery Reduces Chronic Atrial Fibrillation - A Randomized Prospective Trial, 3201
- Real-time 3D Echo Can Enhance Assessment of the Vena Contracta Width: Overcoming the Problem of Oblique Measurement in Eccentric Jets , 3451
- Real-time Three-dimensional Echocardiography in Ischemic Mitral Regurgitation, 3121
- Subvalvular Repair: The Key to Ischemic Mitral Regurgitation?, 1883
- The Surgical Treatment Of Atrial Fibrillation Using Argon-based Cryoablation During Concomitant Cardiac Procedures, 3202
- Thromboembolic Events after Mitral Valve Repair: a multicentric prospective survey, 1989
- Mitral valve stenosis**
- A Novel Doppler Time Index for Assessment of Left Ventricular Filling Pressures in Patients with Mitral Stenosis and Prosthetic Mitral Valves, 3314
- Impact of Atrioventricular Compliance on Left Atrial and Pulmonary Arterial Pressures in Patients with Severe Mitral Stenosis, 3039
- Left Atrial Diameter is a Simple Indicator of Deficiency in Atrial Natriuretic Peptide Secretion in Patients with Mitral Stenosis: Efficacy of Supplementation with Synthetic Human α -atrial Natriuretic Peptide in Management during Immediate Postoperative Period, 2776
- Long-Term Clinical Outcome after Mitral Valve Replacement is Better than Redo Balloon Mitral Valvotomy in Patients with Restenosis after Previous Balloon Valvotomy, 1714
- Patterns Of Hemodynamic Responses During Exercise Are Related To Exercise Tolerance In Patients With Severe Mitral Stenosis With Few Or No Symptoms, 3040

Percutaneous Transluminal Mitral Commissurotomy: Comparison between Inoue and Double-Balloon Technique, 2332

Molecular biology

B-Adrenergic Receptor Stimulation Enhances Double Strand Formation and Transduction of Raav through Calcium/Calcineurin Cascade, 1739
A Critical Amino Acid Determines Flecainide Sensitivity of Voltage-dependent Potassium Channels, 66

A Haplotype of Human Angiotensinogen Gene Containing -217A and -1074T in its Promoter is Associated with Hypertension in African-American Population, 33

A New Methodology to Detect the Natural Anti-Plaque Response in Patients with Ruptured Atherosclerotic Plaques, 588

Activation of AMP-Activated Protein Kinase Inhibits Cardiac Myocyte Hypertrophy Induced by Akt, 918

Activation of the Calcineurin-Signaling Pathway During Atrial Fibrillation: A Novel In Vitro Pacing Model Using Adult Human Tissue, 776

Acute Changes of Gene Expression in the Nonischemic Region 2 hours after Myocardial Infarction, 1426

Altered Protein-Protein Interactions of a Causative Agent for Desmin-Related Cardiomyopathy, 34

Alternatively Spliced Forms of Human BNP: Discovery, Localization, and Function, 452

An Alternative P38 Activation pathway by TAB1 Mediates Different Downstream Effects in Cardiac Myocytes from MKK3, 1371

Analysis of a Ca Channel β -Subunit, AiD, and Rem GTPase Regulatory Complex, 285

Apoptosis Resistance with Expression of Mutant p193/Cul7 is Independent of its Binding p53 or Parc, 264

cAMP-Response Element-Binding Protein Mediates TNF α -Induced Vascular Remodeling Process, 407

Cardiac-specific Expression of a Dominant Negative Splicing Regulator in Mice Causes Cardiac Hypertrophy, Severe Cardiac Dysfunction, and Sudden Death, 1261

Competition Between TIA and PTB RNA Binding Proteins Determine The Tissue-Specific Splicing Of The Myosin Phosphatase Targeting Subunit, 1263

Conditional Overexpression of a Constitutively Active Integrin Results in Rapid Increases in Calcitriol Expression, Severe Contractile Dysfunction, and Impaired Cell-cell Electrical Coupling, 639

Cytoglobin: A Novel Cardioprotective Factor in the Stressed Heart, 809
D-4F, an ApoA-I Mimetic Peptide, Regulates ABCA1 Similar to Human ApoA-I, 172

Decreased Atherosclerosis in Human PON3 Transgenic Mice, 1393

Defective Cardiac Ryanodine Receptor Regulation During Atrial Fibrillation, 610

Dysregulation of A Novel Hyperplasia Suppressor Gene Triggers Vascular Proliferative Disorders, 1516

Effects of β -Blocker on Myocardial Protein Expressions in Patients with Dilated Cardiomyopathy, 2032

Expression of Cell-Cycle Regulatory Genes and Telomerase in Fetal Human Cardiomyocytes Results in Bypass of Cellular Senescence, 1452

Heart-Specific Disruption of MAT1, Assembly Factor of Cdk7/cyclin H, Causes Fulminant Heart Failure, 632

HERP1, a Target Gene of Notch, Maintains Undifferentiated State of Vascular Smooth Muscle Cells by Competing SRF Coactivator, Myocardin, 363

High-Resolution In Vivo Microimaging Echocardiography Provides Enhanced Cardiac Detailing in Mice, 1724

Hypertrophic Stimuli Induce Association of Mineralocorticoid Receptor with a Transcriptional Coactivator p300 in Cardiac Myocytes, 1370

I_{Ks} Downregulation in Canine Ventricular Hypertrophy Confers the Loss of β -Adrenergic-Induced Shortening of Repolarization, Favoring Proarrhythmia, 1531

Identification of a Novel Serum Response Factor Cofactor (p49/STRAP) in Cardiac Gene Regulation, 1378

Impairment of the Ubiquitin-Proteasome System by Misfolded Cytoplasmic Protein in Cardiac Myocytes, 764

In Vivo Silencing of CCR2 by Lentiviral siRNA Transfer to Bone Marrow Cells Leads to Persistent Loss of CCR2 Function, 656

Inhibition of Nuclear Factor- β B Signaling Attenuates Angiotensin II-induced Cardiac Hypertrophy, Remodeling, and Apoptosis, 91

Insulin-like Growth Factor-1 Mediates Stretch-induced Upregulation of Myostatin Expression via p38 MAP kinase and MEF2 Pathway in Cultured Rat Neonatal Cardiomyocytes, 38

Integrin-Linked Kinase Induces The Upregulation Of A Novel Gene That Is Involved In Cardiac Myocyte Survival, 915

Involvement of the proprotein convertase Furin in the arterial response to injury, 1510

KLF15 is a Novel Regulator of Cardiomyocyte Gene Expression, 1256

KLF5 is Essential for Adipocyte Differentiation, 1170

Malignant Transformation of Heart Muscle in the Absence of the von Hippel-Lindau Protein, 213

MAP Kinase Phosphatase-2 (MKP-2) Gene Expression is Mediated Via the PKC/ERK Signaling Cascade in Cardiac Hypertrophy, 1258

Mechanisms of Mesenchymal Stem Cell Homing to the Infarcted Myocardium, 820

Mineralocorticoid Receptor Mediates Heart Failure in the 11 β -hydroxysteroid Dehydrogenase Type 2 Transgenic Mouse Model, 2946

Molecular Basis of Funny Current (I_h) in Normal and Failing Human Heart, 614

Monocyte Chemoattractant Protein 1 (MCP-1) Polymorphism and Susceptibility For Coronary Collaterals, 905

Muscle-specific Ring Finger 1 is a Bona Fide Ubiquitin Ligase that Degrades Cardiac Troponin I, 762

Myocardin Activity is Modulated by p300 and HDAC5, 1

nNOS is Primarily Localized to the Sarcoplasmic Reticulum in Cardiac Myocytes and Dependent on Λ -Synorphin, 948

Noncanonical Wnt Signaling via PKC Enhances Differentiation of Circulating Progenitor Cells to Cardiomyogenic Cells, 652

Notch Stimulation, but Not Gridlock Homologue HERP1, Induces Arterial Specific Markers in Venous Cell Line, 152

Notch1 Signaling Regulates Cardiac Differentiation, Morphogenesis, and Remodeling, 1087

Nuclear Respiratory Factor 1 (NRF1) Inhibits Upstream Stimulatory Factor 1 (USF1)-Dependent Transactivation of the Cardiac Isoform of Acetyl-CoA Carboxylase, 39

Pathological Levels of Cdk9 Activity in Cardiac Muscle Repress PGC-1 and Confer a Predisposition to Heart Failure, 1259

Perceived Hyperoxia in the Reoxygenated Heart: Oxygen-Sensitive Signaling for Cell Cycle Arrest and Differentiation of Cardiac Fibroblasts, 120

Physiologically Applied Pressure Overload Produces a Pathological Molecular and Functional Phenotype, 916

PKB/Akt Modulates EPC Homing through ICAM-1, 2183

PKC β Modulates Ischemia Reperfusion Injury in the Heart, 517

Pressure-induced Phenotypic Changes Underlie the Activation of Arterial Renin-Angiotensin System and PKC-NAD(P)H Oxidase Axis, 1236

Regional Distribution of Ion Channel Gene Expression in the Murine Heart, 1252

Regulation of Large Conductance Ca²⁺-Activated K⁺ (BK) Channel by Caveolae Targeting in Vascular Endothelial Cells, 1595

Rho Guanine Nucleotide Dissociation Inhibitor mediates Rac1-dependent activation, NAD(P)H oxidase activation, and free-radical release, 750

Rising Levels of CRP and PAI-1 After Plaque Disruption Are Associated with Thrombosis, 1486

Role of Signal Receptor Protein- α and SH2 Domain-containing Protein Tyrosine Phosphatase-1 in Regulating the Anti-inflammatory Effects of Arterial Elastic Laminae, 569

Roles of CHF1/Hey2 in Endocardial Cushion Remodeling, Myocardial Maturation and Vascular Development, 277

Skin-Derived Micro-Tissue Autotransplantation as a Novel Approach for Therapeutic Angiogenesis, 1294

TGF β -Induced Apoptosis via AP-1/SMAD Signaling in Adult Cardiac Myocytes, 266

The Akt-FOXO Signaling Axis Controls Heart Size by Regulating Expression of the Ubiquitin Ligase Atrogin, 207

The HDAC Inhibitor MS-275 Abrogates Vascular Smooth Muscle Cell Proliferation and Inhibits Neointimal Formation in a Rabbit Model of In-Stent-Restenosis, 1058

The Kruppel-Like Factor KLF2 is a Novel Inhibitor of Angiogenesis via Repression of the VEGF Receptor VEGFR2 (KDR/flk-1), 828

The N-Terminal Domain of Friend-of-GATA-2 Interacts with Several Corepressors in Embryonic Heart Development, 1377

The Smad Binding Element, Selectively Responding to Smad3, is Essential for the Transcription of the SM22 Promoter in vivo, 155

Tissue Factor Deficiency Causes Down-Regulation of Angiogenic Factors and Reduced Vasculature in the Heart, 1430

Tumor Necrosis Factor Suppresses Cardiac Mitochondrial Fatty Acid β -oxidation: Potential Role of Transforming Growth Factor- β , 602

Unconventional Splice Site Mutation in SCN5A as Cause (and Modifier?) of Overlapping Phenotypes of Brugada Syndrome and Isolated Cardiac Conduction Defect, 1743

Upregulation of Cardiac Gene Expression by β_2 -Adrenoceptor Stimulation is Associated with Activation of Extracellular Signal-Regulated Kinase and Inhibition of c-Jun NH₂-terminal Kinase Pathway, 1225

Vascular Production of CRP and the Association Between Serum Levels and Plaque Deposition of CRP in Patients With Atherosclerosis, 3852

Virus Receptor Trap, Expressing Both Coxsackievirus and Adenovirus Receptor and Decay-accelerating Factor, Can Attenuate Inflammation and Mortality in Experimental Coxsackieviral Myocarditis, 45

Monitoring, physiologic

A Multivariate Impedance Cardiography Composite Score Can Predict the Occurrence of Major Heart Failure Events: the PREDICT Study, 2775

Association Between Enhanced Soluble CD40L And Prothrombotic State In Major Depression, 1479

Intrathoracic Far-field ECG Allows Detection of Ischemia after Total Coronary Occlusion, 3260

- Massage Therapy Following Open Heart Surgery (Coronary Artery Bypass Grafting and Valve Procedures), 3238
- Monoclonal antibodies**
- Inhibition of Complement Activation by Pexelizumab Reduces Death and Myocardial Infarction in Cardiac Surgical Patients With Selected Risk Profiles: Results From the International Multi-Center PRIMO-CABG Study, 1985
 - Inhibition of Complement Activation by Pexelizumab Reduces Death in Patients Undergoing Combined Aortic Valve Procedure and Coronary Artery Bypass Surgery, 3116
 - Inhibition of ErbB2 Causes Mitochondrial Dysfunction and Impaired Growth Response in Cardiomyocytes through Altered Bcl-xS/Bcl-xL Signaling: Implications for Herceptin-Induced Cardiomyopathy, 29
 - Passive Immunization with Monoclonal Antibody (IgM) to Phosphorylcholine, an Oxidized LDL Related Neoantigen, Reduces Accelerated Atherosclerosis in a Vein-Graft Model in ApoE Null Mice, 246
- Morphogenesis**
- Crucial Role of the Sonic Hedgehog Pathway During Regeneration of the Skeletal Muscle, 208
 - Hypoxia-dependent Remodeling of the Embryonic Cardiac OFT and Susceptibility to Environmental Teratogens via Oxidant Stress, 444
 - Local Gene Transfer with Human Tissue Kallikrein Improves Reparative Neovascularization and Cardiomyocyte Viability and Prevents Ventricular Remodelling in a Mouse Model of Myocardial Infarction, 526
 - The N-Terminal Domain of Friend-of-GATA-2 Interacts with Several Corepressors in Embryonic Heart Development, 1377
- Muscle biopsy**
- Microvascular Graft Vessel Disease in Children - Experience with 130 Patients, 3408
 - Protein Kinase A Corrects High Resting Tension Of Cardiomyocytes From Patients With Diastolic Heart Failure, 2094
- Muscle, cardiac - see Myocardium**
- Ablation of Junction by Gene Targeting Results in Enhanced Cardiac Contractility and Ca^{2+} Kinetics, 622
 - Abnormal Intra-Sr [Ca]-Dynamics Underlie Effort-Induced Ventricular Arrhythmia Linked to Mutations in Calsequestrin, 621
 - Aldosterone Reduces Gene Expression of Angiotensin-Converting Enzyme 2 in Rat Neonatal Cardiomyocytes, 2953
 - Both Cell Fusion and Transdifferentiation Account for the Transformation of Human Peripheral Blood CD34-Positive Cells Into Cardiomyocytes in vivo, 653
 - Cardiac-specific Expression of a Dominant Negative Splicing Regulator in Mice Causes Cardiac Hypertrophy, Severe Cardiac Dysfunction, and Sudden Death, 1261
 - Deficiency for the G Protein-Coupled Receptor Mas Leads to Cardiomyopathy, Illustrating the Importance of Its Endogenous Ligand Angiotensin-(1-7) for Cardiac Function, 1090
 - Directed Differentiation of Adult Human Bone Marrow Stem Cells into Lineage-Defined Cardiac Muscle-Like Cells, 445
 - In the Adult Human Heart Resides a Population of Non-blood-borne Multipotent Cardiac Progenitor Cells, 1144
 - KLF15 is a Novel Regulator of Cardiomyocyte Gene Expression, 1256
 - Loss of Cardiac Myocyte-specific Expression of HIF-1 α Increases Infarct Size and Susceptibility to Apoptosis, 513
 - Malignant Transformation of Heart Muscle in the Absence of the von Hippel-Lindau Protein, 213
 - Perlestin as a Novel Factor Responsible for Ventricular Dilatation, 492
 - Plasma Brain Natriuretic Peptide Concentration Elevated According to Increase in Myocardial Stiffness both in Patients with Systolic and Diastolic Heart Failure, 2588
 - Sustained Correction of Glycogen Storage Disease Type II by Recombinant Adeno-Associated Virus Serotype 1 (AAV1) Vector-Mediated Gene Therapy, 765
 - Transmural Mechanics of Active Left Ventricular Diastolic Relaxation, 524
- Muscle, skeletal**
- A Phase II Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial of Plasmid Del-1 (Developmentally regulated Endothelial Locus 1) in Subjects with Intermittent Claudication Secondary to Peripheral Arterial Disease: DELTA1-PAD, 2439
 - Adenovirus-Mediated Delivery of Early Growth Response Factor 1 Gene Increases Tissue Perfusion in a Murine Model of Hindlimb Ischemia, 1454
 - Administration of Control-Released Hepatocyte Growth Factor Enhances the Efficacy of Skeletal Myoblast Transplantation in Rat Infarcted Hearts by Greatly Increasing Both Quantity and Quality of the Graft, 1880
 - Crucial Role of the Sonic Hedgehog Pathway During Regeneration of the Skeletal Muscle, 208
 - Danon Disease Explains The Phenotype In A Family Originally Reported As XLCM, 2572
 - Delayed Calf Muscle Phosphocreatine Recovery Postexercise Identifies Peripheral Arterial Disease, 2443
 - Developmental Changes in APDs and Ionic Currents of Mouse Myoblasts, 1879
 - Effects of Concentric and Eccentric Muscle Exercise on Lipid and Glucose Metabolism in Healthy Sedentary Individuals, 3826
 - Emerin-Deficient Cells Have Normal Nuclear Mechanics but Impaired Mechanotransduction, 209
 - Gene Therapy Provides Morphological and Functional Correction of Limb Girdle Muscular Dystrophy Type 2D, 50
 - Genetic Predictors and Reverse Remodeling of Dilated Cardiomyopathy in Muscular Dystrophy, 1744
 - Homer Proteins Influence Muscle Remodeling Through the Calcineurin Signaling Pathway, 1372
 - Mechanisms and Potential Pharmacologic and Gene Therapy Strategies for Myoblast Transplant-Associated Ventricular Arrhythmias: Insights from a Unique In Vitro Model, 6
 - Multiple-dose Implantation is a Better Cell Delivery Method than Single-bolus Implantation in Skeletal Myoblast Transplantation to Infarcted Hearts, 123
 - Muscle Strength of Legs Necessary to Carry out Target Activities of Daily Living in Patients with Acute Myocardial Infarction Undergoing Phase I Cardiac Rehabilitation, 3827
 - PIGF and VEGF-B Display Tissue-Specific Functions in Skeletal Muscle and Myocardium, 824
 - Repeated Thermal Therapy Upregulated Endothelial Nitric Oxide Synthase and Augmented Ischemia-induced Angiogenesis in Apolipoprotein E-deficient Mice, 1460
 - Rho-Kinase as a Molecular Target for Insulin Resistance and Hypertension, 790
 - Skeletal Muscle Loss in Rats with Myocardial Infarction is Characterized by Reduced IGF-1 Expression and Activation of the Ubiquitin-Proteasome Pathway, 308
 - Slow release of MMP-1 Plasmid DNA Enhances the Graft Development of Transplanted Skeletal Myoblasts in Rat Hearts with Chronic Myocardial Infarction, 1450
 - Sustained Correction of Glycogen Storage Disease Type II by Recombinant Adeno-Associated Virus Serotype 1 (AAV1) Vector-Mediated Gene Therapy, 765
 - Telomerase Triggers Angiogenesis and is Required for VEGF Responsiveness in Hind-limb Ischemia, 826
 - The Internal Troponin-T Binding Domain of Striated β -Tropomyosin Alters Heart Physiology and Blunts Adrenergic Response without Altering Myofilament Calcium Sensitivity, 455
 - Tie2 Signaling is Required for Exercise-induced Skeletal Muscle Angiogenesis, 825
 - Transgenic Overexpression of mIGF-1 Increases Skeletal Muscle Phosphorylation of FOXO Forkhead Transcription Factors and Blocks Expression of the Ubiquitin Ligase Atrogin-1 in Chronic Ventricular Dysfunction, 210
 - Voluntary Running Induces Fiber Type-Specific Angiogenesis in Mouse Skeletal Muscle, 529
- Muscle, smooth**
- Suppressive Mechanism of a Novel Disintegrin (Saxatillin) in Vascular Smooth Muscle Cell Proliferation, 1478
 - A DNA Enzyme Against Plasminogen Activator Inhibitor type 1 Reduces Smooth Muscle Cell Proliferation And Neointima Formation Following Balloon Injury, 708
 - A Novel Gene Identified in the Atherosclerotic Plaques of ApoE-Deficient Mice Induces Apoptosis of Cultured Smooth Muscle Cells, 364
 - Ablation of MEKK1 Suppresses Vascular Remodeling by Attenuation of Both Smooth Muscle Cell Invasion and uPA Expression in Blood Flow Cessation Model of Mice, 1505
 - An Interferon-Inducible Splice Variant of Allograft Inflammatory Factor-1 (AIF-1) Reduces Restenosis Formation in Angioplasty-Injured Rat Carotid Arteries and Migration and Proliferation of Cultured VSMCs, 1511
 - Bone Marrow Cells Recruited to the Sites of Adult Neoangiogenesis are not Directly Incorporated into the Newly Formed Vessels, but their Presence Correlates with Vessel Maturation, 1076
 - Bone Morphogenetic Protein-7 Inhibits the Release of Endothelin-1 from Human Pulmonary Smooth Muscle Cells, 1596
 - Caveolin-1 Deficiency Stimulates Neointima Formation During Vascular Injury, 403
 - CD4 T Cells from Patients with Acute Coronary Syndromes Form Stable Immunological Synapses with Vascular Smooth Muscle Cells and Induce Cell Death, 1187
 - Competition Between TIA And PTB RNA Binding Proteins Determine The Tissue-Specific Splicing Of The Myosin Phosphatase Targeting Subunit, 1263
 - Connected Pericytes: The "Internet" of the Coronary Microcirculation?, 674
 - COX-2 Inhibition Attenuates Thrombospondin Expression in Human Vascular Smooth Muscle Cells, 353
 - Cystatin C Deficiency Increases Elastic Lamina Degradation and Aortic Dilatation in Atherosclerotic Mice, 385

- Direct Evidence that TGF- β -Smad3 Signal Plays a Protective Role Against Atherosclerosis, 546
- Dysregulation of A Novel Hyperplasia Suppressor Gene Triggers Vascular Proliferative Disorders, 1516
- Early Diagnosis Of Acute Aortic Dissection: Identification of Clinical Variables Associated with Early Diagnosis and Determination of the Usefulness of Biochemical Diagnosis as Shown by the International Registry of Acute Aortic Dissection (IRAD) Database, 1765
- Evidence for Involvement of PP1 in Smooth Muscle Contractility, 1067
- Expression and Function of the Liver X Receptor in Human Vascular Smooth Muscle Cells, 405
- Factor VII Activating Protease (FSAP) Sequesters Growth Factors and Inhibits Neointima Formation in Vivo, 1508
- Forkhead Transcriptional Factor FOXO3a Induces Apoptosis in Vascular Smooth Muscle Cells and Reduces Neointima Formation after Balloon Injury in Rats, 883
- Functional Mineralocorticoid Receptors in Human Vascular Smooth Muscle Cells, 909
- HERP1, a Target Gene of Notch, Maintains Undifferentiated State of Vascular Smooth Muscle Cells by Competing SRF Coactivator, Myocardin, 363
- Hif2 α , Ap-2 β , and Et-1 Cooperatively Regulate Development of the Ductus Arteriosus, 271
- Human Vascular Cells Express a Distinct NOX5 Isoform: Role in the Generation of Reactive Oxygen Species and the Proliferative Response, 746
- Hypercholesterolemia Impairs S-glutathiolation of Aortic SERCA via Oxidation of Redox-sensitive Cysteines, which Accounts for the Decreased Smooth Muscle Response to NO., 1594
- Identification of a Novel Oxidized LDL-Regulated Scavenger Receptor, SREC II, in Vascular Smooth Muscle: Role in Oxidized LDL-Induced Oxidative Stress and Apoptosis, 1350
- Increased Expression of Matrix Gla Protein is Associated with Increased Proliferation and Mineralization in Human Varicose Vein, 1019
- Increased Vascular Nox4 and p22phox Expression, Oxidase Activity and Inflammation in db/db Diabetic Mice, 1244
- Irreversible Inhibition of Myosin Light Chain Kinase Provides Prolonged Attenuation of Radial Artery Vasospasm, 1706
- Ligand-Induced and Constitutive Activation of Peroxisome Proliferator-Activated Receptor- γ Inhibits Telomerase Activation in Vascular Smooth Muscle Cells, 1327
- Lung α/β -Hydrolase Protein 2 Suppresses Smooth Muscle Cell Migration and Inhibits Development of Experimental Intimal Hyperplasia, 151
- Mechanical Strain Affects Vascular Smooth Muscle Phenotype on Micropatterned Surfaces, 1513
- Muscle LIM Protein Plays a Critical Role in Vascular Remodeling in Response to Injury, 369
- Myocardin Activity is Modulated by p300 and HDAC5, 1
- Nicotinic and PDGF-Receptor Function are Essential for Nicotine-Stimulated Mitogenesis in Human Vascular Smooth Muscle Cells, 366
- Nox4-derived Reactive Oxygen Species are required for the Differentiation of Vascular Smooth Muscle Cells, 745
- Quabain Antagonists and Na/Ca Exchange Inhibitor Block Quabain-Induced Increase in Myogenic Tone in Mouse Small Arteries, 792
- Oxidized LDL Modulates Apoptosis of Atherosclerotic Plaque Vascular Smooth Muscle Cells via Regulation of the Insulin-like Growth Factor-1 System, 1185
- Phosphorylation and Depolymerization of the Intermediate Filament Protein Vimentin is Regulated by p21-protein Kinase During Stimulation of Smooth Muscle, 1026
- Pulmonary Artery Smooth Muscle Cells Deficient in Type II Bone Morphogenetic Protein Receptor Exhibit Gain of Function in Response to Bone Morphogenetic Protein 7, 623
- Rapamycin Prevents Accumulation of Bone Marrow-Derived Vascular Smooth Muscle Cells Within the Neointima., 258
- Redox Factor 1 Alters Redox Balance and Vascular Response to Injury, 1354
- Role of Increased Expression of Matrix Metalloproteinases (MMPs) Induced by Advanced Glycation End Products for Plaque Instability in Diabetes Mellitus, 3853
- Secreted Frizzled-Related Protein 4 Inhibits Human Vascular Smooth Muscle Cell Proliferation, 1328
- Serine 188 Phosphorylation of RhoA Inhibits its Ubiquitin-Mediated Proteasomal Degradation, 1233
- Serotonin Induction of S100A4/Mts1 Expression in Human Pulmonary Artery Smooth Muscle Cells is Dependent on both the Serotonin Transporter and Receptor, 80
- Shear Stress Directs Mouse Embryonic Stem Cell Differentiation into Cardiovascular Lineage, 454
- Significant Alterations in Heparan Sulfate Biosynthesis in Response to Vascular Injury, 1077
- Smad1 Inhibits Human Pulmonary Artery Smooth Muscle Cell Proliferation, 1323
- Smooth Muscle Cell Cycle Reentry and Arterial Remodeling - How to Make the Vessel Bigger, 1057
- Spontaneous Pulmonary Hypertension in Fawn Hooded Rats Results From a Mitochondrial Defect that Impairs O₂ Sensing, 1192
- Stents Coated with a Perlecan-Inducing Compound Significantly Reduce Intimal Hyperplasia in a Rabbit Iliac In-Stent Restenosis Model: Novel Insights into the Diverse Biological Effects of Perlecan, 1050
- Sustained Elevation of Serum Level of Cortisol Induces Hyperconstriction of Porcine Coronary Arteries - Possible Involvement of Rho-kinase -, 729
- T Cells Infiltrating Carotid Plaque Induce Vascular Smooth Muscle Cell Apoptosis through the Death Receptor Ligand Apo2L/TRAIL, 1186
- The Cysteine Protease Calpain Prevents Apoptosis of Vascular Smooth Muscle Cells In Vitro and After Balloon Angioplasty in Vivo, 388
- The Fat1 Protocadherin Inhibits Wnt Signaling and Growth and Migration in Vascular Smooth Muscle Cells, 391
- The Forkhead Transcription Factor FoxO1a Regulates Cell Cycle Entry of Smooth Muscle Cells and Prevents Neointima Formation, 1506
- The HDAC Inhibitor MS-275 Abrogates Vascular Smooth Muscle Cell Proliferation and Inhibits Neointimal Formation in a Rabbit Model of In-Stent-Restenosis, 1058
- The Helix-Loop-Helix Factor Id2 Increases Ubc2 Expression and Promotes p27^{kip1} Degradation, 1025
- The Smad Binding Element, Selectively Responding to Smad3, is Essential for the Transcription of the SM22 Promoter in vivo, 155
- Thrombin Induces Vascular Hypercontractility by Upregulating Protease-Activated Receptor-1 in Subarachnoid Hemorrhage, 1593
- Transforming Growth Factor- β 1 Enhances Transdifferentiation of Macrophages Into Smooth Muscle-Like Cells via Smad Signaling, 551
- Translocation and Activation of ERK1/2 is Dependent on GIT1 Association, 1226
- UTP-Induced Osteopontin Expression is Mediated via AP-1, NF- κ B, and USF in Arterial Smooth Muscle Cells, 411
- Vascular Production of CRP and the Association Between Serum Levels and Plaque Deposition of CRP in Patients With Atherosclerosis, 3852
- Wilms' Tumour 1-Associating Protein Is Essential For Maintaining Vascular Smooth Muscle Cell Quiescence, 1324
- Myocardial contraction**
- Left Ventricular Long Axis Function Shows an Atypical Allometric Scaling to Ventricular Size, 2758
- Ablation of Junctin by Gene Targeting Results in Enhanced Cardiac Contractility and Ca²⁺ Kinetics, 622
- Alterations in α -Tropomyosin's Carboxy Overlap Region Affect Mouse Cardiac Function, 230
- Cardiac Muscle-Specific Connexin45-Deficient Mice and Cardiac Troponin T-Deficient Mice Display Defective Heart Contractions That Cause Early Embryonic Lethality, 442
- Charged Residue Alterations in the Inner-Core Domain and Carboxy-Terminus of α -Tropomyosin Differentially Affect Mouse Cardiac Muscle Contractility, 227
- Chemokines Can Directly Modulate Cardiac Contractility, 139
- Cine MRI and Myocardial Tagging Reveal Improved Border Zone Function and Reduced Wall Thinning in Postinfarction iNOS Knockout Mice, 3176
- Conditional Overexpression of a Constitutively Active Integrin Results in Rapid Increases in Calreticulin Expression, Severe Contractile Dysfunction, and Impaired Cell-cell Electrical Coupling, 639
- Echocardiographically Detected Intraventricular Asynchrony: a Poor Intermethod Agreement, 3308
- Excitation-Contraction Coupling in Human Embryonic Stem Cell-Derived Cardiomyocytes Differs from Adult Ventricular Myocytes, 1280
- Extra-Aortic Balloon Counterpulsation: An Intraoperative Feasibility Study, 3291
- Gene Transfer of Human BCL2 into Embryonic Stem Cells Enhances Cell Survival Following Transplantation into Ischemic Mouse Myocardium, 1445
- Heterogeneous Calcium Effects on Myofiber-Sheet Mechanics and Systolic Wall Thickening across the Left Ventricular Myocardium, 2782
- Increase in Spontaneous Ca²⁺ Sparks With Depressed Myocyte Function in Canine Severe Left Ventricular Hypertrophy, 935
- Inhibiting Mitochondrial Permeability Transition Pore Opening Protects the Human Myocardium from Ischemia-Reperfusion Injury, 1129
- Learning From a Population-based Peripartum Cardiomyopathy Registry, 3364
- Mechanisms of Left Ventricular Dysfunction and Altered Mechanoenergetics in a Model of Diastolic Heart Failure, 1128
- Noninvasive Evaluation of Global Left Ventricular Myocardial Function with ECG-gated 16-slice Multidetector Computed Tomography in Comparison with Magnetic Resonance Imaging, 2667
- Novel Role for Brain Natriuretic Peptide to Antagonize Myocardial Sarcoplasmic Reticulum Calcium-ATPase Expression, 797
- p38 MAP Kinase Mediates Progressive Right Ventricular Force Decline after Acute Stretch, 1285
- p38-MAPK Signaling Pathway Plays an Important Role in the Acute Negative Inotropic Effect of β -Blockers in Human Ventricular Myocytes,

- 431
Paradoxical Increase in Ventricular Torsion Precedes Late Stage Decline in mdx Mice with Dystrophin Deficiency, 1284
Phase II Study on the Transplantation of Autologous Bone Marrow for the Enhancement of Cardiac Contractility: Importance of the Mode of Delivery, 2181
PPAR17 Polymorphism is Associated with Reduced Cardiac Function Identifying it as a Modifier of Heart Failure, 2584
Preserved Myocardial Function During Acidosis and Ischemia by Transgenic Expression of Modified Troponin I, 226
Pulmonary Arterial Thrombosis in Eisenmenger Syndrome is Associated with Ventricular Dysfunction, Neurohormonal Activation, and Poorer Exercise Capacity, 3631
Regional Left Ventricular Dysfunction in Individuals with Mild to Moderate Renal Impairment - The Multi-Ethnic Study of Atherosclerosis, 3686
Role of *PTEN* in Cardiac Hypertrophy and Contractile Dysfunction, 914
S100A1 Gene Therapy Preserves In Vivo Cardiac Function Following Myocardial Infarction, 491
Synergistic Effects of PKC Phosphorylation of Caspase-3 Cleaved Cardiac Troponin T on Cross-Bridge Cycling Rate, 1288
The Right Ventricular Myocardial Performance Index: A New Powerful Prognostic Parameter in Patients with Advanced Congestive Heart Failure, 2755
The Role of the Mitochondrial K_{ATP} Channel in Myocyte Osmotic Stress, 2367
Transmural Mechanics of Active Left Ventricular Diastolic Relaxation, 524
- Myocardial infarction**
Arachidonic Acid in Adipose Tissue and Nonfatal Acute Myocardial Infarction, 3605
Renin-Angiotensin-System Blockade Modulates the Deleterious Effects of Being Overweight/Obese in Patients Following Acute Myocardial Infarction, 3796
11 β HSD1 $-/-$ Mice Have Enhanced Angiogenic Response And Improved Myocardial Function Following Coronary Artery Ligation, 1275
A Locally Expressed Splice Variant of IGF-I Reduces Ischemic Injury after Myocardial Infarction by Inhibiting Apoptosis, 1365
A New Definition of Myocardial Infarction: What Difference Does It Make?, 3717
A Randomized Study Comparing 3 Methods of Mesenchymal Stem Cell Delivery After Myocardial Infarction in a Porcine Model, 1677
AAV-HO-1 Gene Therapy Protects against Multiple Myocardial Ischemic Injury and Prevents Ischemic Cardiomyopathy, 1273
Abcg2 Cardiac Stem Cell Population Participates in Repair of the Adult Mouse and Human Heart, 321
Acarbose, an α -glucosidase Inhibitor, Reduces Myocardial Infarction Size in Rabbits by Opening the Mitochondrial K_{ATP} Channels, 3639
Activation of Hypothalamic-Pituitary-Adrenal Axis Contributes to Augmented Neurohumoral Activity in Heart Failure Rats, 1404
Adeno-associated Virus-mediated Transduction of VEGF165 Markedly Improves Functional Recovery and Tissue Regeneration after Permanent LAD Occlusion in Conscious Dogs, 42
Adenoviral Expression of Activated PI3-Kinase Rescues Detrimental Effects of Chronic Cardiac-specific Akt Activation, 1364
Administration of Control-Released Hepatocyte Growth Factor Enhances the Efficacy of Skeletal Myoblast Transplantation in Rat Infarcted Hearts by Greatly Increasing Both Quantity and Quality of the Graft, 1880
Administration of Granulocyte Colony-Stimulating Factor and Macrophage Colony-Stimulating Factor Attenuates Postinfarction Cardiac Remodeling, 24
Adverse Remodeling and Impaired Calcineurin/NFAT Signaling after Myocardial Infarction in Heterozygous MLP Mutant Mice, 1095
Aldosterone Blocker Spironolactone Prevents Postinfarction Left Ventricular Late Remodeling in Patients with First Anterior Acute Myocardial Infarction, 2117
Allele *DNASE1**2 of Deoxyribonuclease I Polymorphism May be a Genetic Risk Factor of Myocardial Infarction, 907
Angiogenic Gene Therapy Using Urokinase Gene Stimulates Angiogenesis in Infarcted Rat Hearts, 48
Angiotensin-Converting Enzyme Genotype is not associated with Exercise Capacity in Patients after Acute Myocardial Infarction, 3670
Annular Remodeling in Patients With Chronic Ischemic Mitral Regurgitation: Three-Dimensional Magnetic Resonance Imaging Study, 2737
Appraising Symptom Seriousness in Acute Myocardial Infarction: Emotional-Cognitive Variables are Most Influential, 3078
Are Patient Gestures Such as the Levine Sign Useful in Determining the Etiology of Chest Pain?, 1946
Aspirin-Insensitive Myocardial Infarction Is Associated With Overexpression of Cyclooxygenase-2 In Coronary Thrombi, 354
Association of Polymorphisms in the IgA Fc Receptor and ABCA1 Genes with Myocardial Infarction and Other Coronary Events in the CARE and WOSCOPS Trials, 2012
Association of QRS Duration and Outcomes After Myocardial Infarction: The VALIANT Trial, 3354
Atorvastatin Reduces Th1 Development in Patients with Acute Myocardial Infarction, 3223
Beneficial Effect of Exercise Training on Cardiac Function is Lost in Mice that Overexpress Endothelial NO Synthase, 1432
Beneficial Effect of Human Unrestricted Somatic Stem Cell Transplantation on Infarcted Heart Function: Preclinical Study in Porcine Model, 1558
Binge Drinking and Mortality Following Acute Myocardial Infarction, 3438
Body Fat Predicts Outcome after Percutaneous Coronary Intervention, 3603
Bone Marrow Stem Cells Contribute to Cardiac Side Population Stem Cells After Myocardial Infarction, 2376
Bone Marrow-derived Progenitor Cells Play an Antiapoptotic Role and Differentiate into Cardiomyocytes in Ischemic Myocardium Following Ischemic Preconditioning, 200
Both Cell Fusion and Transdifferentiation Account for the Transformation of Human Peripheral Blood CD34-Positive Cells into Cardiomyocytes in vivo, 653
c-Kit $^{+}$ BM Cells Are Essential for Reducing Deteriorating Myocardial and Heart Function Post-Myocardial Infarction, 317
Can Bone Marrow Transfer in Patients after Myocardial Infarction Prevent the Development of Diastolic Dysfunction? Results from the BOOST Trial, 1148
Can Myocardial Contrast Echocardiography Replace Radionuclide Perfusion Imaging for the Detection of Residual Infarct-Related Artery Stenosis and Multivessel Disease Following Acute Myocardial Infarction?, 3457
Carbon Monoxide Protects Against Cardiac Ischemia-Reperfusion Injury in Vivo via MAPK and Akt-eNOS-cGMP Pathways, 232
Cardiac Angiotensin II Induces Macrophage-Derived Oxidative Stress Following Infarction, 1543
Cardiac Repair with Mesenchymal Stem Cells following Myocardial Infarction in Pigs, 815
Cardiac Stem Cells Regenerate the Infarcted Heart, Restoring Function and Long-Term Survival in Mice, 814
Cardiac-Restricted Overexpression of the α_{1A} -Adrenergic Receptor Preserves Contractile Function and Limits Ventricular Remodeling After Myocardial Infarction, 1436
Cardiac-Specific and Hypoxia-Inducible VEGF Expression in Ischemic Heart Delivered by AAV Vectors Induces Neovascularization, Reduces Infarct Size, and Improves Cardiac Function, 1293
Cardiac-Specific Overexpression of Small Heat-Shock Protein Hsp20 Alleviates Ischemia/Reperfusion Injury and Myocardial Dysfunction, 1439
Cardioprotection by "Postconditioning" is Mediated by Increased Retention of Endogenous Intravascular Adenosine and Activation of A_{2a} Receptors During Reperfusion, 803
Cardioprotection By The Novel Delta Opioid FIT Persists For 5 Days After Administration And Occurs Via Phosphatidylinositol-3 Kinase (PI3k), 512
Cardioprotective Scaffold Protein Cypher: Role to Mediate Mitochondrial Protein Interactions, 980
Carvedilol Restores Attenuation of Cardioprotection by Ischemic Preconditioning in the Chronic Ischemic Heart, 505
Cell-Mediated EPAS1 Gene Transfer is Superior to Cell Therapy Alone for Improving Arteriogenesis and Cardiac Function in Infarcted Heart, 1342
Cellular Mechanisms of D-myo-Inositol Trisphosphate-Induced Cardioprotection: Similarities and Differences with Ischemic Preconditioning, 309
Changes in Soluble Markers of Endothelial Function Correlate With TIMI Flow Grade and Corrected TIMI Frame Count after Fibrinolysis: An ENTIRE TIMI 23 Substudy, 3061
Chronic Matrix Metalloproteinase Inhibition following Myocardial Infarction in Mice: Differential Effects on Short- and Long-Term Survival, 1875
Chronic Vagal Stimulation Exerts Its Beneficial Effects on the Failing Heart Independently of Its Anti- β -Adrenergic Mechanism, 396
Cine MRI and Myocardial Tagging Reveal Improved Border Zone Function and Reduced Wall Thinning in Postinfarction iNOS Knockout Mice, 3176
Circadian Variations of Hypercapnic Chemosensitivity in Conscious Infarcted Rats are Characterized by a Transient Augmentation of the Chemoreflex Gain During Early Awakening Periods, 225
Coagulation Activity is Persistently Reduced by Long-term Ximelagatran Treatment After a Myocardial Infarction, 2522
Collagen Degradation is Essential for Effective Fibrotic Repair Following Myocardial Infarction, 118
Combined Cell and Gene Therapy for Therapeutic Angiogenesis: VEGF-2 Attenuates EPC Apoptosis and Augments Therapeutic Efficacy, 2186
Comparison of Bone Marrow Mobilization with Bone Marrow-Derived Mononuclear Cell Transplantation for the Therapy of Myocardial Infarction in Rabbits, 1197
Comparison of Mapping Criteria for Hemodynamically Tolerated Ventricular Tachycardia in Postinfarction Patients, 2711
Comparison of Sixteen-Slice Computed Tomography and Contrast-Enhanced MR Imaging in the Detection of Myocardial Nonviability in Patients with Acute Myocardial Infarction, 2450
Concurrent Treatment With Eplerenone and Standard HF Therapy Reduces the Duration of Heart Failure Hospitalization in Patients with Post Acute Myocardial Infarction Heart Failure, 2433

Contrast-Enhanced Multidetector Computed Tomography Imaging of Acute Myocardial Infarction: Spatial and Temporal Characterization of Myocyte Death and Microvascular Obstruction, 2447

D-Dimer, Cardiovascular Disease, and Mortality in the Elderly, 3580

Detection Of Chronic Myocardial Infarction With Multidetector-Row Computed Tomography: A Comparison With Magnetic Resonance Delayed Hyperenhancement, 2614

Differences of Gd-DTPA Kinetic in Normal, Stunned and Necrotic Myocardium in Patients with Acute Myocardial Infarction, 2838

Different Ischemic Preconditioning Signalling Pathways Induce Mitochondrial Uncoupling, 1137

Differential Effects Of Estrogen On Ventricular And Cardiomyocyte Remodeling And Signal Transduction Pathways Following Myocardial Infarction vs Pressure Overload, 103

Differential Role of Lymphotoxin- α Polymorphisms between ST-Segment Elevation and Non-ST-Segment Elevation Myocardial Infarction, 906

Direct Activation of PKC- ϵ or Mitochondrial K_{ATP} Channels Mimics Ischemic Preconditioning in the Ovariectomized Rat Heart, 645

Direct Injection Of A Synthetic Prostaglandin I_2 Agonist (ONO-1301MS) Stimulates Secretion Of Endogenous Growth Factors And Prevents Cardiac Rupture And Left Ventricular Dysfunction After Myocardial Infarction, 1271

Do Healthy Women Experience Prodromal Symptoms Similar To Women With Coronary Heart Disease?, 3077

Dual Aldosterone Production in Patients With Left Ventricular Remodeling: Analysis of Pericardial Fluid at Open Heart Surgery, 2197

Early Results From the Japanese ASPARAGUS Trial, 3509

Early- vs Late-Onset Cooling for Infarct Size Reduction in Acute Myocardial Infarction, 3506

Echocardiographic Markers of Myocardial Viability and Reperfusion - Combined Assessment of Segmental Lengthening/Shortening Ratio and Regional Compliance by Strain Doppler Echocardiography, 3129

Effect of Dor Procedure in the Left Ventricle with Dyskinetic Anterior Wall on Ventricular Volume, Chamber Stiffness, and Function, 489

Effect of Platelet Glycoprotein IIb/IIIa Inhibitor Treatment on In-Hospital Mortality Among Patients Treated With Angioplasty for Acute Myocardial Infarction, 3072

Effects of β -catenin Gene Transfer on Survival and Apoptosis of Rat Cardiomyocytes/Fibroblasts and on Left Ventricular Function and Angiogenesis in a Rat Myocardial Infarction Model, 46

Effects of Emergency Intracoronary Transplantation of Mononuclear Bone Marrow Cell on Left Ventricular Function in Patients with Acute Myocardial Infarction, 3230

Effects of Left Ventricular Unloading on Calcium Concentration and Infarct Size in Porcine Myocardium, 2725

Effects of Skeletal Myoblast Transplantation, bFGF Administration, and the Combination on Tissue Blood Flow and Left Ventricular Remodeling in Rat Infarcted Hearts: Comparison Using Pinhole SPECT, 812

Elastin Overexpression Limits Postinfarction Scar Expansion and Improves Ventricular Function, 2951

Endothelial Cells of Newly Formed Vessels Express Connective Tissue Growth Factor (CTGF), Osteonectin, and Osteopontin mRNAs in the Border Zone of Myocardial Infarction in Rats, 160

Enhanced Inflammatory Response after Acute Myocardial Infarction is a Predictor of Infarcted Wall Thinning and Left Ventricular Remodeling, 1616

EPC NOS Expression Rather Than Tissue NOS Modulates Ischemic Preconditioning, 1674

Estimates of Myocardial Necrosis Are More Accurate When Made Late After Myocardial Infarction Using Delayed Contrast-enhanced Magnetic Resonance Imaging, 1909

Evidence for Extravasation of Intracoronary Administered Bone-marrow Derived CD34+ Stem Cells in Patients With Acute Myocardial Infarction, 239

Ex vivo Cardiac Specification of Adult Bone Marrow-Derived Mesenchymal Stem Cells Is Feasible using Biological Growth Factors and Facilitates Cardiac Repair of the Chronically Infarcted Myocardium, 318

External Validation of the Global Registry of Acute Coronary Events (GRACE) Risk Model in a Population With New Definition MI, 2673

Fate of Unprotected Side Branches due to Distal Embolization during Stent Implantation for Acute Coronary Syndromes using Distal Protection Procedure, 3511

Favorable Remodeling in Acute Myocardial Infarction after Percutaneous Bone Marrow Stem Cell Transplantation, 1427

Functional Recovery after Regenerative Treatment in Patients with Revascularized Acute Anterior Myocardial Infarction: A Randomized Study, 2187

G-CSF Prevents Cardiac Remodeling after Myocardial Infarction by Activating Jak/STAT in Cardiomyocytes, 813

Granulocyte Colony-Stimulating Factor (G-CSF) is Synthesized and Released from the Heart in the Early Phase of Acute Myocardial Infarction, 1198

Greater Propensity of Diabetic Myocardium for Oxidative Stress After Myocardial Infarction is Associated With the Development of Heart Failure, 119

Head-to-Head Comparison of Tissue Doppler Imaging and Direct Coronary Flow Measurement for Prediction of Functional Recovery After Primary Percutaneous Coronary Angioplasty in Patients with Acute Anterior Wall Myocardial Infarction, 2656

Heart Failure after Myocardial Infarction: The Role of Mitral Regurgitation, a Community-Based Study, 3719

Heart Failure and the Stress Response: Modulation by Central Mineralocorticoid Receptors, Circulating Cytokines, and COX-2-Dependent Cerebrovascular Mechanisms, 394

Hemoglobin Levels Predict Survival and Hospitalization After a Complicated Acute Myocardial Infarction: Results from the OPTIMAAL Study, 2672

Hepatocyte Growth Factor Mobilizes Bone Marrow Stem Cells to Infarcted Area and Improves Cardiac Function in Mice via Akt Pathway, 18

High- but Not Low-Molecular-Weight FGF-2 Causes Cardiomyocyte Hypertrophy In Vitro and In Vivo: Possible Involvement of Cardiotrophin-1 and gp130, 603

High-Intensity Exercise Retards the Decrease in Plasma B-Type Natriuretic Peptide in Patients with Left Ventricular Dysfunction after Acute Myocardial Infarction, 3828

Histone Acetyltransferase Activity of p300 Is Required for the Promotion of Left Ventricular Remodeling Following Myocardial Infarction in Adult Mice In Vivo, 738

How Important is Complete Revascularization after Myocardial Infarction?, 3074

Human Circulating Endothelial Progenitor Cells Differentiate into Cardiomyocytes and Coronary Vessels after Infarction in Mice, 2185

Human Mesenchymal Precursors Induce Myocardial Arteriogenesis and Global Functional Recovery After Myocardial Ischemia, 327

Hyperglycemia Increases Hospital Mortality in Patients With Acute Coronary Syndromes: Results From The Global Registry of Acute Coronary Events, 3622

Hyperthermia following Reperfused Acute Myocardial Infarction is Associated with Early Left Ventricular Remodeling, 1610

ICD Benefit and ICD Therapy in Patients with Symptoms and Signs of Advanced Heart Failure and Left Ventricular Dysfunction, 1652

Immunogenicity of Embryonic Stem Cells Increases Upon Differentiation in Ischemic Myocardium, 2380

Impact of Candesartan in Preventing Myocardial Infarction: Results of the Candesartan in Heart failure Assessment of Reduction in Mortality and Morbidity (CHARM) Programme, 2408

Impact of Glomerular Filtration Rate and Glucose Metabolism on 1-Year Mortality After Acute Myocardial Infarction, 1852

Impairment of Bone Marrow-derived Mesenchymal and Hematopoietic Stem Cells in Patients with Coronary Artery Disease: A Limitation for Cell Therapy?, 236

Improvement of Left Ventricular Remodeling by the eNOS Transcription Enhancer S2431 in Rats with Heart Failure after Myocardial Infarction, 1601

Inactivation of JAM-A Gene Increases Neutrophil Entrapment in the Heart Microcirculation, Aggravating No-Reflow Phenomenon and Reperfusion Injury in Mice, 1155

Incidence, Outcomes, and Predictors of Emergency Bypass Surgery Among Patients Undergoing Angioplasty for Acute Myocardial Infarction: Analysis of 9015 Cases, 3534

Increased Infarction Size in Uremic Rats: Reduced Ischemia Tolerance?, 1116

Incremental Clinical Value of Changes in the Doppler Myocardial Performance Index During Dobutamine Stress Echocardiography: Association with Neurohormonal Activation, Left Ventricular Remodeling, and Prognosis After Acute Myocardial Infarction, 2401

Indices of Platelet Activation as Markers of Recent Myocardial Infarction, 2120

Infarct Size Reduction with D-myo-Inositol Trisphosphate: Novel Evidence for a Functional Association between Gap Junctions and Inositol Trisphosphate Receptors, 1428

Infarct Transmurality Predicts Microvascular Obstruction Better Than Infarct Size In Patients With Acute Myocardial Infarction, 2839

Influence of Thrombolysis in Myocardial Infarction Grades before Percutaneous Coronary Intervention in Microvascular Injury, 3504

Inhibiting Ribosomal S6 Kinase (RSK) Prevents Na⁺/H⁺ Exchanger Isoform 1 (NHE1)-mediated Cardiac Ischemia-reperfusion (I/R) Injury, 312

Inhibition of Complement Activation by Pexelizumab Reduces Death and Myocardial Infarction in Cardiac Surgical Patients With Selected Risk Profiles: Results From the International Multi-Center PRIMO-CABG Study, 1985

Inhibition of Complement Activation by Pexelizumab Reduces Death in Patients Undergoing Combined Aortic Valve Procedure and Coronary Artery Bypass Surgery, 3116

Inhibition of Endogenous 20-HETE Formation, An ω -Hydroxylase Cytochrome P450 (CYP) Metabolite of Arachidonic Acid (AA), Is Cardioprotective In A Canine Infarct Model, 511

Inhibition of Endogenous Mst1 Prevents Apoptosis, Cardiac Remodeling, and Cardiac Dysfunction After Myocardial Infarction, 299

- Inhibition of Protein Kinase C β Isoform Reduces Pathological Fibrosis and Left Ventricular Dysfunction Following Myocardial Infarction, 104
- Insulin-like Growth Factor-1 Restores Performance of Infarcted Heart via Akt Signaling Pathway, 1453
- Interrelationships of LDL Cholesterol and hsCRP in the PROVE-IT Clinical Trial Comparing Intensive Versus Moderate Lipid-Lowering Strategies Among Patients with Acute Coronary Syndromes, 2342
- Intravenous Delivery of Autologous and Allogenic Mesenchymal Stromal Cells Limits Infarct Size and Improves Left Ventricular Function in the Infarcted Porcine Heart, 1199
- Intravenous Nicorandil Before Percutaneous Coronary Intervention Has Pharmacological Preconditioning Effects in Patients With Acute Myocardial Infarction, 498
- Is New ST-Segment Elevation Following Coronary Artery Bypass Of Clinical Importance in the Absence of Perioperative Myocardial Infarction?, 2201
- Is There a Temporal Relationship Between Symptoms of Depression And Measures of Autonomic Tone Following Myocardial Infarction?, 3645
- Ischemic Postconditioning During Reperfusion Fails to Protect Against Lethal Myocardial Ischemia-Reperfusion Injury in Pigs, 499
- Lack of JunD Reduces Ischemic Injury and Prevents Cardiac Rupture following Myocardial Infarction, 1276
- Late Preconditioning Inhibits Cardiac Apoptosis via Upregulation of Antiapoptotic Proteins, 646
- Left Ventricular Assist Device Implantation Following Acute Anterior Wall Myocardial Infarction and Cardiogenic Shock: A Two-Center Study, 2932
- Left Ventricular Dysfunction and Reduced Survival in Myocardial Restricted Over-Expression of Membrane Type-1 Matrix Metalloproteinase Mice Following Myocardial Infarction, 1534
- Left Ventricular Hypertrophy is Associated with Normal Segmental Wall Motion at the Site of Myocardial Infarction, 1995
- Left Ventricular Thrombus Formation in Patients with Acute Myocardial Infarction Complicated by Cardiogenic Shock: Incidence, Predictors, and 1-Year Outcome, 3297
- Local Gene Transfer with Human Tissue Kallikrein Improves Reparative Neovascularization and Cardiomyocyte Viability and Prevents Ventricular Remodelling in a Mouse Model of Myocardial Infarction, 526
- Long-term Benefits of Montepulse Prior to Coronary Angioplasty in Acute Myocardial Infarction: Results of the Combining Montepulse with Angioplasty (COMA) Trial, 2111
- Long-term but not short-term p38 MAPK inhibition improves cardiac function and reduces pathological collagen deposition following myocardial infarction in rats., 1278
- Long-Term Inhibition of NF- κ B Activation Ameliorates Left Ventricular Remodeling after Myocardial Infarction, 117
- Long-Term Outcomes and Their Predictors after Hospital Discharge for MI in the Elderly: The Cardiovascular Health Study (CHS), 3722
- Long-term Protection against Myocardial Infarction with Cyclooxygenase-2 (COX-2) Gene Therapy via a Recombinant Adeno-Associated Viral (rAAV) Vector, 503
- Longevity-related Mitochondrial 5178A/C Genotype is Associated with Cardiovascular Diseases, 3652
- Low Levels of Plasma Adiponectin Concentrations after Acute Myocardial Infarction Can Be Potentially Used To Predict Future Adverse Cardiac Events, 3234
- LV Geometry and Mitral Regurgitation in Patients with Persistent Total Occlusion of the Infarct Artery in OAT, 3057
- Magnetic Resonance Myocardial Delayed Enhancement in Infants with Anomalous Origin of Left Main Coronary Artery from Pulmonary Artery, 3488
- Major Prognostic Role of Admission Glycemia on 30-day and 1-year Outcomes in Nondiabetic Patients Admitted for Myocardial Infarction: Results from the Nationwide French USIC Study, 1851
- MAPKAPK-2 and Serine Phosphorylation of HSP25/27 and α B-crystallin do not Increase Myocardial Resistance to Infarction, 310
- Margination and Engraftment of Hematopoietic Stem Cells Within the Myocardial Infarct Zone Express a Specific Profile of Matrix Metalloproteinases, 2381
- Mast Cells as a Backstay for Reducing Postinfarction Ventricular Remodeling through Promotion of Angiogenesis in Peri-Infarct Zones, 121
- Matrix Metalloproteinase 2 - A Strong Predictor of Mortality after 'New Definition' Myocardial Infarction, 2674
- Matrix Metalloproteinase-7 Deletion Improves Survival and Myocardial Conduction Following Myocardial Infarction, 457
- MDR1 3435 C/T Polymorphism and the Risk of Acute Coronary Events: The KIHJ Study, 3804
- Mechanisms of Mesenchymal Stem Cell Homing to the Infarcted Myocardium, 820
- Mesenchymal Stem Cells Overexpressing AKT Prevent Cardiac Metabolic Remodelling After Infarction, 818
- Mesothelial Cell Transplantation in the Post-Myocardial Infarct Scar Induces Angiogenesis and Improves Heart Function, 1449
- Metabolic Syndrome, its Preeminent Clusters, and the Increased Risk of Incident Coronary Heart Disease, 3843
- Metabolic Syndrome: a Major and Independent Predictor of In-Hospital Mortality and Cardiogenic Shock In Patients with Acute Myocardial Infarction: Data from RICO Survey, 3060
- Midkine Plays a Protective Role against Cardiac Ischemia/reperfusion Injury through a Reduction of Apoptotic Reaction, 500
- Mitral Regurgitation Remains Common after Myocardial Infarction and is Powerfully Predictive of Adverse Outcomes Despite Renin-Angiotensin System Blockade: Data from VALIANT, 2680
- Modifiable Risk Factors for Stroke in High-Risk Patients following Acute Myocardial Infarction: Insights from the VALIANT Study, 2985
- Multicenter Trial of Irrigated RF Ablation with Electroanatomic Mapping for Ventricular Tachycardia after Myocardial Infarction, 1869
- Myocardial Characterization by Magnetic Resonance Delayed Hyperenhancement Imaging Strongly Predicts Major Adverse Cardiac Events, 2988
- Myocardial Infarct Repair with a Tissue-Engineered Extracellular Matrix Scaffold, 1882
- Myocardial Regeneration by Activation of Multipotent Cardiac Stem Cells in Ischemic Heart Failure in Humans, 819
- Myocardial Regeneration Induced by Differentiation of Bone Marrow Cells, Chimerism, and Transplantation or Activation of Cardiac Stem Cells in Animals and Humans Does not Require Cell Fusion, 651
- Myocardial Strain Decreases With Transmurality of Infarction: An Echo Strain and MRI Correlation Study, 3130
- National Estimates of Outpatient Cardiovascular Medication Use in Aged Medicare Beneficiaries, 3814
- Neuronal Nitric Oxide Synthase-Deficient Mice Have Increased Mortality and Depressed Cardiac Performance Following Myocardial Infarction, 1603
- New Predictors of Left Ventricular Remodeling after Acute Myocardial Infarction - An Echocardiography and Cardiac Magnetic Resonance Imaging Study, 3305
- Nitric Oxide (NO)-Cyclic Guanosine Monophosphate (cGMP) Pathway Is Involved in Ischemic Postconditioning in The Isolated Rat Heart, 643
- Non-high-density Lipoprotein Cholesterol is the Best Discriminator of Myocardial Infarction in Young Individuals, 2211
- Noncellular Differentiation Effects of Endothelial Progenitor Cells in a Model of Myocardial Infarction, 655
- Novel, Injectable Bioartificial Tissue facilitates Targeted, Less Invasive, Large-Scale Tissue Restoration following Myocardial Injury, 2384
- Numerators Searching for Denominators: Insights into Prehospital STEMI Management (Prehospital Reperfusion Group of Edmonton - PURGE), 2515
- Obligatory Role of STAT3 in Ischemic PC-Induced Upregulation of Antiapoptotic Proteins: Insight from a Novel Inducible Cardiac-specific STAT3 Knockout, 985
- Opposing Effects of the Adenosine Receptor Agonist IB-MECA on Myocardial Infarct Size in Mice are Mediated by Proinflammatory A₃ Receptors and Anti-Inflammatory A_{2A} Receptors, 1435
- Oral Administration of a Mineralocorticoid Receptor Antagonist Reduces Brain, Heart, and Blood-borne Proinflammatory Cytokines in Heart Failure, 1413
- Outcomes of Granulocyte Colony-Stimulating Factor Administration to Patients with Severe Coronary Artery Disease, 1681
- Overexpression of Mitochondrial Transcription Factor A Prevents Mitochondrial Deficiencies and Cardiac Failure after Myocardial Infarction, 634
- Ozone Air Pollution is Associated with the Occurrence of Acute Coronary Events: Data from a Population-Based Registry, 3736
- Peer Advisors Improve Physical Health Outcomes in Elders, 3034
- Phase II Study on the Transplantation of Autologous Bone Marrow for the Enhancement of Cardiac Contractility: Importance of the Mode of Delivery, 2181
- PKC β Modulates Ischemia Reperfusion Injury in the Heart, 517
- Plasma B-type Natriuretic Peptide Levels in the Subacute Phase are Predictive of Exercise Performance after Myocardial Infarction, 2502
- Post-Infarct Ventricular Rupture in Mice is Due to Damage of Existing Interstitial Collagen, 1542
- Postinfarction Gene Therapy Against Transforming Growth Factor- β Signal Modulates Infarct Tissue Dynamics and Attenuates Left Ventricular Remodeling and Heart Failure, 1127
- Postinfarction Risk Stratification Using the Angle of Ventricular Gradient, 2700
- Prediction of Left Ventricular Remodeling in Patients With TIMI 3 Flow: Analysis Using Transthoracic Color Doppler Echocardiography, 2657
- Predictors of Angiographil 'No Reflow' During Intravascular Ultrasound-Guided Stent Implantation for Acute Myocardial Infarction, 1626
- Preoperative Statin Therapy is Associated with Reduced Cardiac Mortality Following Coronary Artery Bypass Graft Surgery, 2366
- Prevention of LV Remodeling with G-CSF in Acute Myocardial Infarction: Insights from FIRSTLINE-AMI (Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by

- Granulocyte Colony-Stimulating Factor), 1680
- Prognostic impact of new-onset atrial fibrillation in acute myocardial infarction with and without ST-segment elevation: Data from the RICO survey, 3064
- Prognostic value of Negative Stress Echocardiography in the Setting of Submaximal Heart Rate or Workload Response: A Practical Problem with Important Implications, 2399
- Prognostic Value Of Preoperative Cardiac Troponin I For Patients Undergoing Elective Coronary Artery Bypass Surgery, 2208
- Quantitative Myocardial Contrast Echocardiography Can Illustrate Transmural Extent of Microvascular Damage in Acute Myocardial Infarction: Validation Using Tissue Doppler Imaging, 2392
- Recombinant Human Erythropoietin (rhEPO) to Reduce Acute Experimental Myocardial Infarction: Therapeutic Window and Dose Responses in Rats, 1277
- Reductions in Early Recurrent Coronary Ischemia from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2339
- Reductions in Lipids but not Inflammatory Markers from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2110
- Regeneration of Human Infarcted Heart Muscle by Intracoronary Autologous Mononuclear Bone Marrow Cells in Chronic Coronary Artery Disease, 1141
- Renal Failure and Acute Myocardial Infarction: The Spectrum of Clinical Characteristics in Dialysis Patients, Chronic Renal Insufficiency, and Nonrenal Patients: A Collaborative Project of the United States Renal Data System (USRDS)/NIH and the National Registry of Myocardial Infarction (NRM), 3062
- Resistin is a Novel Protector of Myocardial Infarction, 134
- Reverse Remodeling in a Novel Rabbit Model of Myocardial Infarction and Biventricular Pacing, 1894
- Right Ventricular Function is an Independent Predictor of Death, Heart Failure and Stroke Following Myocardial Infarction: The VALIANT Echo Study, 2754
- Risk Stratification of Patients with Prior Myocardial Infarction and Advanced Left Ventricular Dysfunction by ^{99m}Tc-Tetrafosmin Myocardial Perfusion Imaging: Significance of Defect Volume and Ventricular Volume Index, 3048
- Role of 16-Channel Multidetector CT for Analysis of Left Ventricular Function in Patients with Left Ventricular Dysfunction due to Various Etiologies Scheduled for ICD Implantation: An Alternative to Magnetic Resonance Imaging?, 1782
- Role of ERK-mediated Suppression of Gap Junction Permeability in Cardioprotection Afforded by MitoK_{ATP} Channel Activation, 1135
- ROS1 and TAS2R50 are Associated with Myocardial Infarction: Novel Genetic Associations in Three Sample Sets, 3797
- S100A1 Gene Therapy Preserves In Vivo Cardiac Function Following Myocardial Infarction, 491
- Safety of Magnetic Resonance Imaging in the First Few Days after Primary Angioplasty/Stenting for Acute Myocardial Infarction, 2832
- SDF-1 α Upregulates COX-2 Gene Expression via p38 MAPK in Vascular Endothelial Cells and Mouse Model of Myocardial Infarction, 1078
- Selected Intracoronary CD133⁺ Bone Marrow Cells Promote Cardiac Regeneration after Acute Myocardial Infarction, 1555
- Sensitivity of Dipyridamole CMR for the Assessment of Intermediate Severity Coronary Artery Stenosis, 2833
- Serial 3D Echocardiography of Postinfarct Remodeling in the Mouse Model of Myocardial Infarction, 2756
- Serial Magnetic Resonance Imaging for the Assessment of Myocardial Perfusion, Left Ventricular Function, and Infarct Size after Application of Blood-Derived Progenitor Cells in Recanalized Chronic Coronary Total Occlusions, 3173
- Serial Targeted Radiotracer Imaging of Matrix Metalloproteinase (MMP) Activation in a Murine Model of Post-Infarction Left Ventricular Remodeling, 2047
- Sex Differences in the Symptom Presentations of Acute Coronary Syndromes, 3027
- Sex-age Interaction after Myocardial Infarction: Impact on Hospital Mortality and 1-year Survival, 3522
- Short-Term Granulocyte-Colony Stimulating Factor Treatment Does Not Induce Endothelial Dysfunction in Patients with Myocardial Infarction, 164
- Sildenafil Abolishes Cyclic Coronary Occlusion in a Canine Model of Platelet-Mediated Coronary Occlusion after Thrombolysis, 714
- siRNA-Mediated Inhibition of SHP-1 Alleviates Myocardial Infarction, 519
- Skeletal Myoblast Genetically Modulated To Express Angiopoietin-1 Improves Neovascularization in Myocardial Infarction, 1881
- Slow release of MMP-1 Plasmid DNA Enhances the Graft Development of Transplanted Skeletal Myoblasts in Rat Hearts with Chronic Myocardial Infarction, 1450
- Sonic Hedgehog Induces Arteriogenesis And Restores Function After Chronic Myocardial Ischemia, 1291
- Sonic Hedgehog Promotes Myocardial Proliferation In Animal Models Of Myocardial Ischemia, 768
- Specialist Training and Implementation of Evidence-Based Care Following 'New Definition' Myocardial Infarction, 3226
- Sphingosine Kinase is a Target of PKC- ϵ during Myocardial Ischemic Preconditioning, 901
- Statin Therapy Improves Exercise Oxygen Uptake Kinetics in Post-Myocardial Infarction Patients by a Combined Anti-Inflammatory and Endothelial Activity, 2912
- Stem Cell Factor Receptor and Cardiac Regeneration after Myocardial Infarction, 2182
- Streptokinase Undergoes Autoproteolysis that Reduces the Efficiency of Plasminogen Activation, 539
- Stromal Cell-Derived Factor-1 (SDF-1) Protects Deterioration Of Cardiac Function Through Angiogenesis After Acute Myocardial Infarction (AMI) In Mice, 525
- Stromal Cell-Derived Factor-1 Is Upregulated In The Infarcted Heart And Mediates Migration Of Hematopoietic Stem Cells To The Infarcted Heart, 1343
- Suboptimal Use of Evidenced-based Medications Before Myocardial Infarction Among Patients with and without Diabetes Mellitus: Observations from the National Registry of Myocardial Infarction (NRM) 4, 3849
- Sustained Ventricular Arrhythmia During Percutaneous Coronary Intervention is Associated With an Increased Risk of In-Hospital and Long-term Mortality., 2355
- Systemic Delivery of Human Stem Cells Targeted to Myocardial Infarctions in a Xenogeneic Rat Model, 1336
- Targeted Deletion of CC Chemokine Receptor 2 Attenuates Left Ventricular Remodeling After Experimental Myocardial Infarction, 1274
- Targeted Disruption of the p50 Subunit of NF- κ B Ameliorates Cardiac Dysfunction After Myocardial Infarction, 306
- Targeted Ultrasound Imaging of Apoptosis in Acute Myocardial Injury with Annexin-A5 Microspheres, 2386
- Testing the Tests: Relative Sensitivities of 7 Tests Used to Stratify Post-Myocardial Infarction Patients, 2699
- The Cardioprotection Afforded By Inducible Nitric Oxide Synthase (iNOS) Gene Therapy is Mediated By COX-2 Via an NF- κ B-dependent Pathway, 132
- The Eigenvalue Model as an Electrical Marker in the Prediction of Acute Myocardial Infarction in Measured and Derived Electrocardiograms, 3095
- The Epsilon Protein Kinase C Isozyme Modulates Cytochrome C Oxidase (CO) Activity Via Interactions With The COIV Subunit in Cardiac Preconditioning, 650
- The Impact of Reperfusion Status on the Efficacy of Eplerenone: Results from EPHEBUS, 2406
- The JAK/STAT Signaling Pathway Is Essential For Opioid-Induced Cardioprotection (OIC): Role of JAK2 As A Mediator of STAT3 and The Phosphatidylinositol-3 Kinase (PI3K) Pathway, 313
- The Loss Of Ischemic Preconditioning (PC) In The Senescent Heart Is Associated With Impaired Activation Of Endothelial NOS (eNOS) And Is Restored By Administration Of NO Donor, 502
- The MHC-PPAR α Mouse Model of the Diabetic Heart Exhibits Increased Pathologic Remodeling following Myocardial Infarction, 110
- The Most Important Determinant of the Coronary Zero-Flow Pressure is the Left Ventricular End-Diastolic Pressure, 1807
- The New Criteria for the Diagnosis of Myocardial Infarction: Prospective Evaluation in the Community, 3059
- The Origin of Bone Marrow-Derived Cardiomyocytes is Nonhematopoietic: Possible Contribution of Mesenchymal Stem Cells, 324
- The Peptidoglycan Recognition Protein-L Gene is Associated with Myocardial Infarction, 1012
- The Prognostic Impact of the Metabolic Syndrome in Patients with Acute Myocardial Infarction, 3565
- The Role of Monocyte Chemoattractant Protein (MCP)-1 in Infarct Healing, 125
- Tissue Factor, Factors VIIa and Xa Expression and Local Generation of Thrombin in at Risk Myocardium Occurs Specifically During Reperfusion, 1423
- Tissue-Level Perfusion Predicts Remote Clinical Outcomes More Accurately than Relaxation Abnormality in Patients with Myocardial Infarction, 3316
- TNF α -Induced Cardioprotection is Mediated by Reactive Oxygen Species, 129
- Transplantation of Bone Marrow-Derived Mesenchymal Stem Cells Expressing Akt into Infarcted Murine Heart Produces Dramatic Improvement in Cardiac Function Despite Infrequent Cellular Fusion, 316
- Transplantation of Mesenchymal Stem Cells Overexpressing AKT Limits Infarct Size and Prevents Cardiac Dysfunction as Early as 3 Days After Infarction: Evidence Suggesting Paracrine Action Rather Than Regeneration, 1196
- Transthoracic Doppler Echocardiographic Assessment of Left Anterior Descending Artery and Intramyocardial Artery Predict Left Ventricular Remodeling Following Acute Myocardial Infarction, 2658

- Trimetazidine Inhibits Mitochondrial Permeability Transition Pore Opening and Limits Lethal Ischemia-Reperfusion Injury, 981
- Tumor Necrosis Factor- α Prevents Ventricular Rupture and Remodeling After Myocardial Infarction, 116
- Twelve-Year Changes in the Management of Acute Myocardial Infarction in the Elderly in Rural Japan: Kochi Acute Myocardial Infarction (KAMI) Study, 2915
- Two-year Follow-Up of the Feasibility and Safety of Autologous Myoblast Transplantation for Ischemic Cardiomyopathy in Patients Undergoing Coronary Artery Bypass Grafting, 237
- Undersized Mitral Annuloplasty for Ischemic Mitral Regurgitation does not "Reverse Remodel" the Left Ventricle, 1990
- Unequal Access and Equalizing Effects of Revascularization after Acute Myocardial Infarction by Socioeconomic Group, 2523
- Unexpected Severe Calcification following Transplantation of Bone Marrow Cells in Acute Myocardial Infarction, 1335
- Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase after Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 3231
- Urinary 8-Hydroxy-2'-Deoxyguanosine to Urinary Creatinine Ratio is Correlated with Severity of Cardiac Function in Patients with Old Myocardial Infarction, 3256
- Use of ^{99m}Tc -HYNIC-AnnexinV for ex vivo Imaging of Apoptosis in Rat Myocardial Infarction, 20
- Value Of Human Fatty Acid Binding Protein, Inflammatory, And Hemostatic Markers For Early Detection Of Acute Myocardial Infarction, 1945
- Vascular Progenitor Cells in 500 Patients with Coronary Artery Disease: Results of the Endothelial Progenitor Cells in Coronary Artery Disease (EPCAD) Study, 2379
- Why Don't ICDs Decrease All-Cause Mortality After MI? Insights from the DINAMIT Study, 2356
- Withdrawing Chronic Quinapril Treatment Causes Rebound Volume Overload and Endothelial Dysfunction in Rats with Myocardial Infarction, 1420
- Younger Women with Acute Myocardial Infarction have Highest Prevalence of Depression, 1961
- Myocardial infarction, NSTEMI**
- Classic and Alternative Complement Pathways Are Activated in Patients With a Non-ST-Segment Elevation Acute Coronary Syndrome and Are Linked With C-Reactive Protein Blood Levels, 2121
- Combination Therapy of Glycoprotein IIb/IIIa Inhibitors and a Thienopyridine is Associated with Reduced Hospital Mortality in Patients with Non-ST Elevation Myocardial Infarction Managed Invasively but not Conservatively: Lessons from the National Registry of Myocardial Infarction 4, 2519
- Determinants for the Use of Drug-Eluting Stents in Patients with Acute Coronary Syndromes in Clinical Practice in Europe: Results of the SHAKESPEARE Registry, 3227
- Does the "Obesity Paradox" Extend to Patients with Non-ST-Segment Elevation Myocardial Infarction? Insight from the National Registry for Myocardial Infarction 4, 3063
- Does Time of Symptom Onset to Percutaneous Coronary Intervention Affect In-hospital Outcomes in Patients with Non-ST-Segment Elevation Myocardial Infarction?, 2509
- Drug-Eluting Stents Versus Bare Metal Stents in Patients With Non-ST Elevation Myocardial Infarction: Results From The STENT Registry, 3217
- Effect of Intensive Statin Treatment on the Occurrence of Atrial Fibrillation after Acute Coronary Syndrome: An Analysis of the MIRACL Trial, 3426
- Evidence-Based Risk Stratification is Not Optimally Used to Target Proven Therapies in Non-ST-Elevation Acute Coronary Syndromes: The Global Registry of Acute Coronary Events (GRACE), 3058
- Immunomodulating Agent Pentoxifylline Reduces the Inflammatory Activity in Patients with High-Risk Non-ST-Segment Elevation Acute Coronary Syndromes. Results of the Randomized, Double-Blind, Placebo-Controlled, Reduction of Cardiac Adverse Events in Acute Coronary Syndromes with Pentoxifylline (RECAP) Pilot Trial, 2113
- Intravenous Enoxaparin in Patients Undergoing Percutaneous Coronary Intervention: A Bayesian Approach Based Study, 2864
- Low Admission LDL-Cholesterol Predicts Increased 3-Year Mortality in Patients with Non-ST-Segment Elevation Myocardial Infarction, 2126
- Multislice Computed Tomography for Risk Stratification in Patients With Suspected Non-ST-segment Elevation Acute Coronary Syndrome, 2449
- N-terminal probrain natriuretic Peptide and Troponin T Predict Mortality Benefit From Coronary Revascularization in Acute Coronary Syndromes, 1947
- Pacitaxel-Eluting Stents Are Safe and Effective in Patients with Acute Coronary Syndromes: Analysis from the TAXUS-IV Trial, 3068
- Predictors and Long-Term Outcome of Major Bleeding in Patients with Non-ST-Elevation Acute Coronary Syndromes: Insights from the Canadian Acute Coronary Syndrome Registries, 2669
- Predischarge C-Reactive Protein Levels do not Predict Death and Major Cardiovascular Events at 1 Year in Patients Receiving Contemporary Management Following an Acute Coronary Syndrome, 2344
- Prognostic Value of Circulating Shed Membrane Pro-Coagulant Microparticles in Patients with Severe Acute Coronary Syndromes. A Substudy From the Global Registry of Acute Coronary Events (GRACE), 2676
- Renal Function and Ejection Fraction Are the Best Mortality Predictors in Non-ST-Elevation Chest Pain Patients, 1615
- Underutilization of Revascularization in Early Cardiogenic Shock among NSTEMI Patients: Observations from the CRUSADE Initiative, 1938
- Myocardial infarction, STEMI**
- Inhibitory Effect of Previously Administered Tissue-type Plasminogen Activator on In-stent Neointimal Proliferation of Acute Myocardial Infarction, 1627
- Monitoring of Bone Marrow Cell Homing to the Infarcted Human Myocardium, 2051
- A "Level 1 Trauma" Approach to ST-segment Elevation Myocardial Infarction: 1 Year Outcomes, 1931
- Acute Hyperglycemia, but not Diabetes Mellitus, is a Predictor for Short and Long Term Mortality in Patients after Acute Myocardial Infarction in the Contemporary Primary Angioplasty Era, 1943
- Adverse Impact Of Multivessel Disease On ST-segment Recovery And Clinical Outcome In Patients Undergoing Primary Percutaneous Coronary Intervention For Acute Myocardial Infarction, 3075
- African Americans Have Higher Long-term Mortality And More Stroke And Bleeding Than Caucasians Following Reperfusion Therapy For Acute Myocardial Infarction, 3690
- As Door-to-Balloon Times Exceed Door-to-Needle Times at a Given Hospital, Mortality in STEMI Rises, 2510
- Association of Smoking with Improved Myocardial Perfusion and the Angiographic Characterization of Myocardial Tissue Perfusion Following Fibrinolytic Therapy for ST-Elevation Myocardial Infarction, 2124
- B-type Natriuretic Peptide Level Measure on Admission is an Independent Predictor of Long-term Mortality after Primary Angioplasty in ST-elevation Myocardial Infarction, 1628
- Baseline Glucose Level and Left Ventricular Remodeling After Acute Myocardial Infarction, 488
- BOne MarrOw Transfer to Enhance ST-Elevation Infarct Regeneration: Long-Term Magnetic Resonance Imaging Follow-Up Data from The BOOST-Trial, 1145
- Cardiac Tamponade in the Fibrinolytic Era: Analysis of Over 100,000 ST-Segment Myocardial Infarction Patients, 2682
- Causes of Death in Cardiogenic Shock - A Report from the SHOCK Trial, 1940
- Clinical Outcomes in Patients Undergoing Early Rescue Angioplasty Versus Primary Angioplasty for the Treatment of Acute Myocardial Infarctions: A Report From the New York State Angioplasty Registry, 3066
- Combination Eptifibatid and Reduced-Dose Tenecteplase Versus Eptifibatid Monotherapy Preceding Primary PCI: Final Results of the ADVANCE-MI Trial, 1623
- Comparison of Patients With ST-Segment Elevation Myocardial Infarction Enrolled in Fibrinolytic Drug Trials with Trial-Eligible and Trial-Ineligible Patients: Findings From the Global Registry of Acute Coronary Events, 3614
- Correlation Between Angiographic TIMI Myocardial Perfusion Grade and Coronary Flow Velocity Patterns in AMI Patients with TIMI Grade 3 Flow, 3505
- Despite TIMI 3 Flow After Percutaneous Coronary Intervention for Acute Myocardial Infarction, it Takes 15 to 30 Days for the Myocardium to Reperfuse, 3484
- Determinants for the Use of Drug-Eluting Stents in Patients with Acute Coronary Syndromes in Clinical Practice in Europe: Results of the SHAKESPEARE Registry, 3227
- Diagnosis of Acute Myocardial Infarction in the presence of Left Bundle Branch Block, 3091
- Diminished Efficacy of Acute Reperfusion Therapy in Patients with ST-Segment Elevation Myocardial Infarction and Advanced Baseline Renal Failure, 1853
- Does Time Matter? Individual Patient Data-based Meta-analysis of Primary PCI versus Fibrinolysis in Acute Myocardial Infarction Randomized Trials, 2513
- Door-to-Balloon and Door-to-Door Times in Transfer Patients Undergoing Primary Percutaneous Coronary Intervention in the United States, 3530
- Early Statin Initiation in Patients with Acute Myocardial Infarction Improved Survival, 2109
- Edaravone Attenuates Both Infarct Size and Reperfusion Arrhythmia in Patients With Acute Myocardial Infarction, 2114
- Effect of Nitric Oxide Synthase Inhibition on Hemodynamics and Outcome of Patients with Acute Myocardial Infarction Complicated By Cardiogenic Shock: A Phase 2 Dose-Ranging Study, 1949
- Effects of Glucose Abnormalities on In-Hospital Outcome after Coronary Intervention for Acute Myocardial Infarction, 3232
- Gender Differences in Time to Treatment for Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST segment Elevation Myocardial Infarction: An Important Target for Quality Improvement,

- 3692
Hemoglobin-related Mortality in Patients with Acute Myocardial Infarction Undergoing Primary Percutaneous Coronary Interventions, 2671
- High-Dose Bolus Tirofiban and Sirolimus-Eluting STent versus Abciximab and Bare Metal Stent in Acute Myocardial Infarction (STRATEGY) Study, 3069
- Impact of Glycoprotein IIb/IIIa Inhibitors in Patients Undergoing Percutaneous Coronary Intervention for Acute Myocardial Infarctions: A Report From the New York State Angioplasty Registry, 2518
- Impact of Induced Core Hypothermia on the Electrocardiogram: Observations from the COOL MI Study, 2900
- Impact of Revascularization Procedures in the Subacute Phase after ST-Segment Elevation Myocardial Infarction on 1-Year Mortality. Results of the ACOS-Registry, 1937
- Impact of Sirolimus Drug-eluting Stent on Outcome of Patients Treated for Acute Myocardial Infarction with Primary Angioplasty, 3067
- Improved Outcomes Among Patients with ST-Segment Elevation Myocardial Infarction Presenting to Community Hospitals and Treated with Facilitated Percutaneous Coronary Intervention with Antecedent Bolus Fibrinolytic and/or Glycoprotein IIb/IIIa Therapy, 2506
- In-hospital and One-year Mortality of Patients who Develop Worsening Renal Function After Acute ST-elevation Myocardial Infarction, 1854
- Increased Thermal Heterogeneity of the Culprit Lesion is Prolonged in Patients with Recent Myocardial Infarction: The Role of Inflammation, 3228
- Integration Of ST-segment Recovery And Myocardial Blush For Prediction Of Survival After Primary Percutaneous Coronary Intervention In Acute Myocardial Infarction, 1934
- Intravenous Nicorandil before Reperfusion Improves Epicardial Flow and Accelerates ST-Segment Resolution in Patients with Acute Myocardial Infarction, 3070
- Length Of Ischemia Is A Major Determinant Of Microvascular Obstruction. A Study Performed With Contrast Enhanced Magnetic Resonance After Primary Angioplasty, 2992
- Long-Term Safety and Clinical Outcome after Intracoronary Progenitor Cell Transplantation in Patients with Acute Myocardial Infarction: 1 Year Follow-Up Analysis of the TOPCARE-AMI Trial, 1146
- Mobilization of Early Tissue-Committed Stem Cells is Correlated with Left Ventricular Ejection Fraction and Plasma NT-pro BNP Levels in Patients with Acute Myocardial Infarction: REGENT Study, 238
- New Approach to Acute Myocardial Infarction: Triage in Ambulance to Prehospital Thrombolysis or Transfer for Primary PCI, 2504
- No Reflow Detected by Delayed Contrast Enhancement Predicts Ventricular Remodeling Following an ST-Segment Elevation Myocardial Infarction, 2091
- No Restenosis after G-CSF in Acute Myocardial Infarction: Insights from FIRSTLINE-AMI (Front-Integrated Revascularization and Stem Cell Liberation in Evolving Acute Myocardial Infarction by Granulocyte Colony-Stimulating Factor), 1140
- Percutaneous Coronary Intervention versus Fibrinolysis in Acute Myocardial Infarction: The Importance of Timing, 2514
- Plaque Disruption Frequently Occurs Days or Weeks before Occlusive Coronary Thrombosis: A Pathologic Thrombectomy Study in Primary PCI, 1941
- Prediction of Transmurality of Acute Myocardial Infarction: Comparison between Myocardial Contrast Echocardiography and Radionuclide Perfusion Imaging, 3458
- Predictors of Five-year Mortality in Patients Undergoing Primary Percutaneous Coronary Interventions: Insights From the Primary Angioplasty in Myocardial Infarction (PAMI) Trials, 3512
- Predischarge C-Reactive Protein Levels do not Predict Death and Major Cardiovascular Events at 1 Year in Patients Receiving Contemporary Management Following an Acute Coronary Syndrome, 2344
- Predischarge Persistence of ST Elevation After Acute Myocardial Infarction Treated With Primary Angioplasty Predicts Microvascular Obstruction: A Study With Contrast-Enhanced Magnetic Resonance., 2831
- Prehospital Delay, Receipt of Reperfusion Therapy, and Hospital Outcomes. Observations from the Global Registry of Acute Coronary Events, 3532
- Prehospital Resuscitation Complicating Acute Myocardial Infarction: Benefits of Early Reperfusion Therapy. Results from the MITRA-Plus Study, 1620
- Preserved LV Function After AMI Due to Prehospital Thrombolysis or PCI, 2507
- Prognostic Value of Circulating Shed Membrane Pro-Coagulant Microparticles in Patients with Severe Acute Coronary Syndromes. A Substudy From the Global Registry of Acute Coronary Events (GRACE), 2676
- Randomized Comparison of Prehospital Combination Fibrinolysis Versus Prehospital Initiated Facilitated Percutaneous Coronary Intervention in Acute Myocardial Infarction: Final Results of the Leipzig Prehospital Fibrinolysis Study, 2505
- Relation of Time to Treatment and In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction: Vienna Pilot Study on Mechanical Versus Medication Reperfusion Strategies, 2511
- Revascularization Outcomes In Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction: Observations from the National Registry of Myocardial Infarction, 1939
- Serum Tenascin-C Levels are a Novel Marker for Predicting Left Ventricular Remodeling in Patients With Acute Myocardial Infarction, 2125
- Significant Decrease of Door-to-Balloon Time by Direct Transport From Ambulance to Cath Lab, 2508
- ST Resolution Predicts Prognosis after IV Alteplase but not when Primary Angioplasty is used as Reperfusion Therapy for ST-Elevation Acute Myocardial Infarction: Results from the DANAMI-2 Trial, 1621
- ST-Segment Depression in Lead aVR: A Simple and Useful Predictor of Impaired Myocardial Reperfusion in Patients With Inferior Wall Acute Myocardial Infarction, 1609
- ST-Segment Resolution, Time from Symptom Onset to Reperfusion, TIMI Flow Grades, and CK Release: Association with Infarct Size as Assessed by Delayed Enhancement Magnetic Resonance Imaging, 3172
- Sustained profound improvement of left ventricular function and remodeling 1 year after progenitor cell therapy for AMI: Insights from serial MRI imaging, 2377
- The Effect of Distal Protection Device on the Protection of Microvascular Integrity During Primary Stenting in AMI Without Glycoprotein IIb/IIIa Inhibition, 3510
- Time Delay-Adjusted Survival Benefit of Angioplasty Over Thrombolysis in Acute Myocardial Infarction: influence of Time from Symptom Onset, 2512
- U-Shaped Relationship of Blood Glucose with Adverse Outcomes Among Patients with ST-Segment Elevation Myocardial Infarction, 1850
- Ultrasonic Strain Rate Imaging can Predict the Recovery of Function after Acute Myocardial Infarction and Assess the Transmurality of Scar in Chronic Infarctions, 2563
- Myocardial revascularization**
- Adenoviral Gene Transfer of a Broad Spectrum CC-Chemokine Inhibitor Reduces Vein Graft Atherosclerosis in Apolipoprotein E-Knockout Mice, 3481
- Adaptive Arterial Remodeling In Patients Treated With A Stent-Based Ventricle-To-Coronary Artery Bypass (VSTENTM): 1-Year Follow-Up Data Of The Munich Subset Of The ADVANTAGE Trial, 3271
- Adverse Impact Of Multivessel Disease On ST-segment Recovery And Clinical Outcome In Patients Undergoing Primary Percutaneous Coronary Intervention For Acute Myocardial Infarction, 3075
- Being Lean is a Risk Factor for Mortality following Primary Angioplasty: A Report from the 1999-2000 New York State Angioplasty Database, 3556
- Beneficial Effect of Pre-Operative Aspirin Therapy on Post-Operative Outcomes in Patients Undergoing Coronary Artery Bypass Grafting, 2210
- Causes of Death in Cardiogenic Shock - A Report from the SHOCK Trial, 1940
- Clinical and Angiographic Outcomes of Coronary Artery Bypass Grafting with and without Cardiopulmonary Bypass: Harefield Prospective Randomized Trial, 2544
- Closed-Chest Hybrid Revascularization: the Association of Robotically Enhanced MIDCAB and PCI, 2727
- Complete Revascularization Significantly Improves Survival Following Percutaneous Coronary Intervention in Patients with Multivessel Disease, 2857
- Cost-Effectiveness of the TAXUS™ Paclitaxel-Eluting Coronary Stent System vs. Bare Stent Implantation in Patients without Routine Angiographic Follow-up: The TAXUS-IV Trial, 3811
- Dynamic Regulation of MTHFR mRNA Expression and C677t Genotype in Individuals Submitted to CABG: Evidence for a Role of Homocysteine Metabolism after Coronary Surgery, 1703
- Extracorporeal Cardiac Shock Wave Therapy Ameliorates Myocardial Ischemia in Patients with Severe Coronary Artery Disease, 2190
- Full Arterial Revascularisation Provides a Better Clinical Outcome when Combined with Off-Pump Coronary Artery Bypass Surgery: A Propensity Score Analysis, 2204
- High Rates of Persistent Cardiogenic Shock Post-PCI Despite Reestablishing Patency of the Infarct-Related Artery: A Report from the SHOCK-2 Study Group, 2115
- Impact of Revascularization Procedures in the Subacute Phase after ST-Segment Elevation Myocardial Infarction on 1-Year Mortality. Results of the ACOS-Registry, 1937
- Improved Long-Term Coronary Bypass Results With A New "No Touch" Vein Graft Preparation Technique: Preliminary Results From An Angiographic And IVUS Follow-Up Study, 2929
- Intravenous Adenosine Improves Microvascular Reflow Assessed by Contrast Echocardiography in Patients with Acute Myocardial Infarction, 3323
- Irreversible Inhibition of Myosin Light Chain Kinase Provides Prolonged Attenuation of Radial Artery Vasospasm, 1706
- Long-Term Survival after OPCAB or CCAB: Findings in Northern New England, 3536

- Long-term survival for Patients with 3-Vessel Coronary Disease is Better Following CABG than PCI: An Analysis of BARI-Like Patients in Northern New England from 1994-2001, 1979
- Mayo Clinic Risk Adjustment Model Predicts in Hospital Mortality Following Primary Angioplasty for Acute Myocardial Infarction, 2326
- Molecular and Cellular Events at the Site of Myocardial Infarction: from the Perspective of Rebuilding Myocardial Tissue, 1272
- One year Follow-up of Patients with Bypass Graft versus Native Coronary Disease Treated with Sirolimus-Eluting Stent in the SECURE Trial, 3008
- Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Receive Less Aggressive Discharge Care After Bypass Surgery Versus Percutaneous Coronary Intervention, 1980
- Peer Advisors Improve Physical Health Outcomes in Elders, 3034
- Propionyl-L-carnitine Improves Hemodynamics and Cardiac Microvascular Perfusion During Coronary Operation in Diabetic Patients, 1705
- ReoPro as Adjunctive Therapy in Primary Angioplasty is Associated with Accelerated ST-Segment Resolution and Fewer Reinfarctions: Results from the DANAMI-2 Trial, 3071
- Resistance to Flow of Arterial Y-grafts 6 Months after Coronary Bypass Surgery, 2214
- Serial Magnetic Resonance Imaging for the Assessment of Myocardial Perfusion, Left Ventricular Function, and Infarct Size after Application of Blood-Derived Progenitor Cells in Recanalized Chronic Coronary Total Occlusions, 3173
- Sex and Myocardial Salvage After Reperfusion in Acute Myocardial Infarction, 1935
- ST-Segment Resolution, Time from Symptom Onset to Reperfusion, TIMI Flow Grades, and CK Release: Association with Infarct Size as Assessed by Delayed Enhancement Magnetic Resonance Imaging, 3172
- Sustained Ventricular Arrhythmia During Percutaneous Coronary Intervention is Associated With an Increased Risk of In-Hospital and Long-term Mortality., 2355
- The Impact of Diabetic Retinopathy on Cardiac Outcome Following Coronary Artery Bypass Graft Surgery (CABG): A Prospective Study, 2200
- The Impact of Metabolic Syndrome on Long-Term (Ten-Year) Outcomes after Percutaneous Coronary Intervention, 3549
- Myocardial torsion and recoil**
- Effect of Alteration of Left Ventricular Activation Sequence on the Left Ventricular Torsional Deformation in Anesthetized Closed-chest Dogs, 140
- Effect of Cardiac Resynchronization Therapy on the Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3251
- Effect of High Voltage Stimulation on Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3250
- Paradoxical Increase in Ventricular Torsion Precedes Late Stage Decline in mdx Mice with Dystrophin Deficiency, 1284
- Physiologic Compensation is Supranormal in Advanced Aortic Stenosis: Does it Return to Normal after Aortic Valve Replacement? An MRI LV Torsion Study Using 3D-HARP, 2661
- Torsion-volume Loop Analysis for Assessment of Left Ventricular Active Relaxation, 2234
- Transmural Mechanics of Active Left Ventricular Diastolic Relaxation, 524
- Myocardial viability**
- 11 β HSD1 \pm Mice Have Enhanced Angiogenic Response And Improved Myocardial Function Following Coronary Artery Ligation, 1275
- AAV-HO-1 Gene Therapy Protects against Multiple Myocardial Ischemic Injury and Prevents Ischemic Cardiomyopathy, 1273
- Accurate Delineation of Acute and Chronic Myocardial Infarction by Retrospectively Gated Multidetector Row Computed Tomography: Comparison with Gd-DTPA-Enhanced Magnetic Resonance, 3394
- Combined Use of 16-Slice Computed Tomography and Adenosine Stress MRI for Detecting Hemodynamically Significant Coronary Artery Disease, 2099
- Contrast-Enhanced Multidetector Computed Tomography Imaging of Acute Myocardial Infarction: Spatial and Temporal Characterization of Myocyte Death and Microvascular Obstruction, 2447
- Heme oxygenase-1 Induction Improves the Viability of Adult Cardiomyocyte Cellular Grafts in Vivo, 1446
- High- but Not Low-Molecular-Weight FGF-2 Causes Cardiomyocyte Hypertrophy In Vitro and In Vivo: Possible Involvement of Cardiotrophin-1 and gp130, 603
- Impact of Infarct Transmurality on Transmural Blood Flow in Patients with Chronic Left Ventricular Ischemic Dysfunction, 3319
- Improvement in TEI Index Closely Mirrors Reversal of Left Ventricular Dysfunction in Chronic Ischemic Cardiomyopathy, 2945
- In vivo Visualization of Cardiac Allograft Rejection and Trafficking Passenger Leukocytes Using Bioluminescence Imaging, 2719
- Infarct Transmurality Predicts Microvascular Obstruction Better Than Infarct Size In Patients With Acute Myocardial Infarction, 2839
- Inhibiting Mitochondrial Permeability Transition Pore Opening Protects the Human Myocardium from Ischemia-Reperfusion Injury, 1129
- Intracoronary AQ Hyperbaric Perfusion, Delayed 24 hrs After the Onset of Postinfarction Reperfusion, Reduces Infarct Size and Improves LV Function, 3507
- Magnetic Resonance Myocardial Delayed Enhancement in Infants with Anomalous Origin of Left Main Coronary Artery from Pulmonary Artery, 3488
- Myocardial Salvage through a Novel Peptidic c-Jun NH₂-Terminal Kinase Inhibition, 1437
- Myocardial Viability Testing before CABG - Correlation of MRI Scoring and Graft Flow, 3391
- Postconditioning Must be Initiated in Less Than 1 Minute following Reperfusion and is Dependent on Adenosine Receptors and PI3-Kinase, 804
- Postconditioning's Protection Is Not Dependent on Circulating Blood Factors or Cells but Requires PI3-kinase and Guanylyl Cyclase Activation, 802
- Prediction of Transmurality of Acute Myocardial Infarction: Comparison between Myocardial Contrast Echocardiography and Radionuclide Perfusion Imaging, 3458
- Prevalence and Clinical Characteristics of Patients with Viable but Thinned Myocardium., 2986
- Regional Left Ventricular Remodeling is Determined by Transmural Extent of Scar by Contrast-Enhanced Magnetic Resonance Imaging, 3485
- Right Ventricular Myocardial Fibrosis Late after Repair of Tetralogy of Fallot Demonstrated by Late Gadolinium Cardiovascular Magnetic Resonance: Correlation with Right Ventricular Dysfunction, Neurohormonal Activation, and Exercise Intolerance, 3017
- Tissue Heterogeneity by Contrast-enhanced MRI as a Marker of Risk for Sudden Cardiac Death in Ischemic Cardiomyopathy, 2993
- Myocarditis**
- Antiviral Interferon Therapy in DCM Patients with Viral Persistence, 3348
- Biopsy-proven Myocarditis: Prognostic Relevance of Clinical and Etiopathogenetic Features at Diagnosis, 3360
- Cardiovascular Magnetic Resonance Assessment of Human Myocarditis: IR Gradient Echo Compared With T1 Turbo Spin-Echo Imaging Protocols, 3140
- Diagnosis and Presentation of Fatal Myocarditis, 2421
- ECG and CMR Most Accurately Predict Cardiac Involvement in Sarcoidosis, 2799
- Effect of Astragaloside on Myocardial Fibrosis in Chronic Myocarditis, 3367
- Effect of Spironolactone on Myocardial Fibrosis in Murine Chronic Myocarditis, 2803
- Effect of STAT 4 and STAT 6 Deletion on the Pathogenesis of Experimental Autoimmune Myocarditis, 608
- Gene Transfer of Hepatocyte Growth Factor Improves the Development of Experimental Autoimmune Myocarditis through Induction of T Helper 2 Cytokines, 44
- Hepatitis C Virus Infection as a Cause of Myocarditis and Heart Failure, 1748
- Inducible Cardiac Restricted Expression of Enteroviral Protease 2A is Sufficient to Cause Dilated Cardiomyopathy with Disruption of Dystrophin, 1093
- Inhibition of Experimental Autoimmune Myocarditis in TLR-4-Deficient Mice, 609
- Inhibition of Proteinases prevents Cardiac Injury during Viral Myocarditis, 212
- Low Molecular Heparin Treatment Improves Clinical Outcomes of Patients with Inflammatory Dilated Cardiomyopathy, 2795
- Myeloid Differentiation Factor-88 Plays a Crucial Role in the Pathogenesis of Coxsackievirus B3-Induced Myocarditis, 31
- Myocarditis in Baboon Hearts Injected with Adeno-Associated Virus Expressing Soluble Tumor Necrosis Factor Receptors, 767
- Prediction of Improvement of Left ventricular Systolic Function by Myocardial Texture Analysis in Inflammatory Cardiomyopathy, 3300
- Specific Knockdown of Protease 2A Attenuates Coxsackieviral Cytopathogenicity and Improves Survival in Highly Susceptible, CVB3-infected Type I Interferon Receptor-deficient Mice, 773
- Suppressor of Cytokine Signaling-3 Expression Inhibits an Interferon-Independent Susceptibility Factor for Coxsackievirus B3-Mediated Cardiomyopathy within the Cardiac Myocyte, 607
- Virus Receptor Trap, Expressing Both Coxsackievirus and Adenovirus Receptor and Decay-accelerating Factor, Can Attenuate Inflammation and Mortality in Experimental Coxsackieviral Myocarditis, 45
- Myocardium**
- α Myosin Heavy-Chain Gene Expression is Increased as an Early Adaptation to Exercise, 2609
- β -Tubulin: a New Regulator of the Slow Delayed Rectifier Potassium Current IKS, 287
- [18F]-Fluorobenzyl Triphenyl Phosphonium - A Novel Myocardial Perfusion Agent: Assessment of Extraction Fraction and Detection of Stenosis Severity, 2844
- A Comparison of Microbubble Formation during Radiofrequency Ablation at the Orifice of Pulmonary Veins using an 8-mm versus a Closed-Loop, Cooled-Tip Catheter, 2532

- Alterations in α -Tropomyosin's Carboxy Overlap Region Affect Mouse Cardiac Function, 230
- Altered Gene Expression of Tissue Inhibitors of Metalloproteinases in Clinical Recovery of Heart Failure with Combined Left Ventricular Assist Device and Clenbuterol Therapy, 2938
- An Analysis of Catheter-tip and Actual Tissue Temperatures Achieved during Radiofrequency Ablation at the Orifice of Pulmonary Veins using an 8-mm-Tip Catheter, 1975
- An Unusual Presentation of a Cardiac Metastasis, 2005
- Arterial Stiffness and Left Ventricular Mass are higher in Subjects with Impaired Fasting Glucose, 3674
- Biphasic Defibrillation Waveform Combined with AED-imposed "Hands-Off" Intervals Significantly Affects Outcome Following Prolonged Cardiac Arrest, 1958
- c-Kit⁺ BM Cells Are Essential for Reducing Deteriorating Myocardial and Heart Function Post-Myocardial Infarction, 317
- Cardiomyocyte-Specific Deletion of Type I TGF- β receptor Prevents Angiotensin II-Induced p38 Activation, Cardiac Hypertrophy, and Dysfunction, 1079
- Cariporide Decreases the Depth of Chest Compression Required to Maximize Forward Blood Flow, 2488
- Charged Residue Alterations in the Inner-Core Domain and Carboxy-Terminus of α -Tropomyosin Differentially Affect Mouse Cardiac Muscle Contractility, 227
- Compression Induced by RV Pressure Overload Causes Regional LV Ischemia in Anesthetized Dogs, 2965
- Connected Pericytes: The "Internet" of the Coronary Microcirculation?, 674
- Deletion of the p66^{shc} Gene Protects from Diabetic Cardiomyopathy by Activation of Cardiac Stem Cells that Leads to Increased Proliferation of Myocytes, 320
- Differential Levels of the Metalloprotease Disintegrins in Patients with Ischemic or Dilated Cardiomyopathy: Relation to Integrin Profiles and MMP Activation, 2093
- Direct Effect of Cardiac Troponin I Mutant Serine 23/24 Aspartate to Accelerate Twitch Relaxation in Single Myocytes from Transgenic Mice, 228
- Early Exacerbation in Regional Myocardial Remodeling Following Radiofrequency Ablative Injury in Mice Deficient in Matrix Metalloproteinase-3, 2333
- Effects of Cariporide on Myocardial Energy Metabolism during Resuscitation from VF, 2489
- Expression of Cell-Cycle Regulatory Genes and Telomerase in Fetal Human Cardiomyocytes Results in Bypass of Cellular Senescence, 1452
- Faster Decay of Crossbridge Dynamics during Diastole in Endomyocardial Region Compared with Epimyocardial Region, 521
- G α Protects Against Left Ventricular Dysfunction in the Diabetic Heart, 450
- Histological Change and Transmural Systolic Function in Adriamycin Cardiomyopathy, 1725
- Hypercholesterolemia Blunts NO Donor-Induced Late Preconditioning against Myocardial Infarction in Conscious Rabbits, 642
- Identification of a Novel Serum Response Factor Cofactor (p49/STRAP) in Cardiac Gene Regulation, 1378
- Impaired Focal Adhesion Signaling Early in the Course of Volume Overload-Induced Cardiac Hypertrophy after Mitral Regurgitation in the Dog: Effect of β_1 -adrenergic receptor blockade, 100
- Infarcted Myocardial Protein and Oscillating Pressure Induce Differentiation of Mesenchymal Stem Cells into Cardiomyocytes without Cell-to-Cell Interaction, 1340
- Influence of Sex and Diabetes Mellitus on Acto-Myosin Crossbridge Kinetics of Human Myocardium, 1287
- Inhalation of Particulate Matter Induces Cardiac Mast Cell Activation of Metalloproteinases, 1915
- Inhibition of MMP-2 Inhibits β -Adrenergic Receptor (β -AR)-Stimulated Apoptosis in Adult Rat Ventricular Myocytes (ARVMs) via the Stimulation of β_1 -Integrin-Dependent Focal Complex Formation and Inhibition of Mitochondrial Death Pathway, 13
- Injectable Tissue Engineering: A New Strategy to Reload the Extracellular Matrix and Prevent Left Ventricular Remodeling and Dysfunction, 1126
- Ischemic Preconditioning Mobilizes Cardiac Stem Cells Into the Ischemic/Reperfused Myocardium, 654
- Kir6.2-Deficient Mice are Susceptible to Stretch-Induced Secretion of Atrial Natriuretic Peptide: K_{ATP} Channel Acts as a Negative Feedback Mechanism?, 71
- Lack of Osteopontin Attenuates Myocardial Hypertrophy in Response to Chronic Pressure Overload, 59
- Lethal Dilated Cardiomyopathy Caused By A Missense Mutation In Phospholamban Is Rescued By Ablation Of The Wild-Type Gene, 2781
- Long-term but not short-term p38 MAPK inhibition improves cardiac function and reduces pathological collagen deposition following myocardial infarction in rats., 1278
- Mice Genetically Deficient in Antioxidant MnSOD Develop Myocardial Fibrosis and Maintained Elevation of Fibrotic Gene Expression in Response to Pressure Overload, 201
- Microvascular Graft Vessel Disease in Children - Experience with 130 Patients, 3408
- Mitochondrial Structural and Functional Integrity after Neonatal Cardioplegic Arrest: Mitochondrial K_{ATP} Channel Openers and Apoptosis, 3405
- Modifications to Troponin C with Brief Ischemia/Reperfusion Injury, 1540
- Murine Bone Marrow Stromal Cells Protect Cardiomyocytes against Anoxia in vitro, 1561
- Myocardial Regeneration Induced by Differentiation of Bone Marrow Cells, Chimerism, and Transplantation or Activation of Cardiac Stem Cells in Animals and Humans Does not Require Cell Fusion, 651
- Myocardial Activity is Modulated by p300 and HDAC5, 1
- Na-H Exchange Inhibition Prevents Mitochondrial Remodeling in Post Infarction Heart Failure, 487
- nNOS is Primarily Localized to the Sarcoplasmic Reticulum in Cardiac Myocytes and Dependent on A-Syntrophin, 948
- Olmesartan Reverses Changes in Conduction Velocity, Connexin43 Expression, and Distribution Associated With Localized In Situ Ventricular Stretch, 1526
- Opening of Mitochondrial Ca²⁺-Activated K⁺ Channels by NS1619 Attenuates the Mitochondrial Ca²⁺ Overload with Accompanying Depolarization of the Mitochondrial Membrane, 986
- Overexpression of Mitochondrial Transcription Factor A Prevents Mitochondrial Deficiencies and Cardiac Failure after Myocardial Infarction, 634
- Pathogenesis of Arrhythmogenic Right Ventricular Dysplasia: Possible Involvement of Peroxisome Proliferator Activated Receptors, 1253
- PIGF and VEGF-B Display Tissue-Specific Functions in Skeletal Muscle and Myocardium, 824
- PPAR γ Enhances the Expression of Adiponectin and Adiponectin Receptor 2 in the Heart, 111
- Rapid Induction of Cardiomyopathy in Dystrophic Mice by β -Adrenergic Stimulation, 144
- Regional Absence of Mitochondria Causing Energy Depletion in the Failing Myocardium of the MLP Knockout Mouse, 976
- Remodeling Stimuli Induce the Expression of Extracellular Matrix Metalloproteinase Inducer (EMMPRIN) in Myocardium and Cultured Cardiac Myocytes via Reactive Oxygen Species-Dependent Activation of JNK, 899
- Risk of Fatal Arrhythmogenesis in LVH: Increased Myocardial Collagen Content and Decreased Collagen Type I/III Ratio are Potential Contributors, 2349
- Role of Microscopic Tissue Structure in Shock-Induced Activation Assessed by Optical Mapping in Myocyte Cultures, 464
- Selective and Chamber-Specific Induction of Matrix Metalloproteinases and Matrix Remodeling in Myocardium of Patients with Atrial Fibrillation, 3100
- Selective Inhibition of p38 α Mitogen-Activated Protein Kinase Improves Cardiac Function and Reduces Myocardial Apoptosis after L-NAME/Angiotensin II-induced Myocardial Injury, 25
- SH2-containing Protein Tyrosine Phosphatase (SHP2) Functioning in LIF-induced Signaling Pathway Inhibits Skeletal α -actin Gene Expression in Cardiomyocytes, 36
- Short Interfering RNA-mediated Silencing of Cardiac Obscurin Gene: Block of Hypertrophic Response and Effect on Myofibrillogenesis, 1537
- Single-Shock Compared to Three-Shock Defibrillation Protocol Significantly Improves Outcome Following Prolonged Cardiac Arrest, 1952
- Stretch Induces Connective Tissue Growth Factor Expression via EGF-Receptor-Coupled β 1 Integrin, 1368
- Structure-Function Relationships of Eight Mutations in Troponin and Tropomyosin that Cause Dilated Cardiomyopathy, 57
- Synectin Gene Disruption Produces Global Vascular Defects that Associate with Impaired Cardiac Function in Adult Mice, 822
- TGF- β and Factor XIIIa are Constituents of the Carcinoid Heart Endocardial Layer - A Study By Confocal Laser Microscopy, 2424
- The Role of Bone Morphogenetic Proteins (Bmps) in Regulating Cardiac Growth at Midgestation, 943
- The Sarcolemmal Calcium Pump Directly Inhibits the Calcineurin/NFAT Pathway in the Heart, 759
- Three-Dimensional Histology Reveals Myocardial Structure of an Intact Heart, 977
- Transcutaneously Measured Viscoelasticity of Myocardium Rapidly Decreases at the Beginning of Diastole, 1729
- Usefulness of Pharmacological Stress Multidetector CT Studies in the Evaluation of Myocardial Perfusion, 2101
- Myosin**
- α Myosin Heavy-Chain Gene Expression is Increased as an Early Adaptation to Exercise, 2609
- Carboxyl-terminal Fragment of Myosin Light Chain Kinase Increases Actin Translocation Velocity of Cardiac Muscles, 968
- Cocaine Activates Calmodulin Kinase II and Causes Cardiac Ventricular Hypertrophy and Arrhythmias, 2805

- Degradation of Myosin Light Chain 1 in Isolated Rat Hearts Subjected To Ischemia-Reperfusion Injury: A New Intracellular Target for Matrix Metalloproteinase-2, 2959
- Early Diagnosis Of Acute Aortic Dissection: Identification of Clinical Variables Associated with Early Diagnosis and Determination of the Usefulness of Biochemical Diagnosis as Shown by the International Registry of Acute Aortic Dissection (IRAD) Database, 1765
- Human Atrial Fibrillation is Associated with an Alteration in Calcium Cycling Protein Expression without Change in Contractile Protein Performance, 1431
- Identification of ZIP Kinase as the Unique Vascular Smooth Muscle Myosin Phosphatase-Associated Kinase, 379
- Irreversible Inhibition of Myosin Light Chain Kinase Provides Prolonged Attenuation of Radial Artery Vasospasm, 1706
- Myosin Phosphatase Isoform Expression in the Specification and Modulation of the Smooth Muscle Contractile Phenotypes, 668
- Pathogenesis of Arrhythmic Right Ventricular Dysplasia: Possible Involvement of Peroxisome Proliferator Activated Receptors, 1253
- Prevention of Cardiac Phenotype in the β -Myosin Heavy Chain Q403 Transgenic Rabbit Model of Human Hypertrophic Cardiomyopathy by Atorvastatin, 1391
- The Cardiac Myosin Activator, CK1122534, Increases Contractility in Adult Cardiac Myocytes but Does Not Affect the Calcium Transient or Depend on Second Messenger Signaling, 2256
- The Prominent α -Adrenergic Inotropic Effect in Human Atria Depends on Myosin Light Chain Phosphorylation, 1286
- Transfer of Endothelial Progenitor Cells Attenuates Myocardial Dysfunction Induced Following Experimental Myocarditis, 99
- Translocation and Activation of ERK1/2 is Dependent on GIT1 Association, 1226
- Natriuretic peptides, atrial**
- Alternatively Spliced Forms of Human BNP: Discovery, Localization, and Function, 452
- B-type Natriuretic Peptide is an Independent Predictor of the Extent of Coronary Artery Disease, 1701
- B-type Natriuretic Peptide Level Measure on Admission is an Independent Predictor of Long-term Mortality after Primary Angioplasty in ST-elevation Myocardial Infarction, 1628
- B-Type Natriuretic Peptide Levels, Obesity, and Survival in Advanced Heart Failure, 2582
- Baseline ANP and BNP do Not Predict Subsequent Symptomatic Benefit from Cardiac Resynchronization Therapy in the Multicenter InSync Randomized Clinical Evaluation (MIRACLE) Trial, 2018
- BNP, NT Pro-BNP, and Obesity: from the Dallas Heart Study, 3558
- Brain Natriuretic Peptide in Mitral Regurgitation: Determinants and Impact on Outcome, 1715
- Brain Natriuretic Peptide Levels, but not Pulmonary Vascular Resistance, Predict Right Ventricular Size and Functional Status in Pulmonary Arterial Hypertension, 1760
- C-type Natriuretic Peptide Inhibits Leukocyte Recruitment *In Vivo* via Natriuretic Peptide Receptor-C Activation, 1151
- Circulating B-type Natriuretic Peptide and N-Terminal pro-B-type Natriuretic Peptide as Markers of Long-term Survival in Patients with Stable Coronary Artery Disease, 3263
- Circulating Endothelial Progenitor cells are Increased in Patients with Left Ventricular Dysfunction and Elevated Levels of Brain Natriuretic Peptide, 1899
- Does High-Sensitivity C-Reactive Protein Provide Additional Prognostic Information in Patients with Hypertension and Left Ventricular Hypertrophy? A LIFE Study, 3383
- Effects of C-type Natriuretic Peptide and Nitric Oxide on Contraction are Attenuated in Hypertrophic Myocytes from Pressure-overload Mouse Hearts, 1433
- Elevated B-Type Natriuretic Peptide Indicates Poor Survival in Aortic Stenosis, 3285
- Endothelial C-type Natriuretic Peptide Regulates Coronary Blood Flow and Prevents Ischemia-Reperfusion Injury, 361
- Evidence Of Neurohormonal and Cytokine Activation In Cachectic Adult Patients With Congenital Heart Disease, 3625
- Feasibility of a Structured Training Program for General Practitioners Enabling Performance and Interpretation of Handheld Echocardiography and a BNP Bedside Test for Heart Failure Diagnosis, 3303
- Heart-Type Fatty Acid Binding Protein Predicts the Prognosis of Patients with Aortic Valve Diseases, 3282
- High-Intensity Exercise Retards the Decrease in Plasma B-Type Natriuretic Peptide in Patients with Left Ventricular Dysfunction after Acute Myocardial Infarction, 3828
- Incidence and Risk Distribution of Heart Failure in Grown ups with Congenital Heart Disease in the Long-Term Follow-up After Cardiac Surgery, 3633
- Increased Susceptibility to Heart Failure in Mice Lacking Natriuretic Peptide Receptor-A Gene, 90
- Incremental Clinical Value of Changes in the Doppler Myocardial Performance Index During Dobutamine Stress Echocardiography: Association with Neurohormonal Activation, Left Ventricular Remodeling, and Prognosis After Acute Myocardial Infarction, 2401
- Inhibition of Nuclear Factor- β B Signaling Attenuates Angiotensin II-induced Cardiac Hypertrophy, Remodeling, and Apoptosis, 91
- Introduction of β -blocker Causes an Initial Increase in Plasma Brain Natriuretic Peptide and N-Terminal Brain Natriuretic Peptide Levels in Patients with Stable Systolic Heart Failure, 2788
- Kir6.2-Deficient Mice are Susceptible to Stretch-Induced Secretion of Atrial Natriuretic Peptide: K_{ATP} Channel Acts as a Negative Feedback Mechanism?, 71
- Mixed-Lineage Kinase 1-3 Signaling Pathway Regulates Cardiac Hypertrophic Response via GATA-4 and AP-1 Transcription Factors, 1903
- Myocardial Production And Secretion Of Chromogranin A In Hypertrophic Cardiomyopathy, 2416
- N-Terminal Pro-B Type Natriuretic Peptide - An Accurate Plasma Biomarker In Detecting Diastolic Dysfunction, 2963
- N-Terminal Pro-Brain Natriuretic Peptide Correlates with Left Atrial Volume Index and Functional Parameters in Patients with Symptomatic Diastolic Dysfunction, 2231
- N-Terminal Pro-Brain Natriuretic Peptide in Patients with Acute Ischemic Stroke, 2277
- Nesiritide Acutely Increases Pulmonary and Systemic Levels of Nitric Oxide and cGMP in Pulmonary Hypertension Patients, 2587
- Neurohormone and Cytokine Activation Relate to Symptoms and Cardiac Function as Quantified by Cardiovascular Magnetic Resonance late After Repair of Tetralogy of Fallot, 3016
- NT-proBNP Combined with Troponin T for the Prediction of Short-Term Mortality in Decompensated Acute CHF: A ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) Substudy, 2430
- NT-proBNP is Superior to BNP in the Detection of Left Ventricular Systolic Dysfunction in the Community, 1755
- Phosphodiesterase V Inhibition Has Favorable Effects on LV Remodeling and Potentiates the Renal Actions of Subcutaneously Administered BNP without Adverse Hemodynamic Effects in Experimental Overt Congestive Heart Failure, 97
- Plasma B-type Natriuretic Peptide Levels in the Subacute Phase are Predictive of Exercise Performance after Myocardial Infarction, 2502
- Plasma Brain Natriuretic Peptide (BNP) Levels do Not Predict Functional Status in Obese Patients with Heart Failure, 1757
- Predictors of Absence of Heart Failure in Patients with Elevated B-type Natriuretic Peptide Levels, 1758
- Preimplantation B-Type Natriuretic Peptide is an Independent Predictor of Future Implantable Cardioverter-Defibrillator Shock, 3253
- Prognostic Value of N-Terminal Pro-BNP versus BNP after Initiation of Treatment in Patients with Chronic Heart Failure, 1763
- Risk Stratification for Patients Undergoing Planned Elective Percutaneous Coronary Intervention using Plasma N-terminal Pro-B-type Natriuretic Peptide (NT-proBNP) Assay: A Clopidogrel for the Reduction of Events During Observation (CREDO) Substudy, 2729
- Serum B-Type Natriuretic Peptide Levels Do Not Correlate With Peak Aerobic Capacity In Chronic Heart Failure, 1759
- Transcoronary Transplantation of Progenitor Cells and Recovery of Left Ventricular Function in Patients with Chronic Ischemic Heart Disease: Results of a Randomized, Controlled Trial, 1142
- Utility of Echo-Doppler and BNP in Determining Hemodynamic Profile in Chronic Heart Failure Patients, 3302
- What Are the Optimal Cut-points for NT-proBNP Use in the Emergency Department? A ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) Substudy, 2429
- Nitrates**
- Chronic Pentaerythrityl Tetranitrate (PETN) Treatment Does Not Induce Nitrate Tolerance And Cross-Tolerance In Wistar Rats, 1469
- Isosorbide Mononitrate Is Effective For Long-Term Treatment of Isolated Systolic Hypertension: A Randomised, Controlled Study, 2821
- Preservation of Platelet Responsiveness to Nitroglycerin Despite Development of Vascular Nitrate Tolerance, 3261
- The Discovery of Nitrolinoleate (LNO2) as a Novel Endogenous PPAR γ Ligand, 1217
- Thiazolidinedione Reverses Endothelial and Exercise Disorders in Patients with Effort-Induced Angina Pectoris and Type 2 Diabetes Mellitus, 2535
- Nitric oxide**
- A Nitric Oxide (NO)-Donating Derivative of Atorvastatin, NCX 6560, Displays Antithrombotic and Anti-Inflammatory Activity, 712
- A Novel Mechanism of Vascular Protection in Aging Mediated by Calpain Inhibition, 856
- Aldosterone Decreases Glucose-6-Phosphate Dehydrogenase Activity to Increase Vascular Endothelial Cell Oxidant Stress and Diminish Endothelial Nitric Oxide Synthase Activity, 725
- Altered Regulation Of NOS3 Enzyme Upon Increased Shear: Effects Of The NOS3 Exon7 (G894T) Single Nucleotide Polymorphism, 850
- Angiotensin-(1-7) Potentiates the Antiaggregatory Effects of Nitric Oxide, 1033

- Angiotensin-Converting Enzyme Inhibitor Improves Coronary Flow Reserve with a Decrease in Serum Asymmetric Dimethylarginine in Type 2 Diabetes Mellitus: Relevance to Oxidative Stress, 1998
- Beneficial Cardioprotective Effects of Hydroxyfasudil, a Specific Rho-Kinase Inhibitor, on Ischemia-Reperfusion Injury in Canine Coronary Microcirculation *In Vivo*, 1160
- Beneficial Effect of Exercise Training on Cardiac Function is Lost in Mice that Overexpress Endothelial NO Synthase, 1432
- Beneficial Effects of Clopidogrel on Endothelial NO Bioactivity in Patients with Symptomatic Coronary Artery Disease, 165
- Blockade of RAGE Restores Microvascular Reactivity in Diabetic Apolipoprotein E Null Mice, 1467
- C-reactive Protein Impairs Endothelium-dependent Nitric Oxide-mediated Dilation of Coronary Arterioles via p38 Kinase and NADPH Oxidase Activation, 339
- Differential Expression of Myocardial Nitric Oxide Synthase Isoforms in Human Heart Failure, 490
- Downregulation of Endothelial Nitric Oxide Synthase Phosphorylation and Function by Nitric Oxide, 578
- Dynamic S-nitrosylation of Endothelial Nitric Oxide Synthase: Identification of a Novel Intracellular Pathway for Receptor-Modulated Regulation of NO Synthase, 575
- Early Administration of Fluvastatin, But Not At the Onset of Ischemia, Attenuates Myocardial Ischemia-Reperfusion Injury through Nitric Oxide Pathway Rather Than Through Its Antioxidant Property, 982
- Effect of cGMP-Dependent Protein Kinase I on Stem Cell Maintenance but not Mobilization, 1560
- Effects of a Gene Variant of Human Extracellular Superoxide Dismutase in Spontaneously Hypertensive Rats, 774
- Effects of C-type Natriuretic Peptide and Nitric Oxide on Contraction are Attenuated in Hypertrophic Myocytes from Pressure-overload Mouse Hearts, 1433
- Elevated Levels of Myeloperoxidase and Impaired Endothelial Vasoreactivity in Patients with Symptomatic Coronary Artery Disease, 204
- Endocardial Nitric Oxide and Thrombogenesis in Atrial Fibrillation, 1470
- Endothelial AT1 Receptor Overexpression Produces Hypotension and Bradycardia in mMice: The Role of Nitric Oxide, 252
- Endothelial Dysfunction as an Early Predictor of Adverse Outcome in Heart Failure, 203
- Endothelial Dysfunction in Mitochondrial Diseases: Role Of Oxidative Stress, 728
- Endothelial Nitric Oxide and Hypertension in Autonomic Failure, 1412
- Endothelial Nitric Oxide Synthase Activity is Impaired by β -Amyloid Peptide-Induced Oxidative Stress, 584
- Endothelial Signaling Interactions Following Surgically Induced Acute Increases in Pulmonary Blood Flow in the Lamb, 2648
- Endothelial-Targeted GTP Cyclohydrolase I Overexpression Increases Endothelial Tetrahydrobiopterin Levels and Preserves eNOS Coupling in eNOS Overexpressing Mice, 852
- Endothelium-derived Nitric Oxide Regulates *In Vivo* Oxygen Consumption in Posts ischemic Myocardium, 983
- Endotoxemia Increases Hepatic Dimethylarginine Concentrations *in vivo*: Mechanisms and Implications for Nitric Oxide Generation, 583
- Estrogen Receptor- α and - β Are Equally Involved in the Cerebral Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Cerebral Angiogenesis in Female Mice, 666
- Estrogen Receptor- α Is More Actively Involved in the Cardiac Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Coronary Angiogenesis Compare to Estrogen Receptor- β in Female Mice, 1159
- Evidence of Physical and Functional Interaction of Nitric Oxide and Atrial Natriuretic Peptide Receptors, 451
- Favorable Effects of All-trans Retinoic Acid on Coronary Artery Endothelial Dysfunction in Chronic Renal Failure, 1162
- Fibulin-5 May Protect Against Pulmonary Vascular Obliterative Disease in Mice Overexpressing Mts1 (S100A4), 82
- Folic Acid Reduces Myocardial Ischemia/Reperfusion Injury by Influencing the NO Pathway: An *In Vitro* and *In Vivo* Study, 235
- Gender-Specific Hypertension in Mice Deficient in the α_1 Subunit of Soluble Guanylate Cyclase, 1466
- Ghrelin Improves Endothelial Function of Acute Ischemic Renal Failure via Insulin-Like Growth Factor-1 Signaling Pathway, 1109
- Gp91phox-Dependent Platelet Recruitment, 350
- Gtp Cyclohydrolase 1 Feedback Regulatory Protein Overexpression Attenuates Inos-Mediated Nitric Oxide Generation in Isolated Murine Endothelial Cells, 1063
- Guanylate Cyclase Activation by Nitric Oxide is Modulated Through Oxidation of Vicinal Thiols, 1195
- Heat-Shock Protein 90 Inhibition Attenuates Endothelial Nitric Oxide Synthase Phosphorylation and Function by Depleting 3-Phosphoinositide-dependent Kinase 1, 580
- HMG-CoA Reductase Inhibitor Protects Against *In Vivo* Arterial Thrombosis by Augmenting Platelet-Derived Nitric Oxide Releases via Upregulation of Platelet Nitric Oxide Synthase in Rats, 535
- Hypercholesterolemia Blunts NO Donor-Induced Late Preconditioning against Myocardial Infarction in Conscious Rabbits, 642
- Hypercholesterolemia Impairs S-glutathiolation of Aortic SERCA via Oxidation of Redox-sensitive Cysteines, which Accounts for the Decreased Smooth Muscle Response to NO., 1594
- Impaired NO-Mediated Coronary Microvascular Vasodilation of Right Ventricle with Increased Superoxide in Monocrotaline-Induced Pulmonary Hypertensive Rats, 867
- Impairment of Cholinergic Signaling Reduces Atrial β -adrenergic Responsiveness by Enhancing eNOS Expression, 1406
- Improvement of Left Ventricular Remodeling by the eNOS Transcription Enhancer S2431 in Rats with Heart Failure after Myocardial Infarction, 1601
- Increased Nitric Oxide Levels With Brachytherapy Compared To Bare Metal or Sirolimus-Eluting Stents. Implications In Coronary Restenosis, 2873
- Inhaled Nitric Oxide Limits Murine Ischemia-Reperfusion Injury, 234
- Inhibition of p38 MAP Kinase Executes Cardiovascular Protection in Experimental Diabetic Cardiopathy, 3641
- Insulin Increases Sarcoplasmic Reticulum Calcium ATPase Activity via Ca^{2+} /Calmodulin-dependent Protein Kinase II, 1597
- Intravenous Iron Sucrose Augments Homocysteine-Mediated Endothelial Dysfunction in Normal Subjects, 92
- Intrinsic Methylarginines Enhance Superoxide Release from NOS, 1362
- Knock-Down of Arginase1 Restores Endothelial Function in Old Rat Vasculature, 378
- Knockout of Inducible Nitric Oxide Synthase Protects against Metabolic but not Vascular Dysfunction in Diet-induced Obesity in Mice, 162
- Leptin Receptors are Expressed in Coronary Endothelium and Leptin Stimulates Nitric Oxide-Dependent Coronary Arteriolar Dilation, 1161
- Long-term Inhibition of RhoA Enhances Endothelial NO Production and Reduces Vascular Tone in an Intact Artery, 731
- Long-term Nasal Continuous Positive Airway Pressure Treatment Decreases Pulse Wave Velocity in Patients with Obstructive Sleep Apnea Syndrome, 2820
- Mechanisms of Action of Aggrenox: Role of Nitric Oxide and Adenosine, 2275
- Mitochondrial Nitric Oxide Activates The TIM/TOM Protein Import Channels in Cardiac Mitochondria, 1901
- Morphine Mobilizes Intracellular Zn^{2+} via the NO/cGMP/PKG Signal Pathway in Cardiomyocytes, 233
- Nephrogenic Diabetes Insipidus in Mice Lacking All Nitric Oxide Synthase Isoforms, 857
- Nesiritide Acutely Increases Pulmonary and Systemic Levels of Nitric Oxide and cGMP in Pulmonary Hypertension Patients, 2587
- Nitric Oxide Attenuates Aortic Smooth Muscle Cell Motility via Decrease of Small GTPase Rac1 Activity: Role of PTP-PEST and p130cas, 419
- Nitric Oxide Differentially Regulates Proliferation and Mobilization of EPC but Not of Hematopoietic Stem Cells, 1556
- Nitric Oxide Induces Vascular Endothelial Cell Migration by Modulating Matrix Metalloproteinase Activities, 571
- Nitric Oxide Modulates the Inflammatory Response to Extracorporeal Circulation of Blood through Activation of NF κ B, 1709
- Nitric Oxide Prevents Mitochondrial Permeability Transition during Ischemia-Reperfusion: Implications for the Cardioprotective Effects of Late Preconditioning, 1130
- Nitric Oxide Regulates Pulmonary Vein Arrhythmogenic Activity, 1671
- Nitric Oxide Stabilizes Endothelial Barrier Function Via Activation Of Myosin Light Chain Phosphatase, 853
- Nitric Oxide-Mediated Endothelial Dysfunction with Increase in Superoxide Production is Compensated by EDHF in Spontaneously Hypertensive Rats, 865
- Nitro-Aspirin Improves Insulin Sensitivity In Obese Insulin-Resistant Men, 3789
- Nitroaspirin Prevents Effort-Induced Endothelial Dysfunction in Intermittent Claudication, 2437
- NO Induces Intracellular Zn^{2+} Release via cGMP/PKG Signal Pathway and Zn^{2+} Prevents Mitochondrial Oxidant Damage in Cardiomyocytes, 1356
- NPR-C, the Natriuretic Peptide "Clearance Receptor," Mediates Cardiac Myocyte Na^+ - K^+ Pump Activation, 932
- O-GlcNAc Transferase Mediates the Effects of High Glucose on eNOS Function, 579
- Overproduction of Nitric Oxide Enhances the Pro-oxidant Activity of Mitochondrial Succinate Cytochrome c Reductase, 1363
- Platelet Antioxidant Activity and Nitric Oxide Signaling System in Ischemic Heart Disease, 1038
- Potential of Smooth Muscle to Influence Endothelial Function by Generation of ADMA, 726
- Protection of Cardiac Myocytes from Ischemia/Reperfusion Injury via cGMP-Dependent Protein Kinase Inhibition of p38 MAP-Kinase Activation, 127
- Rapid Non-Genomic Negative Inotropic Effects of Aldosterone in the Human Heart, 2785
- Receptor for Advanced Glycation End-products: A Key Player in Myocardial Ischemic Injury, 1425

- Red Blood Cells, NO Synthesis and Vascular Homeostasis, 1118
- Reduced Sensitivity to Wall Shear Stress in Arterioles of PECAM Knockout Mice due to Impaired Mechanotransduction, 1066
- Reduction of Circulating Nitrite to Nitric Oxide Across the Human Heart: a Novel Mechanism for Regulating Coronary Vascular Resistance, 859
- Role of Focal Adhesion Kinase in Flow-induced Dilatation of Coronary Arterioles, 9
- Role of the small GTPase, Ras, and Oxidants in Impaired Endothelial Function Associated with Insulin Resistance in LDL Receptor Deficient Mice, 1068
- S-Nitroso-glutathione Does Not Reproduce In Vivo Positive Inotropy Induced by Nitroxyl Donors, 142
- Selective Gene Silencing of Dimethylarginine Dimethylaminohydrolase 1 Attenuates Vascular Endothelial Cell Function, 854
- Selective Inhibitors of Tyrosine Phosphatase 1B Correct Endothelial Dysfunction of Small Peripheral Arteries in Mouse Heart Failure, 727
- Serine 188 Phosphorylation of RhoA Inhibits its Ubiquitin-Mediated Proteasomal Degradation, 1233
- Soluble CD40 Ligand Influences Platelet Release of Reactive Oxygen Intermediates, 1574
- Stimulation of Endothelial Nitric Oxide by Peroxisome Proliferator-Activated Receptor- γ Agonists is Supported by Upregulation of Argininosuccinate Synthase Expression, 908
- Sulfaphenazole, an Inhibitor of Cytochrome 2C9, Ameliorates Impaired NO-mediated Coronary Vasodilation in Spontaneously Hypertensive Rats: Direct In Vivo Visualization of Beating Rat Hearts, 342
- Tetrahydrobiopterin and NADPH Treatment Reverses Endothelial Dysfunction in Post-ischemic Hearts, 984
- Tetrahydrobiopterin Deficiency Uncouples Nitric Oxide Synthase and Causes Pulmonary Hypertension, 79
- Tetrahydrobiopterin-Deficient Mouse (HPH-1) Displays Pulmonary Hypertensive Phenotype, 1464
- The Endothelial S-Nitroso-Proteome: Mitochondrial Localization and Target Protein Identification, 1591
- Vagal Nerve Stimulation and Acetylcholine Protect Cardiomyocytes from Acute Ischemia and Hypoxia through Non-Hypoxic Induction of Hypoxia-Inducible Factor-1 α , 961
- Vascular Neuronal Nitric Oxide Synthase Expression is Upregulated in Response to Platelet-Derived Growth Factor Through the MEK/ERK Pathway, 581
- Nitric oxide synthase**
- Ablation of iNOS Delays Cardiac Contractile Dysfunction and Attenuates Hypertrophy Gene Expression Induced by Chronic Pressure Overload, 1085
- Adenoviral nNOS Gene Transfer Into the Cardiac Vagus Increases Protein Expression within 9 Hours and Enhances Vagal Responsiveness in The Pig, 957
- Age and Exercise Training Alter Endothelial Phenotype in Cerebral Resistance Arteries, 2280
- Agonism at Endothelial β_3 Adrenoceptors Mediates the NO-Dependent Proangiogenic and Vasodilatory Effect of the Third-Generation β -Blocker Nebivolol, 670
- Akt1 is Essential for Postnatal Ischemic Angiogenesis, 821
- Aldosterone Decreases Glucose-6-Phosphate Dehydrogenase Activity to Increase Vascular Endothelial Cell Oxidant Stress and Diminish Endothelial Nitric Oxide Synthase Activity, 725
- Aldosterone Promotes Phosphorylation and Dissociation from Caveolin-1 of eNOS in Endothelial Cells, 858
- Amelioration of Heart Failure-Associated Pathologic Changes in Mitogen-Activated Protein Kinases, Matrix Metalloproteinase, and Inducible Nitric Oxide Synthase with Gene Transfer of Sarcoplasmic Reticulum Ca²⁺-ATPase (SERCA) and β Adrenergic Receptor Kinase Inhibitor (BARKct), 49
- Arginase I Modulates Cardiac Contractility via an Autocrine Mechanism, 473
- Association between Asymmetric Dimethyl Arginine (ADMA) and Coronary Artery Calcification among Young Adults: the CARDIA Study, 3735
- Association of the T^{-786C} Endothelial Nitric Oxide Synthase SNP With Cardiovascular Mortality in High-Risk Men, 576
- C-reactive Protein Attenuates eNOS Expression and Reendothelialization in vivo, 701
- Cardiomyocyte-Restricted Overexpression of Endothelial Nitric Oxide Synthase (NOS3) Potentiates Postsynaptic Vagal Inhibition of Cardiac Contraction In Vivo and In Vitro, 523
- Cardiomyocyte-Restricted Overexpression of NOS3 Prevents Endotoxin-Induced Myocardial Dysfunction in Mice, 1600
- Cardiomyocyte-specific NOS3 Overexpression Protects Against Chronic Pressure Overload-induced LV Hypertrophy and Dysfunction, 1599
- Cine MRI and Myocardial Tagging Reveal Improved Border Zone Function and Reduced Wall Thinning in Postinfarction iNOS Knockout Mice, 3176
- D-4F, an Apolipoprotein A-1 Mimetic, Increases Vasodilation in Hypercholesterolemic, Apolipoprotein A-1-Deficient Mice, 1166
- Differential Expression of Myocardial Nitric Oxide Synthase Isoforms in Human Heart Failure, 490
- Differential Regulation of Expression of Endothelin-1 and Endothelial NO synthase by Angiotensin-1: Implications for Vasoreactivity and Endothelial Function, 732
- Downregulation of Endothelial Nitric Oxide Synthase Phosphorylation and Function by Nitric Oxide, 578
- Dynamic S-nitrosylation of Endothelial Nitric Oxide Synthase: Identification of a Novel Intracellular Pathway for Receptor-Modulated Regulation of NO Synthase, 575
- Effect of Nitric Oxide Synthase Inhibition on Hemodynamics and Outcome of Patients with Acute Myocardial Infarction Complicated By Cardiogenic Shock: A Phase 2 Dose-Ranging Study, 1949
- Endothelial AT1 Receptor Overexpression Produces Hypotension and Bradycardia in mMice: The Role of Nitric Oxide, 252
- Endothelial Nitric Oxide Synthase Activity is Impaired by β -Amyloid Peptide-Induced Oxidative Stress, 584
- Endothelial-Targeted GTP Cyclohydrolase I Overexpression Increases Endothelial Tetrahydrobiopterin Levels and Preserves eNOS Coupling in eNOS Overexpressing Mice, 852
- Endothelium-Derived Hydrogen Peroxide Accounts for the Enhanced EDHF-Mediated Relaxation by Long-Term Treatment with an Angiotensin-Converting Enzyme Inhibitor in Mice, 362
- Endotoxemia Increases Hepatic Dimethylarginine Concentrations in vivo: Mechanisms and Implications for Nitric Oxide Generation, 583
- EPC NOS Expression Rather Than Tissue NOS Modulates Ischemic Preconditioning, 1674
- Estradiol Worsens Proteinuria and Increases Angiotensin II-Type 1 Receptor in Kidneys of L-NAME/Angiotensin II Treated Rats, 94
- Estradiol-Induced eNOS Activation Requires AMP-Activated Protein Kinase, 382
- Estrogen Receptor- α and - β Are Equally Involved in the Cerebral Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Cerebral Angiogenesis in Female Mice, 666
- Estrogen Receptor- α Is More Actively Involved in the Cardiac Vascular Endothelial Growth Factor/KDR/Nitric Oxide Pathway and Coronary Angiogenesis Compare to Estrogen Receptor- β in Female Mice, 1159
- Favorable Effects of All-trans Retinoic Acid on Coronary Artery Endothelial Dysfunction in Chronic Renal Failure, 1162
- Forkhead Transcription Factors: Novel Transcriptional Repressors of eNOS to Block Endothelial Migration and Angiogenesis, 830
- Gtp Cyclohydrolase 1 Feedback Regulatory Protein Overexpression Attenuates Inos-Mediated Nitric Oxide Generation in Isolated Murine Endothelial Cells, 1063
- Heat-Shock Protein 90 Inhibition Attenuates Endothelial Nitric Oxide Synthase Phosphorylation and Function by Depleting 3-Phosphoinositide-dependent Kinase 1, 580
- High-density Lipoprotein-associated Estrogen Activates Endothelial Nitric Oxide Synthase through Estrogen Receptor- β , 415
- HMG-CoA Reductase Inhibitor Protects Against In Vivo Arterial Thrombosis by Augmenting Platelet-Derived Nitric Oxide Releases via Upregulation of Platelet Nitric Oxide Synthase in Rats, 535
- Hydrogen Peroxide-Induced Superoxide in Endothelial Cells: Role of Nitric Oxide Synthase and NAD(P)H Oxidase, 1344
- Improvement of Endothelial Function by Systemic Transfusion of Vascular Progenitor Cells, 696
- In Vivo PPAR α Activation Reduces Blood Pressure and Endothelial Dysfunction via Impeding Arterial NADPH Oxidase/Superoxide and Augmenting Tetrahydrobiopterin in Low Renin Hypertension, 1465
- In Vivo Increased Blood Flow Enhances Expression and Function of Phosphorylated eNOS, HSP-90 and Caveolin-1, 1064
- Increased GTP-cyclohydrolase I Expression but not Vitamin C Treatment Restored Accelerated Atherosclerotic Lesion Formation in Apolipoprotein E-deficient Mice Overexpressing Endothelial Nitric Oxide Synthase, 855
- Intrinsic Methylarginines Enhance Superoxide Release from NOS, 1362
- Knock-Down of Arginase1 Restores Endothelial Function in Old Rat Vasculature, 378
- Liposomal Hsp90 cDNA Transfection Initiates Neovascularization In Chronic Ischemic Hindlimbs: Evidence For A Microvascular Trigger Mechanism, 533
- Long-Term Inhibition of Rho-Kinase Ameliorates Hypoxia-Induced Pulmonary Hypertension in Mice: Partial Dependence on Endothelial NO Synthase, 628
- Losartan Stimulates Phosphorylation Of Akt And Endothelial Nitric Oxide Synthase In Endothelial Cells Independently Of Angiotensin Type 1 Receptor Blockade, 1224
- Morphine Mobilizes Intracellular Zn²⁺ via the NO/cGMP/PKG Signal Pathway in Cardiomyocytes, 233
- Nephrogenic Diabetes Insipidus in Mice Lacking All Nitric Oxide Synthase Isoforms, 857
- Neuronal Nitric Oxide Synthase Interacts with Xanthine Oxidase to Regulate Cardiac Excitation-contraction Coupling, 1602
- Neuronal Nitric Oxide Synthase-Deficient Mice Have Increased Mortality and Depressed Cardiac Performance Following Myocardial Infarction, 1603

nNOS is Primarily Localized to the Sarcoplasmic Reticulum in Cardiac Myocytes and Dependent on A-Syntrophin, 948

NOS3 Exon7 (Glu298Asp) Polymorphism Regulates VEGF-Induced Endothelial Cell Wound Closure In Vitro: Response To Treatment With VEGF205* Isoform, 1176

O-GlcNAc Transferase Mediates the Effects of High Glucose on eNOS Function, 579

Opening of Ca²⁺-Activated K⁺ Channels Triggers Early and Delayed Preconditioning Against Ischemia/Reperfusion Injury Independent of Nitric Oxide Synthases in Mice, 1133

Oxidant Stress From Endothelial Nitric Oxide Synthase Uncoupling Plays A Major Role In Pathologic Remodeling To Pressure Load Cardiac Hypertrophy, 202

Phosphodiesterase-5 Inhibitor, Sildenafil, Preconditions Adult Cardiac Myocytes against Necrosis and Apoptosis: Essential Role of NO Signaling, 641

Proteasome Inhibition Reduces Endothelial Nitric Oxide Synthase Function through Serine 1179 Dephosphorylation, 577

Ras Mediates Angiotensin II-dependent Increase in Nitric Oxide Synthase Expression in Pulmonary Endothelium, 730

Regulation of Inducible Nitric Oxide Synthase in Vascular Smooth Muscle Cells by Estrogen Receptors- α and - β , 582

Repeated Thermal Therapy Upregulated Endothelial Nitric Oxide Synthase and Augmented Ischemia-induced Angiogenesis in Apolipoprotein E-deficient Mice, 1460

Reversal of Monocrotaline-Induced Pulmonary Hypertension by Administration of Endothelial Progenitor Cells (EPCs) Transfected with Endothelial NO synthase (eNOS), 1123

Tetrahydrobiopterin and NADPH Treatment Reverses Endothelial Dysfunction in Post-ischemic Hearts, 984

Tetrahydrobiopterin Deficiency Uncouples Nitric Oxide Synthase and Causes Pulmonary Hypertension, 79

The Cardioprotection Afforded By Inducible Nitric Oxide Synthase (iNOS) Gene Therapy is Mediated By COX-2 Via an NF- κ B-dependent Pathway, 132

The Klotho Gene Protects Endothelial Function and Regulates Homeostasis through the Phosphatidylinositol 3'-kinase/Akt/Nitric Oxide Pathway, 734

The Src-Dependent Phosphorylation of PECAM-1 Mediates the Activation of eNOS in Endothelial Cells in Response to Fluid Shear Stress, 1172

The Thrombin Receptor Thrombomodulin Activates the Endothelial NO Synthase through a Src-Dependent Signaling Pathway, 887

The Transcription Factor Homeobox A9 Increases Endothelial Nitric Oxide Synthase (eNOS) and VEGF Receptor 2 (KDR) Expression and Determines Endothelial Phenotype, 849

Tissue Inhibitor of Metalloproteinase-3 Deficiency Prevents Hypertension Induced by Nitric Oxide Synthase Inhibition, 952

Upregulation of Renal eNOS by High-Sodium Diet-Induced Oxidative Stress and Hypertension in Doxorubicin-Treated Rats, 486

VEGF-Induced Postischemic Hindlimb Collateralization and NO-Mediated Angiogenesis Requires Optimal Caveolin Expression, 1043

Zinc Finger Transcription Factor Early Growth Response Gene-1 (Egr-1) Promotes Development of Obliterative Airway Disease in Murine Allografts, 83

Nitroglycerin

Chronic Pentaerithrityl Tetranitrate (PETN) Treatment Does Not Induce Nitrate Tolerance And Cross-Tolerance In Wistar Rats, 1469

Effects of Valsartan on Endothelial Function and Nitrate Tolerance in Type 2 Diabetics with Stable Angina, 2537

High-Dose but not Low-Dose Atorvastatin Improves Endothelial Function of Patients with Coronary Artery Disease: Functional Evidence for Pleiotropic Effects of Statins, 376

The Association of Intravenous Morphine Use and Outcomes in Acute Coronary Syndromes: Results from the CRUSADE Quality Improvement Initiative, 3056

Norepinephrine

A Novel δ -Opioid Signaling Pathway in Cardiac Adrenergic Regulation: Role of Intrinsic Cardiac Adrenergic Cells, 516

A Synthetic Peptide from a Segment of Ras-p21 Effectively Inhibits Norepinephrine-Stimulated Cardiac Myocyte Hypertrophy, 1902

Advanced Silent Hypertensive Cerebrovascular Disease is Associated with Morning Sympathetic Activity in Elderly Hypertensives, 2827

Injection of NGF into Stellate Ganglia Prevents an Impaired Norepinephrine Re-uptake in Experimental Heart Failure, 395

Metoprolol Succinate Enhances and Carvedilol Attenuates the LV and Systemic Hemodynamic Responses to the Adrenergic Agonist, Norepinephrine, in Dilated Cardiomyopathy, 2790

Modulatory Effects of Galanin on the Release of Norepinephrine and Dopamine in the Central Nervous System of Spontaneously Hypertensive Rats, 294

Phosphorylation-Dependent Regulation of L-Type Calcium Currents Is Impaired During Human Chronic Atrial Fibrillation, 611

The Plasminogen-Activating System Plays a Neuromodulatory Role in Sympathetic Nerves, 956

Tissue-plasminogen Activator Releases Norepinephrine from Sympathetic Nerves via a Plasmin- and Plasminogen-independent Mechanism, 1407

Vasopressin Prolongs Survival in Late-Phase Hemorrhagic Shock: A Randomized and Blinded Investigation, 2490

Nucleosides and nucleotides

Active Transport of ADP into Platelet Dense Granules: Role of the Multidrug Resistance Protein 4 (MRP4/ABCC4), 1029

Increased cAMP Phosphodiesterase Expression in Human Pulmonary Artery Smooth Muscle Cells from Patients with Primary Pulmonary Hypertension, 1771

UTP-induced Osteopontin Expression is Mediated via AP-1, NF- κ B, and USF in Arterial Smooth Muscle Cells, 411

Nutrition

α -Linolenic Acid Intake and Risk of Sudden Cardiac Death and Fatal CHD among Women, 3604

A Tablet Dosage Form Containing Phytosterols Reduces Human LDL-Cholesterol, 3589

Ad Libitum Consumption of a High Monounsaturated Fatty Acid Diet Decreases VLDL apolipoprotein B-100 Production in Men, 878

Adherence to the Mediterranean Diet and Plasma Level of Inflammatory and Endothelial Dysfunction Markers, 3562

Caffeinated Coffee, Decaffeinated coffee, and Caffeine in Relation to Plasma C-Peptide, a Marker of Insulin Secretion, in US Women, 3775

Chocolate Snack Bars Containing Phytosterols Effectively Lower Total and LDL Cholesterol Without Affecting Plasma Vitamins A or E, 3587

Consumption of Trans Fatty Acids and Plasma Markers of Inflammation and Endothelial Dysfunction, 3739

Dark Chocolate Improves Endothelial Function And Arterial Stiffness in Healthy Individuals, 3584

Dietary Calcium in Young Adulthood and Subclinical Coronary Atherosclerosis in Middle Age: The CARDIA Study, 3685

Effect of Plant Sterol-Enriched Diacylglycerol Oil on Serum Lipid Parameters in Patients on Pravastatin (10 mg/d), 3764

Effect of Soybean Protein on Blood Pressure: A Randomized Controlled Trial, 3588

Effects of Dietary Glycemic Index and Fat Content on Ad Libitum Weight Loss, Cardiovascular Risk Factors, and Glucose Homeostasis in Overweight and Obese Subjects, 3834

Ethnic Differences in the Association between Birth Weight and Childhood Obesity, 3602

Fish Consumption and Incidence of Metabolic Syndrome: the CARDIA Study, 3835

Food Stamp Benefits are Inadequate to Purchase Heart-Healthy, Culturally Appropriate Foods in a Low-income African-American Community, 3698

Genetics of Cholesterol Absorption and Plasma Plant Sterol Levels on the Pacific Island of Kosrae, 3332

Hypoalbuminemia is a Frequent Finding in Lean as Well as Obese Heart Failure Patients and Independently Predicts Mortality, 2586

In Smokers, Moderate Vitamin Consumption Acutely Improves Large Arterial Elastance, 3593

Lifestyle Interventions Designed to Lower Blood Pressure Also Improve Serum Lipids: The PREMIER Trial, 3573

Pantethine Beneficially Affects Apolipoprotein A-1, Apolipoprotein B, Low-Density Lipoprotein Particle Size but not High-Sensitivity C-Reactive Protein in a Dyslipidemic Population, 3592

Plant Sterols in an Aqueous Suspension Effectively Reduce Cholesterol Absorption at a Very Low Dose, 3767

Short-Term Effects of Flaxseed Supplementation on Cardiovascular Risk Factors in Hypercholesterolemic Adults: Results from a Randomized Controlled Trial, 3585

Soluble Fiber Supplementation With Psyllium is as Effective as Doubling the Dose of Simvastatin in Lowering ApoB and LDL Cholesterol, 3831

The Hepatic Lipase Promoter Polymorphism Modifies the Relation Between Dietary Starch and Coronary Heart Disease, 3805

Vegetarians Are More Vulnerable to Developing Atherosclerosis That Is Remediabable by Vitamin B₁₂ Supplementation, 3765

Obesity

β -3 Adrenergic Signaling is Impaired in the ob/ob Mouse Model of Obesity, 962

Early Morning Attenuation of Endothelial Function in Obstructive Sleep Apnea, 2058

Effect of Medical and Surgical Weight Loss on Endothelial Vasomotor Function in Obese Patients, 1468

Renin-Angiotensin-System Blockade Modulates the Deleterious Effects of Being Overweight/Obese in Patients Following Acute Myocardial Infarction, 3796

A Haplotype at the Adiponectin Gene is Associated with Different Response of Cardiovascular Risk Factors to Weight Reduction in Overweight Subjects, 3601

A Randomized Trial Assessing the Impact of Cardiovascular Risk Factor Case Management on the Metabolic Syndrome, 3707

Activation of Nuclear Factor- κ B in Neutrophils of Obstructive Sleep Apnea Patients and its Reversal with Nasal Continuous Positive Airway

- Pressure (CPAP) Treatment, 3790
- Allometric Relationships of Cardiovascular and Metabolic Factors to Height and Adiposity: The Atherosclerosis Risk in Communities (ARIC) Study, 3555
- Association between the Estrogen Receptor α Gene Variation and Measures of Adiposity: the Framingham Heart Study, 3726
- Association of the 45TG and 276GT Polymorphisms in the Adiponectin Gene with Visceral Fat Accumulation and Metabolic Syndrome in Korean Men, 3598
- B-Type Natriuretic Peptide Levels, Obesity, and Survival in Advanced Heart Failure, 2582
- Being Lean is a Risk Factor for Mortality following Primary Angioplasty: A Report from the 1999–2000 New York State Angioplasty Database, 3556
- BNP, NT Pro-BNP, and Obesity: from the Dallas Heart Study, 3558
- Body Build and Risk of Cardiovascular Events in Hypertension: The Life Study, 3560
- Body Fat Predicts Outcome after Percutaneous Coronary Intervention, 3603
- Caffeinated Coffee, Decaffeinated coffee, and Caffeine in Relation to Plasma C-Peptide, a Marker of Insulin Secretion, in US Women, 3775
- Cardiorespiratory Fitness Levels in Obesity Approximate Those of Heart Failure Patients: Implications for Exercise Prescription, 3795
- Combined Effects of Smoking and Excess Weight in Younger Age on Cardiovascular-Related and Total Health Care Costs in Older Age: The Chicago Heart Association Detection Project in Industry (CHA), 3770
- Consistently Stable Body Mass Index and Changes in Risk Factors Associated with the Metabolic Syndrome, 3567
- Decreased Myocardial Efficiency and Increased Fatty Acid Oxidation Characterize ob/ob and db/db Mouse Hearts Prior to the Onset of Hyperglycemia, 1547
- Degree of Obesity and Control of Glycemia, Blood Pressure, and LDL Cholesterol in Diabetic Subjects: The Look AHEAD Study, 3678
- Depletion of Adiponectin in Pericardial Fat Tissue: A Potential Role for Cardiac MMP Regulation, 3794
- Depressive Symptoms are Associated with Insulin Resistance, 1968
- Dietary Intake and Markers of Inflammation and Oxidative Stress in Adolescents, 3607
- Does Gastric Bypass Surgery Decrease Cardiac Risk Factors in Morbidly Obese Young Patients?, 3543
- Does Metabolic Syndrome Predict Cardiovascular Risk in the Elderly?, 3566
- Does the "Obesity Paradox" Extend to Patients with Non-ST-Segment Elevation Myocardial Infarction? Insight from the National Registry for Myocardial Infarction 4, 3063
- Effect of Valsartan on Insulin Sensitivity, Leptin, and BMI in Hypertensive Obese Patients, 3594
- Effects of Dietary Glycemic Index and Fat Content on Ad Libitum Weight Loss, Cardiovascular Risk Factors, and Glucose Homeostasis in Overweight and Obese Subjects, 3834
- Endothelial Lipase is Upregulated by Inflammatory Mediators and Correlated with Low HDL Levels Seen in Metabolic Syndrome, 242
- Ethnic Differences in the Association between Birth Weight and Childhood Obesity, 3602
- Exercise Training Preferentially Reduces Central Adiposity in Obese Children and Adolescents, 3595
- Genetic Linkage and Association of the Growth Hormone Secretagogue RECEPTOR (GHSR, Ghrelin Receptor) Gene in Human Obesity, 3787
- Heart Rate Variability, a Measure of Autonomic Dysfunction, is Associated with Insulin Resistance, 2151
- High-Fat Diet-Induced Obesity in Mice Results in High Cardiac Fatty Acid Oxidation Rates and the Development of Cardiac Insulin Resistance, 1552
- Hyperleptinemia Induces Significant Coronary Endothelial Dysfunction, 863
- Hypertension and Sympathovagal Imbalance are Reversed by Correction of Insulin Resistance Despite Persistent Dyslipidemia Upon Diet Restriction in LDL Receptor- and Leptin-Deficient Mice, 951
- Hypoalbuminemia is a Frequent Finding in Lean as Well as Obese Heart Failure Patients and Independently Predicts Mortality, 2586
- Impact of Body Mass Index on Cardiac Mortality in Patients with Known or Suspected CAD Undergoing Myocardial Perfusion SPECT, 3161
- Impact of Obesity on Quality of Life in Patients with Advanced Heart Failure, 3415
- Impaired Hormonal Regulation of Appetite after Cardiac Transplantation, 3596
- Induction of Adipose PAI-1 by Hyperinsulinemia in Vivo is the Major Determinant of Hypofibrinolysis in Obesity and Does not Require Insulin Receptor Substrate (IRS)-1: Direct Demonstration in Vivo Using IRS-1 Knockout Mice, 838
- Interaction Effect of Ser447Stop Variant of the Lipoprotein Lipase Gene and the Arg389Gly Variant of the β -1 Adrenergic Receptor Gene on Obesity Measures: The Bogalusa Heart Study, 3733
- Intra-Abdominal Adiposity and Risk of Sudden Death in Asymptomatic Middle-Aged Men: The Paris Prospective Study I, 3788
- KLF5 Inhibitor Am80 Reduces Atherosclerosis, Adipose Tissue Growth, and Fatty Liver Disease, 3637
- Knockout of Inducible Nitric Oxide Synthase Protects against Metabolic but not Vascular Dysfunction in Diet-induced Obesity in Mice, 162
- Left Ventricular Systolic and Diastolic Dysfunction: Stronger Association with Central Obesity than with Peripheral or Overall Obesity, 3776
- Leptin Induces Elongation of Cardiac Myocytes through the Activation of JAK2/STAT3 Cascade, 3597
- Leptin Inhibits Cell Growth of Human Vascular Smooth Muscle Cells, 570
- Leptin Receptors are Expressed in Coronary Endothelium and Leptin Stimulates Nitric Oxide-Dependent Coronary Arteriolar Dilation, 1161
- Lifestyle Interventions Designed to Lower Blood Pressure Also Improve Serum Lipids: The PREMIER Trial, 3573
- Long Term Effects of Gastric Bypass Surgery on LV Structure and Function, 3557
- Low Adiponectin Levels in Patients with Familial Combined Hyperlipidemia are Independent of Obesity, 874
- Mice with Deletion of Fatty Acid Binding Proteins, ap2 and mal1, Are Protected from Diet-Induced Cardiac Insulin Resistance, 1169
- Myocardial Fractional Fatty Acid Uptake Predicts Left Ventricular Diastolic Dysfunction, 3561
- National Trends in Behavioral Risk Factors Among Black and White Adults, 3721
- Nitro-Aspirin Improves Insulin Sensitivity in Obese Insulin-Resistant Men, 3789
- No Apparent Benefit of Low Glycemic Index Meals on the Postprandial Lipid Response in Women with Obesity or Insulin Resistance, 3768
- Obesity Predicts Abnormal Aortic Mechanical Function: A Cardiovascular Magnetic Resonance Imaging Study, 3793
- Overexpression of Insulin-Like Growth Factor Binding Protein-2 in Mice Protects against the Development of Insulin Resistance and Obesity, 416
- Paradoxical Elevation of Ubiquinol in Subjects with Endothelial Dysfunction and Metabolic Syndrome, 3599
- Pharmacy Costs Related to Overweight and Obesity in Healthy Middle-Aged Men, 3554
- Plasma Adiponectin Is Best Associated with ATP III Defined Metabolic Syndrome in Patients with Coronary Artery Disease, 3559
- Plasma Brain Natriuretic Peptide (BNP) Levels do Not Predict Functional Status in Obese Patients with Heart Failure, 1757
- Premature Atherosclerosis Does Not Occur in Monogenic Isolated Growth Hormone Deficiency Despite the Association With Metabolic Syndrome, 3568
- Production of C-reactive Protein in Response to Inflammatory Cytokines by Human Adipocytes, 549
- Psychological Factors Influence the Risk of the Metabolic Syndrome in Obese African-American Women, 3030
- Resistin Causes Impaired Glucose Tolerance Accompanied With Decreased Insulin Sensitivities in Tissues of Mice Implanted with Resistin-Overexpressing Cells, 3791
- Resistin is a Novel Protector of Myocardial Infarction, 134
- Resistin is an Inflammatory Marker of Atherosclerosis in Humans, 3439
- Resistin is Present in Atherosclerotic Lesions and Exerts Proatherosclerotic Effects on the Vessel Wall, 547
- Rho-Kinase as a Molecular Target for Insulin Resistance and Hypertension, 790
- Roles of Fatness and Fitness as Cardiovascular Risk Factors for Women: A Report from the Women's Ischemia Syndrome Evaluation, 3792
- Salutary Effects of Attenuation of Angiotensin II Mediated JNK Signaling on Coronary Perivascular Fibrosis Associated with Insulin Resistance and Obesity, 1539
- Single and Joint Effects of Obesity and Physical Activity on Stroke Risk, 3771
- Spouse Concordance of Metabolic Syndrome in 4140 Korean Couples: Result from a Nationwide Survey, 3523
- Stress Amplifies Diet-induced Obesity: Neuropeptide Y as a Peripheral Angiogenic and Adipogenic Growth Factor, 999
- The Prognostic Impact of the Metabolic Syndrome in Patients with Acute Myocardial Infarction, 3565
- The Relation of the Metabolic Syndrome to the Likelihood of Isolated Diastolic Hypertension, 3838
- The Role of Localization of Fat Deposition on Vascular Endothelial Growth Factor Expression in Adipocytes, 3600
- Type 2 Diabetic Mice Have Increased Blood Pressure and Enhanced Arteriolar Basal Tone Due to COX-2-Dependent Tx_{A₂}/PGH₂ Production, 158
- Vascular Production of CRP and the Association Between Serum Levels and Plaque Deposition of CRP in Patients With Atherosclerosis, 3852
- VLDL-Triglyceride Kinetics in Postmenopausal Women, 869
- Outcomes**
- β -Blockade in Women with Heart Failure in the Community Setting: Insights from a Large Prospective β -blocker Registry, 2251
- β -Blocker Therapy for Heart Failure: Should the Therapeutic Target be Dose or Heart Rate Reduction?, 2029

Effects of Antibiotic Treatment on Outcomes of Patients with Coronary Artery Disease: A Meta-Analysis, 2118	Duration of HMG-CoA Reductase Inhibitor Therapy is an Independent Prognostic Indicator in Patients with Heart Failure, 3342
EGF Receptor Blockade Improves Survival in Rats with Fatal Pulmonary Hypertension, 629	Duration of Reactive Hyperemia in the Forearm could be a Novel Predictor of Cardiovascular Events in Healthy Subjects, 3615
Renin-Angiotensin-System Blockade Modulates the Deleterious Effects of Being Overweight/Obese in Patients Following Acute Myocardial Infarction, 3796	Early [within 24 hours] Statin Administration in Patients Presenting with Acute Coronary Syndrome is Associated with Better Outcomes Compared to Delayed [after 24 hours] Administration, 2338
Aborted Off-Pump Coronary Artery Bypass Patients Have Worse Outcomes Compared With On-Pump and Successful Off-Pump Bypass Patients, 2549	Early Enalapril Therapy Reduced Cardiovascular Morbidity and Mortality in Patients with Left Ventricular Systolic Dysfunction: Results at 15 Years in SOLVD, 1752
ACE Inhibitors and Angiotensin Receptor Blockers in Patients with Renal Insufficiency and Congestive Heart Failure: An Interesting Paradox, 3464	Early Outcomes of Tricuspid Valve Replacement in Young Children, 3410
Adults with Congenital Heart Disease Have a Better Quality of Life Than Healthy Counterparts, 1861	Effect of Age on In-Hospital Length of Stay, Mortality, and Cost Among Patients Undergoing Abdominal Aortic Aneurysm Repair, 1764
Adverse Events within 30 Days of Percutaneous Coronary Intervention: A Powerful and Independent Outcome Predictor at One Year in the NHLBI Dynamic Registry, 3187	Effect Of Cardiac Transplant And Ventricular Assist Device Volume On Posttransplant Mortality For Status 1 Patients Supported With An Intracorporeal Left Ventricular Assist Device: Analysis of the United Network For Organ Sharing (UNOS) Thoracic Registry, 3286
African Americans Have Higher Long-term Mortality And More Stroke And Bleeding Than Caucasians Following Reperfusion Therapy for Acute Myocardial Infarction, 3690	Effect of Chronic Kidney Disease on Long-Term Survival of Patients with Congestive Heart Failure and Coronary Artery Disease, 3466
Altered Circadian Variation of Sudden Cardiac Death in Patients with Obstructive Sleep Apnea, 3777	Effect of Platelet Glycoprotein IIb/IIIa Inhibitor Treatment on In-Hospital Mortality Among Patients Treated With Angioplasty for Acute Myocardial Infarction, 3072
Aortic Pathology and Disease Severity Determine Success of Endovascular Stent-Grafting in the Descending Aorta, 3114	Effect of Spironolactone on Survival in Patients with Systolic Dysfunction and Mild Heart Failure Symptoms, 2260
Aprotinin Decreases Postoperative Bleeding and Number of Transfusions in Patients on Clopidogrel undergoing CABG: A Randomized Clinical Trial, 1981	Efficacy and Safety of a Novel Endovascular Cooling Device after Cardiac Arrest: A Case-Control Study, 2137
Are Vasodilators Beneficial to Severe Asymptomatic Aortic Regurgitation?, 3452	Electrocardiographic Strain Pattern and Albuminuria Additively Predict Outcomes in Hypertensive Patients: The LIFE Study, 3375
As Door-to-Balloon Times Exceed Door-to-Needle Times at a Given Hospital, Mortality in STEMI Rises, 2510	Elevated Levels of High-sensitivity C-reactive Protein Late after Kawasaki Disease: An Association between Inflammation and Late Coronary Sequelae in Kawasaki Disease, 1841
Assessment of Agonal Breathing Improves Detection of Cardiac Arrest, 2147	Elevated Periprocedural Blood Glucose Correlates with Poor Long Term Survival Following Percutaneous Coronary Intervention, 3747
Associating Changes in Hospital Non-ST-Segment Elevation Acute Coronary Syndromes Guidelines Adherence with Changes in Patient Outcomes: Results from CRUSADE, 3621	Ethnic Diversity: Comparison of Outcomes after CABG in South Asian and Caucasian Canadian Population, 1984
Being Lean is a Risk Factor for Mortality following Primary Angioplasty: A Report from the 1999-2000 New York State Angioplasty Database, 3556	Evaluation and Outcomes of Thrombocytopenia Developing While on Heparin Among Cardiac Care Unit Patients: Insights from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1767
Benefits and Risks of Circumferential Left Atrial Ablation Compared to Ostial Isolation for Treatment of Paroxysmal and Persistent Atrial Fibrillation, 2530	Evaluation for Second Stage Palliation Following the Norwood Procedure: Right Ventricle to Pulmonary Artery versus Modified Blalock-Taussig Shunt, 2477
Body Build and Risk of Cardiovascular Events in Hypertension: The Life Study, 3560	Female Gender is an Independent Predictor of Operative Mortality after Coronary Artery Bypass Graft Surgery, 1983
Body Fat Predicts Outcome after Percutaneous Coronary Intervention, 3603	Fetal Pulmonary Stenosis and Pulmonary Atresia with Intact Ventricular Septum: Determinants of Biventricular Repair, 3193
Brain Natriuretic Peptide in Mitral Regurgitation: Determinants and Impact on Outcome, 1715	Full Arterial Revascularisation Provides a Better Clinical Outcome when Combined with Off-Pump Coronary Artery Bypass Surgery: A Propensity Score Analysis, 2204
Cause-Specific Mortality of Dialysis Patients after Coronary Revascularization: Why Don't Dialysis Patients Have Better Survival after Coronary Intervention?, 2323	Gender Differences in Time to Treatment for Patients Undergoing Primary Percutaneous Coronary Intervention for Acute ST segment Elevation Myocardial Infarction: An Important Target for Quality Improvement, 3692
Causes of Death in Cardiogenic Shock - A Report from the SHOCK Trial, 1940	Halving The Cost Of Coronary Heart Disease Prevention: Does Tablet Splitting Statins Have A Role?, 3812
Characteristics and Outcomes of Heart Failure Patients in Clinical Practice: How Do They Relate to Age?, 2252	Hypercholesterolemia and Incident Arterial Hypertension: The Strong Heart Study, 3544
Clinical and Angiographic Outcomes of Coronary Artery Bypass Grafting with and without Cardiopulmonary Bypass: Harefield Prospective Randomized Trial, 2544	Hyperglycemia Increases Hospital Mortality in Patients With Acute Coronary Syndromes: Results From The Global Registry of Acute Coronary Events, 3622
Clinical Predictors of Major Infections Following Coronary Artery Bypass Surgery, 1693	Impact of Cyclooxygenase-2 Inhibition on Outcomes in the Setting of Percutaneous Coronary Intervention, 2859
Cognitive Deficit Following Cardiac Surgery is Not a Function of Perioperative Cerebral Ischemia, 2981	Impact of Glomerular Filtration Rate and Glucose Metabolism on 1-Year Mortality After Acute Myocardial Infarction, 1852
Comparison of the Results of Single-Ventricle Palliation with the Bidirectional Glenn and Fontan Procedures, 2478	Impact of Medication Cost and Access on Adherence and Outcomes in Heart Failure Patients, 2972
Complete Revascularization Significantly Improves Survival Following Percutaneous Coronary Intervention in Patients with Multivessel Disease, 2857	Impact of Obesity on Quality of Life in Patients with Advanced Heart Failure, 3415
Diminished Efficacy of Acute Reperfusion Therapy in Patients with ST-Segment Elevation Myocardial Infarction and Advanced Baseline Renal Failure, 1853	Impact of Obstructive Sleep Apnea on Clinical and Angiographic Outcomes in Patients with Acute Coronary Syndrome Who Underwent Emergent Percutaneous Coronary Intervention, 2213
Do Elderly Systolic Heart Failure Patients Benefit From β -Blockers To The Same Extent As The Non-Elderly? Meta-Analysis Of >12,000 Patients In Large-Scale Clinical Trials, 2592	Impact of Race on the Quality of Outpatient Care for Heart Failure, 3691
Does Coronary Calcium Add Incremental Value for Predicting Cardiac Events when Myocardial Perfusion SPECT is Normal?, 2613	Impact of Systolic Hypertension on Cardiac Outcomes in Chronic Severe Aortic Regurgitation: Comparison with Left Ventricular Function and Size, 3280
Does Having a Chest Pain Center Impact the Treatment and Survival of Acute Myocardial Infarction Patients?, 1932	Improvement in CABG Outcomes In Low-Volume/High-Mortality Centers Using University-Based Systems Management, 3537
Does Metabolic Syndrome Predict Cardiovascular Risk in the Elderly?, 3566	In-hospital Outcomes Following Contemporary Percutaneous Coronary Intervention: An Incomplete Story, 3189
Does the "Obesity Paradox" Extend to Patients with Non-ST-Segment Elevation Myocardial Infarction? Insight from the National Registry for Myocardial Infarction 4, 3063	In-Hospital Pediatric Ventricular Fibrillation: Results from the National Registry of CPR, 2135
Does Time of Symptom Onset to Percutaneous Coronary Intervention Affect In-hospital Outcomes in Patients with Non-ST-Segment Elevation Myocardial Infarction?, 2509	Incidence, Outcomes, and Predictors of Cerebrovascular Accidents After Percutaneous Coronary Interventions, 3190
	Incidence, Outcomes, and Predictors of Emergency Bypass Surgery Among Patients Undergoing Angioplasty for Acute Myocardial Infarction:

- Analysis of 9015 Cases, 3534
 Increased Pulse Pressure is Strongly Associated with Adverse Cardiovascular Outcomes: The International Verapamil SR-Trandolapril Study (INVEST), 3157
 Influence of Coronary Stenting on Long-term Clinical Outcomes: 7-year Follow-up from the Duke Cardiovascular Database, 3529
 Influence of Protocol-Specified Relook Angiography on Target Vessel Revascularization Compared with Clinical Practice, 2304
 International Patterns of Referral to Revascularization Early after Pharmacologic Stress SPECT: Results from a Prospective Multicenter Registry Trial, 3167
 Intracardiac Thrombus in Adults with Fontan Operation: Treatment and Clinical Outcome, 3630
 Intraoperative Radiofrequency Ablation to Treat Permanent Atrial Fibrillation in Patients Undergoing Open Heart Surgery, 2710
 Is There a Gender Gap in Nonfatal Cardiac Outcomes For Women Discharged Alive From Hospital Following Coronary Artery Bypass Graft (CABG) Surgery?, 1982
 Levels of hs-CRP Prior to PCI Predict Long-Term Risk and the Benefit of Clopidogrel Therapy: A CREDO Sub-Study, 1820
 Long-Term Outcome of Cardiac Resynchronization Therapy, 2263
 Long-Term Outcomes and Their Predictors after Hospital Discharge for MI in the Elderly: The Cardiovascular Health Study (CHS), 3722
 Long-Term Outcomes of Valve Replacement With Modern Prostheses in Young Adults, 2552
 Long-Term Results in Patients with Idiopathic Dilated Cardiomyopathy after Weaning from Left Ventricular Assist Devices, 2936
 Long-Term Survival after OPCAB or CCAB: Findings in Northern New England, 3536
 Long-term survival for Patients with 3-Vessel Coronary Disease is Better Following CABG than PCI: An Analysis of BARI-Like Patients in Northern New England from 1994-2001, 1979
 Low-Density Lipoprotein Particle Number, Size, and Subspecies in Assessing Cardiovascular Risk: Results from the Framingham Offspring Study, 3583
 Lower Hematocrit is Associated with Risk of Progression from ALVD to Symptomatic Heart Failure, 3474
 Lower Hemoglobin is Associated With Reduced Survival in Unselected Outpatients with Heart Failure: Results from the Study of Anemia in a Heart Failure Population (STAMINA-HFP) Registry, 3473
 Lower Hemoglobin Level Increases Risk of Death and Hospitalization Independent of Kidney Function in Heart Failure: The Kaiser Permanente CHF Cohort Study, 2581
 Massage Therapy Following Open Heart Surgery (Coronary Artery Bypass Grafting and Valve Procedures), 3238
 Mayo Clinic Risk Adjustment Model Predicts in Hospital Mortality Following Primary Angioplasty for Acute Myocardial Infarction, 2326
 Methamphetamine-Associated Cardiomyopathy: A Previously Unrecognized Cause of Heart Failure, 1746
 Mitral Regurgitation Predicts Hospitalization for Heart Failure or Death in Patients with Left Ventricular Dysfunction. The Omapatrilat Versus Enalapril Randomized Trial of Utility in Reducing Events (OVERTURE) Echo Study, 2774
 Mortality Reduction by Implantable Cardioverter-Defibrillators in Patients with Ischemic Heart Disease, Congestive Heart Failure, and Ventricular Arrhythmias, 2360
 NT-proBNP Combined with Troponin T for the Prediction of Short-Term Mortality in Decompensated Acute CHF: A ProBNP Investigation of Dyspnea in the Emergency Department (PRIDE) Substudy, 2430
 One-Year Cost Analysis Of Off-Pump CABG Versus On-Pump CABG: The Canadian Off-Pump Registry, 3807
 Outcome Benefits of BP Control in Older CAD Patients with Hypertension: The International Verapamil SR-Trandolapril Study (INVEST), 3384
 Outcomes of Children with Fetal or Postnatal Diagnosis of Heterotaxy Syndromes: A Single Institution's Experience since 1990, 2336
 Patterns of Illness Associated with Death from Heart Failure, 3419
 Percutaneous Coronary Interventions (PCI): Relationship Between Indications and Outcomes by American College of Cardiology/American Heart Association (ACC/AHA) Task Force Guidelines, 3531
 Peripartum Cardiomyopathy: Inflammatory Markers as Predictors of Outcome in 100 Prospective Studied Patients, 3476
 Population-based Analysis of Gender Differences in Therapy, Resource Utilization, and Clinical Outcomes in Patients with CHF, 2974
 Postoperative Outcomes of Bidirectional Cavopulmonary Connection Performed After a Stage I Palliation with a Right Ventricular to Pulmonary Artery Conduit Versus a Modified Blalock-Taussig Shunt, 2876
 Predicting 1-Year Mortality in Patients Receiving Implantable Cardioverter-Defibrillators for Congestive Heart Failure, Ischemic Heart Disease, and Ventricular Arrhythmias, 2364
 Predicting Mortality and Morbidity in Chronic Heart Failure Independent of Left Ventricular Systolic Function: Results from the CHARM Program, 3478
 Predictive Value of Flow-Mediated Dilatation of the Brachial Artery in Patients Referred for Cardiac Rehabilitation: A 5-Year Follow-Up, 2196
 Predictors of Five-year Mortality In Patients Undergoing Primary Percutaneous Coronary Interventions: Insights From the Primary Angioplasty in Myocardial Infarction (PAMI) Trials, 3512
 Preoperative Clinical Presentation Is The Main Predictor Of In-Hospital Death For Surgical Patients With Acute Type A Aortic Dissection, 2750
 Prognostic impact of new-onset atrial fibrillation in acute myocardial infarction with and without ST-segment elevation: Data from the RICO survey, 3064
 Prognostic Value of Circulating Shed Membrane Pro-Coagulant Microparticles in Patients with Severe Acute Coronary Syndromes. A Substudy From the Global Registry of Acute Coronary Events (GRACE), 2676
 Prognostic Value of Combination of Cardiac Troponin T and B-Type Natriuretic Peptide in Outpatients on Chronic Hemodialysis: 5-Year Outcome Analysis, 2193
 Prognostic Value of Elevated BUN in Patients Hospitalized with Worsening Heart Failure: Insights from the Acute and Chronic Therapeutic Impact of a Vasopressin Antagonist in Chronic Heart Failure (ACTIV in CHF), 3467
 Prognostic Value of N-Terminal Pro-BNP versus BNP after Initiation of Treatment in Patients with Chronic Heart Failure, 1763
 Psychosocial Factors and Functional Status Predict Depression in Adults with Heart Failure, 1967
 Quality of Life and Family Impact in Survivors of Single Ventricle Congenital Heart Disease, 2881
 Quality of Life in Children with Heart Disease: The Parents' Perspective, 3035
 Quantitative Exercise Echocardiographic Assessment of Asymptomatic Aortic Valve Stenosis: Prognostic Implications, 3279
 Racial differences in Baseline Characteristics and Outcomes in Patients Undergoing Percutaneous Coronary Intervention: A Report from the 2000/2001 New York State Angioplasty Registry, 3716
 Racial Differences in Lipid Management and Cardiovascular Outcomes Among Patients with Coronary Artery Disease: Substudy of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3779
 Randomized Controlled Trial of Specialized Lipid Clinic versus Conventional Care Management of Hyperlipidemia in Patients with Coronary Artery Disease: Results of the Active Lipid Management in Coronary Artery Disease (ALMICAD) Study, 3706
 Reductions in Early Recurrent Coronary Ischemia from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2339
 Reductions in Lipids but not Inflammatory Markers from Early Administration of Statin Therapy Upon Admission for Myocardial Infarction: Results of the PRINCESS Trial, 2110
 Regional Myocardial Acidosis During Aortic Clamping Determines Adverse 30-day Outcomes After Cardiac Surgery, 2371
 Renal Failure and Acute Myocardial Infarction: The Spectrum of Clinical Characteristics in Dialysis Patients, Chronic Renal Insufficiency, and Nonrenal Patients: A Collaborative Project of the United States Renal Data System (USRDS)/NIH and the National Registry of Myocardial Infarction (NRM), 3062
 Renal Sympathetic Activation is Associated with Adverse Outcome in Patients with Chronic Heart Failure, 2580
 Resource Use and Costs Associated with Atrial Fibrillation in the US, 3813
 Right Ventricular Enlargement on Chest CT as a Predictor of Mortality in Acute Pulmonary Embolism, 2603
 Risk-adjusted Short- and Long-term Outcomes for On- versus Off-Pump Coronary Artery Bypass Surgery, 2732
 Salvage Cardiac ECMO: We Can Do It, But Should We?, 2889
 Same-Day Discharge is Feasible and Safe in the Majority of Patients Undergoing Elective Percutaneous Coronary Intervention, 1827
 Sex and Ethnic Differences in the Prevalence of Significant and Severe Coronary Artery Disease in the ACC - National Cardiovascular Data Registry, 3697
 Should "Best Hospitals" Performance Ranking For Percutaneous Coronary Artery Interventions Include Clinical Outcomes Other Than Mortality?, 1826
 Suboptimal Care for Non-ST-Segment Elevation Acute Coronary Syndrome Patients Presenting With Congestive Heart Failure Is Associated With Higher Mortality, 2427
 Survival Benefit of Exclusive Use of In Situ Arterial Conduits over Combined Use of Arterial and Vein Grafts for Multiple Coronary Artery Bypass Grafting, 2928
 Survival from Out-of-Hospital Cardiac Arrest in New York City: 10 Years Later, 2142
 The Combination of Increased Short-Term Fractal Scaling Exponent and Decreased High-Frequency Power Provides a Powerful Independent Predictor of Mortality in the Elderly, 2154
 The Comparative Survival of Dialysis Patients in the United States after "Off-Pump" and "On-Pump" Coronary Artery Bypass Surgery, 2218
 The Development and Psychometric Analysis of a Lipid-Lowering Therapy Quality of Life Scale for Patients With Hypercholesterolemia, 3085
 The Effect of Chest Compression Alone During Bystander-Initiated Cardiopulmonary Resuscitation, 2145

- The Effect Of Total Arterial Grafting On Long-Term Outcomes Following Coronary Artery Bypass Grafting, 2921
- The Impact of Diabetes On One-Year Health Status Outcomes following Acute Coronary Syndromes, 3619
- The Impact of Metabolic Syndrome on Long-Term (Ten-Year) Outcomes after Percutaneous Coronary Intervention, 3549
- The Influence of Metabolic Syndrome on Outcomes After Percutaneous Coronary Intervention, 2860
- The Influence of Transplant versus Reconstructive Approach on Neurodevelopmental Outcome in Hypoplastic Left Heart Syndrome, 2475
- The Long-Term Impact of Social Deprivation on Heart Failure: A Population-Based Study, 3525
- The Real World Utilization and Results of Off-Pump Coronary Artery Bypass Surgery (OPCAB) in a Public Healthcare System, 3272
- The Relationship Between Hypotension and Renal Dysfunction During Tezosentan Treatment for Acute Decompensated Heart Failure: An Analysis of the Randomized Interventions with Tezosentan (RITZ-1) Trial, 2409
- The Safety of Percutaneous Coronary Interventions Prior to Noncardiac Surgery, 1825
- Thiazolidinedione Therapy Associated with Improved Clinical Outcomes in Heart Failure Patients with Diabetes, 2411
- Timing of PCI in Unstable Angina and NSTEMI: Does it Make a Difference in Long-Term Outcomes? , 3508
- Tissue Doppler Imaging: A Powerful Predictor of Future Cardiovascular Events in a Hypertensive Population, 2567
- Traditional Predictors of Adverse Outcome Are Modified in a Comprehensive Heart Failure Management Program, 2973
- U-Shaped Relationship of Blood Glucose with Adverse Outcomes Among Patients with ST-Segment Elevation Myocardial Infarction, 1850
- Use of Evidence-Based Therapies in Patients with Chronic Kidney Disease Presenting with Acute Coronary Syndrome and Its Impact on Clinical Outcomes, 2678
- What is Impact of Prophylactic Postoperative Beta-Blockade on Post-Cardiothoracic Surgery Length of Stay and Atrial Fibrillation?, 3268
- Withholding Direct Thrombin Inhibitor Therapy While Awaiting Laboratory Confirmation of Heparin-Induced Thrombocytopenia Is Associated with an Increased Rate of Thromboembolic Complications: Results of the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1768
- Women Continue to Experience Higher Mortality with Primary Angioplasty for Acute Myocardial Infarction: A Report from the 1999/2000 New York State Angioplasty Database, 2327
- Working at Five to Six Years after Heart Transplantation, 3237

Oxidized lipids

- 15-Lipoxygenase-2 Is Expressed in Human Atherosclerotic Plaques and Regulated By Hypoxia in Human Macrophages: Implications for LDL Oxidation, 1348
- A Haplotype at the Adiponectin Gene is Associated with Different Response of Cardiovascular Risk Factors to Weight Reduction in Overweight Subjects, 3601
- A Selective Inhibitor of ACAT-1 Accelerates Plaque Stabilization in Atherogenic Lesions Without Affecting Plasma Cholesterol, 586
- A Specific Antibody Against Ox-LDL, Cu-LDL-IgG, May Serve as a Marker for Prediction of Atherosclerosis, 247
- Acrolein Inhibits Cholesterol Transport By High Density Lipoprotein: Potential Role For Site Specific Modification Of Apolipoprotein A-I In Atherogenesis, 167
- Antiatherogenic and Antioxidant Effects of an Apolipoprotein Mimetic Peptide, 1167
- Circulating OxLDL-E06 Levels Reflect the Presence and Extent of Angiographic Coronary Artery Disease: Strong Association Between Circulating Oxidized Phospholipids and Lp(a) May Potentially Mediate Atherogenicity, 870
- Clinical Significance of Urinary 8-iso prostaglandin F_{2α} Levels in Patients with Percutaneous Coronary Intervention, 1695
- D-4F, an Apolipoprotein A-1 Mimetic, Increases Vasodilation in Hypercholesterolemic, Apolipoprotein A-1-Deficient Mice, 1166
- Decreased Atherosclerosis in Human PON3 Transgenic Mice, 1393
- Dominant-negative Akt impairs Endothelial Cell Survival by Mimicking the Inhibitory Effect of Electronegative LDL on FGF2 Transcription, 409
- Effects of Oxidized LDL on Endothelial Progenitor Cell Differentiation, Proliferation, and Senescence, 1351
- HMG Co-A Reductase Inhibitors Improve Renal Hemodynamics and Function in Renal Ischemia, 1499
- Identification of a Novel Oxidized LDL-Regulated Scavenger Receptor, SREC II, in Vascular Smooth Muscle: Role in Oxidized LDL-Induced Oxidative Stress and Apoptosis, 1350
- Identification of Apolipoprotein E Receptor 2' as the Low-Density Lipoprotein Receptor on Platelets, 1577
- Macrophage-Specific Expression of Type IIA Secretory Phospholipase A₂ Results in Accelerated Early Atherogenesis by Increasing Oxidative Stress in LDL-Receptor Deficient Mice, 1318

- Native LDL Induces Endothelin-Converting Enzyme-1 in Primary Human Endothelial Cells, 1001
- Oral Tolerance to Oxidized LDL Ameliorates Atherosclerosis, 996
- Oxidized LDL as a Risk factor for Coronary Heart Disease among US Men and Women, 3582
- Oxidized LDL Modulates Apoptosis of Atherosclerotic Plaque Vascular Smooth Muscle Cells via Regulation of the Insulin-like Growth Factor-1 System, 1185
- Paradoxical Elevation of Ubiquinol in Subjects with Endothelial Dysfunction and Metabolic Syndrome, 3599
- Platelet Activation by Oxidized Low-Density Lipoprotein is Mediated by CD36 and Scavenger Receptor-A, 1576
- Proteasome Deactivation by Oxidative Stress Induces Cardiac Myocytes Apoptosis via p53-Mediated Pathway in Pressure-Overloaded Hearts of Mice, 2950
- T Cells in Atherosclerotic Plaque Respond to *Streptococcus pneumoniae*: A Role of T Cell Mimicry between Pathogen-derived Antigens and OxLDL in Atherogenesis?, 1569

Oxygen

- Cerebral Blood Flow is Impaired During Repair of Coarctation of the Aorta in Infants and Children, 2474
- Endothelial Cell Nox4 is Localized to the Endoplasmic Reticulum and Modulates Protein Tyrosine Phosphatase Oxidation, 749
- Intracoronary AO Hyperbaric Perfusion, Delayed 24 hrs After the Onset of Postinfarction Reperfusion, Reduces Infarct Size and Improves LV Function , 3507
- Liposome-Encapsulated Hemoglobin Ameliorates Cerebral Infarction in the Monkey as Shown on Positron Emission Tomography , 2279
- Magnetic Resonance Imaging using Steady-State Free Precession Detects Blood Oxygen Level- Dependent Changes in Microcirculation, 3171
- Nocturnal Oxygen Therapy Decreases Brain Natriuretic Peptide in Chronic Heart Failure Patients with Central Sleep Apnea, 1750
- Patent Foramen Ovale In Obstructive Sleep Apnoea, 2224
- Perceived Hyperoxia in the Reoxygenated Heart: Oxygen-Sensitive Signaling for Cell Cycle Arrest and Differentiation of Cardiac Fibroblasts, 120
- Strategy for Directing Endothelial Progenitor Cells into the Ischemic Myocardium Using Hypoxia Regulated SDF-1 α Vector in a Cardiac Specific Manner In Vivo, 810
- Treatment of Hemorrhagic Shock with Oxygen-Carrying Microbubbles: Long-Term Survival in Pigs, 1857

Oxygen uptake

- Angiotensin-Converting Enzyme Genotype is not associated with Exercise Capacity in Patients after Acute Myocardial Infarction, 3670
- Cardiorespiratory Fitness Levels in Obesity Approximate Those of Heart Failure Patients: Implications for Exercise Prescription, 3795
- Cardiovascular Training Effect Associated with Polestriding Exercise in Patients with Peripheral Arterial Disease, 3083
- Cause of Correlation Failure Between Cardiopulmonary Exercise Testing and Six-minute Walk Distance in Patients with Pulmonary Arterial Hypertension, 2496
- Endothelium-derived Nitric Oxide Regulates In Vivo Oxygen Consumption in Posts ischemic Myocardium, 983
- Hysteresis of Heart Rate and Oxygen Uptake between Exercise and Recovery Indicates Disease Severity in Primary Pulmonary Hypertension, 2296
- Liposome-Encapsulated Hemoglobin Ameliorates Cerebral Infarction in the Monkey as Shown on Positron Emission Tomography , 2279
- Modulation of Voltage-Dependent Anion Channel (VDAC) by Bcl-2 Reduces Mitochondrial ATP Uptake and Hydrolysis and Mimics Protective Effects of Diazoxide During Ischemia, 971
- Statin Therapy Improves Exercise Oxygen Uptake Kinetics in Post-Myocardial Infarction Patients by a Combined Anti-inflammatory and Endothelial Activity, 2912
- The Combined Effect of Peak VO₂ and V_E/VCO₂ Slope on Predicting Survival in Patients with Congestive Heart Failure, 1751

Pacemaker, artificial

- Biological Pacemaker Expresses Wide Range Of Physiologic Rates And Compares Favorably With Electrical Pacemaker: A Preliminary Study In Dogs, 1394
- Cardiac Resynchronization Therapy Benefits Patients With or Without ICD Indication - Results from the Prospective European Multicenter PACMAN Trial, 3358
- Cardiac Resynchronization Therapy for Moderate-to-Severe Pediatric Heart Failure: A Pilot Study, 2265
- Effect of High Voltage Stimulation on Left Ventricular Torsional Deformation in Patients with Dilated Cardiomyopathy, 3250
- Immediate Impairment of Left Ventricular Mechanical Performance And Force-Frequency Relation by Rate-responsive Dual-chamber, but not Atrial Pacing: Implications from Isovolmic Relaxation Flow Investigation, 2086
- Incidence and Risk Factors of the Infectious Complications after Pacemaker Implantation: A Multicenter Prospective Study, 3244

- Long-term Right Ventricular Apex Pacing in Patients with Congenital AV Block Does Not Have a Detrimental Effect on Ventricular Function, 1651
- Numerators Searching for Denominators: Insights into Prehospital STEMI Management (Prehospital Reperfusion Group of Edmonton - PURGE), 2515
- Pacing as Hybrid Therapy of Atrial Fibrillation: Results of a 5-Year Observational Study, 1644
- PAF-ReVeSt—Prevention of Atrial Fibrillation in DDD Pacing by Reduction of Ventricular Stimulation in Patients With Symptomatic Sinus Node Disease?, 1647
- Placement of Transvenous Leads Across Chronic Occlusions—A Novel Approach, 3248
- Right Ventricular Septal Lead Placement - Are You Really on the Anterior Wall?, 3249
- Risk and Outcome of Infected Pacemakers and Defibrillators in Dialysis Patients, 3243
- The Clinical and Economic Impact of *Staphylococcus aureus* Bacteremia in Patients with Cardiovascular Devices, 2636
- Unexpectedly High Rate of Replacement of a Newer-Generation Polyurethane Bipolar Pacemaker Lead: A Long-Term Follow-Up Study, 3241
- Pacing**
- A Novel Pacemaker Current in Pancreatic β -cells that Mediates Insulin Secretion, 72
- Acute Hemodynamic Benefits of Batrial Atrioventricular Sequential Pacing with the Optimal Atrioventricular Delay: Comparison with Single Atrial Atrioventricular Sequential Pacing, 3254
- Antitachycardia Pacing Beyond Two Attempts for Ventricular Tachycardia in Patients with ICDs is Safe and Incrementally Effective in Reducing Shocks, 1653
- Cardiac Resynchronization Therapy Benefits Patients With or Without ICD Indication - Results from the Prospective European Multicenter PACMAN Trial, 3358
- Changes in Heart Rate Variability prior to Spontaneous Ventricular Tachyarrhythmias in Patients with Cardiac Resynchronization and Implantable Cardioverter/Defibrillator (ICD) Therapy, 3356
- Coronary Venous Anatomy by Computed Tomography in Cardiac Resynchronization Therapy, 1783
- Detrimental Ventricular Remodeling in Patients with Congenital Complete Heart Block and Chronic Right Ventricular Apical Pacing, 3632
- Electrical Remodeling Caused by Brief Ventricular Ectopy Increases T Wave Alternans, 2898
- Electronic Repositioning™ with a Bipolar Coronary Venous Lead, 3246
- Evolution of Cardiac Memory Over 1 Week of Atrioventricular Pacing in Humans, 2157
- Expected vs Actual Pacemaker Longevity—Differences Between Manufacturers, 1655
- Feasibility of Adjusting Cardiac Resynchronization by Manipulating Left Ventricular Epicardial Pacing Stimulus Strength, 1896
- Immediate Impairment of Left Ventricular Mechanical Performance and Force-Frequency Relation by Rate-responsive Dual-chamber, but not Atrial Pacing: Implications from Isovolumic Relaxation Flow Investigation, 2086
- Influence of AV-Delay on Incidence of Atrial Rhythm Disturbances, 1654
- Left Ventricular Dyssynchrony Assessed with Radionuclide Angiography Predicts Left Ventricular Reverse Remodelling after Cardiac Resynchronization Therapy in Patients with Ischemic Cardiomyopathy, 3046
- Left Ventricular Regional Electromechanical Patterns during Left-, Right-, and Biventricular Pacing in A Dog Model of Congestive Heart Failure Derived by Tissue Doppler Imaging, 2942
- Multicenter, Prospective, Randomized Trial of a New Atrial-Based Managed Ventricular Pacing Mode (MVP) in Dual Chamber ICDs, 2088
- Novel Pacing Patterns to Enhance or Suppress T-Wave Alternans in Patients with Heart Failure, 3133
- Pacing as Hybrid Therapy of Atrial Fibrillation: Results of a 5-Year Observational Study, 1644
- PAF-ReVeSt—Prevention of Atrial Fibrillation in DDD Pacing by Reduction of Ventricular Stimulation in Patients With Symptomatic Sinus Node Disease?, 1647
- Pressure-Volume Plane Analysis to Determine Optimal Ventricular Pacing Lead Position in Patients With Normal QRS Duration, 2815
- Randomized Therapy for Obstructive Hypertrophic Cardiomyopathy: Long-Term Outcome of Dual-Chamber Pacemaker and Alcohol Septal Ablation, 2423
- Reverse Left Ventricular Synchrony Is a Potential Mechanism of the Benefit from Dual-Chamber Pacing in Hypertrophic Obstructive Cardiomyopathy, 2944
- Right Ventricular Apical Pacing after Atrioventricular Nodal Ablation for Atrial Fibrillation Does not Compromise Ejection Fraction in the Short Term or Long Term, 2087
- Right Ventricular Outflow Tract Pacing Preserves Left Ventricular Activation Pattern And Optimizes Hemodynamic Function, 2642
- Right Ventricular Pacing To Confirm Cavo-Tricuspid Isthmus Block During Radiofrequency Ablation Of Typical Atrial Flutter: A New Technique?, 1656
- Right Ventricular Septal Lead Placement - Are You Really on the Anterior Wall?, 3249
- Site of RV Pacing Affects the Correlation between Pacing Lead Impedance and Changes in the Clinical Status of Patients with Congestive Heart Failure, 3335
- The S3-S4 Linker of Pacemaker (HCN) Channels as a Prime Target for Engineering Activation Threshold: Implications into Gene- and Cell-based Modulation of Cardiac Pacing, 401
- Tissue Doppler Echocardiography Combined with a New 2D Strain Analysis Method Aid Assessment of Ventricular Resynchronization Pacing in Children with Congenital Heart Disease, 3128
- Unexpectedly High Rate of Replacement of a Newer-Generation Polyurethane Bipolar Pacemaker Lead: A Long-Term Follow-Up Study, 3241
- Pathology**
- Baseline Glucose Level and Left Ventricular Remodeling After Acute Myocardial Infarction, 488
- Bone Marrow-Derived Progenitor Cells Participate in Remodeling of Advanced Atherosclerotic Plaques, 1016
- Cardiac Expression of Peroxisome Proliferator-Activated Receptor γ in Patients with Idiopathic Dilated Cardiomyopathy Is Associated with Overt Heart Failure, 2783
- Circulating Progenitors Contribute to Necrotic Formation in Nonirradiated Bone Marrow Chimeric Mice, 259
- Early versus Advanced Atherosclerotic Plaque in vivo Detection by Gadofluorine-Enhanced Magnetic Resonance Imaging, 177
- Enhanced Spatial Discrimination of Plaque Components by Quantitative Optical Coherence Tomography, 1788
- Hepatitis C Virus Infection as a Cause of Myocarditis and Heart Failure, 1748
- Histological Change and Transmural Systolic Function in Adriamycin Cardiomyopathy, 1725
- Human Mutation of Perinatal Myosin Causes a Carney Complex Variant, 2571
- Impairment of the Ubiquitin-Proteasome System by Misfolded Cytoplasmic Protein in Cardiac Myocytes, 764
- Induction of the Notch Pathway in Activated Human Macrophages, 1312
- Long-term Aldosterone Synthase Inhibition Improves Cardiac Function and Myocardial Structure in Chronic Heart Failure, 2407
- Mechanisms Regulating Expression of Cell-Cell Junction Proteins in the Heart, 2955
- Myocardial Production And Secretion Of Chromogranin A In Hypertrophic Cardiomyopathy, 2416
- Paradoxical Role of Zinc in Cardiac Injury: A Potential Link to Environmental Zinc Exposure and Cardiovascular Morbidity, 1917
- Plaque Disruption Frequently Occurs Days or Weeks before Occlusive Coronary Thrombosis: A Pathologic Thrombectomy Study in Primary PCI, 1941
- Plaque Sealing with Stenting is Associated with Marked Reduction of Biologic Markers of Plaque Vulnerability, 1481
- Prevalence of an Amyloidogenic Transthyretin Allele (V122I) in Elderly African-Americans with Congestive Heart Failure, 3820
- Restenotic Tissue from Sirolimus Eluting Stents Shows Lower Cell Density and Delayed Healing Compared To Bare Metal Stents, 2871
- Selective Inhibition of p38 α Mitogen-Activated Protein Kinase Improves Cardiac Function and Reduces Myocardial Apoptosis after L-NAME/Angiotensin II-induced Myocardial Injury, 25
- Spirolactone Improves Left Ventricular Chamber Stiffness and Diastolic Function Associated With Regression of Myocardial Fibrosis in Asymptomatic Patients With Dilated Cardiomyopathy, 2261
- Stent-Based Tyrphostin AGL-2043 Reduces Neointima Formation in Porcine Coronary Arteries, 572
- Treatment of Hemorrhagic Shock with Oxygen-Carrying Microbubbles: Long-Term Survival in Pigs, 1857
- Patient care**
- β -Blockade in Women with Heart Failure in the Community Setting: Insights from a Large Prospective β -blocker Registry, 2251
- Acute and Reversible Left Ventricular Dysfunction Provoked by Psychological Stress (Tako-tsubo Syndrome) in U.S. Women: A Novel Cardiomyopathy, 2807
- Adherence, Even to Placebo, is Strongly and Independently Related to Outcome in Patients With Chronic Heart Failure: Results From the CHARM Program, 2595
- Appraising Symptom Seriousness in Acute Myocardial Infarction: Emotional-Cognitive Variables are Most Influential, 3078
- Associating Changes in Hospital Non-ST-Segment Elevation Acute Coronary Syndromes Guidelines Adherence with Changes in Patient Outcomes: Results from CRUSADE, 3621
- Characteristics and Outcomes of Heart Failure Patients in Clinical Practice: How Do They Relate to Age?, 2252

- Clinical Predictors of Major Infections Following Coronary Artery Bypass Surgery, 1693
- Cultural Factors of Chinese Immigrants as Predictors of Hypertensive Medication Compliance, 1862
- Depressive Symptoms And Quality Of Life Predict Short-Term Mortality In Patients With Chronic Heart Failure, 2248
- Factors Associated with Underuse of Cardiac Medication after AMI, 3714
- Infection, Depression, and Immunity after Coronary Artery Bypass: A Pilot Study of Cognitive Behavioral Therapy, 1963
- Leukocyte Suppression Leads to Improved Clinical Outcomes in Children Status-Postorthotopic Heart Transplantation, 2767
- Massage Therapy Following Open Heart Surgery (Coronary Artery Bypass Grafting and Valve Procedures), 3238
- Noncoronary Findings on Multidetector CT Coronary Angiography, 2453
- Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Receive Less Aggressive Discharge Care After Bypass Surgery Versus Percutaneous Coronary Intervention, 1980
- Patterns of Illness Associated with Death from Heart Failure, 3419
- Racial and Gender Differences in the Management of Acute Ischemic Stroke: The North Carolina Collaborative Stroke Registry, 3521
- Repetitive Education and Monitoring Programs Reduce Long-term Hospitalizations or Mortality and Improve Quality of Life in Heart Failure—Results of the REMADHE Study (Randomized and Prospective), 2967
- Sexual Problems in Heart Failure Patients, 3421
- Suboptimal Care for Non-ST-Segment Elevation Acute Coronary Syndrome Patients Presenting With Congestive Heart Failure Is Associated With Higher Mortality, 2427
- Underutilization of Revascularization in Early Cardiogenic Shock among NSTEMI Patients: Observations from the CRUSADE Initiative, 1938
- Use of the Memorial Symptom Assessment Scale-Heart Failure in Heart Failure Patients, 3418
- Using Computer Technology to Improve Secondary Risk Reduction in Patients with Diabetes, 3638
- Patient education/teaching psychosocial aspects**
- Aging with a Broken Heart: The Effect of Heart Disease on Psychological Distress in the Elderly, 1966
- Anxiety and Low Perception of Social Support Are Independent Predictors of Readmission in Patients Hospitalized with Heart Failure, 2250
- Appraising Symptom Seriousness in Acute Myocardial Infarction: Emotional-Cognitive Variables are Most Influential, 3078
- Depression and Hopelessness as Psychological Predictors of Exercise Frequency and Physical Functioning in Patients with Acute Coronary Syndrome, 1962
- Do Women and Men Differ at Time of Referral for PCI? Experience from the Courage Clinical Trial, 3026
- Importance of Knowledge and Beliefs in Improving Self-Care Behavior of Heart Failure Patients, 3416
- Infection, Depression, and Immunity after Coronary Artery Bypass: A Pilot Study of Cognitive Behavioral Therapy, 1963
- Recent Hormone Therapy (HT) Trials Have Not Influenced HT Use in Women at Risk for Coronary Heart Disease (CHD): The NHLBI-Sponsored WISE Study, 3028
- Sexual Problems in Heart Failure Patients, 3421
- Symptom Variability, Not Severity, Predicts Rehospitalizations in Patients with Heart Failure, 3417
- Use of the Memorial Symptom Assessment Scale-Heart Failure in Heart Failure Patients, 3418
- What Is the Best Method to Communicate Personal Coronary Risk in Ethnically Diverse Women?, 3080
- Peptides**
- A Synthetic Peptide from a Segment of Ras-p21 Effectively Inhibits Norepinephrine-Stimulated Cardiac Myocyte Hypertrophy, 1902
- Activated E-Protein Kinase C Accelerates the Transition from Compensatory Left Ventricular Hypertrophy to Heart Failure in Hypertensive Rats, 2778
- Adrenomedullin as a Sensitive Marker for Coronary and Peripheral Arterial Complications in Patients with Atherosclerotic Risk, 1700
- Antiatherogenic and Antioxidant Effects of an Apolipoprotein Mimetic Peptide, 1167
- Asymmetry in Lipid Affinity of Multihelical Amphipathic Peptides: An Important Structural Determinant for Specificity of ABCA1-Dependent Cholesterol Efflux by Peptides, 1164
- B-Type Natriuretic Peptide Levels in Patients with Multiple Comorbidities do Not Correlate with Clinical and Hemodynamic Assessment of Volume Overload, 1761
- D-4F, an ApoA-I Mimetic Peptide, Regulates ABCA1 Similar to Human ApoA-I, 172
- Echocardiographic Middiastolic Wave in the Mitral Inflow Is Associated With Adverse Events in Hypertrophic Cardiomyopathy, 2230
- Endogenous vasoconstrictor coupling factor 6 is released from the resistance arterioles and is involved in the genesis of hypertension, 293
- Glucagon-Like Peptide-1 (GLP-1), A Gut Incretin, Protects the Myocardium Against Ischemic/Reperfusion Injury through the Myocardial GLP-1 Receptor and Activation of Prosurvival Pathways, 314
- High Sensitive C-reactive Protein is Reduced by Exercise Training in Chronic Heart Failure Patients: A Prospective, Randomized, Controlled Study, 3672
- Hypoadiponectinemia in Men is Strongly Associated with Early Onset of Coronary Artery Disease and Multiple Stenoses of Coronary Arteries, 2918
- In-Stent Neointimal Proliferation Identified on In-Vivo Imaging Using ¹²⁵I Gluco-RGD Peptides in Rabbit Model, 2843
- Modulatory Effects of Galanin on the Release of Norepinephrine and Dopamine in the Central Nervous System of Spontaneously Hypertensive Rats, 294
- NT-pro-BNP cannot be Used in the Diagnosis of Heart Failure or Volume Overload in Patients with End-Stage Renal Failure, 95
- Oral D-4F Dramatically Synergizes with Oral Pravastatin to Reduce Atherosclerosis in ApoE Null Mice, 173
- Proteomic Discovery of Coronary Artery Disease Proteins Using Industrial Scale Analysis of Pooled Plasma: Results from the Pooled Plasma Proteomics Project, 1011
- Resistin is a Novel Protector of Myocardial Infarction, 134
- Targeting CD40 Function with a Selective Phage Display Derived Peptide Antagonist, 1564
- The Response of Natriuretic Peptide Levels to Dobutamine Stress Echocardiography Predicts Myocardial Inotropic Reserve in Dilated Cardiomyopathy, 2001
- Perfusion imaging**
- [¹⁸F]-Fluorobenzyl Triphenyl Phosphonium - A Novel Myocardial Perfusion Agent: Assessment of Extraction Fraction and Detection of Stenosis Severity, 2844
- Application Of A Novel Automatic Tissue-Tracking System To Detect Left Ventricular Segments With Perfusion Abnormality: Comparison With Thallium-201 Single-Photon Emission Computed Tomography, 3307
- Coronary Artery Calcification and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3687
- Coronary Risk Factors and Myocardial Perfusion in Asymptomatic Adults: the Multi-Ethnic Study of Atherosclerosis (MESA), 3710
- Correlation of Electron Beam Computed Tomography With Stress Single-Photon Emission Computed Tomography, 3163
- Detection of Myocardial Perfusion Defects During Dipyridamole Stress Echocardiography with Intravenous Microbubbles and Real Time Low Mechanical Index Perfusion Imaging Techniques, 2223
- Differentiation of Arteriogenesis from Capillary Perfusion with Contrast Ultrasound During Therapeutic Angiogenesis, 2388
- Does Coronary Calcium Add Incremental Value for Predicting Cardiac Events when Myocardial Perfusion SPECT is Normal?, 2613
- Does Delayed Contrast Enhancement in Hypertrophic Cardiomyopathy Represent Myocardial Fibrosis Only? Comparison of two markers of fibrosis using MRI and PET, 3053
- ECG-Gated Rubidium-82 Myocardial Perfusion PET Imaging: A Multiexpert Comparison With Technetium-99m Sestamibi SPECT, 2841
- Effect of Myocardial Perfusion Defects on Ventricular Function Radionuclide Calculations, 2842
- First-pass Perfusion and Delayed-Enhancement Magnetic Resonance Imaging detect Papillary Muscle Ischemia in Ischemic Mitral Regurgitation, 3392
- Impact of CT-Attenuation Correction on Interpretation of SPECT Images by Readers with Different Interpretative Attitudes, 3168
- In Vivo Validation of Quantitative Evaluation of Myocardial Perfusion from Image Sequences of Transient Contrast Inflow, 3322
- Index of Coronary Circulatory Function in Response to Cold Pressor Correlates with Calculated Framingham CHD Risk Score in Men with Metabolic Syndrome Components, 3050
- Intravenous Delivery of Autologous and Allogenic Mesenchymal Stromal Cells Limits Infarct Size and Improves Left Ventricular Function in the Infarcted Porcine Heart, 1199
- Is Myocardial Contrast Echocardiography a Viable Alternative to SPECT for the Diagnosis of Coronary Artery Disease in High-Risk Patients? A Multicenter Study, 3455
- More Severe Perfusion Defects with Treadmill Exercise Compared to Dipyridamole Stress, 3049
- MR Perfusion Imaging for Detection of Coronary Artery Disease: A Multicenter Dose Finding Study in Comparison with X-Ray Coronary Angiography and Single Photon Emission Computed Tomography, 2987
- Myeloperoxidase, a Novel Marker of Oxidative Stress, is Strongly Associated with Subclinical CAD Measured by Means of Positron Emission Tomography, 2917
- Myocardial Blood Flow at Rest is Impaired in Segments with Severe Coronary Artery Disease: An MR Study of Quantitative Perfusion Assessment, 2834
- Myocardial Dysfunction by MRI Tagging Is Directly Related To Reduced Coronary Flow Reserve by MRI Perfusion in Asymptomatic Participants of the Multi-Ethnic Study of Atherosclerosis, 3491
- Myocardial Perfusion as Measured with Real-Time Myocardial Contrast Echocardiography in Healthy Volunteers Correlates with Positron Emission Tomography, 3324

- Myocardial Perfusion Imaging and Quantification Using Interrupted Contrast Infusion, 3318
- Prediction of Silent Myocardial Ischemia in Asymptomatic Type 2 Diabetics without prior Coronary Artery Disease: Comparison between Traditional Risk factors, Inflammatory markers, and Coronary Calcium, 3162
- Quantification of Myocardial Perfusion Using Real-Time Three-Dimensional Echocardiographic Imaging, 2391
- Risk Stratification of Patients with Prior Myocardial Infarction and Advanced Left Ventricular Dysfunction by ^{99m}Tc-Tetrofosmin Myocardial Perfusion Imaging: Significance of Defect Volume and Ventricular Volume Index, 3048
- Single Adenosine Stress Cardiac Magnetic Resonance and Myocardial Perfusion Single Photon Emission Computed Tomography in Patients with Known or Suspected Coronary Artery Disease: Added Value of Rest Perfusion Magnetic Resonance Imaging, 2994
- The Phosphodiesterase Type 5 Inhibitor Vardenafil Increases Peripheral Blood Flow in Patients with Raynaud Syndrome, 672
- The Predictive Power of Real-Time Perfusion Imaging During Dobutamine Stress Echocardiography, 3454
- Transmural Flow Gradient Measured by Magnetic Resonance Perfusion Imaging Improves Identification of Coronary Stenoses, 3493
- Trimetazidine Improves Left Ventricular Systolic Function in Ischemic Cardiomyopathy: Prognostic Significance, 3051
- Usefulness of Pharmacological Stress Multidetector CT Studies in the Evaluation of Myocardial Perfusion, 2101
- Pericarditis**
- New Insights into Pericarditis: Transmural Gradient of Connexins 40 and 43 Contributes to Abnormal Conduction and Atrial Arrhythmias, 1395
- Pericardium**
- Depletion of Adiponectin in Pericardial Fat Tissue: A Potential Role for Cardiac MMP Regulation, 3794
- Dual Aldosterone Production in Patients With Left Ventricular Remodeling: Analysis of Pericardial Fluid at Open Heart Surgery, 2197
- The Utility of Indices of Pericardial Interdependence for The Diagnosis of Constrictive Pericarditis, 2419
- Peripheral arterial disease**
- A Phase II Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial of Plasmid Del-1 (Developmentally regulated Endothelial Locus 1) in Subjects with Intermittent Claudication Secondary to Peripheral Arterial Disease: DELTA1-PAD, 2439
- Adjunctive Abciximab Improves Patency and Functional Outcome in Patients Undergoing Endovascular Treatment of Femoropopliteal Occlusions, 3000
- Adrenomedullin as a Sensitive Marker for Coronary and Peripheral Arterial Complications in Patients with Atherosclerotic Risk, 1700
- Angiogenic Synergy Between Vascular Endothelial Growth Factor and Angiopoietin-1 Together with Myoblast Therapy for the Treatment of Ischemically Damaged Hind Limb, 1298
- Ankle-Brachial Index Is A Better Predictor Than C-Reactive Protein Of New Ischemic Events In Patients With Clinical Atherosclerosis. The AIRVAG Cohort, 2060
- Aortic Pathology and Disease Severity Determine Success of Endovascular Stent-Grafting in the Descending Aorta, 3114
- Autologous Stem-Cell Transplantation for Therapeutic Angiogenesis in Patients with Chronic Critical Lower-Limb Ischemia, 3326
- Autologous Transplantation of Bone Marrow Mononuclear Cells Improved Ischemic Peripheral Neuropathy in Humans, 2440
- BEACH Trial: Early Outcomes of Carotid Wallstent and FilterWire EX/EZ Distal Protection System Placement for Treatment of High Surgical Risk Patients, 2998
- Cardiovascular Training Effect Associated with Polestriding Exercise in Patients with Peripheral Arterial Disease, 3083
- Chronic Mesenteric Ischemia: Percutaneous Treatment with Endovascular Stent Placement, 2851
- Circulating Levels of Matrix Metalloproteinase-9 and Tissue Inhibitor of Metalloproteinase-1 are Increased in Angiographically Proven Peripheral Arterial Disease and Associated with Disease Severity, 2436
- Delayed Calf Muscle Phosphocreatine Recovery Postexercise Identifies Peripheral Arterial Disease, 2443
- Dobutamine Stress Echocardiography in Patients with Peripheral Arterial Disease: Prognostic Significance of Chronotropic Response, 2221
- Effects of Exercise and Ischemia on Mobilization and Functional Activation of Blood-derived Progenitor Cells in Patients with Ischemic Syndromes, 3671
- Effects of Percutaneous Transluminal Angioplasty (PTA) and Endovascular Brachytherapy (EVB) on Vascular Remodeling of Human Femoropopliteal Artery by Noninvasive MRI, 3004
- Elevated Hemostatic and Inflammatory Markers are Associated with Decreased Ankle-Brachial Index, 3741
- Erythrocyte Sedimentation Rate and C-Reactive Protein in Peripheral Vascular Disease, 1777
- Five-Year Follow-Up after Endovascular Brachytherapy for the Prevention of Restenosis after Femoropopliteal Angioplasty, 3003
- How to Guide Stent-graft Implantation in Aortic Type B Dissection?, 3113
- Impact of C-reactive Protein on the Likelihood of Peripheral Arterial Disease in US Adults with Metabolic Syndrome, Diabetes, and Pre-existing Cardiovascular Disease, 2441
- Impact Of Glutathione Peroxidase 1 Activity On Cardiovascular Prognosis Of Patients With Atherosclerosis, 3649
- In Vivo Distribution and Expression of FGF-1 Transgene in Patients with Severe Peripheral Arterial Occlusive Disease (PAD), 2438
- Inflammatory Markers and Peripheral Vascular Disease in NHANES 1999-2000, 3740
- Liposomal Hsp90 cDNA Transfection Initiates Neovascularization In Chronic Ischemic Hindlimbs: Evidence For A Microvasculature Trigger Mechanism, 533
- Low Plasma Phospholipid Transfer Protein (PLTP) is a Risk Factor for Peripheral Arterial Disease, 557
- Nitrospirin Prevents Effort-Induced Endothelial Dysfunction in Intermittent Claudication, 2437
- Once-Only Intramuscular Delivery Of Fc-Fusion Interleukin-10 Plasmid By Electroporation Reduces Neointima Formation In Hypercholesterolemic Mice, 662
- Plasma Adiponectin in Peripheral Arterial Occlusive Disease, 1773
- Plasma concentration of Matrix Metalloproteinase 9 and prognosis of patients with atherosclerosis in multiple vascular regions, 3713
- Plasma Levels of Tumor Necrosis Factor α and Neopterin are Independent Predictors of Mortality in Critical Limb Ischemia, 2442
- Prevention of Limb-threatening Ischemia By PAI-1 Knockdown in a Diabetic Model of Peripheral Vascular Disease, 1097
- Results of the START Trial: Stimulation of ARTeriogenesis using Subcutaneous Application of GM-CSF as a New Treatment for Peripheral Vascular Disease, 2179
- Risk Factors for peripheral Arterial Disease Incidence in Persons with Diabetes: the Atherosclerosis Risk in Communities Study, 3610
- Slow-Flow Phenomenon During Carotid Artery Stenting With Embolic Protection Devices: Predictors and Clinical Outcome, 2850
- Suppression of Anastomotic Intimal Hyperplasia in Rabbit Hypercholesterolemic Model Using Chimeric Decoy Oligodeoxynucleotides (ODN) Against NF κ B and E2F, 1772
- The Effects of Therapeutic Angiogenesis by Autologous Bone Marrow Transplantation Return to Baseline Levels in 1-Year Follow-Up, 325
- The Estimated Ethnic Specific Prevalence of Peripheral Arterial Disease in the United States, 2000, 3773
- Peripheral vasculature**
- The Waveform Index of Ophthalmic Artery can Predict the Impaired Coronary Flow Reserve, 1792
- Low Levels of High-Density Lipoprotein Cholesterol Are Associated With Vascular Remodeling in Cardiac Transplant Recipients, 2059
- Perivascular Paclitaxel Polymers Reduce Neointimal Hyperplasia and Venous Stenosis in PTFE Arteriovenous Grafts: A Solution for Hemodialysis Vascular Access Dysfunction?, 1770
- Placement of Transvenous Leads Across Chronic Occlusions—A Novel Approach, 3248
- Repeated Thermal Therapy Upregulated Endothelial Nitric Oxide Synthase and Augmented Ischemia-induced Angiogenesis in Apolipoprotein E-deficient Mice, 1460
- Reversal of Vascular Dysfunction in Subjects at Risk of Type 2 Diabetes Mellitus, 3855
- Sildenafil in the Treatment of Raynaud's Phenomenon Resistant to Vasodilatory Therapy, 2444
- Sirolimus-Eluting Stents Abolish Intimal Hyperplasia And Improve Flow in Porcine Arteriovenous Grafts, 2997
- The Phosphodiesterase Type 5 Inhibitor Vardenafil Increases Peripheral Blood Flow in Patients with Raynaud Syndrome, 672
- Voluntary Running Induces Fiber Type-Specific Angiogenesis in Mouse Skeletal Muscle, 529
- Women with Chest Pain and Normal Coronary Arteries Have Increased Arterial Stiffness by Radial Artery Tonometry: A Report from the Women's Ischemia Syndrome Evaluation (WISE), 2445
- Peroxynitrite**
- Direct Regulation of SERCA Activity by S-Glutathiolation at Cys674 by Peroxynitrite, 427
- The Endothelial S-Nitroso-Proteome: Mitochondrial Localization and Target Protein Identification, 1591
- Pharmacokinetics**
- Intravenous Enoxaparin in Patients Undergoing Percutaneous Coronary Intervention: A Bayesian Approach Based Study, 2864
- Suppression of NFAT-Regulated Gene Expression in Peripheral Blood Cells of Cardiac Allograft Recipients Correlates Closely with 2 Hour Post-Dose Cyclosporine Levels, 3294
- The CYP3A5 Polymorphism is Associated with Clopidogrel Resistance and a Predictor of Cardiovascular Event after Stenting, 1821
- Pharmacology**
- β 2AR-Glu27 Associates With Hypertriglyceridemia to β -blockers and Causes Insulin Resistance in vitro, 2039

Acetylcysteine Prevents Contrast-Induced Nephropathy In Patients Undergoing Coronary Angiography Using Low-Osmolar Contrast Media But Not In Patients Submitted To Iso-Osmolar Contrast Media - A Meta-Analysis, 1794

Angiotensin II Increases Myocardial Distensibility: A Novel Endothelial and AT₁-Mediated Effect, 137

Annexin A5-Scintigraphy of Forearm Skeletal Muscle as a Novel Tool to Study Ischemia-Reperfusion Injury in Humans in Vivo, 2054

Atorvastatin Inhibits Lrp5/Wnt Mediated In vitro Aortic Valve Cell Proliferation and Bone Matrix Production , 3281

Carbon Monoxide Protects Against Cardiac Ischemia-Reperfusion Injury In Vivo via MAPK and Akt-eNOS-cGMP Pathways, 232

Cardioprotection By The Novel Delta Opioid FIT Persists For 5 Days After Administration And Occurs Via Phosphatidylinositol-3 Kinase (PI3k), 512

Characterization of the Reconstituted Mitochondrial Ca Uniporter from the Human and Rat Heart: A Different Player from the Mitochondrial Ryanodine Receptor?, 973

Comparative Effects of Microplasma and Tissue Plasminogen Activator on Ischemic Brain Damage, Neurological Function, and Cerebral Hemorrhage in a Middle Cerebral Artery Occlusion Model, 707

Conivaptan, a Novel V_{1A} and V₂ Antagonist, Increases Serum Sodium and Effective Water Clearance in Patients with Hyponatremia, 3345

Do Selective Cox-ii Inhibitors Cause More Blood Pressure Elevation than Nonselective Nsaids?, 2045

Does the Use of Beta-Blocker or Choice of Beta-Blocker Impact the Defibrillation Threshold?, 2907

Doxorubicin-induced Degradation of Transcription Factor GATA4 Is Mediated by the Ubiquitin-Proteasome System, 637

Effects of Spironolactone and Canrenone Acid on Kv4.3 and KCNQ1+KCNE1 Channels, 471

Efficacy of the Vasopressin V_{1A}/V₂ Antagonist Conivaptan in Patients with Euvolemic or Hypervolemic Hyponatremia, 3347

Gα₁₃ Regulates NFAT Activity through ROS Production in Cardiac Fibroblasts, 1229

Importance of Early Initiation of Anti-Tumor Necrosis Factor-α with huTNFR:Fc for Slowing the Progression of Heart Failure in Rats , 2780

Increased cAMP Phosphodiesterase Expression in Human Pulmonary Artery Smooth Muscle Cells from Patients with Primary Pulmonary Hypertension, 1771

Increased Risk of Adverse Events with Gemfibrozil Relative to Fenofibrate, 3755

Interleukin-6 and Mevastatin Regulate Expression of Plasminogen Activator Inhibitor Type-1 Through C/EBPβ in Intact Live Cells: Direct Demonstration by Chromatin Immunoprecipitation Assay, 538

Intravenous Nicorandil Before Percutaneous Coronary Intervention Has Pharmacological Preconditioning Effects in Patients With Acute Myocardial Infarction, 498

Levosimendan Improves Postresuscitation Myocardial Function in a Porcine Model of Cardiac Arrest and Resuscitation, 1856

Long-term Aldosterone Synthase Inhibition Improves Cardiac Function and Myocardial Structure in Chronic Heart Failure, 2407

Long-Term Efficacy of Medical Treatment in Patients with Hypertrophic Obstructive Cardiomyopathy: Role of Combined Therapy with β-Blocker and Class I Antiarrhythmic Drug, 2791

Novel Vasopressin V_{1A} and V₂ Antagonist (Conivaptan) Increases Serum Sodium Concentration and Effective Water Clearance in Patients with Hyponatremia, 3346

Opening of Mitochondrial Ca²⁺-Activated K⁺ Channels by NS1619 Attenuates the Mitochondrial Ca²⁺ Overload with Accompanying Depolarization of the Mitochondrial Membrane, 986

Quabain Antagonists and Na/Ca Exchange Inhibitor Block Quabain-Induced Increase in Myogenic Tone in Mouse Small Arteries, 792

Pantoprazole Induces A Dose-Dependent And Reversible Depression Of Contractile Function In Human Myocardium, 141

Parental Factors Impacting the Enrollment of Children in Cardiac Critical Care Clinical Trials, 2079

PDE5A Inhibition Attenuates Cardiac Hypertrophy and Hypertrophy Signaling Cascades In Vivo, 298

Predicting Mortality In Survivors Of Acute Coronary Syndrome Using The 4 Drug (4 D) Score: Risk Stratification By Discharge Medication, 2345

Preservation of Platelet Responsiveness to Nitroglycerin Despite Development of Vascular Nitrate Tolerance, 3261

Regulation of Cardiovascular Remodeling by STI571, an Inhibitor of PDGF Receptor Tyrosine Kinase, 545

Relative Safety of Extended-Release Niacin versus Other Niacin Formulations, 3757

Remodeling of T3-responsive Gene Transcription in Rat Hearts by Chronic Amiodarone, 467

Short-Term Statin Therapy, but Not Lipid-Lowering with Ezetimibe, Improves Endothelial Function in Patients with CAD: Clinical Evidence for the Relevance of Pleiotropic Effects of Statins, 374

The Discovery of Nitrololeate (LNO2) as a Novel Endogenous PPARγ Ligand, 1217

The Plasminogen-Activating System Plays a Neuromodulatory Role in Sympathetic Nerves , 956

Thiazolidinedione Therapy Associated with Improved Clinical Outcomes in Heart Failure Patients with Diabetes, 2411

Tissue-plasminogen Activator Releases Norepinephrine from Sympathetic Nerves via a Plasmin- and Plasminogen-independent Mechanism, 1407

Treatment of Heart Failure through Ryanodine-Receptor-Stabilizing Protein Calstabin2, 307

Phosphatases

3-Iodothyronamine is a Novel Endogenous Modulator of Cardiac Inotropic State, 1234

Atrial Fibrillation-Associated Loss of the Background K⁺ Current TASK-1 is Reversed by Phosphatase, 470

Cardiac Gene Transfer of Protein Phosphatase 1 Inhibitor-2 Restores Left Ventricular Function in Progressive Hamster Cardiomyopathy , 772

Contractile Dysfunction in Human Chronic Atrial Fibrillation is Associated with Hyperphosphorylation of Phospholamban and Phosphatase Inhibitor-1, 64

Endothelial Cell Nox4 is Localized to the Endoplasmic Reticulum and Modulates Protein Tyrosine Phosphatase Oxidation, 749

ERK Dual Phosphorylation is Negatively Regulated by Ischemic p38MAPK Activation in Adult Rabbit Cardiomyocytes, 133

Evidence for Involvement of PP1 in Smooth Muscle Contractility, 1067

Extracellular ATP Antagonizes Thrombin-induced Hyperpermeability by Activation of Myosin Light Chain Phosphatase, 1010

Ischemia-reperfusion (I/R) Reveals Differential Regulation in the Phosphorylation of Ser-2809 Site of the Ryanodine Receptor (RyR2) and Phospholamban (PLN) Phosphorylation Sites, 937

MAP Kinase Phosphatase-2 (MKP-2) Gene Expression is Mediated Via the PKC/ERK Signaling Cascade in Cardiac Hypertrophy, 1258

Nitric Oxide Attenuates Aortic Smooth Muscle Cell Motility via Decrease of Small GTPase Rac1 Activity: Role of PTP-PEST and p130Cas, 419

Nitric Oxide Stabilizes Endothelial Barrier Function Via Activation Of Myosin Light Chain Phosphatase, 653

Phosphorylation Status of Matrix Metalloproteinase-2 and Potential Role in Myocardial Ischemia-Reperfusion Injury, 1279

Phosphorylation-Dependent Regulation of L-Type Calcium Currents Is Impaired During Human Chronic Atrial Fibrillation, 611

Proteasome Inhibition Reduces Endothelial Nitric Oxide Synthase Function through Serine 1179 Dephosphorylation, 577

PTEN Binds and is Stabilized by Thromboxane A2 Receptors Resulting in Abrogation of the Src/FAK Pathway and Endothelial Migration, 829

Role of Epidermal Growth Factor Receptor Transactivation in Focal Adhesion Kinase Downregulation During Neutrophil Cathepsin G-Induced Myocyte Anolxis , 979

SH2-containing Protein Tyrosine Phosphatase (SHP2) Functioning in LIF-induced Signaling Pathway Inhibits Skeletal α-actin Gene Expression in Cardiomyocytes, 36

The Tyrosine Phosphatase Shp-2 Serves as a Negative Regulator of H₂O₂-induced Nuclear Export of Telomerase Reverse Transcriptase (TERT), 418

Therapeutic Targeting of the Type 1 Phosphatase Activity in Murine Models of Cardiomyopathy, 96

Plasminogen activators

A DNA Enzyme Against Plasminogen Activator Inhibitor type 1 Reduces Smooth Muscle Cell Proliferation And Neointima Formation Following Balloon Injury, 708

Ablation of MEK1 Suppresses Vascular Remodeling by Attenuation of Both Smooth Muscle Cell Invasion and uPA Expression in Blood Flow Cessation Model of Mice, 1505

Angiogenic Gene Therapy Using Urokinase Gene Stimulates Angiogenesis in Infarcted Rat Hearts, 48

B₁ Kinin Receptor Does Not Mediate Vasodilatation or Endothelial t-PA Release in Patients with Heart Failure Treated with Angiotensin-converting Enzyme Inhibition, 2410

B₂ Receptor BE1 Insertion/deletion Polymorphism Influences the Vasodilatory Response to Exogenous Bradykinin, 2015

Circadian Clock Genes Cause Activation of the Human PAI-1 Gene Promoter with 4G/5G Allelic Preference, 839

Genetic Dissection of the Roles of Renin-Angiotensin-Aldosterone System and Biological Clock in Circadian Expression of Plasminogen Activator Inhibitor-1 (PAI-1), 543

Hyperinsulinemia can Induce Cardiac and Adipose PAI-1 Expression in Vivo Without IRS-1: Supercompensation by Alternative Insulin Receptor Substrates, 413

Immunotargeting of Tissue Type Plasminogen Activator to Circulating Red Blood Cells, 705

Induction of Adipose PAI-1 by Hyperinsulinemia in Vivo is the Major Determinant of Hypofibrinolysis in Obesity and Does not Require Insulin Receptor Substrate (IRS)-1: Direct Demonstration in Vivo Using IRS-1 Knockout Mice, 838

Induction of Plasminogen Activator Inhibitor-1 Production by Hepatocyte Growth Factor in Liver and its Potential Clinical Implications for Angiogenesis, 541

Interleukin-6 and Mevastatin Regulate Expression of Plasminogen Activator Inhibitor Type-1 Through C/EBP δ in Intact Live Cells: Direct Demonstration by Chromatin Immunoprecipitation Assay, 538

Lack of Urokinase Plasminogen Activator Promotes Instability of Vascular Lesions in Apolipoprotein E-Knockout Mice, 590

Novel Echogenic Tissue Plasminogen Activator-Loaded Liposomes for Site-Specific Thrombolysis, 2390

PAI-1 is a Determinant of Coronary Vasomotor Function in Insulin Resistance, 1475

Rising Levels of CRP and PAI-1 After Plaque Disruption Are Associated with Thrombosis, 1486

Salutary Effects of Attenuation of Angiotensin II Mediated JNK Signaling on Coronary Perivascular Fibrosis Associated with Insulin Resistance and Obesity, 1539

Serpins - A Link between The Thrombolytic and Innate Immune Response Pathways, 837

Streptokinase Undergoes Autoproteolysis that Reduces the Efficiency of Plasminogen Activation, 539

The Plasminogen-Activating System Plays a Neuromodulatory Role in Sympathetic Nerves, 956

Tissue-plasminogen Activator Releases Norepinephrine from Sympathetic Nerves via a Plasmin- and Plasminogen-independent Mechanism, 1407

Platelet receptor blockers

Clopidogrel Loading with Eptifibatide to Arrest the Reactivity of PLATELETS: The CLEAR PLATELET Study, 1819

Abciximab and Angiographic Restenosis After PCI ? Results from the Angiographic Substudy of a Randomized Trial Evaluating Abciximab in Patients with Elective PCI After Pretreatment with a High Loading Dose of Clopidogrel - ISAR-REACT, 3499

Effect of Platelet Glycoprotein IIb/IIIa Inhibitor Treatment on In-Hospital Mortality Among Patients Treated With Angioplasty for Acute Myocardial Infarction, 3072

Sustained ADP Receptor Stimulation Causing Cyclic Increase in Intracellular Calcium Ion Concentration Is Necessary for Stabilizing Platelet Thrombi under Blood Flow Conditions, 346

The Arginyl-Glycyl-Aspartyl Epitope of Human Apolipoprotein(a) Inhibits Platelet Aggregation by Antagonizing the IIb Subunit of the Fibrinogen (GPIIb/IIIa) Receptor, 1578

Triple versus Dual Antiplatelet Therapy after Coronary Stenting: Impact on the Stent Thrombosis, 1822

Platelets

Evidence for a Role of the CD40/CD40 Ligand (CD40L) Pathway in Primary Hemostasis and Platelet Function, 1575

Clopidogrel Loading with Eptifibatide to Arrest the Reactivity of PLATELETS: The CLEAR PLATELET Study, 1819

A Link Between Infection and Thrombosis: Role of TLR4 in Platelet Reactivity, 1570

Active Transport of ADP into Platelet Dense Granules: Role of the Multidrug Resistance Protein 4 (MRP4/ABCC4), 1029

Angiotensin-(1-7) Potentiates the Antiaggregatory Effects of Nitric Oxide, 1033

Aspirin Resistance Is Associated With Markers of Platelet Activation and Is Not Accounted For By Noncompliance Or Aspirin Underdosing, 1032

Aspirin Resistance: An Underrecognized Risk Factor in Early Vein Graft Thrombosis After Off-pump Coronary Artery Bypass (OPCAB), 1194

Aspirin-Insensitive Myocardial Infarction Is Associated With Overexpression Of Cyclooxygenase-2 In Coronary Thrombi, 354

Circulating Platelet but not Endothelial Microparticles are Elevated in Atrial Fibrillation, 1034

Days on Intravenous Heparin Predicts Thrombocytopenia and Drop in Platelet Count on Heparin Predicts Mortality: Findings from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 2604

Deficiency of Matrix Metalloproteinase-2 (MMP-2) Protects Mice against Platelet-Dependent Thrombosis, 1098

Development of Novel Cell Delivery System for Therapeutic Angiogenesis-Targeted Delivery of Bone Marrow Cells by Ultrasound Destruction of Microbubbles, 671

Effect of P-Selectin on Phosphatidylserine Exposure and Surface-Dependent Thrombin Generation on Monocytes, 833

Endocardial Nitric Oxide and Thrombogenesis in Atrial Fibrillation, 1470

Enhanced Platelet Adhesion Following Selective Inhibition of Cyclooxygenase-2 in Hamster Arterioles in vivo, 352

Enhancement of in vivo Clot Visualization and Ultrasound Thrombolysis Using Microbubbles Targeted to Activated Platelets, 3460

Evaluation and Outcomes of Thrombocytopenia Developing While on Heparin Among Cardiac Care Unit Patients: Insights from the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1767

Evolution of a Functionally Active Translational Machinery in an Anucleate Cell: Transfer of Translational Components to Proplatelet Granules and Membranes During Thrombopoiesis and Redistribution of the Translational Apparatus to mRNA-Rich Areas during Platelet Activation, 345

Functional Reconstitution of CD39 into Phospholipid Vesicles, 1030

Gp91phox-Dependent Platelet Recruitment, 350

Helicobacter pylori Infection Causes Persistent Platelet Activation in Vivo through Enhanced Lipid Peroxidation, 1353

Heparan Sulfate Proteoglycan Glypican-3 Activates the Platelet Integrin α IIb β 3, 889

High-Throughput Screening Identifies Genetic Variants Associated with Variability in Platelet Function, 3329

HMG-CoA Reductase Inhibitor Protects Against in Vivo Arterial Thrombosis by Augmenting Platelet-Derived Nitric Oxide Releases via Upregulation of Platelet Nitric Oxide Synthase in Rats, 535

Identification of Apolipoprotein E Receptor 2' as the Low-Density Lipoprotein Receptor on Platelets, 1577

In Vitro Tests of Aspirin Resistance are Poorly Correlated and Identify Distinct Subgroups with Aspirin Resistance, 1037

Indices of Platelet Activation as Markers of Recent Myocardial Infarction, 2120

Lack of GPIIb Integrin Attenuates Atheroprotection and Cerebral Ischemia-Reperfusion Injury in Mice, 1211

Limited Correlation between Plasma, Serum, and Surface Expressed CD40 Ligand in Patients with Acute and Chronic Cardiovascular Disease, 2122

Mediterranean-inspired Diet Reduces the Number of Leukocytes and Platelets and Decreases Vascular Endothelial Growth Factor in Healthy Subjects, 3832

Opposing Effects of C-Reactive Protein Isoforms on Shear-induced Neutrophil-Platelet Adhesion and Neutrophil Aggregation in Human Whole Blood, 1484

P2X1 Mediates Platelet Activation Through ROCK-Dependent And -Independent Mechanisms, 348

Pharmacodynamic Interaction of Naproxen with Low-Dose Aspirin in Healthy Subjects, 1031

Platelet Activation by Oxidized Low-Density Lipoprotein is Mediated by CD36 and Scavenger Receptor-A, 1576

Platelet Antioxidant Activity and Nitric Oxide Signaling System in Ischemic Heart Disease, 1038

Platelet Expression of CD40 and CD40 Ligand during Persistent Atrial Fibrillation, 3432

Polymorphisms Of The GP IIIa And P2Y12 Receptors And Modulation Of Antiplatelet Effects Of Combined Aspirin And Clopidogrel Treatment, 2013

Possible Role of Myeloid Related Protein (MRP) 8 and MRP14 in Progression of Coronary Artery Lesions in Acute Kawasaki Disease, 1843

Prevention of Experimental Coronary Artery Thrombosis by the Novel Von Willebrand Factor Antagonist GPG-290, 710

Quercetin-glucuronide (QG) Prevents Microcirculatory Complications Acutely Caused by Simultaneously Activated PMN and Platelets (P) in the Human Heart, 599

Racial Differences in Platelet Aggregation Using PFA-100, 3032

Recovery of Thromboxane Biosynthesis by Aspirin-Treated Platelets in vitro: A Novel Mechanism of Aspirin Resistance, 1035

Role of CD40 Ligand in Response to Arterial Denudation Injury in Hyperlipidemic Apolipoprotein E-Deficient Mice, 664

Role of O-GlcNAc in Platelet Activation and Function, 349

Significance of Enhanced P-Selectin Expression on Platelets and Decreased Thrombomodulin in Patients with Cyanotic Congenital Heart Disease, 2882

Sildenafil Abolishes Cyclic Coronary Occlusion in a Canine Model of Platelet-Mediated Coronary Occlusion after Thrombolysis, 714

Soluble CD40 Ligand Influences Platelet Release of Reactive Oxygen Intermediates, 1574

Stress-induced Amplification of Vascular Occlusion: A Novel Neuronal-Megakaryocyte Link, 1017

Sustained ADP Receptor Stimulation Causing Cyclic Increase in Intracellular Calcium Ion Concentration Is Necessary for Stabilizing Platelet Thrombi under Blood Flow Conditions, 346

The Arginyl-Glycyl-Aspartyl Epitope of Human Apolipoprotein(a) Inhibits Platelet Aggregation by Antagonizing the IIb Subunit of the Fibrinogen (GPIIb/IIIa) Receptor, 1578

The Platelet Collagen Receptor Tiiicbp Plays A Critical Role In Mouse Arterial Thrombosis, 351

The Role of Endothelial- Versus Blood Cell-Associated Angiotensin II Receptor-1 in the Microvascular Responses to Acute Hypercholesterolemia, 667

Time Dependence and Variability of Platelet Inhibition after a Loading Dose of Clopidogrel 600 mg in a Large Unselected Cohort of Patients Scheduled for Percutaneous Coronary Intervention, 3442

Withholding Direct Thrombin Inhibitor Therapy While Awaiting Laboratory Confirmation of Heparin-Induced Thrombocytopenia Is Associated with an Increased Rate of Thromboembolic Complications: Results of the Complications After Thrombocytopenia Caused by Heparin (CATCH) Registry, 1768

Positron emission tomography

- Angiotensin Receptor Blockade with Valsartan Normalizes Coronary Endothelial Function in Prediabetic Subjects, 377
- Does Delayed Contrast Enhancement in Hypertrophic Cardiomyopathy Represent Myocardial Fibrosis Only? Comparison of two markers of fibrosis using MRI and PET, 3053
- ECG-Gated Rubidium-82 Myocardial Perfusion PET Imaging: A Multiexpert Comparison With Technetium-99m Sestamibi SPECT, 2841
- Effect of Exercise Training on Myocardial Blood Flow in Patients with Stable Coronary Artery Disease, 2606
- Index of Coronary Circulatory Function in Response to Cold Pressor Correlates with Calculated Framingham CHD Risk Score in Men with Metabolic Syndrome Components, 3050
- Liposome-Encapsulated Hemoglobin Ameliorates Cerebral Infarction in the Monkey as Shown on Positron Emission Tomography, 2279
- More Severe Perfusion Defects with Treadmill Exercise Compared to Dipyridamole Stress, 3049
- Myeloperoxidase, a Novel Marker of Oxidative Stress, is Strongly Associated with Subclinical CAD Measured by Means of Positron Emission Tomography, 2917
- Myocardial Fractional Fatty Acid Uptake Predicts Left Ventricular Diastolic Dysfunction, 3561
- Myocardial Perfusion as Measured with Real-Time Myocardial Contrast Echocardiography in Healthy Volunteers Correlates with Positron Emission Tomography, 3324
- Myoglobin - a Switch for Cardiac Substrate Selection, 114
- Noninvasive Assessment of Right Ventricular Pressure Overload and the Effect of Epoprostenol Using Gated [¹⁸F]fluorodeoxyglucose PET in Patients with Pulmonary Hypertension, 3054
- Occurrence of Diabetes in Idiopathic Left Ventricular Dysfunction: Prevalence and Relationship with Myocardial Perfusion and Function, 2763
- PAI-1 is a Determinant of Coronary Vasomotor Function in Insulin Resistance, 1475
- Positron Emission Tomographic Imaging with [¹¹C] Pyridostigmine Analogs Detects Phenol-Induced Attenuation of Canine Cardiac Parasympathetic Innervation, 2055
- Transmembrane Protein vs Intracellular Enzyme as Reporter Gene Product for Cardiac Gene Imaging, 2046
- Transplantation of Blood-Derived Progenitor Cells after Recanalization of Chronic Coronary Artery Occlusions: Impact on Coronary Vasomotion and Left Ventricular Remodeling, 1562
- Potassium**
- A Common Antitussive Drug, Clobutinol, Precipitates the Long-QT2 Syndrome, 73
- Acute Hyperglycemia Impairs K_{ATP} Channel-Mediated Coronary Microvascular Responses, 596
- Adenovirus-Mediated Expression of a Ca^{2+} -Activated K^{+} Channel in Mouse Hearts, 399
- Characterization of a hERG Voltage Clamp Screen Using the IonWorks HT Platform and Comparison to a hERG Rubidium Efflux Screen, 475
- Delayed Rectifier Voltage-gated K^{+} Channels Localize into Distinct Sphingolipid/Cholesterol Enriched Membrane Microdomains, 280
- Electropharmacologic Effects of Class I and Class III Antiarrhythmic Drugs on Dispersion of Atrial Repolarization in Patients with Paroxysmal Atrial Fibrillation, 2171
- Functional Link between Na Channels and I_{to} Revealed by Posttranscriptional Gene Silencing of $Na_v\beta_1$ in Cardiac Myocytes, 283
- Isolation, Identification, and Characterization of a New Potassium Channel, 69
- Kir6.2-Deficient Mice are Susceptible to Stretch-Induced Secretion of Atrial Natriuretic Peptide: K_{ATP} Channel Acts as a Negative Feedback Mechanism?, 71
- Mechanism by which Levosimendan Improves Outcome of CPR, 2485
- Mode of Positive Inotropic Action of the Novel Atrial K^{+} -Channel Blocker AVE0118, 1525
- Mutation in the KCNQ1 Gene Leading to the Short-QT-Interval Syndrome, 1105
- NPR-C, the Natriuretic Peptide "Clearance Receptor," Mediates Cardiac Myocyte Na^{+} - K^{+} Pump Activation, 932
- Opening of Mitochondrial Ca^{2+} -Activated K^{+} Channels by NS1619 Attenuates the Mitochondrial Ca^{2+} Overload with Accompanying Depolarization of the Mitochondrial Membrane, 986
- Regulation of Cardiac KChIP2 Expression by Hypertrophy-Inducing Stimuli, 400
- Rho-GTPase Activating Protein 6 a Regulator of HERG Channel, 284
- Risk/Benefit Analysis of Hyperkalemia on Clinical Outcomes in EPHEBUS, 3340
- Spontaneous Pulmonary Hypertension in Fawn Hooded Rats Results From a Mitochondrial Defect that Impairs O_2 Sensing, 1192
- The Role of the Mitochondrial K_{ATP} Channel in Myocyte Osmotic Stress, 2367
- Pregnancy**
- Alterations of Left Ventricular Function in Hypertensive Pregnant Women, 3376
- Echo Insights Into Peripartum Cardiomyopathy in Haiti, 3295
- Estimating the True Prevalence, Mortality and Morbidity of Peripartum Cardiomyopathy, 2435
- Ethnic Differences in the Association between Birth Weight and Childhood Obesity, 3602
- Evaluation Of B-type Natriuretic Peptide (BNP) Levels In Normal And Preeclamptic Women, 3153
- Learning From a Population-based Peripartum Cardiomyopathy Registry, 3364
- Myocardial Restricted Overexpression of Membrane Type-1 Matrix Metalloproteinase Causes Postpartum Cardiomyopathy, 2777
- Outcomes of Children with Fetal or Postnatal Diagnosis of Heterotaxy Syndromes: A Single Institution's Experience since 1990, 2336
- Peripartum Cardiomyopathy: Inflammatory Markers as Predictors of Outcome in 100 Prospective Studied Patients, 3476
- Prolactin Confers Cardioprotective Effects Postpartum via the JAK2-STAT3 Signaling Pathway, 30
- Pressure - volume relation**
- β_2 -Adrenergic Receptor Blockade Enhances Cardiac Positive Inotropic and Lusitropic Responses to Dobutamine in Heart Failure: Assessment by Pressure-Volume Analysis, 2035
- Allopurinol Ameliorates Cardiovascular Dysfunction in Dogs with Pacing-Induced Heart Failure, 2793
- Cardiac Repair with Mesenchymal Stem Cells following Myocardial Infarction in Pigs, 815
- Cardiac-Specific Inhibition of G Protein-Coupled Receptor Kinase-3 in Transgenic Mice Causes Preload-Intolerant, Hyperkinetic Myocardium and Hypertensive Phenotype, 1094
- Chronic Xanthine Oxidase Inhibition Attenuates the Development of β -adrenergic Hyporesponsiveness and Altered Calcium Cycling Proteins in Chronic Pacing-Induced Heart Failure, 2952
- Deficiency for the G Protein-Coupled Receptor Mas Leads to Cardiomyopathy, illustrating the Importance of its Endogenous Ligand Angiotensin-(1-7) for Cardiac Function, 1090
- Divergent Effects of a Nox2-containing NADPH Oxidase on Cardiac Contractile Function and Hypertrophy after Imposition of Chronic Pressure Overload, 633
- Doppler-derived Ejection Intraventricular Pressure Gradients Provide a Reliable Assessment of Left Ventricular Contractility, 1997
- Left Ventricular Pressure-Volume Relationship in Conscious Mice, 3373
- Low Incidence of Myocardial Recovery in LVAD Patients due to Increased Collagen Cross-Linking and Myocardial Stiffness, 1124
- Omapatrilat Improves Left Ventricular Arterial Coupling and Mechanical Efficiency and Restores Normal Exercise Response in Heart Failure, 3371
- Physiologic Compensation is Supranormal in Advanced Aortic Stenosis: Does it Return to Normal after Aortic Valve Replacement? An MRI LV Torsion Study Using 3D-HARP, 2661
- Pressure-Volume Plane Analysis to Determine Optimal Ventricular Pacing Lead Position in Patients With Normal QRS Duration, 2815
- Prevention**
- N-Acetylcysteine Prophylaxis Significantly Reduces the Risk of Radiocontrast-Induced Nephropathy: Comprehensive Meta-Analysis, 1797
- Effects of Antibiotic Treatment on Outcomes of Patients with Coronary Artery Disease: A Meta-Analysis, 2118
- A Comparison of Lipid Variables as Predictors of Coronary Death: Findings from an Individual Participant Meta-Analysis of 22 Cohort Studies, 3784
- A Meta-Analysis of Hormone Replacement Therapy and Cardiovascular Disease, 3520
- A Personal Health Planning Intervention to Modify Dietary and Exercise Behavior, 3571
- A Randomized Trial Assessing the Impact of Cardiovascular Risk Factor Case Management on the Metabolic Syndrome, 3707
- Acarbose, an α -glucosidase Inhibitor, Reduces Myocardial Infarction Size in Rabbits by Opening the Mitochondrial K_{ATP} Channels, 3639
- Anaerobic Periodontal Infection, Coronary Heart Disease, and the Acute Coronary Syndrome, 1686
- Are Improvements in Cardiovascular Care Associated with the American Heart Association's Get With The Guidelines Program Sustained Over Time?, 3618
- Bone Marrow-Derived Endothelial Progenitor Cells Significantly Contribute To Exercise-Mediated Improvements Of Endothelial Repair, 698
- Coronary Heart Disease in Siblings as Predictor of Sudden Cardiac Death and Coronary Events, 3653
- Cutting Blood Pressure in Barbershops, 3545
- Do Typical Symptoms Predict the Presence of Angiographic Coronary Artery Disease in Women Compared With Men Undergoing Coronary Angiography?, 2215
- Does Advanced Lipoprotein Testing Improve Identification of Subclinical Atherosclerosis in Young Adults? The Bogalusa Heart Study, 3758
- Does Get With The Guidelines - Coronary Atery Disease Reduce Treatment Disparities Among Different Racial and Ethnic Groups?, 3700