

Ex. 1005

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Appln. No.: 13/476,388 : Confirmation No.: 2734  
Applicant: Mark Penley Boomgaarden : Group Art Unit: 2875  
Filed: May 21, 2012 : Examiner: N/A  
Docket No.: LSG0347USP

For: LOW PROFILE LIGHT AND ACCESSORY KIT FOR THE SAME

July 29, 2013

**PRELIMINARY AMENDMENT**

Mail Stop Non-Fee Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Prior to examination on the merits, please amend the above-identified application as follows:

**Amendments to the claims** begin on page 2.

**Remarks** begin on page 5.

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listing, of claims in the application:

### Listing of Claims:

1. (currently amended) A luminaire and accessory kit in combination, the combination comprising:

a luminaire, comprising:

a heat spreader; a heat sink disposed in thermal communication with the heat spreader; a light source comprising a plurality of light emitting diodes (LEDs) disposed in thermal communication with the heat spreader; a power supply electrically connected to the light source; an electrical supply line having a first end connected to the power supply, and a second end connected to a plug-in connector; and, an optic disposed in optical communication with the LEDs ~~securely retained relative to at least one of the heat spreader and the heat sink;~~ and

an accessory kit, comprising:

at least one of: a first pre-wired jumper comprising a pair of insulated electrical wires having a first plug-in connector electrically connected at one end and an Edison base electrically connected at the other end; and, a second pre-wired jumper comprising a pair of insulated electrical wires having a second plug-in connector electrically connected at one end and ~~unconnected~~ cut wire ends at the other end;

wherein the plug-in connector of the first pre-wired jumper and the second pre-wired jumper are each configured to electrically engage with the plug-in connector of the electrical supply line.

2. (original) The combination of Claim 1, wherein the accessory kit includes both the first pre-wired jumper and the second pre-wired jumper.

3. (original) The combination of Claim 1, wherein the heat sink is substantially ring-shaped, and is disposed around and coupled to an outer periphery of the heat spreader.

4. (original) The combination of Claim 1, wherein the heat spreader, the heat sink and the optic, in combination, have an overall height H and an overall outside dimension D such that the ratio of H/D is equal to or less than 0.25.

5. (original) The combination of Claim 1, wherein the heat spreader, the heat sink and the optic, in combination, are so dimensioned as to cover: an opening defined by a nominally sized four-inch can light fixture; and, an opening defined by a nominally sized four-inch electrical junction box.

6. (original) The combination of Claim 1, wherein the LEDs are disposed on the heat spreader, the heat spreader being configured to dissipate heat from the LEDs.

7. (original) The combination of Claim 1, wherein the accessory kit further comprises a set of springs, each spring having a first portion configured to securely engage with the luminaire, and a second portion configured to deflect and slidably engage with an interior surface of a can-type light fixture.

8. (original) The combination of Claim 7, wherein each spring of the set of springs is formed from flat stock spring steel.

9. (original) The combination of Claim 1, wherein the heat spreader and the heat sink in combination define a base, wherein the optic is securely retained by the base via a snap-fit engagement between the optic and the base.

10. (original) The combination of Claim 1, wherein the heat spreader and the heat sink in combination define a base, wherein the base comprises engagement openings, wherein the optic comprises engagement tabs, wherein the optic is securely retained by the base by inserting respective ones of the engagement tabs into respective ones of the engagement openings and rotating the optic relative to a cylindrical axis of the base such that a portion of each engagement tab is securely retained by respective portions of the base.

11. (new) The combination of Claim 1, wherein:

the optic is securely retained relative to at least one of the heat spreader and the heat sink.

12. (new) The combination of Claim 1, wherein the accessory kit further comprises:

at least one twist-on wire connector.

13. (new) The combination of Claim 1, wherein the accessory kit further comprises:

at least one fastener configured to secure the luminaire to an electrical junction box.

14. (new) The combination of Claim 1, wherein the luminaire further comprises:

a reflector disposed in optical communication with the LEDs and the optic such that light emitted from the LEDs is reflected by the reflector toward the optic.

15. (new) The combination of claim 14, wherein the reflector overlies the power supply such that the power supply is hidden from view when viewed from an outer optic side of the luminaire.

# Explore Litigation Insights

Docket Alarm provides insights to develop a more informed litigation strategy and the peace of mind of knowing you're on top of things.

## Real-Time Litigation Alerts



Keep your litigation team up-to-date with **real-time alerts** and advanced team management tools built for the enterprise, all while greatly reducing PACER spend.

Our comprehensive service means we can handle Federal, State, and Administrative courts across the country.

## Advanced Docket Research



With over 230 million records, Docket Alarm's cloud-native docket research platform finds what other services can't. Coverage includes Federal, State, plus PTAB, TTAB, ITC and NLRB decisions, all in one place.

Identify arguments that have been successful in the past with full text, pinpoint searching. Link to case law cited within any court document via Fastcase.

## Analytics At Your Fingertips



Learn what happened the last time a particular judge, opposing counsel or company faced cases similar to yours.

Advanced out-of-the-box PTAB and TTAB analytics are always at your fingertips.

## API

Docket Alarm offers a powerful API (application programming interface) to developers that want to integrate case filings into their apps.

## LAW FIRMS

Build custom dashboards for your attorneys and clients with live data direct from the court.

Automate many repetitive legal tasks like conflict checks, document management, and marketing.

## FINANCIAL INSTITUTIONS

Litigation and bankruptcy checks for companies and debtors.

## E-DISCOVERY AND LEGAL VENDORS

Sync your system to PACER to automate legal marketing.